SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 3 Data Codebook

Terms of Use

Information about Copyrighted Content

TABLE OF CONTENTS

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____

_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B.   EDUCATION. Educational lifestyle, values, experiences, and environments

C.   WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D.   SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E.   POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F.   CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G.   RELIGION. Religious affiliation, practices, and views.

H.   POLITICS. Political affiliation, activities, and views.

I.   SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J.   SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K.   MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L.   MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M.   INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N.   RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O.   CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P.   HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q   OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R.   BACKGROUND. Demographic and family background characteristics, living arrangements.

S.   DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.   HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

 In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	188	390	14,268
2	Form 1	638	1,287	2,392
3	Form 2	332	677	2,381
4	Form 3	358	730	2,357
5	Form 4	270	556	2,385
6	Form 5	327	667	2,371
7	Form 6	336	686	2,382

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M):   -9
    Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms
AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that
the questionnaire was administered.   If the birth year value indicates that the respondent is
18, then the month of administration is compared to the month of birth. If the questionnaire
was given before the month of birth, or if both were the same month, then the respondent is
determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing
data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question
which was introduced on half of the forms in 2005. The new version lists several different
response options and prompts the respondents to select all that apply to them.   In cases
where a respondent selected options which fell into more than one of the three recoded
categories (Black, White, Hispanic), the value for the recoded variable was deleted and
defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were
deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)
*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning
"crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
  Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin
"using a needle" and heroin "WITHOUT using a needle".

Form 6
   A10. EVER HELD BACK
    1=No, 2=Yes

   A11. NEED SUMMER SCHL
    1=No, 2=Yes

   A12. EVER SUSPENDED
    1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

      The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 28401

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Form 3 Data

CASEID	CASE IDENTIFICATION NUMBER
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric

Based upon 2357 valid cases out of 2357 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
Location:	5-8 (width: 4; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2009	2357	100.0 %	100.0%

Based upon 2357 valid cases out of 2357 total cases.

V3	093:FORM ID
Location:	9-10 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
3	2357	100.0 %	100.0%

Based upon 2357 valid cases out of 2357 total cases.

V4	093:Rs ID-SERIAL #
Location:	11-15 (width: 5; decimal: 0)
Variable Type:	numeric

Based upon 2357 valid cases out of 2357 total cases.

V5	SAMPLING WEIGHT
Location:	16-21 (width: 6; decimal: 4)
Variable Type:	numeric

Based upon 2357 valid cases out of 2357 total cases.

V13	SCH REG-4 CAT
Location:	22-23 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%	Valid %
1	NE:(1)	569	24.1 %	24.1%
2	NC:(2)	572	24.3 %	24.3%
3	S:(3)	723	30.7 %	30.7%
4	W:(4)	493	20.9 %	20.9%

Based upon 2357 valid cases out of 2357 total cases.

V16   LARGE MSA=1/NOT=0

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1502	63.7 %	63.7%
1	LARGE MSA:(1)	855	36.3 %	36.3%

Based upon 2357 valid cases out of 2357 total cases.

V17   MSA/NON-MSA=0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%	Valid %
0	NON MSA:(0)	411	17.4 %	17.4%
1	MSA:(1)	1946	82.6 %	82.6%

Based upon 2357 valid cases out of 2357 total cases.

V3208   093A01 :VRY HPY THS DAYS

Location: 28-29 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01190

Question Number(s): 3A01

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%	Valid %
1	NT HAPPY:(1)	341	14.5 %	14.6%
2	PRTY HPY:(2)	1509	64.0 %	64.4%
3	VRY HPY:(3)	493	20.9 %	21.0%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2343 valid cases out of 2357 total cases.

V3209	**093A02 :THK ABT SOC ISSU**

Location:	30-31 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06880

Question Number(s): 3A02

Some people think a lot about the social problems of the nation and the world, and about how they might be solved. Others spend little time thinking about these issues. How much do you think about such things?

1="Never" 2="Seldom" 3="Sometimes" 4="Quite often" 5="A great deal"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	78	3.3 %	3.3%
2	SELDOM:(2)	402	17.1 %	17.2%
3	SOMETIME:(3)	1156	49.0 %	49.4%
4	OFTEN:(4)	576	24.4 %	24.6%
5	GRT DEAL:(5)	129	5.5 %	5.5%
-9 (M)	MISSING:(-9)	16	0.7 %	-

Based upon 2341 valid cases out of 2357 total cases.

V3210	**093A03A:MEN/WOMN/ = $, = WRK**

Location: 32-33 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07930

Question Number(s): 3A03A

The next questions ask your opinions about a number of different topics. How much do you agree or disagree with each statement below?

A: Men and women should be paid the same money if they do the same work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	67	2.8 %	2.9%
2	MOST DIS:(2)	42	1.8 %	1.8%
3	NEITHER:(3)	55	2.3 %	2.3%
4	MOST AGR:(4)	292	12.4 %	12.4%
5	AGREE:(5)	1892	80.3 %	80.6%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2348 valid cases out of 2357 total cases.

V3211	**093A03B:CNSDR WMN/HI JOB**

Location: 34-35 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07940

Question Number(s): 3A03B

How much do you agree or disagree with each statement below?

B: Women should be considered as seriously as men for jobs as executives or politicians

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	69	2.9 %	2.9%

Value	Label	Unweighted Frequency	%	Valid %
2	MOST DIS:(2)	65	2.8 %	2.8%
3	NEITHER:(3)	98	4.2 %	4.2%
4	MOST AGR:(4)	406	17.2 %	17.3%
5	AGREE:(5)	1708	72.5 %	72.8%
-9 (M)	MISSING:(-9)	11	0.5 %	-

Based upon 2346 valid cases out of 2357 total cases.

V3212	093A03C:WMN SHD = JOB OPP

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07950

Question Number(s): 3A03C

How much do you agree or disagree with each statement below?

C: A woman should have exactly the same job opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	89	3.8 %	3.8%
2	MOST DIS:(2)	88	3.7 %	3.8%
3	NEITHER:(3)	106	4.5 %	4.6%
4	MOST AGR:(4)	476	20.2 %	20.4%
5	AGREE:(5)	1569	66.6 %	67.4%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2328 valid cases out of 2357 total cases.

V3213	093A03D:WMN SHD = ED OPP

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07960

Question Number(s): 3A03D

How much do you agree or disagree with each statement below?

D: A woman should have exactly the same educational
opportunities as a man

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	30	1.3 %	1.3%
2	MOST DIS:(2)	12	0.5 %	0.5%
3	NEITHER:(3)	35	1.5 %	1.5%
4	MOST AGR:(4)	160	6.8 %	6.9%
5	AGREE:(5)	2098	89.0 %	89.9%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2335 valid cases out of 2357 total cases.

V3214	**093A03E:MN = ACHV/WMN = HOME**

Location: 40-41 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07970

Question Number(s): 3A03E

How much do you agree or disagree with each statement below?

E: It is usually better for everyone involved if the man is
the achiever outside the home and the woman takes care of
the home and family

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	649	27.5 %	27.7%
2	MOST DIS:(2)	422	17.9 %	18.0%
3	NEITHER:(3)	555	23.5 %	23.7%
4	MOST AGR:(4)	431	18.3 %	18.4%
5	AGREE:(5)	283	12.0 %	12.1%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2340 valid cases out of 2357 total cases.

V3215	**093A03F:CHL SUFF W WK MO**

Location: 42-43 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07980

Question Number(s): 3A03F

How much do you agree or disagree with each statement below?

F: A preschool child is likely to suffer if the mother works

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	741	31.4 %	31.8%
2	MOST DIS:(2)	505	21.4 %	21.7%
3	NEITHER:(3)	538	22.8 %	23.1%
4	MOST AGR:(4)	351	14.9 %	15.1%
5	AGREE:(5)	193	8.2 %	8.3%
-9 (M)	MISSING:(-9)	29	1.2 %	-

Based upon 2328 valid cases out of 2357 total cases.

V3216	**093A03G:WK MO AS WRM REL**

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07990

Question Number(s): 3A03G

How much do you agree or disagree with each statement below?

G: A working mother can establish just as warm and secure a
relationship with her children as a mother who does not work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	167	7.1 %	7.1%
2	MOST DIS:(2)	278	11.8 %	11.9%
3	NEITHER:(3)	238	10.1 %	10.2%
4	MOST AGR:(4)	666	28.3 %	28.5%
5	AGREE:(5)	991	42.0 %	42.4%
-9 (M)	MISSING:(-9)	17	0.7 %	-

Based upon 2340 valid cases out of 2357 total cases.

V3217	093A04A:POLLUT INCREASED

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08000

Question Number(s): 3A04A

The next questions are about pollution and the environment.
How much do you agree or disagree with each statement below?

A: Pollution of most types has increased in the U.S. in the
last ten years

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	38	1.6 %	1.6%
2	MOST DIS:(2)	78	3.3 %	3.3%
3	NEITHER:(3)	270	11.5 %	11.5%
4	MOST AGR:(4)	691	29.3 %	29.5%
5	AGREE:(5)	1262	53.5 %	54.0%
-9 (M)	MISSING:(-9)	18	0.8 %	-

Based upon 2339 valid cases out of 2357 total cases.

V3218	093A04B:GOVT DEAL ENV PR

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08010

Question Number(s): 3A04B

How much do you agree or disagree with each statement below?

B: Government should take steps to deal with our environmental
problems, even if it means that most of us pay higher prices
or taxes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	246	10.4 %	10.5%
2	MOST DIS:(2)	305	12.9 %	13.1%
3	NEITHER:(3)	555	23.5 %	23.7%
4	MOST AGR:(4)	742	31.5 %	31.8%
5	AGREE:(5)	489	20.7 %	20.9%
-9 (M)	MISSING:(-9)	20	0.8 %	-

Based upon 2337 valid cases out of 2357 total cases.

V3219   **093A04C:MR$ FR LASTG THG**

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08020

Question Number(s): 3A04C

How much do you agree or disagree with each statement below?

C: I would prefer to pay more money for things that will last
a long time, rather than have them cost less and break sooner

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	52	2.2 %	2.2%
2	MOST DIS:(2)	54	2.3 %	2.3%
3	NEITHER:(3)	220	9.3 %	9.4%
4	MOST AGR:(4)	690	29.3 %	29.6%
5	AGREE:(5)	1319	56.0 %	56.5%
-9 (M)	MISSING:(-9)	22	0.9 %	-

Based upon 2335 valid cases out of 2357 total cases.

V3220   **093A04D:USE BYC/MAS TRAN**

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08030

Question Number(s): 3A04D

How much do you agree or disagree with each statement below?

D: I would probably be willing to use a bicycle or mass transit (if available) rather than a car to get to work

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	664	28.2 %	28.4%
2	MOST DIS:(2)	455	19.3 %	19.5%
3	NEITHER:(3)	362	15.4 %	15.5%
4	MOST AGR:(4)	479	20.3 %	20.5%
5	AGREE:(5)	374	15.9 %	16.0%
-9 (M)	MISSING:(-9)	23	1.0 %	-

Based upon 2334 valid cases out of 2357 total cases.

V3221	**093A04E:EAT DIF->FD STRV**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08040

Question Number(s): 3A04E

How much do you agree or disagree with each statement below?

E: I would be willing to eat less meat and more grains and vegetables, if it would help provide food for starving people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	281	11.9 %	12.1%
2	MOST DIS:(2)	221	9.4 %	9.5%
3	NEITHER:(3)	360	15.3 %	15.5%
4	MOST AGR:(4)	705	29.9 %	30.3%
5	AGREE:(5)	760	32.2 %	32.7%
-9 (M)	MISSING:(-9)	30	1.3 %	-

Based upon 2327 valid cases out of 2357 total cases.

V3222	**093A05A:LIK WRK CAN FRGT**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 08050

Question Number(s): 3A05A

In the following list you will find some statements about leisure time and work. Please show whether you agree or disagree with each statement.

A: I like the kind of work you can forget about after the work day is over

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	301	12.8 %	12.9%
2	MOST DIS:(2)	345	14.6 %	14.8%
3	NEITHER:(3)	534	22.7 %	22.9%
4	MOST AGR:(4)	557	23.6 %	23.9%
5	AGREE:(5)	593	25.2 %	25.5%
-9 (M)	MISSING:(-9)	27	1.1 %	-

Based upon 2330 valid cases out of 2357 total cases.

V3223	**093A05B:WRK = ONLY MK LVNG**
Location:	58-59 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08060

Question Number(s): 3A05B

Please show whether you agree or disagree with each statement.

B: To me, work is nothing more than making a living

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	567	24.1 %	24.3%
2	MOST DIS:(2)	598	25.4 %	25.6%
3	NEITHER:(3)	357	15.1 %	15.3%
4	MOST AGR:(4)	442	18.8 %	19.0%
5	AGREE:(5)	368	15.6 %	15.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	25	1.1 %	-

Based upon 2332 valid cases out of 2357 total cases.

V3224	**093A05C:WRK CNTRL PRT LF**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08070

Question Number(s): 3A05C

Please show whether you agree or disagree with each statement.

C: I expect my work to be a very central part of my life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	130	5.5 %	5.6%
2	MOST DIS:(2)	208	8.8 %	9.0%
3	NEITHER:(3)	502	21.3 %	21.6%
4	MOST AGR:(4)	930	39.5 %	40.1%
5	AGREE:(5)	551	23.4 %	23.7%
-9 (M)	MISSING:(-9)	36	1.5 %	-

Based upon 2321 valid cases out of 2357 total cases.

V3225	**093A05D:OVTM 2DO BST JOB**

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08080

Question Number(s): 3A05D

Please show whether you agree or disagree with each statement.

D: I want to do my best in my job, even if this sometimes means working overtime

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	44	1.9 %	1.9%
2	MOST DIS:(2)	89	3.8 %	3.8%
3	NEITHER:(3)	201	8.5 %	8.6%
4	MOST AGR:(4)	913	38.7 %	39.3%
5	AGREE:(5)	1079	45.8 %	46.4%
-9 (M)	MISSING:(-9)	31	1.3 %	-

Based upon 2326 valid cases out of 2357 total cases.

V3226	**093A05E:SAME JOB MST LIF**

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08090

Question Number(s): 3A05E

Please show whether you agree or disagree with each statement.

E: I would like to stay in the same job for most of my adult life

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	250	10.6 %	10.8%
2	MOST DIS:(2)	232	9.8 %	10.0%
3	NEITHER:(3)	455	19.3 %	19.6%
4	MOST AGR:(4)	638	27.1 %	27.5%
5	AGREE:(5)	749	31.8 %	32.2%
-9 (M)	MISSING:(-9)	33	1.4 %	-

Based upon 2324 valid cases out of 2357 total cases.

V3227	**093A06 :ENUF$,NT WNT WRK**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08100

Question Number(s): 3A06

If you were to get enough money to live as comfortably as

you'd like for the rest of your life, would you want to work?

1="I would want to work" 2="I would not want to work"

Value	Label	Unweighted Frequency	%	Valid %
1	WORK:(1)	1607	68.2 %	70.4%
2	NOT WORK:(2)	676	28.7 %	29.6%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2283 valid cases out of 2357 total cases.

V3228	**093A07A:DES FRND OTH RC**

Location:	68-69 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08110

Question Number(s): 3A07A

The next questions are about living or working with people of different races. Please rate each of the statements below using the following terms:

Not at all acceptable: I'd avoid this if I possibly could.

Somewhat acceptable: I could live with this, but not be happy about it.

Acceptable: This would be O.K., or I'd be neutral about this.

Desirable: I'd really like this.

How would you feel about . . .

A: . . . Having close personal friends of another race?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	43	1.8 %	1.9%
2	SM ACCEP:(2)	80	3.4 %	3.5%
3	ACCEPTBL:(3)	1158	49.1 %	51.1%
4	DESIRABL:(4)	985	41.8 %	43.5%
-9 (M)	MISSING:(-9)	91	3.9 %	-

Based upon 2266 valid cases out of 2357 total cases.

V3229	**093A07B:DES SUPVR DIF RC**

Location:	70-71 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08120

Question Number(s): 3A07B

How would you feel about . . .

B: . . . Having a job with a supervisor of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	56	2.4 %	2.5%
2	SM ACCEP:(2)	106	4.5 %	4.7%
3	ACCEPTBL:(3)	1524	64.7 %	67.3%
4	DESIRABL:(4)	577	24.5 %	25.5%
-9 (M)	MISSING:(-9)	94	4.0 %	-

Based upon 2263 valid cases out of 2357 total cases.

V3230	093A07C:DES FAM NX DF RC

Location:	72-73 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08130

Question Number(s): 3A07C

How would you feel about . . .

C: . . . Having a family of a different race (but same level
of education and income) move next door to you?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	58	2.5 %	2.6%
2	SM ACCEP:(2)	94	4.0 %	4.2%
3	ACCEPTBL:(3)	1334	56.6 %	58.9%
4	DESIRABL:(4)	778	33.0 %	34.4%
-9 (M)	MISSING:(-9)	93	3.9 %	-

Based upon 2264 valid cases out of 2357 total cases.

	V3231	093A07D:DES CHL FD SM RC

Location:	74-75 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08140

Question Number(s): 3A07D

How would you feel about . . .

D: . . . Having your (future) children's friends be all of your race?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	283	12.0 %	12.6%
2	SM ACCEP:(2)	461	19.6 %	20.5%
3	ACCEPTBL:(3)	1167	49.5 %	52.0%
4	DESIRABL:(4)	335	14.2 %	14.9%
-9 (M)	MISSING:(-9)	111	4.7 %	-

Based upon 2246 valid cases out of 2357 total cases.

	V3232	093A07E:DES CHL FD OT RC

Location:	76-77 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08150

Question Number(s): 3A07E

How would you feel about . . .

E: . . . Having some of your (future) children's friends be of other races?

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	54	2.3 %	2.4%
2	SM ACCEP:(2)	114	4.8 %	5.0%

Value	Label	Unweighted Frequency	%	Valid %
3	ACCEPTBL:(3)	1222	51.8 %	54.1%
4	DESIRABL:(4)	869	36.9 %	38.5%
-9 (M)	MISSING:(-9)	98	4.2 %	-

Based upon 2259 valid cases out of 2357 total cases.

V3233	**093A08A:DES AL WKS SM RC**

Location:	78-79 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08160

Question Number(s): 3A08A

How would you feel about having a job where . . .

A: . . . all the employees are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	208	8.8 %	9.2%
2	SM ACCEP:(2)	454	19.3 %	20.1%
3	ACCEPTBL:(3)	1295	54.9 %	57.2%
4	DESIRABL:(4)	306	13.0 %	13.5%
-9 (M)	MISSING:(-9)	94	4.0 %	-

Based upon 2263 valid cases out of 2357 total cases.

V3234	**093A08B:DES SO WKS DF RC**

Location:	80-81 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08170

Question Number(s): 3A08B

How would you feel about having a job where . . .

B: . . . some employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	34	1.4 %	1.5%
2	SM ACCEP:(2)	83	3.5 %	3.7%
3	ACCEPTBL:(3)	1506	63.9 %	66.6%
4	DESIRABL:(4)	638	27.1 %	28.2%
-9 (M)	MISSING:(-9)	96	4.1 %	-

Based upon 2261 valid cases out of 2357 total cases.

V3235	**093A08C:DES MS WKS DF RC**

Location:	82-83 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08180

Question Number(s): 3A08C

How would you feel about having a job where . . .

C: . . . most employees are of a different race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	124	5.3 %	5.5%
2	SM ACCEP:(2)	414	17.6 %	18.3%
3	ACCEPTBL:(3)	1345	57.1 %	59.6%
4	DESIRABL:(4)	375	15.9 %	16.6%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2258 valid cases out of 2357 total cases.

V3236	**093A09A:DES AL NGB SM RC**

Location:	84-85 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08190

Question Number(s): 3A09A

How would you feel about living in an area where . . .

A: . . . all the neighbors are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	179	7.6 %	7.9%
2	SM ACCEP:(2)	355	15.1 %	15.7%
3	ACCEPTBL:(3)	1318	55.9 %	58.4%
4	DESIRABL:(4)	404	17.1 %	17.9%
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2256 valid cases out of 2357 total cases.

V3237	**093A09B:DES SO NGB OT RC**

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08200

Question Number(s): 3A09B

How would you feel about living in an area where . . .

B: . . . some of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	36	1.5 %	1.6%
2	SM ACCEP:(2)	133	5.6 %	5.9%
3	ACCEPTBL:(3)	1568	66.5 %	69.5%
4	DESIRABL:(4)	520	22.1 %	23.0%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2257 valid cases out of 2357 total cases.

V3238	**093A09C:DES MS NGB OT RC**

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08210

Question Number(s): 3A09C

How would you feel about living in an area where . . .

C: . . . most of the neighbors are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	202	8.6 %	9.0%
2	SM ACCEP:(2)	480	20.4 %	21.3%
3	ACCEPTBL:(3)	1272	54.0 %	56.5%
4	DESIRABL:(4)	298	12.6 %	13.2%
-9 (M)	MISSING:(-9)	105	4.5 %	-

Based upon 2252 valid cases out of 2357 total cases.

V3239	**093A10A:DES AL CHL SM RC**

Location: 90-91 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08220

Question Number(s): 3A10A

How would you feel about having your (future) children go to schools where . . .

A: . . . all the children are of your race?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	328	13.9 %	14.5%
2	SM ACCEP:(2)	382	16.2 %	16.9%
3	ACCEPTBL:(3)	1179	50.0 %	52.2%
4	DESIRABL:(4)	368	15.6 %	16.3%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2257 valid cases out of 2357 total cases.

V3240	**093A10B:DES SM CHL OT RC**

Location: 92-93 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08230

Question Number(s): 3A10B

How would you feel about having your (future) children go to schools where . . .

B: . . . some of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	41	1.7 %	1.8%
2	SM ACCEP:(2)	118	5.0 %	5.2%
3	ACCEPTBL:(3)	1474	62.5 %	65.3%
4	DESIRABL:(4)	624	26.5 %	27.6%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2257 valid cases out of 2357 total cases.

V3241	**093A10C:DES MS CHL OT RC**

Location: 94-95 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 08240

Question Number(s): 3A10C

How would you feel about having your (future) children go to schools where . . .

C: . . . most of the children are of other races?

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%	Valid %
1	NT ACCEP:(1)	243	10.3 %	10.8%
2	SM ACCEP:(2)	498	21.1 %	22.1%
3	ACCEPTBL:(3)	1173	49.8 %	52.0%
4	DESIRABL:(4)	342	14.5 %	15.2%
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2256 valid cases out of 2357 total cases.

V3242	**093A11 :FRNDS AL OT RC**

Location: 96-97 (width: 2; decimal: 0)

	Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08250

Question Number(s): 3A11

What race are your close friends?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MINE:(1)	373	15.8 %	16.6%
2	ALMST AL:(2)	575	24.4 %	25.6%
3	MST MINE:(3)	564	23.9 %	25.1%
4	1/2 MINE:(4)	379	16.1 %	16.9%
5	MST OTH:(5)	223	9.5 %	9.9%
6	ALMS OTH:(6)	130	5.5 %	5.8%
-9 (M)	MISSING:(-9)	113	4.8 %	-

Based upon 2244 valid cases out of 2357 total cases.

V3243	**093A12 :NGBHD AL OT RC**

Location:	98-99 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08260

Question Number(s): 3A12

What race are the people in your neighborhood?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MINE:(1)	482	20.4 %	21.5%
2	ALMST AL:(2)	542	23.0 %	24.2%
3	MST MINE:(3)	368	15.6 %	16.4%
4	1/2 MINE:(4)	349	14.8 %	15.6%
5	MST OTH:(5)	311	13.2 %	13.9%
6	ALMS OTH:(6)	186	7.9 %	8.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2238 valid cases out of 2357 total cases.

V3244	**093A13 :ELEMSCH AL OT RC**			

Location:	100-101 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08270

Question Number(s): 3A13

What race were the students in the elementary school where you spent the most time?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MINE:(1)	416	17.6 %	18.6%
2	ALMST AL:(2)	627	26.6 %	28.0%
3	MST MINE:(3)	382	16.2 %	17.1%
4	1/2 MINE:(4)	364	15.4 %	16.3%
5	MST OTH:(5)	257	10.9 %	11.5%
6	ALMS OTH:(6)	193	8.2 %	8.6%
-9 (M)	MISSING:(-9)	118	5.0 %	-

Based upon 2239 valid cases out of 2357 total cases.

V3245	**093A14 :HISCH AL OT RC**			

Location:	102-103 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08280

Question Number(s): 3A14

What race are the students in your present school (if you are in school)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race" 4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MINE:(1)	92	3.9 %	4.1%
2	ALMST AL:(2)	562	23.8 %	25.2%
3	MST MINE:(3)	458	19.4 %	20.5%
4	1/2 MINE:(4)	525	22.3 %	23.6%
5	MST OTH:(5)	378	16.0 %	17.0%
6	ALMS OTH:(6)	214	9.1 %	9.6%
-9 (M)	MISSING:(-9)	128	5.4 %	-

Based upon 2229 valid cases out of 2357 total cases.

V3246	093A15 :WRKRS AL OT RC

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08290

Question Number(s): 3A15

What race are the people that you work with on your job
(if you have a job)?

1="All My Race" 2="Almost All My Race" 3="Mostly My Race"
4="About Half My Race" 5="Mostly Other Race(s)" 6="Almost
All Other Race(s)"

Value	Label	Unweighted Frequency	%	Valid %
1	ALL MINE:(1)	430	18.2 %	23.1%
2	ALMST AL:(2)	380	16.1 %	20.4%
3	MST MINE:(3)	304	12.9 %	16.4%
4	1/2 MINE:(4)	334	14.2 %	18.0%
5	MST OTH:(5)	236	10.0 %	12.7%
6	ALMS OTH:(6)	175	7.4 %	9.4%
-9 (M)	MISSING:(-9)	498	21.1 %	-

Based upon 1859 valid cases out of 2357 total cases.

V3247	093A16 :DO LOT THG OT RC

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08300

Question Number(s): 3A16

How often do you do things (like having a conversation, eating together, playing sports) with people of other races?

1="Not at all" 2="A little" 3="Some" 4="A lot"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	117	5.0 %	5.2%
2	A LITTLE:(2)	409	17.4 %	18.3%
3	SOME:(3)	775	32.9 %	34.6%
4	A LOT:(4)	938	39.8 %	41.9%
-9 (M)	MISSING:(-9)	118	5.0 %	-

Based upon 2239 valid cases out of 2357 total cases.

V3248	**093A17 :VRY GD EXP OT RC**

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08310

Question Number(s): 3A17

Generally, how do you feel about the experiences you have had with people of other races?

5="Very good" 4="Mostly good" 3="Mixed" 2="Mostly bad" 1="Very bad"

Value	Label	Unweighted Frequency	%	Valid %
1	VERY BAD:(1)	44	1.9 %	2.0%
2	MST BAD:(2)	46	2.0 %	2.0%
3	MIXED:(3)	563	23.9 %	25.1%
4	MST GOOD:(4)	986	41.8 %	43.9%
5	VRY GOOD:(5)	606	25.7 %	27.0%
-9 (M)	MISSING:(-9)	112	4.8 %	-

Based upon 2245 valid cases out of 2357 total cases.

V3249	**093A18 :MARRD OR ENGAGED**

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08320

Question Number(s): 3A18

The next questions are about some of your own plans. Are you
married or engaged?

1="Married--SKIP TO QUESTION 20" 2="Engaged" 3="Neither"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	13	0.6 %	0.6%
2	ENGAGED:(2)	116	4.9 %	5.4%
3	NEITHER:(3)	2002	84.9 %	93.9%
-9 (M)	MISSING:(-9)	226	9.6 %	-

Based upon 2131 valid cases out of 2357 total cases.

V3250	**093A19 :WHN WANT GT MARR**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08330

Question Number(s): 3A19

If it were just up to you, what would be the ideal time for
you to get married?

1="Within the next year or so" 2="Two or three years from now"
3="Four or five years from now" 4="Over five years from now"
5="I don't want to marry"

Value	Label	Unweighted Frequency	%	Valid %
1	NEXT YR:(1)	85	3.6 %	4.0%
2	2-3 YRS:(2)	233	9.9 %	10.8%
3	4-5 YRS:(3)	670	28.4 %	31.2%
4	OVER 5:(4)	1058	44.9 %	49.2%
5	DNT WANT:(5)	103	4.4 %	4.8%
-9 (M)	MISSING:(-9)	208	8.8 %	-

Based upon 2149 valid cases out of 2357 total cases.

V3251	**093A20 :THGT LOT HAV CHL**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08340

Question Number(s): 3A20

Have you thought at all about whether you'd like to have
children or how many you'd like to have?

3="I've thought about it a lot" 2="I've thought about it a
little" 1="I haven't thought about it at all"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	170	7.2 %	7.7%
2	A LITTLE:(2)	1281	54.3 %	57.8%
3	THOT LOT:(3)	767	32.5 %	34.6%
-9 (M)	MISSING:(-9)	139	5.9 %	-

Based upon 2218 valid cases out of 2357 total cases.

V3252	**093A21 :# CHLDN WANT(6+)**

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08350

Question Number(s): 3A21

All things considered, if you could have exactly the number
of children you want, what number would you choose to have?

1="None" 2="One" 3="Two" 4="Three" 5="Four" 6="Five" 7="Six
or more" 8="Don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	94	4.0 %	4.2%
2	ONE:(2)	119	5.0 %	5.3%
3	TWO:(3)	901	38.2 %	40.3%
4	THREE:(4)	569	24.1 %	25.5%
5	FOUR:(5)	264	11.2 %	11.8%
6	FIVE:(6)	60	2.5 %	2.7%
7	6 OR MOR:(7)	58	2.5 %	2.6%
8	DK:(8)	168	7.1 %	7.5%
-9 (M)	MISSING:(-9)	124	5.3 %	-

Based upon 2233 valid cases out of 2357 total cases.

V3253	**093A22 :IF -POP, MR CHLD**

Location:	118-119 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	
	Item Number: 08360
	Question Number(s): 3A22

If the "population explosion" were NOT a problem, would you choose to have a larger number of children?

4="Yes, I'm sure I would want more" 3="I probably would want more" 2="I probably would not want more" 1="I'm sure I would not want more" 8="Don't know, no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	SURE NO:(1)	767	32.5 %	34.1%
2	PROB NO:(2)	671	28.5 %	29.9%
3	PRB YES:(3)	199	8.4 %	8.9%
4	SURE YES:(4)	117	5.0 %	5.2%
8	DK:(8)	493	20.9 %	21.9%
-9 (M)	MISSING:(-9)	110	4.7 %	-

Based upon 2247 valid cases out of 2357 total cases.

V3254	**093A23 :WHN 1ST CHL(5+Y)**
Location:	120-121 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	
	Item Number: 08370
	Question Number(s): 3A23

If it were just up to you, how soon after getting married would you want to have your first child?

1="I don't want to have children (or get married)" 2="I wouldn't wait at all" 3="I would wait one year" 4="I would wait two years" 5="I would wait three years" 6="I would wait four or five years" 7="I would wait more than five years" 8="Don't know, or already have a child"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT WANT:(1)	108	4.6 %	4.8%
2	NO WAIT:(2)	158	6.7 %	7.1%
3	WAIT 1YR:(3)	722	30.6 %	32.3%

Value	Label	Unweighted Frequency	%	Valid %
4	WAIT 2YR:(4)	594	25.2 %	26.6%
5	WAIT 3YR:(5)	226	9.6 %	10.1%
6	WAIT 4-5:(6)	117	5.0 %	5.2%
7	WAIT 5+:(7)	30	1.3 %	1.3%
8	DK/HAVKD:(8)	281	11.9 %	12.6%
-9 (M)	MISSING:(-9)	121	5.1 %	-

Based upon 2236 valid cases out of 2357 total cases.

V3255	**093A24A:GD JB LARG CORPS**

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08380

Question Number(s): 3A24A

Now we'd like you to make some ratings of how good or bad a job you feel each of the following organizations is doing for the country as a whole. For each one, mark the circle that best describes how you feel. How good or bad a job is being done for the country as a whole by . . .

A: . . . Large corporations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	231	9.8 %	10.3%
2	POOR:(2)	490	20.8 %	21.9%
3	FAIR:(3)	601	25.5 %	26.8%
4	GOOD:(4)	361	15.3 %	16.1%
5	VRY GOOD:(5)	76	3.2 %	3.4%
8	NO OPIN:(8)	481	20.4 %	21.5%
-9 (M)	MISSING:(-9)	117	5.0 %	-

Based upon 2240 valid cases out of 2357 total cases.

V3256	**093A24B:GD JB LBR UNIONS**

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08390

Question Number(s): 3A24B

How good or bad a job is being done for the country as a
whole by . . .

B: . . . Major labor unions?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	86	3.6 %	3.8%
2	POOR:(2)	296	12.6 %	13.2%
3	FAIR:(3)	713	30.3 %	31.9%
4	GOOD:(4)	412	17.5 %	18.4%
5	VRY GOOD:(5)	84	3.6 %	3.8%
8	NO OPIN:(8)	647	27.5 %	28.9%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2238 valid cases out of 2357 total cases.

V3257	**093A24C:GD JB COLLG/UNIV**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08400

Question Number(s): 3A24C

How good or bad a job is being done for the country as a
whole by . . .

C: . . . The nation's colleges and universities?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	44	1.9 %	2.0%
2	POOR:(2)	123	5.2 %	5.5%
3	FAIR:(3)	453	19.2 %	20.3%
4	GOOD:(4)	916	38.9 %	41.0%
5	VRY GOOD:(5)	459	19.5 %	20.6%

Value	Label	Unweighted Frequency	%	Valid %
8	NO OPIN:(8)	237	10.1 %	10.6%
-9 (M)	MISSING:(-9)	125	5.3 %	-

Based upon 2232 valid cases out of 2357 total cases.

V3258	**093A24D:GD JB PBLC SCHOL**

Location:	128-129 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08410

Question Number(s): 3A24D

How good or bad a job is being done for the country as a whole by . . .

D: . . . The nation's public schools?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	146	6.2 %	6.5%
2	POOR:(2)	355	15.1 %	15.9%
3	FAIR:(3)	673	28.6 %	30.2%
4	GOOD:(4)	627	26.6 %	28.1%
5	VRY GOOD:(5)	197	8.4 %	8.8%
8	NO OPIN:(8)	233	9.9 %	10.4%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2231 valid cases out of 2357 total cases.

V3259	**093A24E:GD JB CHURCHES**

Location:	130-131 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08420

Question Number(s): 3A24E

How good or bad a job is being done for the country as a whole by . . .

E: . . . Churches and religious organizations?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	118	5.0 %	5.3%
2	POOR:(2)	138	5.9 %	6.2%
3	FAIR:(3)	557	23.6 %	24.9%
4	GOOD:(4)	624	26.5 %	27.9%
5	VRY GOOD:(5)	369	15.7 %	16.5%
8	NO OPIN:(8)	428	18.2 %	19.2%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2234 valid cases out of 2357 total cases.

V3260	093A24F:GD JB NEWS MEDIA

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08430

Question Number(s): 3A24F

How good or bad a job is being done for the country as a whole by . . .

F: . . . The national news media (TV, magazines, news services)?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	237	10.1 %	10.6%
2	POOR:(2)	345	14.6 %	15.4%
3	FAIR:(3)	601	25.5 %	26.9%
4	GOOD:(4)	519	22.0 %	23.2%
5	VRY GOOD:(5)	268	11.4 %	12.0%
8	NO OPIN:(8)	268	11.4 %	12.0%
-9 (M)	MISSING:(-9)	119	5.0 %	-

Based upon 2238 valid cases out of 2357 total cases.

V3261	093A24G:GD JB PRES/ADMIN

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 08440

Question Number(s): 3A24G

How good or bad a job is being done for the country as a whole by . . .

G: . . . The President and his administration?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	183	7.8 %	8.2%
2	POOR:(2)	212	9.0 %	9.5%
3	FAIR:(3)	594	25.2 %	26.5%
4	GOOD:(4)	617	26.2 %	27.5%
5	VRY GOOD:(5)	277	11.8 %	12.4%
8	NO OPIN:(8)	359	15.2 %	16.0%
-9 (M)	MISSING:(-9)	115	4.9 %	-

Based upon 2242 valid cases out of 2357 total cases.

V3262	**093A24H:GD JB CONGRESS**

Location:	136-137 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08450

Question Number(s):   3A24H

How good or bad a job is being done for the country as a whole by . . .

H: . . . Congress--that is, the U.S. Senate and House of Representatives?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	146	6.2 %	6.5%
2	POOR:(2)	291	12.3 %	13.0%
3	FAIR:(3)	674	28.6 %	30.2%
4	GOOD:(4)	444	18.8 %	19.9%

Value	Label	Unweighted Frequency	%	Valid %
5	VRY GOOD:(5)	97	4.1 %	4.3%
8	NO OPIN:(8)	583	24.7 %	26.1%
-9 (M)	MISSING:(-9)	122	5.2 %	-

Based upon 2235 valid cases out of 2357 total cases.

V3263	093A24I:GD JB SUPRM CRT

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08460

Question Number(s): 3A24I

How good or bad a job is being done for the country as a whole by . . .

I: . . . The U.S. Supreme Court?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	91	3.9 %	4.1%
2	POOR:(2)	178	7.6 %	8.0%
3	FAIR:(3)	674	28.6 %	30.3%
4	GOOD:(4)	491	20.8 %	22.0%
5	VRY GOOD:(5)	131	5.6 %	5.9%
8	NO OPIN:(8)	662	28.1 %	29.7%
-9 (M)	MISSING:(-9)	130	5.5 %	-

Based upon 2227 valid cases out of 2357 total cases.

V3264	093A24J:GD JB JUSTC SYST

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08470

Question Number(s): 3A24J

How good or bad a job is being done for the country as a whole by . . .

J: . . . All the courts and the justice system in general?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	117	5.0 %	5.2%
2	POOR:(2)	232	9.8 %	10.4%
3	FAIR:(3)	715	30.3 %	32.1%
4	GOOD:(4)	492	20.9 %	22.1%
5	VRY GOOD:(5)	93	3.9 %	4.2%
8	NO OPIN:(8)	580	24.6 %	26.0%
-9 (M)	MISSING:(-9)	128	5.4 %	-

Based upon 2229 valid cases out of 2357 total cases.

V3265	093A24K:GD JB POLICE

Location:	142-143 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08480

Question Number(s):   3A24K

How good or bad a job is being done for the country as a whole by . . .

K: . . . The police and other law enforcement agencies?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	158	6.7 %	7.1%
2	POOR:(2)	289	12.3 %	13.0%
3	FAIR:(3)	683	29.0 %	30.6%
4	GOOD:(4)	602	25.5 %	27.0%
5	VRY GOOD:(5)	180	7.6 %	8.1%
8	NO OPIN:(8)	319	13.5 %	14.3%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2231 valid cases out of 2357 total cases.

V3266	093A24L:GD JB MILITARY

Location:	144-145 (width: 2; decimal: 0)

Variable Type:	numeric				
Range of Missing Values (M):	-9				
Question:					

Item Number: 08490

Question Number(s):   3A24L

How good or bad a job is being done for the country as a
whole by . . .

L: . . . The U.S. military?

1="Very Poor" 2="Poor" 3="Fair" 4="Good" 5="Very Good" 8="No
Opinion"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY POOR:(1)	85	3.6 %	3.8%
2	POOR:(2)	102	4.3 %	4.6%
3	FAIR:(3)	374	15.9 %	16.8%
4	GOOD:(4)	638	27.1 %	28.6%
5	VRY GOOD:(5)	680	28.9 %	30.5%
8	NO OPIN:(8)	350	14.8 %	15.7%
-9 (M)	MISSING:(-9)	128	5.4 %	-

Based upon 2229 valid cases out of 2357 total cases.

V3267	**093A25 :MIL TOO MCH INFL**

Location:	146-147 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08500

Question Number(s): 3A25

All things considered, do you think the armed services
presently have too much or too little influence on the
way this country is run?

1="Far too little" 2="Too little" 3="About right" 4="Too much"
5="Far too much"

Value	Label	Unweighted Frequency	%	Valid %
1	F TOO LT:(1)	67	2.8 %	3.0%
2	TOO LITL:(2)	267	11.3 %	12.1%
3	ABT RITE:(3)	1351	57.3 %	61.1%
4	TOO MUCH:(4)	427	18.1 %	19.3%

Value	Label	Unweighted Frequency	%	Valid %
5	F TOO MH:(5)	98	4.2 %	4.4%
-9 (M)	MISSING:(-9)	147	6.2 %	-

Based upon 2210 valid cases out of 2357 total cases.

V3268	093A26 :US TOO MCH$ MILT

Location:	148-149 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08510

Question Number(s): 3A26

Do you think the U.S. spends too much or too little on the armed services?

1="Far too little" 2="Too little" 3="About right" 4="Too much" 5="Far too much"

Value	Label	Unweighted Frequency	%	Valid %
1	F TOO LT:(1)	64	2.7 %	2.9%
2	TOO LITL:(2)	276	11.7 %	12.5%
3	ABT RITE:(3)	858	36.4 %	38.8%
4	TOO MUCH:(4)	733	31.1 %	33.1%
5	F TOO MH:(5)	283	12.0 %	12.8%
-9 (M)	MISSING:(-9)	143	6.1 %	-

Based upon 2214 valid cases out of 2357 total cases.

V3273	093A27A:DAP SMK 1PCK CIG

Location:	150-151 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08560

Question Number(s): 3A27A

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	402	17.1 %	17.9%
2	DISAPPRV:(2)	689	29.2 %	30.6%
3	STRG DIS:(3)	1159	49.2 %	51.5%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2250 valid cases out of 2357 total cases.

V3274	**093A27B:DAP TRY MRJ 1-2T**

Location:	152-153 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08570

Question Number(s): 3A27B

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1043	44.3 %	46.4%
2	DISAPPRV:(2)	537	22.8 %	23.9%
3	STRG DIS:(3)	667	28.3 %	29.7%
-9 (M)	MISSING:(-9)	110	4.7 %	-

Based upon 2247 valid cases out of 2357 total cases.

V3275	**093A27C:DAP SMK MRJ OCCS**

Location:	154-155 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08580

Question Number(s): 3A27C

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	790	33.5 %	35.1%
2	DISAPPRV:(2)	558	23.7 %	24.8%
3	STRG DIS:(3)	900	38.2 %	40.0%
-9 (M)	MISSING:(-9)	109	4.6 %	-

Based upon 2248 valid cases out of 2357 total cases.

V3276	**093A27D:DAP SMK MRJ REGL**

Location: 156-157 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08590

Question Number(s): 3A27D

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	443	18.8 %	19.7%
2	DISAPPRV:(2)	540	22.9 %	24.0%
3	STRG DIS:(3)	1267	53.8 %	56.3%
-9 (M)	MISSING:(-9)	107	4.5 %	-

Based upon 2250 valid cases out of 2357 total cases.

V3277	**093A27E:DAP TRY LSD 1-2T**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08600

Question Number(s): 3A27E

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying LSD once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	277	11.8 %	12.4%
2	DISAPPRV:(2)	438	18.6 %	19.6%
3	STRG DIS:(3)	1524	64.7 %	68.1%
-9 (M)	MISSING:(-9)	118	5.0 %	-

Based upon 2239 valid cases out of 2357 total cases.

V3278	**093A27F:DAP TKG LSD REGL**

Location:	160-161 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08610

Question Number(s): 3A27F

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking LSD regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	104	4.4 %	4.5%
2	DISAPPRV:(2)	376	16.0 %	16.3%
3	STRG DIS:(3)	1825	77.4 %	79.2%
-9 (M)	MISSING:(-9)	52	2.2 %	-

Based upon 2305 valid cases out of 2357 total cases.

V3279	**093A27G:DAP TRY HRN 1-2T**

Location:	162-163 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08620

Question Number(s): 3A27G

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Trying heroin once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	119	5.0 %	5.1%
2	DISAPPRV:(2)	325	13.8 %	14.0%
3	STRG DIS:(3)	1870	79.3 %	80.8%
-9 (M)	MISSING:(-9)	43	1.8 %	-

Based upon 2314 valid cases out of 2357 total cases.

V3280	**093A27H:DAP TKG HRN OCCS**

Location: 164-165 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08630

Question Number(s): 3A27H

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Taking heroin occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	72	3.1 %	3.1%
2	DISAPPRV:(2)	250	10.6 %	10.8%
3	STRG DIS:(3)	1987	84.3 %	86.1%
-9 (M)	MISSING:(-9)	48	2.0 %	-

Based upon 2309 valid cases out of 2357 total cases.

V3281	**093A27I:DAP TKG HRN REGL**

Location: 166-167 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08640

Question Number(s): 3A27I

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking heroin regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	60	2.5 %	2.6%
2	DISAPPRV:(2)	202	8.6 %	8.8%
3	STRG DIS:(3)	2031	86.2 %	88.6%
-9 (M)	MISSING:(-9)	64	2.7 %	-

Based upon 2293 valid cases out of 2357 total cases.

V3507	093A27J:DAP TRY SED/B1-2

Location: 168-169 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08655

Question Number(s): 3A27J

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking a sedative/barbiturate (downer) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	297	12.6 %	12.9%
2	DISAPPRV:(2)	545	23.1 %	23.6%
3	STRG DIS:(3)	1465	62.2 %	63.5%
-9 (M)	MISSING:(-9)	50	2.1 %	-

Based upon 2307 valid cases out of 2357 total cases.

V3508	093A27K:DAP USE SED/BREG

Location: 170-171 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08665

Question Number(s): 3A27K

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking a sedative/barbiturate (downer) regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	99	4.2 %	4.3%
2	DISAPPRV:(2)	379	16.1 %	16.5%
3	STRG DIS:(3)	1819	77.2 %	79.2%
-9 (M)	MISSING:(-9)	60	2.5 %	-

Based upon 2297 valid cases out of 2357 total cases.

V3284	**093A27L:DAP TRY AMP 1-2T**

Location: 172-173 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08670

Question Number(s): 3A27L

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Trying an amphetamine (upper, pep pill, bennie, speed) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	279	11.8 %	12.1%
2	DISAPPRV:(2)	434	18.4 %	18.8%
3	STRG DIS:(3)	1594	67.6 %	69.1%
-9 (M)	MISSING:(-9)	50	2.1 %	-

Based upon 2307 valid cases out of 2357 total cases.

V3285	**093A27M:DAP TKG AMP REGL**

Location: 174-175 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08680

Question Number(s): 3A27M

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking amphetamines regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	108	4.6 %	4.7%
2	DISAPPRV:(2)	325	13.8 %	14.1%
3	STRG DIS:(3)	1875	79.6 %	81.2%
-9 (M)	MISSING:(-9)	49	2.1 %	-

Based upon 2308 valid cases out of 2357 total cases.

V3286	**093A27N:DAP TRY COC 1-2T**

Location: 176-177 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08690

Question Number(s): 3A27N

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	210	8.9 %	9.1%
2	DISAPPRV:(2)	354	15.0 %	15.3%
3	STRG DIS:(3)	1749	74.2 %	75.6%
-9 (M)	MISSING:(-9)	44	1.9 %	-

Based upon 2313 valid cases out of 2357 total cases.

V3287	**093A27O:DAP TKG COC REGL**

Location: 178-179 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08700

Question Number(s): 3A27O

Do YOU disapprove of people (who are 18 or older) doing each of the following?

O: Taking cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	83	3.5 %	3.6%
2	DISAPPRV:(2)	256	10.9 %	11.1%
3	STRG DIS:(3)	1965	83.4 %	85.3%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2304 valid cases out of 2357 total cases.

V3288	**093A27P:DAP TRY DRK ALCL**

Location:	180-181 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08710

Question Number(s): 3A27P

Do YOU disapprove of people (who are 18 or older) doing each of the following?

P: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	1636	69.4 %	70.8%
2	DISAPPRV:(2)	373	15.8 %	16.1%
3	STRG DIS:(3)	303	12.9 %	13.1%
-9 (M)	MISSING:(-9)	45	1.9 %	-

Based upon 2312 valid cases out of 2357 total cases.

V3289	**093A27Q:DAP 1-2 DRK/DAY**

Location:	182-183 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08720

Question Number(s): 3A27Q

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Q: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	653	27.7 %	28.4%
2	DISAPPRV:(2)	851	36.1 %	37.0%
3	STRG DIS:(3)	798	33.9 %	34.7%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2302 valid cases out of 2357 total cases.

V3290	**093A27R:DAP 4-5 DRK/DAY**

Location:	184-185 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08730

Question Number(s): 3A27R

Do YOU disapprove of people (who are 18 or older) doing each of the following?

R: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	234	9.9 %	10.1%
2	DISAPPRV:(2)	561	23.8 %	24.3%
3	STRG DIS:(3)	1517	64.4 %	65.6%
-9 (M)	MISSING:(-9)	45	1.9 %	-

Based upon 2312 valid cases out of 2357 total cases.

V3291	**093A27S:DAP 5+ DRK WKNDS**

Location:	186-187 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08740

Question Number(s): 3A27S

Do YOU disapprove of people (who are 18 or older) doing each of the following?

S: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DNT DISP:(1)	758	32.2 %	32.9%
2	DISAPPRV:(2)	590	25.0 %	25.6%
3	STRG DIS:(3)	958	40.6 %	41.5%
-9 (M)	MISSING:(-9)	51	2.2 %	-

Based upon 2306 valid cases out of 2357 total cases.

V3292	**093A28A:12MO NR OTH MARJ**

Location:	188-189 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20590

Question Number(s): 3A28A

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

A: Marijuana (pot, weed) or hashish

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	632	26.8 %	27.4%
2	1-2X:(2)	483	20.5 %	20.9%
3	OCCASNLY:(3)	511	21.7 %	22.1%
4	OFTEN:(4)	681	28.9 %	29.5%
-9 (M)	MISSING:(-9)	50	2.1 %	-

Based upon 2307 valid cases out of 2357 total cases.

V3293	**093A28B:12MO NR OTH LSD**

Location:	190-191 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20600

Question Number(s): 3A28B

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high

or for "kicks"?

B: LSD

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2014	85.4 %	88.2%
2	1-2X:(2)	170	7.2 %	7.4%
3	OCCASNLY:(3)	65	2.8 %	2.8%
4	OFTEN:(4)	34	1.4 %	1.5%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2283 valid cases out of 2357 total cases.

V3294   093A28C:12MO NR OTH PSYC

Location:	192-193 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20610

Question Number(s): 3A28C

During the LAST 12 MONTHS, how often have you been around people who were taking each of the following to get high or for "kicks"?

C: Other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1789	75.9 %	77.7%
2	1-2X:(2)	312	13.2 %	13.6%
3	OCCASNLY:(3)	135	5.7 %	5.9%
4	OFTEN:(4)	65	2.8 %	2.8%
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2301 valid cases out of 2357 total cases.

V3295   093A28D:12MO NR OTH AMPH

Location:	194-195 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 20620

Question Number(s): 3A28D

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

D: Amphetamines (uppers, pep pills, bennies, speed)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1748	74.2 %	76.1%
2	1-2X:(2)	297	12.6 %	12.9%
3	OCCASNLY:(3)	157	6.7 %	6.8%
4	OFTEN:(4)	94	4.0 %	4.1%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2296 valid cases out of 2357 total cases.

V3509   093A28E:12MO NR SED/BARB

Location: 196-197 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M):   -9
Question:

Item Number: 20635

Question Number(s): 3A28E

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

E: Sedatives/barbiturates (downers)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1889	80.1 %	82.2%
2	1-2X:(2)	207	8.8 %	9.0%
3	OCCASNLY:(3)	126	5.3 %	5.5%
4	OFTEN:(4)	75	3.2 %	3.3%
-9 (M)	MISSING:(-9)	60	2.5 %	-

Based upon 2297 valid cases out of 2357 total cases.

V3297   093A28F:12MO NR OTH TRQL

Location:	198-199 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20640

Question Number(s): 3A28F

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

F: Tranquilizers (Librium, Valium, Xanax)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1824	77.4 %	79.5%
2	1-2X:(2)	237	10.1 %	10.3%
3	OCCASNLY:(3)	140	5.9 %	6.1%
4	OFTEN:(4)	94	4.0 %	4.1%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2295 valid cases out of 2357 total cases.

V3298   093A28G:12MO NR OTH COKE

Location:	200-201 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20650

Question Number(s): 3A28G

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

G: Cocaine ("coke")

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1818	77.1 %	79.1%
2	1-2X:(2)	300	12.7 %	13.1%
3	OCCASNLY:(3)	116	4.9 %	5.0%
4	OFTEN:(4)	64	2.7 %	2.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	59	2.5 %	-

Based upon 2298 valid cases out of 2357 total cases.

V3299	**093A28H:12MO NR OTH HRN**

Location:	202-203 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20660

Question Number(s): 3A28H

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

H: Heroin

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	2129	90.3 %	92.9%
2	1-2X:(2)	112	4.8 %	4.9%
3	OCCASNLY:(3)	27	1.1 %	1.2%
4	OFTEN:(4)	23	1.0 %	1.0%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2291 valid cases out of 2357 total cases.

V3300	**093A28I:12MO NR OTH NARC**

Location:	204-205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20670

Question Number(s): 3A28I

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

I: Other narcotics (methadone, opium, codeine, etc.)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1907	80.9 %	83.3%
2	1-2X:(2)	230	9.8 %	10.0%
3	OCCASNLY:(3)	89	3.8 %	3.9%
4	OFTEN:(4)	63	2.7 %	2.8%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2289 valid cases out of 2357 total cases.

V3301	**093A28J:12MO NR OTH ALCL**

Location:	206-207 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 20680

Question Number(s): 3A28J

During the LAST 12 MONTHS, how often have you been around
people who were taking each of the following to get high
or for "kicks"?

J: Alcoholic beverages (beer, wine, liquor)

1="Not At All" 2="Once or Twice" 3="Occasionally" 4="Often"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	307	13.0 %	13.4%
2	1-2X:(2)	318	13.5 %	13.9%
3	OCCASNLY:(3)	601	25.5 %	26.2%
4	OFTEN:(4)	1068	45.3 %	46.6%
-9 (M)	MISSING:(-9)	63	2.7 %	-

Based upon 2294 valid cases out of 2357 total cases.

V3460	**093A29A:RSK OF CIG1+PK/D**

Location:	208-209 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12360

Question Number(s): 3A29A

The next questions ask for your opinions on the effects of
using certain drugs and other substances. How much do you
think people risk harming themselves (physically or in other

ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	43	1.8 %	1.9%
2	SLIGHT:(2)	123	5.2 %	5.4%
3	MOD RISK:(3)	469	19.9 %	20.6%
4	GRT RISK:(4)	1606	68.1 %	70.4%
5	CANT SAY:(5)	41	1.7 %	1.8%
-9 (M)	MISSING:(-9)	75	3.2 %	-

Based upon 2282 valid cases out of 2357 total cases.

V3461	**093A29B:RSK OF MJ 1-2 X**

Location:	210-211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12370

Question Number(s): 3A29B

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	828	35.1 %	36.3%
2	SLIGHT:(2)	702	29.8 %	30.8%
3	MOD RISK:(3)	342	14.5 %	15.0%
4	GRT RISK:(4)	358	15.2 %	15.7%
5	CANT SAY:(5)	52	2.2 %	2.3%
-9 (M)	MISSING:(-9)	75	3.2 %	-

Based upon 2282 valid cases out of 2357 total cases.

V3462	**093A29C:RSK OF MJ OCSNLY**

| Location: | 212-213 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):	-9
Question:	

Item Number: 12380

Question Number(s): 3A29C

How much do you think people risk harming themselves (physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	414	17.6 %	18.2%
2	SLIGHT:(2)	586	24.9 %	25.7%
3	MOD RISK:(3)	623	26.4 %	27.3%
4	GRT RISK:(4)	604	25.6 %	26.5%
5	CANT SAY:(5)	51	2.2 %	2.2%
-9 (M)	MISSING:(-9)	79	3.4 %	-

Based upon 2278 valid cases out of 2357 total cases.

V3463	**093A29D:RSK OF MJ REGLY**

Location:	214-215 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12390

Question Number(s): 3A29D

How much do you think people risk harming themselves (physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	203	8.6 %	8.9%
2	SLIGHT:(2)	382	16.2 %	16.8%
3	MOD RISK:(3)	501	21.3 %	22.0%
4	GRT RISK:(4)	1140	48.4 %	50.1%
5	CANT SAY:(5)	50	2.1 %	2.2%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	81	3.4 %	-

Based upon 2276 valid cases out of 2357 total cases.

V3464	**093A29E:RSK COK PWDR 1-2**

Location:	216-217 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12501

Question Number(s): 3A29E

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	97	4.1 %	4.3%
2	SLIGHT:(2)	295	12.5 %	13.0%
3	MOD RISK:(3)	525	22.3 %	23.1%
4	GRT RISK:(4)	1222	51.8 %	53.7%
5	CANT SAY:(5)	137	5.8 %	6.0%
-9 (M)	MISSING:(-9)	81	3.4 %	-

Based upon 2276 valid cases out of 2357 total cases.

V3465	**093A29F:RSK COK PWDR OCC**

Location:	218-219 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12502

Question Number(s): 3A29F

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	35	1.5 %	1.5%
2	SLIGHT:(2)	91	3.9 %	4.0%
3	MOD RISK:(3)	362	15.4 %	15.9%
4	GRT RISK:(4)	1653	70.1 %	72.7%
5	CANT SAY:(5)	134	5.7 %	5.9%
-9 (M)	MISSING:(-9)	82	3.5 %	-

Based upon 2275 valid cases out of 2357 total cases.

V3466	**093A29G:RSK COK PWDR REG**

Location: 220-221 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12503

Question Number(s): 3A29G

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	27	1.1 %	1.2%
2	SLIGHT:(2)	30	1.3 %	1.3%
3	MOD RISK:(3)	95	4.0 %	4.2%
4	GRT RISK:(4)	1995	84.6 %	87.7%
5	CANT SAY:(5)	128	5.4 %	5.6%
-9 (M)	MISSING:(-9)	82	3.5 %	-

Based upon 2275 valid cases out of 2357 total cases.

V3467	**093A29H:RSK CRACK 1-2X**

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12504

Question Number(s): 3A29H

How much do you think people risk harming themselves

(physically or in other ways), if they . . .

H: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	54	2.3 %	2.4%
2	SLIGHT:(2)	208	8.8 %	9.2%
3	MOD RISK:(3)	396	16.8 %	17.4%
4	GRT RISK:(4)	1458	61.9 %	64.1%
5	CANT SAY:(5)	157	6.7 %	6.9%
-9 (M)	MISSING:(-9)	84	3.6 %	-

Based upon 2273 valid cases out of 2357 total cases.

V3468	**093A29I:RSK CRACK OCC**

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12505

Question Number(s): 3A29I

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	32	1.4 %	1.4%
2	SLIGHT:(2)	41	1.7 %	1.8%
3	MOD RISK:(3)	281	11.9 %	12.4%
4	GRT RISK:(4)	1771	75.1 %	77.9%
5	CANT SAY:(5)	149	6.3 %	6.6%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2274 valid cases out of 2357 total cases.

V3469	**093A29J:RSK CRACK REG**

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 12506

Question Number(s): 3A29J

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	27	1.1 %	1.2%
2	SLIGHT:(2)	23	1.0 %	1.0%
3	MOD RISK:(3)	65	2.8 %	2.9%
4	GRT RISK:(4)	2011	85.3 %	88.5%
5	CANT SAY:(5)	147	6.2 %	6.5%
-9 (M)	MISSING:(-9)	84	3.6 %	-

Based upon 2273 valid cases out of 2357 total cases.

V3470	093A29K:RSK OF 1-2 DRINK

Location:	228-229 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12510

Question Number(s): 3A29K

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Try one or two drinks of an alcoholic beverage
(beer, wine, liquor)?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	1066	45.2 %	46.9%
2	SLIGHT:(2)	767	32.5 %	33.7%
3	MOD RISK:(3)	177	7.5 %	7.8%
4	GRT RISK:(4)	226	9.6 %	9.9%
5	CANT SAY:(5)	38	1.6 %	1.7%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2274 valid cases out of 2357 total cases.

V3471	**093A29L:RSK OF 1-2 DR/DA**			

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12520

Question Number(s): 3A29L

How much do you think people risk harming themselves (physically or in other ways), if they . . .

L: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	262	11.1 %	11.5%
2	SLIGHT:(2)	688	29.2 %	30.3%
3	MOD RISK:(3)	762	32.3 %	33.6%
4	GRT RISK:(4)	521	22.1 %	23.0%
5	CANT SAY:(5)	37	1.6 %	1.6%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2270 valid cases out of 2357 total cases.

V3472	**093A29M:RSK OF 4-5 DR/DA**			

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12530

Question Number(s): 3A29M

How much do you think people risk harming themselves (physically or in other ways), if they . . .

M: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	98	4.2 %	4.3%
2	SLIGHT:(2)	163	6.9 %	7.2%
3	MOD RISK:(3)	575	24.4 %	25.3%
4	GRT RISK:(4)	1402	59.5 %	61.6%
5	CANT SAY:(5)	39	1.7 %	1.7%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2277 valid cases out of 2357 total cases.

V3473	**093A29N:RSK OF 5+DR/WKND**

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

Question Number(s): 3A29N

How much do you think people risk harming themselves (physically or in other ways), if they . . .

N: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	228	9.7 %	10.0%
2	SLIGHT:(2)	372	15.8 %	16.4%
3	MOD RISK:(3)	479	20.3 %	21.1%
4	GRT RISK:(4)	1154	49.0 %	50.8%
5	CANT SAY:(5)	38	1.6 %	1.7%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2271 valid cases out of 2357 total cases.

V3474	**093A30A:EASY GT MARIJUAN**

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06750

Question Number(s): 3A30A

How difficult do you think it would be for you to get each

of the following types of drugs, if you wanted some?

A: Marijuana

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	140	5.9 %	6.2%
2	VRY DIFF:(2)	94	4.0 %	4.2%
3	FRLY DIF:(3)	163	6.9 %	7.2%
4	FRLY EAS:(4)	598	25.4 %	26.5%
5	VRY EASY:(5)	1263	53.6 %	55.9%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2258 valid cases out of 2357 total cases.

V3475	093A30B:EASY GT CRACK

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06811

Question Number(s): 3A30B

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	407	17.3 %	18.0%
2	VRY DIFF:(2)	474	20.1 %	21.0%
3	FRLY DIF:(3)	643	27.3 %	28.5%
4	FRLY EAS:(4)	476	20.2 %	21.1%
5	VRY EASY:(5)	256	10.9 %	11.3%
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2256 valid cases out of 2357 total cases.

V3476	093A30C:EASY GT COK PWDR

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 06812

Question Number(s): 3A30C

How difficult do you think it would be for you to get each
of the following types of drugs, if you wanted some?

C: Cocaine powder

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	429	18.2 %	19.0%
2	VRY DIFF:(2)	460	19.5 %	20.4%
3	FRLY DIF:(3)	601	25.5 %	26.6%
4	FRLY EAS:(4)	491	20.8 %	21.8%
5	VRY EASY:(5)	275	11.7 %	12.2%
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2256 valid cases out of 2357 total cases.

V3101	**093B01 :EVR SMK CIG,REGL**

Location:	242-243 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00760

Question Number(s): 3B01

The following questions are about cigarette smoking. Have you
ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally
but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1256	53.3 %	54.9%
2	1-2X:(2)	461	19.6 %	20.2%
3	OCCASNLY:(3)	269	11.4 %	11.8%
4	REG PAST:(4)	100	4.2 %	4.4%
5	REG NOW:(5)	200	8.5 %	8.7%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2286 valid cases out of 2357 total cases.

V3102	**093B02 :#CIGS SMKD/30DAY**

Location:	244-245 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00780

Question Number(s): 3B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1797	76.2 %	78.6%
2	<1 CIG/D:(2)	227	9.6 %	9.9%
3	1-5/DAY:(3)	142	6.0 %	6.2%
4	1/2PK/D:(4)	75	3.2 %	3.3%
5	1 PK/DA:(5)	33	1.4 %	1.4%
6	1 1/2 PK/D:(6)	8	0.3 %	0.3%
7	2+ PKS/D:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3103	**093B03 :EVER DRINK**

Location:	246-247 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00790

Question Number(s): 3B03

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF THE NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	582	24.7 %	26.2%
2	YES:(2)	1641	69.6 %	73.8%
-9 (M)	MISSING:(-9)	134	5.7 %	-

Based upon 2223 valid cases out of 2357 total cases.

V3104	093B04A:#X ALC/LIF SIPS

Location: 248-249 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00810

Question Number(s): 3B04A

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said No to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	582	24.7 %	26.5%
2	1-2X:(2)	191	8.1 %	8.7%
3	3-5X:(3)	239	10.1 %	10.9%
4	6-9X:(4)	223	9.5 %	10.2%
5	10-19X:(5)	270	11.5 %	12.3%
6	20-39X:(6)	245	10.4 %	11.2%
7	40+OCCAS:(7)	446	18.9 %	20.3%
-9 (M)	MISSING:(-9)	161	6.8 %	-

Based upon 2196 valid cases out of 2357 total cases.

V3105	093B04B:#X ALC/ANN SIPS

Location: 250-251 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00820

Question Number(s): 3B04B

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	701	29.7 %	32.0%
2	1-2X:(2)	385	16.3 %	17.6%
3	3-5X:(3)	292	12.4 %	13.3%
4	6-9X:(4)	222	9.4 %	10.1%
5	10-19X:(5)	262	11.1 %	12.0%
6	20-39X:(6)	158	6.7 %	7.2%
7	40+OCCAS:(7)	171	7.3 %	7.8%
-9 (M)	MISSING:(-9)	166	7.0 %	-

Based upon 2191 valid cases out of 2357 total cases.

V3106	**093B04C:#X ALC/30D SIPS**

Location:	252-253 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00830

Question Number(s): 3B04C

On how many occasions have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1224	51.9 %	55.9%
2	1-2X:(2)	438	18.6 %	20.0%
3	3-5X:(3)	257	10.9 %	11.7%
4	6-9X:(4)	138	5.9 %	6.3%
5	10-19X:(5)	85	3.6 %	3.9%
6	20-39X:(6)	24	1.0 %	1.1%
7	40+OCCAS:(7)	24	1.0 %	1.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	167	7.1 %	-

Based upon 2190 valid cases out of 2357 total cases.

V3107	**093B05 :#X DRK ENF FL HI**	

Location:	254-255 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00840

Question Number(s): 3B05

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	431	18.3 %	26.0%
2	FEW:(2)	454	19.3 %	27.4%
3	HALF:(3)	261	11.1 %	15.8%
4	MOST:(4)	305	12.9 %	18.4%
5	NRLY ALL:(5)	205	8.7 %	12.4%
-9 (M)	MISSING:(-9)	701	29.7 %	-

Based upon 1656 valid cases out of 2357 total cases.

V3108	**093B06 :5+DRK ROW/LST 2W**	

Location:	256-257 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00850

Question Number(s): 3B06

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1586	67.3 %	73.2%
2	ONCE:(2)	222	9.4 %	10.2%
3	TWICE:(3)	145	6.2 %	6.7%
4	3-5X:(4)	147	6.2 %	6.8%
5	6-9X:(5)	34	1.4 %	1.6%
6	10+ TIME:(6)	32	1.4 %	1.5%
-9 (M)	MISSING:(-9)	191	8.1 %	-

Based upon 2166 valid cases out of 2357 total cases.

V3115	**093B07A:#XMJ+HS/LIFETIME**

Location:	258-259 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00860

Question Number(s): 3B07A

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1272	54.0 %	56.4%
2	1-2X:(2)	203	8.6 %	9.0%
3	3-5X:(3)	153	6.5 %	6.8%
4	6-9X:(4)	93	3.9 %	4.1%
5	10-19X:(5)	114	4.8 %	5.1%
6	20-39X:(6)	103	4.4 %	4.6%
7	40+OCCAS:(7)	317	13.4 %	14.1%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2255 valid cases out of 2357 total cases.

V3116	**093B07B:#XMJ+HS/LAST12MO**

Location:	260-261 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 00870

Question Number(s): 3B07B

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1466	62.2 %	65.1%
2	1-2X:(2)	210	8.9 %	9.3%
3	3-5X:(3)	138	5.9 %	6.1%
4	6-9X:(4)	81	3.4 %	3.6%
5	10-19X:(5)	93	3.9 %	4.1%
6	20-39X:(6)	83	3.5 %	3.7%
7	40+OCCAS:(7)	181	7.7 %	8.0%
-9 (M)	MISSING:(-9)	105	4.5 %	-

Based upon 2252 valid cases out of 2357 total cases.

V3117	093B07C:#XMJ+HS/LAST30DA

Location: 262-263 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00880

Question Number(s): 3B07C

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1762	74.8 %	78.2%
2	1-2X:(2)	191	8.1 %	8.5%
3	3-5X:(3)	63	2.7 %	2.8%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	61	2.6 %	2.7%
5	10-19X:(5)	58	2.5 %	2.6%
6	20-39X:(6)	46	2.0 %	2.0%
7	40+OCCAS:(7)	72	3.1 %	3.2%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2253 valid cases out of 2357 total cases.

V3118	093B08A:#X LSD/LIFETIME

Location: 264-265 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00890

Question Number(s): 3B08A

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2204	93.5 %	96.8%
2	1-2X:(2)	37	1.6 %	1.6%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	81	3.4 %	-

Based upon 2276 valid cases out of 2357 total cases.

V3119	093B08B:#X LSD/LAST 12MO

Location: 266-267 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00900

Question Number(s): 3B08B

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2235	94.8 %	98.2%
2	1-2X:(2)	26	1.1 %	1.1%
3	3-5X:(3)	8	0.3 %	0.4%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2277 valid cases out of 2357 total cases.

V3120	093B08C:#X LSD/LAST 30DA

Location:	268-269 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00910

Question Number(s): 3B08C

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2261	95.9 %	99.3%
2	1-2X:(2)	10	0.4 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	79	3.4 %	-

Based upon 2278 valid cases out of 2357 total cases.

V3121	**093B09A:#X PSYD/LIFETIME**

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

Question Number(s): 3B09A

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2124	90.1 %	93.2%
2	1-2X:(2)	98	4.2 %	4.3%
3	3-5X:(3)	29	1.2 %	1.3%
4	6-9X:(4)	17	0.7 %	0.7%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	77	3.3 %	-

Based upon 2280 valid cases out of 2357 total cases.

V3122	**093B09B:#X PSYD/LAST12MO**

Location: 272-273 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 3B09B

On how many occasions (if any) have you used hallucinogens

other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2189	92.9 %	96.0%
2	1-2X:(2)	65	2.8 %	2.9%
3	3-5X:(3)	20	0.8 %	0.9%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	77	3.3 %	-

Based upon 2280 valid cases out of 2357 total cases.

V3123	**093B09C:#X PSYD/LAST30DA**

Location:	274-275 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00940

Question Number(s): 3B09C

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2251	95.5 %	98.7%
2	1-2X:(2)	25	1.1 %	1.1%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	77	3.3 %	-

Based upon 2280 valid cases out of 2357 total cases.

V3124	**093R :#X COKE/LIFETIME**

Location:	276-277 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00950

Question Number(s): 3B09X

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2115	89.7 %	93.6%
2	1-2X:(2)	60	2.5 %	2.7%
3	3-5X:(3)	31	1.3 %	1.4%
4	6-9X:(4)	11	0.5 %	0.5%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	98	4.2 %	-

Based upon 2259 valid cases out of 2357 total cases.

V3125	**093R :#X COKE/LAST12MO**

Location:	278-279 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00960

Question Number(s): 3B09Y

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2177	92.4 %	96.4%
2	1-2X:(2)	38	1.6 %	1.7%
3	3-5X:(3)	23	1.0 %	1.0%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2258 valid cases out of 2357 total cases.

V3126	**093R :#X COKE/LAST30DA**

Location:	280-281 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00970

Question Number(s): 3B09Z

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2226	94.4 %	98.6%
2	1-2X:(2)	18	0.8 %	0.8%
3	3-5X:(3)	6	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2257 valid cases out of 2357 total cases.

V3127	093B10A:#X AMPH/LIFETIME

Location:	282-283 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00980

Question Number(s): 3B10A

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2013	85.4 %	88.8%
2	1-2X:(2)	101	4.3 %	4.5%
3	3-5X:(3)	43	1.8 %	1.9%
4	6-9X:(4)	30	1.3 %	1.3%
5	10-19X:(5)	27	1.1 %	1.2%
6	20-39X:(6)	16	0.7 %	0.7%
7	40+OCCAS:(7)	38	1.6 %	1.7%
-9 (M)	MISSING:(-9)	89	3.8 %	-

Based upon 2268 valid cases out of 2357 total cases.

V3128	093B10B:#X AMPH/LAST12MO

Location:	284-285 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00990

Question Number(s): 3B10B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2107	89.4 %	92.9%
2	1-2X:(2)	72	3.1 %	3.2%
3	3-5X:(3)	36	1.5 %	1.6%
4	6-9X:(4)	18	0.8 %	0.8%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	88	3.7 %	-

Based upon 2269 valid cases out of 2357 total cases.

V3129	**093B10C:#X AMPH/LAST30DA**

Location: 286-287 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01000

Question Number(s): 3B10C

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2195	93.1 %	96.8%
2	1-2X:(2)	37	1.6 %	1.6%
3	3-5X:(3)	18	0.8 %	0.8%
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	89	3.8 %	-

Based upon 2268 valid cases out of 2357 total cases.

V3487	093B11A:#X CRACK/LIFETIM

Location: 288-289 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22260

Question Number(s): 3B11A

On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form) . . .

A. . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2227	94.5 %	98.2%
2	1-2X (2)	23	1.0 %	1.0%
3	3-5X (3)	4	0.2 %	0.2%
4	6-9X (4)	4	0.2 %	0.2%
5	10-19X (5)	4	0.2 %	0.2%
6	20-39X (6)	1	0.0 %	0.0%
7	40+X (7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	89	3.8 %	-

Based upon 2268 valid cases out of 2357 total cases.

V3488	093B11B:#X CRACK/LAST12M

Location: 290-291 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

Question Number(s): 3B11B

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2249	95.4 %	99.2%
2	1-2X (2)	9	0.4 %	0.4%
3	3-5X (3)	3	0.1 %	0.1%
4	6-9X (4)	1	0.0 %	0.0%
5	10-19X (5)	1	0.0 %	0.0%
6	20-39X (6)	1	0.0 %	0.0%
7	40+X (7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	90	3.8 %	-

Based upon 2267 valid cases out of 2357 total cases.

V3489	**093B11C:#X CRACK/LAST30D**

Location: 292-293 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

Question Number(s): 3B11C

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2258	95.8 %	99.6%
2	1-2X (2)	5	0.2 %	0.2%
4	6-9X (4)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X (5)	1	0.0 %	0.0%
7	40+X (7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	90	3.8 %	-

Based upon 2267 valid cases out of 2357 total cases.

V3490	**093B12A:#XOTH COKE/LIFE**

Location:	294-295 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22320

Question Number(s): 3B12A

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2126	90.2 %	94.1%
2	1-2X (2)	60	2.5 %	2.7%
3	3-5X (3)	27	1.1 %	1.2%
4	6-9X (4)	13	0.6 %	0.6%
5	10-19X (5)	11	0.5 %	0.5%
6	20-39X (6)	11	0.5 %	0.5%
7	40+X (7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2260 valid cases out of 2357 total cases.

V3491	**093B12B:#XOTH COKE/12MO**

Location:	296-297 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22330

Question Number(s): 3B12B

On how many occasions (if any) have you used cocaine in any

other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2182	92.6 %	96.6%
2	1-2X (2)	43	1.8 %	1.9%
3	3-5X (3)	19	0.8 %	0.8%
4	6-9X (4)	6	0.3 %	0.3%
5	10-19X (5)	3	0.1 %	0.1%
6	20-39X (6)	2	0.1 %	0.1%
7	40+X (7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	98	4.2 %	-

Based upon 2259 valid cases out of 2357 total cases.

V3492	**093B12C:#XOTH COKE/30DA**

Location:	298-299 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22340

Question Number(s): 3B12C

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2230	94.6 %	98.8%
2	1-2X (2)	19	0.8 %	0.8%
3	3-5X (3)	5	0.2 %	0.2%
4	6-9X (4)	3	0.1 %	0.1%
7	40+X (7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2258 valid cases out of 2357 total cases.

V3133	**093B13A:#X SED/BARB/LIFE**

Location:	300-301 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01042

Question Number(s): 3B13A

Sedatives, including barbiturates, are sometimes prescribed
by doctors to help people relax or get to sleep. They are
sometimes called downs or downers, and include phenobarbital,
Tuinal, Nembutal, and Seconal. On how many occasions (if any)
have you taken sedatives on your own--that is, without a
doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2049	86.9 %	90.6%
2	1-2X:(2)	86	3.6 %	3.8%
3	3-5X:(3)	42	1.8 %	1.9%
4	6-9X:(4)	29	1.2 %	1.3%
5	10-19X:(5)	21	0.9 %	0.9%
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	96	4.1 %	-

Based upon 2261 valid cases out of 2357 total cases.

V3134	**093B13B:#X SED/BARB/12MO**

Location:	302-303 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01052

Question Number(s): 3B13B

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2128	90.3 %	94.2%
2	1-2X:(2)	65	2.8 %	2.9%
3	3-5X:(3)	26	1.1 %	1.2%
4	6-9X:(4)	18	0.8 %	0.8%
5	10-19X:(5)	11	0.5 %	0.5%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2260 valid cases out of 2357 total cases.

V3135	**093B13C:#X SED/BARB/30DA**

Location:	304-305 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01062

Question Number(s): 3B13C

On how many occasions (if any) have you taken sedatives
on your own--that is, without a doctor telling you to
take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2204	93.5 %	97.5%
2	1-2X:(2)	28	1.2 %	1.2%
3	3-5X:(3)	14	0.6 %	0.6%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2260 valid cases out of 2357 total cases.

V3136	093B14A:#X TRQL/LIFETIME

Location: 306-307 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 3B14A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2016	85.5 %	89.2%
2	1-2X:(2)	101	4.3 %	4.5%
3	3-5X:(3)	50	2.1 %	2.2%
4	6-9X:(4)	31	1.3 %	1.4%
5	10-19X:(5)	27	1.1 %	1.2%
6	20-39X:(6)	22	0.9 %	1.0%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	96	4.1 %	-

Based upon 2261 valid cases out of 2357 total cases.

V3137	093B14B:#X TRQL/LAST12MO

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

Question Number(s): 3B14B

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2092	88.8 %	92.4%
2	1-2X:(2)	87	3.7 %	3.8%
3	3-5X:(3)	45	1.9 %	2.0%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	94	4.0 %	-

Based upon 2263 valid cases out of 2357 total cases.

V3138	093B14C:#X TRQL/LAST30DA

Location: 310-311 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01090

Question Number(s): 3B14C

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2197	93.2 %	97.1%
2	1-2X:(2)	35	1.5 %	1.5%
3	3-5X:(3)	17	0.7 %	0.8%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	95	4.0 %	-

Based upon 2262 valid cases out of 2357 total cases.

V3139	093B15A:#X H/LIFETIME

Location:	312-313 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01100

Question Number(s): 3B15A

On how many occasions (if any) have you used heroin . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2232	94.7 %	98.8%
2	1-2X:(2)	16	0.7 %	0.7%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2258 valid cases out of 2357 total cases.

V3140	**093B15B:#X H/LAST 12MO**

Location:	314-315 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01110

Question Number(s): 3B15B

On how many occasions (if any) have you used heroin . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2246	95.3 %	99.4%
2	1-2X:(2)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	98	4.2 %	-

Based upon 2259 valid cases out of 2357 total cases.

V3141	093B15C:#X H/LAST 30DA

Location:	316-317 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01120

Question Number(s): 3B15C

On how many occasions (if any) have you used heroin . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2250	95.5 %	99.6%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2258 valid cases out of 2357 total cases.

V3142	093B16A:#X NARC/LIFETIME

Location:	318-319 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01130

Question Number(s): 3B16A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by

doctors. On how many occasions (if any) have you taken
narcotics other than heroin on your own--that is, without
a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1969	83.5 %	87.3%
2	1-2X:(2)	95	4.0 %	4.2%
3	3-5X:(3)	63	2.7 %	2.8%
4	6-9X:(4)	29	1.2 %	1.3%
5	10-19X:(5)	34	1.4 %	1.5%
6	20-39X:(6)	26	1.1 %	1.2%
7	40+OCCAS:(7)	39	1.7 %	1.7%
-9 (M)	MISSING:(-9)	102	4.3 %	-

Based upon 2255 valid cases out of 2357 total cases.

V3143	**093B16B:#X NARC/LAST12MO**

Location:	320-321 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01140

Question Number(s): 3B16B

On how many occasions (if any) have you taken narcotics
other than heroin on your own--that is, without a doctor
telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2054	87.1 %	91.2%
2	1-2X:(2)	82	3.5 %	3.6%
3	3-5X:(3)	38	1.6 %	1.7%
4	6-9X:(4)	24	1.0 %	1.1%
5	10-19X:(5)	26	1.1 %	1.2%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	106	4.5 %	-

Based upon 2251 valid cases out of 2357 total cases.

V3144	**093B16C:#X NARC/LAST30DA**

Location: 322-323 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

Question Number(s): 3B16C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2161	91.7 %	96.0%
2	1-2X:(2)	52	2.2 %	2.3%
3	3-5X:(3)	15	0.6 %	0.7%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	105	4.5 %	-

Based upon 2252 valid cases out of 2357 total cases.

V3145	**093B17A:#X INHL/LIFETIME**

Location: 324-325 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01160

Question Number(s): 3B17A

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2039	86.5 %	90.5%
2	1-2X:(2)	127	5.4 %	5.6%
3	3-5X:(3)	44	1.9 %	2.0%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	11	0.5 %	0.5%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	104	4.4 %	-

Based upon 2253 valid cases out of 2357 total cases.

V3146	**093B17B:#X INHL/LAST12MO**

Location:	326-327 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01170

Question Number(s): 3B17B

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2176	92.3 %	96.8%
2	1-2X:(2)	46	2.0 %	2.0%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	108	4.6 %	-

Based upon 2249 valid cases out of 2357 total cases.

V3147	**093B17C:#X INHL/LAST30DA**

Location: 328-329 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01180

Question Number(s): 3B17C

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2220	94.2 %	98.7%
2	1-2X:(2)	19	0.8 %	0.8%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	108	4.6 %	-

Based upon 2249 valid cases out of 2357 total cases.

V3493	**093B18A:#X MDMA/LIFETIME**

Location: 330-331 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22660

Question Number(s): 3B18A

On how many occasions (if any) have you used MDMA

("ecstasy") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2107	89.4 %	93.4%
2	1-2X (2)	81	3.4 %	3.6%
3	3-5X (3)	29	1.2 %	1.3%
4	6-9X (4)	13	0.6 %	0.6%
5	10-19X (5)	9	0.4 %	0.4%
6	20-39X (6)	4	0.2 %	0.2%
7	40+X (7)	13	0.6 %	0.6%
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2256 valid cases out of 2357 total cases.

V3494	**093B18B:#X MDMA/LAST12MO**

Location:	332-333 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22670

Question Number(s): 3B18B

On how many occasions (if any) have you used MDMA ("ecstasy") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2163	91.8 %	95.9%
2	1-2X (2)	55	2.3 %	2.4%
3	3-5X (3)	17	0.7 %	0.8%
4	6-9X (4)	6	0.3 %	0.3%
5	10-19X (5)	8	0.3 %	0.4%
6	20-39X (6)	1	0.0 %	0.0%
7	40+X (7)	6	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	101	4.3 %	-

Based upon 2256 valid cases out of 2357 total cases.

V3495	**093B18C:#X MDMA/LAST30DA**

Location: 334-335 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22680

Question Number(s): 3B18C

On how many occasions (if any) have you used MDMA ("ecstasy") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2223	94.3 %	98.5%
2	1-2X (2)	24	1.0 %	1.1%
3	3-5X (3)	4	0.2 %	0.2%
4	6-9X (4)	2	0.1 %	0.1%
5	10-19X (5)	2	0.1 %	0.1%
7	40+X (7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	100	4.2 %	-

Based upon 2257 valid cases out of 2357 total cases.

V3148	**093C01(R):AGE <>18 DICHOTOMY**

Location: 336-337 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 3C01-2

Component variables: 1) Q.C01 "In what year were you born?" [item 00010], 2) Q.C02 "In what month were you born?" [item 00020], and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18:(1)	964	40.9 %	42.5%
2	18+:(2)	1306	55.4 %	57.5%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2270 valid cases out of 2357 total cases.

V3150	**093C03 :Rs SEX**

Location:	338-339 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00030

Question Number(s): 3C03

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1028	43.6 %	46.6%
2	FEMALE:(2)	1176	49.9 %	53.4%
-9 (M)	MISSING:(-9)	153	6.5 %	-

Based upon 2204 valid cases out of 2357 total cases.

V3151	**093C04(R):R'S RACE B/W/H**

Location:	340-341 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Question Number(s): 3C04A-I

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban
American; Puerto Rican; Other Hispanic or Latino; Asian
American; White (Caucasian); American Indian or Alaska Native;
Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American"
= 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or
"Cuban..." or "Puerto Rican" or "Other Hispanic..."). All
other responses, including those of respondents who fell
into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%	Valid %
1	BLACK: (1)	234	9.9 %	11.8%
2	WHITE: (2)	1366	58.0 %	68.8%
3	HISPANIC: (3)	385	16.3 %	19.4%
-9 (M)	MISSING:(-9)	372	15.8 %	-

Based upon 1985 valid cases out of 2357 total cases.

V3152	093C05 :R SPD >TIM R-URB

Location:	342-343 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00050

Question Number(s): 3C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	260	11.0 %	11.0%
1	FARM:(1)	97	4.1 %	4.1%
2	COUNTRY:(2)	227	9.6 %	9.6%
3	SML TOWN:(3)	546	23.2 %	23.2%
4	MED CITY:(4)	290	12.3 %	12.3%
5	SUBURB 4:(5)	243	10.3 %	10.3%
6	LRG CITY:(6)	264	11.2 %	11.2%
7	SUBURB 6:(7)	158	6.7 %	6.7%
8	VRYLG CY:(8)	192	8.1 %	8.1%
9	SUBURB 8:(9)	80	3.4 %	3.4%

Based upon 2357 valid cases out of 2357 total cases.

V3153	093C06 :R NOT MARRIED

Location:	344-345 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00060

Question Number(s): 3C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	18	0.8 %	0.8%
2	ENGAGED:(2)	132	5.6 %	6.0%
3	SEP/DIV:(3)	28	1.2 %	1.3%
4	SINGLE:(4)	2015	85.5 %	91.9%
-9 (M)	MISSING:(-9)	164	7.0 %	-

Based upon 2193 valid cases out of 2357 total cases.

V49	**093C07R:# SIBLINGS**

Location:	346-347 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Question Number(s): 3C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more siblings".

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	145	6.2 %	6.4%
1	ONE:(1)	638	27.1 %	28.2%
2	TWO:(2)	609	25.8 %	26.9%
3	3 OR MORE:(3)	869	36.9 %	38.4%
-9 (M)	MISSING:(-9)	96	4.1 %	-

Based upon 2261 valid cases out of 2357 total cases.

V3155	093C07Cb(R):R'S HSHLD FATHER

Location:	348-349 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00090

Question Number(s): 3C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	618	26.2 %	27.3%
1	MARKED:(1)	1642	69.7 %	72.7%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2260 valid cases out of 2357 total cases.

V3156	093C07Cc(R):R'S HSHLD MOTHER

Location:	350-351 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00100

Question Number(s): 3C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	256	10.9 %	11.3%
1	MARKED:(1)	2004	85.0 %	88.7%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2260 valid cases out of 2357 total cases.

V3157	093C07Cd(R):R'S HSHLD BR/SR

Location:	352-353 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00110

Question Number(s): 3C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	742	31.5 %	32.8%
1	MARKED:(1)	1518	64.4 %	67.2%
-9 (M)	MISSING:(-9)	97	4.1 %	-

Based upon 2260 valid cases out of 2357 total cases.

V3163	**093C08 :FATHR EDUC LEVEL**

Location:	354-355 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00310

Question Number(s): 3C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	130	5.5 %	5.8%
2	SOME HS:(2)	254	10.8 %	11.2%
3	HS GRAD:(3)	610	25.9 %	27.0%
4	SOME CLG:(4)	338	14.3 %	15.0%
5	CLG GRAD:(5)	486	20.6 %	21.5%
6	GRAD SCH:(6)	241	10.2 %	10.7%
7	DK:(7)	200	8.5 %	8.9%
-9 (M)	MISSING:(-9)	98	4.2 %	-

Based upon 2259 valid cases out of 2357 total cases.

V3164	**093C09 :MOTHR EDUC LEVEL**

Location: 356-357 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

Question Number(s): 3C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	115	4.9 %	5.1%
2	SOME HS:(2)	199	8.4 %	8.8%
3	HS GRAD:(3)	550	23.3 %	24.3%
4	SOME CLG:(4)	440	18.7 %	19.5%
5	CLG GRAD:(5)	589	25.0 %	26.1%
6	GRAD SCH:(6)	263	11.2 %	11.6%
7	DK:(7)	105	4.5 %	4.6%
-9 (M)	MISSING:(-9)	96	4.1 %	-

Based upon 2261 valid cases out of 2357 total cases.

V3165	**093C10 :MOTH PD JB R YNG**

Location: 358-359 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Question Number(s): 3C10

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	316	13.4 %	14.1%
2	SOMETIME:(2)	455	19.3 %	20.2%
3	MOSTTIME:(3)	445	18.9 %	19.8%
4	ALL TIME:(4)	1032	43.8 %	45.9%
-9 (M)	MISSING:(-9)	109	4.6 %	-

Based upon 2248 valid cases out of 2357 total cases.

V3166 **093C11 :Rs POLTL PRFNC**

Location: 360-361 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 00340

Question Number(s): 3C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	210	8.9 %	9.7%
2	MILD GOP:(2)	289	12.3 %	13.3%
3	MILD DEM:(3)	353	15.0 %	16.3%
4	STRG DEM:(4)	299	12.7 %	13.8%
5	INDEPNDT:(5)	233	9.9 %	10.8%
6	NO PREF:(6)	317	13.4 %	14.6%
7	OTHER:(7)	24	1.0 %	1.1%
8	DK:(8)	441	18.7 %	20.4%
-9 (M)	MISSING:(-9)	191	8.1 %	-

Based upon 2166 valid cases out of 2357 total cases.

V3167	**093C12 :Rs POL BLF RADCL**

Location:	362-363 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00350

Question Number(s): 3C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY CONS:(1)	101	4.3 %	4.5%
2	CONSERV:(2)	304	12.9 %	13.6%
3	MODERATE:(3)	557	23.6 %	24.9%
4	LIBERAL:(4)	388	16.5 %	17.4%
5	VRY LIB:(5)	118	5.0 %	5.3%
6	RADICAL:(6)	44	1.9 %	2.0%
8	NONE/DK:(8)	724	30.7 %	32.4%
-9 (M)	MISSING:(-9)	121	5.1 %	-

Based upon 2236 valid cases out of 2357 total cases.

V3169	**093C13B:R ATTND REL SVC**

Location:	364-365 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00370

Question Number(s): 3C13B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	357	15.1 %	20.7%
2	RARELY:(2)	608	25.8 %	35.2%

Value	Label	Unweighted Frequency	%	Valid %
3	1-2X/MO:(3)	261	11.1 %	15.1%
4	1/WK OR+:(4)	499	21.2 %	28.9%
-9 (M)	MISSING:(-9)	632	26.8 %	-

Based upon 1725 valid cases out of 2357 total cases.

V3170	**093C13C:RLGN IMP Rs LF**

Location: 366-367 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

Question Number(s): 3C13C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

[Responses from the western region intentionally obliterated.]

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	345	14.6 %	20.0%
2	LITL IMP:(2)	450	19.1 %	26.1%
3	PRTY IMP:(3)	479	20.3 %	27.8%
4	VERY IMP:(4)	451	19.1 %	26.1%
-9 (M)	MISSING:(-9)	632	26.8 %	-

Based upon 1725 valid cases out of 2357 total cases.

V3171	**093C14 :WHEN R XPCT GRAD**

Location: 368-369 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 3C14

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%	Valid %
1	BY JUNE:(1)	2203	93.5 %	98.5%
2	JULY-JAN:(2)	17	0.7 %	0.8%
6	WONT:(6)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	120	5.1 %	-

Based upon 2237 valid cases out of 2357 total cases.

V3172	**093C15 :Rs HS PROGRAM**

Location:	370-371 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00400

Question Number(s): 3C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1202	51.0 %	54.1%
2	GENERAL:(2)	740	31.4 %	33.3%
3	VOC-TECH:(3)	91	3.9 %	4.1%
4	OTH/DK:(4)	190	8.1 %	8.5%
-9 (M)	MISSING:(-9)	134	5.7 %	-

Based upon 2223 valid cases out of 2357 total cases.

V3173	**093C16 :RT SF SCH AB>AVG**

Location:	372-373 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00410

Question Number(s): 3C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	21	0.9 %	0.9%
2	BELOW AV:(2)	32	1.4 %	1.4%
3	SL BELOW:(3)	96	4.1 %	4.3%
4	AVERAGE:(4)	735	31.2 %	33.1%
5	SL ABOVE:(5)	549	23.3 %	24.7%
6	ABOVE AV:(6)	628	26.6 %	28.3%
7	FAR ABOV:(7)	161	6.8 %	7.2%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3174	**093C17 :RT SF INTELL>AVG**

Location: 374-375 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00420

Question Number(s): 3C17

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	20	0.8 %	0.9%
2	BELOW AV:(2)	27	1.1 %	1.2%
3	SL BELOW:(3)	76	3.2 %	3.4%
4	AVERAGE:(4)	699	29.7 %	31.5%
5	SL ABOVE:(5)	568	24.1 %	25.6%
6	ABOVE AV:(6)	643	27.3 %	29.0%
7	FAR ABOV:(7)	188	8.0 %	8.5%
-9 (M)	MISSING:(-9)	136	5.8 %	-

Based upon 2221 valid cases out of 2357 total cases.

V3175	**093C18A:#DA/4W SC MS ILL**

Location: 376-377 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00430

Question Number(s): 3C18A

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1218	51.7 %	55.8%
2	1 DAY:(2)	379	16.1 %	17.4%
3	2 DAYS:(3)	258	10.9 %	11.8%
4	3 DAYS:(4)	171	7.3 %	7.8%
5	4-5 DAYS:(5)	108	4.6 %	4.9%
6	6-10 DA:(6)	33	1.4 %	1.5%
7	11+ DAYS:(7)	16	0.7 %	0.7%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3176	093C18B:#DA/4W SC MS CUT

Location: 378-379 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00440

Question Number(s): 3C18B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1494	63.4 %	69.5%
2	1 DAY:(2)	313	13.3 %	14.6%
3	2 DAYS:(3)	153	6.5 %	7.1%
4	3 DAYS:(4)	91	3.9 %	4.2%

Value	Label	Unweighted Frequency	%	Valid %
5	4-5 DAYS:(5)	52	2.2 %	2.4%
6	6-10 DA:(6)	27	1.1 %	1.3%
7	11+ DAYS:(7)	21	0.9 %	1.0%
-9 (M)	MISSING:(-9)	206	8.7 %	-

Based upon 2151 valid cases out of 2357 total cases.

V3177	093C18C:#DA/4W SC MS OTH

Location: 380-381 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 3C18C

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1235	52.4 %	56.9%
2	1 DAY:(2)	439	18.6 %	20.2%
3	2 DAYS:(3)	250	10.6 %	11.5%
4	3 DAYS:(4)	113	4.8 %	5.2%
5	4-5 DAYS:(5)	82	3.5 %	3.8%
6	6-10 DA:(6)	32	1.4 %	1.5%
7	11+ DAYS:(7)	21	0.9 %	1.0%
-9 (M)	MISSING:(-9)	185	7.8 %	-

Based upon 2172 valid cases out of 2357 total cases.

V3178	093C19 :#DA/4W SKP CLASS

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

Question Number(s): 3C19

During the LAST FOUR WEEKS, how often have you gone to school,

but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1592	67.5 %	71.6%
2	1-2:(2)	373	15.8 %	16.8%
3	3-5:(3)	164	7.0 %	7.4%
4	6-10:(4)	47	2.0 %	2.1%
5	11-20:(5)	20	0.8 %	0.9%
6	21+:(6)	26	1.1 %	1.2%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3179	**093C20 :R HS GRADE/D = 1**

Location:	384-385 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00470

Question Number(s): 3C20

Which of the following best describes your average grade so
far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	23	1.0 %	1.0%
2	C-:(2)	38	1.6 %	1.7%
3	C:(3)	100	4.2 %	4.5%
4	C+:(4)	190	8.1 %	8.6%
5	B-:(5)	237	10.1 %	10.7%
6	B:(6)	416	17.6 %	18.8%
7	B+:(7)	402	17.1 %	18.1%
8	A-:(8)	427	18.1 %	19.3%
9	A:(9)	382	16.2 %	17.2%
-9 (M)	MISSING:(-9)	142	6.0 %	-

Based upon 2215 valid cases out of 2357 total cases.

V3180	093C21A:R WL DO VOC/TEC

Location: 386-387 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00480

Question Number(s): 3C21A

How likely is it that you will do each of the following
things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1230	52.2 %	57.5%
2	PRB WONT:(2)	487	20.7 %	22.8%
3	PRB WILL:(3)	247	10.5 %	11.5%
4	DEF WILL:(4)	176	7.5 %	8.2%
-9 (M)	MISSING:(-9)	217	9.2 %	-

Based upon 2140 valid cases out of 2357 total cases.

V3181	093C21B:R WL DO ARMD FC

Location: 388-389 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00490

Question Number(s): 3C21B

How likely is it that you will do each of the following
things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1568	66.5 %	73.2%
2	PRB WONT:(2)	357	15.1 %	16.7%
3	PRB WILL:(3)	141	6.0 %	6.6%

Value	Label	Unweighted Frequency	%	Valid %
4	DEF WILL:(4)	77	3.3 %	3.6%
-9 (M)	MISSING:(-9)	214	9.1 %	-

Based upon 2143 valid cases out of 2357 total cases.

V3182	**093C21C:R WL DO 2YR CLG**

Location: 390-391 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00500

Question Number(s): 3C21C

How likely is it that you will do each of the following
things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	826	35.0 %	38.7%
2	PRB WONT:(2)	372	15.8 %	17.4%
3	PRB WILL:(3)	463	19.6 %	21.7%
4	DEF WILL:(4)	471	20.0 %	22.1%
-9 (M)	MISSING:(-9)	225	9.5 %	-

Based upon 2132 valid cases out of 2357 total cases.

V3183	**093C21D:R WL DO 4YR CLG**

Location: 392-393 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00510

Question Number(s): 3C21D

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	187	7.9 %	8.6%
2	PRB WONT:(2)	169	7.2 %	7.8%
3	PRB WILL:(3)	465	19.7 %	21.4%
4	DEF WILL:(4)	1355	57.5 %	62.3%
-9 (M)	MISSING:(-9)	181	7.7 %	-

Based upon 2176 valid cases out of 2357 total cases.

V3184	093C21E:R WL DO GRD/PRF

Location: 394-395 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

Question Number(s): 3C21E

How likely is it that you will do each of the following
things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	370	15.7 %	17.3%
2	PRB WONT:(2)	532	22.6 %	24.8%
3	PRB WILL:(3)	720	30.5 %	33.6%
4	DEF WILL:(4)	519	22.0 %	24.2%
-9 (M)	MISSING:(-9)	216	9.2 %	-

Based upon 2141 valid cases out of 2357 total cases.

V3185	093C22A:R WNTDO VOC/TEC

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Question Number(s): 3C22A

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1884	79.9 %	85.8%
1	MARKED:(1)	311	13.2 %	14.2%
-9 (M)	MISSING:(-9)	162	6.9 %	-

Based upon 2195 valid cases out of 2357 total cases.

V3186	**093C22B:R WNTDO ARMD FC**

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00540

Question Number(s): 3C22B

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1925	81.7 %	87.7%
1	MARKED:(1)	270	11.5 %	12.3%
-9 (M)	MISSING:(-9)	162	6.9 %	-

Based upon 2195 valid cases out of 2357 total cases.

V3187	**093C22C:R WNTDO 2YR CLG**

Location: 400-401 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00550

Question Number(s): 3C22C

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1582	67.1 %	72.1%
1	MARKED:(1)	613	26.0 %	27.9%
-9 (M)	MISSING:(-9)	162	6.9 %	-

Based upon 2195 valid cases out of 2357 total cases.

V3188	**093C22D:R WNTDO 4YR CLG**

Location: 402-403 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00560

Question Number(s): 3C22D

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	428	18.2 %	19.5%
1	MARKED:(1)	1767	75.0 %	80.5%
-9 (M)	MISSING:(-9)	162	6.9 %	-

Based upon 2195 valid cases out of 2357 total cases.

V3189	**093C22E:R WNTDO GRD/PRF**

Location: 404-405 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00570

Question Number(s): 3C22E

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	941	39.9 %	42.9%
1	MARKED:(1)	1254	53.2 %	57.1%
-9 (M)	MISSING:(-9)	162	6.9 %	-

Based upon 2195 valid cases out of 2357 total cases.

V3190	**093C22F:R WNTDO NONE**

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00580

Question Number(s): 3C22F

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2098	89.0 %	95.6%
1	MARKED:(1)	97	4.1 %	4.4%
-9 (M)	MISSING:(-9)	162	6.9 %	-

Based upon 2195 valid cases out of 2357 total cases.

V3191	**093C23 :HRS/W WRK SCHYR**

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00590

Question Number(s): 3C23

On the average over the school year, how many hours per week
do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15
hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"

8="More than 30 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	777	33.0 %	35.4%
2	5 OR <:(2)	231	9.8 %	10.5%
3	6-10 HRS:(3)	260	11.0 %	11.9%
4	11-15 HR:(4)	239	10.1 %	10.9%
5	16-20 HR:(5)	263	11.2 %	12.0%
6	21-25 HR:(6)	170	7.2 %	7.8%
7	26-30 HR:(7)	130	5.5 %	5.9%
8	30+ HRS:(8)	123	5.2 %	5.6%
-9 (M)	MISSING:(-9)	164	7.0 %	-

Based upon 2193 valid cases out of 2357 total cases.

V3192	**093C24A:R$/AVG WEEK JOB**

Location: 410-412 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00600

Question Number(s): 3C24A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	837	35.5 %	38.9%
2	$1-5:(2)	19	0.8 %	0.9%
3	$6-10:(3)	79	3.4 %	3.7%
4	$11-20:(4)	55	2.3 %	2.6%
5	$21-35:(5)	81	3.4 %	3.8%
6	$36-50:(6)	117	5.0 %	5.4%
7	$51-75:(7)	171	7.3 %	7.9%
8	$76-125:(8)	349	14.8 %	16.2%
9	$126-175:(9)	225	9.5 %	10.5%
10	$176+:(10)	219	9.3 %	10.2%
-9 (M)	MISSING:(-9)	205	8.7 %	-

Based upon 2152 valid cases out of 2357 total cases.

V3193	**093C24B:R$/AVG WEEK OTH**

Location:	413-415 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00610

Question Number(s): 3C24B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	887	37.6 %	42.1%
2	$1-5:(2)	98	4.2 %	4.7%
3	$6-10:(3)	177	7.5 %	8.4%
4	$11-20:(4)	339	14.4 %	16.1%
5	$21-35:(5)	237	10.1 %	11.3%
6	$36-50:(6)	156	6.6 %	7.4%
7	$51-75:(7)	72	3.1 %	3.4%
8	$76-125:(8)	53	2.2 %	2.5%
9	$126-175:(9)	25	1.1 %	1.2%
10	$176+:(10)	62	2.6 %	2.9%
-9 (M)	MISSING:(-9)	251	10.6 %	-

Based upon 2106 valid cases out of 2357 total cases.

V3194	**093C25 :#X/AV WK GO OUT**

Location:	416-417 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00620

Question Number(s): 3C25

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	215	9.1 %	9.8%
2	ONE:(2)	302	12.8 %	13.8%
3	TWO:(3)	599	25.4 %	27.4%
4	THREE:(4)	564	23.9 %	25.8%
5	4-5:(5)	337	14.3 %	15.4%
6	6-7:(6)	173	7.3 %	7.9%
-9 (M)	MISSING:(-9)	167	7.1 %	-

Based upon 2190 valid cases out of 2357 total cases.

V3195	**093C26 :#X DATE 3+/WK**

Location: 418-419 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00630

Question Number(s): 3C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	623	26.4 %	28.7%
2	1/MO OR<:(2)	356	15.1 %	16.4%
3	2-3/MO:(3)	336	14.3 %	15.5%
4	1/WK:(4)	303	12.9 %	14.0%
5	2-3/WK:(5)	356	15.1 %	16.4%
6	3+/WK:(6)	198	8.4 %	9.1%
-9 (M)	MISSING:(-9)	185	7.8 %	-

Based upon 2172 valid cases out of 2357 total cases.

V3196	**093C27 :DRIVE>200 MI/WK**

Location: 420-421 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00640

Question Number(s): 3C27

During an average week, how much do you usually drive a car,
truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to
100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	536	22.7 %	24.5%
2	1-10 MI:(2)	208	8.8 %	9.5%
3	11-50:(3)	538	22.8 %	24.6%
4	51-100:(4)	454	19.3 %	20.7%
5	101-200:(5)	276	11.7 %	12.6%
6	> 200:(6)	178	7.6 %	8.1%
-9 (M)	MISSING:(-9)	167	7.1 %	-

Based upon 2190 valid cases out of 2357 total cases.

V3197	093C28 :#X/12MO R TCKTD

Location:	422-423 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00650

Question Number(s): 3C28

Within the LAST 12 MONTHS, how many times, if any, have you
received a ticket (OR been stopped and warned) for moving
violations, such as speeding, running a stop light, or
improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1666	70.7 %	77.4%
1	ONE:(1)	298	12.6 %	13.8%
2	TWO:(2)	117	5.0 %	5.4%
3	THREE:(3)	37	1.6 %	1.7%
4	4+:(4)	35	1.5 %	1.6%
-9 (M)	MISSING:(-9)	204	8.7 %	-

Based upon 2153 valid cases out of 2357 total cases.

V3198	093C29AR:#TCKTS AFT DRNK

| Location: | 424-425 (width: 2; decimal: 0) |

Variable Type:	numeric	
Range of Missing Values (M):	-9	
Question:		

Item Number: 00660

Question Number(s): 3C29A

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	443	18.8 %	91.0%
1	ONE:(1)	29	1.2 %	6.0%
2	TWO:(2)	7	0.3 %	1.4%
3	3 - 4 OR +:(3-4)	8	0.3 %	1.6%
-9 (M)	MISSING:(-9)	1870	79.3 %	-

Based upon 487 valid cases out of 2357 total cases.

V3199   093C29BR:#TCKTS AFT MARJ

Location:	426-427 (width: 2; decimal: 0)	
Variable Type:	numeric	
Range of Missing Values (M):	-9	
Question:		

Item Number: 00670

Question Number(s): 3C29B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	459	19.5 %	95.0%
1	ONE:(1)	16	0.7 %	3.3%
2	TWO:(2)	4	0.2 %	0.8%
3	3 - 4 OR +:(3-4)	4	0.2 %	0.8%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	1874	79.5 %	-

Based upon 483 valid cases out of 2357 total cases.

V3200	093C29CR:#TCKTS AFT OTDG

Location:	428-429 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00680

Question Number(s): 3C29C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	473	20.1 %	97.9%
1	ONE:(1)	4	0.2 %	0.8%
3	3 - 4 OR +:(3-4)	6	0.3 %	1.2%
-9 (M)	MISSING:(-9)	1874	79.5 %	-

Based upon 483 valid cases out of 2357 total cases.

V3201	093C30 :#ACCIDNTS/12 MO

Location:	430-431 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00690

Question Number(s): 3C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury-- not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO TOP OF NEXT COLUMN " 1="Once" 2="Twice"

3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1738	73.7 %	81.0%
1	ONE:(1)	311	13.2 %	14.5%
2	TWO:(2)	75	3.2 %	3.5%
3	THREE:(3)	17	0.7 %	0.8%
4	4+:(4)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	211	9.0 %	-

Based upon 2146 valid cases out of 2357 total cases.

V3202	**093C31AR:#ACDTS AFT DRNK**

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00700

Question Number(s): 3C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	394	16.7 %	95.9%
1	ONE:(1)	11	0.5 %	2.7%
2	TWO:(2)	3	0.1 %	0.7%
3	3 - 4 OR +:(3-4)	3	0.1 %	0.7%
-9 (M)	MISSING:(-9)	1946	82.6 %	-

Based upon 411 valid cases out of 2357 total cases.

V3203	**093C31BR:#ACDTS AFT MARJ**

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00710

Question Number(s): 3C31B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	395	16.8 %	97.1%
1	ONE:(1)	6	0.3 %	1.5%
2	TWO:(2)	3	0.1 %	0.7%
3	3 - 4 OR +:(3-4)	3	0.1 %	0.7%
-9 (M)	MISSING:(-9)	1950	82.7 %	-

Based upon 407 valid cases out of 2357 total cases.

V3204	**093C31CR:#ACDTS AFT OTDG**

Location:	436-437 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00720

Question Number(s): 3C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	401	17.0 %	98.5%
1	ONE:(1)	3	0.1 %	0.7%
3	3 - 4 OR +:(3-4)	3	0.1 %	0.7%
-9 (M)	MISSING:(-9)	1950	82.7 %	-

Based upon 407 valid cases out of 2357 total cases.

V3484	**093D01 :FEEL UNSAFE@SCHL**

Location:	438-439 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25770

Question Number(s): 3D01

The next questions are about feeling unsafe--that is, feeling that someone might try to harm or injure you. How often do you feel unsafe when you are at school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1278	54.2 %	58.5%
2	RARELY:(2)	637	27.0 %	29.2%
3	SOMEDAYS:(3)	168	7.1 %	7.7%
4	MOSTDAYS:(4)	39	1.7 %	1.8%
5	EVERYDAY:(5)	62	2.6 %	2.8%
-9 (M)	MISSING:(-9)	173	7.3 %	-

Based upon 2184 valid cases out of 2357 total cases.

V3485	**093D02 :UNSAF TO/FRM SCH**

Location:	440-441 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25780

Question Number(s): 3D02

How often do you feel unsafe going to or from school?

1="Never" 2="Rarely" 3="Some days" 4="Most days" 5="Every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1296	55.0 %	59.4%
2	RARELY:(2)	630	26.7 %	28.9%
3	SOMEDAYS:(3)	166	7.0 %	7.6%
4	MOSTDAYS:(4)	48	2.0 %	2.2%
5	EVERYDAY:(5)	42	1.8 %	1.9%
-9 (M)	MISSING:(-9)	175	7.4 %	-

Based upon 2182 valid cases out of 2357 total cases.

V3486	**093D03 :4WK/UNSAF AVDSCH**

Location:	442-443 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 25790

Question Number(s): 3D03

During the LAST FOUR WEEKS, how many days did you not go to
school because you felt you would be unsafe at school or on
your way to or from school?

1="0 days" 2="1 day" 3="2 or 3 days" 4="4 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	0 DAYS:(1)	2103	89.2 %	96.6%
2	1 DAY:(2)	35	1.5 %	1.6%
3	2-3 DAYS:(3)	23	1.0 %	1.1%
4	4+ DAYS:(4)	16	0.7 %	0.7%
-9 (M)	MISSING:(-9)	180	7.6 %	-

Based upon 2177 valid cases out of 2357 total cases.

V3501	093D04A:#X KETAMINE/12M

Location: 444-445 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31060

Question Number(s): 3D04A

Lately there has been some attention paid to certain drugs.
During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

A. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2128	90.3 %	98.3%
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	193	8.2 %	-

Based upon 2164 valid cases out of 2357 total cases.

V3503	**093D04B:#X ANDRO/12MO**

Location:	446-447 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31160

Question Number(s): 3D04B

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2132	90.5 %	99.0%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	203	8.6 %	-

Based upon 2154 valid cases out of 2357 total cases.

V3504	**093D04C:#X CREATINE/12MO**

Location:	448-449 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31170

Question Number(s): 3D04C

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1971	83.6 %	91.5%
2	1-2X:(2)	32	1.4 %	1.5%
3	3-5X:(3)	32	1.4 %	1.5%
4	6-9X:(4)	22	0.9 %	1.0%
5	10-19X:(5)	25	1.1 %	1.2%
6	20-39X:(6)	19	0.8 %	0.9%
7	40+OCCAS:(7)	52	2.2 %	2.4%
-9 (M)	MISSING:(-9)	204	8.7 %	-

Based upon 2153 valid cases out of 2357 total cases.

V3505	**093D04D:#X RITALIN/12MO**

Location:	450-451 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31180

Question Number(s): 3D04D

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

D. . . . taken Ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	2106	89.4 %	97.9%
2	1-2X:(2)	23	1.0 %	1.1%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	8	0.3 %	0.4%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	205	8.7 %	-

Based upon 2152 valid cases out of 2357 total cases.

V3526	093D04E:#X ADDERALL/12MO

Location:	452-453 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 32450

Question Number(s):   3D04E

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2031	86.2 %	94.4%
2	1-2X:(2)	64	2.7 %	3.0%
3	3-5X:(3)	28	1.2 %	1.3%
4	6-9X:(4)	13	0.6 %	0.6%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	205	8.7 %	-

Based upon 2152 valid cases out of 2357 total cases.

V3506	093D04F:#X ROHYPNL/12MO

Location:	454-455 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29785

Question Number(s): 3D04F

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2124	90.1 %	99.0%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	212	9.0 %	-

Based upon 2145 valid cases out of 2357 total cases.

V3521	**093D04G:#X COUGHMED/12MO**

Location: 456-457 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31670

Question Number(s): 3D04G

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2020	85.7 %	93.9%
2	1-2X:(2)	62	2.6 %	2.9%
3	3-5X:(3)	35	1.5 %	1.6%
4	6-9X:(4)	13	0.6 %	0.6%
5	10-19X:(5)	11	0.5 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	205	8.7 %	-

Based upon 2152 valid cases out of 2357 total cases.

V3522	**093D04H:#X OXYCONTN/12MO**

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 31310

Question Number(s): 3D04H

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2053	87.1 %	95.4%
2	1-2X:(2)	41	1.7 %	1.9%
3	3-5X:(3)	17	0.7 %	0.8%
4	6-9X:(4)	19	0.8 %	0.9%
5	10-19X:(5)	8	0.3 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	206	8.7 %	-

Based upon 2151 valid cases out of 2357 total cases.

V3523	093D04I:#X VICODIN/12MO

Location:	460-461 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31320

Question Number(s): 3D04I

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I. . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1960	83.2 %	91.0%
2	1-2X:(2)	92	3.9 %	4.3%

Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	41	1.7 %	1.9%
4	6-9X:(4)	23	1.0 %	1.1%
5	10-19X:(5)	20	0.8 %	0.9%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	203	8.6 %	-

Based upon 2154 valid cases out of 2357 total cases.

V3309	**093D05A:12MO REDUCE ALCL**

Location: 462-463 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08910

Question Number(s): 3D05A

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

A: . . . Alcohol?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	923	39.2 %	49.9%
1	YES:(1)	391	16.6 %	21.1%
8	HVNT USD:(8)	537	22.8 %	29.0%
-9 (M)	MISSING:(-9)	506	21.5 %	-

Based upon 1851 valid cases out of 2357 total cases.

V3310	**093D05B:12MO REDUCE CIG**

Location: 464-465 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 08920

Question Number(s): 3D05B

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

B: . . . Cigarettes?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	364	15.4 %	17.3%
1	YES:(1)	387	16.4 %	18.3%
8	HVNT USD:(8)	1359	57.7 %	64.4%
-9 (M)	MISSING:(-9)	247	10.5 %	-

Based upon 2110 valid cases out of 2357 total cases.

V3311	**093D05C:12MO REDUCE MARJ**
Location:	466-467 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08930

Question Number(s): 3D05C

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

C: . . . Marijuana?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	390	16.5 %	20.8%
1	YES:(1)	298	12.6 %	15.9%
8	HVNT USD:(8)	1191	50.5 %	63.4%
-9 (M)	MISSING:(-9)	478	20.3 %	-

Based upon 1879 valid cases out of 2357 total cases.

V3312	**093D05D:12MO REDUCE PSYC**
Location:	468-469 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08940

Question Number(s): 3D05D

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

D: . . . Hallucinogens (LSD, etc.)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	52	2.2 %	2.8%
1	YES:(1)	16	0.7 %	0.9%
8	HVNT USD:(8)	1785	75.7 %	96.3%
-9 (M)	MISSING:(-9)	504	21.4 %	-

Based upon 1853 valid cases out of 2357 total cases.

V3313	**093D05E:12MO REDUCE AMPH**

Location:	470-471 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08950

Question Number(s): 3D05E

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

E: . . . Amphetamines (uppers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	59	2.5 %	3.3%
1	YES:(1)	20	0.8 %	1.1%
8	HVNT USD:(8)	1723	73.1 %	95.6%
-9 (M)	MISSING:(-9)	555	23.5 %	-

Based upon 1802 valid cases out of 2357 total cases.

V3443	**093D05F:12MO REDUCE TRQL**

Location:	472-473 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09005

Question Number(s): 3D05F

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

F: . . . Tranquilizers?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	48	2.0 %	2.7%
1	YES:(1)	29	1.2 %	1.6%
8	HVNT USD:(8)	1724	73.1 %	95.7%
-9 (M)	MISSING:(-9)	556	23.6 %	-

Based upon 1801 valid cases out of 2357 total cases.

V3510	**093D05G:12MO REDUCE SD/B**

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08975

Question Number(s): 3D05G

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

G: . . . Sedatives/barbiturates (downers)?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	229	9.7 %	11.2%
1	YES:(1)	60	2.5 %	2.9%
8	HVNT USD:(8)	1752	74.3 %	85.8%
-9 (M)	MISSING:(-9)	316	13.4 %	-

Based upon 2041 valid cases out of 2357 total cases.

V3316	**093D05H:12MO REDUCE COKE**

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 08980

Question Number(s): 3D05H

At any time during the LAST 12 MONTHS, have you felt in your
own mind that you should REDUCE or STOP your use of . . .

H: . . . Cocaine?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	46	2.0 %	2.5%
1	YES:(1)	25	1.1 %	1.3%
8	HVNT USD:(8)	1797	76.2 %	96.2%
-9 (M)	MISSING:(-9)	489	20.7 %	-

Based upon 1868 valid cases out of 2357 total cases.

V3317	**093D05I:12MO REDUCE HRN**

Location:	478-479 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08990

Question Number(s): 3D05I

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

I: . . . Heroin?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	14	0.6 %	0.7%
1	YES:(1)	4	0.2 %	0.2%
8	HVNT USD:(8)	1857	78.8 %	99.0%
-9 (M)	MISSING:(-9)	482	20.4 %	-

Based upon 1875 valid cases out of 2357 total cases.

V3318	**093D05J:12MO REDUCE NARC**

Location:	480-481 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09000

Question Number(s): 3D05J

At any time during the LAST 12 MONTHS, have you felt in your own mind that you should REDUCE or STOP your use of . . .

J: . . . Other narcotics?

1="Yes" 0="No" 8="Haven't used in last 12 months"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	56	2.4 %	3.2%
1	YES:(1)	31	1.3 %	1.8%
8	HVNT USD:(8)	1677	71.1 %	95.1%
-9 (M)	MISSING:(-9)	593	25.2 %	-

Based upon 1764 valid cases out of 2357 total cases.

V3319	**093D06 :NXT 12MOS USE MJ**

Location: 482-483 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09010

Question Number(s): 3D06

How likely is it that you will use marijuana in the next
12 months?

1="Definitely will--GO TO QUESTION 8" 2="Probably will--GO TO
QUESTION 8" 3="Probably will not" 4="Definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	261	11.1 %	12.7%
2	PRB WILL:(2)	263	11.2 %	12.8%
3	PRB WONT:(3)	345	14.6 %	16.7%
4	DEF WONT:(4)	1191	50.5 %	57.8%
-9 (M)	MISSING:(-9)	297	12.6 %	-

Based upon 2060 valid cases out of 2357 total cases.

V3320	**093D07A:CNCRN PSYCH DAMG**

Location: 484-485 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09020

Question Number(s): 3D07A

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

A. Concerned about possible psychological damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	622	26.4 %	42.7%
1	MARKED:(1)	836	35.5 %	57.3%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3321	**093D07B:CNCRN PHYSCL DMG**

Location:	486-487 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09030

Question Number(s): 3D07B

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

B. Concerned about possible physical damage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	684	29.0 %	46.9%
1	MARKED:(1)	774	32.8 %	53.1%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3322	**093D07C:CNCRN GT ARRESTD**

Location:	488-489 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09040

Question Number(s): 3D07C

Here are some reasons people give for not using marijuana,
or for stopping use. Please tell us which reasons are true
for you. (Mark ALL that apply.)

C. Concerned about getting arrested

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	675	28.6 %	46.3%
1	MARKED:(1)	783	33.2 %	53.7%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3323	**093D07D:CNCRN BECOM ADCT**

Location:	490-491 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09050

Question Number(s): 3D07D

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

D. Concerned about becoming addicted to marijuana

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	778	33.0 %	53.4%
1	MARKED:(1)	680	28.9 %	46.6%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3324	**093D07E:AGST MY BELIEFS**

Location:	492-493 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09060

Question Number(s): 3D07E

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

E. It's against my beliefs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	835	35.4 %	57.3%
1	MARKED:(1)	623	26.4 %	42.7%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3325	**093D07F:CNCRN LEGY/AMBTN**

Location: 494-495 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09070

Question Number(s): 3D07F

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

F. Concerned about loss of energy or ambition

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	891	37.8 %	61.1%
1	MARKED:(1)	567	24.1 %	38.9%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3326	**093D07G:CNCRN LOSS CNTRL**

Location: 496-497 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09080

Question Number(s): 3D07G

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

G. Concerned about possible loss of control of myself

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	796	33.8 %	54.6%
1	MARKED:(1)	662	28.1 %	45.4%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3327	**093D07H:MJ ->STRNGR DRGS**

Location:	498-499 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09090

Question Number(s): 3D07H

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

H. It might lead to stronger drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	774	32.8 %	53.1%
1	MARKED:(1)	684	29.0 %	46.9%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3328	**093D07I:MJ NOT ENJOYABLE**

Location:	500-501 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09100

Question Number(s): 3D07I

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

I. Not enjoyable, I didn't like it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	1110	47.1 %	76.1%
1	MARKED:(1)	348	14.8 %	23.9%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3329	**093D07J:PRNTS DISAPPROVE**

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09110

Question Number(s): 3D07J

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

J. My parents would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	545	23.1 %	37.4%
1	MARKED:(1)	913	38.7 %	62.6%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3330	**093D07K:HS/WF DISAPPROVE**

Location: 504-505 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09120

Question Number(s): 3D07K

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

K. My husband/wife (or boyfriend/girlfriend) would disapprove

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	990	42.0 %	67.9%
1	MARKED:(1)	468	19.9 %	32.1%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3331	**093D07L:DONT LIKE USERS**

Location:	506-507 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09130

Question Number(s): 3D07L

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

L. I don't like being with the people who use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	865	36.7 %	59.3%
1	MARKED:(1)	593	25.2 %	40.7%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3332	**093D07M:FRNDS DNT USE IT**

Location:	508-509 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09140

Question Number(s): 3D07M

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

M. My friends don't use it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	1001	42.5 %	68.7%
1	MARKED:(1)	457	19.4 %	31.3%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3333	**093D07N:PSSBLY BAD TRIP**

Location:	510-511 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09150

Question Number(s): 3D07N

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

N. I might have a bad trip

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	1192	50.6 %	81.8%
1	MARKED:(1)	266	11.3 %	18.2%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3334	**093D07O:TOO EXPENSIVE**

Location:	512-513 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09160

Question Number(s): 3D07O

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

O. Too expensive

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	1182	50.1 %	81.1%
1	MARKED:(1)	276	11.7 %	18.9%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3335	**093D07P:NOT AVAILABLE**

Location:	514-515 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09170

Question Number(s): 3D07P

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

P. Not available

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	1355	57.5 %	92.9%
1	MARKED:(1)	103	4.4 %	7.1%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3336	**093D07Q:NOT WNT GET HIGH**

Location:	516-517 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09180

Question Number(s): 3D07Q

Here are some reasons people give for not using marijuana, or for stopping use. Please tell us which reasons are true for you. (Mark ALL that apply.)

Q. Don't feel like getting high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKD:(0)	512	21.7 %	35.1%
1	MARKED:(1)	946	40.1 %	64.9%
-9 (M)	MISSING:(-9)	899	38.1 %	-

Based upon 1458 valid cases out of 2357 total cases.

V3337	**093D08AA:AL CS BEHV REGRT**

Location:	518-519 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09190

Question Number(s): 3D08AA

Has your use of alcohol ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	1610	68.3 %	72.5%
1	MARKED:(1)	612	26.0 %	27.5%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3338	**093D08AB:AL HURT REL PRNT**

Location:	520-521 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09200

Question Number(s): 3D08AB

Has your use of alcohol ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2028	86.0 %	91.3%
1	MARKED:(1)	194	8.2 %	8.7%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3339	**093D08AC:AL HURT REL SPSE**

Location:	522-523 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09210

Question Number(s): 3D08AC

Has your use of alcohol ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2009	85.2 %	90.4%
1	MARKED:(1)	213	9.0 %	9.6%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3340	**093D08AD:AL HURT REL FRND**

Location:	524-525 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09220

Question Number(s): 3D08AD

Has your use of alcohol ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2073	88.0 %	93.3%
1	MARKED:(1)	149	6.3 %	6.7%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3341	**093D08AE:AL HURT REL TCHR**

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09230

Question Number(s): 3D08AE

Has your use of alcohol ever caused any of the following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2187	92.8 %	98.4%
1	MARKED:(1)	35	1.5 %	1.6%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3342	**093D08AF:AL INV PL BD INF**

Location: 528-529 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09240

Question Number(s): 3D08AF

Has your use of alcohol ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2025	85.9 %	91.1%
1	MARKED:(1)	197	8.4 %	8.9%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3343	**093D08AG:AL HURT PERF JOB**

Location: 530-531 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09250

Question Number(s): 3D08AG

Has your use of alcohol ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2127	90.2 %	95.7%
1	MARKED:(1)	95	4.0 %	4.3%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3344	**093D08AH:AL CAUS<INTERSTD**

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09260

Question Number(s): 3D08AH

Has your use of alcohol ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2137	90.7 %	96.2%
1	MARKED:(1)	85	3.6 %	3.8%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3345	**093D08AI:AL CS<STABL EMTN**

Location:	534-535 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09270

Question Number(s): 3D08AI

Has your use of alcohol ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2079	88.2 %	93.6%
1	MARKED:(1)	143	6.1 %	6.4%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3346	**093D08AJ:AL CS HAV<ENERGY**

Location:	536-537 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09280

Question Number(s): 3D08AJ

Has your use of alcohol ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2089	88.6 %	94.0%
1	MARKED:(1)	133	5.6 %	6.0%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3347	**093D08AK:AL INTF THNK CLR**

Location:	538-539 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09290

Question Number(s): 3D08AK

Has your use of alcohol ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	1854	78.7 %	83.4%
1	MARKED:(1)	368	15.6 %	16.6%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3348	**093D08AL:AL BD PSYCH EFCT**

Location:	540-541 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09300

Question Number(s): 3D08AL

Has your use of alcohol ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2172	92.2 %	97.7%
1	MARKED:(1)	50	2.1 %	2.3%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3349	**093D08AM:AL CS HEALTH BAD**

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09310

Question Number(s): 3D08AM

Has your use of alcohol ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2147	91.1 %	96.6%
1	MARKED:(1)	75	3.2 %	3.4%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3350	**093D08AN:AL CS DRIV UNSAF**

Location: 544-545 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09320

Question Number(s): 3D08AN

Has your use of alcohol ever caused any of the following problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2062	87.5 %	92.8%
1	MARKED:(1)	160	6.8 %	7.2%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3351	**093D08AO:AL GT TRBL W POL**

Location:	546-547 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09330

Question Number(s): 3D08AO

Has your use of alcohol ever caused any of the following problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2116	89.8 %	95.2%
1	MARKED:(1)	106	4.5 %	4.8%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3352	**093D08AP:AL CS NO PROBLEM**

Location:	548-549 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09340

Question Number(s): 3D08AP

Has your use of alcohol ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	1858	78.8 %	83.6%
1	MARKED:(1)	364	15.4 %	16.4%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3353	**093D08AQ:AL NEVER USED DG**

Location:	550-551 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09350

Question Number(s): 3D08AQ

Has your use of alcohol ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2048	86.9 %	92.2%
1	MARKED:(1)	174	7.4 %	7.8%
-9 (M)	MISSING:(-9)	135	5.7 %	-

Based upon 2222 valid cases out of 2357 total cases.

V3354	**093D08MA:MJ CS BEHV REGRT**

Location:	552-553 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09360

Question Number(s): 3D08MA

Has your use of marijuana ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2148	91.1 %	93.9%
1	MARKED:(1)	139	5.9 %	6.1%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3355	**093D08MB:MJ HURT REL PRNT**

Location: 554-555 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09370

Question Number(s): 3D08MB

Has your use of marijuana ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2156	91.5 %	94.3%
1	MARKED:(1)	131	5.6 %	5.7%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3356	**093D08MC:MJ HURT REL SPSE**

Location: 556-557 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09380

Question Number(s): 3D08MC

Has your use of marijuana ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2188	92.8 %	95.7%
1	MARKED:(1)	99	4.2 %	4.3%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3357	**093D08MD:MJ HURT REL FRND**

Location:	558-559 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09390

Question Number(s): 3D08MD

Has your use of marijuana ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2201	93.4 %	96.2%
1	MARKED:(1)	86	3.6 %	3.8%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3358	**093D08ME:MJ HURT REL TCHR**

Location:	560-561 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09400

Question Number(s): 3D08ME

Has your use of marijuana ever caused any of the following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2239	95.0 %	97.9%
1	MARKED:(1)	48	2.0 %	2.1%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3359	**093D08MF:MJ INV PL BD INF**

Location:	562-563 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09410

Question Number(s): 3D08MF

Has your use of marijuana ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2076	88.1 %	90.8%
1	MARKED:(1)	211	9.0 %	9.2%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3360	**093D08MG:MJ HURT PERF JOB**

Location:	564-565 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09420

Question Number(s): 3D08MG

Has your use of marijuana ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2169	92.0 %	94.8%
1	MARKED:(1)	118	5.0 %	5.2%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3361	**093D08MH:MJ CAUS<INTERSTD**

Location: 566-567 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09430

Question Number(s): 3D08MH

Has your use of marijuana ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2157	91.5 %	94.3%
1	MARKED:(1)	130	5.5 %	5.7%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3362	**093D08MI:MJ CS<STABL EMTN**

Location: 568-569 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09440

Question Number(s): 3D08MI

Has your use of marijuana ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2208	93.7 %	96.5%
1	MARKED:(1)	79	3.4 %	3.5%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3363	**093D08MJ:MJ CS HAV<ENERGY**

Location:	570-571 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09450

Question Number(s): 3D08MJ

Has your use of marijuana ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2074	88.0 %	90.7%
1	MARKED:(1)	213	9.0 %	9.3%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3364	**093D08MK:MJ INTF THNK CLR**

Location:	572-573 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09460

Question Number(s): 3D08MK

Has your use of marijuana ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2072	87.9 %	90.6%
1	MARKED:(1)	215	9.1 %	9.4%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3365	**093D08ML:MJ BD PSYCH EFCT**

Location:	574-575 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09470

Question Number(s): 3D08ML

Has your use of marijuana ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2228	94.5 %	97.4%
1	MARKED:(1)	59	2.5 %	2.6%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3366	**093D08MM:MJ CS HEALTH BAD**

Location:	576-577 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09480

Question Number(s): 3D08MM

Has your use of marijuana ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2236	94.9 %	97.8%
1	MARKED:(1)	51	2.2 %	2.2%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3367	**093D08MN:MJ CS DRIV UNSAF**

Location: 578-579 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09490

Question Number(s): 3D08MN

Has your use of marijuana ever caused any of the following problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2203	93.5 %	96.3%
1	MARKED:(1)	84	3.6 %	3.7%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3368	**093D08MO:MJ GT TRBL W POL**

Location: 580-581 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09500

Question Number(s): 3D08MO

Has your use of marijuana ever caused any of the following problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2241	95.1 %	98.0%
1	MARKED:(1)	46	2.0 %	2.0%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3369	**093D08MP:MJ CS NO PROBLEM**

Location:	582-583 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09510

Question Number(s): 3D08MP

Has your use of marijuana ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	1648	69.9 %	72.1%
1	MARKED:(1)	639	27.1 %	27.9%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3370	**093D08MQ:MJ NEVER USED DG**

Location:	584-585 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09520

Question Number(s): 3D08MQ

Has your use of marijuana ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	1795	76.2 %	78.5%
1	MARKED:(1)	492	20.9 %	21.5%
-9 (M)	MISSING:(-9)	70	3.0 %	-

Based upon 2287 valid cases out of 2357 total cases.

V3371	**093D08OA:OT CS BEHV REGRT**

Location:	586-587 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09530

Question Number(s): 3D08OA

Has your use of other illegal drugs ever caused any of the following problems for you?

A. Caused you to behave in ways that you later regretted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2139	90.8 %	98.0%
1	MARKED:(1)	44	1.9 %	2.0%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3372	**093D08OB:OT HURT REL PRNT**

Location:	588-589 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09540

Question Number(s): 3D08OB

Has your use of other illegal drugs ever caused any of the following problems for you?

B. Hurt your relationship with your parents

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2144	91.0 %	98.2%
1	MARKED:(1)	39	1.7 %	1.8%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3373	**093D08OC:OT HURT REL SPSE**

Location: 590-591 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09550

Question Number(s): 3D08OC

Has your use of other illegal drugs ever caused any of the following problems for you?

C. Hurt your relationship with your spouse, fiancee, or girlfriend/boyfriend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2148	91.1 %	98.4%
1	MARKED:(1)	35	1.5 %	1.6%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3374	**093D08OD:OT HURT REL FRND**

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09560

Question Number(s): 3D08OD

Has your use of other illegal drugs ever caused any of the following problems for you?

D. Hurt your relationships with your friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2146	91.0 %	98.3%
1	MARKED:(1)	37	1.6 %	1.7%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3375	**093D08OE:OT HURT REL TCHR**

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09570

Question Number(s): 3D08OE

Has your use of other illegal drugs ever caused any of the following problems for you?

E. Hurt your relationships with teachers or supervisors

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2166	91.9 %	99.2%
1	MARKED:(1)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3376	**093D08OF:OT INV PL BD INF**

Location: 596-597 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09580

Question Number(s): 3D08OF

Has your use of other illegal drugs ever caused any of the following problems for you?

F. Involved you with people you think are a bad influence on you

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2125	90.2 %	97.3%
1	MARKED:(1)	58	2.5 %	2.7%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3377   093D08OG:OT HURT PERF JOB

Location:	598-599 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09590

Question Number(s): 3D08OG

Has your use of other illegal drugs ever caused any of the following problems for you?

G. Hurt your performance in school and/or on the job

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2154	91.4 %	98.7%
1	MARKED:(1)	29	1.2 %	1.3%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3378   093D08OH:OT CAUS<INTERSTD

Location:	600-601 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09600

Question Number(s): 3D08OH

Has your use of other illegal drugs ever caused any of the following problems for you?

H. Caused you to be less interested in other activities than you were before

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2157	91.5 %	98.8%
1	MARKED:(1)	26	1.1 %	1.2%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3379	**093D08OI:OT CS<STABL EMTN**

Location: 602-603 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09610

Question Number(s): 3D08OI

Has your use of other illegal drugs ever caused any of the following problems for you?

I. Caused you to be less stable emotionally

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2145	91.0 %	98.3%
1	MARKED:(1)	38	1.6 %	1.7%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3380	**093D08OJ:OT CS HAV<ENERGY**

Location: 604-605 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09620

Question Number(s): 3D08OJ

Has your use of other illegal drugs ever caused any of the following problems for you?

J. Caused you to have less energy

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2156	91.5 %	98.8%
1	MARKED:(1)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3381	**093D08OK:OT INTF THNK CLR**

Location:	606-607 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09630

Question Number(s): 3D08OK

Has your use of other illegal drugs ever caused any of the following problems for you?

K. Interfered with your ability to think clearly

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2142	90.9 %	98.1%
1	MARKED:(1)	41	1.7 %	1.9%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3382	**093D08OL:OT BD PSYCH EFCT**

Location:	608-609 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09640

Question Number(s): 3D08OL

Has your use of other illegal drugs ever caused any of the following problems for you?

L. Had other bad psychological effects

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2149	91.2 %	98.4%
1	MARKED:(1)	34	1.4 %	1.6%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3383	**093D08OM:OT CS HEALTH BAD**

Location:	610-611 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09650

Question Number(s): 3D08OM

Has your use of other illegal drugs ever caused any of the following problems for you?

M. Caused your physical health to be bad

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2157	91.5 %	98.8%
1	MARKED:(1)	26	1.1 %	1.2%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3384	**093D08ON:OT CS DRIV UNSAF**

Location:	612-613 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09660

Question Number(s): 3D08ON

Has your use of other illegal drugs ever caused any of the following problems for you?

N. Caused you to drive unsafely

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2169	92.0 %	99.4%
1	MARKED:(1)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3385	**093D08OO:OT GT TRBL W POL**

Location: 614-615 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09670

Question Number(s): 3D08OO

Has your use of other illegal drugs ever caused any of the following problems for you?

O. Gotten you into trouble with the police

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	2166	91.9 %	99.2%
1	MARKED:(1)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3386	**093D08OP:OT CS NO PROBLEM**

Location: 616-617 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09680

Question Number(s): 3D08OP

Has your use of other illegal drugs ever caused any of the following problems for you?

P. Caused you none of the above problems

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	1587	67.3 %	72.7%
1	MARKED:(1)	596	25.3 %	27.3%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3387	**093D08OQ:OT NEVER USED DG**

Location:	618-619 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09690

Question Number(s): 3D08OQ

Has your use of other illegal drugs ever caused any of the following problems for you?

Q. Never used the drug(s)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	1640	69.6 %	75.1%
1	MARKED:(1)	543	23.0 %	24.9%
-9 (M)	MISSING:(-9)	174	7.4 %	-

Based upon 2183 valid cases out of 2357 total cases.

V3477	**093E01A:ALL FRD SMK CIGS**

Location:	620-621 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07070

Question Number(s): 3E01A

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	382	16.2 %	18.2%

Value	Label	Unweighted Frequency	%	Valid %
2	A FEW:(2)	852	36.1 %	40.7%
3	SOME:(3)	572	24.3 %	27.3%
4	MOST:(4)	264	11.2 %	12.6%
5	ALL:(5)	25	1.1 %	1.2%
-9 (M)	MISSING:(-9)	262	11.1 %	-

Based upon 2095 valid cases out of 2357 total cases.

V3478	**093E01B:ALL FRD SMK MARJ**

Location: 622-623 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07080

Question Number(s): 3E01B

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	398	16.9 %	19.0%
2	A FEW:(2)	626	26.6 %	30.0%
3	SOME:(3)	597	25.3 %	28.6%
4	MOST:(4)	402	17.1 %	19.2%
5	ALL:(5)	67	2.8 %	3.2%
-9 (M)	MISSING:(-9)	267	11.3 %	-

Based upon 2090 valid cases out of 2357 total cases.

V3479	**093E01C:# FRNDS TK CRACK**

Location: 624-625 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07151

Question Number(s): 3E01C

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1746	74.1 %	83.7%
2	A FEW:(2)	270	11.5 %	12.9%
3	SOME:(3)	52	2.2 %	2.5%
4	MOST:(4)	3	0.1 %	0.1%
5	ALL:(5)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	271	11.5 %	-

Based upon 2086 valid cases out of 2357 total cases.

V3480	**093E01D:# FRNDS TK C PWD**
Location:	626-627 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23990

Question Number(s): 3E01D

How many of your friends would you estimate . . .

D: . . . Take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1657	70.3 %	80.1%
2	A FEW:(2)	331	14.0 %	16.0%
3	SOME:(3)	60	2.5 %	2.9%
4	MOST:(4)	6	0.3 %	0.3%
5	ALL:(5)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	288	12.2 %	-

Based upon 2069 valid cases out of 2357 total cases.

V3481	**093E01E:ALL FRD DRK ALCL**
Location:	628-629 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07190

Question Number(s): 3E01E

How many of your friends would you estimate . . .

E: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	198	8.4 %	9.5%
2	A FEW:(2)	238	10.1 %	11.4%
3	SOME:(3)	429	18.2 %	20.6%
4	MOST:(4)	826	35.0 %	39.7%
5	ALL:(5)	388	16.5 %	18.7%
-9 (M)	MISSING:(-9)	278	11.8 %	-

Based upon 2079 valid cases out of 2357 total cases.

V3482	**093E01F:ALL FRD GT DRUNK**

Location:	630-631 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07200

Question Number(s): 3E01F

How many of your friends would you estimate . . .

F: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	457	19.4 %	21.9%
2	A FEW:(2)	546	23.2 %	26.2%
3	SOME:(3)	538	22.8 %	25.8%
4	MOST:(4)	415	17.6 %	19.9%
5	ALL:(5)	128	5.4 %	6.1%
-9 (M)	MISSING:(-9)	273	11.6 %	-

Based upon 2084 valid cases out of 2357 total cases.

V3499	**093E02:USUAL CIG BRAND**

Location:	632-634 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 30065

Question Number(s): 3E02

If you have smoked one or more cigarettes in the last 30 days,
please answer this question. (If not, skip to Question 3.)
What brand of cigarettes do you usually smoke? (Brands are
in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand"

Value	Label	Unweighted Frequency	%	Valid %
1	BASIC:(1)	4	0.2 %	1.1%
2	B&H:(2)	1	0.0 %	0.3%
5	CAMEL:(5)	85	3.6 %	23.8%
8	DORAL:(8)	1	0.0 %	0.3%
11	KOOL:(11)	4	0.2 %	1.1%
12	MARLBORO:(12)	170	7.2 %	47.6%
14	MISTY:(14)	1	0.0 %	0.3%
17	NEWPORT:(17)	44	1.9 %	12.3%
19	PARLIAMENT:(19)	7	0.3 %	2.0%
24	OTHER:(24)	17	0.7 %	4.8%
25	NO USUAL:(25)	23	1.0 %	6.4%
-9 (M)	MISSING:(-9)	2000	84.9 %	-

Based upon 357 valid cases out of 2357 total cases.

V3394	**093E03 :FUTR,HAV2 CNSUM<**

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09750

Question Number(s): 3E03

There has been talk about shortages of energy, food, and
raw materials in this country. Do you think that in the
coming years we will have plenty to meet our needs, a
sufficient amount, or will we have to consume less?

1="Plenty to meet our needs" 2="A sufficient amount" 3="Will

have to consume less"

Value	Label	Unweighted Frequency	%	Valid %
1	PLENTY:(1)	273	11.6 %	13.6%
2	SUFF AMT:(2)	1024	43.4 %	51.1%
3	CNSUM LS:(3)	706	30.0 %	35.2%
-9 (M)	MISSING:(-9)	354	15.0 %	-

Based upon 2003 valid cases out of 2357 total cases.

V3395	**093E04A:GOV HP PRB POPL**

Location:	637-638 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09760

Question Number(s): 3E04A

The questions in this section deal with population problems.
How much do you agree or disagree with each statement?

A: Our government should help other countries to control
their population

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	604	25.6 %	30.0%
2	MOST DIS:(2)	334	14.2 %	16.6%
3	NEITHER:(3)	657	27.9 %	32.7%
4	MOST AGR:(4)	283	12.0 %	14.1%
5	AGREE:(5)	134	5.7 %	6.7%
-9 (M)	MISSING:(-9)	345	14.6 %	-

Based upon 2012 valid cases out of 2357 total cases.

V3396	**093E04B:GOV NO POP PLCY**

Location:	639-640 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09770

Question Number(s): 3E04B

How much do you agree or disagree with each statement?

B: Governments should avoid making policy about population
and let the individual decide

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	232	9.8 %	11.6%
2	MOST DIS:(2)	346	14.7 %	17.2%
3	NEITHER:(3)	743	31.5 %	37.0%
4	MOST AGR:(4)	434	18.4 %	21.6%
5	AGREE:(5)	252	10.7 %	12.6%
-9 (M)	MISSING:(-9)	350	14.8 %	-

Based upon 2007 valid cases out of 2357 total cases.

V3397	**093E04C:STR OVPOP,LMT FM**

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 09780

Question Number(s): 3E04C

How much do you agree or disagree with each statement?

C: I feel strongly enough about preventing overpopulation
that I'd be willing to limit my family to two children

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	487	20.7 %	24.3%
2	MOST DIS:(2)	278	11.8 %	13.9%
3	NEITHER:(3)	738	31.3 %	36.8%
4	MOST AGR:(4)	280	11.9 %	14.0%
5	AGREE:(5)	223	9.5 %	11.1%
-9 (M)	MISSING:(-9)	351	14.9 %	-

Based upon 2006 valid cases out of 2357 total cases.

V3445	**093E05A:STS SCH RT FAMLY**

Location: 643-644 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13580

Question Number(s): 3E05A

How important is each of the following for being looked up
to or having high status in your school?

A: Coming from the right family

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	467	19.8 %	23.4%
2	LITL IMP:(2)	401	17.0 %	20.1%
3	MOD IMPT:(3)	539	22.9 %	27.0%
4	GRT IMPT:(4)	294	12.5 %	14.7%
5	VGRT IMP:(5)	298	12.6 %	14.9%
-9 (M)	MISSING:(-9)	358	15.2 %	-

Based upon 1999 valid cases out of 2357 total cases.

V3446	**093E05B:STS SCH LDS STU**

Location:	645-646 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13590

Question Number(s): 3E05B

How important is each of the following for being looked up
to or having high status in your school?

B: Being a leader in student activities

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	229	9.7 %	11.5%
2	LITL IMP:(2)	299	12.7 %	15.0%
3	MOD IMPT:(3)	639	27.1 %	32.0%
4	GRT IMPT:(4)	538	22.8 %	26.9%
5	VGRT IMP:(5)	292	12.4 %	14.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	360	15.3 %	-

Based upon 1997 valid cases out of 2357 total cases.

V3447	**093E05C:STS SCH NIC CAR**

Location:	647-648 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13600

Question Number(s): 3E05C

How important is each of the following for being looked up
to or having high status in your school?

C: Having a nice car

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	490	20.8 %	24.5%
2	LITL IMP:(2)	500	21.2 %	25.0%
3	MOD IMPT:(3)	588	24.9 %	29.4%
4	GRT IMPT:(4)	241	10.2 %	12.1%
5	VGRT IMP:(5)	178	7.6 %	8.9%
-9 (M)	MISSING:(-9)	360	15.3 %	-

Based upon 1997 valid cases out of 2357 total cases.

V3448	**093E05D:STS SCH HI GRDE**

Location:	649-650 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13610

Question Number(s): 3E05D

How important is each of the following for being looked up
to or having high status in your school?

D: Getting good grades

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	163	6.9 %	8.2%
2	LITL IMP:(2)	246	10.4 %	12.3%
3	MOD IMPT:(3)	563	23.9 %	28.2%
4	GRT IMPT:(4)	517	21.9 %	25.9%
5	VGRT IMP:(5)	509	21.6 %	25.5%
-9 (M)	MISSING:(-9)	359	15.2 %	-

Based upon 1998 valid cases out of 2357 total cases.

V3449	**093E05E:STS SCH GD ATHLT**

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 13620

Question Number(s): 3E05E

How important is each of the following for being looked up
to or having high status in your school?

E: Being a good athlete

1="No Importance" 2="Little Importance" 3="Moderate
Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	209	8.9 %	10.5%
2	LITL IMP:(2)	188	8.0 %	9.4%
3	MOD IMPT:(3)	523	22.2 %	26.2%
4	GRT IMPT:(4)	567	24.1 %	28.4%
5	VGRT IMP:(5)	506	21.5 %	25.4%
-9 (M)	MISSING:(-9)	364	15.4 %	-

Based upon 1993 valid cases out of 2357 total cases.

V3450	**093E05F:STS SCH INTLCTL**

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 13630

Question Number(s): 3E05F

How important is each of the following for being looked up

to or having high status in your school?

F: Knowing a lot about intellectual matters

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	248	10.5 %	12.5%
2	LITL IMP:(2)	413	17.5 %	20.8%
3	MOD IMPT:(3)	660	28.0 %	33.2%
4	GRT IMPT:(4)	419	17.8 %	21.1%
5	VGRT IMP:(5)	249	10.6 %	12.5%
-9 (M)	MISSING:(-9)	368	15.6 %	-

Based upon 1989 valid cases out of 2357 total cases.

V3451	**093E05G:STS SCH PLN CLG**

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 13640

Question Number(s): 3E05G

How important is each of the following for being looked up to or having high status in your school?

G: Planning to go to college

1="No Importance" 2="Little Importance" 3="Moderate Importance" 4="Great Importance" 5="Very Great Importance"

Value	Label	Unweighted Frequency	%	Valid %
1	NO IMPRT:(1)	195	8.3 %	9.8%
2	LITL IMP:(2)	215	9.1 %	10.8%
3	MOD IMPT:(3)	479	20.3 %	24.1%
4	GRT IMPT:(4)	464	19.7 %	23.3%
5	VGRT IMP:(5)	637	27.0 %	32.0%
-9 (M)	MISSING:(-9)	367	15.6 %	-

Based upon 1990 valid cases out of 2357 total cases.

V3452	**093E06A:DRG USE+,MAJ STD**

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 13650

Question Number(s): 3E06A

How about using drugs (other than marijuana or alcohol)--
does that cause a student to be looked up to or looked down
on?

A: Among the majority of students in my school, such drug
use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither,
mixed" 4="Looked up to some" 5="Looked up to a lot"

Value	Label	Unweighted Frequency	%	Valid %
1	DOWN LOT:(1)	352	14.9 %	17.9%
2	DOWN SOM:(2)	382	16.2 %	19.4%
3	NEITHER:(3)	1053	44.7 %	53.5%
4	UP SOME:(4)	134	5.7 %	6.8%
5	UP A LOT:(5)	48	2.0 %	2.4%
-9 (M)	MISSING:(-9)	388	16.5 %	-

Based upon 1969 valid cases out of 2357 total cases.

V3453   **093E06B:DRG USE+,MY FRND**

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 13660

Question Number(s): 3E06B

How about using drugs (other than marijuana or alcohol)--
does that cause a student to be looked up to or looked down
on?

B: Among my own group of friends, such drug use is . . .

1="Looked down on a lot" 2="Looked down on some" 3="Neither,
mixed" 4="Looked up to some" 5="Looked up to a lot"

Value	Label	Unweighted Frequency	%	Valid %
1	DOWN LOT:(1)	684	29.0 %	34.7%
2	DOWN SOM:(2)	318	13.5 %	16.1%
3	NEITHER:(3)	823	34.9 %	41.8%

Value	Label	Unweighted Frequency	%	Valid %
4	UP SOME:(4)	100	4.2 %	5.1%
5	UP A LOT:(5)	45	1.9 %	2.3%
-9 (M)	MISSING:(-9)	387	16.4 %	-

Based upon 1970 valid cases out of 2357 total cases.

V3496	**093E07A:#HR/W CMPUTR SCH**

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29930

Question Number(s): 3E07A

About how many hours a week do you spend using a computer . . .

A: . . . doing school work?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	207	8.8 %	10.4%
2	LESS THAN 1:(2)	431	18.3 %	21.6%
3	1-2 HOURS:(3)	649	27.5 %	32.6%
4	3-5 HOURS:(4)	440	18.7 %	22.1%
5	6-9 HOURS:(5)	159	6.7 %	8.0%
6	10-19 HOURS:(6)	69	2.9 %	3.5%
7	20-29 HOURS:(7)	12	0.5 %	0.6%
8	30 OR MORE:(8)	26	1.1 %	1.3%
-9 (M)	MISSING:(-9)	364	15.4 %	-

Based upon 1993 valid cases out of 2357 total cases.

V3497	**093E07B:#HR/W CMPUTR JOB**

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29940

Question Number(s): 3E07B

About how many hours a week do you spend using a

computer . . .

B: . . . at your job, if you have one?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1456	61.8 %	77.2%
2	LESS THAN 1:(2)	153	6.5 %	8.1%
3	1-2 HOURS:(3)	81	3.4 %	4.3%
4	3-5 HOURS:(4)	67	2.8 %	3.6%
5	6-9 HOURS:(5)	55	2.3 %	2.9%
6	10-19 HOURS:(6)	33	1.4 %	1.7%
7	20-29 HOURS:(7)	20	0.8 %	1.1%
8	30 OR MORE:(8)	22	0.9 %	1.2%
-9 (M)	MISSING:(-9)	470	19.9 %	-

Based upon 1887 valid cases out of 2357 total cases.

V3498	093E07C:#HR/W CMPUTR OTH

Location:	665-666 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29950

Question Number(s): 3E07C

About how many hours a week do you spend using a
computer . . .

C: . . . doing other things?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	150	6.4 %	7.6%
2	LESS THAN 1:(2)	178	7.6 %	9.0%
3	1-2 HOURS:(3)	401	17.0 %	20.2%
4	3-5 HOURS:(4)	521	22.1 %	26.2%
5	6-9 HOURS:(5)	310	13.2 %	15.6%
6	10-19 HOURS:(6)	225	9.5 %	11.3%
7	20-29 HOURS:(7)	82	3.5 %	4.1%
8	30 OR MORE:(8)	118	5.0 %	5.9%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	372	15.8 %	-

Based upon 1985 valid cases out of 2357 total cases.

V3524	093E08:HR/W INTERNET S

Location:	667-668 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31680

Question Number(s): 3E08

Not counting work for school or a job, about how many
hours a week do you spend on the Internet e-mailing,
instant messaging, gaming, shopping, searching,
downloading music, etc.?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	140	5.9 %	7.0%
2	LESS THAN 1:(2)	202	8.6 %	10.2%
3	1-2 HOURS:(3)	371	15.7 %	18.7%
4	3-5 HOURS:(4)	517	21.9 %	26.0%
5	6-9 HOURS:(5)	315	13.4 %	15.9%
6	10-19 HOURS:(6)	220	9.3 %	11.1%
7	20-29 HOURS:(7)	98	4.2 %	4.9%
8	30 OR MORE:(8)	123	5.2 %	6.2%
-9 (M)	MISSING:(-9)	371	15.7 %	-

Based upon 1986 valid cases out of 2357 total cases.

V3525	093E09:#HR/W GAMING

Location:	669-670 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31990

Question Number(s): 3E09

About how many hours a week do you spend playing electronic
games on a computer, TV, phone, or other device?

1="None" 2="Less than 1 hour" 3="1-2 hours" 4="3-5 hours"
5="6-9 hours" 6="10-19 hours" 7="20-29 hours" 8="30 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	388	16.5 %	19.4%
2	LESS THAN 1:(2)	316	13.4 %	15.8%
3	1-2 HOURS:(3)	306	13.0 %	15.3%
4	3-5 HOURS:(4)	387	16.4 %	19.3%
5	6-9 HOURS:(5)	252	10.7 %	12.6%
6	10-19 HOURS:(6)	153	6.5 %	7.6%
7	20-29 HOURS:(7)	75	3.2 %	3.7%
8	30 OR MORE:(8)	124	5.3 %	6.2%
-9 (M)	MISSING:(-9)	356	15.1 %	-

Based upon 2001 valid cases out of 2357 total cases.

V3407	**093E10A:SM1 SCL ROB <$50**

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09871

Question Number(s): 3E10A

The next questions are about some things which may have happened TO YOU while you were at school (inside or outside or in a school bus). During the LAST 12 MONTHS, how often . . .

A: . . . Has something of yours (worth under $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1438	61.0 %	72.4%
2	ONCE:(2)	391	16.6 %	19.7%
3	TWICE:(3)	106	4.5 %	5.3%
4	3-4X:(4)	26	1.1 %	1.3%
5	5+ TIMES:(5)	26	1.1 %	1.3%
-9 (M)	MISSING:(-9)	370	15.7 %	-

Based upon 1987 valid cases out of 2357 total cases.

V3408	**093E10B:SM1 SCL ROB >$50**

Location:	673-674 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09872

Question Number(s): 3E10B

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over $50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1583	67.2 %	80.1%
2	ONCE:(2)	287	12.2 %	14.5%
3	TWICE:(3)	65	2.8 %	3.3%
4	3-4X:(4)	23	1.0 %	1.2%
5	5+ TIMES:(5)	19	0.8 %	1.0%
-9 (M)	MISSING:(-9)	380	16.1 %	-

Based upon 1977 valid cases out of 2357 total cases.

V3409	**093E10C:SM1 SCL DMG PRTY**

Location:	675-676 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09873

Question Number(s): 3E10C

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1571	66.7 %	79.5%
2	ONCE:(2)	277	11.8 %	14.0%
3	TWICE:(3)	88	3.7 %	4.5%
4	3-4X:(4)	23	1.0 %	1.2%

Value	Label	Unweighted Frequency	%	Valid %
5	5+ TIMES:(5)	17	0.7 %	0.9%
-9 (M)	MISSING:(-9)	381	16.2 %	-

Based upon 1976 valid cases out of 2357 total cases.

V3410	**093E10D:SM1 SCL IN U W/W**

Location:	677-678 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09874

Question Number(s): 3E10D

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1897	80.5 %	96.1%
2	ONCE:(2)	44	1.9 %	2.2%
3	TWICE:(3)	16	0.7 %	0.8%
4	3-4X:(4)	6	0.3 %	0.3%
5	5+ TIMES:(5)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	382	16.2 %	-

Based upon 1975 valid cases out of 2357 total cases.

V3411	**093E10E:SM1 SCL TH U W/W**

Location:	679-680 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 09875

Question Number(s): 3E10E

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or

More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1734	73.6 %	88.1%
2	ONCE:(2)	144	6.1 %	7.3%
3	TWICE:(3)	41	1.7 %	2.1%
4	3-4X:(4)	22	0.9 %	1.1%
5	5+ TIMES:(5)	28	1.2 %	1.4%
-9 (M)	MISSING:(-9)	388	16.5 %	-

Based upon 1969 valid cases out of 2357 total cases.

V3412	**093E10F:SM1 SCL IN U -WP**

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09876

Question Number(s): 3E10F

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without
using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1738	73.7 %	88.1%
2	ONCE:(2)	123	5.2 %	6.2%
3	TWICE:(3)	56	2.4 %	2.8%
4	3-4X:(4)	26	1.1 %	1.3%
5	5+ TIMES:(5)	29	1.2 %	1.5%
-9 (M)	MISSING:(-9)	385	16.3 %	-

Based upon 1972 valid cases out of 2357 total cases.

V3413	**093E10G:SM1 SCL TH U W/I**

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 09877

Question Number(s): 3E10G

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with
injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1619	68.7 %	82.3%
2	ONCE:(2)	173	7.3 %	8.8%
3	TWICE:(3)	64	2.7 %	3.3%
4	3-4X:(4)	44	1.9 %	2.2%
5	5+ TIMES:(5)	66	2.8 %	3.4%
-9 (M)	MISSING:(-9)	391	16.6 %	-

Based upon 1966 valid cases out of 2357 total cases.

V3434	**093E11A:IMP HAV NW CR OF**

Location:	685-686 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13860

Question Number(s): 3E11A

Looking toward the future, how important would it be for you
to have each of the following things?

A: A new car every two or three years

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1207	51.2 %	61.3%
2	SMWT IMP:(2)	534	22.7 %	27.1%
3	QUITE IM:(3)	137	5.8 %	7.0%
4	EXTR IMP:(4)	90	3.8 %	4.6%
-9 (M)	MISSING:(-9)	389	16.5 %	-

Based upon 1968 valid cases out of 2357 total cases.

V3435	**093E11B:IMP HAV NW CLTHS**

Location:	687-688 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13870

Question Number(s): 3E11B

Looking toward the future, how important would it be for you
to have each of the following things?

B: Clothes in the latest style

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	533	22.6 %	27.2%
2	SMWT IMP:(2)	749	31.8 %	38.2%
3	QUITE IM:(3)	472	20.0 %	24.1%
4	EXTR IMP:(4)	207	8.8 %	10.6%
-9 (M)	MISSING:(-9)	396	16.8 %	-

Based upon 1961 valid cases out of 2357 total cases.

V3436	**093E11C:IMP HAV OWN HSE**

Location:	689-690 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 13880

Question Number(s): 3E11C

Looking toward the future, how important would it be for you
to have each of the following things?

C: A house of my own (instead of an apartment or condominium)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	256	10.9 %	13.0%
2	SMWT IMP:(2)	399	16.9 %	20.3%
3	QUITE IM:(3)	658	27.9 %	33.5%
4	EXTR IMP:(4)	653	27.7 %	33.2%
-9 (M)	MISSING:(-9)	391	16.6 %	-

Based upon 1966 valid cases out of 2357 total cases.

	V3437	**093E11D:IMP HAV BIG YARD**

Location: 691-692 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13890

Question Number(s): 3E11D

Looking toward the future, how important would it be for you
to have each of the following things?

D: Lots of space around my house, a big yard

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	341	14.5 %	17.4%
2	SMWT IMP:(2)	601	25.5 %	30.6%
3	QUITE IM:(3)	618	26.2 %	31.5%
4	EXTR IMP:(4)	402	17.1 %	20.5%
-9 (M)	MISSING:(-9)	395	16.8 %	-

Based upon 1962 valid cases out of 2357 total cases.

	V3441	**093E11E:IMP HAV VAC HSE**

Location: 693-694 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 13930

Question Number(s): 3E11E

Looking toward the future, how important would it be for you
to have each of the following things?

E: A vacation house

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1186	50.3 %	60.6%
2	SMWT IMP:(2)	467	19.8 %	23.9%

Value	Label	Unweighted Frequency	%	Valid %
3	QUITE IM:(3)	172	7.3 %	8.8%
4	EXTR IMP:(4)	132	5.6 %	6.7%
-9 (M)	MISSING:(-9)	400	17.0 %	-

Based upon 1957 valid cases out of 2357 total cases.

V3442	093E11F:IMP HAV REC VEH

Location: 695-696 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 13940

Question Number(s): 3E11F

Looking toward the future, how important would it be for you
to have each of the following things?

F: A motor-powered, recreational vehicle (powerboat,
snowmobile, etc.)

1="Not Important" 2="Somewhat Important" 3="Quite Important"
4="Extremely Important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	1187	50.4 %	60.7%
2	SMWT IMP:(2)	428	18.2 %	21.9%
3	QUITE IM:(3)	201	8.5 %	10.3%
4	EXTR IMP:(4)	141	6.0 %	7.2%
-9 (M)	MISSING:(-9)	400	17.0 %	-

Based upon 1957 valid cases out of 2357 total cases.

V3418	093E12A:GR 1ST SMOK DLY

Location: 697-698 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05570

Question Number(s): 3E12A

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

A: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	15	0.6 %	0.8%
2	GRADE 7:(2)	22	0.9 %	1.2%
3	GRADE 8:(3)	35	1.5 %	1.9%
4	GRADE 9:(4)	70	3.0 %	3.8%
5	GRADE 10:(5)	60	2.5 %	3.3%
6	GRADE 11:(6)	77	3.3 %	4.2%
7	GRADE 12:(7)	62	2.6 %	3.4%
8	NEVER:(8)	1498	63.6 %	81.5%
-9 (M)	MISSING:(-9)	518	22.0 %	-

Based upon 1839 valid cases out of 2357 total cases.

V3419	093E12B:GR 1ST TRY ALC

Location:	699-700 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05580

Question Number(s): 3E12B

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

B: Try an alcoholic beverage--more than just a few sips

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	89	3.8 %	5.1%
2	GRADE 7:(2)	128	5.4 %	7.3%
3	GRADE 8:(3)	194	8.2 %	11.0%
4	GRADE 9:(4)	314	13.3 %	17.8%
5	GRADE 10:(5)	255	10.8 %	14.5%
6	GRADE 11:(6)	200	8.5 %	11.4%
7	GRADE 12:(7)	117	5.0 %	6.6%
8	NEVER:(8)	465	19.7 %	26.4%
-9 (M)	MISSING:(-9)	595	25.2 %	-

Based upon 1762 valid cases out of 2357 total cases.

V3420	093E12C:GR 1ST TRY MJ

Location:	701-702 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05590

Question Number(s): 3E12C

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

C: Try marijuana or hashish

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	40	1.7 %	2.2%
2	GRADE 7:(2)	62	2.6 %	3.4%
3	GRADE 8:(3)	88	3.7 %	4.8%
4	GRADE 9:(4)	162	6.9 %	8.9%
5	GRADE 10:(5)	165	7.0 %	9.0%
6	GRADE 11:(6)	153	6.5 %	8.4%
7	GRADE 12:(7)	104	4.4 %	5.7%
8	NEVER:(8)	1051	44.6 %	57.6%
-9 (M)	MISSING:(-9)	532	22.6 %	-

Based upon 1825 valid cases out of 2357 total cases.

V3421	093E12D:GR 1ST TRY LSD

Location:	703-704 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05600

Question Number(s): 3E12D

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

D: Try LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	3	0.1 %	0.2%
3	GRADE 8:(3)	5	0.2 %	0.3%
4	GRADE 9:(4)	8	0.3 %	0.4%
5	GRADE 10:(5)	14	0.6 %	0.7%
6	GRADE 11:(6)	11	0.5 %	0.6%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	1824	77.4 %	97.4%
-9 (M)	MISSING:(-9)	485	20.6 %	-

Based upon 1872 valid cases out of 2357 total cases.

V3422	**093E12E:GR 1ST TRY PSY**

Location: 705-706 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05610

Question Number(s): 3E12E

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

E: Try any hallucinogen other than LSD

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	4	0.2 %	0.2%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	6	0.3 %	0.3%
4	GRADE 9:(4)	13	0.6 %	0.7%
5	GRADE 10:(5)	20	0.8 %	1.1%
6	GRADE 11:(6)	24	1.0 %	1.3%
7	GRADE 12:(7)	14	0.6 %	0.8%
8	NEVER:(8)	1766	74.9 %	95.5%
-9 (M)	MISSING:(-9)	508	21.6 %	-

Based upon 1849 valid cases out of 2357 total cases.

V3423	**093E12F:GR 1ST TRY AMP**

Location:	707-708 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05620

Question Number(s): 3E12F

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

F: Try amphetamines

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	3	0.1 %	0.2%
3	GRADE 8:(3)	9	0.4 %	0.5%
4	GRADE 9:(4)	15	0.6 %	0.9%
5	GRADE 10:(5)	15	0.6 %	0.9%
6	GRADE 11:(6)	23	1.0 %	1.3%
7	GRADE 12:(7)	10	0.4 %	0.6%
8	NEVER:(8)	1680	71.3 %	95.6%
-9 (M)	MISSING:(-9)	599	25.4 %	-

Based upon 1758 valid cases out of 2357 total cases.

V3424	**093E12G:GR 1ST TRY QUA**

Location:	709-710 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05630

Question Number(s): 3E12G

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

G: Try quaaludes

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	8	0.3 %	0.4%
2	GRADE 7:(2)	3	0.1 %	0.2%
3	GRADE 8:(3)	4	0.2 %	0.2%
4	GRADE 9:(4)	5	0.2 %	0.3%
5	GRADE 10:(5)	6	0.3 %	0.3%
6	GRADE 11:(6)	5	0.2 %	0.3%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	1874	79.5 %	98.2%
-9 (M)	MISSING:(-9)	448	19.0 %	-

Based upon 1909 valid cases out of 2357 total cases.

V3511	**093E12H:GR 1ST TRY SED/B**

Location: 711-712 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05645

Question Number(s): 3E12H

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

H: Try sedatives/barbiturates

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	9	0.4 %	0.5%
2	GRADE 7:(2)	9	0.4 %	0.5%
3	GRADE 8:(3)	9	0.4 %	0.5%
4	GRADE 9:(4)	22	0.9 %	1.2%
5	GRADE 10:(5)	20	0.8 %	1.1%
6	GRADE 11:(6)	20	0.8 %	1.1%
7	GRADE 12:(7)	12	0.5 %	0.7%
8	NEVER:(8)	1705	72.3 %	94.4%
-9 (M)	MISSING:(-9)	551	23.4 %	-

Based upon 1806 valid cases out of 2357 total cases.

V3426	**093E12I:GR 1ST TRY TRN**

Location: 713-714 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05650

Question Number(s): 3E12I

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

I: Try tranquilizers

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	4	0.2 %	0.2%
3	GRADE 8:(3)	8	0.3 %	0.5%
4	GRADE 9:(4)	13	0.6 %	0.7%
5	GRADE 10:(5)	16	0.7 %	0.9%
6	GRADE 11:(6)	17	0.7 %	1.0%
7	GRADE 12:(7)	12	0.5 %	0.7%
8	NEVER:(8)	1685	71.5 %	95.8%
-9 (M)	MISSING:(-9)	599	25.4 %	-

Based upon 1758 valid cases out of 2357 total cases.

V3427   093E12J:GR 1ST TRY COK

Location:	715-716 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05660

Question Number(s): 3E12J

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

J: Try cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	3	0.1 %	0.2%
2	GRADE 7:(2)	4	0.2 %	0.2%
3	GRADE 8:(3)	5	0.2 %	0.3%
4	GRADE 9:(4)	17	0.7 %	0.9%
5	GRADE 10:(5)	19	0.8 %	1.0%
6	GRADE 11:(6)	28	1.2 %	1.5%
7	GRADE 12:(7)	19	0.8 %	1.0%
8	NEVER:(8)	1759	74.6 %	94.9%
-9 (M)	MISSING:(-9)	503	21.3 %	-

Based upon 1854 valid cases out of 2357 total cases.

V3428	**093E12K:GR 1ST TRY HER**

Location:	717-718 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05670

Question Number(s): 3E12K

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

K: Try heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	3	0.1 %	0.2%
3	GRADE 8:(3)	1	0.0 %	0.1%
4	GRADE 9:(4)	4	0.2 %	0.2%
5	GRADE 10:(5)	1	0.0 %	0.1%
6	GRADE 11:(6)	4	0.2 %	0.2%
7	GRADE 12:(7)	2	0.1 %	0.1%
8	NEVER:(8)	1851	78.5 %	99.1%
-9 (M)	MISSING:(-9)	489	20.7 %	-

Based upon 1868 valid cases out of 2357 total cases.

V3429	**093E12L:GR 1ST TRY NRC**

Location:	719-720 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05680

Question Number(s): 3E12L

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

L: Try any narcotic other than heroin

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	7	0.3 %	0.4%
3	GRADE 8:(3)	10	0.4 %	0.6%
4	GRADE 9:(4)	12	0.5 %	0.7%
5	GRADE 10:(5)	19	0.8 %	1.1%
6	GRADE 11:(6)	15	0.6 %	0.9%
7	GRADE 12:(7)	6	0.3 %	0.4%
8	NEVER:(8)	1640	69.6 %	95.9%
-9 (M)	MISSING:(-9)	646	27.4 %	-

Based upon 1711 valid cases out of 2357 total cases.

V3430	**093E12M:GR 1ST TRY INHAL**

Location: 721-722 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05685

Question Number(s): 3E12M

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

M: Try inhalants

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	6	0.3 %	0.3%
2	GRADE 7:(2)	8	0.3 %	0.5%
3	GRADE 8:(3)	9	0.4 %	0.5%
4	GRADE 9:(4)	16	0.7 %	0.9%
5	GRADE 10:(5)	12	0.5 %	0.7%
6	GRADE 11:(6)	9	0.4 %	0.5%
7	GRADE 12:(7)	3	0.1 %	0.2%
8	NEVER:(8)	1694	71.9 %	96.4%
-9 (M)	MISSING:(-9)	600	25.5 %	-

Based upon 1757 valid cases out of 2357 total cases.

V3457 **093E12N:GR 1ST SMOKE EVR**

Location: 723-724 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05575

Question Number(s): 3E12N

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

N: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	122	5.2 %	7.1%
2	GRADE 7:(2)	77	3.3 %	4.5%
3	GRADE 8:(3)	89	3.8 %	5.2%
4	GRADE 9:(4)	144	6.1 %	8.3%
5	GRADE 10:(5)	100	4.2 %	5.8%
6	GRADE 11:(6)	109	4.6 %	6.3%
7	GRADE 12:(7)	64	2.7 %	3.7%
8	NEVER:(8)	1023	43.4 %	59.2%
-9 (M)	MISSING:(-9)	629	26.7 %	-

Based upon 1728 valid cases out of 2357 total cases.

V3458 **093E12O:GR 1ST SMOKELESS**

Location: 725-726 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05576

Question Number(s): 3E12O

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

O: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	26	1.1 %	1.4%
2	GRADE 7:(2)	21	0.9 %	1.1%
3	GRADE 8:(3)	23	1.0 %	1.2%
4	GRADE 9:(4)	71	3.0 %	3.7%
5	GRADE 10:(5)	54	2.3 %	2.8%
6	GRADE 11:(6)	70	3.0 %	3.7%
7	GRADE 12:(7)	60	2.5 %	3.2%
8	NEVER:(8)	1575	66.8 %	82.9%
-9 (M)	MISSING:(-9)	457	19.4 %	-

Based upon 1900 valid cases out of 2357 total cases.

V3459	**093E12P:GR 1ST DRUNK**

Location: 727-728 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05585

Question Number(s): 3E12P

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

P: Drink enough to feel drunk or very high

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	34	1.4 %	1.8%
2	GRADE 7:(2)	54	2.3 %	2.9%
3	GRADE 8:(3)	106	4.5 %	5.6%
4	GRADE 9:(4)	215	9.1 %	11.4%
5	GRADE 10:(5)	241	10.2 %	12.8%
6	GRADE 11:(6)	187	7.9 %	9.9%
7	GRADE 12:(7)	139	5.9 %	7.4%
8	NEVER:(8)	909	38.6 %	48.2%
-9 (M)	MISSING:(-9)	472	20.0 %	-

Based upon 1885 valid cases out of 2357 total cases.

V3483	**093E12Q:GR 1ST TRY CRACK**

Location: 729-730 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05661

Question Number(s): 3E12Q

When (if ever) did you FIRST do each of the following things?
Don't count anything you took because a doctor told you to.

Q: Try "crack" cocaine, specifically

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	2	0.1 %	0.1%
2	GRADE 7:(2)	1	0.0 %	0.1%
3	GRADE 8:(3)	6	0.3 %	0.3%
4	GRADE 9:(4)	5	0.2 %	0.3%
5	GRADE 10:(5)	6	0.3 %	0.3%
6	GRADE 11:(6)	4	0.2 %	0.2%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	1834	77.8 %	98.5%
-9 (M)	MISSING:(-9)	495	21.0 %	-

Based upon 1862 valid cases out of 2357 total cases.

- 220 -

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.