SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman
University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley
University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social Research. Survey Research Center

Form 6 Data Codebook

Terms of Use

Information about Copyrighted Content

TABLE OF CONTENTS

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 11 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the cross-time index of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

_____
_____

A.   DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

B.   EDUCATION. Educational lifestyle, values, experiences, and environments

C.   WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.

D.   SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.

E.   POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.

F.   CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.

G.   RELIGION. Religious affiliation, practices, and views.

H.   POLITICS. Political affiliation, activities, and views.

I.   SOCIAL CHANGE. Values, attitudes, and expectations about social change.

J.   SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.

K.   MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).

L.   MILITARY. Views about the armed services and the use of military force. Personal plans for military service.

M.   INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.

N.   RACE RELATIONS. Attitudes toward and experiences with other racial groups.

O.   CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.

P.   HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

Q   OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.

R.   BACKGROUND. Demographic and family background characteristics, living arrangements.

S.   DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.   HEALTH. Health habits, somatic symptoms, illness, medical treatment.

_____

_____

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12[th] graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

 In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2009 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	188	390	14,268
2	Form 1	638	1,287	2,392
3	Form 2	332	677	2,381
4	Form 3	358	730	2,357
5	Form 4	270	556	2,385
6	Form 5	327	667	2,371
7	Form 6	336	686	2,382

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers. The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119	[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)
[4] Variable Type: numeric (ISO)
[5] Range of Missing Values (M):   -9
     Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS

Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3]Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4]Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5]Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes:-9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR
	C02. R'S BIRTH MONTH
	C04A-I, R'S RACE (9 categories)
	C07A-B. # OLDER BR/SR, # YOUNGER BR/SR
	C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)
	C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT
	D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT
	5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms
AGE <> 18 DICHOTOMY
1=younger than 18 years old,
2=18 years old or more
-9=missing data on birth year, or birth month if it is required
Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy
1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.
From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS
Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)
0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING
0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]
0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)
*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]
 Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6
   A10. EVER HELD BACK
     1=No, 2=Yes

   A11. NEED SUMMER SCHL
     1=No, 2=Yes

   A12. EVER SUSPENDED
     1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

     The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 28401

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2009

Form 6 Data

CASEID	CASE IDENTIFICATION NUMBER
Location:	1-4 (width: 4; decimal: 0)
Variable Type:	numeric

Based upon 2382 valid cases out of 2382 total cases.

V1	YEAR OF ADMIN (4-DIGITS)
Location:	5-8 (width: 4; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
2009	2382	100.0 %	100.0%

Based upon 2382 valid cases out of 2382 total cases.

V3	096:FORM ID
Location:	9-10 (width: 2; decimal: 0)
Variable Type:	numeric

Value	Unweighted Frequency	%	Valid %
6	2382	100.0 %	100.0%

Based upon 2382 valid cases out of 2382 total cases.

V4	096:Rs ID-SERIAL #
Location:	11-15 (width: 5; decimal: 0)
Variable Type:	numeric

Based upon 2382 valid cases out of 2382 total cases.

V5	SAMPLING WEIGHT
Location:	16-21 (width: 6; decimal: 4)
Variable Type:	numeric

Based upon 2382 valid cases out of 2382 total cases.

V13	SCH REG-4 CAT
Location:	22-23 (width: 2; decimal: 0)
Variable Type:	numeric
Question:	

Question Number(s): Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%	Valid %
1	NE:(1)	570	23.9 %	23.9%
2	NC:(2)	581	24.4 %	24.4%
3	S:(3)	736	30.9 %	30.9%
4	W:(4)	495	20.8 %	20.8%

Based upon 2382 valid cases out of 2382 total cases.

V16   LARGE MSA=1/NOT=0

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1523	63.9 %	63.9%
1	LARGE MSA:(1)	859	36.1 %	36.1%

Based upon 2382 valid cases out of 2382 total cases.

V17   MSA/NON-MSA=0

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%	Valid %
0	NON-MSA:(0)	427	17.9 %	17.9%
1	MSA:(1)	1955	82.1 %	82.1%

Based upon 2382 valid cases out of 2382 total cases.

V6207   096A01 :CMP SATFD W/LIFE

Location: 28-29 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06840

Question Number(s): 6A01

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	43	1.8 %	1.9%
2	QUITE DIS:(2)	124	5.2 %	5.3%
3	SOME DIS:(3)	125	5.2 %	5.4%
4	MIXED:(4)	224	9.4 %	9.6%
5	SOME SAT:(5)	492	20.7 %	21.2%
6	QUITE SAT:(6)	977	41.0 %	42.1%
7	COMP SAT:(7)	338	14.2 %	14.6%
-9 (M)	MISSING:(-9)	59	2.5 %	-

Based upon 2323 valid cases out of 2382 total cases.

V6208	**096A02A:DALY WATCH TV**

Location:	30-31 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05820

Question Number(s): 6A02A

The next questions ask about the kinds of things you might do.
How often do you do each of the following?

A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	31	1.3 %	1.3%
2	FEW /YR:(2)	47	2.0 %	2.0%
3	1-2 /MO:(3)	113	4.7 %	4.8%
4	1 /WK:(4)	649	27.2 %	27.3%

Value	Label	Unweighted Frequency	%	Valid %
5	NR DAILY:(5)	1535	64.4 %	64.6%
-9 (M)	MISSING:(-9)	7	0.3 %	-

Based upon 2375 valid cases out of 2382 total cases.

V6209	**096A02B:DALY GO TO MOVIE**

Location:	32-33 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05830

Question Number(s): 6A02B

How often do you do each of the following?

B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	54	2.3 %	2.3%
2	FEW /YR:(2)	905	38.0 %	38.2%
3	1-2 /MO:(3)	1243	52.2 %	52.5%
4	1 /WK:(4)	147	6.2 %	6.2%
5	NR DAILY:(5)	20	0.8 %	0.8%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2369 valid cases out of 2382 total cases.

V6210	**096A02C:DALY MUSIC CNCRT**

Location:	34-35 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05846

Question Number(s): 6A02C

How often do you do each of the following?

C: Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	940	39.5 %	39.6%
2	FEW /YR:(2)	1235	51.8 %	52.1%
3	1-2 /MO:(3)	143	6.0 %	6.0%
4	1 /WK:(4)	39	1.6 %	1.6%
5	NR DAILY:(5)	14	0.6 %	0.6%
-9 (M)	MISSING:(-9)	11	0.5 %	-

Based upon 2371 valid cases out of 2382 total cases.

V6211	**096A02D:DALY RIDE FORFUN**

Location: 36-37 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05850

Question Number(s): 6A02D

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	346	14.5 %	14.6%
2	FEW /YR:(2)	278	11.7 %	11.7%
3	1-2 /MO:(3)	398	16.7 %	16.8%
4	1 /WK:(4)	622	26.1 %	26.2%
5	NR DAILY:(5)	732	30.7 %	30.8%
-9 (M)	MISSING:(-9)	6	0.3 %	-

Based upon 2376 valid cases out of 2382 total cases.

V6212	**096A02E:DALY CMNTY AFFRS**

Location: 38-39 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05860

Question Number(s): 6A02E

How often do you do each of the following?

E: Participate in community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	536	22.5 %	22.6%
2	FEW /YR:(2)	1024	43.0 %	43.1%
3	1-2 /MO:(3)	491	20.6 %	20.7%
4	1 /WK:(4)	254	10.7 %	10.7%
5	NR DAILY:(5)	70	2.9 %	2.9%
-9 (M)	MISSING:(-9)	7	0.3 %	-

Based upon 2375 valid cases out of 2382 total cases.

V6213	**096A02F:DALY ACTV SPORTS**

Location:	40-41 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05890

Question Number(s): 6A02F

How often do you do each of the following?

F: Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	240	10.1 %	10.1%
2	FEW /YR:(2)	281	11.8 %	11.9%
3	1-2 /MO:(3)	284	11.9 %	12.0%
4	1 /WK:(4)	580	24.3 %	24.5%
5	NR DAILY:(5)	983	41.3 %	41.5%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2368 valid cases out of 2382 total cases.

V6214	**096A02G:DALY VIST W/FRDS**

Location:	42-43 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 05920

Question Number(s): 6A02G

How often do you do each of the following?

G: Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	27	1.1 %	1.1%
2	FEW /YR:(2)	99	4.2 %	4.2%
3	1-2 /MO:(3)	322	13.5 %	13.6%
4	1 /WK:(4)	996	41.8 %	42.0%
5	NR DAILY:(5)	929	39.0 %	39.1%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2373 valid cases out of 2382 total cases.

V6603   096A02H:DALY GO TO MALL

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05935

Question Number(s): 6A02H

How often do you do each of the following?

H. Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	78	3.3 %	3.3%
2	FEW /YR:(2)	560	23.5 %	23.6%
3	1-2 /MO:(3)	1272	53.4 %	53.6%
4	1 /WK:(4)	404	17.0 %	17.0%
5	NR DAILY:(5)	61	2.6 %	2.6%
-9 (M)	MISSING:(-9)	7	0.3 %	-

Based upon 2375 valid cases out of 2382 total cases.

V6216	096A02I:DALY ALONE LEISR

Location:	46-47 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05940

Question Number(s): 6A02I

How often do you do each of the following?

I: Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	102	4.3 %	4.3%
2	FEW /YR:(2)	130	5.5 %	5.5%
3	1-2 /MO:(3)	297	12.5 %	12.6%
4	1 /WK:(4)	717	30.1 %	30.3%
5	NR DAILY:(5)	1117	46.9 %	47.3%
-9 (M)	MISSING:(-9)	19	0.8 %	-

Based upon 2363 valid cases out of 2382 total cases.

V6217	096A02J:DALY READ MAGZNS

Location:	48-49 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23070

Question Number(s): 6A02J

How often do you do each of the following?

J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	360	15.1 %	15.2%
2	FEW /YR:(2)	491	20.6 %	20.7%
3	1-2 /MO:(3)	883	37.1 %	37.3%
4	1 /WK:(4)	522	21.9 %	22.0%

Value	Label	Unweighted Frequency	%	Valid %
5	NR DAILY:(5)	112	4.7 %	4.7%
-9 (M)	MISSING:(-9)	14	0.6 %	-

Based upon 2368 valid cases out of 2382 total cases.

V6218	**096A02K:DALY READ NWSPPR**

Location:	50-51 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23080

Question Number(s): 6A02K

How often do you do each of the following?

K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	460	19.3 %	19.4%
2	FEW /YR:(2)	532	22.3 %	22.5%
3	1-2 /MO:(3)	594	24.9 %	25.1%
4	1 /WK:(4)	525	22.0 %	22.2%
5	NR DAILY:(5)	258	10.8 %	10.9%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2369 valid cases out of 2382 total cases.

V6219	**096A02L:DALY GO TO BARS**

Location:	52-53 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05960

Question Number(s): 6A02L

How often do you do each of the following?

L: Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1416	59.4 %	59.8%
2	FEW /YR:(2)	434	18.2 %	18.3%
3	1-2 /MO:(3)	300	12.6 %	12.7%
4	1 /WK:(4)	171	7.2 %	7.2%
5	NR DAILY:(5)	48	2.0 %	2.0%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2369 valid cases out of 2382 total cases.

V6220	**096A02M:DALY GO TO PARTY**

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 05970

Question Number(s): 6A02M

How often do you do each of the following?

M: Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	177	7.4 %	7.5%
2	FEW /YR:(2)	629	26.4 %	26.5%
3	1-2 /MO:(3)	844	35.4 %	35.6%
4	1 /WK:(4)	641	26.9 %	27.0%
5	NR DAILY:(5)	80	3.4 %	3.4%
-9 (M)	MISSING:(-9)	11	0.5 %	-

Based upon 2371 valid cases out of 2382 total cases.

V6604	**096A02N:DALY GO TO RAVES**

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29760

Question Number(s): 6A02N

How often do you do each of the following?

N: Go to raves

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1923	80.7 %	81.9%
2	FEW /YR:(2)	237	9.9 %	10.1%
3	1-2 /MO:(3)	98	4.1 %	4.2%
4	1 /WK:(4)	51	2.1 %	2.2%
5	NR DAILY:(5)	40	1.7 %	1.7%
-9 (M)	MISSING:(-9)	33	1.4 %	-

Based upon 2349 valid cases out of 2382 total cases.

V6221	**096A03 :*SC WRK NVR MNG**

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05700

Question Number(s): 6A03

The next questions are about your experiences in school.
How often do you feel that the school work you are assigned
is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	98	4.1 %	4.3%
2	SELDOM:(2)	428	18.0 %	18.6%
3	SOMETIME:(3)	1010	42.4 %	43.9%
4	OFTEN:(4)	518	21.7 %	22.5%
5	ALWAYS:(5)	246	10.3 %	10.7%
-9 (M)	MISSING:(-9)	82	3.4 %	-

Based upon 2300 valid cases out of 2382 total cases.

V6222	**096A04 :*MST COUR V DUL**

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05710

Question Number(s): 6A04

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"
3="Fairly interesting" 2="Slightly dull" 1="Very dull"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY DULL:(1)	190	8.0 %	8.0%
2	SLTLY DU:(2)	558	23.4 %	23.6%
3	FRLY INT:(3)	1026	43.1 %	43.4%
4	QUITE IN:(4)	507	21.3 %	21.4%
5	VRY EXCI:(5)	85	3.6 %	3.6%
-9 (M)	MISSING:(-9)	16	0.7 %	-

Based upon 2366 valid cases out of 2382 total cases.

V6223	**096A05 :*LRN SCH NT IMP**

Location:	62-63 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 05720

Question Number(s): 6A05

How important do you think the things you are learning in
school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	66	2.8 %	2.8%
2	SLTLY IM:(2)	503	21.1 %	21.3%
3	FRLY IMP:(3)	788	33.1 %	33.4%
4	QUITE IM:(4)	587	24.6 %	24.9%
5	VRY IMPT:(5)	414	17.4 %	17.6%
-9 (M)	MISSING:(-9)	24	1.0 %	-

Based upon 2358 valid cases out of 2382 total cases.

V6224	**096A06A:LSTYR/ENJOY SCHL**

Location:	64-65 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 23090

Question Number(s): 6A06A

Now thinking back over the past year in school, how often did
you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	110	4.6 %	4.6%
2	SELDOM:(2)	369	15.5 %	15.5%
3	SOMETIME:(3)	920	38.6 %	38.7%
4	OFTEN:(4)	719	30.2 %	30.3%
5	ALWAYS:(5)	258	10.8 %	10.9%
-9 (M)	MISSING:(-9)	6	0.3 %	-

Based upon 2376 valid cases out of 2382 total cases.

V6225	**096A06B:LSTYR/HATE SCHL**

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23100

Question Number(s): 6A06B

Now thinking back over the past year in school, how often did
you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	160	6.7 %	6.7%
2	SELDOM:(2)	650	27.3 %	27.4%
3	SOMETIME:(3)	820	34.4 %	34.5%
4	OFTEN:(4)	532	22.3 %	22.4%
5	ALWAYS:(5)	214	9.0 %	9.0%
-9 (M)	MISSING:(-9)	6	0.3 %	-

Based upon 2376 valid cases out of 2382 total cases.

V6226	**096A06C:LSTYR/DO BEST WK**

Location:	68-69 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23110

Question Number(s): 6A06C

Now thinking back over the past year in school, how often did
you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	18	0.8 %	0.8%
2	SELDOM:(2)	129	5.4 %	5.4%
3	SOMETIME:(3)	574	24.1 %	24.2%
4	OFTEN:(4)	850	35.7 %	35.8%
5	ALWAYS:(5)	805	33.8 %	33.9%
-9 (M)	MISSING:(-9)	6	0.3 %	-

Based upon 2376 valid cases out of 2382 total cases.

V6227	**096A06D:LSTYR/SCH 2 HARD**

Location:	70-71 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23120

Question Number(s): 6A06D

Now thinking back over the past year in school, how often did
you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	361	15.2 %	15.2%
2	SELDOM:(2)	936	39.3 %	39.5%
3	SOMETIME:(3)	832	34.9 %	35.1%
4	OFTEN:(4)	198	8.3 %	8.4%

Value	Label	Unweighted Frequency	%	Valid %
5	ALWAYS:(5)	44	1.8 %	1.9%
-9 (M)	MISSING:(-9)	11	0.5 %	-

Based upon 2371 valid cases out of 2382 total cases.

V6228	**096A06E:LSTYR/FOOL ROUND**

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23130

Question Number(s): 6A06E

Now thinking back over the past year in school, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	293	12.3 %	12.3%
2	SELDOM:(2)	614	25.8 %	25.9%
3	SOMETIME:(3)	759	31.9 %	32.0%
4	OFTEN:(4)	479	20.1 %	20.2%
5	ALWAYS:(5)	228	9.6 %	9.6%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2373 valid cases out of 2382 total cases.

V6229	**096A06F:LSTYR/WK NT DONE**

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23140

Question Number(s): 6A06F

Now thinking back over the past year in school, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	577	24.2 %	24.3%
2	SELDOM:(2)	891	37.4 %	37.5%
3	SOMETIME:(3)	626	26.3 %	26.4%
4	OFTEN:(4)	231	9.7 %	9.7%
5	ALWAYS:(5)	48	2.0 %	2.0%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2373 valid cases out of 2382 total cases.

V6230	**096A06G:LSTYR/GT GD GRDS**

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23150

Question Number(s): 6A06G

Now thinking back over the past year in school, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	30	1.3 %	1.3%
2	SELDOM:(2)	180	7.6 %	7.6%
3	SOMETIME:(3)	502	21.1 %	21.2%
4	OFTEN:(4)	642	27.0 %	27.1%
5	ALWAYS:(5)	1019	42.8 %	42.9%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2373 valid cases out of 2382 total cases.

V6231	**096A06H:LSTYR/U MISBEHAV**

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23160

Question Number(s): 6A06H

Now thinking back over the past year in school, how often did you . . .

H: . . . Get sent to the office, or have to stay after school,
because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1752	73.6 %	73.8%
2	SELDOM:(2)	439	18.4 %	18.5%
3	SOMETIME:(3)	111	4.7 %	4.7%
4	OFTEN:(4)	55	2.3 %	2.3%
5	ALWAYS:(5)	16	0.7 %	0.7%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2373 valid cases out of 2382 total cases.

V6232	**096A06I:LSTYR/SKIP SCHL**

Location:	80-81 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23170

Question Number(s): 6A06I

Now thinking back over the past year in school, how often did
you . . .

I: . . . Skip a day of school, or part of a day (without
permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1203	50.5 %	50.7%
2	SELDOM:(2)	571	24.0 %	24.1%
3	SOMETIME:(3)	384	16.1 %	16.2%
4	OFTEN:(4)	156	6.5 %	6.6%
5	ALWAYS:(5)	59	2.5 %	2.5%
-9 (M)	MISSING:(-9)	9	0.4 %	-

Based upon 2373 valid cases out of 2382 total cases.

V6242	**096A07A:5-6GR/ENJOY SCHL**

Location:	82-83 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 23270

Question Number(s): 6A07A

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	190	8.0 %	8.0%
2	SELDOM:(2)	288	12.1 %	12.1%
3	SOMETIME:(3)	524	22.0 %	22.0%
4	OFTEN:(4)	720	30.2 %	30.3%
5	ALWAYS:(5)	655	27.5 %	27.6%
-9 (M)	MISSING:(-9)	5	0.2 %	-

Based upon 2377 valid cases out of 2382 total cases.

V6243	**096A07B:5-6GR/HATE SCHL**

Location:	84-85 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23280

Question Number(s): 6A07B

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	488	20.5 %	20.5%
2	SELDOM:(2)	751	31.5 %	31.6%
3	SOMETIME:(3)	602	25.3 %	25.3%
4	OFTEN:(4)	327	13.7 %	13.8%
5	ALWAYS:(5)	209	8.8 %	8.8%
-9 (M)	MISSING:(-9)	5	0.2 %	-

Based upon 2377 valid cases out of 2382 total cases.

V6244	096A07C:5-6GR/DO BEST WK

Location:	86-87 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23290

Question Number(s): 6A07C

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	62	2.6 %	2.6%
2	SELDOM:(2)	141	5.9 %	6.0%
3	SOMETIME:(3)	428	18.0 %	18.1%
4	OFTEN:(4)	678	28.5 %	28.6%
5	ALWAYS:(5)	1060	44.5 %	44.7%
-9 (M)	MISSING:(-9)	13	0.5 %	-

Based upon 2369 valid cases out of 2382 total cases.

V6245	096A07D:5-6GR/SCH 2 HARD

Location:	88-89 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23300

Question Number(s): 6A07D

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	717	30.1 %	30.2%
2	SELDOM:(2)	717	30.1 %	30.2%
3	SOMETIME:(3)	610	25.6 %	25.7%
4	OFTEN:(4)	247	10.4 %	10.4%

Value	Label	Unweighted Frequency	%	Valid %
5	ALWAYS:(5)	86	3.6 %	3.6%
-9 (M)	MISSING:(-9)	5	0.2 %	-

Based upon 2377 valid cases out of 2382 total cases.

V6246	**096A07E:5-6GR/FOOL ROUND**

Location:	90-91 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23310

Question Number(s): 6A07E

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	565	23.7 %	23.8%
2	SELDOM:(2)	505	21.2 %	21.3%
3	SOMETIME:(3)	564	23.7 %	23.8%
4	OFTEN:(4)	443	18.6 %	18.7%
5	ALWAYS:(5)	295	12.4 %	12.4%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2372 valid cases out of 2382 total cases.

V6247	**096A07F:5-6GR/WK NT DONE**

Location:	92-93 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23320

Question Number(s): 6A07F

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1068	44.8 %	45.0%
2	SELDOM:(2)	679	28.5 %	28.6%
3	SOMETIME:(3)	377	15.8 %	15.9%
4	OFTEN:(4)	190	8.0 %	8.0%
5	ALWAYS:(5)	58	2.4 %	2.4%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2372 valid cases out of 2382 total cases.

V6248	**096A07G:5-6GR/GT GD GRDS**

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23330

Question Number(s): 6A07G

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	64	2.7 %	2.7%
2	SELDOM:(2)	161	6.8 %	6.8%
3	SOMETIME:(3)	367	15.4 %	15.5%
4	OFTEN:(4)	528	22.2 %	22.3%
5	ALWAYS:(5)	1252	52.6 %	52.8%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2372 valid cases out of 2382 total cases.

V6249	**096A07H:5-6GR/U MISBEHAV**

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23340

Question Number(s): 6A07H

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1497	62.8 %	63.1%
2	SELDOM:(2)	411	17.3 %	17.3%
3	SOMETIME:(3)	241	10.1 %	10.2%
4	OFTEN:(4)	146	6.1 %	6.1%
5	ALWAYS:(5)	79	3.3 %	3.3%
-9 (M)	MISSING:(-9)	8	0.3 %	-

Based upon 2374 valid cases out of 2382 total cases.

V6250	**096A07I:5-6GR/SKIP SCHL**

Location:	98-99 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23350

Question Number(s): 6A07I

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2029	85.2 %	85.5%
2	SELDOM:(2)	173	7.3 %	7.3%
3	SOMETIME:(3)	103	4.3 %	4.3%
4	OFTEN:(4)	44	1.8 %	1.9%
5	ALWAYS:(5)	23	1.0 %	1.0%
-9 (M)	MISSING:(-9)	10	0.4 %	-

Based upon 2372 valid cases out of 2382 total cases.

V6491	**096A08A:#X PRNT CHK HMWK**

Location:	100-101 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 25180

Question Number(s): 6A08A

How often do your parents (or stepparents or guardians)
do the following?

A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	741	31.1 %	39.8%
2	RARELY:(2)	498	20.9 %	26.7%
3	SOMETIME:(3)	359	15.1 %	19.3%
4	OFTEN:(4)	265	11.1 %	14.2%
-9 (M)	MISSING:(-9)	519	21.8 %	-

Based upon 1863 valid cases out of 2382 total cases.

V6492	**096A08B:#X PRNT HLP HMWK**

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 25190

Question Number(s): 6A08B

How often do your parents (or stepparents or guardians)
do the following?

B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	531	22.3 %	28.5%
2	RARELY:(2)	404	17.0 %	21.7%
3	SOMETIME:(3)	499	20.9 %	26.8%
4	OFTEN:(4)	426	17.9 %	22.9%
-9 (M)	MISSING:(-9)	522	21.9 %	-

Based upon 1860 valid cases out of 2382 total cases.

V6493	**096A08C:#X PRNT GV CHORE**

Location:	104-105 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25200

Question Number(s): 6A08C

How often do your parents (or stepparents or guardians)
do the following?

C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	134	5.6 %	7.2%
2	RARELY:(2)	245	10.3 %	13.2%
3	SOMETIME:(3)	566	23.8 %	30.5%
4	OFTEN:(4)	913	38.3 %	49.1%
-9 (M)	MISSING:(-9)	524	22.0 %	-

Based upon 1858 valid cases out of 2382 total cases.

V6494	**096A08D:#X PRNT LIMIT TV**

Location:	106-107 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25210

Question Number(s): 6A08D

How often do your parents (or stepparents or guardians)
do the following?

D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1268	53.2 %	68.3%

Value	Label	Unweighted Frequency	%	Valid %
2	RARELY:(2)	321	13.5 %	17.3%
3	SOMETIME:(3)	181	7.6 %	9.7%
4	OFTEN:(4)	87	3.7 %	4.7%
-9 (M)	MISSING:(-9)	525	22.0 %	-

Based upon 1857 valid cases out of 2382 total cases.

V6495	**096A08E:#X PRNT LMT OUT**

Location:	108-109 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25220

Question Number(s): 6A08E

How often do your parents (or stepparents or guardians)
do the following?

E: Limit the amount of time you can go out with friends
on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	505	21.2 %	27.2%
2	RARELY:(2)	382	16.0 %	20.6%
3	SOMETIME:(3)	508	21.3 %	27.3%
4	OFTEN:(4)	463	19.4 %	24.9%
-9 (M)	MISSING:(-9)	524	22.0 %	-

Based upon 1858 valid cases out of 2382 total cases.

V6251	**096A09A:SCH ACTV-PBLCTNS**

Location:	110-111 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22170

Question Number(s): 6A09A

To what extent have you participated in the following school
activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1799	75.5 %	76.9%
2	SLIGHT:(2)	228	9.6 %	9.7%
3	MODERATE:(3)	106	4.5 %	4.5%
4	CONSDRBL:(4)	72	3.0 %	3.1%
5	GRT EXT:(5)	134	5.6 %	5.7%
-9 (M)	MISSING:(-9)	43	1.8 %	-

Based upon 2339 valid cases out of 2382 total cases.

V6252	**096A09B:SCH ACTV-PRF ART**

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22180

Question Number(s): 6A09B

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1366	57.3 %	58.5%
2	SLIGHT:(2)	213	8.9 %	9.1%
3	MODERATE:(3)	193	8.1 %	8.3%
4	CONSDRBL:(4)	147	6.2 %	6.3%
5	GRT EXT:(5)	417	17.5 %	17.9%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2336 valid cases out of 2382 total cases.

V6253	**096A09C:SCH ACTV-ATHLTCS**

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22190

Question Number(s): 6A09C

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1026	43.1 %	44.0%
2	SLIGHT:(2)	186	7.8 %	8.0%
3	MODERATE:(3)	219	9.2 %	9.4%
4	CONSDRBL:(4)	246	10.3 %	10.5%
5	GRT EXT:(5)	655	27.5 %	28.1%
-9 (M)	MISSING:(-9)	50	2.1 %	-

Based upon 2332 valid cases out of 2382 total cases.

V6254	**096A09D:SCH ATV-ACDMC CL**

Location: 116-117 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 23360

Question Number(s): 6A09D

To what extent have you participated in the following school activities during this school year?

D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1550	65.1 %	66.3%
2	SLIGHT:(2)	243	10.2 %	10.4%
3	MODERATE:(3)	203	8.5 %	8.7%
4	CONSDRBL:(4)	169	7.1 %	7.2%
5	GRT EXT:(5)	172	7.2 %	7.4%
-9 (M)	MISSING:(-9)	45	1.9 %	-

Based upon 2337 valid cases out of 2382 total cases.

V6255	096A09E:SCH ATV-STDN GVT

Location:	118-119 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23370

Question Number(s): 6A09E

To what extent have you participated in the following school activities during this school year?

E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1845	77.5 %	79.0%
2	SLIGHT:(2)	147	6.2 %	6.3%
3	MODERATE:(3)	107	4.5 %	4.6%
4	CONSDRBL:(4)	83	3.5 %	3.6%
5	GRT EXT:(5)	153	6.4 %	6.6%
-9 (M)	MISSING:(-9)	47	2.0 %	-

Based upon 2335 valid cases out of 2382 total cases.

V6256	096A09F:SCH ACTV-OTH ACT

Location:	120-121 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22200

Question Number(s): 6A09F

To what extent have you participated in the following school activities during this school year?

F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	870	36.5 %	37.3%

Value	Label	Unweighted Frequency	%	Valid %
2	SLIGHT:(2)	304	12.8 %	13.0%
3	MODERATE:(3)	396	16.6 %	17.0%
4	CONSDRBL:(4)	327	13.7 %	14.0%
5	GRT EXT:(5)	436	18.3 %	18.7%
-9 (M)	MISSING:(-9)	49	2.1 %	-

Based upon 2333 valid cases out of 2382 total cases.

V6272	**096A10R:EVER HELD BACK**

Location:	122-123 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23530

Question Number(s): 6A10

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2124	89.2 %	90.6%
2	YES:(2-3)	220	9.2 %	9.4%
-9 (M)	MISSING:(-9)	38	1.6 %	-

Based upon 2344 valid cases out of 2382 total cases.

V6273	**096A11R:NEED SUMMER SCHL**

Location:	124-125 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23540

Question Number(s): 6A11

Did you ever attend summer school to make up for poor grades
or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three
or more summers"

Codes 2, 3, and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1777	74.6 %	75.8%
2	YES:(2-4)	567	23.8 %	24.2%
-9 (M)	MISSING:(-9)	38	1.6 %	-

Based upon 2344 valid cases out of 2382 total cases.

V6496	**096A12R:EVER SUSPENDED**

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25140

Question Number(s): 6A12

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1726	72.5 %	73.6%
2	YES:(2-3)	618	25.9 %	26.4%
-9 (M)	MISSING:(-9)	38	1.6 %	-

Based upon 2344 valid cases out of 2382 total cases.

V6507	**096A13:#DA GUN SCHL/4WK**

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29590

Question Number(s): 6A13

During the LAST FOUR WEEKS, on how many days (if any) did
you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2299	96.5 %	98.1%
2	1 DAY:(2)	11	0.5 %	0.5%

Value	Label	Unweighted Frequency	%	Valid %
3	2 DAYS:(3)	3	0.1 %	0.1%
4	3-5 DAYS:(4)	6	0.3 %	0.3%
5	6-9 DAYS:(5)	3	0.1 %	0.1%
6	10+ DAYS:(6)	22	0.9 %	0.9%
-9 (M)	MISSING:(-9)	38	1.6 %	-

Based upon 2344 valid cases out of 2382 total cases.

V6504	**096A14 :ILL DRG SOLD@SCH**

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25820

Question Number(s): 6A14

During the past 12 months, has anyone made an offer at school
to sell or give you an illegal drug (or actually sold or given
you one at school)?

1="No" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1792	75.2 %	76.8%
2	YES:(2)	541	22.7 %	23.2%
-9 (M)	MISSING:(-9)	49	2.1 %	-

Based upon 2333 valid cases out of 2382 total cases.

V6274	**096A15A:TCHR PRVNT SMKNG**

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23550

Question Number(s): 6A15A

In your present school, how vigorous are the teachers
and administrators in their attempts to prevent students
from . . .

A: . . . Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"

5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	288	12.1 %	12.3%
2	SLIGHTLY:(2)	367	15.4 %	15.7%
3	SOMEWHAT:(3)	429	18.0 %	18.4%
4	FRLY VGR:(4)	342	14.4 %	14.6%
5	VRY VGRS:(5)	439	18.4 %	18.8%
8	DK:(8)	472	19.8 %	20.2%
-9 (M)	MISSING:(-9)	45	1.9 %	-

Based upon 2337 valid cases out of 2382 total cases.

V6275	**096A15B:TCHR PRVNT DRNKG**

Location:	134-135 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23560

Question Number(s): 6A15B

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

B: . . . Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"
5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	239	10.0 %	10.2%
2	SLIGHTLY:(2)	328	13.8 %	14.0%
3	SOMEWHAT:(3)	381	16.0 %	16.3%
4	FRLY VGR:(4)	383	16.1 %	16.4%
5	VRY VGRS:(5)	525	22.0 %	22.5%
8	DK:(8)	480	20.2 %	20.5%
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2336 valid cases out of 2382 total cases.

V6276	**096A15C:TCHR PRVNT DRUGS**

Location:	136-137 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 23570

Question Number(s): 6A15C

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

C: . . . Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	215	9.0 %	9.2%
2	SLIGHTLY:(2)	269	11.3 %	11.5%
3	SOMEWHAT:(3)	373	15.7 %	16.0%
4	FRLY VGR:(4)	377	15.8 %	16.2%
5	VRY VGRS:(5)	642	27.0 %	27.5%
8	DK:(8)	458	19.2 %	19.6%
-9 (M)	MISSING:(-9)	48	2.0 %	-

Based upon 2334 valid cases out of 2382 total cases.

V6277	**096A16A:CNSEQNC 4 SMOKNG**

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23580

Question Number(s): 6A16A

How severe do you think the consequences would be for a student in your school who gets caught . . .

A: . . . Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	120	5.0 %	5.1%
2	MILD:(2)	517	21.7 %	22.1%
3	MODERATE:(3)	756	31.7 %	32.4%
4	SEVERE:(4)	763	32.0 %	32.7%
8	DK:(8)	180	7.6 %	7.7%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	46	1.9 %	-

Based upon 2336 valid cases out of 2382 total cases.

V6278	**096A16B:CNSEQNC 4 ALCOHL**

Location: 140-141 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23590

Question Number(s): 6A16B

How severe do you think the consequences would be for a student in your school who gets caught . . .

B: . . . Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	44	1.8 %	1.9%
2	MILD:(2)	141	5.9 %	6.0%
3	MODERATE:(3)	599	25.1 %	25.7%
4	SEVERE:(4)	1377	57.8 %	59.0%
8	DK:(8)	174	7.3 %	7.5%
-9 (M)	MISSING:(-9)	47	2.0 %	-

Based upon 2335 valid cases out of 2382 total cases.

V6279	**096A16C:CNSEQNC 4 DRUGS**

Location: 142-143 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23600

Question Number(s): 6A16C

How severe do you think the consequences would be for a student in your school who gets caught . . .

C: . . . Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	39	1.6 %	1.7%
2	MILD:(2)	76	3.2 %	3.3%
3	MODERATE:(3)	237	9.9 %	10.1%
4	SEVERE:(4)	1818	76.3 %	77.9%
8	DK:(8)	165	6.9 %	7.1%
-9 (M)	MISSING:(-9)	47	2.0 %	-

Based upon 2335 valid cases out of 2382 total cases.

V6297	**096A17A:RSK OF CIG1+PK/D**

Location: 144-145 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12360

Question Number(s): 6A17A

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	56	2.4 %	2.4%
2	SLIGHT:(2)	109	4.6 %	4.7%
3	MOD RISK:(3)	463	19.4 %	19.9%
4	GRT RISK:(4)	1657	69.6 %	71.1%
5	CANT SAY:(5)	46	1.9 %	2.0%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2331 valid cases out of 2382 total cases.

V6298	**096A17B:RSK OF MJ 1-2 X**

Location: 146-147 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12370

Question Number(s): 6A17B

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	820	34.4 %	35.2%
2	SLIGHT:(2)	733	30.8 %	31.4%
3	MOD RISK:(3)	365	15.3 %	15.7%
4	GRT RISK:(4)	332	13.9 %	14.2%
5	CANT SAY:(5)	81	3.4 %	3.5%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2331 valid cases out of 2382 total cases.

V6299	096A17C:RSK OF MJ OCSNLY

Location:	148-149 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12380

Question Number(s): 6A17C

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	407	17.1 %	17.4%
2	SLIGHT:(2)	632	26.5 %	27.1%
3	MOD RISK:(3)	656	27.5 %	28.1%
4	GRT RISK:(4)	562	23.6 %	24.1%
5	CANT SAY:(5)	77	3.2 %	3.3%
-9 (M)	MISSING:(-9)	48	2.0 %	-

Based upon 2334 valid cases out of 2382 total cases.

V6300	096A17D:RSK OF MJ REGLY

Location:	150-151 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12390

Question Number(s): 6A17D

How much do you think people risk harming themselves (physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	210	8.8 %	9.0%
2	SLIGHT:(2)	343	14.4 %	14.7%
3	MOD RISK:(3)	520	21.8 %	22.3%
4	GRT RISK:(4)	1185	49.7 %	50.9%
5	CANT SAY:(5)	71	3.0 %	3.0%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2329 valid cases out of 2382 total cases.

V6523   096A17E:RSK OF COKE 1-2X

Location:	152-153 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12490

Question Number(s): 6A17E

How much do you think people risk harming themselves (physically or in other ways), if they . . .

E: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	110	4.6 %	4.7%
2	SLIGHT:(2)	365	15.3 %	15.7%
3	MOD RISK:(3)	574	24.1 %	24.7%
4	GRT RISK:(4)	1156	48.5 %	49.7%

Value	Label	Unweighted Frequency	%	Valid %
5	CANT SAY:(5)	122	5.1 %	5.2%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2327 valid cases out of 2382 total cases.

V6316   096A17F:RSK OF 1-2 DR/DA

Location:	154-155 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12520

Question Number(s): 6A17F

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	203	8.5 %	8.7%
2	SLIGHT:(2)	471	19.8 %	20.2%
3	MOD RISK:(3)	796	33.4 %	34.2%
4	GRT RISK:(4)	805	33.8 %	34.6%
5	CANT SAY:(5)	53	2.2 %	2.3%
-9 (M)	MISSING:(-9)	54	2.3 %	-

Based upon 2328 valid cases out of 2382 total cases.

V6317   096A17G:RSK OF 4-5 DR/DA

Location:	156-157 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12530

Question Number(s): 6A17G

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	82	3.4 %	3.5%
2	SLIGHT:(2)	137	5.8 %	5.9%
3	MOD RISK:(3)	422	17.7 %	18.1%
4	GRT RISK:(4)	1635	68.6 %	70.2%
5	CANT SAY:(5)	53	2.2 %	2.3%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2329 valid cases out of 2382 total cases.

V6318	**096A17H:RSK OF 5+DR/WKND**

Location: 158-159 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12540

Question Number(s): 6A17H

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	164	6.9 %	7.0%
2	SLIGHT:(2)	351	14.7 %	15.1%
3	MOD RISK:(3)	630	26.4 %	27.0%
4	GRT RISK:(4)	1131	47.5 %	48.5%
5	CANT SAY:(5)	54	2.3 %	2.3%
-9 (M)	MISSING:(-9)	52	2.2 %	-

Based upon 2330 valid cases out of 2382 total cases.

V6478	**096A17I:RSK STEROID ATHL**

Location: 160-161 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24510

Question Number(s): 6A17I

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take steroids for body-building or improved athletic
performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	62	2.6 %	2.7%
2	SLIGHT:(2)	160	6.7 %	6.9%
3	MOD RISK:(3)	575	24.1 %	24.7%
4	GRT RISK:(4)	1396	58.6 %	59.9%
5	CANT SAY:(5)	138	5.8 %	5.9%
-9 (M)	MISSING:(-9)	51	2.1 %	-

Based upon 2331 valid cases out of 2382 total cases.

V6524	**096A17J:RSK MDMA 1-2X**

Location:	162-163 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23040

Question Number(s): 6A17J

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J: . . . Take MDMA (ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	101	4.2 %	4.3%
2	SLIGHT:(2)	239	10.0 %	10.2%
3	MOD RISK:(3)	497	20.9 %	21.3%
4	GRT RISK:(4)	1257	52.8 %	53.9%
5	CANT SAY:(5)	240	10.1 %	10.3%
-9 (M)	MISSING:(-9)	48	2.0 %	-

Based upon 2334 valid cases out of 2382 total cases.

V6320	096A18A:DAP SMK 1PCK CIG

Location:	164-165 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08560

Question Number(s): 6A18A

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	556	23.3 %	23.9%
2	DISAPPRV:(2)	897	37.7 %	38.5%
3	STRG DIS:(3)	876	36.8 %	37.6%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2329 valid cases out of 2382 total cases.

V6321	096A18B:DAP TRY MRJ 1-2T

Location:	166-167 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08570

Question Number(s): 6A18B

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	1125	47.2 %	48.3%
2	DISAPPRV:(2)	658	27.6 %	28.3%
3	STRG DIS:(3)	545	22.9 %	23.4%
-9 (M)	MISSING:(-9)	54	2.3 %	-

Based upon 2328 valid cases out of 2382 total cases.

V6322	**096A18C:DAP SMK MRJ OCCS**

Location:	168-169 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08580

Question Number(s): 6A18C

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	859	36.1 %	36.9%
2	DISAPPRV:(2)	681	28.6 %	29.3%
3	STRG DIS:(3)	786	33.0 %	33.8%
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2326 valid cases out of 2382 total cases.

V6323	**096A18D:DAP SMK MRJ REGL**

Location:	170-171 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08590

Question Number(s): 6A18D

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	538	22.6 %	23.1%
2	DISAPPRV:(2)	667	28.0 %	28.6%
3	STRG DIS:(3)	1125	47.2 %	48.3%
-9 (M)	MISSING:(-9)	52	2.2 %	-

Based upon 2330 valid cases out of 2382 total cases.

V6525	**096A18E:DAP TRY COC 1-2T**

Location:	172-173 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08690

Question Number(s): 6A18E

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	258	10.8 %	11.1%
2	DISAPPRV:(2)	624	26.2 %	26.9%
3	STRG DIS:(3)	1439	60.4 %	62.0%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2321 valid cases out of 2382 total cases.

V6339	**096A18F:DAP 1-2 DRK/DAY**

Location:	174-175 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08720

Question Number(s): 6A18F

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	672	28.2 %	28.9%
2	DISAPPRV:(2)	944	39.6 %	40.5%
3	STRG DIS:(3)	713	29.9 %	30.6%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2329 valid cases out of 2382 total cases.

V6340	**096A18G:DAP 4-5 DRK/DAY**

Location:	176-177 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08730

Question Number(s): 6A18G

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	293	12.3 %	12.6%
2	DISAPPRV:(2)	696	29.2 %	29.9%
3	STRG DIS:(3)	1338	56.2 %	57.5%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2327 valid cases out of 2382 total cases.

V6341	**096A18H:DAP 5+ DRK WKNDS**

Location:	178-179 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 08740

Question Number(s): 6A18H

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	709	29.8 %	30.5%
2	DISAPPRV:(2)	664	27.9 %	28.6%
3	STRG DIS:(3)	949	39.8 %	40.9%
-9 (M)	MISSING:(-9)	60	2.5 %	-

Based upon 2322 valid cases out of 2382 total cases.

V6479	096A18I:DAP STEROID ATHL

Location:	180-181 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24520

Question Number(s): 6A18I

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	225	9.4 %	9.7%
2	DISAPPRV:(2)	710	29.8 %	30.5%
3	STRG DIS:(3)	1394	58.5 %	59.9%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2329 valid cases out of 2382 total cases.

V6509	096A18J:DAP H -NDL 1-2X

Location:	182-183 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29690

Question Number(s): 6A18J

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	126	5.3 %	5.4%
2	DISAPPRV:(2)	379	15.9 %	16.3%
3	STRG DIS:(3)	1822	76.5 %	78.3%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2327 valid cases out of 2382 total cases.

V6510	096A18K:DAP H -NDL OCC

Location: 184-185 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29700

Question Number(s): 6A18K

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	106	4.5 %	4.6%
2	DISAPPRV:(2)	298	12.5 %	12.8%
3	STRG DIS:(3)	1923	80.7 %	82.6%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2327 valid cases out of 2382 total cases.

V6526	096A18L:DAP MDMA 1-2X

Location: 186-187 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 29960

Question Number(s): 6A18L

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking MDMA ("ecstasy") once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	281	11.8 %	12.1%
2	DISAPPRV:(2)	549	23.0 %	23.6%
3	STRG DIS:(3)	1495	62.8 %	64.3%
-9 (M)	MISSING:(-9)	57	2.4 %	-

Based upon 2325 valid cases out of 2382 total cases.

V6342	096A19A:EASY GT MARIJUAN

Location: 188-189 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06750

Question Number(s): 6A19A

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	111	4.7 %	4.8%
2	VRY DIFF:(2)	78	3.3 %	3.4%
3	FRLY DIF:(3)	153	6.4 %	6.6%
4	FRLY EAS:(4)	575	24.1 %	24.8%
5	VRY EASY:(5)	1400	58.8 %	60.4%
-9 (M)	MISSING:(-9)	65	2.7 %	-

Based upon 2317 valid cases out of 2382 total cases.

V6343	096A19B:EASY GT LSD

Location: 190-191 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 06760

Question Number(s): 6A19B

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	434	18.2 %	19.0%
2	VRY DIFF:(2)	550	23.1 %	24.1%

Value	Label	Unweighted Frequency	%	Valid %
3	FRLY DIF:(3)	749	31.4 %	32.8%
4	FRLY EAS:(4)	375	15.7 %	16.4%
5	VRY EASY:(5)	176	7.4 %	7.7%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2284 valid cases out of 2382 total cases.

V6344	**096A19C:EASY GT PCP**

Location:	192-193 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 06771

Question Number(s): 6A19C

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	553	23.2 %	24.1%
2	VRY DIFF:(2)	675	28.3 %	29.4%
3	FRLY DIF:(3)	639	26.8 %	27.8%
4	FRLY EAS:(4)	265	11.1 %	11.5%
5	VRY EASY:(5)	163	6.8 %	7.1%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2295 valid cases out of 2382 total cases.

V6345	**096A19D:EASY GT MDMA**

Location:	194-195 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23050

Question Number(s): 6A19D

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: MDMA ("ecstasy")

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	403	16.9 %	17.6%
2	VRY DIFF:(2)	491	20.6 %	21.4%
3	FRLY DIF:(3)	579	24.3 %	25.2%
4	FRLY EAS:(4)	478	20.1 %	20.8%
5	VRY EASY:(5)	344	14.4 %	15.0%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2295 valid cases out of 2382 total cases.

V6480	**096A19E:EASY GT ICE**

Location:	196-197 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24410

Question Number(s): 6A19E

How difficult do you think it would be for you to get each of
the following types of drugs, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	568	23.8 %	24.7%
2	VRY DIFF:(2)	666	28.0 %	29.0%
3	FRLY DIF:(3)	537	22.5 %	23.4%
4	FRLY EAS:(4)	313	13.1 %	13.6%
5	VRY EASY:(5)	211	8.9 %	9.2%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2295 valid cases out of 2382 total cases.

V6481	**096A19F:EASY GT STEROIDS**

Location:	198-199 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 23060

Question Number(s): 6A19F

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	360	15.1 %	15.7%
2	VRY DIFF:(2)	445	18.7 %	19.4%
3	FRLY DIF:(3)	561	23.6 %	24.4%
4	FRLY EAS:(4)	541	22.7 %	23.5%
5	VRY EASY:(5)	392	16.5 %	17.1%
-9 (M)	MISSING:(-9)	83	3.5 %	-

Based upon 2299 valid cases out of 2382 total cases.

V6580 — 096A19G:EASY GT ALCOHOL

Location:	200-201 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30950

Question Number(s): 6A19G

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	75	3.1 %	3.2%
2	VRY DIFF:(2)	35	1.5 %	1.5%
3	FRLY DIF:(3)	77	3.2 %	3.3%
4	FRLY EAS:(4)	330	13.9 %	14.2%
5	VRY EASY:(5)	1800	75.6 %	77.7%
-9 (M)	MISSING:(-9)	65	2.7 %	-

Based upon 2317 valid cases out of 2382 total cases.

V6101	**096B01 :EVR SMK CIG,REGL**	

Location:	202-203 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00760

Question Number(s): 6B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1347	56.5 %	58.1%
2	1-2X:(2)	409	17.2 %	17.6%
3	OCCASNLY:(3)	262	11.0 %	11.3%
4	REG PAST:(4)	112	4.7 %	4.8%
5	REG NOW:(5)	190	8.0 %	8.2%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2320 valid cases out of 2382 total cases.

V6102	**096B02 :#CIGS SMKD/30DAY**	

Location:	204-205 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00780

Question Number(s): 6B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01]" 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1867	78.4 %	80.6%
2	<1 CIG/D:(2)	212	8.9 %	9.2%

Value	Label	Unweighted Frequency	%	Valid %
3	1-5/DAY:(3)	137	5.8 %	5.9%
4	1/2PK/D:(4)	57	2.4 %	2.5%
5	1 PK/DA:(5)	34	1.4 %	1.5%
6	1 1/2 PK/D:(6)	4	0.2 %	0.2%
7	2+ PKS/D:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2316 valid cases out of 2382 total cases.

V6527	**096B03A:CIG HOW BUY-FRND**

Location: 206-207 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29970

Question Number(s): 6B03A

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	296	12.4 %	66.4%
2	1 TIME:(2)	55	2.3 %	12.3%
3	2 TIMES:(3)	32	1.3 %	7.2%
4	3-5TIMES:(4)	25	1.0 %	5.6%
5	6-9 TIMES:(5)	11	0.5 %	2.5%
6	10 OR +:(6)	27	1.1 %	6.1%
-9 (M)	MISSING:(-9)	1936	81.3 %	-

Based upon 446 valid cases out of 2382 total cases.

V6528	**096B03B:CIG HOW BUY-VEND**

Location: 208-209 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29980

Question Number(s): 6B03B

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	428	18.0 %	96.2%
2	1 TIME:(2)	8	0.3 %	1.8%
3	2 TIMES:(3)	3	0.1 %	0.7%
4	3-5TIMES:(4)	1	0.0 %	0.2%
6	10 OR +:(6)	5	0.2 %	1.1%
-9 (M)	MISSING:(-9)	1937	81.3 %	-

Based upon 445 valid cases out of 2382 total cases.

V6529	096B03C:CIG HOW BUY-MAIL

Location:	210-211 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29990

Question Number(s): 6B03C

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	442	18.6 %	99.3%
3	2 TIMES:(3)	1	0.0 %	0.2%
4	3-5TIMES:(4)	1	0.0 %	0.2%
6	10 OR +:(6)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1937	81.3 %	-

Based upon 445 valid cases out of 2382 total cases.

V6530	096B03D:CIG HOW BUY-PKUP

Location:	212-213 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30000

Question Number(s): 6B03D

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	332	13.9 %	74.6%
2	1 TIME:(2)	31	1.3 %	7.0%
3	2 TIMES:(3)	28	1.2 %	6.3%
4	3-5TIMES:(4)	22	0.9 %	4.9%
5	6-9 TIMES:(5)	11	0.5 %	2.5%
6	10 OR +:(6)	21	0.9 %	4.7%
-9 (M)	MISSING:(-9)	1937	81.3 %	-

Based upon 445 valid cases out of 2382 total cases.

V6531	**096B03E:CIG HOW BUY-CLRK**

Location:	214-215 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30010

Question Number(s): 6B03E

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	168	7.1 %	37.4%
2	1 TIME:(2)	70	2.9 %	15.6%

Value	Label	Unweighted Frequency	%	Valid %
3	2 TIMES:(3)	61	2.6 %	13.6%
4	3-5TIMES:(4)	56	2.4 %	12.5%
5	6-9 TIMES:(5)	28	1.2 %	6.2%
6	10 OR +:(6)	66	2.8 %	14.7%
-9 (M)	MISSING:(-9)	1933	81.2 %	-

Based upon 449 valid cases out of 2382 total cases.

V6598	**096B03F:CIG HOW BUY-OTHR**

Location: 216-217 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31330

Question Number(s): 6B03F

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

F: . . . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	366	15.4 %	82.2%
2	1 TIME:(2)	26	1.1 %	5.8%
3	2 TIMES:(3)	25	1.0 %	5.6%
4	3-5 TIMES:(4)	13	0.5 %	2.9%
5	6-9 TIMES:(5)	1	0.0 %	0.2%
6	10 or +:(6)	14	0.6 %	3.1%
-9 (M)	MISSING:(-9)	1937	81.3 %	-

Based upon 445 valid cases out of 2382 total cases.

V6532	**096B04A:CIG WHERE-SUPMKT**

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 30020

Question Number(s): 6B04A

During the last 30 days, about how many times (if any) did

YOU buy cigarettes for your own use . . .

A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	381	16.0 %	85.6%
2	1 TIME:(2)	30	1.3 %	6.7%
3	2 TIMES:(3)	14	0.6 %	3.1%
4	3-5TIMES:(4)	13	0.5 %	2.9%
5	6-9 TIMES:(5)	2	0.1 %	0.4%
6	10 OR +:(6)	5	0.2 %	1.1%
-9 (M)	MISSING:(-9)	1937	81.3 %	-

Based upon 445 valid cases out of 2382 total cases.

V6533	096B04B:CIG WHERE-SMLGRC

Location:	220-221 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30030

Question Number(s): 6B04B

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

B: . . . at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	318	13.4 %	71.6%
2	1 TIME:(2)	41	1.7 %	9.2%
3	2 TIMES:(3)	28	1.2 %	6.3%
4	3-5TIMES:(4)	34	1.4 %	7.7%
5	6-9 TIMES:(5)	10	0.4 %	2.3%
6	10 OR +:(6)	13	0.5 %	2.9%
-9 (M)	MISSING:(-9)	1938	81.4 %	-

Based upon 444 valid cases out of 2382 total cases.

V6534	096B04C:CIG WHERE-DRGSTR

Location:	222-223 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30040

Question Number(s): 6B04C

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	362	15.2 %	81.3%
2	1 TIME:(2)	27	1.1 %	6.1%
3	2 TIMES:(3)	21	0.9 %	4.7%
4	3-5TIMES:(4)	16	0.7 %	3.6%
5	6-9 TIMES:(5)	8	0.3 %	1.8%
6	10 OR +:(6)	11	0.5 %	2.5%
-9 (M)	MISSING:(-9)	1937	81.3 %	-

Based upon 445 valid cases out of 2382 total cases.

V6535	096B04D:CIG WHERE-CNVGAS

Location:	224-225 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30050

Question Number(s): 6B04D

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

D: . . . at a convenience store (like a Hop-In or 7-11) or
a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	159	6.7 %	35.5%
2	1 TIME:(2)	80	3.4 %	17.9%

Value	Label	Unweighted Frequency	%	Valid %
3	2 TIMES:(3)	54	2.3 %	12.1%
4	3-5TIMES:(4)	61	2.6 %	13.6%
5	6-9 TIMES:(5)	34	1.4 %	7.6%
6	10 OR +:(6)	60	2.5 %	13.4%
-9 (M)	MISSING:(-9)	1934	81.2 %	-

Based upon 448 valid cases out of 2382 total cases.

V6599	096B04E:CIG WHERE-WEB

Location:	226-227 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31340

Question Number(s): 6B04E

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	440	18.5 %	99.3%
3	2 TIMES:(3)	1	0.0 %	0.2%
6	10 or +:(6)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1939	81.4 %	-

Based upon 443 valid cases out of 2382 total cases.

V6536	096B05 :USUAL CIG BRAND

Location:	228-230 (width: 3; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30065

Question Number(s): 6B05

What brand of cigarettes do you usually smoke? (Brands are in
alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"

11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand"

Value	Label	Unweighted Frequency	%	Valid %
1	BASIC:(1)	3	0.1 %	0.7%
2	B&H:(2)	1	0.0 %	0.2%
3	B&W:(3)	4	0.2 %	1.0%
5	CAMEL:(5)	75	3.1 %	17.9%
8	DORAL:(8)	1	0.0 %	0.2%
11	KOOL:(11)	8	0.3 %	1.9%
12	MARLBORO:(12)	184	7.7 %	43.8%
17	NEWPORT:(17)	60	2.5 %	14.3%
18	PALLMALL:(18)	2	0.1 %	0.5%
19	PARLIAMENT:(19)	7	0.3 %	1.7%
20	SALEM:(20)	2	0.1 %	0.5%
24	OTHER:(24)	19	0.8 %	4.5%
25	NO USUAL:(25)	54	2.3 %	12.9%
-9 (M)	MISSING:(-9)	1962	82.4 %	-

Based upon 420 valid cases out of 2382 total cases.

V6537	096B06 :CIG PROOF OF AGE

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30070

Question Number(s): 6B06

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age."
[arrow to Q.B06A]

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER TRIED:(1)	460	19.3 %	47.1%
2	NO & SOLD:(2)	160	6.7 %	16.4%
3	NO & NOSALE:(3)	2	0.1 %	0.2%
4	YES:(4)	354	14.9 %	36.3%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	1406	59.0 %	-

Based upon 976 valid cases out of 2382 total cases.

V6538	**096B06A:CIG SHOW ID/SELL**

Location:	233-234 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30080

Question Number(s): 6B06A

The last time that you tried to buy cigarettes in a store or
gas station, were you asked for proof of age?

A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some
ID but they refused to sell me the cigarettes" 3="I didn't
show ID and they sold them to me anyway" 4="I didn't show ID
and they didn't sell me any cigarettes"

Value	Label	Unweighted Frequency	%	Valid %
1	ID & GOT:(1)	318	13.4 %	89.3%
2	ID & NOSALE:(2)	5	0.2 %	1.4%
3	NO ID & SOLD:(3)	21	0.9 %	5.9%
4	NO ID & NOSALE:(4)	12	0.5 %	3.4%
-9 (M)	MISSING:(-9)	2026	85.1 %	-

Based upon 356 valid cases out of 2382 total cases.

V6539	**096B07 :CIG STORE BUY<20**

Location:	235-236 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30090

Question Number(s): 6B07

Have you ever gone to a store and bought just one or a few
cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not
in the past 12 months"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	851	35.7 %	86.1%
2	PAST 12MO:(2)	119	5.0 %	12.0%
3	NOT PAST12MO:(3)	18	0.8 %	1.8%
-9 (M)	MISSING:(-9)	1394	58.5 %	-

Based upon 988 valid cases out of 2382 total cases.

V6540	**096B08 :*TRY STP SMK/FL**

Location:	237-238 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01690

Question Number(s): 6B08

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	133	5.6 %	13.6%
2	NO:(2)	842	35.3 %	86.4%
-9 (M)	MISSING:(-9)	1407	59.1 %	-

Based upon 975 valid cases out of 2382 total cases.

V6541	**096B09 :#X TRY STOP SMK**

Location:	239-240 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01691

Question Number(s): 6B09

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	640	26.9 %	66.0%
2	ONCE:(2)	165	6.9 %	17.0%

Value	Label	Unweighted Frequency	%	Valid %
3	TWICE:(3)	69	2.9 %	7.1%
4	3-5 X:(4)	70	2.9 %	7.2%
5	6-9X:(5)	9	0.4 %	0.9%
6	10+ X:(6)	16	0.7 %	1.7%
-9 (M)	MISSING:(-9)	1413	59.3 %	-

Based upon 969 valid cases out of 2382 total cases.

V6542	096B10 :*WNT STP SMK NW

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01700

Question Number(s): 6B10

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	115	4.8 %	11.8%
2	NO:(2)	232	9.7 %	23.7%
8	DONT SMOKE:(8)	630	26.4 %	64.5%
-9 (M)	MISSING:(-9)	1405	59.0 %	-

Based upon 977 valid cases out of 2382 total cases.

V6543	096B11 :QUIT SMK WRY FAT

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30100

Question Number(s): 6B11

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	862	36.2 %	89.3%
2	A LITTLE:(2)	58	2.4 %	6.0%
3	SOME:(3)	18	0.8 %	1.9%
4	A LOT:(4)	27	1.1 %	2.8%
-9 (M)	MISSING:(-9)	1417	59.5 %	-

Based upon 965 valid cases out of 2382 total cases.

V6544	**096B12 :START SMK LOSEWT**

Location:	245-246 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30110

Question Number(s): 6B12

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	891	37.4 %	93.7%
2	A LITTLE:(2)	36	1.5 %	3.8%
3	SOME:(3)	11	0.5 %	1.2%
4	A LOT:(4)	13	0.5 %	1.4%
-9 (M)	MISSING:(-9)	1431	60.1 %	-

Based upon 951 valid cases out of 2382 total cases.

V6545	**096B13 :START SMK THISYR**

Location:	247-248 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30120

Question Number(s): 6B13

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I

probably will" 4="I probably will not" 5="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	ALREADY TRIED:(1)	687	28.8 %	30.2%
2	DEF WILL:(2)	13	0.5 %	0.6%
3	PROB WILL:(3)	58	2.4 %	2.6%
4	PROB WONT:(4)	267	11.2 %	11.7%
5	DEF WONT:(5)	1248	52.4 %	54.9%
-9 (M)	MISSING:(-9)	109	4.6 %	-

Based upon 2273 valid cases out of 2382 total cases.

V6546	**096B14 :NO SMK IN 5 YR**

Location:	249-250 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01710

Question Number(s): 6B14

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	29	1.2 %	1.2%
2	PROB WILL:(2)	196	8.2 %	8.4%
3	PROB WONT:(3)	540	22.7 %	23.2%
4	DEFWONT:(4)	1564	65.7 %	67.2%
-9 (M)	MISSING:(-9)	53	2.2 %	-

Based upon 2329 valid cases out of 2382 total cases.

V6547	**096B15A:NEVER CIG ADDICT**

Location:	251-252 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30130

Question Number(s): 6B15A

How much do you agree or disagree with the following

statements?

A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	398	16.7 %	17.1%
2	MOST DISAG:(2)	181	7.6 %	7.8%
3	NEITHER:(3)	174	7.3 %	7.5%
4	MOSTAGREE:(4)	217	9.1 %	9.3%
5	AGREE:(5)	1357	57.0 %	58.3%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2327 valid cases out of 2382 total cases.

V6548	096B15B:QUIT CIG WN WANT

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30140

Question Number(s): 6B15B

How much do you agree or disagree with the following
statements?

B: I could smoke a pack a day for a year or more and still
be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1228	51.6 %	53.0%
2	MOST DISAG:(2)	344	14.4 %	14.8%
3	NEITHER:(3)	298	12.5 %	12.9%
4	MOSTAGREE:(4)	134	5.6 %	5.8%
5	AGREE:(5)	314	13.2 %	13.5%
-9 (M)	MISSING:(-9)	64	2.7 %	-

Based upon 2318 valid cases out of 2382 total cases.

V6549	096B15C:SMK -DANGER QUIT

Location: 255-256 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30150

Question Number(s): 6B15C

How much do you agree or disagree with the following statements?

C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1677	70.4 %	72.3%
2	MOST DISAG:(2)	287	12.0 %	12.4%
3	NEITHER:(3)	176	7.4 %	7.6%
4	MOSTAGREE:(4)	75	3.1 %	3.2%
5	AGREE:(5)	103	4.3 %	4.4%
-9 (M)	MISSING:(-9)	64	2.7 %	-

Based upon 2318 valid cases out of 2382 total cases.

V6550   **096B16 :OWN TOBACCO LOGO**

Location:	257-258 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30160

Question Number(s): 6B16

Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes" [arrow to Q.B16A]

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2132	89.5 %	91.7%
2	YES:(2)	192	8.1 %	8.3%
-9 (M)	MISSING:(-9)	58	2.4 %	-

Based upon 2324 valid cases out of 2382 total cases.

V6551   **096B16Aa:CIG LOGO CAMEL**

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 30170

Question Number(s): 6B16Aa

What brand name is on it (or on them)? (Mark all that apply.)

A. Camel

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	148	6.2 %	76.7%
1	YES:(1)	45	1.9 %	23.3%
-9 (M)	MISSING:(-9)	2189	91.9 %	-

Based upon 193 valid cases out of 2382 total cases.

V6552	096B16Ab:CIG LOGO KOOL

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 30180

Question Number(s): 6B16Ab

What brand name is on it (or on them)? (Mark all that apply.)

B. Kool

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	183	7.7 %	94.8%
1	YES:(1)	10	0.4 %	5.2%
-9 (M)	MISSING:(-9)	2189	91.9 %	-

Based upon 193 valid cases out of 2382 total cases.

V6553	096B16Ac:CIG LOGO MARLB

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 30190

Question Number(s): 6B16Ac

What brand name is on it (or on them)? (Mark all that apply.)

C. Marlboro

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	60	2.5 %	31.1%
1	YES:(1)	133	5.6 %	68.9%
-9 (M)	MISSING:(-9)	2189	91.9 %	-

Based upon 193 valid cases out of 2382 total cases.

V6554	**096B16Ad:CIG LOGO NEWPT**

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30200

Question Number(s): 6B16Ad

What brand name is on it (or on them)? (Mark all that apply.)

D. Newport

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	170	7.1 %	88.1%
1	YES:(1)	23	1.0 %	11.9%
-9 (M)	MISSING:(-9)	2189	91.9 %	-

Based upon 193 valid cases out of 2382 total cases.

V6555	**096B16Ae:CIG LOGO VASLM**

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30210

Question Number(s): 6B16Ae

What brand name is on it (or on them)? (Mark all that apply.)

E. Virginia Slims

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	187	7.9 %	96.9%
1	YES:(1)	6	0.3 %	3.1%
-9 (M)	MISSING:(-9)	2189	91.9 %	-

Based upon 193 valid cases out of 2382 total cases.

V6556	**096B16Af:CIG LOGO OTHER**

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30220

Question Number(s): 6B16Af

What brand name is on it (or on them)? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	158	6.6 %	81.9%
1	YES:(1)	35	1.5 %	18.1%
-9 (M)	MISSING:(-9)	2189	91.9 %	-

Based upon 193 valid cases out of 2382 total cases.

V6557	**096B17 :SAVED CIG COUPON**

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30230

Question Number(s): 6B17

Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

1="No" 2="Yes" [arrow to QB17A]

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2220	93.2 %	95.6%
2	YES:(2)	101	4.2 %	4.4%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2321 valid cases out of 2382 total cases.

V6558	096B17A:SAVE CIG CPN NOW

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30240

Question Number(s): 6B17A

A: Are you currently saving coupons from cigarettes?

1="No" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	60	2.5 %	59.4%
2	YES:(2)	41	1.7 %	40.6%
-9 (M)	MISSING:(-9)	2281	95.8 %	-

Based upon 101 valid cases out of 2382 total cases.

V6559	096B18 :CO GIVE FREE CIG

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30250

Question Number(s): 6B18

Has anyone from a tobacco company ever given you, or mailed you,
a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not
in the past 12 months"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2280	95.7 %	98.0%
2	PAST 12MO:(2)	32	1.3 %	1.4%
3	NOT PAST12M:(3)	14	0.6 %	0.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	56	2.4 %	-

Based upon 2326 valid cases out of 2382 total cases.

V6505	**096B19 :EVR USE SMOKLESS**

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22230

Question Number(s): 6B19

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1969	82.7 %	84.6%
2	1-2X:(2)	180	7.6 %	7.7%
3	OCCAS:(3)	86	3.6 %	3.7%
4	REG PAST:(4)	35	1.5 %	1.5%
5	REG NOW:(5)	57	2.4 %	2.4%
-9 (M)	MISSING:(-9)	55	2.3 %	-

Based upon 2327 valid cases out of 2382 total cases.

V6506	**096B20 :#X SMKLESS/30 DA**

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22240

Question Number(s): 6B20

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19] 2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	2149	90.2 %	92.3%
2	1-2X:(2)	79	3.3 %	3.4%
3	1-2X/WK:(3)	30	1.3 %	1.3%
4	3-5X/WK:(4)	12	0.5 %	0.5%
5	1/DAY:(5)	13	0.5 %	0.6%
6	>1/DAY:(6)	45	1.9 %	1.9%
-9 (M)	MISSING:(-9)	54	2.3 %	-

Based upon 2328 valid cases out of 2382 total cases.

V6103	**096B21 :EVER DRINK**

Location:	281-282 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00790

Question Number(s): 6B21

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	654	27.5 %	28.6%
2	YES:(2)	1629	68.4 %	71.4%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2283 valid cases out of 2382 total cases.

V6104	**096B22A:#X ALC/LIF SIPS**

Location:	283-284 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00810

Question Number(s): 6B22A

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who indicated nonuse
above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	654	27.5 %	29.1%
2	1-2X:(2)	171	7.2 %	7.6%
3	3-5X:(3)	238	10.0 %	10.6%
4	6-9X:(4)	210	8.8 %	9.4%
5	10-19X:(5)	287	12.0 %	12.8%
6	20-39X:(6)	260	10.9 %	11.6%
7	40+OCCAS:(7)	424	17.8 %	18.9%
-9 (M)	MISSING:(-9)	138	5.8 %	-

Based upon 2244 valid cases out of 2382 total cases.

V6105	**096B22B:#X ALC/ANN SIPS**

Location:	285-286 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00820

Question Number(s): 6B22B

On how many occasions (if any) have you had alcoholic
beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	758	31.8 %	33.9%
2	1-2X:(2)	367	15.4 %	16.4%
3	3-5X:(3)	302	12.7 %	13.5%
4	6-9X:(4)	245	10.3 %	10.9%
5	10-19X:(5)	246	10.3 %	11.0%
6	20-39X:(6)	140	5.9 %	6.3%
7	40+OCCAS:(7)	180	7.6 %	8.0%
-9 (M)	MISSING:(-9)	144	6.0 %	-

Based upon 2238 valid cases out of 2382 total cases.

V6106	**096B22C:#X ALC/30D SIPS**

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00830

Question Number(s): 6B22C

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1262	53.0 %	56.4%
2	1-2X:(2)	467	19.6 %	20.9%
3	3-5X:(3)	235	9.9 %	10.5%
4	6-9X:(4)	147	6.2 %	6.6%
5	10-19X:(5)	73	3.1 %	3.3%
6	20-39X:(6)	28	1.2 %	1.3%
7	40+OCCAS:(7)	26	1.1 %	1.2%
-9 (M)	MISSING:(-9)	144	6.0 %	-

Based upon 2238 valid cases out of 2382 total cases.

V6107	**096B23 :#X DRK ENF FL HI**

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00840

Question Number(s): 6B23

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	430	18.1 %	26.4%
2	FEW:(2)	433	18.2 %	26.5%
3	HALF:(3)	244	10.2 %	15.0%
4	MOST:(4)	307	12.9 %	18.8%
5	NRLY ALL:(5)	217	9.1 %	13.3%
-9 (M)	MISSING:(-9)	751	31.5 %	-

Based upon 1631 valid cases out of 2382 total cases.

V6108	**096B24 :5+DRK ROW/LST 2W**

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00850

Question Number(s): 6B24

Think back over the LAST TWO WEEKS. How many times have you
had five or more drinks in a row? (A "drink" is a glass of
wine, a bottle of beer, a wine cooler, a shot glass of liquor,
a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10
or more times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1628	68.3 %	73.9%
2	ONCE:(2)	217	9.1 %	9.8%
3	TWICE:(3)	162	6.8 %	7.4%
4	3-5X:(4)	138	5.8 %	6.3%
5	6-9X:(5)	29	1.2 %	1.3%
6	10+ TIME:(6)	30	1.3 %	1.4%
-9 (M)	MISSING:(-9)	178	7.5 %	-

Based upon 2204 valid cases out of 2382 total cases.

V6115	**096B25A:#XMJ+HS/LIFETIME**

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00860

Question Number(s): 6B25A

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1346	56.5 %	58.5%
2	1-2X:(2)	209	8.8 %	9.1%
3	3-5X:(3)	140	5.9 %	6.1%
4	6-9X:(4)	98	4.1 %	4.3%
5	10-19X:(5)	110	4.6 %	4.8%
6	20-39X:(6)	93	3.9 %	4.0%
7	40+OCCAS:(7)	305	12.8 %	13.3%
-9 (M)	MISSING:(-9)	81	3.4 %	-

Based upon 2301 valid cases out of 2382 total cases.

V6116	**096B25B:#XMJ+HS/LAST12MO**

Location:	295-296 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00870

Question Number(s): 6B25B

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1553	65.2 %	67.6%
2	1-2X:(2)	209	8.8 %	9.1%
3	3-5X:(3)	128	5.4 %	5.6%
4	6-9X:(4)	89	3.7 %	3.9%
5	10-19X:(5)	82	3.4 %	3.6%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	61	2.6 %	2.7%
7	40+OCCAS:(7)	174	7.3 %	7.6%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2296 valid cases out of 2382 total cases.

V6117	**096B25C:#XMJ+HS/LAST30DA**

Location:	297-298 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00880

Question Number(s): 6B25C

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1841	77.3 %	80.2%
2	1-2X:(2)	180	7.6 %	7.8%
3	3-5X:(3)	59	2.5 %	2.6%
4	6-9X:(4)	55	2.3 %	2.4%
5	10-19X:(5)	48	2.0 %	2.1%
6	20-39X:(6)	55	2.3 %	2.4%
7	40+OCCAS:(7)	58	2.4 %	2.5%
-9 (M)	MISSING:(-9)	86	3.6 %	-

Based upon 2296 valid cases out of 2382 total cases.

V6118	**096B26A:#X LSD/LIFETIME**

Location:	299-300 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00890

Question Number(s): 6B26A

On how many occasions (if any) have you used LSD

("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2260	94.9 %	97.3%
2	1-2X:(2)	31	1.3 %	1.3%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	59	2.5 %	-

Based upon 2323 valid cases out of 2382 total cases.

V6119	**096B26B:#X LSD/LAST 12MO**

Location:	301-302 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00900

Question Number(s): 6B26B

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2284	95.9 %	98.4%
2	1-2X:(2)	23	1.0 %	1.0%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	60	2.5 %	-

Based upon 2322 valid cases out of 2382 total cases.

V6120	**096B26C:#X LSD/LAST 30DA**

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00910

Question Number(s): 6B26C

On how many occasions (if any) have you used LSD ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2316	97.2 %	99.7%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	59	2.5 %	-

Based upon 2323 valid cases out of 2382 total cases.

V6121	**096B27A:#X PSYD/LIFETIME**

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00920

Question Number(s): 6B27A

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2169	91.1 %	93.5%
2	1-2X:(2)	84	3.5 %	3.6%
3	3-5X:(3)	38	1.6 %	1.6%
4	6-9X:(4)	17	0.7 %	0.7%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2321 valid cases out of 2382 total cases.

V6122	**096B27B:#X PSYD/LAST12MO**

Location:	307-308 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00930

Question Number(s): 6B27B

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2224	93.4 %	95.9%
2	1-2X:(2)	68	2.9 %	2.9%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	62	2.6 %	-

Based upon 2320 valid cases out of 2382 total cases.

V6123	**096B27C:#X PSYD/LAST30DA**

Location:	309-310 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00940

Question Number(s): 6B27C

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2294	96.3 %	98.9%
2	1-2X:(2)	20	0.8 %	0.9%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	3	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	63	2.6 %	-

Based upon 2319 valid cases out of 2382 total cases.

V6127	**096B28A:#X AMPH/LIFETIME**

Location:	311-312 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00980

Question Number(s): 6B28A

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-thecounter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own, that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2097	88.0 %	90.4%
2	1-2X:(2)	77	3.2 %	3.3%
3	3-5X:(3)	45	1.9 %	1.9%
4	6-9X:(4)	28	1.2 %	1.2%
5	10-19X:(5)	31	1.3 %	1.3%
6	20-39X:(6)	17	0.7 %	0.7%
7	40+OCCAS:(7)	24	1.0 %	1.0%
-9 (M)	MISSING:(-9)	63	2.6 %	-

Based upon 2319 valid cases out of 2382 total cases.

V6128	**096B28B:#X AMPH/LAST12MO**

Location:	313-314 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00990

Question Number(s): 6B28B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2179	91.5 %	93.9%
2	1-2X:(2)	66	2.8 %	2.8%
3	3-5X:(3)	28	1.2 %	1.2%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	25	1.0 %	1.1%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	8	0.3 %	0.3%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2321 valid cases out of 2382 total cases.

V6129	096B28C:#X AMPH/LAST30DA

Location:	315-316 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01000

Question Number(s): 6B28C

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2270	95.3 %	97.8%
2	1-2X:(2)	29	1.2 %	1.2%
3	3-5X:(3)	13	0.5 %	0.6%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	61	2.6 %	-

Based upon 2321 valid cases out of 2382 total cases.

V6517	096B29A:#X CRACK/LIFETIM

Location:	317-318 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22260

Question Number(s): 6B29A

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2254	94.6 %	97.3%
2	1-2X (2)	33	1.4 %	1.4%
3	3-5X (3)	7	0.3 %	0.3%
4	6-9X (4)	7	0.3 %	0.3%
5	10-19X (5)	5	0.2 %	0.2%
6	20-39X (6)	1	0.0 %	0.0%
7	40+X (7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2316 valid cases out of 2382 total cases.

V6518	096B29B:#X CRACK/LAST12M

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22270

Question Number(s): 6B29B

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2284	95.9 %	98.6%
2	1-2X (2)	20	0.8 %	0.9%
3	3-5X (3)	5	0.2 %	0.2%
4	6-9X (4)	1	0.0 %	0.0%
5	10-19X (5)	3	0.1 %	0.1%
6	20-39X (6)	2	0.1 %	0.1%
7	40+X (7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2316 valid cases out of 2382 total cases.

V6519	096B29C:#X CRACK/LAST30D

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22280

Question Number(s): 6B29C

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2304	96.7 %	99.5%
2	1-2X (2)	8	0.3 %	0.3%
3	3-5X (3)	2	0.1 %	0.1%
4	6-9X (4)	1	0.0 %	0.0%
7	40+X (7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	66	2.8 %	-

Based upon 2316 valid cases out of 2382 total cases.

V6520	**096B30A:#XOTH COKE/LIFE**

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22320

Question Number(s): 6B30A

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2190	91.9 %	94.7%
2	1-2X (2)	60	2.5 %	2.6%
3	3-5X (3)	18	0.8 %	0.8%
4	6-9X (4)	7	0.3 %	0.3%
5	10-19X (5)	12	0.5 %	0.5%

Value	Label	Unweighted Frequency	%	Valid %
6	20-39X (6)	7	0.3 %	0.3%
7	40+X (7)	18	0.8 %	0.8%
-9 (M)	MISSING:(-9)	70	2.9 %	-

Based upon 2312 valid cases out of 2382 total cases.

V6521	**096B30B:#XOTH COKE/12MO**

Location:	325-326 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22330

Question Number(s): 6B30B

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2243	94.2 %	97.0%
2	1-2X (2)	38	1.6 %	1.6%
3	3-5X (3)	13	0.5 %	0.6%
4	6-9X (4)	5	0.2 %	0.2%
5	10-19X (5)	3	0.1 %	0.1%
6	20-39X (6)	6	0.3 %	0.3%
7	40+X (7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	70	2.9 %	-

Based upon 2312 valid cases out of 2382 total cases.

V6522	**096B30C:#XOTH COKE/30DA**

Location:	327-328 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22340

Question Number(s): 6B30C

On how many occasions (if any) have you used cocaine in any

other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2292	96.2 %	99.2%
2	1-2X (2)	12	0.5 %	0.5%
3	3-5X (3)	3	0.1 %	0.1%
4	6-9X (4)	2	0.1 %	0.1%
7	40+X (7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2311 valid cases out of 2382 total cases.

V6124	**096R :#X COKE/LIFETIME**

Location:	329-330 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00950

Question Number(s): 6B30X

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2167	91.0 %	93.8%
2	1-2X:(2)	58	2.4 %	2.5%
3	3-5X:(3)	33	1.4 %	1.4%
4	6-9X:(4)	12	0.5 %	0.5%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	9	0.4 %	0.4%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2311 valid cases out of 2382 total cases.

V6125	096R :#X COKE/LAST12MO

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00960

Question Number(s): 6B30Y

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2226	93.5 %	96.3%
2	1-2X:(2)	45	1.9 %	1.9%
3	3-5X:(3)	20	0.8 %	0.9%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	6	0.3 %	0.3%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2311 valid cases out of 2382 total cases.

V6126	096R :#X COKE/LAST30DA

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00970

Question Number(s): 6B30Z

Component questions: "On how many occasions (if any) have you
used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in
any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2286	96.0 %	99.0%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	72	3.0 %	-

Based upon 2310 valid cases out of 2382 total cases.

V6133	096B31A:#X SED/BARB/LIFE

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 01042

Question Number(s): 6B31A

Sedatives, including barbiturates, are sometimes prescribed
by doctors to help people relax or get to sleep. They are
sometimes called downs or downers, and include phenobarbital,
Tuinal, Nembutal, and Seconal. On how many occasions (if any)
have you taken sedatives on your own--that is, without a
doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2121	89.0 %	92.0%
2	1-2X:(2)	86	3.6 %	3.7%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	27	1.1 %	1.2%
5	10-19X:(5)	16	0.7 %	0.7%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2305 valid cases out of 2382 total cases.

V6134	096B31B:#X SED/BARB/12MO

Location:	337-338 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01052

Question Number(s): 6B31B

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2183	91.6 %	94.6%
2	1-2X:(2)	66	2.8 %	2.9%
3	3-5X:(3)	29	1.2 %	1.3%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	6	0.3 %	0.3%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2308 valid cases out of 2382 total cases.

V6135	096B31C:#X SED/BARB/30DA

| Location: | 339-340 (width: 2; decimal: 0) |
| Variable Type: | numeric |

Range of Missing Values (M):	-9
Question:	

Item Number: 01062

Question Number(s): 6B31C

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2253	94.6 %	97.7%
2	1-2X:(2)	34	1.4 %	1.5%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	76	3.2 %	-

Based upon 2306 valid cases out of 2382 total cases.

V6136	**096B32A:#X TRQL/LIFETIME**

Location:	341-342 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01070

Question Number(s): 6B32A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2091	87.8 %	90.6%
2	1-2X:(2)	89	3.7 %	3.9%
3	3-5X:(3)	39	1.6 %	1.7%
4	6-9X:(4)	22	0.9 %	1.0%
5	10-19X:(5)	28	1.2 %	1.2%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2308 valid cases out of 2382 total cases.

V6137	**096B32B:#X TRQL/LAST12MO**

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01080

Question Number(s): 6B32B

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2167	91.0 %	93.9%
2	1-2X:(2)	66	2.8 %	2.9%
3	3-5X:(3)	27	1.1 %	1.2%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	7	0.3 %	0.3%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2308 valid cases out of 2382 total cases.

V6138	**096B32C:#X TRQL/LAST30DA**

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 01090

Question Number(s): 6B32C

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2250	94.5 %	97.5%
2	1-2X:(2)	36	1.5 %	1.6%
3	3-5X:(3)	10	0.4 %	0.4%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	74	3.1 %	-

Based upon 2308 valid cases out of 2382 total cases.

V6511	**096B33A:#X H LIF USE NDL**

Location:	347-348 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29630

Question Number(s): 6B33A

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2297	96.4 %	99.5%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	7	0.3 %	0.3%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	73	3.1 %	-

Based upon 2309 valid cases out of 2382 total cases.

V6512	**096B33B:#X H 12M USE NDL**

Location:	349-350 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29640

Question Number(s): 6B33B

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2308	96.9 %	99.8%
2	1-2X:(2)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	70	2.9 %	-

Based upon 2312 valid cases out of 2382 total cases.

V6513	**096B33C:#X H 30D USE NDL**

Location:	351-352 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29650

Question Number(s): 6B33C

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2308	96.9 %	99.9%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	72	3.0 %	-

Based upon 2310 valid cases out of 2382 total cases.

V6514	**096B34A:#X H LIF W/O NDL**

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29660

Question Number(s): 6B34A

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2288	96.1 %	99.3%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2303 valid cases out of 2382 total cases.

V6515	**096B34B:#X H 12M W/O NDL**

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 29670

Question Number(s): 6B34B

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2297	96.4 %	99.7%
2	1-2X:(2)	6	0.3 %	0.3%
3	3-5X:(3)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2305 valid cases out of 2382 total cases.

V6516	096B34C:#X H 30D W/O NDL

Location:	357-358 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29680

Question Number(s): 6B34C

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2302	96.6 %	100.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2303 valid cases out of 2382 total cases.

V6139	096R* :#X H/LIFETIME

Location:	359-360 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 01100

Question Number(s): 6B34X

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2290	96.1 %	99.0%
2	1-2X:(2)	14	0.6 %	0.6%
3	3-5X:(3)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	70	2.9 %	-

Based upon 2312 valid cases out of 2382 total cases.

V6140	**096R* :#X H/LAST12MO**

Location: | 361-362 (width: 2; decimal: 0)
Variable Type: | numeric
Range of Missing Values (M): | -9
Question:

Item Number: 01110

Question Number(s): 6B34Y

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2305	96.8 %	99.6%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	68	2.9 %	-

Based upon 2314 valid cases out of 2382 total cases.

V6141	**096R* :#X H/LAST30DAY**

Location:	363-364 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01120

Question Number(s): 6B34Z

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2310	97.0 %	99.9%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	70	2.9 %	-

Based upon 2312 valid cases out of 2382 total cases.

V6142	**096B35A:#X NARC/LIFETIME**

Location:	365-366 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01130

Question Number(s): 6B35A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2016	84.6 %	87.6%
2	1-2X:(2)	96	4.0 %	4.2%
3	3-5X:(3)	56	2.4 %	2.4%
4	6-9X:(4)	37	1.6 %	1.6%
5	10-19X:(5)	36	1.5 %	1.6%
6	20-39X:(6)	17	0.7 %	0.7%
7	40+OCCAS:(7)	44	1.8 %	1.9%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2302 valid cases out of 2382 total cases.

V6143	**096B35B:#X NARC/LAST12MO**

Location:	367-368 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 01140

Question Number(s): 6B35B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2097	88.0 %	91.1%
2	1-2X:(2)	83	3.5 %	3.6%

Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	43	1.8 %	1.9%
4	6-9X:(4)	29	1.2 %	1.3%
5	10-19X:(5)	24	1.0 %	1.0%
6	20-39X:(6)	10	0.4 %	0.4%
7	40+OCCAS:(7)	17	0.7 %	0.7%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2303 valid cases out of 2382 total cases.

V6144	**096B35C:#X NARC/LAST30DA**

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 01150

Question Number(s): 6B35C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2219	93.2 %	96.4%
2	1-2X:(2)	37	1.6 %	1.6%
3	3-5X:(3)	26	1.1 %	1.1%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	79	3.3 %	-

Based upon 2303 valid cases out of 2382 total cases.

V129	**096B36A:#X METHAMPH/LIFE**

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30800

Question Number(s): 6B36A

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2252	94.5 %	98.0%
2	1-2X:(2)	24	1.0 %	1.0%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	85	3.6 %	-

Based upon 2297 valid cases out of 2382 total cases.

V130	096B36B:#X METHAMPH/12MO

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30810

Question Number(s): 6B36B

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2235	93.8 %	99.1%
2	1-2X:(2)	13	0.5 %	0.6%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	127	5.3 %	-

Based upon 2255 valid cases out of 2382 total cases.

V131	**096B36C:#X METHAMPH/30DA**

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30820

Question Number(s): 6B36C

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2243	94.2 %	99.7%
2	1-2X:(2)	5	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	132	5.5 %	-

Based upon 2250 valid cases out of 2382 total cases.

V6148	**096C01(R):AGE <>18 DICHOTOMY**

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 6C01-2

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%	Valid %
1	< 18:(1)	1034	43.4 %	44.7%
2	18+:(2)	1277	53.6 %	55.3%
-9 (M)	MISSING:(-9)	71	3.0 %	-

Based upon 2311 valid cases out of 2382 total cases.

V6150	**096C03 :Rs SEX**

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00030

Question Number(s): 6C03

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1078	45.3 %	47.7%
2	FEMALE:(2)	1183	49.7 %	52.3%
-9 (M)	MISSING:(-9)	121	5.1 %	-

Based upon 2261 valid cases out of 2382 total cases.

V6151	**096C04(R):R'S RACEB/W/H**

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 6C04A-I

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell

into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
3="Hispanic" [see above].

Value	Label	Unweighted Frequency	%	Valid %
1	BLACK: (1)	250	10.5 %	12.8%
2	WHITE: (2)	1320	55.4 %	67.4%
3	HISPANIC: (3)	389	16.3 %	19.9%
-9 (M)	MISSING:(-9)	423	17.8 %	-

Based upon 1959 valid cases out of 2382 total cases.

V6152	**096C05 :R SPD >TIM R-URB**

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00050

Question Number(s): 6C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small
city or town (under 50,000 people)" 4="In a medium-sized city
(50,000-100,000)" 5="In a suburb of a medium-sized city"
6="In a large city (100,000-500,000)" 7="In a suburb of a
large city" 8="In a very large city (over 500,000)" 9="In a
suburb of a very large city" 0="Can't say; mixed" and
nonresponse

Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	265	11.1 %	11.1%
1	FARM:(1)	72	3.0 %	3.0%
2	COUNTRY:(2)	225	9.4 %	9.4%
3	SML TOWN:(3)	539	22.6 %	22.6%
4	MED CITY:(4)	319	13.4 %	13.4%
5	SUBURB 4:(5)	240	10.1 %	10.1%
6	LRG CITY:(6)	260	10.9 %	10.9%
7	SUBURB 6:(7)	164	6.9 %	6.9%
8	VRYLG CY:(8)	187	7.9 %	7.9%
9	SUBURB 8:(9)	111	4.7 %	4.7%

Based upon 2382 valid cases out of 2382 total cases.

V6153	**096C06 :R NOT MARRIED**

Location:	385-386 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00060

Question Number(s): 6C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	69	2.9 %	3.0%
2	ENGAGED:(2)	126	5.3 %	5.5%
3	SEP/DIV:(3)	27	1.1 %	1.2%
4	SINGLE:(4)	2085	87.5 %	90.4%
-9 (M)	MISSING:(-9)	75	3.1 %	-

Based upon 2307 valid cases out of 2382 total cases.

V49	**096C07(R):#SIBLINGS**

Location:	387-388 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number:

Question Number(s): 6C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	150	6.3 %	6.5%
1	ONE:(1)	663	27.8 %	28.7%
2	TWO:(2)	606	25.4 %	26.2%
3	3 OR MORE:(3)	891	37.4 %	38.6%
-9 (M)	MISSING:(-9)	72	3.0 %	-

Based upon 2310 valid cases out of 2382 total cases.

| **V6155** | **096C07Cb(R):R'S HSHLD FATHER** |

Location:	389-390 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00090

Question Number(s): 6C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	635	26.7 %	27.5%
1	MARKED:(1)	1670	70.1 %	72.5%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2305 valid cases out of 2382 total cases.

| **V6156** | **096C07Cc(R):R'S HSHLD MOTHER** |

Location:	391-392 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00100

Question Number(s): 6C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	261	11.0 %	11.3%
1	MARKED:(1)	2044	85.8 %	88.7%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2305 valid cases out of 2382 total cases.

V6157	**096C07Cd(R):R'S HSHLD BR/SR**

Location:	393-394 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00110

Question Number(s): 6C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	779	32.7 %	33.8%
1	MARKED:(1)	1526	64.1 %	66.2%
-9 (M)	MISSING:(-9)	77	3.2 %	-

Based upon 2305 valid cases out of 2382 total cases.

V6163	**096C08 :FATHR EDUC LEVEL**

Location:	395-396 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00310

Question Number(s): 6C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	119	5.0 %	5.2%
2	SOME HS:(2)	235	9.9 %	10.2%
3	HS GRAD:(3)	610	25.6 %	26.4%
4	SOME CLG:(4)	382	16.0 %	16.5%
5	CLG GRAD:(5)	496	20.8 %	21.5%
6	GRAD SCH:(6)	276	11.6 %	11.9%
7	DK:(7)	192	8.1 %	8.3%
-9 (M)	MISSING:(-9)	72	3.0 %	-

Based upon 2310 valid cases out of 2382 total cases.

V6164	096C09 :MOTHR EDUC LEVEL

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00320

Question Number(s): 6C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed
college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	96	4.0 %	4.2%
2	SOME HS:(2)	187	7.9 %	8.1%
3	HS GRAD:(3)	543	22.8 %	23.6%
4	SOME CLG:(4)	477	20.0 %	20.7%
5	CLG GRAD:(5)	594	24.9 %	25.8%
6	GRAD SCH:(6)	291	12.2 %	12.6%
7	DK:(7)	114	4.8 %	5.0%
-9 (M)	MISSING:(-9)	80	3.4 %	-

Based upon 2302 valid cases out of 2382 total cases.

V6165	096C10 :MOTH PD JB R YNG

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00330

Question Number(s): 6C10

Did your mother have a paid job (half-time or more) during
the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes,
most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	305	12.8 %	13.3%
2	SOMETIME:(2)	414	17.4 %	18.0%
3	MOSTTIME:(3)	408	17.1 %	17.8%
4	ALL TIME:(4)	1168	49.0 %	50.9%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2295 valid cases out of 2382 total cases.

V6166	096C11 :Rs POLTL PRFNC

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00340

Question Number(s): 6C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly
Democrat" 4="Strongly Democrat" 5="Independent" 6="No
preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	206	8.6 %	9.3%
2	MILD GOP:(2)	276	11.6 %	12.4%
3	MILD DEM:(3)	354	14.9 %	15.9%
4	STRG DEM:(4)	339	14.2 %	15.2%
5	INDEPNDT:(5)	212	8.9 %	9.5%
6	NO PREF:(6)	331	13.9 %	14.9%
7	OTHER:(7)	37	1.6 %	1.7%
8	DK:(8)	469	19.7 %	21.1%
-9 (M)	MISSING:(-9)	158	6.6 %	-

Based upon 2224 valid cases out of 2382 total cases.

V6167	096C12 :R POL BLF RADCL

Location:	403-404 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00350

Question Number(s): 6C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of
the above, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	VRY CONS:(1)	110	4.6 %	4.8%
2	CONSERV:(2)	282	11.8 %	12.4%
3	MODERATE:(3)	563	23.6 %	24.7%
4	LIBERAL:(4)	419	17.6 %	18.4%
5	VRY LIB:(5)	128	5.4 %	5.6%
6	RADICAL:(6)	42	1.8 %	1.8%
8	NONE/DK:(8)	739	31.0 %	32.4%
-9 (M)	MISSING:(-9)	99	4.2 %	-

Based upon 2283 valid cases out of 2382 total cases.

V6169	096C13B:R ATTND REL SVC

Location:	405-406 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00370

Question Number(s): 6C13B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once
a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	377	15.8 %	21.2%
2	RARELY:(2)	622	26.1 %	35.0%

Value	Label	Unweighted Frequency	%	Valid %
3	1-2X/MO:(3)	268	11.3 %	15.1%
4	1/WK OR+:(4)	510	21.4 %	28.7%
-9 (M)	MISSING:(-9)	605	25.4 %	-

Based upon 1777 valid cases out of 2382 total cases.

V6170	**096C13C:RLGN IMP Rs LF**

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00380

Question Number(s): 6C13C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"
4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	357	15.0 %	20.1%
2	LITL IMP:(2)	470	19.7 %	26.5%
3	PRTY IMP:(3)	465	19.5 %	26.2%
4	VERY IMP:(4)	484	20.3 %	27.3%
-9 (M)	MISSING:(-9)	606	25.4 %	-

Based upon 1776 valid cases out of 2382 total cases.

V6171	**096C14 :WHEN R XPCT GRAD**

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 6C14

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%	Valid %
1	BY JUNE:(1)	2269	95.3 %	98.5%
2	JULY-JAN:(2)	26	1.1 %	1.1%
6	WONT:(6)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	78	3.3 %	-

Based upon 2304 valid cases out of 2382 total cases.

V6172	**096C15 :Rs HS PROGRAM**

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00400

Question Number(s): 6C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1258	52.8 %	54.9%
2	GENERAL:(2)	698	29.3 %	30.4%
3	VOC-TECH:(3)	105	4.4 %	4.6%
4	OTH/DK:(4)	232	9.7 %	10.1%
-9 (M)	MISSING:(-9)	89	3.7 %	-

Based upon 2293 valid cases out of 2382 total cases.

V6173	**096C16 :RT SF SCH AB>AVG**

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00410

Question Number(s): 6C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	29	1.2 %	1.3%
2	BELOW AV:(2)	34	1.4 %	1.5%
3	SL BELOW:(3)	103	4.3 %	4.5%
4	AVERAGE:(4)	701	29.4 %	30.7%
5	SL ABOVE:(5)	564	23.7 %	24.7%
6	ABOVE AV:(6)	677	28.4 %	29.6%
7	FAR ABOV:(7)	176	7.4 %	7.7%
-9 (M)	MISSING:(-9)	98	4.1 %	-

Based upon 2284 valid cases out of 2382 total cases.

V6174	**096C17 :RT SF INTELL>AVG**

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00420

Question Number(s): 6C17

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	28	1.2 %	1.2%
2	BELOW AV:(2)	28	1.2 %	1.2%
3	SL BELOW:(3)	93	3.9 %	4.0%
4	AVERAGE:(4)	666	28.0 %	29.0%
5	SL ABOVE:(5)	576	24.2 %	25.1%
6	ABOVE AV:(6)	709	29.8 %	30.9%
7	FAR ABOV:(7)	198	8.3 %	8.6%
-9 (M)	MISSING:(-9)	84	3.5 %	-

Based upon 2298 valid cases out of 2382 total cases.

V6175	**096C18A:#DA/4W SC MS ILL**

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00430

Question Number(s): 6C18A

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1312	55.1 %	57.9%
2	1 DAY:(2)	394	16.5 %	17.4%
3	2 DAYS:(3)	261	11.0 %	11.5%
4	3 DAYS:(4)	148	6.2 %	6.5%
5	4-5 DAYS:(5)	94	3.9 %	4.2%
6	6-10 DA:(6)	37	1.6 %	1.6%
7	11+ DAYS:(7)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	117	4.9 %	-

Based upon 2265 valid cases out of 2382 total cases.

V6176	096C18B:#DA/4W SC MS CUT

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00440

Question Number(s): 6C18B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1588	66.7 %	71.1%
2	1 DAY:(2)	291	12.2 %	13.0%
3	2 DAYS:(3)	161	6.8 %	7.2%
4	3 DAYS:(4)	82	3.4 %	3.7%

Value	Label	Unweighted Frequency	%	Valid %
5	4-5 DAYS:(5)	58	2.4 %	2.6%
6	6-10 DA:(6)	29	1.2 %	1.3%
7	11+ DAYS:(7)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	148	6.2 %	-

Based upon 2234 valid cases out of 2382 total cases.

V6177	**096C18C:#DA/4W SC MS OTH**

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 6C18C

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10
Days" 7="11 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1273	53.4 %	56.2%
2	1 DAY:(2)	486	20.4 %	21.5%
3	2 DAYS:(3)	251	10.5 %	11.1%
4	3 DAYS:(4)	107	4.5 %	4.7%
5	4-5 DAYS:(5)	84	3.5 %	3.7%
6	6-10 DA:(6)	44	1.8 %	1.9%
7	11+ DAYS:(7)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	117	4.9 %	-

Based upon 2265 valid cases out of 2382 total cases.

V6178	**096C19 :#DA/4W SKP CLASS**

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00460

Question Number(s): 6C19

During the LAST FOUR WEEKS, how often have you gone to

school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1628	68.3 %	70.9%
2	1-2:(2)	410	17.2 %	17.9%
3	3-5:(3)	166	7.0 %	7.2%
4	6-10:(4)	59	2.5 %	2.6%
5	11-20:(5)	19	0.8 %	0.8%
6	21+:(6)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	87	3.7 %	-

Based upon 2295 valid cases out of 2382 total cases.

V6179	**096C20 :R HS GRADE/D = 1**

Location:	425-426 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00470

Question Number(s): 6C20

Which of the following best describes your average grade
so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	20	0.8 %	0.9%
2	C-:(2)	48	2.0 %	2.1%
3	C:(3)	115	4.8 %	5.0%
4	C+:(4)	205	8.6 %	9.0%
5	B-:(5)	251	10.5 %	11.0%
6	B:(6)	402	16.9 %	17.6%
7	B+:(7)	427	17.9 %	18.7%
8	A-:(8)	411	17.3 %	18.0%
9	A:(9)	409	17.2 %	17.9%
-9 (M)	MISSING:(-9)	94	3.9 %	-

Based upon 2288 valid cases out of 2382 total cases.

V6180	096C21A:R WL DO VOC/TEC

Location:	427-428 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00480

Question Number(s): 6C21A

How likely is it that you will do each of the following
things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1295	54.4 %	58.5%
2	PRB WONT:(2)	517	21.7 %	23.4%
3	PRB WILL:(3)	247	10.4 %	11.2%
4	DEF WILL:(4)	155	6.5 %	7.0%
-9 (M)	MISSING:(-9)	168	7.1 %	-

Based upon 2214 valid cases out of 2382 total cases.

V6181	096C21B:R WL DO ARMD FC

Location:	429-430 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00490

Question Number(s): 6C21B

How likely is it that you will do each of the following
things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1625	68.2 %	73.1%
2	PRB WONT:(2)	378	15.9 %	17.0%
3	PRB WILL:(3)	126	5.3 %	5.7%

Value	Label	Unweighted Frequency	%	Valid %
4	DEF WILL:(4)	93	3.9 %	4.2%
-9 (M)	MISSING:(-9)	160	6.7 %	-

Based upon 2222 valid cases out of 2382 total cases.

V6182	**096C21C:R WL DO 2YR CLG**

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00500

Question Number(s): 6C21C

How likely is it that you will do each of the following
things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	860	36.1 %	38.9%
2	PRB WONT:(2)	394	16.5 %	17.8%
3	PRB WILL:(3)	477	20.0 %	21.6%
4	DEF WILL:(4)	479	20.1 %	21.7%
-9 (M)	MISSING:(-9)	172	7.2 %	-

Based upon 2210 valid cases out of 2382 total cases.

V6183	**096C21D:R WL DO 4YR CLG**

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00510

Question Number(s): 6C21D

How likely is it that you will do each of the following
things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	166	7.0 %	7.4%
2	PRB WONT:(2)	191	8.0 %	8.5%
3	PRB WILL:(3)	518	21.7 %	23.0%
4	DEF WILL:(4)	1381	58.0 %	61.2%
-9 (M)	MISSING:(-9)	126	5.3 %	-

Based upon 2256 valid cases out of 2382 total cases.

V6184	**096C21E:R WL DO GRD/PRF**

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00520

Question Number(s): 6C21E

How likely is it that you will do each of the following
things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	371	15.6 %	16.7%
2	PRB WONT:(2)	555	23.3 %	24.9%
3	PRB WILL:(3)	741	31.1 %	33.3%
4	DEF WILL:(4)	561	23.6 %	25.2%
-9 (M)	MISSING:(-9)	154	6.5 %	-

Based upon 2228 valid cases out of 2382 total cases.

V6185	**096C22A:R WNTDO VOC/TEC**

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00530

Question Number(s): 6C22A

Suppose you could do just what you'd like and nothing stood
in your way. How many of the following things would you WANT
to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1952	81.9 %	86.1%
1	MARKED:(1)	316	13.3 %	13.9%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2268 valid cases out of 2382 total cases.

V6186	**096C22B:R WNTDO ARMD FC**

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00540

Question Number(s): 6C22B

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1976	83.0 %	87.1%
1	MARKED:(1)	292	12.3 %	12.9%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2268 valid cases out of 2382 total cases.

V6187	**096C22C:R WNTDO 2YR CLG**

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00550

Question Number(s): 6C22C

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1615	67.8 %	71.2%
1	MARKED:(1)	653	27.4 %	28.8%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2268 valid cases out of 2382 total cases.

V6188	**096C22D:R WNTDO 4YR CLG**

Location:	443-444 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00560

Question Number(s): 6C22D

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	433	18.2 %	19.1%
1	MARKED:(1)	1835	77.0 %	80.9%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2268 valid cases out of 2382 total cases.

V6189	**096C22E:R WNTDO GRD/PRF**

Location:	445-446 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00570

Question Number(s): 6C22E

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	957	40.2 %	42.2%
1	MARKED:(1)	1311	55.0 %	57.8%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2268 valid cases out of 2382 total cases.

V6190	**096C22F:R WNTDO NONE**

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00580

Question Number(s): 6C22F

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2144	90.0 %	94.5%
1	MARKED:(1)	124	5.2 %	5.5%
-9 (M)	MISSING:(-9)	114	4.8 %	-

Based upon 2268 valid cases out of 2382 total cases.

V6191	**096C23 :HRS/W WRK SCHYR**

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00590

Question Number(s): 6C23

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"

8="More than 30 hours"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	873	36.6 %	38.4%
2	5 OR <:(2)	210	8.8 %	9.2%
3	6-10 HRS:(3)	277	11.6 %	12.2%
4	11-15 HR:(4)	248	10.4 %	10.9%
5	16-20 HR:(5)	241	10.1 %	10.6%
6	21-25 HR:(6)	181	7.6 %	8.0%
7	26-30 HR:(7)	120	5.0 %	5.3%
8	30+ HRS:(8)	126	5.3 %	5.5%
-9 (M)	MISSING:(-9)	106	4.5 %	-

Based upon 2276 valid cases out of 2382 total cases.

V6192	**096C24A:R$/AVG WEEK JOB**

Location: 451-453 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 00600

Question Number(s): 6C24A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	933	39.2 %	41.6%
2	$1-5:(2)	23	1.0 %	1.0%
3	$6-10:(3)	63	2.6 %	2.8%
4	$11-20:(4)	57	2.4 %	2.5%
5	$21-35:(5)	74	3.1 %	3.3%
6	$36-50:(6)	118	5.0 %	5.3%
7	$51-75:(7)	184	7.7 %	8.2%
8	$76-125:(8)	331	13.9 %	14.8%
9	$126-175:(9)	213	8.9 %	9.5%
10	$176+:(10)	245	10.3 %	10.9%
-9 (M)	MISSING:(-9)	141	5.9 %	-

Based upon 2241 valid cases out of 2382 total cases.

V6193	**096C24B:R$/AVG WEEK OTH**

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00610

Question Number(s): 6C24B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50"
7="$51-75" 8="$76-125" 9="$126-175" 10="$176+"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	904	38.0 %	41.1%
2	$1-5:(2)	114	4.8 %	5.2%
3	$6-10:(3)	194	8.1 %	8.8%
4	$11-20:(4)	339	14.2 %	15.4%
5	$21-35:(5)	269	11.3 %	12.2%
6	$36-50:(6)	149	6.3 %	6.8%
7	$51-75:(7)	75	3.1 %	3.4%
8	$76-125:(8)	65	2.7 %	3.0%
9	$126-175:(9)	30	1.3 %	1.4%
10	$176+:(10)	62	2.6 %	2.8%
-9 (M)	MISSING:(-9)	181	7.6 %	-

Based upon 2201 valid cases out of 2382 total cases.

V6194	**096C25 :#X/AV WK GO OUT**

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 00620

Question Number(s): 6C25

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	280	11.8 %	12.4%
2	ONE:(2)	327	13.7 %	14.5%
3	TWO:(3)	557	23.4 %	24.7%
4	THREE:(4)	569	23.9 %	25.2%
5	4-5:(5)	352	14.8 %	15.6%
6	6-7:(6)	174	7.3 %	7.7%
-9 (M)	MISSING:(-9)	123	5.2 %	-

Based upon 2259 valid cases out of 2382 total cases.

V6195	**096C26 :#X DATE 3+/WK**

Location:	459-460 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00630

Question Number(s): 6C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	674	28.3 %	30.0%
2	1/MO OR<:(2)	408	17.1 %	18.1%
3	2-3/MO:(3)	355	14.9 %	15.8%
4	1/WK:(4)	304	12.8 %	13.5%
5	2-3/WK:(5)	305	12.8 %	13.6%
6	3+/WK:(6)	203	8.5 %	9.0%
-9 (M)	MISSING:(-9)	133	5.6 %	-

Based upon 2249 valid cases out of 2382 total cases.

V6196	**096C27 :DRIVE>200 MI/WK**

Location:	461-462 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00640

Question Number(s): 6C27

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	514	21.6 %	22.8%
2	1-10 MI:(2)	217	9.1 %	9.6%
3	11-50:(3)	562	23.6 %	24.9%
4	51-100:(4)	497	20.9 %	22.0%
5	101-200:(5)	291	12.2 %	12.9%
6	> 200:(6)	177	7.4 %	7.8%
-9 (M)	MISSING:(-9)	124	5.2 %	-

Based upon 2258 valid cases out of 2382 total cases.

V6197	096C28 :#X/12MO R TCKTD

Location:	463-464 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00650

Question Number(s): 6C28

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1748	73.4 %	77.9%
1	ONE:(1)	300	12.6 %	13.4%
2	TWO:(2)	136	5.7 %	6.1%
3	THREE:(3)	37	1.6 %	1.6%
4	4+:(4)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	139	5.8 %	-

Based upon 2243 valid cases out of 2382 total cases.

V6198	096C29AR:#TCKTS AFT DRNK

Location:	465-466 (width: 2; decimal: 0)

Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00660

Question Number(s): 6C29A

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	464	19.5 %	93.9%
1	ONE:(1)	17	0.7 %	3.4%
2	TWO:(2)	9	0.4 %	1.8%
3	3 - 4 OR +:(3-4)	4	0.2 %	0.8%
-9 (M)	MISSING:(-9)	1888	79.3 %	-

Based upon 494 valid cases out of 2382 total cases.

V6199   096C29BR:#TCKTS AFT MARJ

Location:	467-468 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00670

Question Number(s): 6C29B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	451	18.9 %	91.9%
1	ONE:(1)	27	1.1 %	5.5%
2	TWO:(2)	8	0.3 %	1.6%
3	3 - 4 OR +:(3-4)	5	0.2 %	1.0%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	1891	79.4 %	-

Based upon 491 valid cases out of 2382 total cases.

V6200	**096C29CR:#TCKTS AFT OTDG**			

Location:	469-470 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00680

Question Number(s): 6C29C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	475	19.9 %	97.3%
1	ONE:(1)	8	0.3 %	1.6%
2	TWO:(2)	2	0.1 %	0.4%
3	3 - 4 OR +:(3-4)	3	0.1 %	0.6%
-9 (M)	MISSING:(-9)	1894	79.5 %	-

Based upon 488 valid cases out of 2382 total cases.

V6201	**096C30 :#ACCIDNTS/12 MO**			

Location:	471-472 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00690

Question Number(s): 6C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"

4="Four or more times"

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1848	77.6 %	82.5%
1	ONE:(1)	305	12.8 %	13.6%
2	TWO:(2)	64	2.7 %	2.9%
3	THREE:(3)	14	0.6 %	0.6%
4	4+:(4)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	142	6.0 %	-

Based upon 2240 valid cases out of 2382 total cases.

V6202	**096C31AR:#ACDTS AFT DRNK**

Location:	473-474 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00700

Question Number(s): 6C31A

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	375	15.7 %	95.7%
1	ONE:(1)	13	0.5 %	3.3%
2	TWO:(2)	2	0.1 %	0.5%
3	3 - 4 OR +:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1990	83.5 %	-

Based upon 392 valid cases out of 2382 total cases.

V6203	**096C31BR:#ACDTS AFT MARJ**

Location:	475-476 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00710

Question Number(s): 6C31B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	380	16.0 %	97.7%
1	ONE:(1)	6	0.3 %	1.5%
2	TWO:(2)	1	0.0 %	0.3%
3	3 - 4 OR +:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1993	83.7 %	-

Based upon 389 valid cases out of 2382 total cases.

V6204 — 096C31CR:#ACDTS AFT OTDG

Location:	477-478 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 00720

Question Number(s): 6C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	384	16.1 %	98.7%
1	ONE:(1)	3	0.1 %	0.8%
2	TWO:(2)	1	0.0 %	0.3%
3	3 - 4 OR +:(3-4)	1	0.0 %	0.3%
-9 (M)	MISSING:(-9)	1993	83.7 %	-

Based upon 389 valid cases out of 2382 total cases.

V6205 — 096C32 :USE SEATBLT-DRVR

Location:	479-480 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 22210

Question Number(s): 6C32

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"
8="Does Not Apply"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	100	4.2 %	4.5%
2	SELDOM:(2)	94	3.9 %	4.2%
3	SOMETIME:(3)	124	5.2 %	5.6%
4	OFTEN:(4)	197	8.3 %	8.8%
5	ALWAYS:(5)	1570	65.9 %	70.3%
8	INAP:(8)	149	6.3 %	6.7%
-9 (M)	MISSING:(-9)	148	6.2 %	-

Based upon 2234 valid cases out of 2382 total cases.

V6206	**096C33 :USE SEATBLT-RIDR**

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 22220

Question Number(s): 6C33

When you are riding in the front passenger seat of a car,
how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"
8="Does Not Apply"

Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	88	3.7 %	3.9%
2	SELDOM:(2)	104	4.4 %	4.7%
3	SOMETIME:(3)	151	6.3 %	6.8%
4	OFTEN:(4)	332	13.9 %	14.9%
5	ALWAYS:(5)	1545	64.9 %	69.1%
8	INAP:(8)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	147	6.2 %	-

Based upon 2235 valid cases out of 2382 total cases.

V6560	**096D01 :#X ANTISMK TV/RD**

Location:	483-484 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30260

Question Number(s): 6D01

The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	283	11.9 %	12.6%
2	<1X/MO:(2)	295	12.4 %	13.1%
3	1-3/MO:(3)	539	22.6 %	24.0%
4	1-3/WK:(4)	598	25.1 %	26.6%
5	ABT DAILY:(5)	414	17.4 %	18.4%
6	> DAILY:(6)	115	4.8 %	5.1%
-9 (M)	MISSING:(-9)	138	5.8 %	-

Based upon 2244 valid cases out of 2382 total cases.

V6561	**096D02 :#X ANTISMK PRINT**

Location:	485-486 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30270

Question Number(s): 6D02

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	487	20.4 %	21.8%

Value	Label	Unweighted Frequency	%	Valid %
2	<1X/MO:(2)	575	24.1 %	25.7%
3	1-3/MO:(3)	653	27.4 %	29.2%
4	1-3/WK:(4)	321	13.5 %	14.3%
5	ABT DAILY:(5)	154	6.5 %	6.9%
6	> DAILY:(6)	49	2.1 %	2.2%
-9 (M)	MISSING:(-9)	143	6.0 %	-

Based upon 2239 valid cases out of 2382 total cases.

V6562	**096D03A:ANTISMK ADS<FVRB**

Location:	487-488 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30280

Question Number(s): 6D03A

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

A: . . . made you less favorable toward smoking cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	720	30.2 %	32.5%
2	LITTLE:(2)	407	17.1 %	18.3%
3	SOME:(3)	551	23.1 %	24.8%
4	GREAT:(4)	258	10.8 %	11.6%
5	VRY GREAT:(5)	282	11.8 %	12.7%
-9 (M)	MISSING:(-9)	164	6.9 %	-

Based upon 2218 valid cases out of 2382 total cases.

V6563	**096D03B:ANTISMK ADS<LKLY**

Location:	489-490 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30290

Question Number(s): 6D03B

To what extent do you think such ads on TV, radio, and

billboards or in magazines and newspapers have . . .

B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	752	31.6 %	34.0%
2	LITTLE:(2)	352	14.8 %	15.9%
3	SOME:(3)	505	21.2 %	22.8%
4	GREAT:(4)	278	11.7 %	12.6%
5	VRY GREAT:(5)	326	13.7 %	14.7%
-9 (M)	MISSING:(-9)	169	7.1 %	-

Based upon 2213 valid cases out of 2382 total cases.

V6564	**096D03C:ANTISMK ADS EXAG**

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30300

Question Number(s): 6D03C

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	869	36.5 %	39.4%
2	LITTLE:(2)	396	16.6 %	18.0%
3	SOME:(3)	460	19.3 %	20.9%
4	GREAT:(4)	237	9.9 %	10.7%
5	VRY GREAT:(5)	244	10.2 %	11.1%
-9 (M)	MISSING:(-9)	176	7.4 %	-

Based upon 2206 valid cases out of 2382 total cases.

V6565	**096D04A:CIG SMKRS-ATHLTS**

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):	-9
Question:	

Item Number: 30310

Question Number(s): 6D04A

These days, how many people in the following groups would
you guess are regular cigarette smokers?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	939	39.4 %	42.4%
2	11%-30%:(2)	512	21.5 %	23.1%
3	31%-50%:(3)	274	11.5 %	12.4%
4	51%-70%:(4)	141	5.9 %	6.4%
5	71%-90%:(5)	58	2.4 %	2.6%
6	91%-100%:(6)	20	0.8 %	0.9%
8	NO IDEA:(8)	272	11.4 %	12.3%
-9 (M)	MISSING:(-9)	166	7.0 %	-

Based upon 2216 valid cases out of 2382 total cases.

V6566	**096D04B:CIG SMKRS-ROCKRS**

Location:	495-496 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30320

Question Number(s): 6D04B

These days, how many people in the following groups would
you guess are regular cigarette smokers?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	81	3.4 %	3.7%
2	11%-30%:(2)	98	4.1 %	4.4%
3	31%-50%:(3)	271	11.4 %	12.2%

Value	Label	Unweighted Frequency	%	Valid %
4	51%-70%:(4)	479	20.1 %	21.6%
5	71%-90%:(5)	651	27.3 %	29.4%
6	91%-100%:(6)	449	18.8 %	20.3%
8	NO IDEA:(8)	186	7.8 %	8.4%
-9 (M)	MISSING:(-9)	167	7.0 %	-

Based upon 2215 valid cases out of 2382 total cases.

V6567	**096D04C:CIG SMKRS-ACTORS**

Location:	497-498 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30330

Question Number(s): 6D04C

These days, how many people in the following groups would
you guess are regular cigarette smokers?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	103	4.3 %	4.7%
2	11%-30%:(2)	225	9.4 %	10.2%
3	31%-50%:(3)	475	19.9 %	21.5%
4	51%-70%:(4)	551	23.1 %	25.0%
5	71%-90%:(5)	463	19.4 %	21.0%
6	91%-100%:(6)	174	7.3 %	7.9%
8	NO IDEA:(8)	217	9.1 %	9.8%
-9 (M)	MISSING:(-9)	174	7.3 %	-

Based upon 2208 valid cases out of 2382 total cases.

V6568	**096D04D:CIG SMKRS-PEERS**

Location:	499-500 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30340

Question Number(s): 6D04D

These days, how many people in the following groups would
you guess are regular cigarette smokers?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	211	8.9 %	9.6%
2	11%-30%:(2)	469	19.7 %	21.3%
3	31%-50%:(3)	516	21.7 %	23.4%
4	51%-70%:(4)	471	19.8 %	21.4%
5	71%-90%:(5)	298	12.5 %	13.5%
6	91%-100%:(6)	103	4.3 %	4.7%
8	NO IDEA:(8)	135	5.7 %	6.1%
-9 (M)	MISSING:(-9)	179	7.5 %	-

Based upon 2203 valid cases out of 2382 total cases.

V6569	**096D05A:USE DRUGS-ATHLTS**

Location:	501-502 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22380

Question Number(s): 6D05A

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	625	26.2 %	28.3%
2	11%-30%:(2)	573	24.1 %	25.9%
3	31%-50%:(3)	307	12.9 %	13.9%
4	51%-70%:(4)	223	9.4 %	10.1%
5	71%-90%:(5)	144	6.0 %	6.5%
6	91%-100%:(6)	59	2.5 %	2.7%
8	NO IDEA:(8)	279	11.7 %	12.6%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	172	7.2 %	-

Based upon 2210 valid cases out of 2382 total cases.

V6570	096D05B:USE DRUGS-ROCKRS

Location:	503-504 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22390

Question Number(s): 6D05B

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	78	3.3 %	3.5%
2	11%-30%:(2)	104	4.4 %	4.7%
3	31%-50%:(3)	245	10.3 %	11.1%
4	51%-70%:(4)	392	16.5 %	17.8%
5	71%-90%:(5)	597	25.1 %	27.1%
6	91%-100%:(6)	569	23.9 %	25.8%
8	NO IDEA:(8)	219	9.2 %	9.9%
-9 (M)	MISSING:(-9)	178	7.5 %	-

Based upon 2204 valid cases out of 2382 total cases.

V6571	096D05C:USE DRUGS-ACTORS

Location:	505-506 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22400

Question Number(s): 6D05C

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	167	7.0 %	7.6%
2	11%-30%:(2)	338	14.2 %	15.3%
3	31%-50%:(3)	438	18.4 %	19.9%
4	51%-70%:(4)	479	20.1 %	21.7%
5	71%-90%:(5)	361	15.2 %	16.4%
6	91%-100%:(6)	160	6.7 %	7.3%
8	NO IDEA:(8)	263	11.0 %	11.9%
-9 (M)	MISSING:(-9)	176	7.4 %	-

Based upon 2206 valid cases out of 2382 total cases.

V6572	**096D05D:USE DRUGS-PEERS**

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22405

Question Number(s): 6D05D

How many people in the following groups would you guess use
illicit drugs (like marijuana, cocaine, etc.) occasionally
or regularly?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	221	9.3 %	10.0%
2	11%-30%:(2)	390	16.4 %	17.7%
3	31%-50%:(3)	474	19.9 %	21.5%
4	51%-70%:(4)	469	19.7 %	21.3%
5	71%-90%:(5)	316	13.3 %	14.4%
6	91%-100%:(6)	149	6.3 %	6.8%
8	NO IDEA:(8)	182	7.6 %	8.3%
-9 (M)	MISSING:(-9)	181	7.6 %	-

Based upon 2201 valid cases out of 2382 total cases.

V6573	**096D06 :SMKRS MOVIE THTR**

Location:	509-510 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30360

Question Number(s): 6D06

Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	567	23.8 %	25.8%
2	SOME:(2)	1166	49.0 %	53.1%
3	A LOT:(3)	203	8.5 %	9.3%
4	DONT REMEMBER:(4)	258	10.8 %	11.8%
-9 (M)	MISSING:(-9)	188	7.9 %	-

Based upon 2194 valid cases out of 2382 total cases.

V6574	**096D07 :SMKRS MOVIE HOME**

Location:	511-512 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 30370

Question Number(s): 6D07

Think about the movie that you watched most recently on video, DVD or TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	596	25.0 %	27.1%
2	SOME:(2)	1152	48.4 %	52.4%
3	A LOT:(3)	257	10.8 %	11.7%
4	DONT REMEMBER:(4)	193	8.1 %	8.8%
-9 (M)	MISSING:(-9)	184	7.7 %	-

Based upon 2198 valid cases out of 2382 total cases.

V6581	**096D08 :#X SEE DRUG SPTS**

Location:	513-514 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22460

Question Number(s): 6D08

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	392	16.5 %	17.9%
2	<1X/MO:(2)	366	15.4 %	16.7%
3	1-3/MO:(3)	622	26.1 %	28.4%
4	1-3/WK:(4)	489	20.5 %	22.3%
5	ABT DAILY:(5)	251	10.5 %	11.5%
6	> DAILY:(6)	68	2.9 %	3.1%
-9 (M)	MISSING:(-9)	194	8.1 %	-

Based upon 2188 valid cases out of 2382 total cases.

V6582	**096D09A:ADS-PEOPL <FAVBL**

Location:	515-516 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22470

Question Number(s): 6D09A

To what extent do you think such commercials have . . .

A: . . . Made people your age less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	574	24.1 %	26.6%

Value	Label	Unweighted Frequency	%	Valid %
2	LITTLE:(2)	639	26.8 %	29.7%
3	SOME:(3)	684	28.7 %	31.8%
4	GREAT:(4)	154	6.5 %	7.1%
5	VRY GREAT:(5)	103	4.3 %	4.8%
-9 (M)	MISSING:(-9)	228	9.6 %	-

Based upon 2154 valid cases out of 2382 total cases.

V6583	**096D09B:ADS-YOU <FAVORBL**

Location:	517-518 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22480

Question Number(s): 6D09B

To what extent do you think such commercials have . . .

B: . . . Made you less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To
a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	613	25.7 %	28.5%
2	LITTLE:(2)	432	18.1 %	20.1%
3	SOME:(3)	560	23.5 %	26.1%
4	GREAT:(4)	280	11.8 %	13.0%
5	VRY GREAT:(5)	263	11.0 %	12.2%
-9 (M)	MISSING:(-9)	234	9.8 %	-

Based upon 2148 valid cases out of 2382 total cases.

V6584	**096D09C:ADS-YOU <TRY DRG**

Location:	519-520 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22490

Question Number(s): 6D09C

To what extent do you think such commercials have . . .

C: . . . Made you less likely to use drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	643	27.0 %	30.0%
2	LITTLE:(2)	401	16.8 %	18.7%
3	SOME:(3)	535	22.5 %	24.9%
4	GREAT:(4)	249	10.5 %	11.6%
5	VRY GREAT:(5)	317	13.3 %	14.8%
-9 (M)	MISSING:(-9)	237	9.9 %	-

Based upon 2145 valid cases out of 2382 total cases.

V6585	**096D09D:ADS-OVRST DANGER**

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22500

Question Number(s): 6D09D

To what extent do you think such commercials have . . .

D: . . . Overstated the dangers or risks of drug use?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	744	31.2 %	34.8%
2	LITTLE:(2)	437	18.3 %	20.4%
3	SOME:(3)	515	21.6 %	24.1%
4	GREAT:(4)	237	9.9 %	11.1%
5	VRY GREAT:(5)	204	8.6 %	9.5%
-9 (M)	MISSING:(-9)	245	10.3 %	-

Based upon 2137 valid cases out of 2382 total cases.

V6353	**096D10A:POS ATT TWD SELF**

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12550

Question Number(s): 6D10A

How much do you agree or disagree with each of the following statements?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	79	3.3 %	3.7%
2	MOST DIS:(2)	104	4.4 %	4.8%
3	NEITHER:(3)	194	8.1 %	9.0%
4	MOST AGR:(4)	890	37.4 %	41.2%
5	AGREE:(5)	892	37.4 %	41.3%
-9 (M)	MISSING:(-9)	223	9.4 %	-

Based upon 2159 valid cases out of 2382 total cases.

V6354	**096D10B:LIFE MEANINGLESS**

Location:	525-526 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23700

Question Number(s): 6D10B

How much do you agree or disagree with each of the following statements?

B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	950	39.9 %	44.0%
2	MOST DIS:(2)	602	25.3 %	27.9%
3	NEITHER:(3)	322	13.5 %	14.9%
4	MOST AGR:(4)	196	8.2 %	9.1%
5	AGREE:(5)	89	3.7 %	4.1%
-9 (M)	MISSING:(-9)	223	9.4 %	-

Based upon 2159 valid cases out of 2382 total cases.

V6355	096D10C:SHD DO OWN THING

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07040

Question Number(s): 6D10C

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	55	2.3 %	2.6%
2	MOST DIS:(2)	72	3.0 %	3.3%
3	NEITHER:(3)	242	10.2 %	11.3%
4	MOST AGR:(4)	797	33.5 %	37.1%
5	AGREE:(5)	985	41.4 %	45.8%
-9 (M)	MISSING:(-9)	231	9.7 %	-

Based upon 2151 valid cases out of 2382 total cases.

V6356	096D10D:-MUCH TO B PROUD

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12660

Question Number(s): 6D10D

How much do you agree or disagree with each of the following statements?

D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	998	41.9 %	46.7%

Value	Label	Unweighted Frequency	%	Valid %
2	MOST DIS:(2)	584	24.5 %	27.3%
3	NEITHER:(3)	262	11.0 %	12.3%
4	MOST AGR:(4)	187	7.9 %	8.7%
5	AGREE:(5)	107	4.5 %	5.0%
-9 (M)	MISSING:(-9)	244	10.2 %	-

Based upon 2138 valid cases out of 2382 total cases.

V6357	**096D10E:AM PRSN OF WORTH**

Location:	531-532 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12570

Question Number(s): 6D10E

How much do you agree or disagree with each of the following statements?

E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	80	3.4 %	3.7%
2	MOST DIS:(2)	106	4.5 %	4.9%
3	NEITHER:(3)	261	11.0 %	12.2%
4	MOST AGR:(4)	642	27.0 %	29.9%
5	AGREE:(5)	1058	44.4 %	49.3%
-9 (M)	MISSING:(-9)	235	9.9 %	-

Based upon 2147 valid cases out of 2382 total cases.

V6358	**096D10F:I ENJOY LIFE**

Location:	533-534 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23710

Question Number(s): 6D10F

How much do you agree or disagree with each of the following

statements?

F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	75	3.1 %	3.5%
2	MOST DIS:(2)	143	6.0 %	6.7%
3	NEITHER:(3)	251	10.5 %	11.7%
4	MOST AGR:(4)	677	28.4 %	31.7%
5	AGREE:(5)	991	41.6 %	46.4%
-9 (M)	MISSING:(-9)	245	10.3 %	-

Based upon 2137 valid cases out of 2382 total cases.

V6359	**096D10G:KICK DO DANGR TH**

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07050

Question Number(s): 6D10G

How much do you agree or disagree with each of the following statements?

G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	279	11.7 %	13.1%
2	MOST DIS:(2)	333	14.0 %	15.6%
3	NEITHER:(3)	550	23.1 %	25.8%
4	MOST AGR:(4)	588	24.7 %	27.5%
5	AGREE:(5)	385	16.2 %	18.0%
-9 (M)	MISSING:(-9)	247	10.4 %	-

Based upon 2135 valid cases out of 2382 total cases.

V6360	**096D10H:I AM NO GOOD**

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12680

Question Number(s): 6D10H

How much do you agree or disagree with each of the following statements?

H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	909	38.2 %	42.6%
2	MOST DIS:(2)	534	22.4 %	25.0%
3	NEITHER:(3)	317	13.3 %	14.9%
4	MOST AGR:(4)	252	10.6 %	11.8%
5	AGREE:(5)	122	5.1 %	5.7%
-9 (M)	MISSING:(-9)	248	10.4 %	-

Based upon 2134 valid cases out of 2382 total cases.

V6361	**096D10I:DO WELL AS OTHRS**

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 12580

Question Number(s): 6D10I

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	63	2.6 %	3.0%
2	MOST DIS:(2)	104	4.4 %	4.9%
3	NEITHER:(3)	255	10.7 %	12.0%
4	MOST AGR:(4)	822	34.5 %	38.6%
5	AGREE:(5)	888	37.3 %	41.7%

Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	250	10.5 %	-

Based upon 2132 valid cases out of 2382 total cases.

V6362	**096D10J:FUTURE HOPELESS**

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23720

Question Number(s): 6D10J

How much do you agree or disagree with each of the following statements?

J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1099	46.1 %	51.6%
2	MOST DIS:(2)	531	22.3 %	25.0%
3	NEITHER:(3)	258	10.8 %	12.1%
4	MOST AGR:(4)	149	6.3 %	7.0%
5	AGREE:(5)	91	3.8 %	4.3%
-9 (M)	MISSING:(-9)	254	10.7 %	-

Based upon 2128 valid cases out of 2382 total cases.

V6363	**096D10K:LIKE RISK SOME X**

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07060

Question Number(s): 6D10K

How much do you agree or disagree with each of the following statements?

K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	347	14.6 %	16.3%
2	MOST DIS:(2)	359	15.1 %	16.9%
3	NEITHER:(3)	479	20.1 %	22.5%
4	MOST AGR:(4)	575	24.1 %	27.1%
5	AGREE:(5)	365	15.3 %	17.2%
-9 (M)	MISSING:(-9)	257	10.8 %	-

Based upon 2125 valid cases out of 2382 total cases.

V6364	**096D10L:I DO WRONG THING**

Location:	545-546 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12720

Question Number(s): 6D10L

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1059	44.5 %	49.9%
2	MOST DIS:(2)	512	21.5 %	24.1%
3	NEITHER:(3)	275	11.5 %	13.0%
4	MOST AGR:(4)	180	7.6 %	8.5%
5	AGREE:(5)	96	4.0 %	4.5%
-9 (M)	MISSING:(-9)	260	10.9 %	-

Based upon 2122 valid cases out of 2382 total cases.

V6365	**096D10M:SATISFD W MYSELF**

Location:	547-548 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12620

Question Number(s): 6D10M

How much do you agree or disagree with each of the following statements?

M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	83	3.5 %	3.9%
2	MOST DIS:(2)	126	5.3 %	5.9%
3	NEITHER:(3)	230	9.7 %	10.8%
4	MOST AGR:(4)	656	27.5 %	30.9%
5	AGREE:(5)	1028	43.2 %	48.4%
-9 (M)	MISSING:(-9)	259	10.9 %	-

Based upon 2123 valid cases out of 2382 total cases.

V6366	096D10N:MY LIFE NT USEFL

Location:	549-550 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 12750

Question Number(s): 6D10N

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1168	49.0 %	55.2%
2	MOST DIS:(2)	467	19.6 %	22.1%
3	NEITHER:(3)	273	11.5 %	12.9%
4	MOST AGR:(4)	120	5.0 %	5.7%
5	AGREE:(5)	87	3.7 %	4.1%
-9 (M)	MISSING:(-9)	267	11.2 %	-

Based upon 2115 valid cases out of 2382 total cases.

V6367	096D10O:GOOD TO BE ALIVE

Location:	551-552 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23730

Question Number(s): 6D10O

How much do you agree or disagree with each of the following statements?

O: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	56	2.4 %	2.6%
2	MOST DIS:(2)	57	2.4 %	2.7%
3	NEITHER:(3)	192	8.1 %	9.1%
4	MOST AGR:(4)	450	18.9 %	21.2%
5	AGREE:(5)	1363	57.2 %	64.4%
-9 (M)	MISSING:(-9)	264	11.1 %	-

Based upon 2118 valid cases out of 2382 total cases.

V6587	**096D10P:LIK XPLOR STRANG**

Location:	553-554 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31080

Question Number(s): 6D10P

How much do you agree or disagree with each of the following statements?

P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	125	5.2 %	5.9%
2	MOST DIS:(2)	126	5.3 %	6.0%
3	NEITHER:(3)	296	12.4 %	14.0%
4	MOST AGR:(4)	615	25.8 %	29.2%

Value	Label	Unweighted Frequency	%	Valid %
5	AGREE:(5)	945	39.7 %	44.9%
-9 (M)	MISSING:(-9)	275	11.5 %	-

Based upon 2107 valid cases out of 2382 total cases.

V6588	**096D10Q:LIK DO FRIGHT TG**

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31090

Question Number(s): 6D10Q

How much do you agree or disagree with each of the following statements?

Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	397	16.7 %	18.9%
2	MOST DIS:(2)	392	16.5 %	18.7%
3	NEITHER:(3)	499	20.9 %	23.8%
4	MOST AGR:(4)	428	18.0 %	20.4%
5	AGREE:(5)	385	16.2 %	18.3%
-9 (M)	MISSING:(-9)	281	11.8 %	-

Based upon 2101 valid cases out of 2382 total cases.

V6589	**096D10R:LIK EVN BRK RULE**

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 31100

Question Number(s): 6D10R

How much do you agree or disagree with each of the following statements?

R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	263	11.0 %	12.4%
2	MOST DIS:(2)	322	13.5 %	15.2%
3	NEITHER:(3)	460	19.3 %	21.7%
4	MOST AGR:(4)	581	24.4 %	27.5%
5	AGREE:(5)	489	20.5 %	23.1%
-9 (M)	MISSING:(-9)	267	11.2 %	-

Based upon 2115 valid cases out of 2382 total cases.

V6590	096D10S:PRF FRND EXCITNG

Location:	559-560 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31110

Question Number(s): 6D10S

How much do you agree or disagree with each of the following statements?

S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	113	4.7 %	5.4%
2	MOST DIS:(2)	181	7.6 %	8.6%
3	NEITHER:(3)	559	23.5 %	26.5%
4	MOST AGR:(4)	662	27.8 %	31.4%
5	AGREE:(5)	592	24.9 %	28.1%
-9 (M)	MISSING:(-9)	275	11.5 %	-

Based upon 2107 valid cases out of 2382 total cases.

V6616	096D10T:I AM OFTEN BORED

Location:	561-562 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 32000

Question Number(s): 6D10T

How much do you agree or disagree with each of the following statements?

T: I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	369	15.5 %	17.5%
2	MOST DIS:(2)	527	22.1 %	25.1%
3	NEITHER:(3)	486	20.4 %	23.1%
4	MOST AGR:(4)	458	19.2 %	21.8%
5	AGREE:(5)	263	11.0 %	12.5%
-9 (M)	MISSING:(-9)	279	11.7 %	-

Based upon 2103 valid cases out of 2382 total cases.

V6497	096D11A:#XDRUNK/LIFETIME

Location:	563-564 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25020

Question Number(s): 6D11A

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	915	38.4 %	44.1%
2	1-2X:(2)	261	11.0 %	12.6%
3	3-5X:(3)	186	7.8 %	9.0%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	134	5.6 %	6.5%
5	10-19X:(5)	187	7.9 %	9.0%
6	20-39X:(6)	154	6.5 %	7.4%
7	40+OCCAS:(7)	239	10.0 %	11.5%
-9 (M)	MISSING:(-9)	306	12.8 %	-

Based upon 2076 valid cases out of 2382 total cases.

V6498	**096D11B:#XDRUNK/LAST12MO**

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25030

Question Number(s): 6D11B

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1087	45.6 %	52.5%
2	1-2X:(2)	303	12.7 %	14.6%
3	3-5X:(3)	218	9.2 %	10.5%
4	6-9X:(4)	126	5.3 %	6.1%
5	10-19X:(5)	146	6.1 %	7.0%
6	20-39X:(6)	93	3.9 %	4.5%
7	40+OCCAS:(7)	99	4.2 %	4.8%
-9 (M)	MISSING:(-9)	310	13.0 %	-

Based upon 2072 valid cases out of 2382 total cases.

V6499	**096D11C:#XDRUNK/LAST30DA**

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 25040

Question Number(s): 6D11C

On how many occasions (if any) have you been drunk or very
high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1459	61.3 %	70.5%
2	1-2X:(2)	308	12.9 %	14.9%
3	3-5X:(3)	149	6.3 %	7.2%
4	6-9X:(4)	79	3.3 %	3.8%
5	10-19X:(5)	46	1.9 %	2.2%
6	20-39X:(6)	11	0.5 %	0.5%
7	40+OCCAS:(7)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	313	13.1 %	-

Based upon 2069 valid cases out of 2382 total cases.

V6368	**096D12A:#X STRD/LIFETIME**
Location:	569-570 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 22690

Question Number(s): 6D12A

Anabolic steroids are prescription drugs sometimes prescribed
by doctors to treat certain conditions. Some athletes, and
others, have used them to try to increase muscle development.
On how many occasions (if any) have you taken steroids on your
own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2048	86.0 %	98.0%
2	1-2X:(2)	14	0.6 %	0.7%
3	3-5X:(3)	7	0.3 %	0.3%

Value	Label	Unweighted Frequency	%	Valid %
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	293	12.3 %	-

Based upon 2089 valid cases out of 2382 total cases.

V6369	**096D12B:#X STRD/LAST12MO**

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22700

Question Number(s): 6D12B

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2063	86.6 %	98.8%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	293	12.3 %	-

Based upon 2089 valid cases out of 2382 total cases.

V6370	**096D12C:#X STRD/LAST30DA**

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 22710

Question Number(s): 6D12C

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2071	86.9 %	99.2%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	294	12.3 %	-

Based upon 2088 valid cases out of 2382 total cases.

V6376	096D13A:MTHD STRD-INJECT

Location:	575-576 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23790

Question Number(s): 6D13A

What methods have you used for taking steroids on your own?
(Mark ALL that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	20	0.8 %	62.5%
1	MARKED:(1)	12	0.5 %	37.5%
-9 (M)	MISSING:(-9)	2350	98.7 %	-

Based upon 32 valid cases out of 2382 total cases.

V6377	096D13B:MTHD STRD-MOUTH

Location:	577-578 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 23800

Question Number(s): 6D13B

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	15	0.6 %	46.9%
1	MARKED:(1)	17	0.7 %	53.1%
-9 (M)	MISSING:(-9)	2350	98.7 %	-

Based upon 32 valid cases out of 2382 total cases.

V6586	**096D13C:HVNT USED STRDS**

Location: 579-580 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 30940

Question Number(s): 6D13C

What methods have you used for taking steroids on your own?

C: Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	26	1.1 %	1.2%
1	MARKED:(1)	2054	86.2 %	98.8%
-9 (M)	MISSING:(-9)	302	12.7 %	-

Based upon 2080 valid cases out of 2382 total cases.

V6500	**096D14A:#X INJECT/LIFE**

Location: 581-582 (width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9
Question:

Item Number: 25050

Question Number(s): 6D14A

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

A: . . . in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2046	85.9 %	98.1%
2	1-2X:(2)	20	0.8 %	1.0%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	10	0.4 %	0.5%
-9 (M)	MISSING:(-9)	297	12.5 %	-

Based upon 2085 valid cases out of 2382 total cases.

V6501	**096D14B:#X INJECT/LST12M**

Location:	583-584 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25060

Question Number(s): 6D14B

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

B: . . . during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2065	86.7 %	99.0%

Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	10	0.4 %	0.5%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	297	12.5 %	-

Based upon 2085 valid cases out of 2382 total cases.

V6502	**096D14C:#X INJECT/LST30D**

Location:	585-586 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 25070

Question Number(s): 6D14C

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

C: . . . during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2076	87.2 %	99.4%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	294	12.3 %	-

Based upon 2088 valid cases out of 2382 total cases.

V6503	**096D15 :GR 1ST INJECT**

Location:	587-588 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9

Question:

Item Number: 25680

Question Number(s): 6D15

When (if ever) did you FIRST inject any drug with a needle
(without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	5	0.2 %	0.2%
2	GRADE 7:(2)	2	0.1 %	0.1%
3	GRADE 8:(3)	4	0.2 %	0.2%
4	GRADE 9:(4)	4	0.2 %	0.2%
5	GRADE 10:(5)	7	0.3 %	0.3%
6	GRADE 11:(6)	5	0.2 %	0.2%
7	GRADE 12:(7)	6	0.3 %	0.3%
8	NEVER:(8)	2044	85.8 %	98.4%
-9 (M)	MISSING:(-9)	305	12.8 %	-

Based upon 2077 valid cases out of 2382 total cases.

V6378	**096D16A:GR 1ST SMOK EVR**

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05575

Question Number(s): 6D16A

When (if ever) did you FIRST do each of the following things?

A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	125	5.2 %	6.2%
2	GRADE 7:(2)	108	4.5 %	5.3%
3	GRADE 8:(3)	112	4.7 %	5.5%
4	GRADE 9:(4)	143	6.0 %	7.1%
5	GRADE 10:(5)	120	5.0 %	5.9%

Value	Label	Unweighted Frequency	%	Valid %
6	GRADE 11:(6)	125	5.2 %	6.2%
7	GRADE 12:(7)	100	4.2 %	4.9%
8	NEVER:(8)	1188	49.9 %	58.8%
-9 (M)	MISSING:(-9)	361	15.2 %	-

Based upon 2021 valid cases out of 2382 total cases.

V6379	**096D16B:GR 1ST SMOK DLY**

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05570

Question Number(s): 6D16B

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	12	0.5 %	0.6%
2	GRADE 7:(2)	10	0.4 %	0.5%
3	GRADE 8:(3)	33	1.4 %	1.6%
4	GRADE 9:(4)	54	2.3 %	2.6%
5	GRADE 10:(5)	64	2.7 %	3.1%
6	GRADE 11:(6)	82	3.4 %	4.0%
7	GRADE 12:(7)	74	3.1 %	3.6%
8	NEVER:(8)	1731	72.7 %	84.0%
-9 (M)	MISSING:(-9)	322	13.5 %	-

Based upon 2060 valid cases out of 2382 total cases.

V6380	**096D16C:GR 1ST SMOKELESS**

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 05576

Question Number(s): 6D16C

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	36	1.5 %	1.7%
2	GRADE 7:(2)	15	0.6 %	0.7%
3	GRADE 8:(3)	28	1.2 %	1.3%
4	GRADE 9:(4)	62	2.6 %	3.0%
5	GRADE 10:(5)	58	2.4 %	2.8%
6	GRADE 11:(6)	68	2.9 %	3.3%
7	GRADE 12:(7)	58	2.4 %	2.8%
8	NEVER:(8)	1765	74.1 %	84.4%
-9 (M)	MISSING:(-9)	292	12.3 %	-

Based upon 2090 valid cases out of 2382 total cases.

V6482	**096D17A:FUTR SMOKE CIGS**

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24440

Question Number(s): 6D17A

In the future, do you think that you will . . .

A: . . . Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	103	4.3 %	4.9%
2	PROB WL:(2)	184	7.7 %	8.8%
3	DK:(3)	148	6.2 %	7.1%
4	PROB WNT:(4)	280	11.8 %	13.4%
5	DEF WONT:(5)	1377	57.8 %	65.8%
-9 (M)	MISSING:(-9)	290	12.2 %	-

Based upon 2092 valid cases out of 2382 total cases.

V6483   **096D17B:FUTR DRINK ALCOL**

Location:	597-598 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24450

Question Number(s): 6D17B

In the future, do you think that you will . . .

B: . . . Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	649	27.2 %	31.1%
2	PROB WL:(2)	712	29.9 %	34.1%
3	DK:(3)	248	10.4 %	11.9%
4	PROB WNT:(4)	145	6.1 %	6.9%
5	DEF WONT:(5)	333	14.0 %	16.0%
-9 (M)	MISSING:(-9)	295	12.4 %	-

Based upon 2087 valid cases out of 2382 total cases.

V6484   **096D17C:FUTR TRY/USE MJ**

Location:	599-600 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24460

Question Number(s): 6D17C

In the future, do you think that you will . . .

C: . . . Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	253	10.6 %	12.1%
2	PROB WL:(2)	265	11.1 %	12.7%
3	DK:(3)	249	10.5 %	11.9%

Value	Label	Unweighted Frequency	%	Valid %
4	PROB WNT:(4)	249	10.5 %	11.9%
5	DEF WONT:(5)	1070	44.9 %	51.3%
-9 (M)	MISSING:(-9)	296	12.4 %	-

Based upon 2086 valid cases out of 2382 total cases.

V6485	**096D17D:FUTR TRY/USE CRK**

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24470

Question Number(s): 6D17D

In the future, do you think that you will . . .

D: . . . Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	72	3.0 %	3.4%
2	PROB WL:(2)	15	0.6 %	0.7%
3	DK:(3)	51	2.1 %	2.4%
4	PROB WNT:(4)	77	3.2 %	3.7%
5	DEF WONT:(5)	1877	78.8 %	89.7%
-9 (M)	MISSING:(-9)	290	12.2 %	-

Based upon 2092 valid cases out of 2382 total cases.

V6486	**096D17E:FUTR TRY/US COKP**

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24480

Question Number(s): 6D17E

In the future, do you think that you will . . .

E: . . . Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	80	3.4 %	3.8%
2	PROB WL:(2)	32	1.3 %	1.5%
3	DK:(3)	59	2.5 %	2.8%
4	PROB WNT:(4)	77	3.2 %	3.7%
5	DEF WONT:(5)	1843	77.4 %	88.1%
-9 (M)	MISSING:(-9)	291	12.2 %	-

Based upon 2091 valid cases out of 2382 total cases.

V6487	**096D17F:FUTR TR/U OTH DG**

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 24490

Question Number(s): 6D17F

In the future, do you think that you will . . .

F: . . . Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	101	4.2 %	4.8%
2	PROB WL:(2)	70	2.9 %	3.4%
3	DK:(3)	116	4.9 %	5.6%
4	PROB WNT:(4)	127	5.3 %	6.1%
5	DEF WONT:(5)	1673	70.2 %	80.2%
-9 (M)	MISSING:(-9)	295	12.4 %	-

Based upon 2087 valid cases out of 2382 total cases.

V6575	**096D18A:FRND DAP CIG OCC**

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30380

Question Number(s): 6D18A

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

A: Smoking cigarettes occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	622	26.1 %	30.0%
2	DISAPRV:(2)	743	31.2 %	35.8%
3	ST DISAP:(3)	711	29.8 %	34.2%
-9 (M)	MISSING:(-9)	306	12.8 %	-

Based upon 2076 valid cases out of 2382 total cases.

V6576	**096D18B:FRND DAP CIG DLY**

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30390

Question Number(s): 6D18B

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

B: Smoking cigarettes every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	403	16.9 %	19.4%
2	DISAPRV:(2)	638	26.8 %	30.7%
3	ST DISAP:(3)	1037	43.5 %	49.9%
-9 (M)	MISSING:(-9)	304	12.8 %	-

Based upon 2078 valid cases out of 2382 total cases.

V6408	**096D18C:FRD DAP CIGS**

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11470

Question Number(s): 6D18C

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

C: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	272	11.4 %	13.1%
2	DISAPRV:(2)	517	21.7 %	24.9%
3	ST DISAP:(3)	1284	53.9 %	61.9%
-9 (M)	MISSING:(-9)	309	13.0 %	-

Based upon 2073 valid cases out of 2382 total cases.

V6577	**096D18D:FRND DAP SMKL OC**

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30400

Question Number(s): 6D18D

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

D: Using smokeless tobacco occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	437	18.3 %	21.0%
2	DISAPRV:(2)	643	27.0 %	31.0%
3	ST DISAP:(3)	997	41.9 %	48.0%
-9 (M)	MISSING:(-9)	305	12.8 %	-

Based upon 2077 valid cases out of 2382 total cases.

V6578	**096D18E:FRND DAP SMKL DL**

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30410

Question Number(s): 6D18E

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

E: Using smokeless tobacco every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	336	14.1 %	16.2%
2	DISAPRV:(2)	576	24.2 %	27.8%
3	ST DISAP:(3)	1160	48.7 %	56.0%
-9 (M)	MISSING:(-9)	310	13.0 %	-

Based upon 2072 valid cases out of 2382 total cases.

V6579	**096D18F:FRND DAP SMKL D+**

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 30420

Question Number(s): 6D18F

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

F: Using smokeless tobacco several times per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	292	12.3 %	14.1%
2	DISAPRV:(2)	530	22.3 %	25.5%
3	ST DISAP:(3)	1255	52.7 %	60.4%
-9 (M)	MISSING:(-9)	305	12.8 %	-

Based upon 2077 valid cases out of 2382 total cases.

V6409	**096D18G:FRD DAP TRY MARJ**

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11480

Question Number(s): 6D18G

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	816	34.3 %	39.4%
2	DISAPRV:(2)	521	21.9 %	25.2%
3	ST DISAP:(3)	732	30.7 %	35.4%
-9 (M)	MISSING:(-9)	313	13.1 %	-

Based upon 2069 valid cases out of 2382 total cases.

V6410	**096D18H:FRD DAP MJ OCC**

Location:	621-622 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 11490

Question Number(s): 6D18H

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

H: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	660	27.7 %	31.9%
2	DISAPRV:(2)	475	19.9 %	22.9%
3	ST DISAP:(3)	936	39.3 %	45.2%
-9 (M)	MISSING:(-9)	311	13.1 %	-

Based upon 2071 valid cases out of 2382 total cases.

V6411	**096D18I:FRD DAP MJ REG**

Location:	623-624 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 11500

Question Number(s): 6D18I

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

I: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	417	17.5 %	20.2%
2	DISAPRV:(2)	510	21.4 %	24.6%
3	ST DISAP:(3)	1142	47.9 %	55.2%
-9 (M)	MISSING:(-9)	313	13.1 %	-

Based upon 2069 valid cases out of 2382 total cases.

V6414	**096D18J:FRD DAP TRY CRCK**

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23940

Question Number(s): 6D18J

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

J: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	126	5.3 %	6.0%
2	DISAPRV:(2)	340	14.3 %	16.3%
3	ST DISAP:(3)	1620	68.0 %	77.7%
-9 (M)	MISSING:(-9)	296	12.4 %	-

Based upon 2086 valid cases out of 2382 total cases.

V6415	**096D18K:FRD DAP CRCK OCC**

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23950

Question Number(s): 6D18K

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	91	3.8 %	4.4%
2	DISAPRV:(2)	290	12.2 %	13.9%
3	ST DISAP:(3)	1707	71.7 %	81.8%
-9 (M)	MISSING:(-9)	294	12.3 %	-

Based upon 2088 valid cases out of 2382 total cases.

V6416	**096D18L:FRD DAP TRY PWDR**

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23960

Question Number(s): 6D18L

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Trying cocaine powder once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	146	6.1 %	7.0%
2	DISAPRV:(2)	307	12.9 %	14.8%
3	ST DISAP:(3)	1622	68.1 %	78.2%
-9 (M)	MISSING:(-9)	307	12.9 %	-

Based upon 2075 valid cases out of 2382 total cases.

V6417	**096D18M:FRD DAP PWDR OCC**

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23970

Question Number(s): 6D18M

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

M: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	112	4.7 %	5.4%
2	DISAPRV:(2)	292	12.3 %	14.1%
3	ST DISAP:(3)	1662	69.8 %	80.4%
-9 (M)	MISSING:(-9)	316	13.3 %	-

Based upon 2066 valid cases out of 2382 total cases.

V6418	**096D18N:FRD DAP 1-2DR/DA**

Location:	633-634 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 11530

Question Number(s): 6D18N

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

N: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	536	22.5 %	25.8%
2	DISAPRV:(2)	632	26.5 %	30.4%
3	ST DISAP:(3)	908	38.1 %	43.7%
-9 (M)	MISSING:(-9)	306	12.8 %	-

Based upon 2076 valid cases out of 2382 total cases.

V6419	**096D18O:FRD DAP 4-5DR/DA**

Location:	635-636 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 11540

Question Number(s): 6D18O

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

O: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	294	12.3 %	14.2%
2	DISAPRV:(2)	522	21.9 %	25.2%
3	ST DISAP:(3)	1256	52.7 %	60.6%
-9 (M)	MISSING:(-9)	310	13.0 %	-

Based upon 2072 valid cases out of 2382 total cases.

V6420	**096D18P:FRD DAP 5+DR/WKD**

Location:	637-638 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 11550

Question Number(s): 6D18P

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

P: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	717	30.1 %	34.6%
2	DISAPRV:(2)	487	20.4 %	23.5%
3	ST DISAP:(3)	868	36.4 %	41.9%
-9 (M)	MISSING:(-9)	310	13.0 %	-

Based upon 2072 valid cases out of 2382 total cases.

V6421	**096D18Q:FRD DAP DRIV+2DR**

Location:	639-640 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 11551

Question Number(s): 6D18Q

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

Q: Driving a car after having 1-2 drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	340	14.3 %	16.4%
2	DISAPRV:(2)	558	23.4 %	26.9%
3	ST DISAP:(3)	1177	49.4 %	56.7%
-9 (M)	MISSING:(-9)	307	12.9 %	-

Based upon 2075 valid cases out of 2382 total cases.

V6422	**096D18R:FRD DAP DRIV+5DR**

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 11552

Question Number(s): 6D18R

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

R: Driving a car after having 5 or more drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	112	4.7 %	5.4%
2	DISAPRV:(2)	292	12.3 %	14.1%
3	ST DISAP:(3)	1664	69.9 %	80.5%
-9 (M)	MISSING:(-9)	314	13.2 %	-

Based upon 2068 valid cases out of 2382 total cases.

V6423	**096D19A:ALL FRD SMK CIGS**

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 07070

Question Number(s): 6D19A

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	494	20.7 %	23.7%
2	A FEW:(2)	871	36.6 %	41.8%
3	SOME:(3)	470	19.7 %	22.6%
4	MOST:(4)	214	9.0 %	10.3%
5	ALL:(5)	33	1.4 %	1.6%
-9 (M)	MISSING:(-9)	300	12.6 %	-

Based upon 2082 valid cases out of 2382 total cases.

V6424	**096D19B:ALL FRD SMK MARJ**

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07080

Question Number(s): 6D19B

How many of your friends would you estimate . . .

B: . . . Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	560	23.5 %	26.9%
2	A FEW:(2)	588	24.7 %	28.3%
3	SOME:(3)	532	22.3 %	25.6%
4	MOST:(4)	323	13.6 %	15.5%
5	ALL:(5)	78	3.3 %	3.7%
-9 (M)	MISSING:(-9)	301	12.6 %	-

Based upon 2081 valid cases out of 2382 total cases.

V6432	**096D19C:# FRNDS TK CRACK**

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M):   -9

Question:

Item Number: 07151

Question Number(s): 6D19C

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1733	72.8 %	83.5%
2	A FEW:(2)	250	10.5 %	12.0%
3	SOME:(3)	62	2.6 %	3.0%
4	MOST:(4)	9	0.4 %	0.4%
5	ALL:(5)	22	0.9 %	1.1%
-9 (M)	MISSING:(-9)	306	12.8 %	-

Based upon 2076 valid cases out of 2382 total cases.

V6433	**096D19D:# FRNDS TK C PWD**

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 23990

Question Number(s): 6D19D

How many of your friends would you estimate . . .

D: . . . Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1684	70.7 %	81.6%
2	A FEW:(2)	282	11.8 %	13.7%
3	SOME:(3)	64	2.7 %	3.1%
4	MOST:(4)	12	0.5 %	0.6%
5	ALL:(5)	22	0.9 %	1.1%
-9 (M)	MISSING:(-9)	318	13.4 %	-

Based upon 2064 valid cases out of 2382 total cases.

V6436	**096D19E:ALL FRD TK INHL**

Location:	651-652 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 07180

Question Number(s): 6D19E

How many of your friends would you estimate . . .

E: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1722	72.3 %	83.2%
2	A FEW:(2)	233	9.8 %	11.3%
3	SOME:(3)	75	3.1 %	3.6%
4	MOST:(4)	19	0.8 %	0.9%
5	ALL:(5)	20	0.8 %	1.0%
-9 (M)	MISSING:(-9)	313	13.1 %	-

Based upon 2069 valid cases out of 2382 total cases.

V6488	**096D19F:ALL FRD TK MDMA**

Location:	653-654 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23020

Question Number(s): 6D19F

How many of your friends would you estimate . . .

F: . . . Take MDMA (ecstasy)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1564	65.7 %	75.5%
2	A FEW:(2)	352	14.8 %	17.0%
3	SOME:(3)	106	4.5 %	5.1%
4	MOST:(4)	27	1.1 %	1.3%
5	ALL:(5)	22	0.9 %	1.1%
-9 (M)	MISSING:(-9)	311	13.1 %	-

Based upon 2071 valid cases out of 2382 total cases.

V6489	**096D19G:ALL FRD TK ICE**

Location:	655-656 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 24500

Question Number(s): 6D19G

How many of your friends would you estimate . . .

G: . . . Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1877	78.8 %	90.5%
2	A FEW:(2)	135	5.7 %	6.5%
3	SOME:(3)	30	1.3 %	1.4%
4	MOST:(4)	15	0.6 %	0.7%
5	ALL:(5)	16	0.7 %	0.8%
-9 (M)	MISSING:(-9)	309	13.0 %	-

Based upon 2073 valid cases out of 2382 total cases.

V6490	**096D19H:ALL FRD TK STERS**

Location:	657-658 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 23030

Question Number(s): 6D19H

How many of your friends would you estimate . . .

H: . . . Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1652	69.4 %	80.0%
2	A FEW:(2)	336	14.1 %	16.3%
3	SOME:(3)	51	2.1 %	2.5%

Value	Label	Unweighted Frequency	%	Valid %
4	MOST:(4)	6	0.3 %	0.3%
5	ALL:(5)	20	0.8 %	1.0%
-9 (M)	MISSING:(-9)	317	13.3 %	-

Based upon 2065 valid cases out of 2382 total cases.

V6591	**096D20A:#X GHB/LAST12MO**

Location:	659-660 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31050

Question Number(s): 6D20A

Lately there has been some attention paid to certain drugs.
During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

A. . . . taken GHB ("liquid G," "grievous bodily harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2035	85.4 %	99.0%
2	1-2X:(2)	10	0.4 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	326	13.7 %	-

Based upon 2056 valid cases out of 2382 total cases.

V6592	**096D20B:#X KETAMINE/12M**

Location:	661-662 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31060

Question Number(s): 6D20B

During the LAST 12 MONTHS, on how many occasions (if any)

have you . . .

B. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2010	84.4 %	98.1%
2	1-2X:(2)	23	1.0 %	1.1%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	333	14.0 %	-

Based upon 2049 valid cases out of 2382 total cases.

V6593   096D20C:#X SMK BIDI/12M

Location:	663-664 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31070

Question Number(s): 6D20C

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . smoked bidis (or beedies) which are small brown cigarettes from India?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2021	84.8 %	98.6%
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	6	0.3 %	0.3%
5	10-19X:(5)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	333	14.0 %	-

Based upon 2049 valid cases out of 2382 total cases.

V6594	096D20D:#X SMK KRETK/12M

Location:	665-666 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31150

Question Number(s): 6D20D

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . . smoked kreteks (clove cigarettes)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1928	80.9 %	94.4%
2	1-2X:(2)	38	1.6 %	1.9%
3	3-5X:(3)	27	1.1 %	1.3%
4	6-9X:(4)	19	0.8 %	0.9%
5	10-19X:(5)	13	0.5 %	0.6%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	9	0.4 %	0.4%
-9 (M)	MISSING:(-9)	339	14.2 %	-

Based upon 2043 valid cases out of 2382 total cases.

V6595	096D20E:#X ANDRO/12MO

Location:	667-668 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31160

Question Number(s): 6D20E

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2014	84.6 %	98.7%
2	1-2X:(2)	9	0.4 %	0.4%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	341	14.3 %	-

Based upon 2041 valid cases out of 2382 total cases.

V6596	096D20F:#X CREATINE/12MO

Location:	669-670 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31170

Question Number(s): 6D20F

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1862	78.2 %	90.9%
2	1-2X:(2)	52	2.2 %	2.5%
3	3-5X:(3)	37	1.6 %	1.8%
4	6-9X:(4)	21	0.9 %	1.0%
5	10-19X:(5)	29	1.2 %	1.4%
6	20-39X:(6)	18	0.8 %	0.9%
7	40+OCCAS:(7)	30	1.3 %	1.5%
-9 (M)	MISSING:(-9)	333	14.0 %	-

Based upon 2049 valid cases out of 2382 total cases.

V6597	096D20G:#X RITALIN/12MO

Location:	671-672 (width: 2; decimal: 0)
Variable Type:	numeric

| Range of Missing Values (M): | -9 |
| Question: | |

Item Number: 31180

Question Number(s): 6D20G

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1986	83.4 %	97.5%
2	1-2X:(2)	23	1.0 %	1.1%
3	3-5X:(3)	9	0.4 %	0.4%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	6	0.3 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	345	14.5 %	-

Based upon 2037 valid cases out of 2382 total cases.

V6617	**096D20H:#X ADDERALL/12MO**

Location:	673-674 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 32540

Question Number(s): 6D20H

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

H. . . . taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1923	80.7 %	94.1%
2	1-2X:(2)	54	2.3 %	2.6%

Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	31	1.3 %	1.5%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	338	14.2 %	-

Based upon 2044 valid cases out of 2382 total cases.

V6600	096D20I:#X OXYCONTN/12MO

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31310

Question Number(s): 6D20I

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

I: . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1928	80.9 %	94.5%
2	1-2X:(2)	46	1.9 %	2.3%
3	3-5X:(3)	32	1.3 %	1.6%
4	6-9X:(4)	18	0.8 %	0.9%
5	10-19X:(5)	9	0.4 %	0.4%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	342	14.4 %	-

Based upon 2040 valid cases out of 2382 total cases.

V6601	096D20J:#X VICODIN/12MO

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

Question:

Item Number: 31320

Question Number(s): 6D20J

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J: . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1858	78.0 %	90.8%
2	1-2X:(2)	83	3.5 %	4.1%
3	3-5X:(3)	43	1.8 %	2.1%
4	6-9X:(4)	24	1.0 %	1.2%
5	10-19X:(5)	16	0.7 %	0.8%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	13	0.5 %	0.6%
-9 (M)	MISSING:(-9)	336	14.1 %	-

Based upon 2046 valid cases out of 2382 total cases.

V6602	**096D20K:#X ROHYPNL/12MO**

Location:	679-680 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 29785

Question Number(s): 6D20K

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

K: . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2012	84.5 %	98.9%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	6	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%

Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	347	14.6 %	-

Based upon 2035 valid cases out of 2382 total cases.

V6615	096D20L:#X COUGHMED/12MO

Location:	681-682 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 31670

Question Number(s): 6D20L

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

L. . . . taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1946	81.7 %	95.1%
2	1-2X:(2)	53	2.2 %	2.6%
3	3-5X:(3)	20	0.8 %	1.0%
4	6-9X:(4)	15	0.6 %	0.7%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	336	14.1 %	-

Based upon 2046 valid cases out of 2382 total cases.

V6618	096D20M:#X SALVIA/12MO

Location:	683-684 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 32500

Question Number(s): 6D20M

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

M. . . . taken Salvia?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1900	79.8 %	93.5%
2	1-2X:(2)	75	3.1 %	3.7%
3	3-5X:(3)	31	1.3 %	1.5%
4	6-9X:(4)	11	0.5 %	0.5%
5	10-19X:(5)	10	0.4 %	0.5%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	349	14.7 %	-

Based upon 2033 valid cases out of 2382 total cases.

V6619	**096D20N:#X PROVIGIL/12MO**

Location:	685-686 (width: 2; decimal: 0)
Variable Type:	numeric
Range of Missing Values (M):	-9
Question:	

Item Number: 32510

Question Number(s): 6D20N

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

N. . . . taken Provigil, a prescription stay-awake drug (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%	Valid %
1	O OCCAS:(1)	1988	83.5 %	98.0%
2	1-2X:(2)	27	1.1 %	1.3%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%

Value	Label	Unweighted Frequency	%	Valid %
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	353	14.8 %	-

Based upon 2029 valid cases out of 2382 total cases.

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.