

Cucumber Report

12 May, 2022 10:22:09 AM

Start : May 12, 10:21:49.304 AM

End : May 12, 10:22:08.401 AM

Duration : 19.097 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0




FAILED - 1


SKIPPED - 0

PASSED - 1


FAILED - 1

SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	<u>feature to My account Page on Account Details functionality</u>	1	0	1	0	19.097 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	feature to My account Page on Account Details functionality	Update my account page related info	9	1	1	7	19.087 s

(F)- feature to My account Page on Account Details functionality

FAILED	DURATION - 19.097 s	Scenarios		Steps	
/ 10:21:49.304 AM // 10:22:08.401 AM /		Total - 1		Total - 9	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	


(S)- Update my account page related info

<div>FAILED</div> <div>DURATION - 19.087 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div>		<div></div>
<div>/ 10:21:49.314 AM // 10:22:08.401 AM /</div>					
<div>feature to My account Page on Account Details functionality</div>					
<div>@smoketest @MyAccount_AccountDetail_feature</div>					

#	Step / Hook Details	Status	Duration
1	Given user is on Home Page	PASSED	2.436 s
2	When user click on Myaccount link org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //ul[@id='main-nav']/li/a[contains(text(),'My Account')]]1222' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at Utility.testbase.waitForWebElementIsClickable(testbase.java:45) at Utility.testbase.isClickable(testbase.java:83) at Pages.Register_page.click_on_Myaccount(Register_page.java:60) at StepDefinition.RegisterSteps.user_click_on_myaccount_link(RegisterSteps.java:46) at ?.user click on Myaccount link(file:///home/preyas.r@ah.zymrinc.com/Desktop/preyas/eclipse-workspace/git_project/src/test/resources/Features/myaccount/001.myaccount.accdetails.feature:20) Caused by: org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //ul[@id='main-nav']/li/a[contains(text(),'My Account')]]1222 because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//ul[@id='main-nav']/li/a[contains(text(),'My Account')]]1222' is not a valid XPath expression. (Session info: chrome=101.0.4951.54) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.1.3', revision: '7b1ebf28ef' System info: host: 'preyas-r', ip: '127.0.1.1', os.name: 'Linux', os.arch: 'amd64', os.version: '5.13.0-40-generic', java.version: '1.8.0_212' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:	FAILED	11.170 s

#	Step / Hook Details	Status	Duration
	<p>[95c538b701dabdc8ea820c764472187, findElement {using=xpath, value=//ul[@id='main-nav']/li/a[contains(text(),'My Account')]}1222]</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: /tmp/.com.google.Chrome.xhCan5), goog:chromeOptions: {debuggerAddress: localhost:42599}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: LINUX, platformName: LINUX, proxy: Proxy(), se:cdp: ws://localhost:42599/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 95c538b701dabdc8ea820c764472187</p> <p>at sun.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> <p>at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.lang.reflect.Constructor.newInstance(Constructor.java:423)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:567)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:385)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:377)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at com.sun.proxy.\$Proxy30.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at Utility.testbase.waitForWebElementIsClickable(testbase.java:45)</p> <p>at Utility.testbase.isClickable(testbase.java:83)</p> <p>at Pages.Register_page.click_on_Myaccount(Register_page.java:60)</p> <p>at StepDefinition.RegisterSteps.user_click_on_myaccount_link(RegisterSteps.java:46)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)</p> <p>at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.lang.reflect.Method.invoke(Method.java:498)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:86) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:95) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$3(CucumberExecutionContext.java:151) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:151) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.util.ArrayList.forEach(ArrayList.java:1257) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - factory.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.129 s
	Update_my_account_page_related_info 		
3	Then user navigate to Register Page	SKIPPED	0.001 s
4	When user has enter "<emailid>" & "<password>"	SKIPPED	0.000 s
5	And click on login button	SKIPPED	0.000 s
6	Then user navigate to myaccount page	SKIPPED	0.000 s
7	And click on Accountdetail link	SKIPPED	0.000 s
8	When user has entered profiledata "Preyas" & "Rana"	SKIPPED	0.000 s
9	And click on savechanges button	SKIPPED	0.001 s

(Step) AFTER_STEP - factory.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Update my account page related info

(F) feature to My account Page on
Account Details functionality

[Demos](#) [Docs](#) [Downloads](#) [Blog](#) [GitHub](#)

Demos

Fine Uploader is the **easiest** javascript file uploader library to set up.

Code examples are provided, whether you are using a jQuery wrapper, or plain JavaScript.

[Basic Setup](#)[Gallery View](#)[Manual Trigger](#)[Validation](#)[Upload to Amazon
S3](#)

Basic Setup

Want to upload files to your own server? You need only to include a CSS file, a JavaScript file, and handle the uploads on the server side according to the technology you are using. There are absolutely no other dependencies.

You can quickly set up an HTML page in order to use Fine Uploader:

1. Download and unpack the [latest version of Fine Uploader](#).
2. Use one of the provided server scripts, or write your own.
3. Setup your HTML and JavaScript.
4. Upload!

Have a look at the following live demos for examples of common setups.