
Front-End Development



#3 Learn Once, Write Anywhere





API

- API (Application Programming Interface) is a software intermediary which allows applications to talk to each other.
- When you use an application on your mobile phone, the application connects to the Internet and sends data to a server. The server then retrieves that data, interprets it, performs the necessary actions and sends it back to your phone. The application then interprets that data and presents to you with the information that you wanted, in a readable way. This is what an API is all of this happens via API.





API








HTTP Methods

- HTTP (The Hypertext Transfer Protocol) is designed to enable communications between clients & servers. It works as a request & response protocol between a client & server.
- A web browser may be the client, and an application on a computer that hosts a web site may be the server.
- The most commonly used HTTP Methods are POST, GET, PUT, PATCH & DELETE.





RESTful APIs

- RESTful (Representational State Transfer)
 web services is a way of providing
 interoperability between computer
 system on the internet.
- A RESTful API is an application program interface that uses HTTP requests to GET, PUT, POST or UPDATE data, based on representational state transfer (RESTful) architecture technology.





JSON

■ JSON (Javascript Object Notation)
is a lightweight data-interchange format that based on a subset of JS. It's easy to read, write and can be used with any modern language.
JSON is not a JavaScript Object!

JSON rules:

- Uses property/value pairs = {"nama": "Andi"}
- Uses dblquote on its prop & val (ex number)
- Must use specified data type
- File type is ".json"
- Mime type is "application/json"





Validate JSON jsonlint.com

```
1 * {
        "nama": "Andi",
                                                 nama: "Andi",
                                                 usia: 24,
        "usia": 24,
                                                 job: "PNS"
        "job": "PNS"
5
                                           Validate JSON
                                                            Clear
 Validate JSON
                   Clear
                                         Results
Results
                                          Error: Parse error on line 1:
                                              nama: "Andi", usia:
 Valid JSON
                                          Expecting 'STRING', '}', got 'undefined'
```





Object → JSON

```
var orang = {
  nama: "Andi",
  usia: 21,
  asal: "Lampung"
orang = JSON.stringify(orang);
console.log(orang);
console.log(orang.nama);
```





JSON → Object

```
var orang = {
  nama: "Andi",
  usia: 21,
  asal: "Lampung"
orang = JSON.stringify(orang);
orang = JSON.parse(orang);
console.log(orang);
console.log(orang.nama);
```





- A powerful GUI platform to make API development faster & easier, from building API requests through testing, documentation & sharing.
- Postman has features for every API developer: request building, tests & pre-request scripts, variables, environments & request descriptions, designed to work seamlessly together.
- Download from getpostman.com



GET all data from https://facebook.github.io/react-native/movies.json

```
← → C 🗎 Secure https://facebook.github.io/react-native/movies.json
  "title": "The Basics - Networking",
  "description": "Your app fetched this from a remote endpoint!",
  "movies": [
    { "title": "Star Wars", "releaseYear": "1977"},
    { "title": "Back to the Future", "releaseYear": "1985"},
    { "title": "The Matrix", "releaseYear": "1999"},
    { "title": "Inception", "releaseYear": "2010"},
    { "title": "Interstellar", "releaseYear": "2014"}
```







Using Axios Package

Axios is an NPM built-in package that allows us to:

- Make http requests from node.js
- Supports the Promise API
- Intercept request and response
- Transform request and response data
- Cancel requests
- Automatic transforms for JSON data

Install Axios package:

\$ npm install axios --save



```
import React, { Component } from 'react';
import axios from 'axios';
                                                Axios
class App extends Component {
                                       #1 Get All Data
  componentDidMount(){
    axios.get('https://facebook.github.io/react-native/movies.json')
    .then((ambilData) => {
    console.log(ambilData);
  render() {
    return (
      <div>
        <h1>Coba Get Data</h1>
      </div>
export default App;
```

Axios #1 Get All Data




Coba Get Data

```
Elements
                    Console
                             Sources Network
                                                  Performance
                                                               Memory
O top
                                                       Default levels ▼
                            Filter
  ▼ {data: {...}, status: 200, statusText: "", headers: {...}, config: {...},
    ▶ config: {adapter: f, transformRequest: {...}, transformResponse: {...},
   ▼ data:
       description: "Your app fetched this from a remote endpoint!"
     ▼ movies: Array(5)
       ▶ 0: {title: "Star Wars", releaseYear: "1977"}
       ▶ 1: {title: "Back to the Future", releaseYear: "1985"}
       ▶ 2: {title: "The Matrix", releaseYear: "1999"}
       ▶ 3: {title: "Inception", releaseYear: "2010"}
       ▶ 4: {title: "Interstellar", releaseYear: "2014"}
         length: 5
       proto : Array(0)
       title: "The Basics - Networking"
      proto : Object
    ▶ headers: {last-modified: "Thu, 28 Dec 2017 23:06:47 GMT", content-
    ▶ request: XMLHttpRequest {opreadystatechange: f. readyState: 4. time
```



```
import React, { Component } from 'react';
import axios from 'axios';
                                                Axios
class App extends Component {
                                   #2 Get Specific Data
  componentDidMount(){
    axios.get('https://facebook.github.io/react-native/movies.json')
    .then((ambilData) => {
      console.log(ambilData.data.title);
      console.log(ambilData.data.description);
      console.log(ambilData.data.movies);
  render() {
    return (
      <div>
        <h1>Coba Get Data</h1>
      </div>
export default App;
```

AXIOS#2 Get Specific Data





```
AXIOS
#3 Axios API
```

```
#3 Axios API
axios.get('https://URL.json')
  .then((ambilData) => {
    console.log(ambilData.data.title);
    console.log(ambilData.data.description);
    console.log(ambilData.data.movies);
 })
                                Can be written as
axios({
  url: 'https://URL.json',
 method: 'GET',
}).then((ambilData) => {
```

console.log(ambilData.data.title);

console.log(ambilData.data.movies);

})

console.log(ambilData.data.description);



Axios#4 Render Data



Coba Get Data

Star Wars

Back to the Future

The Matrix

Inception

Interstellar




```
import React, { Component } from 'react';
import axios from 'axios';
                                                Axios
                                         #4 Render Data
class App extends Component {
  constructor() {
                                                    part 1
    super();
    this.state = {
     judul: '',
   };
componentDidMount(){
  axios.get('https://facebook.github.io/react-native/movies.json')
  .then((ambilData) => {
    console.log(ambilData);
    this.setState({
      judul0: ambilData.data.movies[0].title,
      judul1: ambilData.data.movies[1].title,
      judul2: ambilData.data.movies[2].title,
      judul3: ambilData.data.movies[3].title,
      judul4: ambilData.data.movies[4].title
```

```
Axios
render() {
                          #4 Render Data
 return (
                                 part 2
   <div>
     <center>
       <h1>Coba Get Data</h1>
       {this.state.judul0}
       {this.state.judul1}
       {this.state.judul2}
       {this.state.judul3}
       {this.state.judul4}
     </center>
   </div>
```

export default App;

Purwadhika
Startup and Coding School

Axios #5 Render Data





```
import React, { Component } from 'react';
import axios from 'axios';
class App extends Component {
  constructor() {
                                          Axios
    super();
                                   #5 Render Data
    this.state = {
                                             part 1
      judul: [],
    };
componentDidMount(){
  axios.get('https://facebook.github.io/react-native/movies.json')
  .then((ambilData) => {
    console.log(ambilData);
    this.setState({
      judul: ambilData.data.movies,
```

Axios #5 Render Data part 2

```
render() {
 const data = this.state.judul.map((item, index)=>{
   var fullfilm = [item.title,item.releaseYear].join(" ");
   return {fullfilm};
 return (
   <div>
      <center>
                                                                Tanpa Keys, output
           <h1>Coba Get Data</h1>
                                                              program tetap berhasil,
                                                                 namun di Console
      </center>
                                                                  muncul Warning
      <l
         { data }
                                                     Elements
                                                            Console Sources
                                                                        Network >>>
      O top
                                                              ▼ Filter
                                                                             Default levels ▼
   </div>
                                                                                    App.js:15
                                                ▶ {data: {...}, status: 200, statusText: "", headers: {...}, config: {...},

⊗ ►Warning: Each child in an array or iterator

                                                                                 index.js:2177
                                                should have a unique "key" prop.
                                                Check the render method of `App`. See https://fb.me/react-warning
                                                <u>-keys</u> for more information.
export default App;
                                                   in li (at App.js:25)
                                                   in App (at index.js:9)
                                                   in Router (created by BrowserRouter)
                                                   in BrowserRouter (at index.js:9)
```

https://jsonplaceholder.typicode.com/



JSONPlaceholder

Fake Online REST API for Testing and Prototyping

powered by JSON Server and lowdb

JSONPlaceholder is a free online REST service that you can use whenever you need some fake data.



GET all data from https://jsonplaceholder.typicode.com/posts

```
← → C   Secure  https://jsonplaceholder.typicode.com/posts
    "userId": 1.
    "id": 1.
    "title": "sunt aut facere repellat provident occaecati excepturi optio reprehenderit",
    "body": "quia et suscipit\nsuscipit recusandae consequuntur expedita et cum\nreprehenderit molestiae ut ut quas
totam\nnostrum rerum est autem sunt rem eveniet architecto"
 },
    "userId": 1,
    "id": 2,
    "title": "qui est esse",
    "body": "est rerum tempore vitae\nsequi sint nihil reprehenderit dolor beatae ea dolores neque\nfugiat blanditiis
voluptate porro vel nihil molestiae ut reiciendis\nqui aperiam non debitis possimus qui neque nisi nulla"
  },
    "userId": 1,
    "title": "ea molestias quasi exercitationem repellat qui ipsa sit aut".
    "body": "et iusto sed quo iure\nvoluptatem occaecati omnis eligendi aut ad\nvoluptatem doloribus vel accusantium quis
pariatur\nmolestiae porro eius odio et labore et velit aut"
  },
    "userId": 1.
    "id": 4,
    "title": "eum et est occaecati",
    "body": "ullam et saepe reiciendis voluptatem adipisci\nsit amet autem assumenda provident rerum culpa\nquis hic
```



Get all 100 data (id & title) from https://jsonplaceholder.typicode.com/posts

Coba Get Data

- 1 sunt aut facere repellat provident occaecati excepturi optio reprehenderit
- 2 qui est esse
- 3 ea molestias quasi exercitationem repellat qui ipsa sit aut
- 4 eum et est occaecati
- 5 nesciunt quas odio
- · 6 dolorem eum magni eos aperiam quia
- 7 magnam facilis autem
- 8 dolorem dolore est ipsam
- 9 nesciunt iure omnis dolorem tempora et accusantium
- · 10 optio molestias id quia eum
- 11 et ea vero quia laudantium autem
- 12 in quibusdam tempore odit est dolorem
- 13 dolorum ut in voluptas mollitia et saepe quo animi
- 14 voluptatem eligendi optio
- 15 eveniet quod temporibus
- 16 sint suscipit perspiciatis velit dolorum rerum ipsa laboriosam odio
- 17 fugit voluptas sed molestias voluptatem provident
- 19 valuntata at itaqua vara tampara malastiaa



```
Part 1
```

```
import React, { Component } from 'react';
import axios from 'axios';
class App extends Component {
  constructor() {
    super();
    this.state = {
      dataKu: [],
    };
componentDidMount(){
axios.get('https://jsonplaceholder.typicode.com/posts')
.then((ambilData) => {
  console.log(ambilData);
  this.setState({
    dataKu: ambilData.data,
```

```
render() {
const data = this.state.dataKu.map((item, index)=>{
 var id title = [item.id,item.title].join(" - ");
 return {id_title};
})
return (
 <div>
   <h1>Coba Get Data</h1>
   { data }
 </div>
export default App;
```



GET all data from https://jsonplaceholder.typicode.com/users

```
C  
☐ Secure  
https://jsonplaceholder.typicode.com/users
"id": 1,
"name": "Leanne Graham",
"username": "Bret",
"email": "Sincere@april.biz",
"address": {
  "street": "Kulas Light",
  "suite": "Apt. 556",
  "city": "Gwenborough",
  "zipcode": "92998-3874",
  "geo": {
    "lat": "-37.3159",
    "lng": "81.1496"
"phone": "1-770-736-8031 x56442",
"website": "hildegard.org",
"company": {
  "name": "Romaguera-Crona",
  "catchPhrase": "Multi-layered client-server neural-net",
  "bs": "harness real-time e-markets"
```



Get all 10 data (id, name, email & address) from https://jsonplaceholder.typicode.com/users

Coba Get Data

No	Nama	Email	Alamat
1	Leanne Graham	Sincere@april.biz	Apt. 556, Kulas Light, Gwenborough
2	Ervin Howell	Shanna@melissa.tv	Suite 879, Victor Plains, Wisokyburgh
3	Clementine Bauch	Nathan@yesenia.net	Suite 847, Douglas Extension, McKenziehaven
4	Patricia Lebsack	Julianne.OConner@kory.org	Apt. 692, Hoeger Mall, South Elvis
5	Chelsey Dietrich	Lucio_Hettinger@annie.ca	Suite 351, Skiles Walks, Roscoeview
6	Mrs. Dennis Schulist	Karley_Dach@jasper.info	Apt. 950, Norberto Crossing, South Christy
7	Kurtis Weissnat	Telly.Hoeger@billy.biz	Suite 280, Rex Trail, Howemouth
8	Nicholas Runolfsdottir V	Sherwood@rosamond.me	Suite 729, Ellsworth Summit, Aliyaview
9	Glenna Reichert	Chaim_McDermott@dana.io	Suite 449, Dayna Park, Bartholomebury
10	Clementina DuBuque	Rey.Padberg@karina.biz	Suite 198, Kattie Turnpike, Lebsackbury

```
import React, { Component } from 'react';
import axios from 'axios';
class App extends Component {
constructor() {
super();
this.state = {
dataKu: [],
componentDidMount(){
axios.get('https://jsonplaceholder.typicode.com/users')
.then((ambilData) => {
console.log(ambilData);
this.setState({
dataKu: ambilData.data,
})
```

```
render() {
var css = {border:'1px solid black', padding:'12px'}
const data = this.state.dataKu.map((item, index)=>{
var id = item.id;
var name = item.name;
var mail = item.email;
var alamat = [
item.address.suite,
item.address.street,
item.address.city].join(", ");
return 
{id}
{name}
{mail}
{alamat}
;
})
```



```
return (
<div><center>
<h1>Coba Get Data</h1>
>
No
Nama
Email
Alamat
{ data }
</center></div>
export default App;
```





aladhan.com



alquran.cloud/api



on DESIGN

quotesondesign.com



blockchain.info/api/ exchange_rates_api



ortsdb

thesportsdb.com/api.php

fabian7593.github.io/ CountryAPI/





themoviedb.org



api.nasa.gov





wunderground.com



openweathermap.org



food2fork.com



last.fm











api.jakarta.go.id



Free API Part 3 Header Key


```
var url =
  'https://developers.zomato.com/api/
   v2.1/search?q=kebab';
var config = {
  headers: {
    'user-key':'your_zomato_api_key'
axios.get(url, config)
.then((x) = >{
  console.log(x.data.restaurants);
})
```



zomato.com



Front-End Development



#3 Learn Once, Write Anywhere

