Question Paper

Exam Date & Time: 07-Oct-2023 (03:15 PM - 04:15 PM)



CHAROTAR UNIVERSITY OF SCIENCE AND TECHNOLOGY

DESIGN OF LANGUAGE PROCESSOR [CS450]

warks: 30	Duran	on: 60 mins.
	Section - 1	
Answer all the	e questions.	
1	Memory for named variables is allocated by .	(1)
	Linker Compiler Loader Operator	
2	Identify the most powerful parser?	(1)
	LALR LR D. Operator- Precedence	
3	Dynamic allocation requires which steps:	(1)
	Creating the dynamicStoring its address in a pointer so that the space canA & BNone ofspace.be accessedbothabove	
4	are used to keep track of memory locations where the values of identifiers are stored. Register descriptor Address descriptor Both A and B None of the above	(1)
5	Why is handle pruning used? <u>Canonical Derivation Sequence</u> <u>Both A & B</u> <u>Canonical Reduction Sequence</u> <u>None</u>	(1)
6	A grammar is said to be operator precedence grammar if it has No R.H.S. of any production has a adjacent. No two non-terminals are adjacent. None of above	(1) e
7	starts from the leaf nodes of a tree and works in upward	(1)
	direction till it reaches the root node.	
	Code optimization Code making parsing Code optimization Code making parsing	
8	Back patching is the activity of filling up the unspecified information of labels by using the appropriate semantic expression in during the code generation process. True False	(1)
9	The gramma S->SS (S) € is not suitable for CLR parsing because the grammar is/are	(1)

	1. Ambiguous	
	2. Left Recursive	
	3. Non-deterministic	
	Only Only I and Only II and III III	
10	YACC is an acronym for: Yes Another Compile Compiler	(1)
11	Whenever a procedure is executed, its activation record is stored on the stack, also known as? Access Stack Control stack Formal Stack Return Stack	(1)
12	Convert the pre-fix expression to in-fix*+ABC*DE+FG	(1)
	(A-B)*C+(D*E)-(F+G) (A+B)*C-(D-E)*(F-G) (A+B-C)*(D-E)*(F+G) (A+B)*C-(D*E)-(F+G)	
13	is a tool that depicts the structure of basic blocks, helps to see the flow of values flowing among the basic blocks, and offers optimization too. DAG CAG SAG PAG	(1)
14	Quadruples Has four fields op, arg1, arg2 and result. True False	(1)
15	is a compiler implementation technique that is used to implement virtual machine interpreters. Polish notation n-tuple notation abstract syntax trees threaded code	(1)
	Section - 2	
Answer 3 out o	·	
1 1 que	Prepare LALR(1) parsing table for given grammar	(5)
	S→ AaAb /BaBa	
	$A \rightarrow \epsilon$	
	$B \rightarrow \epsilon$	
2	What is a three address code? Mention its types. How would you implement the three address statements? Explain with examples.	(5)
3	What is Peephole Optimization? Explain with example	(5)
4	list and elaborate on the issues of the code generator	(5)

-----End-----