


BOLT TABLE			
FRAME LINE 1			
LOCATION	QUAN	TYPE	DIA
Columns/Raf	8	A325	1/2"

MEMBER TABLE		
FRAME LINE 1		
MARK	PART	LENGTH
EC-1	W12S089	17'-1 1/8"
EC-2	W12S089	17'-1 1/8"
DJ-1	J08C060	12'-11"
DH-1	J08C060	10'-0"
DH-2	J12S075	14'-0"
G-1	08Z060	1'-2 1/2"
G-2	08Z060	12'-7 1/2"
G-3	08Z060	10 1/2"
G-4	08Z060	13'-3 1/2"
G-5	08Z060	10 1/2"
G-6	08Z060	12'-7 1/2"
G-7	08Z060	1'-2 1/2"

CONNECTION PLATES	
FRAME LINE 1	
ID	MARK/PART
1	CSR41
2	GCC03
3	JCA&P02



ENDWALL FRAMING: FRAME LINE 1

### ENDWALL FRAMING PLAN


#### GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:  

RDB- = 5/8" ROD	CAB- = 1/4" CABLE
RDC- = 3/4" ROD	CAB- = 3/8" CABLE
RDD- = 7/8" ROD	CAC- = 1/2" CABLE
RDE- = 1" ROD	
RDF- = 1 1/8" ROD	
RDG- = 1 1/4" ROD	
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.

REVISED 5/17/2018 BY BAL

Dirk Jensen		RapidsetBuildings.com	
PROJECT	Shop	PHONE:	800.793.8555
ID	14653Q	ENDWALL FRAMING	
PROJECT ADDRESS	3691 Quail Run Way Wellington, NV 89444	DESIGN:	Steve NBS
		DATE:	5/ 7/18
		SHEET	8
		OF	20



BOLT TABLE			
FRAME LINE 4			
LOCATION	QUAN	TYPE	DIA
Columns/Raf	8	A325	1/2" 2"

MEMBER TABLE		
FRAME LINE 4		
MARK	PART	LENGTH
EC-3	W08S105	17'-1 1/8"
EC-4	W08S105	17'-1 1/8"
DJ-2	J08C060	14'-1"
DH-1	J08C060	10'-0"
G-2	08Z060	12'-7 1/2"
G-6	08Z060	12'-7 1/2"
G-8	08Z060	10'-3 7/16"
G-9	08Z067	1'-4 1/2"
G-10	08Z067	13'-3 1/2"
G-11	08Z067	1'-4 1/2"
G-12	08Z060	10'-3 7/16"

CONNECTION PLATES	
FRAME LINE 4	
ID	MARK/PART
1	CSR07
2	GCC03
3	JCA&P02

### ENDWALL FRAMING PLAN


#### GENERAL NOTES

- STD. ROD/CABLE SIZES PER PART PREFIX ARE:  
 ROD- = 5/8" ROD      CABLE- = 1/4" CABLE  
 RDC- = 3/4" ROD      CAB- = 3/8" CABLE  
 RDD- = 7/8" ROD      CAC- = 1/2" CABLE  
 RDE- = 1" ROD  
 RDF- = 1 1/8" ROD  
 RDG- = 1 1/4" ROD
- ROD/CABLE BRACING THAT OCCURS IN FLUSH OR INSET GIRT CONDITIONS WILL REQUIRE FIELD SLOTTING OF GIRT WEBS TO ALLOW FOR BRACING.
- FRAMED OPENINGS WHICH ARE FIELD LOCATED WILL REQUIRE FIELD CUTTING OF GIRTS AND SHEETING.
- THIS DRAWING IS NOT TO SCALE.

Dirk Jensen		RapidsetBuildings.com	
PROJECT	Shop	PHONE:	800.793.8555
ID	14653Q	ENDWALL FRAMING	
PROJECT ADDRESS	3691 Quail Run Way Wellington, NV 89444	DESIGN:	Steve NBS
		DATE:	5/ 7/18
		SHEET	10
		OF	20

SPlice Bolt Table						
Mark	Qty					
	Top	Bot	Int	Type	Dia	Length
SP-1	4	4	0	A325	0.500	2.00

MEMBER TABLE						
Mark	Web Depth	Web	Plate	Outside Flange		Inside Flange
	Start/End	Thick	Length	W x Thk	x Length	W x Thk x Length
RF1-1	12.0/14.0	0.125	146.1	5 x 3/16"	x 159.0	5 x 3/16" x 146.1
	14.0/14.0	0.150	17.6	6 x 3/16"	x 14.9	
RF1-2	14.0/14.0	0.125	241.5	5 x 3/16"	x 236.8	5 x 3/16" x 236.8
RF1-3	14.0/14.0	0.150	17.6	6 x 3/16"	x 14.9	5 x 3/16" x 146.1
	14.0/12.0	0.125	146.1	5 x 3/16"	x 159.0	



RIGID FRAME ELEVATION: FRAME LINE 1

Dirk Jensen		RapidsetBuildings.com	
PROJECT	Shop	PHONE: 800.793.8555	
ID	146530	RIGID FRAME ELEVATION	
PROJECT ADDRESS	3691 Quail Run Way Wellington, NV 89444	DESIGN: Steve	NBS
		DATE: 5/ 7/18	SHEET 14 OF 20

THIS DRAWING IS NOT TO SCALE

