



GENERAL NOTES:

1. INSTALL ALL PURLIN AND FLANGE BRACES (FB) AS SHOWN.
2. ROOF PANEL PROVIDES STRUCTURAL STABILITY TO THE BUILDING.
3. STRUT PURLINS, IF PROVIDED, MUST BE INSTALLED AND FASTENED TO ROOF SHEETING PER "PBR" PANEL ROOF DETAIL.
4. DO NOT ADD ANY ADDITIONAL ROOF OPENINGS WITHOUT BUILDING MANUFACTURER APPROVAL OR PROFESSIONAL ENGINEER APPROVAL.
5. DO NOT STACK SHEET BUNDLES ON ROOF. ONLY RAISE INDIVIDUAL SHEETS AS NEEDED.
6. AFTER INSTALLATION, WIPE ALL PANELS CLEAN OF METAL SHAVINGS CAUSED BY DRILLING.



SPECIAL BOLTS				
ROOF PLAN				
○ ID	QUAN	TYPE	DIA	LENGTH
1	2	A325	1/2"	1 1/4"


MEMBER TABLE		
ROOF PLAN		
MARK	PART	LENGTH
P-1	8X25Z12	28'-1 1/2"
P-2	8X25Z12	28'-1 1/2"
P-3	8X25Z12	28'-1 1/2"
P-4	8X25Z12	28'-1 1/2"
E-1	8ES2L14	24'-11 1/2"
E-2	8ES2L14	24'-11 1/2"
E-3	8ES2L14	24'-11 1/2"
E-4	8ES2L14	24'-11 1/2"
CB-4	1/2" DIA. ROD	30'-2"
CB-5	1/2" DIA. ROD	29'-10"

ROOF FRAMING PLAN						BUILDING IS MANUFACTURED BY METALLIC							
ISSUE	DATE	DESCRIPTION	BY	CK'D	DSN	<div>MICHAEL W. CUSTER, P.E. 642 OAKBEND DRIVE COPPEL TX. 75019 PH. 972-571-7082</div> <div>MICHAEL W CUSTER</div> <div>Digit MICH Date 15:29</div>							
0	5/23/22	FOR ERECTOR INSTALLATION	GJO	SN	EV								
						PROJECT: KODY NIELSEN							
						CUSTOMER: REEDER & MURRAY CONST INC					OWNER: KODY NIELSEN		
						LOCATION: NIBLEY, UT 84321							
						CAD	DATE	SCALE	PHASE	BUILDING ID	JOB NUMBER	SHEET NUMBER	ISSUE
							5/23/22	N.T.S.	1	A	18-B-53592	E1	0


Digitally signed by
MICHAEL WYBSTER
Date: 2022.06.25
15:29:32 -0500

No. 364668
MICHAEL
CUSTER

THE DOCUMENT WAS
PRODUCED BY AND FOR
UNDER MY DIRECT SUPERVISION



SIDEWALL FRAMING: FRAME LINE A



SIDEWALL SHEETING & TRIM: FRAME LINE A

PANELS: 26 Gauge PBR – Ash Gray

DOWNSPOUT SPACING LOCATIONS

DOWNSPOUTS ARE TO BE PLACED AT A SPACING NOT TO EXCEED 40 FT. WITH A DOWNSPOUT WITHIN 20 FT. OF EACH END OF THE GUTTER RUN. GUTTER STRAPS TO BE 2'-0" ON CENTER.

GENERAL NOTES:

1. INSTALL ALL GIRTS AND FLANGE BRACES (FB) AS SHOWN.
2. WALL PANEL PROVIDES STRUCTURAL STABILITY TO THE BUILDING.
3. OTHER THAN FOR WALK DOORS AND WINDOWS SHOWN ON THE CONTRACT, DO NOT ADD ADDITIONAL WALL OPENINGS WITHOUT APPROVAL OF BUILDING MANUFACTURER OR PROFESSIONAL ENGINEER.
4. AFTER INSTALLATION, WIPE ALL PANELS CLEAN OF METAL SHAVINGS CAUSED BY DRILLING.

ISSUE	DATE	DESCRIPTION	BY	CK'D	DSN
0	5/23/22	FOR ERECTOR INSTALLATION	GJO	SN	EV

BUILDING IS MANUFACTURED BY METALLIC

MICHAEL W. CUSTER, P.E.
642 OAKBEND DRIVE
COPPEL TX. 75019
PH. 972-571-7082

PROJECT: KODY NIELSEN
CUSTOMER: REEDER & MURRAY CONST INC
LOCATION: NIBLEY, UT 84321

OWNER: KODY NIELSEN

CAD	DATE	SCALE	PHASE	BUILDING ID	JOB NUMBER	SHEET NUMBER	ISSUE
	5/23/22	N.T.S.	1	A	18-B-53592	E4	0

SPECIAL BOLTS						
○ ID	QUAN	TYPE	DIA	LENGTH	WASH	
1	2	A325	1/2"	1 1/4"	2	

MEMBER TABLE FRAME LINE A		
MARK	PART	LENGTH
E-1	8ES2L14	24'-11 1/2"
E-2	8ES2L14	24'-11 1/2"
G-8	8X25Z16	26'-5 1/2"
G-9	8X25Z16	26'-5 1/2"
CB-3	1/2" DIA. ROD	28'-4"

Digitally signed by MICHAEL W CUSTER
Date: 2022.05.23 15:32:54 -05'00'

MICHAEL W CUSTER
No. 364668
MICHAEL CUSTER

PROFESSIONAL STRUCTURAL ENGINEER

THE DOCUMENT WAS PRODUCED BY AND FOR UNDER MY DIRECT SUPERVISION

MEMBER TABLE		
FRAME LINE D		
MARK	PART	LENGTH
E-3	8ES2L14	24'-11 1/2"
E-4	8ES2L14	24'-11 1/2"
G-10	8X25Z16	26'-5 1/2"
G-11	8X25Z16	26'-5 1/2"
CB-3	1/2" DIA. ROD	28'-4"



BUILDING IS MANUFACTURED BY METALLIC

BUILDING IS MANUFACTURED BY METALLIC							
MICHAEL W. CUSTER, P.E. 642 OAKBEND DRIVE COPEL TX. 75019 PH. 972-571-7082							
PROJECT: KODY NIELSEN							
CUSTOMER: REEDER & MURRAY CONST INC				OWNER: KODY NIELSEN			
LOCATION: NIBLEY, UT 84321				DATE: 15:33			
CAD	DATE	SCALE	PHASE	BUILDING ID	JOB NUMBER	SHEET NUMBER	ISSUE
	5/23/22	N.T.S.	1	A	18-B-53592	E4	0

1. INSTALL ALL GIRTS AND FLANGE BRACES (FB) AS SHOWN.
2. WALL PANEL PROVIDES STRUCTURAL STABILITY TO THE BUILDING.
3. OTHER THAN FOR WALK DOORS AND WINDOWS SHOWN ON THE CONTRACT, DO NOT ADD ADDITIONAL WALL OPENINGS WITHOUT APPROVAL OF BUILDING MANUFACTURER OR PROFESSIONAL ENGINEER.
4. AFTER INSTALLATION, WIPE ALL PANELS CLEAN OF METAL SHAVINGS CAUSED BY DRILLING.

MICHAEL W CUSTER
Digitally signed by MICHAEL W CUSTER
Date: 2022.09.15 15:33:47 -0500


THIS DOCUMENT WAS
PRODUCED BY AND FOR
UNDER MY DIRECT SUPERVISION

BEARING FRAME ONLY!
WASHER TO BE USED AT ENDWALL COLUMN TO ENDWALL
RAFTER CONNECTION. USE ONE WASHER ON COLUMN SIDE.
WASHER NOT NEEDED ON CLIP SIDE.


BOLT TABLE FRAME LINE 1				
LOCATION	QUAN	TYPE	DIA	LENGTH
Columns/Raf	10	A325	1/2"	1 1/4"

MEMBER TABLE FRAME LINE 1		
MARK	PART	LENGTH
EC-1	w8X18	18'-3 5/8"
DJ-1	8X35C14	11'-11 3/4"
G-1	8X25Z16	6'-5 3/4"
G-2	8X35C13	19'-11 3/4"
G-3	8X25Z16	10"
G-4	8X35C13	17'-11 3/4"
G-5	8X25Z16	2'-5 3/4"
JB-1	8X35C14	4'-0 5/8"
JB-2	8X35C14	6'-0 5/8"
JB-3	8X35C14	5'-8 5/8"
JB-4	8X35C14	3'-4 5/8"

CONNECTION PLATES FRAME LINE 1	
ID	MARK/PART
1	Z1GX
2	SC-484
3	r2
4	CL753
5	CL750
6	CL751
7	SC530



ENDWALL FRAMING: FRAME LINE 1



ENDWALL SHEETING & TRIM: FRAME LINE 1

PANELS: 26 Gauge PBR - Ash Gray


- GENERAL NOTES:
1. INSTALL ALL GIRTS AND FLANGE BRACES (FB) AS SHOWN.
 2. WALL PANEL PROVIDES STRUCTURAL STABILITY TO THE BUILDING.
 3. OTHER THAN FOR WALK DOORS AND WINDOWS SHOWN ON THE CONTRACT, DO NOT ADD ADDITIONAL WALL OPENINGS WITHOUT APPROVAL OF BUILDING MANUFACTURER OR PROFESSIONAL ENGINEER.
 4. AFTER INSTALLATION, WIPE ALL PANELS CLEAN OF METAL SHAVINGS CAUSED BY DRILLING.

ISSUE	DATE	DESCRIPTION	BY	CK'D	DSN
0	5/23/22	FOR ERECTOR INSTALLATION	GJO	SN	EV


Digitally signed by
MICHAEL W. CUSTER
Date: 2022.05.23
15:34:48 -05'00'

Professional Structural Engineer
No. 364668
MICHAEL CUSTER

THIS DOCUMENT WAS
PRODUCED BY AN AUTOMATIC
UNDER MY DIRECT SUPERVISION



ENDWALL FRAMING: FRAME LINE 3



FB6 Flange Brace Detail

- GENERAL NOTES:
1. INSTALL ALL GIRTS AND FLANGE BRACES (FB) AS SHOWN.
 2. WALL PANEL PROVIDES STRUCTURAL STABILITY TO THE BUILDING.
 3. OTHER THAN FOR WALK DOORS AND WINDOWS SHOWN ON THE CONTRACT, DO NOT ADD ADDITIONAL WALL OPENINGS WITHOUT APPROVAL OF BUILDING MANUFACTURER OR PROFESSIONAL ENGINEER.
 4. AFTER INSTALLATION, WIPE ALL PANELS CLEAN OF METAL SHAVINGS CAUSED BY DRILLING.


BEARING FRAME ONLY!
WASHER TO BE USED AT ENDWALL COLUMN TO ENDWALL RAFTER CONNECTION. USE ONE WASHER ON COLUMN SIDE. WASHER NOT NEEDED ON CLIP SIDE.

BOLT TABLE FRAME LINE 3				
LOCATION	QUAN	TYPE	DIA	LENGTH
ER-1/ER-2	8	A325	5/8"	2"
Cor_Column/Raf	4	A325	1/2"	1 1/2"
EC-3/ER-2	4	A325	5/8"	1 1/2"

MEMBER TABLE FRAME LINE 3		
MARK	PART	LENGTH
EC-2	W8X10	14'-8 5/16"
EC-3	W8X10	17'-8 1/8"
EC-4	W8X10	14'-8 5/16"
ER-1	W8X10	20'-3 1/16"
ER-2	W8X10	20'-3 1/16"
G-6	8X25Z16	20'-9 1/2"
G-7	8X25Z16	20'-9 1/2"
CB-1	1/2" DIA. ROD	24'-0"
CB-2	1/2" DIA. ROD	25'-10"

FLANGE BRACE TABLE FRAME LINE 3			
▽ ID	MARK	PART	LENGTH
1	FB29.3	L2X2X14G	2'-5 1/4"
2	FB6-1	L2X2X1/8	2'-5 1/4"

CONNECTION PLATES FRAME LINE 1		
□ ID	MARK/PART	
1	SC-5	



ENDWALL SHEETING & TRIM: FRAME LINE 3

PANELS: 26 Gauge PBR - Ash Gray

ISSUE	DATE	DESCRIPTION	BY	CK'D	DSN
0	5/23/22	FOR ERECTOR INSTALLATION	GJO	SN	EV

BUILDING IS MANUFACTURED BY METALLIC							
MICHAEL W. CUSTER, P.E. 642 OAKBEND DRIVE COPPEL TX. 75019 PH. 972-571-7082							
PROJECT: KODY NIELSEN				OWNER: KODY NIELSEN			
CUSTOMER: REEDER & MURRAY CONST INC				LOCATION: NIBLEY, UT 84321			
CAD	DATE	SCALE	PHASE	BUILDING ID	JOB NUMBER	SHEET NUMBER	ISSUE
	5/23/22	N.T.S.	1	A	18-B-53592	E6	0

Digitally signed by MICHAEL W. CUSTER
Date: 2022.05.23 15:35:41 -05'00'
No. 364668
MICHAEL CUSTER
PROFESSIONAL STRUCTURAL ENGINEER
THE DOCUMENT WAS PRODUCED BY AND UNDER MY DIRECT SUPERVISION

