1 dailyLog

```
std::bitset<5> intA;
struct s1 {
     int a:6;
using namespace std::string_literals;
auto s1 = "abc";
auto s1 = L"abc";
auto s1 = u8" abc";
auto s1 = u"abc";
auto s1 = U"abc";
auto s1 = "abc";
auto s1 = "abc";
auto s1 = 42;
auto s1 = 421;
auto s1 = 42 ul;
auto s1 = 42 ull;
auto s1 = 42. f;
auto s1 = 42.;
auto s1 = 42;
auto s1 = 0b11
auto s1 = 0123;
auto s1 = 0x123;
\mathtt{std} :: \mathtt{cout} \, << \, \mathtt{std} :: \mathtt{hex} \, << \, \mathtt{std} :: \mathtt{dec} \, << \, \mathtt{std} :: \mathtt{oct} \, << \, \mathtt{std} :: \mathtt{boolalpha}
\begin{array}{l} {\rm std} :: {\rm setlocale} \, ({\rm LC\_ALL}, \ "en\_US.UTF-8")\,; \\ {\rm std} :: u32 {\rm string} \ p1 \, = \, U" \, abc" \, s\,; \end{array}
std::string p2 = "abc"s;
std::u16string p3 = u"abc"s;
enum e1{R,RED,YELLOW};
enum class e1{R,RED,YELLOW};
#define RED1 1
enum class e1:uint8_t
     R = 253,
     RED,
     YELLOW
};
```