1

Assignment 1

Priya Bhatia

Abstract—This document solves a problem from Lines and Planes, where we solve the given pair of linear equations.

Download all python codes from

https://github.com/priya6971/

matrix_theory_EE5609/tree/master/school/tree/master/training/design/codes

and latex-tikz codes from

https://github.com/priya6971/

matrix_theory_EE5609/tree/master/school/tree/master/training/design

1 Problem

Solve the following pair of linear equation

$$\begin{pmatrix} 158 & -378 \\ -378 & 152 \end{pmatrix} x = \begin{pmatrix} -74 \\ -604 \end{pmatrix}$$
 (1.0.1)

2 EXPLANATION

Let the matrix is A and b is the vector. So,Ax = b Then we can calculate $x = A^{-1}$. b

$$\mathbf{A} = \begin{pmatrix} 158 & -378 \\ -378 & 152 \end{pmatrix} \tag{2.0.1}$$

$$\mathbf{b} = \begin{pmatrix} -74 \\ -604 \end{pmatrix} \tag{2.0.2}$$

3 Solution

$$\mathbf{A} = \begin{pmatrix} 158 & -378 \\ -378 & 152 \end{pmatrix} \tag{3.0.1}$$

$$\mathbf{b} = \begin{pmatrix} -74 \\ -604 \end{pmatrix} \tag{3.0.2}$$

$$\mathbf{R} = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \tag{3.0.3}$$

$$RARAx = RARb (3.0.4)$$

$$\mathbf{RARA} = k\mathbf{I} \tag{3.0.5}$$

I is the Identity Matrix and k is the constant which is equal to 118868 which is shown below

$$k\mathbf{Ix} = \mathbf{RARb} \tag{3.0.6}$$

$$k\mathbf{x} = \mathbf{R}\mathbf{A}\mathbf{R}\mathbf{b} \tag{3.0.7}$$

Finally divide the LHS and RHS by constant k in order to get the value of x. So, by putting the values of \mathbf{R} , \mathbf{A} and \mathbf{b} in equation 3.0.4 we can easily find out the value of x as follows:

$$\begin{pmatrix} 0 & -1 \\ -1 & 0 \end{pmatrix} \begin{pmatrix} 158 & -378 \\ -378 & -152 \end{pmatrix} \begin{pmatrix} 0 & -1 \\ -1 & 0 \end{pmatrix} \begin{pmatrix} 158 & -378 \\ -378 & -152 \end{pmatrix} \mathbf{x}$$

$$= \begin{pmatrix} 0 & -1 \\ -1 & 0 \end{pmatrix} \begin{pmatrix} 158 & -378 \\ -378 & -152 \end{pmatrix} \begin{pmatrix} 0 & -1 \\ -1 & 0 \end{pmatrix} \begin{pmatrix} -74 \\ -604 \end{pmatrix}$$
(3.0.8)

After doing matrix multiplication in LHS and RHS,

$$\begin{pmatrix} 118868 & 0 \\ 0 & 118868 \end{pmatrix} \mathbf{x} = \begin{pmatrix} 239560 \\ 123404 \end{pmatrix}$$
 (3.0.9)

Now, divide both the rows by 118868:

$$\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix} \mathbf{x} = \begin{pmatrix} 239560/118868 \\ 123404/118868 \end{pmatrix}$$
 (3.0.10)

After further calculations in the fractional result: