

Title: Cambiar monitor guake Date: 2016-1-9 17:50 Modified: 2016-1-11 17:50 Category: Linux Tags: linux, software, guake Authors: procamora Slug: 2016_01_09_cambiar-monitor-guake Summary: Cuando tienes varios monitores, guake por defecto arranca en el monitor de la izquierda, para colocarlo en la derecha hay que editar el ejecutable de guake Status: published

Cuando tienes varios monitores, guake por defecto arranca en el monitor de la izquierda, para colocarlo en la derecha hay que editar el ejecutable de guake

```
vim /usr/bin/guake
```

Buscar la función `get_final_window_rect` y sustituirla por esta:

```
def get_final_window_rect(self):
    """Gets the final size of the main window of guake. The height
    is the window_height property, width is window_width and the
    horizontal alignment is given by window_alignment.
    """
    screen = self.window.get_screen()
    height = self.client.get_int(KEY('/general/window_height'))
    width = 100
    halignment = self.client.get_int(KEY('/general/window_halignment'))

    # future we might create a field to select which monitor you
    # wanna use
    #monitor = 0 # use the left most monitor
    monitor = screen.get_n_monitors() - 1 # use the right most monitor

    monitor_rect = screen.get_monitor_geometry(monitor)
    window_rect = monitor_rect.copy()
    window_rect.height = window_rect.height * height / 100
    window_rect.width = window_rect.width * width / 100

    if width < monitor_rect.width:
        if halignment == ALIGN_CENTER:
            window_rect.x = monitor_rect.x + (monitor_rect.width - window_rect.width) / 2
        elif halignment == ALIGN_LEFT:
            window_rect.x = monitor_rect.x
        elif halignment == ALIGN_RIGHT:
            window_rect.x = monitor_rect.x + monitor_rect.width - window_rect.width

    window_rect.y = monitor_rect.y
    return window_rect
```

Fuentes: 0