


# **Production Supporting Systems in Factories**

**ระบบสนับสนุนการผลิตในโรงงานอุตสาหกรรม**

# Line Notify

- สร้างกลุ่ม LINE ภายใน Group
- ไปที่ <https://notify-bot.line.me/en/>
  - Login (need to verify number on smart phone)
  - Go to `My page`
  - Click `Generate token`
  - Enter `Token Name` and select a chat room.
  - Copy the token and store it somewhere.

- Let send a line notification through Node-Red
  - Flow



- inject node

**Edit inject node**

Delete Cancel Done

**JSON** **Edit**

⚙ Properties


🔑 Name Name

msg. payload = {} {"message":"Hello"} ... x

msg. headers = {} {"Content-Type":"application/x-www-..."} ... x


- Set `msg.payload` to (JSON)

```
{  
  "message": "Hello"  
}
```



- Set `msg.headers` to (JSON)

```
{  
  "Content-Type": "application/x-www-form-urlencoded",  
  "Authorization": "Bearer <<YOUR LINE TOKEN>>"  
}
```



- `http request` `node`
  - `Method:` `POST`
  - `URL:` `https://notify-api.line.me/api/notify`



Edit http request node

Delete

Cancel

Done

⚙️ Properties

⚙️

📄

🔗

☰ Method

POST

▼

🌐 URL

https://notify-api.line.me/api/notify

☐ Enable secure (SSL/TLS) connection

☐ Use authentication

☐ Enable connection keep-alive

☐ Use proxy

☐ Only send non-2xx responses to Catch node

↩️ Return

a UTF-8 string

▼

🏷️ Name


Name

- Add `debug` node to see the output.
  - You can inspect the error.
- Try injecting to see if the notification.

## Extra

- Make a server that send the message to `Line`.
  - The message comes from the `POST` request.

# Extra



# Extra

**Edit change node**

Delete

Cancel

Done

Properties

Name

Name

Rules

Set

▼ msg. payload

to the value

▼ {} {"message":"Helooooo"}

...

x

Set

▼ msg. headers

to the value

▼ {} {"Content-Type":"application/x-www-f...

...

x

Set

▼ msg. url

to the value

▼ a\_z https://notify-api.line.me/api/notify

...

x