


Production Supporting Systems in Factories

ระบบสนับสนุนการผลิตในโรงงานอุตสาหกรรม

Line Notify

- สร้างกลุ่ม LINE ภายใน Group
- ไปที่ <https://notify-bot.line.me/en/>
 - Login (need to verify number on smart phone)
 - Go to `My page`
 - Click `Generate token`
 - Enter `Token Name` and select a chat room.
 - Copy the token and store it somewhere.

- Let send a line notification through Node-Red
 - Flow



- inject node

Edit inject node

Delete Cancel Done

JSON **Edit**

⚙ Properties


🔑 Name Name

msg. payload = {} {"message": "Hello"} ... x

msg. headers = {} {"Content-Type": "application/x-www-..."} ... x


- Set `msg.payload` to (JSON)

```
{  
  "message": "Hello"  
}
```



- Set `msg.headers` to (JSON)

```
{  
  "Content-Type": "application/x-www-form-urlencoded",  
  "Authorization": "Bearer <<YOUR LINE TOKEN>>"  
}
```



- `http request` `node`
 - `Method:` `POST`
 - `URL:` `https://notify-api.line.me/api/notify`

Edit http request node

Delete

Cancel

Done

⚙️ Properties

⚙️

📄

🔗

☰ Method

POST

▼

🌐 URL

https://notify-api.line.me/api/notify

☐ Enable secure (SSL/TLS) connection

☐ Use authentication

☐ Enable connection keep-alive

☐ Use proxy

☐ Only send non-2xx responses to Catch node

↩️ Return

a UTF-8 string

▼

🏷️ Name


Name

- Add `debug` node to see the output.
 - You can inspect the error.
- Try injecting to see if the notification.

Extra

- Make a server that send the message to `Line`.
 - The message comes from the `POST` request.

Extra



Extra

Edit change node

Delete

Cancel

Done

Properties

Name

Name

Rules

Set

▼ msg. payload

to the value

▼ {} {"message":"Helooooo"}

...

x

Set

▼ msg. headers

to the value

▼ {} {"Content-Type":"application/x-www-f...

...

x

Set

▼ msg. url

to the value

▼ a_z https://notify-api.line.me/api/notify

...

x