



INSTITUTO FEDERAL
DE EDUCAÇÃO, CIÊNCIA E TECNOLOGIA
Bahia

Linguagem de Programação II

Persistência de Dados em Java - Java
Database Connectivity (JDBC) – Tela de
Cadastro;



Roteiro

- Persistência de Dados em Java Java Database Connectivity (JDBC) – Tela de Cadastro;
 - JDBC;
 - Interação entre Aplicações Java e Bancos de Dados;
 - Criação do Banco de Dados e das Tabelas;
 - Criação de um projeto Netbeans com Maven (JDBC);
 - Instalando o Mysql Connector Java;
 - Exemplo – Cadastro de Conta;
 - Classe GerenciadorBD;
 - Tela de Cadastro de Conta.




JDBC

- **Persistência de Dados** refere-se à capacidade de **armazenar e recuperar informações de maneira durável** (Ex.: Banco de Dados). **Java Database Connectivity (JDBC)** é uma **biblioteca que facilita a conexão e interação com bancos de dados relacionais** por meio de código **Java**, permitindo operações como **consulta e atualização de dados**.



Interação - App Java e Bancos de Dados




Criação do BD e das Tabelas - Script


```
1 CREATE SCHEMA IF NOT EXISTS `bancoabc` ;
2
3 USE `bancoabc` ;
4
5 CREATE TABLE IF NOT EXISTS `conta` (
6     `id` int NOT NULL AUTO_INCREMENT,
7     `numero` int NOT NULL,
8     `saldo` double NOT NULL,
9     `limite` double NOT NULL,
10    PRIMARY KEY (`id`)
11 );
```




Criação do BD e das Tabelas - MySQL



Criação do BD e das Tabelas - MySQL



Criação do BD e das Tabelas - MySQL



The screenshot shows a MySQL SQL editor window titled "SQL File 4* x". The toolbar includes icons for file operations, execution, and search. The SQL code is as follows:

```
1 • CREATE SCHEMA IF NOT EXISTS `bancoabc` ;
2
3 • USE `bancoabc` ;
4
5 • CREATE TABLE IF NOT EXISTS `conta` (
6     `id` int NOT NULL AUTO_INCREMENT,
7     `numero` int NOT NULL,
8     `saldo` double NOT NULL,
9     `limite` double NOT NULL,
10    PRIMARY KEY (`id`)
11 );
```

A yellow arrow points to the execution icon (a lightning bolt) in the toolbar. A vertical line with a circle at the top connects the first bullet point of the third line of code to the execution icon.




Criação do BD e das Tabelas - MySQL


Output				
Action Output				
	#	Time	Action	Message
✓	1	16:51:53	CREATE SCHEMA IF NOT EXISTS 'bancoabc'	1 row(s) affected
✓	2	16:51:53	USE 'bancoabc'	0 row(s) affected
✓	3	16:51:53	CREATE TABLE IF NOT EXISTS 'conta' ('id' int NOT NULL AUTO_INCREMENT, 'numero' int N...	0 row(s) affected




Criação do BD e das Tabelas - MySQL




Criação do BD e das Tabelas - MySQL



Criação do BD e das Tabelas - MySQL



Criação do BD e das Tabelas - MySQL



The screenshot shows a MySQL IDE window titled "SQL File 4*" with a sub-tab "conta". The SQL editor contains the query: `1 • SELECT * FROM bancoabc.conta;`. The toolbar includes icons for file operations, execution, and a "Limit to 1000 rows" dropdown. Below the editor, the "Result Grid" is displayed with columns: **id**, **numero**, **saldo**, and **limite**. The first row of data shows all four columns as **NULL**. The toolbar for the result grid includes options for "Filter Rows", "Edit", "Export/Import", and "Wrap Cell Content".

	id	numero	saldo	limite
1 •	NULL	NULL	NULL	NULL



Criação de Projeto Netbeans (Maven)




Turning on modules...

Apache NetBeans IDE 16




INSTITUTO FEDERAL
DE EDUCAÇÃO, CIÊNCIA E TECNOLOGIA
Bahia


Criação de Projeto Netbeans (Maven)



Criação de Projeto Netbeans (Maven)



Criação de Projeto Netbeans (Maven)



The image shows the 'New Java Application' dialog box in NetBeans. The 'Steps' panel on the left indicates the current step is '2. Name and Location'. The 'Name and Location' section contains several text fields: 'Project Name' (ProjetoBancoABC), 'Project Location' (C:\Users\leomi\Desktop\), 'Project Folder' (C:\Users\leomi\Desktop\ProjetoBancoABC), 'Artifact Id' (ProjetoBancoABC), 'Group Id' (ifba), 'Version' (1.0-SNAPSHOT), and 'Package' (ifba.projetoBANCOABC). A 'Browse...' button is next to the 'Project Location' field. At the bottom, there are navigation buttons: '< Back', 'Next >', 'Finish', 'Cancel', and 'Help'. Yellow arrows point to the 'Project Name', 'Project Location', 'Browse...' button, and 'Finish' button.

New Java Application

Steps

1. Choose Project
2. **Name and Location**

Name and Location

Project Name: ProjetoBancoABC

Project Location: C:\Users\leomi\Desktop\ Browse...

Project Folder: C:\Users\leomi\Desktop\ProjetoBancoABC

Artifact Id: ProjetoBancoABC

Group Id: ifba


Version: 1.0-SNAPSHOT

Package: ifba.projetoBANCOABC (Optional)


< Back Next > Finish Cancel Help




Criação de Projeto Netbeans (Maven)




Criação de Projeto Netbeans (Maven)




Criação de Projeto Netbeans (Maven)




Criação de Projeto Netbeans (Maven)



Criação de Projeto Netbeans (Maven)



Criação de Projeto Netbeans (Maven)



New Java Package

Steps

1. Choose File Type
2. **Name and Location**

Name and Location

Package Name:

Project:


Location:

Created Folder:


< Back Next > **Finish** Cancel Help



Criação de Projeto Netbeans (Maven)



Instalar MySQL Connector Java (Maven)




Google

mysql connector java maven

Vídeos Imagens Shopping Notícias Livros Maps Voos Finanças

Aproximadamente 2.490.000 resultados (0,29 segundos)

Dica: Limitar esta pesquisa aos resultados em **português (Brasil)**. Saiba mais sobre como filtrar por idioma

 mvnrepository.com
https://mvnrepository.com › artifact

MySQL Connector Java - Maven Repository

Version	Repository	Usages	Date
8.0.33	Central	96	Apr 18, 2023
8.0.32	Central	114	Jan 19, 2023
8.0.31	Central	156	Oct 18, 2022

Ver mais 89 linhas

[8.0.26](#) · [8.0.33](#) · [8.0.32](#) · [8.0.28](#)



Instalar MySQL Connector Java (Maven)

MVN REPOSITORY



MySQL Connector Java

MySQL Connector/J is a JDBC Type 4 driver, which means that it is part of the MySQL client libraries. This driver supports auto-registration with SQLExceptions, support for large update counts, support for local and remote JDBC-4.x XML processing, support for per connection client information.

Categories	JDBC Drivers
Tags	database sql jdbc driver connector mysql
Ranking	#68 in MvnRepository (See Top Artifacts) #1 in JDBC Drivers
Used By	7,240 artifacts

Note: This artifact was moved to:

[com.mysql » mysql-connector-j](#)

MySQL Connector/J artifacts moved to reverse-DNS compliant Maven 2+ coordinates

Central (92)

Jahia (1)

Redhat GA (8)

Redhat EA (3)

Imcode (1)

Version

Vulnerabilities

8.0.33



INSTITUTO FEDERAL
DE EDUCAÇÃO, CIÊNCIA E TECNOLOGIA
Bahia

Instalar MySQL Connector Java (Maven)

Note: This artifact was moved to:

`com.mysql » mysql-connector-j`

MySQL Connector/J artifacts moved to reverse-DNS compliant Maven 2+ coordinates.

Maven

Gradle

Gradle (Short)

Gradle (Kotlin)

SBT

Ivy

Grape

Leiningen

Buildr

```
<!-- https://mvnrepository.com/artifact/mysql/mysql-connector-java -->
```

```
<dependency>
```

```
  <groupId>mysql</groupId>
```

```
  <artifactId>mysql-connector-java</artifactId>
```


```
  <version>8.0.33</version>
```

```
</dependency>
```


Copia o Texto Selecionado



Instalar MySQL Connector Java (Maven)



Instalar MySQL Connector Java (Maven)



The screenshot shows an IDE window titled 'pom.xml [ProjetoBancoABC]'. The interface includes tabs for 'Source', 'Graph', 'Effective', and 'History'. A toolbar with various icons is visible above the code editor. The code editor displays the following XML content:

```
1 <?xml version="1.0" encoding="UTF-8"?>
2 <project xmlns="http://maven.apache.org/POM/4.0.0"
3         xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
4         xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
5         http://maven.apache.org/xsd/maven-4.0.0.xsd">
6     <modelVersion>4.0.0</modelVersion>
7     <groupId>ifba</groupId>
8     <artifactId>ProjetoBancoABC</artifactId>
9     <version>1.0-SNAPSHOT</version>
10    <packaging>jar</packaging>
11    <properties>
12        <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
13        <maven.compiler.source>19</maven.compiler.source>
14        <maven.compiler.target>19</maven.compiler.target>
15        <exec.mainClass>ifba.projetoBANCOABC.ProjetoBancoABC</exec.mainClass>
16    </properties>
17 </project>
```



Instalar MySQL Connector Java (Maven)

```
1  <?xml version="1.0" encoding="UTF-8"?>
2  <project xmlns="http://maven.apache.org/POM/4.0.0"
3         xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
4         xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
5         http://maven.apache.org/xsd/maven-4.0.0.xsd">
6     <modelVersion>4.0.0</modelVersion>
7     <groupId>ifba</groupId>
8     <artifactId>ProjetoBancoABC</artifactId>
9     <version>1.0-SNAPSHOT</version>
10    <packaging>jar</packaging>
11    <properties>
12        <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
13        <maven.compiler.source>19</maven.compiler.source>
14        <maven.compiler.target>19</maven.compiler.target>
15        <exec.mainClass>ifba.projetoBANCOABC.ProjetoBancoABC</exec.mainClass>
16    </properties>
17    <dependencies>
18
19    </dependencies>
20 </project>
```




Instalar MySQL Connector Java (Maven)

Cola o Texto Seleccionado

```
17 <dependencies>
18   <dependency>
19     <groupId>mysql</groupId>
20     <artifactId>mysql-connector-java</artifactId>
21     <version>8.0.33</version>
22   </dependency>
23 </dependencies>
24 </project>
```




Instalar MySQL Connector Java (Maven)



Instalar MySQL Connector Java (Maven)

Output - Build (ProjetoBancoABC)




```
--- maven-install-plugin:2.4:install (default-install) @
Installing C:\Users\leomi\Desktop\ProjetoBancoABC\target\
Installing C:\Users\leomi\Desktop\ProjetoBancoABC\pom.xml
-----
BUILD SUCCESS
-----

Total time: 1.982 s
Finished at: 2023-08-27T18:31:47-03:00
-----
```



Classe GerenciadorBD



Classe GerenciadorBD

New Java Class

Steps

1. Choose File Type
2. **Name and Location**

Name and Location

Class Name:

Project:

Location:


Package:

Created File:

< Back Next > **Finish** Cancel Help



Classe GerenciadorBD



Colocar apenas uma classe GerenciadorBD por Projeto




Classe GerenciadorBD

```
1 package Principal;
2
3 import java.sql.Connection;
4 import java.sql.DriverManager;
5
6 public class GerenciadorBD {
7
8     private final String servidor = "127.0.0.1:3306";
9     private final String banco = "bancoabc";
10    private final String login = "root";
11    private final String senha = "1234";
12
13    public Connection conectar() throws Exception {
14        Class.forName("com.mysql.cj.jdbc.Driver");
15
16        String textoDeConexao = "jdbc:mysql://" + servidor + "/" + banco;
17
18        return DriverManager.getConnection(textoDeConexao, login, senha);
19    }
20 }
```



Tela de Cadastro de Conta



Tela de Cadastro de Conta

New JFrame Form

Steps

1. Choose File Type
2. **Name and Location**

Name and Location

Class Name:

Project:

Location:


Package:

Created File:


< Back Next > **Finish** Cancel Help



Tela de Cadastro de Conta



Tela de Cadastro de Conta



Sistema IFBA - Tela de Cadastro de Conta

Cadastro de Conta

Número:

Saldo:

Limite:



Tela de Cadastro de Conta - Layout

The image shows a Java Swing window titled "Sistema IFBA - Tela de Cadastro de Conta". The window has a title bar with standard OS controls and a close button labeled "resizable: false". The main content area is titled "Cadastro de Conta". It contains three rows of input fields, each preceded by a label. The labels are "Número:", "Saldo:", and "Limite:". The input fields are text boxes. At the bottom, there are two buttons: "Limpar" and "Cadastrar".

Labels and their corresponding UI elements:

- lblTitulo** points to the title "Cadastro de Conta".
- lblNumero** points to the label "Número:".
- txtNumero** points to the text input field for the account number.
- lblSaldo** points to the label "Saldo:".
- txtSaldo** points to the text input field for the account balance.
- lblLimite** points to the label "Limite:".
- txtLimite** points to the text input field for the account limit.
- btnLimpar** points to the "Limpar" button.
- btnCadastrar** points to the "Cadastrar" button.

Tela de Cadastro de Conta – Import

```
1  package Principal;
2
3  import java.sql.Connection;
4  import java.sql.PreparedStatement;
5  import javax.swing.JOptionPane;
6
7  public class TelaDeCadastroDeConta extends javax.swing.JFrame {
8
9      public TelaDeCadastroDeConta () {
10         initComponents();
11
12         this.setLocationRelativeTo(null);
13     }
```




Tela de Cadastro de Conta – Centralizar

```
1  package Principal;
2
3  import java.sql.Connection;
4  import java.sql.PreparedStatement;
5  import javax.swing.JOptionPane;
6
7  public class TelaDeCadastroDeConta extends javax.swing.JFrame {
8
9      public TelaDeCadastroDeConta () {
10         initComponents();
11
12         this.setLocationRelativeTo(null); ←
13     }
```



Tela de Cadastro de Conta – Evento 1




Tela de Cadastro de Conta – Evento 1

```
private void txtNumeroKeyTyped(java.awt.event.KeyEvent evt) {  
  
    char c = evt.getKeyChar();  
  
    if(!Character.isDigit(c))  
    {  
        evt.consume();  
    }  
  
}
```



Tela de Cadastro de Conta – Evento 2




Tela de Cadastro de Conta – Evento 2

```
private void txtSaldoKeyTyped(java.awt.event.KeyEvent evt) {  
  
    char c = evt.getKeyChar();  
  
    if(!Character.isDigit(c) && c != ',', '.')  
    {  
        evt.consume();  
    }  
  
}
```



Tela de Cadastro de Conta – Evento 3




Tela de Cadastro de Conta – Evento 3

```
private void txtLimiteKeyTyped(java.awt.event.KeyEvent evt) {  
  
    char c = evt.getKeyChar();  
  
    if(!Character.isDigit(c) && c != ',')  
    {  
        evt.consume();  
    }  
  
}
```



Tela de Cadastro de Conta – Evento 4




Tela de Cadastro de Conta – Evento 4

```
private void btnLimparActionPerformed(java.awt.event.ActionEvent evt) {  
    txtNumero.setText("");  
    txtSaldo.setText("");  
    txtLimite.setText("");  
}
```



Tela de Cadastro de Conta – Evento 5



```
private void btnCadastrarActionPerformed(java.awt.event.ActionEvent evt) {  
    int numero = Integer.parseInt(txtNumero.getText());  
    double saldo = Double.parseDouble(txtSaldo.getText().replace(',', '.', ''));  
    double limite = Double.parseDouble(txtLimite.getText().replace(',', '.', ''));  
  
    GerenciadorBD bd = new GerenciadorBD();  
  
    try (Connection conexao = bd.conectar();  
        PreparedStatement comando = conexao.prepareStatement(  
            "INSERT INTO conta (numero, saldo, limite) VALUES (?, ?, ?)"  
        )  
    ) {  
        comando.setInt(1, numero);  
        comando.setDouble(2, saldo);  
        comando.setDouble(3, limite);  
        comando.execute();  
  
        JOptionPane.showMessageDialog(this, "Cadastro realizado com sucesso!");  
  
        txtNumero.setText("");  
        txtSaldo.setText("");  
        txtLimite.setText("");  
    } catch (Exception e) {  
        JOptionPane.showMessageDialog(this, "Erro ao tentar cadastrar uma nova conta!");  
    }  
}
```

Java Swing – Exercício – Cadastro Conta

Execução

Sistema IFBA - Tela de Cadastro de Conta

Cadastro de Conta

Número: 1234

Saldo: 1000,99


Limite: 200,88

Limpar Cadastrar



Java Swing – Exercício – Cadastro Conta

Execução



Sistema IFBA - Tela de Cadastro de Conta

Cadastro de Conta

Número:

Saldo:

Limite:



Java Swing – Exercício – Cadastro Conta

Execução

Sistema IFBA - Tela de Cadastro de Conta

Cadastro de Conta

Número: 1234

Saldo: 1000,99


Limite: 200,88

Limpar Cadastrar




Java Swing – Exercício – Cadastro Conta

Execução



Java Swing – Exercício – Cadastro Conta

Execução



Sistema IFBA - Tela de Cadastro de Conta

Cadastro de Conta

Número:

Saldo:

Limite:



Java Swing – Exercício – Cadastro Conta

Execução

The screenshot shows a Java Swing application window titled "SQL File 4*" with a tab labeled "conta". The window contains a SQL query editor and a result grid. The query is:

```
1 • SELECT * FROM bancoabc.conta;
```

The result grid displays the following data:

	id	numero	saldo	limite
▶	1	1234	1000.99	200.88
*	NULL	NULL	NULL	NULL

The result grid also includes a toolbar with options like "Filter Rows:", "Edit:", "Export/Import:", and "Wrap".



Referências

- Junior, Peter Jandl. Java Guia do Programador - 4ª Edição. Novatec Editora.
- SÉRGIO FURGERI. Java Ensino Didático: Desenvolvimento e Implementação de Aplicações. Editora Érica.
- <https://www.youtube.com/playlist?list=PLwQkYMetu0OYFOU71txhtvSYTVUCHjJYD>
- https://www.youtube.com/playlist?list=PLWd_VnthxxLfeEUK08gB7G3316OS5xIT3



Obrigado!

- Canais de Comunicação;
- Horário de Atendimento.

