## SAFETY DATA SHEET

# Inkcraft Corporation

Revision Date 01-Feb-2022

Issue Date 10 -Dec-2021

PRODUCT **IDENTIFICATION** 

Product identifier Product Name

NW BLACK

Other means of identification

Product Code

NW BLACK

Synonyms

EX-LO BLACK, PI BLACK, BLACK FL NP

Recommended use of the chemical and restrictions on use

Recommended Use

. Textile ink.

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer Address: Inkcraft Corporation 110 Cidermill Ave. B-1 Concord, ON L4K4L9

Tel: (905) 738-3963 E-mail address

inkcraft@bellnet.ca

Emergency telephone number Emergency Telephone

1-800-387-4657

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

#### **Emergency Overview**

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance: viscous

Physical state: paste

Odor: Low

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable

Unknown acute toxicity

### 3. COMPOSITION INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-	1011 101 111
PVC HOMOPOLYMER RESIN	9002-86-2	15 - 40	
CARBON BLACK	1333-86-4	1-5	

#### Description of first aid measures

## 4. FIRST AID MEASURES

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact

Wash skin with soap and water.

Inhalation

Remove to fresh air.

Ingestion

Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious

person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms

No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical:

No information available.

Explosion data

None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHAINIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective eqUipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions

See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage..

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

### 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35 degrees C. / 95 degrees F.

Incompatible materials

None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical Name	ACGIHTLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m3 respirable	-	-
9002-86-2	particulate matter		
	-	2	
CARBON BLACK 1333-86-4	TWA: 3 mg/m3 inhalable particulate matter	TWA: 3.5 mg/m3 (vacated) TWA: 3.5 mg/m3	IDLH: 1750 mg/m³ TWA: 3.5 mg/m³ TWA: 0.1 mg/m³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

### NIOSH IDLH immealetetv Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER RESIN 9002-86-2	-	TWA: 1 mg/m3	TWA: 1 mg/m3	-
CARBON BLACK 1333-86-4	TWA: 3.5 mg/m3	TWA: 3 mg/m3	TWA: 3 mg/m3	TWA: 3.5 mg/m3

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m3	-	TWA: 1 mg/m3	-
CARBON BLACK 1333-86-4	TWA: 3 mg/m3	TWA: 3.5 mg/m3 STEL: 7 mg/m3	TWA: 3 mg/m3	TWA: 3.5 mg/m3 STEL: 7 mg/m <sup>3</sup>

Chemical Name	OntarioOEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMO POL YMER RESIN 9002-86-2	TWA: 1 mg/m3	TWA: 1 mg/m3	-	-	(2)
CARBON BLACK 1333-86-4	TWA: 3 mg/m3	TWA: 3 mg/m3	TWA: 3.5 mg/m3	TWA: 3.5 mg/m3 STEL: 7 mg/m3	STEL: 7 mg/m3 TWA: 3.5 mg/m <sup>3</sup>

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

**Engineering Controls** 

Showers

Eyewash stations Use with Ventilation

Individual protection measures, such as personal protective equipment

Eye / face protection

Wear safety goggles.( if risk assessment indicates this is necessary.

Skin and body protection

Wear protective gloves and protective clothing, if a risk assessment indicates this is

necessary.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state

Appearance Color

paste viscous

black

Odor Odor threshold Mild

No information available

Property рН

Melting point/freezing point Boiling point / boiling range

Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air

Upper flammability limit: Lower flammability limit:

Vapor pressure Vapor density **Specific Gravity** Water solubility

Solubility in other solvents Partition coefficient **Autoignition temperature** Decomposition temperature Kinematic viscosity

Dynamic viscosity **Explosive properties** Oxidizing properties Values

7-10 No information available

226°C / 440 F

No information available No information available No information available

No information available No information available No information available No information available

1.3

Insoluble in water

No information available <u>le</u>

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

### Hazardous Decomposition Products

None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Product Information** 

NA

Inhalation

NA

Eye contact

NA

Skin contact

NA

Ingestion

NA.

Chemical Name	Oral LD50		Dermal LD50	Inhalation LC50
CARBON BLACK	> 15400 mg/kg	1	> 3 g/kg (Rabbit)	
1333-86-4			,	_

#### Information on toxicological effects

**Symptoms** 

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity	The	The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical Name	ACGIH	IARC	NTP	OSHA	
PVC HOMOPOLYMER RESIN 9002-86-2	-	Group 3	•	-	
CARBON BLACK 1333-86-4	А3	Group 2B	=	X	

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 28 - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X ~ Present

Carbon Black, to further specify, is classified as a potential carcinogen to humans by the IARC, but further specifies that exposure to carbon black does not occur because the carbon black is bound in the product (ink) matrix.

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Target Organ Effects

Aspiration hazard

No information available.

No information available.

No information available.

Eyes, Lymphatic system, Respiratory system, Skin.

No information available

### **Ecotoxicity**

### 12. ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects

0 of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

# 15. REGULATORY INOFORMATION

#### International Inventories

TSCA DSUNDSL On Inventory (Yes/No)

Yes Yes

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSUNDSI - Canadian Domestic Substances List/Non-Domestic Substances List

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title 1/1 of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains substance(s) listed on Proposition 65 but are encapsulated in a polymer matrix and not in their pure form.

And as a consequence of the encapsulation direct exposure to the chemical does not occur. This product contains the following Proposition 65 chemicals:

#### Chemical Name CARBON BLACK - 1333-86-4

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersev	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	X	-	-
CALCIUM CARBONATE 1317-65-3	X	Х	Х

CARBON BLACK 1333-86-4 Χ

Х

Х

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA .

Health hazards 1

Flammability1

Instability 0

Physical and Chemical

Properties -

HMIS

Health hazards1

Flammability1

Physical hazards 0

Personal protection B

Issue Date

Dec.10, 2021

Revision Date

Feb 1, 2022

Revision Note

SDS sections updated 11 15

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, and disposal of material, and is not to be considered a warranty.

End of Safety Data Sheet