



Upload image

Version 2

Jun 03, 2020

4% PFA + 2.5% Glutaraldehyde Fixative V.2

Allen Institute for Brain Science¹¹Allen Institute

1

Works for me

dx.doi.org/10.17504/protocols.io.bg5sjy6e

BICCN

Allen Institute for Brain Science



Dillan Brown



ABSTRACT

This protocol is used to prepare 4% Paraformaldehyde (PFA) + 2.5% Glutaraldehyde Fixative. This is utilized to fix the tissue after electrophysiology recordings.

Note: Research reported in this publication was supported by the National Institute Of Mental Health of the National Institutes of Health under Award Number U19MH114830. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health.

ATTACHMENTS

[RP0229_4_PFA_2_5_Glut
araldehyde_Fixative.docx](#)

DOI

dx.doi.org/10.17504/protocols.io.bg5sjy6e

PROTOCOL CITATION

Allen Institute for Brain Science 2020. 4% PFA + 2.5% Glutaraldehyde Fixative. **protocols.io**
dx.doi.org/10.17504/protocols.io.bg5sjy6e



KEYWORDS

RP0229, tissue, electrophysiology, reagent preparation

LICENSE

————— This is an open access protocol distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited

CREATED

Jun 03, 2020

LAST MODIFIED

Jun 03, 2020

PROTOCOL INTEGER ID

37778