### A Minimal Book Example with Psicostat Template

A Handbook for ...

Psicostat

2021-03-04



### Contents

Pı	rerequisites	5
	Psicostat Template	5
	Deploy Github Actions	5
	HTML and LaTeX	6
1	Introduction	7
	1.1 R Markdown	7
	1.2 Content Hyperlinks	9
	1.3 APA cls	11
	1.4 Infobox	11
2	Literature	13
3	Methods	15
4	Applications	17
	4.1 Example one	17
	4.2 Example two	17
5	Final Words	19

4 CONTENTS

### Prerequisites

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation  $a^2 + b^2 = c^2$ .

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")
# or the development version
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): https://yihui.name/tinytex/.

### Psicostat Template

Psicostat Template is based on Rstudio Bookdown-demo released under CC0-1.0 License and rstudio4edu-book under CC-BY.

### Deploy Github Actions

Follow tutorial at https://medium.com/@delucmat/how-to-publish-bookdown-projects-with-github-actions-on-github-pages-6e6aecc7331e but note that github action https://github.com/Cecilapp/GitHub-Pages-deploy is slightly changed so we adapted de code. In particular now we have as last action:

```
- name: Deploy to GitHub Pages
    uses: Cecilapp/GitHub-Pages-deploy@v3
    env:
        GITHUB_TOKEN: ${{ secrets.GITHUB_TOKEN }}
```

6 CONTENTS

```
with:
  email: ${{ secrets.EMAIL }}
build_dir: _site/
```

Moreover, we also installed tinytex and specified rmarkdown::render\_site(encoding = "UTF-8") in the first job to obtain pdf and epub available versions as well.

### HTML and LaTeX

Remember that as the output is compiled to create a website and a PDF you have to take care of defining options and environments in both cases. See official documeentation https://bookdown.org/yihui/bookdown/

### Introduction

You can label chapter and section titles using {#label} after them, e.g., we can reference Chapter 1. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 3.

Figures and tables with captions will be placed in figure and table environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the fig: prefix, e.g., see Figure 1.1. Similarly, you can reference tables generated from knitr::kable(), e.g., see Table 1.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package [Xie, 2020] in this sample book, which was built on top of R Markdown and **knitr** [Xie, 2015].

### 1.1 R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.



Figure 1.1: Here is a nice figure!

Table 1.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

#### summary(cars)

```
##
        speed
                         dist
##
           : 4.0
                    Min.
                           :
                              2.00
    1st Qu.:12.0
                    1st Qu.: 26.00
##
    Median:15.0
                    Median : 36.00
##
    Mean
           :15.4
                    Mean
                            : 42.98
##
    3rd Qu.:19.0
                    3rd Qu.: 56.00
    Max.
           :25.0
                    Max.
                            :120.00
```

#### 1.1.1 Including Plots

You can also embed plots, for example:



Note that the echo = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.

### 1.2 Content Hyperlinks

#### 1.2.1 Sections

See Section 1.2.1

### 1.2.2 Figures

#### 1.2.2.1 Pictures

See Figure 1.2. Note: in chunks name do not use "\_" but use "-" instead. \@ref(fig:psicostat\_logo) do not work, \@ref(fig:psicostat-logo) works properly.

knitr::include\_graphics('images/logo\_psicostat.png')



Figure 1.2: Logo Psicostat

#### 1.2.2.2 Plots

See Figure 1.3

```
plot(rnorm(10))
```

#### **1.2.3** Tables

See r-package kableExtra documentation (link).

See Tabele 1.2

```
data(iris)
knitr::kable(iris[1:5,], caption = "Una esempio di tabella")
```

1.3. APA CLS 11




Figure 1.3: Random numbers

Table 1.2: Una esempio di tabella

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa

#### APA cls 1.3

We are using apa 7 cls format. Citation Syntax (link).

#### Infobox 1.4

Illustrations included in images/ are retrieved from rstudio4edu-book under CC-BY-NC. Remember to include an Attributions section in the book and repository's README file.



Tip-Box: My title Lorem ipsum dolor sit amet consecte-

tur adipisicing elit. Maxime mollitia, molestiae quas vel sint commodi repudiandae consequuntur voluptatum laborum numquam blanditiis harum quisquam eius sed odit fugiat iusto fuga praesentium optio, eaque rerum!



Warning-Box: My title Lorem ipsum dolor sit amet con-

sectetur adipisicing elit. Maxime mollitia, molestiae quas vel sint commodi repudiandae consequentur voluptatum laborum numquam blanditiis harum quisquam eius sed odit fugiat iusto fuga praesentium optio, eaque rerum!



Befinition-Box: My title Lorem ipsum dolor sit amet con-

sectetur adipisicing elit. Maxime mollitia, molestiae quas vel sint commodi repudiandae consequentur voluptatum laborum numquam blanditiis harum quisquam eius sed odit fugiat iusto fuga praesentium optio, eaque rerum!



Design-Box: My title Lorem ipsum dolor sit amet con-

sectetur adipisicing elit. Maxime mollitia, molestiae quas vel sint commodi repudiandae consequentur voluptatum laborum numquam blanditiis harum quisquam eius sed odit fugiat iusto fuga praesentium optio, eaque rerum!



Trick-Box: My title Lorem ipsum dolor sit amet con-

sectetur adipisicing elit. Maxime mollitia, molestiae quas vel sint commodi repudiandae consequuntur voluptatum laborum numquam blanditiis harum quisquam eius sed odit fugiat iusto fuga praesentium optio, eaque rerum!

# Literature

Here is a review of existing methods.

# Methods

We describe our methods in this chapter.

# **Applications**

Some significant applications are demonstrated in this chapter.

- 4.1 Example one
- 4.2 Example two

# Final Words

We have finished a nice book.

# **Bibliography**

Yihui Xie. Dynamic Documents with R and knitr. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition, 2015. URL http://yihui.name/knitr/. ISBN 978-1498716963.

Yihui Xie. bookdown: Authoring Books and Technical Documents with R Markdown, 2020. URL https://github.com/rstudio/bookdown. R package version 0.21.