DATA 605: Assignment 6

CUNY Spring 2021

Philip Tanofsky

07 March 2021

Problem 1

A bag contains 6 green and 9 red jelly beans. How many ways can 5 jelly beans be withdrawn from the bag so that the number of green ones withdrawn will be less than 4?

Answer:

```
\binom{6}{0}*\binom{9}{5}+\binom{6}{1}*\binom{9}{4}+\binom{6}{2}*\binom{9}{3}+\binom{6}{3}*\binom{9}{2}=2862
```

```
## [1] 2862
```

tot

[1] 3003

rem

[1] 141

(tot-rem)

[1] 2862

Problem 2

Calculate Senators >= 4

 $a_2 \leftarrow choose(14, 4) * choose(13,3) +$

choose(14, 5) * choose(13,2) +

A certain congressional committee consists of 14 senators and 13 representatives. How many ways can a subcommittee of 7 be formed if at least 4 of the members must be senators?

Answer:

```
\binom{14}{4}*\binom{13}{3}+\binom{14}{5}*\binom{13}{2}+\binom{14}{6}*\binom{13}{1}+\binom{14}{7}*\binom{13}{0}=484913
```

```
choose(14, 6) * choose(13,1) +
       choose(14, 7) * choose(13, 0)
# Calculate total
tot <- choose(27, 7)
# Calculate Senators < 4
rem <- choose(14, 3) * choose(13,4) +
       choose(14, 2) * choose(13,5) +
       choose(14, 1) * choose(13,6) +
       choose(14, 0) * choose(13,7)
a_2
## [1] 484913
tot
## [1] 888030
rem
## [1] 403117
(tot-rem)
```

Problem 3

[1] 484913

If a coin is tossed 2 times, and then a standard six-sided die is rolled 4 times, and finally a group of three cards are drawn from a standard deck of 52 cards without replacement, how many different outcomes are possible?

Answer:

Assuming order of cards doesn't matter based on prompt:

```
2^2 * 6^4 * {52 \choose 3} = 114566400
```

```
a_3 <- 2^2 * 6^4 * choose(52, 3)
a_3
```

[1] 114566400

Problem 4

3 cards are drawn from a standard deck without replacement. What is the probability that at least one of the cards drawn is a heart? Express your answer as a fraction or a decimal number rounded to four decimal places.

Answer:

Probability of no hearts: 39/52 * 38/51 * 37/50 = 0.4135294

Probability of at least one heart: $1 - 0.4135294 = 0.5864706 \dots 0.5865$

Problem 5

Leanne is picking out some movies to rent, and she is primarily interested in children's movies and comedies. She has narrowed down her selections to 18 children's movies and 7 comedies.

Step 1

How many different combinations of 3 movies can she rent?

Answer:

$$\binom{25}{3} = 2300$$

```
a_5.1 <- choose(25, 3)
a_5.1</pre>
```

[1] 2300

Step 2

How many different combinations of 3 movies can she rent if she wants at least one comedy?

Answer:

Problem 6

[1] 1484

DJ Jacqueline is making a playlist for an internet radio show; she is trying to decide what 6 songs to play and in what order they should be played. If she has her choices narrowed down to 7 hip-hop, 14 pop, and 22 blues songs, and she wants to play an equal number of hip-hop, pop, and blues songs, how many different playlists are possible? Express your answer in scientific notation rounding to the hundredths place.

Answer:

[1] 3531528

```
7P2 * 14P2 * 22P2 = 3.53 × 106

perm = function(n, x) {
   factorial(n) / factorial(n-x)
}

a_6 <- perm(7,2) * perm(14,2) * perm(22,2)
a_6</pre>
```

Problem 7

DJ Howard is making a playlist for a friend; he is trying to decide what 9 songs to play and in what order they should be played.

Step 1

If he has his choices narrowed down to 7 pop, 3 hip-hop, 6 country, and 7 blues songs, and he wants to play no more than 3 country songs, how many different playlists are possible? Express your answer in scientific notation rounding to the hundredths place.

Answer:

```
(^{6}P_{3}*^{17}P_{6}) + (^{6}P_{2}*^{17}P_{7}) + (^{6}P_{1}*^{17}P_{8}) + (^{6}P_{0}*^{17}P_{9}) = 1.87 \times 10^{10}
```

[1] 18712512000

Step 2

If he has his choices narrowed down to 7 pop, 3 hip-hop, 6 country, and 7 blues songs, and he wants to play all 7 blues songs, how many different playlists are possible? Express your answer in scientific notation rounding to the hundredths place.

Answer:

a_7.2

```
(^{7}P_{7} * ^{16}P_{2}) = 1.21 \times 10^{6}
# Blues = 7, total 9
a_7.2 <- perm(7,7) * perm(16,2)
```

[1] 1209600

Problem 8

Mallory is planting trees along her driveway, and she has 3 beech trees and 3 eucalyptus trees to plant in one row. What is the probability that she randomly plants the trees so that all 3 beech trees are next to each other and all 3 eucalyptus trees are next to each other? Express your answer as a fraction or a decimal number rounded to four decimal places.

Answer:

Permutations of 6 entities

$$^6P_6 = 720$$

Only 2 outcomes match the criteria: BBBEEE or EEEBBB

$$\frac{2}{720} = \frac{1}{360} = 0.0028$$

Problem 9

If you draw a queen or lower from a standard deck of cards, I will pay you \$4. If not, you pay me \$14. (Aces are considered the highest card in the deck.)

Step 1

Find the expected value of the proposition. Round your answer to two decimal places. Losses must be expressed as negative values.

Answer:

P(W) is probability of win

A(W) is value of win

$$E(X) = P(W) * A(W) + P(W') * A(W') = \frac{11}{13} * 4 + \frac{2}{13} * -14 = 1.230769$$

Answer: \$1.23

$$(-14 * (2/13)) + (4 * (11/13))$$

[1] 1.230769

Step 2

If you played this game 759 times how much would you expect to win or lose? Round your answer to two decimal places. Losses must be expressed as negative values.

Answer:

Calculation on rounded expected value from Step 1

$$E(X) \times Events = 1.23 * 759 = 933.57$$

Answer: \$933.57 (winnings)

[1] 933.57