Introduction, Python Setup, Variables Python for Ecologists

Notes

Tom Purucker, Tao Hong, Jon Flaishans, Marcia Snyder

Ecological Society of America Workshop Minneapolis, MN purucker.tom@gmail.com

August 2, 2013

Python for Ecologists ■ Assuming not much programming experience ■ Immersion approach ■ Short lecture on Python topic ■ Hands-on Python exercises ■ Rinse & repeat ■ Will use ecological examples as much as possible

■ Tom Purucker		
■ Tao Hong		
Jon Flaishans		
■ Marcia Snyder		

Why bother with Python?

Your presenters

- A scripting language (like R) but also,
- A high level programming language
- Strong libraries for mathematical sciences, engineering
- Designed to produce readable code
- Cross-platform
- Open source, free
- Plays well with other technologies

Notes	
Notes	
Notes	

übertool Python project Notes ■ http://www.ubertool.org ■ Created with Python as the science engine ■ Integrates easily with web technologies such as HTML, JavaScript, JQuery Figure: übertool ecological risk web application **Getting setup** Notes ■ We will use Python 2.7 (not 3) ■ http://www.python.org/getit/ ■ For Windows users https://code.google.com/p/pythonxy/wiki/Downloads?tm=2 Some extra libraries to install Notes ■ numpy- http://sourceforge.net/projects/numpy/

Notes

Download the exercise scripts for this class

■ Created with Python as the science engine

■ http://www.ubertool.org

Opening a shell and running Python Notes ■ Mac- Spotlight and type 'terminal' Figure: Opening terminal in OS X ■ Windows- Type 'cmd' in search window for command prompt Figure: Opening the command prompt in Windows 7 Check Python installation Notes 1 Type 'python' at the shell prompt Then type at the Python prompt: import sys ${\it sys.} \, {\it version}$ import numpy numpy.__version__ quit() Run a script at the command line Notes # save this in a text file as hello.py print "Hello_Minneapolis!" # then navigate to its directory in a shell # and run at the command prompt with # python hello.py **Run IDLE** Notes ■ IDLE is the "Interactive DeveLopment Environment" bundled with Python ■ Type 'IDLE' in Mac Spotlight or Windows search window ■ Or type 'idle' from the python prompt Python 2.7 2 (v2.72:852342791482, Jun 11 2011, 15:22:34) (GCC 4.2.1 (Apple Inc held 5666) (dot 3)) on darwin Type "copyright", "credits" or "license()" for more information.

Figure: IDLE in OS X

Run hello.py with IDLE

- 1 Open hello.py in scripts directory with File -> Open
- 2 Run hello.py with Run -> Run Module or (fn) F5




Figure: Result of running hello.py with IDLE

Variables

■ No declaration of variables necessary!

```
pop_size = 112 # integer
type(pop_size)
pop_density = 4 # still an integer
type(pop_density)
pop_density = 4. # now its a float
type(pop_density)
species_name = "Oedipina_complex" # string
type(species_name)
species_name = "4" # still a string
type(species_name)
```

Basic math operations



Be careful about int v float

```
>>> pop_size = 1086
>>> area = 1254
>>> pop_density = pop_size/area
>>> print(pop_density)
0
>>> type(pop_density)
<type 'int'>
```

Beware

- Declare floats by using a decimal point
- e.g., pop_size = 1086.

Notes	

Notes			

Notes		

Notes			

Python variable naming conventions

- all lowercase
- cannot start with numbers
- separate_words_with_underscores
- Style Guide for Python:
 - http://www.python.org/dev/peps/pep-0008/

unittest exercises

- Exercise 1 uses the unittest library so you can type code and test the result yourself
 - Edit the script in IDLE between the # and the selfassert calls
 - 2 Run it
 - If it complains, fix it and run it again!

Rowaro

- Python is very picky about space formatting, start your editing right below each # (8 spaces over)
- Python is case-sensitive- diffusion_rate and Diffusion_rate are different variables

Exercise 1- Run the script exercit_variables.py
import unittest
<pre>class TestVariables(unittest.TestCase): def test_variables(self): # create the variable 'diffusion_rate', # and assign it a float value of 6.0 # ****************************</pre>
self.assertEqual(diffusion_rate, 6.) self.assert_(isinstance(diffusion_rate, float))
assign ''cohort_size'' to an integer value of 84 # ************************************
self.assertEqual(cohort_size, 84) self.assert_(isinstance(cohort_size, int))
create a variable 'species_name', # and assign it to 'Pieza kake' # ************************************
self.assertEqual(species_name, "Pieza_kake") self.assertTrue(isinstance(b, str))
<pre>if _name_ == 'main':</pre>

Notes	
Notes	
Notes	
Notes	