



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 092

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓ OK / NOT OK

Remarks If Any:

Tested By:

P. PURUSHOTHAM REDDY  
PURUSHOTHAM REDDY.

Verified By:

K. RAJESH K. RAJESH



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 093

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓  
OK / NOT OK

Remarks If Any:

Tested By:

P. Reddy  
PURUSHOTHAM REDDY.

Verified By:

K. Ramesh  
K. RAMESH



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 094

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓ OK / NOT OK

Rremarks If Any:

Tested By:

P. Reddy  
PURUSHOTHAM REDDY

Verified By:

K. Jeyaraj  
K. Jeyaraj



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 095

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓  
OK / NOT OK

Remarks If Any:

Tested By:

P. Reddy  
PURUSHOTHAM REDDY.

Verified By:

K. Raju  
K. RAJASHEKHAR



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 096

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓ OK / NOT OK

Remarks If Any:

Tested By:

PURUSHOTHAM REDDY

Verified By:

K. RAJENDRAN





## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 097

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓ OK / NOT OK

Remarks If Any:

Tested By:

P. Reddy  
PURUSHOTHAM REDDY.

Verified By:

K. Rajmohan  
K. RAJMOHAN



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 098

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	OK / NOT OK

RESULT: OK / NOT OK

Remarks If Any:

Tested By:

P. Reddy  
PURUSHOTHAM REDDY

Verified By:

K. Rajadharan  
K. RAJADHARAN



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 099

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓ OK / NOT OK

Remarks If Any:

Tested By:

P. REDDY  
PURUSHOTHAM REDDY.

Verified By:

K. Jeyaraj  
K. Jeyaraj





Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 100

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓ OK / NOT OK

Remarks If Any:

Tested By:

P. Reddy  
PURUSHOTHAM REDDY.

Verified By:

K. Jeyaraj  
K. Jeyaraj



Datasol (B) Pvt. Ltd.

## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display -- Industrial

Unit Serial Number: 101

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	✓ OK / NOT OK

RESULT: ✓  
OK / NOT OK

Remarks If Any:

Tested By:

*P. Reddy*  
PURUSHOTHAM REDDY

Verified By:

*K. Raju*  
K. RAJU



## ACCEPTANCE TEST PROCEDURE

### 24" LED DISPLAY – INDUSTRIAL

Project No.	DBPL-SI-23-9087
Doc No.	DBPL-SI-23-9087-ATP
Doc Rev	00, DT -2020
Cust.Name	BEL-GBD

#### Functional Test Report - TDR-2

Date: 27/02/2024

BEL Part No: 4461 413 002 56

Description: 24" LED Display – Industrial

Unit Serial Number: 102

S. No	Test	Requirement	Result
1	After switching ON the power to Display & Test PC check if the system got booted and display is seen on the screen of the unit. Set the Resolution to 1920x1200 and check if the set resolution is supported and displayed on the screen	Resolution up to 1920 X 1200	OK / NOT OK

RESULT: OK / NOT OK

Remarks If Any:

Tested By:

P. REDDY  
PURUSHOTHAM REDDY

Verified By:

K. JAYARAMAN