
# **WebSocket Security Scan Report**

### **Executive Summary**

Scan Start Time:	2025-06-12 10:44:30
Scan End Time:	2025-06-12 10:44:47
Total Scan Duration:	16.9 seconds
Total URLs Scanned:	1
High Severity Vulnerabilities:	4
Medium Severity Vulnerabilities:	174
Low Severity Vulnerabilities:	0



#### **Detailed Scan Results**

## Target URL: http://192.168.56.1:8080/


Scan Duration:	16.9 seconds
URLs Crawled:	1
WebSocket Endpoints Found:	2
Attack Performed:	True
Attack Type:	WebSocket Tests
High Severity Findings:	4
Medium Severity Findings:	174
Low Severity Findings:	0

### **WebSocket Endpoints:**

#	URL.
1	ws://localhost:8081/
2	ws://localhost:8081

#### **Crawled URLs:**

#	#	URL	
,	1	http://192.168.56.1:8080/	



#### **Detected Vulnerabilities:**

Name:	Missing Origin Check
Risk Level:	High
Description:	WebSocket at ws://localhost:8081/ accepts connections from unauthorized origin 'http://malicious-site.com'.
Solution:	Implement strict Origin header validation (whitelist allowed domains).
Affected URL:	ws://localhost:8081/

Name:	Missing Origin Check
Risk Level:	High
Description:	WebSocket at ws://localhost:8081 accepts connections from unauthorized origin 'http://malicious-site.com'.
Solution:	Implement strict Origin header validation (whitelist allowed domains).
Affected URL:	ws://localhost:8081

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at ws://localhost:8081/ allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	ws://localhost:8081/

Name:	Missing Authentication
Risk Level:	High
Description:	WebSocket at ws://localhost:8081 allows unauthenticated connections and responds with data.
Solution:	Require authentication (e.g., JWT, API keys) for WebSocket connections.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Malformed JSON to test parsing errors
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: "type": "invalid_json",
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

\_\_

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: "data": "unclosed bracket
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # XSS attempt to check for reflected scripts
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: alert('XSS')
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Large payload to test buffer overflow or DoS
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid WebSocket frame (binary data)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x00\xFF\xFE\xFD
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Command injection attempt
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"command": "whoami; ls"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # SQL injection attempt
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Expression evaluation attempt
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \${{7*7}}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Null bytes to test input sanitization
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"data": "\0\0\0"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Oversized header-like input
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"headers": "X" * 5000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid UTF-8 sequence
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"data": "\xFF\xFE\xFD"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Empty message
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Malformed protocol message
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: GET / HTTP/1.1
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Host: example.com
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Upgrade: websocket
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Connection: Upgrade
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"data": "■■■"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Oversized message for DoS (Vuln #58)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"message": "B" * 2000000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x83\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x8B\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x01\x00
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x0Atest
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\xFFtest
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x04testtest
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x84\x00\x00\x00\x000test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \xC1\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x02\xFF\xFF
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x05te\x00st
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x04\x00\xFF\x00\xFF
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x82\x04text
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x88\x04\x03\xE7OK
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Path traversal attempt (Vuln #74)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"path": "///etc/passwd"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Query parameter flood (Vuln #75)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"query": "param=" + "X" * 1000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # PostMessage abuse attempt (Vuln #68)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: {"message": "window.postMessage('malicious','*')"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Origin: http://malicious.com
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Missing Origin header for origin check (Vuln #65
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Origin:
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid Origin header for origin check (Vuln #65
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Origin: null
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Missing authentication cookie (Vuln #41)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Cookie:
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Invalid authentication token (Vuln #43)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Authorization: Bearer invalid- token
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Expired authentication token (Vuln #42)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCl6
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Malformed WebSocket frame with invalid opcode se
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \xFF\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081/ responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x00\x10\x00\x00{"data": "
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081/

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Malformed JSON to test parsing errors
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: "type": "invalid_json",
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: "data": "unclosed bracket
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # XSS attempt to check for reflected scripts
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: alert('XSS')
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Large payload to test buffer overflow or DoS
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"type": "large_payload", "data": "A" * 1000000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid WebSocket frame (binary data)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x00\xFF\xFE\xFD
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Command injection attempt
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"command": "whoami; ls"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # SQL injection attempt
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"query": "SELECT * FROM users WHERE id = '1' OR '
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Expression evaluation attempt
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \${{7*7}}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Null bytes to test input sanitization
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"data": "\0\0\0"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Oversized header-like input
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"headers": "X" * 5000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid UTF-8 sequence
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"data": "\xFF\xFE\xFD"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Empty message
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Malformed protocol message
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: GET / HTTP/1.1
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Host: example.com
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Upgrade: websocket
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Connection: Upgrade
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Unicode payload to test encoding issues (Vuln #1
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"data": "■■■"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Oversized message for DoS (Vuln #58)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"message": "B" * 2000000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid opcode frame (Vuln #23) - Protocol Fuzzi
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x83\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Reserved opcode frame (Vuln #24) - Protocol Fuzz
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x8B\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Zero-length fragment (Vuln #25) - Protocol Fuzzi
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x01\x00
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid payload length (Vuln #26) - Protocol Fuz
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x0Atest
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Negative payload length (Vuln #27) - Protocol Fu
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\xFFtest
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Mismatched payload (Vuln #28) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x04testtest
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid masking key (Vuln #29) - Protocol Fuzzin
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x84\x00\x00\x00\x000test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Unmasked client frame (Vuln #30) - Protocol Fuzz
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid RSV bits (Vuln #31) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \xC1\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Oversized control frame (Vuln #32) - Protocol Fu
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x89\x7E\x00\x7EAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Non-UTF-8 text (Vuln #33) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x02\xFF\xFF
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Null bytes in text (Vuln #34) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x05te\x00st
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Binary as text (Vuln #35) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x04\x00\xFF\x00\xFF
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Text as binary (Vuln #36) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x82\x04text
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid close code (Vuln #37) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x88\x04\x03\xE7OK
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Long close reason (Vuln #40) - Protocol Fuzzing
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x88\x7D\x03\xE8AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Path traversal attempt (Vuln #74)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"path": "///etc/passwd"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Query parameter flood (Vuln #75)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"query": "param=" + "X" * 1000}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # PostMessage abuse attempt (Vuln #68)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: {"message": "window.postMessage('malicious','*')"}
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Spoofed Origin header for origin check (Vuln #65
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Origin: http://malicious.com
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Missing Origin header for origin check (Vuln #65
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Origin:
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid Origin header for origin check (Vuln #65
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Origin: null
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Missing authentication cookie (Vuln #41)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Cookie:
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Invalid authentication token (Vuln #43)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Authorization: Bearer invalid- token
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability	
Risk Level:	Medium	
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Expired authentication token (Vuln #42)	
Solution:	Implement robust input validation and reject malformed messages.	
Affected URL:	ws://localhost:8081	

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCl6
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability	
Risk Level:	Medium	
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Malformed WebSocket frame with invalid opcode se	
Solution:	Implement robust input validation and reject malformed messages.	
Affected URL:	ws://localhost:8081	

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \xFF\x04test
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability
Risk Level:	Medium
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: # Oversized WebSocket frame (Protocol Fuzzing)
Solution:	Implement robust input validation and reject malformed messages.
Affected URL:	ws://localhost:8081

Name:	Protocol Fuzzing Vulnerability	
Risk Level:	Medium	
Description:	WebSocket at ws://localhost:8081 responds to malformed payload: \x81\x7F\x00\x00\x00\x00\x00\x00\x10\x00\x00{"data": "	
Solution:	Implement robust input validation and reject malformed messages.	
Affected URL:	ws://localhost:8081	

## **Vulnerability Summary by Type**

Туре	Count
Origin Check	2
Authentication	2
Fuzzing	174
Handshake	0
Payload Handling	0
Session Management	0
Subprotocol	0
Security	0
DoS	0
Cross-Origin	0
Other	0

