



https://puteragani.com

Report generated on Jul 05, 2026



Average SEO score of top 100 sites: 74%

This website received an SEO score of **86 out of 100**, which is higher than the average score of **74**. Our analysis has identified **6 important issues** that can be addressed to further enhance your website's performance and improve its search engine visibility.

6 Failed



2 Warnings



53 Passed



Issues to fix

HIGH

To improve the website experience for your visitors, it is recommended to eliminate any render-blocking resources on this webpage.

HIGH

Build quality backlinks from websites relevant to your topic/niche to improve your search engine rankings.

MEDIUM

Serve properly sized images to reduce page loading times and to improve user's experience.

MEDIUM

Avoid using distorted images, as they can have a negative impact on the user experience.

LOW

Using more than 20 HTTP requests on a webpage can negatively impact the loading time.

LOW

Strip out any unnecessary metadata to improve loading time, security, and privacy. Metadata should not exceed 16% of the image size.



Common SEO issues

3 Failed

2 Warnings

17 Passed

✓ Meta Title Test

This webpage is using a title tag.

Text: Putera Gani | Technology, Design, Culture & Science
Length: 51 characters

! Meta Description Test

This webpage is using a meta description tag with a length of 144 characters. We recommend using well-written and inviting meta descriptions with a length between 150 and 220 characters (spaces included).

Text: Read independent, in-depth articles from Putera Gani about technology, design, culture, science, health, business, and ideas shaping the future.
Length: 144 characters

i Google Search Results Preview Test

Desktop version

<https://puteragani.com/>

Putera Gani | Technology, Design, Culture & Science

Read independent, in-depth articles from Putera Gani about technology, design, culture, science, health, business, and ideas shaping the future.

Mobile version

<https://puteragani.com/>

**Putera Gani | Technology,
Design, Culture & Science**

Read independent, in-depth articles from Putera Gani about technology, design, culture, science, health, business, and ideas shaping...



✓ Social Media Meta Tags Test

This webpage is using social media meta tags.

Open Graph Meta Tags

og:type	website
og:url	https://puteragani.com/
og:title	Putera Gani Technology, Design, Culture & Science
og:description	Read independent, in-depth articles from Putera Gani about technology, design, culture, science, health, business, and ideas shaping the future.
og:image	https://images.unsplash.com/photo-1499750310107-5fef28a66643?w=1200&q=80

Twitter Card Meta Tags

twitter:card	summary_large_image
twitter:title	Putera Gani Technology, Design, Culture & Science
twitter:description	Read independent, in-depth articles from Putera Gani about technology, design, culture, science, health, business, and ideas shaping the future.
twitter:image	https://images.unsplash.com/photo-1499750310107-5fef28a66643?w=1200&q=80

i Most Common Keywords Test

There is likely no optimal keyword density (search engine algorithms have evolved beyond keyword density metrics as a significant ranking factor). It can be useful, however, to note which keywords appear most often on your page and if they reflect the intended topic of your page. More importantly, the keywords on your page should appear within natural sounding and grammatically correct copy.

12	design	9	culture	9	business	8	technology	8	read
----	--------	---	---------	---	----------	---	------------	---	------



✓ Keywords Usage Test

The most common keywords of this webpage are distributed well across the important HTML tags. This helps search engines to properly identify the topic of this webpage.

Keyword	Title tag	Meta description	Headings
design	✓	✓	✓
culture	✓	✓	✓
business	✗	✓	✓
technology	✓	✓	✓
read	✗	✓	✗

i Keywords Cloud Test



i Related Keywords Test

There are no indexed keywords for this domain!



Competitor Domains Test

Identifying competitor domains allows you to find domains that are competing with your website for search engine rankings on similar keywords. These domains typically target the same audience and have overlapping goals in terms of organic traffic.

Heading Tags Test

This webpage contains headings tags.

H1 tags

Putera Gani: Independent Articles on Technology, Design, Culture and Science

H2 tags

Search results

The Operator Economy: Why Execution Is Becoming the New Competitive Moat

The Inflammation Equation: Why Everything You Thought You Knew About Chronic Disease Is Changing

The White Space Manifesto: Why Nothing Is the Most Powerful Tool in Design

The Lost Art of Silence: What the World's Quietest Cultures Know That We've Forgotten

The Rise of the CFO as Chief Future Officer

Neuromorphic Computing: The Brain-Inspired Chips Rewriting the Future of AI

The Art of Pricing: Why What You Charge Is the Most Powerful Business Decision You'll Ever Make

Robots.txt Test

Congratulations! Your site uses a "robots.txt" file.

<https://puteragani.com/robots.txt>

Sitemap Test

This website has a sitemap file.

<https://puteragani.com/sitemap.xml>

Image Alt Test

All "img" tags from this webpage have the required "alt" attribute.



Responsive Image Test

Not all images in this webpage are properly sized! This webpage is serving images that are larger than needed for the size of the user's viewport.



How to pass this test?

This test fails when one or more images on the page are served at dimensions significantly larger than the size at which the browser actually renders them. Fixing this issue means resizing the source files (or serving responsive variants) so the bytes downloaded match the pixels actually displayed. The result is faster page loads, lower data usage, and better Core Web Vitals scores.

Example

```

```

Where to make the change

- **Raw HTML:** use `srcset` and `sizes` to let the browser pick the right variant for the user's viewport. Always include intrinsic `width` and `height` attributes.
- **WordPress:** WordPress generates multiple image sizes automatically. Use the `the_post_thumbnail()` helper or the block editor's image block, both of which emit responsive `srcset` markup.
- **Shopify:** use the `image_url` Liquid filter with size parameters (for example `{{ image | image_url: width: 800 }}`) and pair with `image_tag` to emit a responsive image.
- **Wix or Squarespace:** both platforms generate responsive variants automatically; this issue is typically caused by uploading a deliberately oversized image.
- **Headless or framework sites:** use the framework's image component (for example `next/image` or `astro:assets`), which generates responsive variants and lazy-loads off-screen images.

Common causes and how to resolve them

- **Original camera or stock-photo file uploaded as-is:** a 6000-pixel-wide JPEG rendered in a 400-pixel column wastes most of the bytes. Resize the source or generate responsive variants.
- **No `srcset`:** the browser has no choice but to use the single source. Add multiple variants so mobile users get smaller files.
- **Hero images sized for ultra-wide displays:** if your largest layout is 1600 pixels, do not ship a 4000-pixel original.
- **Background images set in CSS without responsive sources:** use the `image-set()` CSS function or media queries to swap in different image files at different breakpoints.

Best practices

- **Generate variants at common widths:** 400, 800, 1200, and 1600 pixels covers most viewports cleanly.
- **Always set width and height:** intrinsic dimensions let the browser reserve space and avoid layout shift, helping CLS.
- **Lazy-load off-screen images:** add `loading="lazy"` to images below the fold so the browser only downloads them when needed.



- **Pair with modern formats:** resizing alone is good; resizing and serving WebP or AVIF compounds the savings.



✖ Image Aspect Ratio Test

Not all image display dimensions match the natural aspect ratio! Fix aspect ratio issues to avoid distorted images on this website!

How to pass this test?

This test fails when one or more images are rendered at an aspect ratio meaningfully different from the source file's native ratio, producing stretched or squashed visuals. Fixing this issue means either using `width` and `height` attributes that match the file's real dimensions or replacing the source with a correctly proportioned crop.

Example

```
<!-- Source file is 1600 x 900 (16:9). Set matching attributes: -->

```

Where to make the change

- **Raw HTML and CSS:** set the `width` and `height` attributes to the source file's native dimensions. Use CSS `height: auto` when scaling responsively so the browser preserves the ratio.
- **WordPress:** when inserting an image via the block editor, choose the image's intended size rather than overriding dimensions in custom CSS.
- **Shopify, Wix, or Squarespace:** use the platform's built-in image cropper so the displayed crop matches the source file you upload.
- **Headless or framework sites:** components like `next/image` require both `width` and `height`, which prevents distortion when the layout scales.

Common causes and how to resolve them

- **Hard-coded width and height that do not match the file:** recompute them from the source dimensions or remove them and rely on the file's intrinsic ratio.
- **Container has a fixed height that crops the image:** use CSS `object-fit: cover` if cropping is intentional, or change the container so the image keeps its natural ratio.
- **Wrong source file uploaded:** swap in a correctly proportioned crop rather than stretching the wrong file in CSS.

Best practices

- **Always set both `width` and `height`:** the browser uses these to reserve space and avoid layout shift before the image loads, which helps CLS.
- **Use `object-fit` when cropping is intentional:** `cover` fills the container without distortion; `contain` letterboxes to preserve the full image.
- **Standardize on a few aspect ratios:** picking one or two ratios per template makes it easier to crop assets consistently and avoid one-off distortions.



✓ Deprecated HTML Tags Test

This webpage does not use HTML deprecated tags.

✓ Google Analytics Test

This webpage is using Google Analytics.

✓ Favicon Test

 This website appears to have a favicon.

✗ Backlinks Test

This domain has **1 backlinks** from **1 referring domains** and a rank of **0/1000** while the average rank of Top 100 sites is **895/1000**.

✓ JS Error Test

There are no severe JavaScript errors on this webpage.



! Console Errors Test

This webpage has some warnings caught by the Chrome DevTools Console!

How to pass this test?

Console warnings are non-fatal messages the browser emits about deprecated APIs, security best-practice violations, performance hints, or potential bugs. They do not break the page today, but most warnings indicate something that will eventually become a hard error. Fixing this issue means triaging each warning, resolving the actionable ones, and adding monitoring so new warnings get caught early.

Where to make the change

- **Open DevTools, Console tab:** filter the panel to Warnings only. Each entry includes a link to the source location and often documentation explaining the recommended replacement.
- **Application code:** update the call site to use the modern API. Most browser deprecations include a recommended replacement in the warning text.
- **Third-party tags:** contact the vendor or upgrade to the current loader script. Outdated tags are the most common source of deprecation warnings.

Common causes and how to resolve them

- **Deprecated DOM or Web APIs:** swap the deprecated method for the modern equivalent. The MDN documentation linked in the warning describes the replacement.
- **Performance hints (forced reflow, large layout shifts, long tasks):** investigate with the Performance tab. These warnings often map directly to Core Web Vitals failures.
- **Insecure features (Permissions-Policy, deprecated headers):** update server response headers to use the current syntax.
- **Cookie warnings (SameSite, Secure):** set explicit `SameSite` and `Secure` attributes on every cookie, especially those used in cross-site contexts.

Best practices

- **Resolve warnings before they become errors:** deprecation cycles usually run six to twelve months. Fix early to avoid emergency patches when the API is removed.
- **Keep the console clean on production:** a noisy console hides genuine new issues among the chronic ones.
- **Pin third-party scripts to maintained versions:** outdated vendor scripts are the dominant source of long-running warnings.

✓ Charset Declaration Test

This webpage has a character encoding declaration.

```
Content-Type: text/html; charset=utf-8
```



Speed optimizations

3 Failed

0 Warnings

17 Passed

✓ HTML Page Size Test

The size of this webpage's HTML is **8.26 Kb** and is under the average webpage's HTML size of **33 Kb**. Faster loading websites result in a better user experience, higher conversion rates, and generally better search engine rankings.

✓ DOM Size Test

The Document Object Model (DOM) of this webpage has **265 nodes** which is less than the recommended value of **1,500 nodes**.

✓ HTML Compression/GZIP Test

This webpage is successfully compressed using **br compression** on your code. The HTML code is compressed from **40.62 Kb** to **8.26 Kb** (**80% size savings**). This helps ensure a faster loading webpage and improved user experience.

✓ Site Loading Speed Test

The loading time of this webpage (measured from N. Virginia, US) is around **0.76 seconds** and this is under the average loading speed which is **5 seconds**.

✓ JS Execution Time Test

The JavaScript code used by this webpage is executed in less than **2 seconds**.



✖ Page Objects Test

This webpage is using more than 20 http requests, which can slow down page loading and negatively impact user experience!

Content size by content type

Content type	Percent	Size
Javascript	40.8 %	184.95 Kb
Image	34.9 %	157.94 Kb
Font	18.3 %	82.98 Kb
Other	2.2 %	9.83 Kb
Html	1.9 %	8.64 Kb
Css	1.9 %	8.47 Kb
TOTAL	100%	452.80 Kb

Requests by content type

Content type	Percent	Requests
Image	33.3 %	7
Javascript	23.8 %	5
Css	14.3 %	3
Font	14.3 %	3
Other	9.5 %	2
Html	4.8 %	1
TOTAL	100%	21

Content size by domain

Domain	Percent	Size
googletagmanager.com	35.7 %	161.79 Kb
images.unsplash.com	27.0 %	122.10 Kb
fonts.gstatic.com	18.3 %	82.98 Kb



puteragani.com	16.3 %	73.84 Kb
static.cloudflareinsights.com	2.5 %	11.31 Kb
fonts.googleapis.com	0.2 %	819 B
TOTAL	100%	452.80 Kb

Requests by domain

Domain	Percent	Requests
puteragani.com	42.9 %	9
images.unsplash.com	28.6 %	6
fonts.gstatic.com	14.3 %	3
googletagmanager.com	4.8 %	1
fonts.googleapis.com	4.8 %	1
static.cloudflareinsights.com	4.8 %	1
TOTAL	100%	21

✓ CDN Usage Test

This webpage is serving all images, javascript and css resources from CDNs.

✓ Modern Image Format Test

This webpage is using images in a modern format.



✖ Image Metadata Test

This webpage is using images with large metadata (**more than 16% of the image size**)! Stripping out unnecessary metadata tags can improve not only the loading time but also the security and privacy of a webpage.

How to pass this test?

This test fails when one or more images carry disproportionately large embedded metadata such as EXIF data, thumbnails, color profiles, geolocation, and camera information. This metadata is rarely useful on the web and adds bytes to every request without any rendering benefit. Fixing this issue means stripping the metadata as part of your image processing pipeline.

Where to make the change

- **Image build pipeline:** use a tool such as ImageMagick (`mogrify -strip image.jpg`), `jpegoptim --strip-all` , or `oxipng --strip all` to remove metadata at build time.
- **WordPress:** a media optimization plugin will strip metadata automatically on upload.
- **Shopify, Wix, Squarespace:** the platforms strip most metadata server-side. Failures usually point to images served from external sources you control.
- **Image CDN:** Cloudflare Images, Cloudinary, and Imgix strip non-essential metadata by default during transformation.

Common causes and how to resolve them

- **Original camera files uploaded as-is:** camera files contain large EXIF blocks (lens, GPS, embedded JPEG previews). Strip during upload or build.
- **Color profile larger than the image:** embed a small sRGB profile or strip the profile entirely if the image is meant for the web.
- **Stock photo metadata:** stock images often carry copyright notices, IPTC blocks, and watermarks larger than the image data itself.
- **Geolocation in personal photos:** beyond bytes, EXIF GPS can leak the photographer's location. Strip for privacy as well as performance.

Best practices

- **Strip metadata on upload:** make it part of the asset pipeline so no human action is required.
- **Preserve only essentials:** a small ICC color profile is occasionally worth keeping for accurate color rendering; everything else can usually go.
- **Verify with a quick check:** tools like `exiftool image.jpg` show what is left after stripping, so you can confirm only what you want remains.

✔ Image Caching Test

This website is using cache headers for images and the browsers will display these images from the cache.



✓ JavaScript Caching Test

This webpage is using cache headers for all JavaScript resources.

✓ CSS Caching Test

This webpage is using cache headers for all CSS resources.

✓ JavaScript Minification Test

All JavaScript files used by this webpage are minified.

✓ CSS Minification Test

All CSS resources used by this webpage are minified.



Render Blocking Resources Test

This webpage is using render blocking resources! Eliminating render-blocking resources can help this webpage to load significantly faster and will improve the website experience for your visitors.



How to pass this test?

This test fails when JavaScript or CSS resources block the browser from rendering visible content. Each render-blocking file delays the first paint, and on slower networks the cumulative impact can be severe. Fixing this issue means inlining the truly critical CSS, deferring or asynchronously loading non-essential scripts, and removing unused code.

Example

```
<head>
<!-- Inline only above-the-fold critical CSS -->
<style>/* critical styles here */</style>

<!-- Load full stylesheet asynchronously -->
<link rel="preload" href="/styles/main.css" as="style"
      onload="this.onload=null;this.rel='stylesheet'">

<!-- Defer non-critical scripts -->
<script src="/scripts/app.js" defer></script>
</head>
```

Where to make the change

- **Application code or templates:** identify the CSS and JavaScript needed for the initial render and load only those synchronously. Defer the rest.
- **Build pipeline:** use a critical CSS extractor (such as `critical` or `penthouse`) to generate the above-the-fold styles automatically.
- **WordPress:** performance plugins offer "delay JS execution" and "load CSS asynchronously" options that handle most of this without code changes.
- **Headless or framework sites:** use the framework's preload and code-splitting hints to control what blocks rendering.

Common causes and how to resolve them

- **Single large stylesheet blocking render:** inline critical CSS for the first viewport, load the full stylesheet asynchronously.
- **Synchronous third-party scripts in the head:** add `defer` or `async`, or move them to the end of the body.
- **Web fonts blocking text rendering:** add `font-display: swap` in `@font-face` rules so the fallback font shows immediately.
- **Render-blocking @import in CSS:** replace with separate `<link rel="stylesheet">` tags so the browser can fetch them in parallel.

Best practices

- Use `defer` for scripts that need the DOM: they execute after parsing but before `DOMContentLoaded`.
- Use `async` for fully independent scripts: they execute as soon as they download, in any order.
- **Preload the critical request chain:** tell the browser early about fonts and key assets with `<link rel="preload">`.



- **Audit with Lighthouse:** the Render-blocking resources audit lists every offending file with the estimated time saved by deferring it.

✓ URL Redirects Test

This URL doesn't have any redirects (which could potentially cause site indexation issues and site loading delays).

✓ Largest Contentful Paint Test

The Largest Contentful Paint duration of this webpage is 1.13 seconds. To provide a good user experience, [Google recommends](#) that sites should strive to have Largest Contentful Paint of 2.5 seconds or less.

Largest Contentful Paint element within the viewport:

```

```

✓ Cumulative Layout Shift Test

The CLS score of this webpage is 0.0304. To provide a good user experience, [Google recommends](#) that sites should strive to have a CLS score of 0.1 or less.

DOM element which contributes the most to CLS score:

Text: HEALTH The Inflammation Equation: Why Everything You Thought You Knew About Chro...

Html: `<div id="article-grid" class="grid sm:grid-cols-2 xl:grid-cols-3 gap-6">`

Score: 0.0304

Server and security

0 Failed

0 Warnings

7 Passed

✓ URL Canonicalization Test

<https://puteragani.com/> and <https://www.puteragani.com/> resolve to the same URL.



✓ SSL Checker and HTTPS Test

This website is successfully using HTTPS, a secure communication protocol over the Internet.

- ✓ The certificate is not used before the activation date.
- ✓ The certificate has not expired.
- ✓ The hostname "puteragani.com" is correctly listed in the certificate.
- ✓ The certificate should be trusted by all major web browsers.
- ✓ The certificate was not revoked.
- ✓ The certificate was signed with a secure hash.

Certificate Chain:

Server certificate	
Common Name	puteragani.com
Subject Alternative Names (SANs)	puteragani.com
Not Valid Before	Tue, June 9th 2026, 3:15:30 pm (UTC)
Not Valid After	Mon, September 7th 2026, 4:15:21 pm (UTC)
Signature Algorithm	ecdsaWithSha256
Issuer	WE1
Root certificate	
Common Name	WE1
Organization	Google Trust Services
Location	US
Not Valid Before	Wed, December 13th 2023, 9:00:00 am (UTC)
Not Valid After	Tue, February 20th 2029, 2:00:00 pm (UTC)
Signature Algorithm	ecdsaWithSha384
Issuer	GTS Root R4

✓ Mixed Content Test (HTTP over HTTPS)

This webpage does not use mixed content - both the initial HTML and all other resources are loaded over HTTPS.



✓ HTTP2 Test

This webpage is using the HTTP/2 protocol.

✓ Plaintext Emails Test

This webpage does not include email addresses in plaintext.

✓ Unsafe Cross-Origin Links Test

This webpage is not using `target="_blank"` links without `rel="noopener"` or `rel="noreferrer"` attribute.

Mobile usability

0 Failed

0 Warnings

3 Passed

✓ Meta Viewport Test

This webpage is using a viewport meta tag.


```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

✓ Media Query Responsive Test

This webpage is using CSS media queries, which is the base for responsive design functionalities.



i Mobile Snapshot Test



Advanced SEO

0 Failed

0 Warnings

9 Passed

✓ Structured Data Test

This webpage is using structured data.

✓ Custom 404 Error Page Test

This website is using a custom 404 error page. We recommend to have a custom 404 error page in order to improve the website's user experience by letting users know that only a specific page is missing/broken (and not the entire site), providing them helpful links, the opportunity to report bugs, and potentially [track the source of broken links](#).

✓ Noindex Tag Test

This webpage does not use the noindex meta tag. This means that it can be indexed by search engines.



✓ Canonical Tag Test

This webpage is using the canonical link tag. This tag specifies that the URL: <https://puteragani.com/> is preferred to be used in search results. Please ensure that this specification is correct, as canonical tags are often hard-coded and may not always reflect the latest changes in a site's URL structure.

```
<link href="https://puteragani.com/" rel="canonical"/>
```

i Nofollow Tag Test

This webpage does not use the nofollow meta tag. This means that search engines will crawl all links from this webpage.

i Disallow Directive Test

Your robots.txt file includes a disallow command which instructs search engines to avoid certain parts of your website! You are advised to confirm if access to these resources or pages are intended to be blocked (e.g., if they contain internal-only content or sensitive information).

✓ Meta Refresh Test

This webpage is not using a meta refresh tag.

✓ SPF Records Test

This DNS server is using an SPF record.

```
v=spf1 include:spf.efwd.registrar-servers.com ~all
```

✓ Ads.txt Validation Test

This website is using an Authorized Digital Sellers (ads.txt) file and its content has a valid format. Since the file is uploaded and maintained by publishers on their own domain, it's not easy for bad players to gain access to it or to change entries. Buyers who want to bid on the publisher's inventory can refer to their ads.txt file and confidently know that the exchange they are dealing with is in fact authorized to directly or indirectly sell the publisher's inventory.