

# Project Time Management

Sara-Jane Kickham

Limerick Institute of Technology

*sara-jane.kickham@lit.ie*

2017-2018

# **Project Scheduling Basics**

**Project Management  
Year 4**

# Henry Gantt

## Henry Gantt

H. L. Gantt, A.B, M.E. (1861- 1919) was a mechanical engineer and management consultant. H. L. Gantt is most recognized for creating a visual scheduling and control diagram in the second decade of the 20th century that we know today as the Gantt chart.

Gantt charts are created to show scheduled and actual project progress. Accepted as a commonplace project management tool today, it was an innovation of world-wide importance in the 1920s, based on H. L. Gantt's work while ship building during WWI.

Gantt charts were used to schedule and control large construction projects like the Hoover Dam started in 1931 and the US interstate highway network started in 1956.

## Henry Gantt Biography

Henry Gantt was born in Calvert County, Maryland, USA.

After working as a teacher and draftsman, he pursued mechanical engineering.

In 1887, he joined Frederick W. Taylor in the scientific management of Midvale Steel and Bethlehem Steel, working together there until 1893.

Later in his career he devised the 'task and bonus' method of wage payment and created methods of monitoring worker efficiency and productivity.




**Henry Gantt**  
**(1861-1919)**

# Basic Gantt Chart

ID	Task	Duration	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9
1	A	2									
2	B	2									
3	C	4									
4	D	1									
5	E	6									
6	F	3									
7	G	2									
8	H	1									

# Basic Gantt Chart - Resources



		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9
Resources Levels Required										
						E	F	F	G	
		B	E	E	D	E	E	F	G	
	A	A	B	C	C	C	C	E	H	

From the above you can very quickly see that at least two persons will be required for the duration of the project.

- Averaging (21 man-days/9 days) gives 2.33 persons.

So, we assign Jim & Bob to the project

# Resource Allocation

ID	Task	Duration	Resource	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9
1	A	2	Jim									
2	B	2	Bob									
3	C	4	Bob									
4	D	1	Jim									
5	E	6	Jim									
6	F	3	Bob									
7	G	2	Bob									
8	H	1	Jim									
	Resources Levels Required							Jim	Bob	Bob	Bob	
							Bob	Jim	Jim	Jim	Jim	Bob
							Jim	Jim	Jim	Jim	Jim	Jim
							Jim	Jim	Jim	Jim	Jim	Jim
							Jim	Jim	Jim	Jim	Jim	Jim
							Jim	Jim	Jim	Jim	Jim	Jim
							Jim	Jim	Jim	Jim	Jim	Jim
							Jim	Jim	Jim	Jim	Jim	Jim
							Jim	Jim	Jim	Jim	Jim	Jim
							Jim	Jim	Jim	Jim	Jim	Jim
	Days Jim is required			Jim								
				Jim								
				Jim								
				Jim								
				Jim								
	Days Bob is required								Bob	Bob	Bob	Bob
								Bob	Bob	Bob	Bob	Bob
								Bob	Bob	Bob	Bob	Bob
								Bob	Bob	Bob	Bob	Bob

## Resource Allocation

- Clearly we have a problem.....
  - Jim is over-allocated on Day 5
  - Bob is over allocated on Days 6, 7, & 8, but not required on Day 1.
- Some of the options available:
  - Add another person for these days
  - Extend the Project
  - Change who is allocated to tasks
  - Move tasks around
  - Use Overtime or Non-Working Days (weekends)
  - Any combination of the above

# Progress Tracking

- Progress can easily be tracked on a Gantt Chart by changing a colour or shading in another 'bar'

Approx 75% completion

ID	Task	Duration	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8	Day 9
1	A	2									
2	B	2									
3	C	4									
4	D	1									
5	E	6									
6	F	3									
7	G	2									
8	H	1									


# Gantt Charts

- Advantages
  - Wide Acceptance and Popularity
  - Relatively Easy to prepare and understand
  - No ‘theory’ or complicated calculations required
  - Anyone can understand them
  - Can be prepared anywhere; with just a pen and some paper
  - Increases in computing power, and the availability of ‘retail’ project management software such as MS Project has greatly widened the usage and general acceptance of Gantt Charts

# Gantt Charts

- Disadvantages
  - Lack logical representation (task relationships)
    - Why did a particular task start on a particular date
    - When attempts are made to depict these relationships, the results can be unclear
  - Bar charts may not always be practical for complex projects with large numbers of tasks
    - Software Implementation Plan
    - This can be addressed in two ways
      - Show details of critical activities only and summarize others
      - Show summary bars (a summary bar is a collection of other tasks, based on a common factor)
  - Most Software packages have addressed these issues with varying success.
    - MS Project Example Slide 11:
      - Cannot see entire plan
      - Relationships look complicated
      - Too much information?

## └ Project Scheduling Basics



# Network Analysis

# Network Analysis

- A network is a logical and chronological graphic representation of the activities of a project
- Networks are normally one of two types:
  - Arrow Networks
  - Node Networks
- Arrow Networks were popular in the 1960's and 1970's
- Precedence Diagrams (an advanced form of node diagrams) became more popular after this time
- Network Analysis is a **deterministic** method of estimating project duration
  - PERT is a probabilistic method

## Arrow Networks

- Arrow networks are also called the Arrow Diagramming Method (ADM), Activity on Arrow Networks (AOA), or the I-J method
  - AOA is the most popular description; I-J is not very well known anymore

# AOA Example


- Draw the arrow network for the project shown below

Activity	IPA
A	-
B	A
C	A
D	B
E	C,D

- IPA = Immediately Preceding Activity

Activity	IPA
A	-
B	A
C	A
D	B
E	C,D


## AOA Example



- Each Activity is represented by an arrow
- Each Arrow connects two nodes (shown by circles with numbers in them)
- These nodes are called the 'from node' and the 'to node'
- These nodes represent 'events'; an event is a point in time when an activity starts or ends
- Events of significance are called milestones; they can be a start milestone (such as authorization to proceed) or an end milestone (such as substantial completion)

Activity	IPA
A	-
B	A
C	A
D	B
E	C,D


## AOA Logic



- Activity A starts the project, B & C follow, but independently of each other.
- Activity D cannot start until the completion of B
- Once both C and D are complete, E can commence.
- Activity A precedes B & C; A is a **predecessor** of B & C
- Conversely, B&C are **successors** of A

Activity	IPA
A	-
B	A
C	A
D	B
E	C,D

## AOA Logic





- A Node is an event or a point in time
- Node 10 represents the start of activity A;
- Node 20 the end of activity A and the start of activity B and activity C
- These diagrams are also called the I-J method because each activity can also be identified by two nodes
  - Activity C could also be identified as 20-40

# AOA 'Dummy' Activities


- Consider the following project

Activity	IPA
A	-
B	A
C	A
D	B, C








- We have a problem; both B and C start at node 20 and finish at node 30
- This means that both could be identified as 20-30.
- In order to resolve this ambiguity we insert what is known as a **dummy activity**




- This fictitious dummy activity '**d**' solves the problem of identification
  - Activity B is now 20-30 and C is 20-40
- The dummy activity d is treated, to all intents and purposes, as a real activity. It is treated in the CPM (Critical Path Method) and in computer programs as a real activity even though it is not.
- Note that the dummy activity could have been inserted in other locations to have the same effect



## AOA with more details






## Key Terms

- **Event**


- An event is a point in time
- An event is achieved when all preceding activities with which it is connected are completed
- It indicates that no subsequent activity can be started until that event is achieved
- It is normally identified by a number and a circle



## Key Terms

- **Activity**

- An activity is an actual process or operation which leads to the completion of an event
- In almost all cases represents the passage of time and the use of resources
- It is represented by an arrow between the two events with which it is associated
- The nodes can be named as the ‘from node’ and the ‘to node’; they may also be called the ‘head event’ and the ‘tail event’




# Key Terms

- Slack
  - It is the spare time on an event
    - The difference between the EET and the LET
  - For node 10 the slack is 2 days
- Float is the spare time on an activity
  - It can be considered **3 ways**
    - Total float is the maximum spare time on an activity and is the difference between the latest and earliest start (or finish) times of that activity
    - Free float is that part of the total float which does not effect subsequent activities
    - Independent Float is that part of the total float which does not affect previous or subsequent activities

$$\text{Free Float} = \text{Total Float} - \text{Head Slack}$$

$$\text{Independent Float} = \text{Total Float} - \text{Head Slack} - \text{Tail Slack}$$



## Key Terms

- **Dummy Activity**
  - A Dummy Activity is indicated by a dotted line
  - It does not consume any resources, or time.
  - Normally, its purpose is to maintain the logic of the network
  - **However, It can sometimes be used to indicate a required delay (such as time for concrete to cure)**

## Basic Project Scheduling Activity on Arrow

**Project Management  
Year 4**

# AOA and Critical Path Analysis

- Consider the Project Below

ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A		5	-
2		B		7	A
3		C		4	A
4		D		3	A
5		E		3	C
6		F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2		B		7	A
3		C		4	A
4		D		3	A
5		E		3	C
6		F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B		7	A
3	20	C		4	A
4	20	D		3	A
5		E		3	C
6		F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C		4	A
4	20	D		3	A
5		E		3	C
6		F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C		4	A
4	20	D		3	A
5		E		3	C
6	30	F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D		3	A
5		E		3	C
6	30	F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D		3	A
5	40	E		3	C
6	30	F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E		3	C
6	30	F		2	B
7		G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E		3	C
6	30	F		2	B
7	50	G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F		2	B
7	50	G		5	D
8		H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F		2	B
7	50	G		5	D
8	60	H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G		5	D
8	60	H		8	E,G
9		I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G		5	D
8	60	H		8	E,G
9	70	I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60, 80	H		8	E,G
9	70	I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60, 80	H	90	8	E,G
9	70, 90	I		6	F,H

## AOA and Critical Path Analysis

- The first thing we need to do is to determine the events associated with each activity.
  - Insert two columns and assign I and J values

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60, 80	H	90	8	E,G
9	70, 90	I	100	6	F,H

# AOA and Critical Path Analysis

- We have a problem
  - H and I have two IPA's each.
  - To fix this we add dummy activities to the network



ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60, 80	H	90	8	E,G
9	70, 90	I	100	6	F,H

## AOA and Critical Path Analysis

ID	'I' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dl	90	0	

- In this instance we add dummy activities between the two predecessors of H and the two predecessors of I
- Check to ensure there are no ID issues associated with the network and add further dummy activities if necessary


# Remember.....





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	

Draw the first event and mark it off on the table





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	


Then draw the next event  
Hold off on drawing in the arrows  
for the moment





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	

**Event 20 has three other events associated with it; so draw them in order**





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	

Event 20 has three other events associated with it; so draw them in order





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	

Event 20 has three other events associated with it; so draw them in order





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	

The next event is 60, which is preceded by 40






70 is preceded by 30

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	






**And 80 by 50**

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	





**90 by 60**

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	






**100 by 90**

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
9	90	I	100	6	F,H
10	70	dI	90	0	

Now draw in the arrows, and the durations associated with each






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
10	70	dI	90	0	

Now draw in the arrows, and the durations associated with each






ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	

Now draw in the arrows, and the durations associated with each






ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
9	90	I	100	6	F,H
10	70	dI	90	0	

Now draw in the arrows, and the durations associated with each






ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
9	90	I	100	6	F,H
70	70	dI	90	0	

Now draw in the arrows, and the durations associated with each






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	90	I	100	6	F,H
10	70	dH	80	0	
11	90	dl	90	0	

Now draw in the arrows, and the durations associated with each






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
9	90	I	100	6	F,H
10	70	dI	90	0	

Now draw in the arrows, and the durations associated with each






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
10	70	dI	90	0	

Now draw in the arrows, and the durations associated with each






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
10	70	dI	90	0	


Draw in dummy activities using a dotted line  
When constructing the table we set up this task as 60-80, but logically it is 80-60, so draw it this way





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	90	I	100	6	F,H
10	di	dI	90	0	






The final activity was 70-90  
 This was correct on the table

ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
10	70	dI	90	0	






ID	'I' value	Activity	'I' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	90	I	100	6	F,H
10	70	dH	80	0	

Now we need to determine the activities  
EET's and LET's

We use 'End of Day' convention


So, start of day 1, is stated as end of day 0  
(Remember PERT)

Therefore  $0 + 5 = 5$ ; enter this in as the EET  
of event 20




ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
10	90	dI	90	0	






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
10	90	I	100	6	F,H
11	70	dI	90	0	






ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dI	90	0	






ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
60	dH		80	0	
9	90	I	100	6	F,H
70	dl		90	0	





ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
10	90	dI	90	0	






ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
60	dH		80	0	
9	90	I	100	6	F,H
70	dI		90	0	

$$8 + 5 = 13$$

We had previously calculated the EET of event 60 as day 12.


However event 80 is a predecessor of 60; 60 cannot start until 80 is completed therefore the EET of 60 needs to be changed to 13




ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	60	dH	80	0	
10	90	I	100	6	F,H
70	100	dl	90	0	

Event 90 can also have two possible EET's, 14 or 21.

Again, we apply the rules and select Day 21






$$21 + 6 = 27$$

We have now determined that the project will finish at the end of Day 27





ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
10	10		90	0	




ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
60	dH		80	0	
9	90	I	100	6	F,H
70	dI		90	0	


We now run the backwards-pass  
To do this in minimum time we take  
the LET of event 100 as EoD 27






ID	'I' value	Activity	'I' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
60	dH		80	0	
9	90	I	100	6	F,H
70	dl		90	0	







ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	6	E,G
9	60	dH	80	0	
10	90	I	100	6	F,H
11	70	dI	90	0	


**The dummy task does not have any duration therefore 21 is the LET of event 70**







ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	90	I	100	6	F,H
	60	dH	80	0	
	70	dl	90	0	






Again, the dummy does not have a duration therefore the LET of event 80 is 13






$$21 - 2 = 19$$


ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	90	I	100	6	F,H
10	60	dH	80	0	






$$13 - 3 = 10$$


ID	'i' value	Activity	'j' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
9	90	I	100	6	F,H
10	di		90	0	





ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
60	dH		80	0	
9	90	I	100	6	F,H
70	dl		90	0	






ID	'I' value	Activity	'I' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
60	dH		80	0	
9	90	I	100	6	F,H
70	dl		90	0	

We now have 3 possible options for the LET of 20

They are 12, 6 or 5.


12 or 6 cannot be selected because they would violate the LET of 50

When tasks converge in this manner on the backwards pass, the earliest of the LET options is selected




ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
60	dH		80	0	
9	90	I	100	6	F,H
70	dl		90	0	





ID	'I' value	Activity	'I' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	B
8	60	H	90	8	E,G
9	60	dH	80	0	
10	70	dI	90	0	F,H

Slack on an event is the difference between the EET and the LET.  
If we examine the network, we find that for some events the slack is zero



ID	'I' value	Activity	'J' value	Duration	IPA
1	10	A	20	5	-
2	20	B	30	7	A
3	20	C	40	4	A
4	20	D	50	3	A
5	40	E	60	3	C
6	30	F	70	2	B
7	50	G	80	5	D
8	60	H	90	8	E,G
	60	dH	80	0	
9	90	I	100	6	F,H
	70	dl	90	0	

The zero slack path is A-D-G-H-dH-I  
 As the dH is a dummy, the Critical path is A-D-G-H-I



# Additional Resources

## **Support Material**

[Powerpoint Download](#)

[Powerpoint View Online](#)

# Project Scheduling Basics

## Activity on Node

## Precedence Diagrams

Project Management  
Year 4

# Precedence Diagrams

ES	D	EF
Activity		
LS	TF	LF

ES = Earliest Start Time

EF = Earliest Finish Time

LS = Latest Start Time

LF = Latest Finish Time

D = Activity Duration

TF = Total Float

- Activity Box may state:
  1. Activity Name
  2. Activity Description
  3. Resources Required
  4. Etc.

# Precedence Diagram Example

- Consider the Project Below



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

	5	
A		

ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H




1. Draw the network
2. Enter the Durations

ES	D	EF
Activity		
LS	TF	LF







ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
ES	D	EF	
Activity			
LS	TF	LF	




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


	ES	D	EF
	Activity		
	LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


ES	D	EF	Activity
LS	TF	LF	



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


	ES	D	EF
	Activity		
	LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

1. The Earliest Start Time is Time 0 (start of Day 1)
2. Add the ES to the Duration (D) to get the Earliest Finish Time


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

The EF Time of Activity A now becomes the ES Time of Activities B, C, and D


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

As before, add the ES to the D to get the EF of each activity


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

As before, the EF becomes the ES of the following activity


ES	D	EF
Activity		
LS	TF	LF



## Calculate the EF

ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

1. This time we have 2 different EF's.
2. Activity 'H' cannot commence until both E and G are complete
3. The earliest time that this will happen is upon completion of Activity G (i.e. Day 13)


ES	D	EF
Activity		
LS	TF	LF



So Day 13, the EF of Activity 'G' becomes the ES of Activity 'H'

ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




Again, two activities are converging. In this case 'H' and 'F' onto 'I'

The same rules are applied

ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


So, Day 21 becomes the ES of Activity 'I'

ES	D	EF
Activity		
LS	TF	LF



- We have now determined that the duration of the project will be 27 days
- Precedence Diagrams are a *Deterministic Method* of estimating Project Duration


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


We now use the EF as the LF of the final activity to commence what is known as the 'backwards pass'

ES	D	EF
Activity		
LS	TF	LF



This time we subtract the duration (6 days) from our LF to give the LS


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

And, as before we use the LS of the successor (I) to determine the LF of its immediate predecessors (F and H)

ES	D	EF
Activity		
LS	TF	LF




Again, we calculate the LS values

ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


  

ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


- Now we are starting to converge on an activity. This time Activity A.
- We do not transfer in the LS until we have calculated all the LS values that could be associated with a predecessor

ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF


- Now that all of the values are calculated we can see that they differ



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

- **The lowest value of the three alternatives is selected.**
- **If one of the others is selected, it would violate the LS date of Activity 'C'**


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

Again we calculate the LS for the activity

ES	D	EF
Activity		
LS	TF	LF



- The next item that we are interested in is the Total Float associated with each activity
- This is calculated by subtracting the ES from the LS ( $LS - ES = TF$ )
- It can also be calculated by subtracting the EF from the LF (or  $LF - EF = TF$ )


ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF	
Activity			


LS	TF	LF
----	----	----



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


So we parse the network going calculating the TF values for each activity

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA		
			ES	D	EF
			Activity		
			LS	TF	LF
1	A	5			
2	B	7			
3	C	4			
4	D	3			
5	E	3			
6	F	2			
7	G	5			
8	H	8			
9	I	6			



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


  

ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H


ES	D	EF
Activity		
LS	TF	LF



ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

Next, identify all activities that have a TF of zero

ES	D	EF
Activity		
LS	TF	LF




ID	Activity	Duration	IPA
1	A	5	-
2	B	7	A
3	C	4	A
4	D	3	A
5	E	3	C
6	F	2	B
7	G	5	D
8	H	8	E,G
9	I	6	F,H

**Activities with Zero float make up the critical path  
Therefore the Critical Path is A-D-G-H-I**

ES	D	EF
Activity		
LS	TF	LF

## Critical Path

- In the example, activities ADGHI are driving the duration of the project. A delay in any of these activities will extend the duration of the project
  - i.e if activity H is delayed by 2 days the overall project will not be completed until Day 29
  - The project will not be delayed if activities B and F are delayed by 2 days
  - There are limits. If activities C or E are delayed by 2 days, they will become critical, and the new critical path will be ACEHI




- Increasing the duration of Task E from 3 days to 5 days changes the critical path of the network
- This would likely occur on a project during execution, and highlights the importance of ensuring all activities are managed and controlled – not just those on the critical path

## Critical Path


- General Observations
  - In every network at least 1 critical path must exist
  - More than one critical path may exist
  - Any critical path must be continuous from the start to the end of the project
  - Unless a constraint is imposed, a path cannot be partially critical. The entire path is either critical or non critical
  - If all paths go through a particular activity, then that activity must be critical, ie 'A' and 'I' in the example
  - Sometimes the critical path is defined as 'the path with zero float'. This definition is only correct if there is no imposed finish date in the backwards pass calculations
  - **We will define the Critical Path as 'the longest path in the network'. It always holds true.**

# Microsoft Project – Gantt Chart




View | Gantt Chart


# MS Project – Detailed Gantt Chart



**View | More Views |  
Detail Gantt**



# MS Project – Network Diagram





**View | Network Diagram**

## Task Relationships

- So far we have assumed that a preceding task needs to be completed before a successor can start. This is known as a Finish-Start (FS) relationship
- However, there are in fact 4 task relationships
  1. Finish-Start (FS)
  2. Start-Start (SS)
  3. Finish-Finish (FF)
  4. Start-Finish (SF)

ES	D	EF
Activity		
LS	TF	LF



## Finish-Start (FS)



- Most common relationship
- Default relationship for most project scheduling software
- Concrete cannot be poured until formwork is in place
- Block work cannot start until foundation is complete

	ES	D	EF
	Activity		
	LS	TF	LF

## Start-Start (SS)




- Commonly used; very useful
- Often used with a lag
- Commence landscaping when snag-list is starting
- Commence laying underground pipe 3 days (lag) after excavation has started

ES	D	EF
Activity		
LS	TF	LF

0	2	2
P		
1	1	3



0	3	3
S		
0	0	3



- Again, commonly used and very useful
- Beware when running forward and backwards pass
  - See above, LF of 'S' becomes LF of 'P'
- As-Built drawings and substantial completion must finish together


ES	D	EF
Activity		
LS	TF	LF

## Start-Finish (SF)




- Rarely (if ever) used; avoid if possible
  - Creates complexity; 'end of day' and 'start of day' become vital for correct analysis.
  - Rarely makes logical sense.
- Can be used to schedule backwards from a specific event, such as a submission of a tender. However it is better to use a constraint.

# Lags



- Lag is not the same as 'Float'
- Lag is minimum delay between the end <sup>(or start)</sup> of an activity and the start <sup>(or end)</sup> of its successor
- The delay can exceed the minimum, provided it does not violate some other logic or constraint
- Lags can be introduced to cater for non-resource associated times, such as the time allowed for concrete to cure.


# 'Burst Node' and 'Merge Node'



# Scheduling Constraints

- There are 8 scheduling constraints available in MS Project

	Name		Type
1	As Soon as Possible	ASAP	Flexible
2	As Late as Possible	ALAP	Flexible
3	Finish No Earlier Than	FNET	Semi-Flexible
4	Finish No Later Than	FNLT	Semi-Flexible
5	Start No Earlier Than	SNET	Semi-Flexible
6	Start No Later Than	SNLT	Semi-Flexible
7	Must Start On	MSO	Inflexible
8	Must Finish On	MFO	Inflexible



## Scheduling Constraints

- ***One of the most misunderstood aspects of Project Management Software***

- Inexperienced users will often use Must-Finish-On constraints in an attempt to ensure that the software will meet a contractual completion date
- What they are actually doing is forcing the system to finish on that date **and only that date**
- Better to use Finish-No-Later-Than; this constraint allows for completion before the specified date

## Scheduling Constraints

- As Soon As Possible (ASAP)
  - Software will attempt to schedule the activity task to finish as soon as possible
  - It is the default setting of Activities on most PM software
  - It is ‘Flexible’ because the start and finish dates can be brought forward or pushed back in time in accordance with schedule logic only
- As Late As Possible (ALAP)
  - Software will attempt to schedule the activity to finish as late as possible
  - Useful for Landscaping activities etc where it is preferable to start and finish ALAP in order to avoid damage
  - It too is ‘Flexible’ because the start and finish dates can be brought forward or pushed back in time in accordance with schedule logic

## Scheduling Constraints

- Finish No Earlier Than (FNET)
  - Software will attempt to schedule the activity to finish no earlier than a specified date; it will allow the task to finish after the specified date
- Finish No Later Than (FNLT)
  - Software will attempt to schedule the activity to finish no later than a specified date; it will allow the task to finish before the specified date
  - i.e. construction of a pump plinth. It must finish no later than the date the pump is delivered to site, but can finish before this

## Scheduling Constraints

- Start No Earlier Than (SNET)
  - Software will attempt to schedule the activity so that it starts no earlier than a specified date. It will allow the start date to be scheduled after this date, and is therefore considered semi-flexible
- Start No Later Than (SNLT)
  - Software will attempt to schedule the activity so that it will start no later than a specified date

# Scheduling Constraints


- Must Start On (MSO)
  - Software will schedule the activity such that it starts on a specified date
  - It is an inflexible constraint as it does not allow for any change to the start date whatsoever.
- Must Finish On (MFO)
  - Software will schedule the activity such that it will finish on a specified date
  - It is an inflexible constraint as it does not allow for any change to the finish date.

## General Comment on Scheduling Constraints

- A flexible constraint sets a preference for either late or early completion
- Semi-Flexible constraints will allow an activity to be started (or finished) either earlier or later, but not both
- Inflexible constraints will not allow the activity's start (or finish) date to change in any way.
- Semi-Flexible and Inflexible constraints should never be used unless absolutely necessary
- Semi-Flexible and Inflexible should never be used to 'drive' a project plan – that is for the PM team to do.
  - i.e. Set SNLT on a task in an attempt to ensure task completion. (logic should do this for you)
- Overuse of Semi and Inflexible constraints will force tasks onto the critical path that otherwise would not have to be critical


# Typical Example

Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS + 1
G	30	D	SS + 5
H	9	E	FS + 2
J	8	K	FS
K	11	F	FF + 3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
I	8	K	FS
J	8	K	FF +3
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
I	8	K	FS
J	11	F	FF+3
K	13	H	FS
L	6	J	FS
M	4	L	FS
N	5	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF




Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF



Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS+1
G	30	D	SS+5
H	9	E	FS+2
J	8	K	FS
K	11	F	FF+3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF



Activity	Duration	Predecessor	Type & Lag
A	7	-	-
B	8	A	FS
C	8	A	FS
D	18	A	FS
E	12	B	FS
F	7	C	SS +1
G	30	D	SS +5
H	9	E	FS +2
J	8	K	FS
K	11	F	FF +3
L	13	H	FS
M	6	J	FS
		L	FS
N	4	M	FS

ES	D	EF
Activity		
LS	TF	LF

# PERT

Program Evaluation & Review Technique

## What is PERT?

Program Evaluation and Review Technique

- Event Orientated Network Analysis
- Used where individual activity durations are highly uncertain
- PERT applies weighted average duration estimates to the Critical Path Method (CPM)
- PERT is a probabilistic or stochastic method

## History of PERT

1950's - US Navy had huge cost overruns on the Polaris Missile System Project, primarily due to the lack of historical data.

The project team (USN, Lockheed, Allen Hamilton) began to research effort to develop a tool to assist the planning of the Polaris Project.

Objective was to devise a method that can predict a completion date and assign a probability to meeting that date.

June 1962; Department of Defence and NASA officially adopt system.

## Concept of PERT

PERT is a probabilistic approach that requires a duration frequency distribution for each activity.

Each Activity is given:

- $T_O$  - Optimistic Duration
- $T_M$  - Most Likely Duration
- $T_P$  - Pessimistic Duration

Paint Room, expect 3 days, maybe 2, but could be 5 days if paint runs out.

- $T_O = 2$  days;  $T_M = 3$  days;  $T_P = 5$  days;

## Concept of PERT

These 3 durations give a 'distribution' for the activity, therefore we can produce a statistical mean and variance for the duration of the activity.

PERT treats the means of these activity durations as a normal distribution, and then using normal statistical methods, a mean duration, and variance (or standard deviation) of the time required to complete the chain of activities.

The result is that completion can be calculated as a probability that it will occur by a particular day.

## Mathematics of PERT

The Mean Weighted Average of these three durations is called the Expected Duration  $T_e$

$$T_e = \frac{T_o + 4T_m + T_p}{6} \quad (\text{PERT-1})$$

Where:

- $T_o$  is the Optimistic Duration
- $T_m$  is the Most Likely Duration
- $T_p$  is the Pessimistic Duration
- $T_e$  is the Expected Duration

## Mathematics of PERT

Values for  $T_o$ ,  $T_m$  and  $T_p$ , are determined through experience, judgement, knowledge etc.

The weights assigned to  $T_o$ ,  $T_m$  and  $T_p$  can be adjusted; however the denominator of Eqn. (PERT-1) must equal the sum of the weights. i.e.  $1 + 4 + 1 = 6$

This arithmetic average is sometimes referred to as  $\mu$  or  $\bar{X}$

## Mathematics of PERT

The standard deviation (SD) of the expected duration is:

$$\sigma = \frac{T_p - T_o}{6} \quad (\text{PERT-2})$$

The variance ( $V_e$ ) is given by:

$$V_e = \sigma_e^2 \quad (\text{PERT-3})$$

## Mathematics of PERT

Now, add the expected durations for all activities on the studied path ( $T_E$ ):

$$T_E = \sum_{i=1}^n (T_e)i \quad (\text{PERT-4})$$

Following on, the Variance ( $V_E$ ) for the entire path can be calculated from:

$$V_E = \sum_{i=1}^n (\sigma_e^2)i \quad (\text{PERT-5})$$

## Mathematics of PERT

And the Standard Deviation ( $\sigma_E$ ) for the entire path can be calculated from:

$$\sigma_E = \sqrt{V_E} \quad (\text{PERT-6})$$

## Mathematics of PERT

Using the previous calculations, it is possible to calculate the probability that a certain event will occur on or by a certain date ( $T_S$ ) by using the normal distribution formulas:

$$Z = \frac{T_S - T_E}{\sigma_E} \quad (\text{PERT-7})$$

Where Z (called the Z function) represents the standard deviations ( $\sigma_E$ ) away from the mean ( $T_E$ )

By rearranging Eqn. PERT-7 we can obtain an equation that will predict the date by which completion will occur with a known level of confidence (probability).

$$T_S = \sigma_E Z + T_E \quad (\text{PERT-8})$$

# PERT Calculations

Example:

By using the Critical Path Method (CPM) the following critical path has been determined.

Activity	Optimistic Duration ( $T_o$ )	Most Likely Duration ( $T_m$ )	Pessimistic Duration ( $T_p$ )
A	2	4	7
C	5	8	14
F	4	6	8
J	2	2	2
K	7	10	21

# PERT Calculations

Example (cont.) Calculate the following Values:

- 1 The probability that the project will finish by the end of day 32
- 2 The probability that the project will finish by the end of day 34
- 3 The probability that the project will finish before day 30
- 4 The probability that the project will finish on the 32nd day
- 5 The probability that the project will finish no later than the 35th day
- 6 The probability that the project will finish at least 2 days early
- 7 The probability that the project will finish at least 2 days late
- 8 The probability that the project will finish on the 32nd day ±1 day
- 9 The completion date with at least 90% confidence level

# PERT Calculations

## Example (cont.)

Before going any further, we need to calculate the expected duration ( $T_E$ ) and the standard deviation ( $\sigma_E$ ) of the path ACFJK.

So, for every activity we calculate the expected duration ( $T_e$ ) and the standard deviation ( $\sigma_e$ ) by using equations (PERT-1) and (PERT-2).

Activity	Optimistic Duration ( $T_o$ )	Most Likely Duration ( $T_m$ )	Pessimistic Duration ( $T_p$ )	Expected Duration	Std. Dev $\sigma_e$	Variance $V_e = \sigma_e^2$
A	2	4	7	4.167	0.833	0.694
C	5	8	14	8.500	1.500	2.250
F	4	6	8	6.000	0.667	0.444
J	2	2	2	2.000	0.000	0.000
K	7	10	21	11.333	2.333	5.444
				$T_E = 32.000$		$V_E = 8.833$

## PERT Calculations

Now that we have determined:

$$T_E = 32.000 \text{ days}$$

$$V_E = 8.833 \text{ days}$$

we can calculate the standard deviation of the entire path ( $\sigma_E$ ) from:

$$\sigma_E = \sqrt{V_E}$$

to give:

$$\sigma_E = 2.972 \text{ days}$$

## PERT Calculations Example 1


*The probability that the project will finish by the end of day 32.*  
Z is calculated using Eqn (PERT-7). For this case  $T_S = 32$ , so inserting the values we get

Z	0.00	0.01	0.02
0.0	0.5000	0.5040	0.5080
0.1	0.5398	0.5438	0.5478
0.2	0.5793	0.5832	0.5871

$$Z = \frac{T_S - T_E}{\sigma_E} = \frac{32 - 32}{2.972} = 0.000$$

We then need to look-up the Z-tables at value 0.00

From the table we can see that the probability that the project will complete on day 32 is 0.50 or 50%



## PERT Calculations Example 2


*The probability that the project will finish by the end of day 34*  
Z is calculated using Eqn (PERT-7). For this case  $T_S = 34$ , so inserting the values we get:

Z	0.06	0.07	0.08
0.5	0.7123	0.7157	0.719
0.6	0.7454	0.7486	0.7517
0.7	0.7764	0.7794	0.7823

$$Z = \frac{T_S - T_E}{\sigma_E} = \frac{34 - 32}{2.972} = 0.672$$

We then need to look-up the Z-tables at value 0.67

From the table we can see that the probability that the project will complete by the end of day 34 is 0.7486 or 74.9%



## PERT Calculations Example 3

*The probability that the project will finish before day 30*


Note: this is the same as the probability of finishing by the end of day 29, so  $T_S = 29$ .

Z	0	0.01	0.02
0.9	0.8159	0.8186	0.8212
1	0.8413	0.8438	0.8461
1.1	0.8643	0.8665	0.8686

$$Z = \frac{29 - 32}{2.972} = \frac{-3}{2.972} = -1.009$$

In this case Z is less than Zero. For values of Z less than zero, lookup the absolute value of Z as derived, and subtract from 1.00

So, subtracting 0.8438 from 1 we get 0.1562 or 15.6%



## PERT Calculations Example 4


*The probability that the project will finish on the 32nd day*

From part 1. we have already calculated the probability that the project will finish by the end of day 32. i.e.  $\Pr(T_S \leq 32) = 0.50$  or 50%, so now we need to calculate  $\Pr(T_S \leq 31)$ .

$\Pr(T_S \leq 31) = 1 - 0.633 = 0.367 = 36.7\%$  (note: check the logic)  
so,

$$\Pr(T_S = 32) = \Pr(T_S \leq 32) - \Pr(T_S \leq 31) = 50\% - 36.7\% = 13.3\%$$

$$Z = \frac{29 - 32}{2.972} = \frac{-3}{2.972} = -1.009$$




## PERT Calculations Example 5

*The probability that the project will finish no later than the 35th day*

This is the same as the probability that the project will finish by the end of day 35.

$$Z = \frac{35 - 32}{2.972} \approx 1.01$$

so  $\Pr(T_S \leq 35) = 0.8438 = 84.4\%$




## PERT Calculations Example 6

*The probability that the project will finish at least 2 days early*

This is the same as the probability of finishing on the 30th day or earlier; or the same as the probability of finishing at the end of day 30.

so  $Z = -0.67$  therefore  $\Pr(T_S \leq 30) = 1 - 0.7486 = 0.2514 = 25.1\%$




## PERT Calculations Example 7

*The probability that the project will finish at least 2 days late*

This is the same as the probability of finishing on the 34th day or later, or the same as finishing by the end of day 33 or later.

$$\Pr(T_S > 33) = 1 - \Pr(T_S \leq 33) = 1 - .633 = 36.7\%$$




## PERT Calculations Example 8

*The probability that the project will finish on the 32nd day  $\pm 1$  day.*

This means finishing on day 31, 32 or 33

$$\Pr(T_S = 31, 32, 33) = \Pr(T_S \leq 33) - \Pr(T_S \leq 30) = 0.633 - 0.251 = 38.2\%$$



## PERT Calculations Example 9

*The completion date with at least 90% confidence level*

Go to Z-table and look up the value nearest to (but not less than) 0.9000.

Z	0.07	0.08	0.09
1.1	0.879	0.881	0.883
1.2	0.898	0.8997	0.9015
1.3	0.9147	0.9162	0.9177

From the table  $Z=1.29$ , and insert into (PERT-8):

$$T_S = \sigma_E Z + T_E = 2.972(1.29) + 32 = 35.834$$


As the answer is over 35.0, we are in fact in Day 36. Answer Day 36.

# Z Table: Cumulative probability for the Standard Normal Distribution (0.00 to 2.00)

Z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817

# Microsoft Project 2007

PERT analysis was available on MS Project 2007; it was dropped for 2010. View—Toolbars—PERT Analysis



# Basic Project Scheduling Activity on Arrow

**Project Management  
Year 4**


# Additional Resources

## **Support Material**

Powerpoint Show Download

# Basic Project Scheduling Line of Balance


## Project Management Year 4




Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2

# Line of Balance


- Consider the construction sequence below




- Suppose this process is repeated over 8 similar or identical units (for instance houses)
- Clearly it would be inefficient to have 8 versions of the construction sequence, all with their own EST's, LST's, etc.
- For these types of project, 'Line of Balance' is selected.
- LOB does not replace network logic; it supplements it





## Line of Balance







## Line of Balance







## Line of Balance







## Line of Balance







## Line of Balance






## Line of Balance







## Line of Balance







## Line of Balance







## Line of Balance






## Line of Balance






## Line of Balance




## Line of Balance – FF relationship



## Line of Balance Example 2


- Consider the project below which consists of 5 construction activities

Activity	Duration (weeks)	Number of Gangs
Foundations	2	2
External Walls	4	3
Roof Construction	1	1
Internal Finishes	4	3
External Works	2	2



- The contractor will be constructing 10 houses in the above sequence

Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2



Activity	Duration (weeks)	Number of Gangs
Foundations	2	2
External Walls	4	3
Roof Construction	1	1
Internal Finishes	4	3
External Works	2	2


The mathematical relationship between the duration of an activity and the number of crews can be expressed as:

$$\frac{(Units - 1)(duration)}{resource}$$


For Activity 'Foundations' this is

$$\frac{(10 - 1)(2)}{2} = 9$$


Which means that the last start of 'Foundations' is on week 9




## Line of Balance – Example 2




Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2




## Line of Balance – Example 2



Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2



## Line of Balance – Example 2



We now need to consider the roof.


It is good practice to run a quick test to determine if the buffer should be applied at the start or end of the activity

- We examine the slope of the lines for the External Walls and the Roof


$$\text{Slope of Balance Line} = \frac{\text{Duration}}{\text{Num of Gangs}}$$

$$\text{External walls: } \frac{4}{3} = 1.33$$

$$\text{Roof: } \frac{2}{2} = 1$$



## Line of Balance – Example 2



$$\text{Slope of Balance Line} = \frac{\text{Duration}}{\text{Num of Gangs}}$$

External walls:  $\frac{4}{3} = 1.33$


Roof:  $\frac{2}{2} = 1.00$

- The slope of the 'External Walls' activity is 1.33
- The slope of the 'Roof' activity is 1.00


The lower the number the faster the rate of progress

So in this case we can see that the Roof will progress at a faster rate than the External Walls


Because of this, we need to allow the 1 week buffer at the start of Unit 10; otherwise the program will clash




## Line of Balance – Example 2




Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2




## Line of Balance – Example 2



Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2




## Line of Balance – Example 2




The calculations for each activity can  
be run at the start of the analysis  
It is in fact normal practice to do so..


- slope of 'Roof': 1.00
- slope of 'Internal Finish': 1.33; therefore buffer at Unit 1
- slope of 'External Works': 1.00; therefore buffer at Unit 10
- Duration of 'Internal Finish': 12 weeks
- Duration of 'External Works': 9 weeks




## Line of Balance – Example 2



Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2




## Line of Balance – Example 2



Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2

## What else can we determine?



- We have determined that completion of unit 10 should occur at the end of week 32

We also have start and end times for all of the activities

Foundations – start week 0: finish week 11


External Walls – start week 3: finish week 19

Roof – start week 11: finish week 21

Internal Finish - start week 13: finish week 29

External Works - start week 21: finish week 32


## What else can we determine?



We can also pin-point progress at any point in time:

For instance at week 15 all foundations should be complete; the last of the external walls should be starting, the roof should be complete on Unit 4, and internal finishes should be 50% complete on Unit 1 and 25% complete on Unit 2

## What else can we determine?



We can also examine the schedule on a particular unit:

Unit 6 should commence on week 5 and be complete by week 28; the roof should be complete by week 17, and any decisions in relation to paint colour etc. must be made by the purchaser before week 19

## Mathematical Method

- The solutions presented use a graphical method
- Line of balance can also be solved using a mathematical method or algorithm

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Bottom		Top		
							Buffer	Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2									
External Walls	4	3									
Roof	1	1									
Internal Finishes	4	3									
External Works	2	2									

Construct the Table as shown

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Buffer	Start of Unit 1	Finish of Unit 1	Start of Unit 10	Top	Finish of Unit 10
Foundations	2	2	1.00									
External Walls	4	3	1.33									
Roof	1	1	1.00									
Internal Finishes	4	3	1.33									
External Works	2	2	1.00									

**Calculate the slope of each balance line using the equation**

$$\text{Slope of Balance Line} = \frac{\text{Duration}}{\text{Gangs}}$$

# Mathematical Method

Activity	Duration	Gap	Slope			Activity Duration	Bottom		Top		
							Buffer	Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00								
External Walls	4	3	1.33								
Roof	1	1	1.00								
Internal Finishes	4	3	1.33								
External Works	2	2	1.00								

## Compare the slopes

In this case 1.33 is larger than 1.00, therefore the slope goes to the bottom of the graph

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Bottom		Top		
							Buffer	Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00								
External Walls	4	3	1.33								
Roof	1	1	1.00								
Internal Finishes	4	3	1.33								
External Works	2	2	1.00								

**An easy way to remember is:**

'the buffer goes to the location of the larger of the two numbers being compared'

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Bottom		Top		
							Buffer	Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00								
External Walls	4	3	1.33								
Roof	1	1	1.00								
Internal Finishes	4	3	1.33								
External Works	2	2	1.00								

In this case the larger number is on the top

# Mathematical Method

Activity	Duration	Gap	Slope			Activity Duration	Buffer				
							Bottom	Top	Start of Unit 1	Finish of Unit 1	Start of Unit 10
Foundations	2	2	1.00								
External Walls	4	3	1.33								
Roof	1	1	1.00								
Internal Finishes	4	3	1.33								
External Works	2	2	1.00								

So the buffer goes to the top

# Mathematical Method

Activity	Duration	Gap	Slope			Activity Duration	Buffer				
							Bottom	Top	Start of Unit 1	Finish of Unit 1	Start of Unit 10
Foundations	2	2	1.00								
External Walls	4	3	1.33								
Roof	1	1	1.00								
Internal Finishes	4	3	1.33								
External Works	2	2	1.00								

And so on

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Buffer				
							Bottom	Top	Start of Unit 1	Finish of Unit 1	Start of Unit 10
Foundations	2	2	1.00								
External Walls	4	3	1.33								
Roof	1	1	1.00								
Internal Finishes	4	3	1.33								
External Works	2	2	1.00								

And so on...

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Start of Unit 1	Finish of Unit 1	Bottom	Top
Foundations	2	2	1.00		9					
External Walls	4	3	1.33		12					
Roof	1	1	1.00		9					
Internal Finishes	4	3	1.33		12					
External Works	2	2	1.00		9					

Add in the total activity durations using  
 $(\text{Units} - 1)(\text{Duration})$   
*Gangs*

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9					
External Walls	4	3	1.33		12					
Roof	1	1	1.00		9					
Internal Finishes	4	3	1.33		12					
External Works	2	2	1.00		9					

Diagram illustrating the mathematical method for calculating buffers. Red arrows point from the 'Slope' column to the 'Buffer' column for each activity.

- Foundations: Slope = 1.00, Buffer = 9
- External Walls: Slope = 1.33, Buffer = 12
- Roof: Slope = 1.00, Buffer = 9
- Internal Finishes: Slope = 1.33, Buffer = 12
- External Works: Slope = 1.00, Buffer = 9

This is the same as:

$$(Units - 1) \times Slope$$

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Bottom		Top		
							Buffer	Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00			9					
								1			
External Walls	4	3	1.33			12					
								1			
Roof	1	1	1.00			9					
								1			
Internal Finishes	4	3	1.33			12					
								1			
External Works	2	2	1.00			9					

Now insert the buffers

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Buffer	Bottom		Top	
								Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00			9		0.00	2.00		
							1				
External Walls	4	3	1.33			12					
							1				
Roof	1	1	1.00			9					
							1				
Internal Finishes	4	3	1.33			12					
							1				
External Works	2	2	1.00			9					

**Foundations start at time 0.00 and finishes 2 days later**

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Bottom		Top		
							Buffer	Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00			9		0.00	2.00	9.00	
							1				
External Walls	4	3	1.33			12					
							1				
Roof	1	1	1.00			9					
							1				
Internal Finishes	4	3	1.33			12					
							1				
External Works	2	2	1.00			9					

**Foundations on Unit 10 will start 9 days after the start of Unit 1**

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Buffer	Bottom		Top	
								Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00			9		0.00	2.00	9.00	11.00
External Walls	4	3	1.33			12					
Roof	1	1	1.00			9					
Internal Finishes	4	3	1.33			12					
External Works	2	2	1.00			9					

**Foundations on Unit 1 will finish 2 days later**

# Mathematical Method

Activity	Duration	Gap	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9		0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12		3.00			
Roof	1	1	1.00		9					
Internal Finishes	4	3	1.33		12					
External Works	2	2	1.00		9					

We have already determined that the buffer between 'Foundations' and 'External Walls' goes to the bottom

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Buffer	Bottom		Top	
								Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00			9		0.00	2.00	9.00	11.00
External Walls	4	3	1.33			12		3.00			
Roof	1	1	1.00			9					
Internal Finishes	4	3	1.33			12					
External Works	2	2	1.00			9					

Therefore 'External Walls' will commence one day after the finish of 'Foundations' on Unit 1; which is Day 3

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9		0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00		
Roof	1	1	1.00		9					
Internal Finishes	4	3	1.33		12					
External Works	2	2	1.00		9					

**‘External Walls’ will take 4 days. As this commenced on Day 3, it will be finished 4 days later on Day 7**

# Mathematical Method

Activity	Duration	Gap	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9		0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00		9					
Internal Finishes	4	3	1.33		12	1				
External Works	2	2	1.00		9					

Annotations on the Gantt chart:

- For Foundations: A red bracket labeled "Buffer at Bottom" spans from Day 2 to Day 9.
- For External Walls: A red bracket labeled "Buffer at Top" spans from Day 3 to Day 7.
- For Internal Finishes: A red bracket labeled "Buffer at Bottom" spans from Day 3 to Day 12.
- For External Works: A red bracket labeled "Buffer at Top" spans from Day 2 to Day 9.

**Unit 10 will start 12 days later on Day 15  
And will finish on Day 19**

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9	1	0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00		9	1			20.00	
Internal Finishes	4	3	1.33		12	1				
External Works	2	2	1.00		9	1				

Annotations in the table:

- Red arrows point to the 'Buffer at Bottom' for Foundations, External Walls, Internal Finishes, and External Works.
- A red arrow points to the 'Buffer at Top' for the Roof activity.
- Red arrows point from the 'Start of Unit 10' column to the 'Finish of Unit 10' column for the Roof, Internal Finishes, and External Works activities.

Next we have the roof. The buffer goes to the 'top'  
Therefore we start unit 10 on Day 20 and complete  
1 days later on Day 21

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Buffer	Bottom		Top	
								Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00			9		0.00	2.00	9.00	11.00
External Walls	4	3	1.33			12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00			9				20.00	21.00
Internal Finishes	4	3	1.33			12					
External Works	2	2	1.00			9					

Construct the Table as shown

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9	1	0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00		9	1	11.00	12.00	20.00	21.00
Internal Finishes	4	3	1.33		12	1				
External Works	2	2	1.00		9					

We can now work backwards to determine when Unit 1 should start and finish

# Mathematical Method

Activity	Duration	Gap	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9	1	0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00		9	1	11.00	12.00	20.00	21.00
Internal Finishes	4	3	1.33		12	1	13.00			
External Works	2	2	1.00		9					

And the process continues on.

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9	1	0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00		9	1	11.00	12.00	20.00	21.00
Internal Finishes	4	3	1.33		12	1	13.00	17.00	25.00	29.00
External Works	2	2	1.00		9					

And the process continues on.

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9	1	0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00		9	1	11.00	12.00	20.00	21.00
Internal Finishes	4	3	1.33		12	1	13.00	17.00	25.00	29.00
External Works	2	2	1.00		9				30.00	

And the process continues on.

# Mathematical Method

Activity	Duration	Gang	Slope		Activity Duration	Buffer	Bottom		Top	
							Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00		9	1	0.00	2.00	9.00	11.00
External Walls	4	3	1.33		12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00		9	1	11.00	12.00	20.00	21.00
Internal Finishes	4	3	1.33		12	1	13.00	17.00	25.00	29.00
External Works	2	2	1.00		9	1	21.00	23.00	30.00	32.00


And the process continues on.

# Mathematical Method

Activity	Duration	Gang	Slope			Activity Duration	Buffer	Bottom		Top	
								Start of Unit 1	Finish of Unit 1	Start of Unit 10	Finish of Unit 10
Foundations	2	2	1.00			9		0.00	2.00	9.00	11.00
External Walls	4	3	1.33			12	1	3.00	7.00	15.00	19.00
Roof	1	1	1.00			9		11.00	12.00	20.00	21.00
Internal Finishes	4	3	1.33			12	1	13.00	17.00	25.00	29.00
External Works	2	2	1.00			9		21.00	23.00	30.00	32.00

Once complete each of the 4 points of the Balance Line have been determined, so the diagram can be constructed

# Further Reading




Cooke B. and Williams P. (2009)  
*Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, Chapter 9

ISBN 978-1-4051-8380-2

# Basic Project Scheduling Time-Chainage Charts

## Project Management

### Year 4



Ref: Cooke B and Williams P (2009) *Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2


## Time-Chainage Charts

- AKA
  - Time-Distance diagrams (or charts)
  - Time-Location diagrams (or charts)
  - Location-Time diagrams (or charts)
  - Etc.
- Time-chainage diagrams are a combination of the bar-chart and line of balance schedules.

## History


- Relatively new tool for scheduling projects
- TC charts have gained wide acceptance in:
  - Motorway construction
  - Railway construction
  - Pipeline work
  - Tunnel construction
  - Bridges
- The technique was used for tunnelling and fixed equipment installation on the channel tunnel project

- Time-chainage diagrams are only appropriate for certain types of project, and therefore is not as widely used as bar charts (Gantt) or network techniques.
  - It is not available on MS Project...
- Time chainage has distinct attributes and advantages on projects where it is important to depict
  - The order of activities or operations
  - The location of activities
  - How activites must progress in relation to direction and distance
  - Time, Key dates, holidays, etc.



## Example

- Consider a project to improve a 3.5km stretch of motorway. The activities are as follows
  1. Fencing
  2. Drainage
  3. Bulk Earthworks -
  4. Footbridge
  5. Retaining wall
  6. Road surfacing



Ref: Cooke B and Williams P (2009)  
*Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2

- Further information

- Set-up Site


- starts at time 0,
    - duration 6 weeks

- Fencing


- Starts week 7
    - Duration 9 weeks, therefore finish week 15
    - Full 3.5 km to be fenced

- Holiday Period

- Starts week 26 for 1 week



Ref: Cooke B and Williams P (2009)  
*Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2



- Further information

- Drainage


- starts week 12
    - duration 4 weeks, therefore finish week 16
    - Drainage required for full 3.5km

- Bulk Earthworks


- Starts week 15
    - Duration 5 weeks, therefore finish week 20
    - Required from 500m to 1000m

- Footbridge

- Starts week 16 for 9 weeks, therefore finish week 25
    - Required 1500m



Ref: Cooke B and Williams P (2009)  
*Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2




- Further information

- Retaining Wall


- starts week 16
    - duration 8 weeks, therefore finish week 24
    - Required from 2500m to 2900m
    - Progresses at a rate of 50m per week

- Road Surfacing

- Starts week 30
    - Duration 5 weeks, therefore finish week 35
    - Entire 3.5km to be surfaced





Ref: Cooke B and Williams P (2009)  
*Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, ISBN 978-1-4051-8380-2



## Tips for Constructing Time Chainage Diagrams


- Examine Layout Drawings etc and determine locations of important features
- Draw a sketch of the diagram, and include holidays etc.
- List main activities in approximate sequence. Include site setup and clearance
- For static activities (footbridge), ‘block out’ the location, distance, and the correct duration
- **Beware of changes in axis:** time chainage is relatively new and conventions have yet to take hold






# TILOS


- Commercial Software Package for Time Chainage Diagrams
- Free demo version available on website
  - <http://www.astadev.com/software/tilos/index.asp>
- Installed in 4C02 and 4C03




## └ Time Chainage



# TILOS Example



# Further Reading



Cooke B. and Williams P. (2009)  
*Construction Planning, Programming & Control, Third Edition*, Wiley-Blackwell Publishing, Chapter 9

ISBN 978-1-4051-8380-2

# Project Time Management

- Define Activities
- Sequence Activities
- Estimate Activity Resources
- Estimate Activity Durations
- Develop Schedule
- Control Schedule

We have already covered some of the material for Time Management, namely:

- Gantt Charts, Network Diagrams, Line of Balance, Time Chainage, PERT

# Define Activities




Figure 6-5. Define Activities: Inputs, Tools & Techniques, and Outputs

Part of the Planning Process Group

## Define Activities

- Generally, Activity definition involves identifying and documenting schedule activities at the lowest level of the WBS i.e. work packages
- There is an overlap between WBS, WBS Dictionary and Activity Definition
- The main difference is that the WBS decomposes the project in terms of **deliverables**, and ‘Activity Definition’ decomposes the project in terms of **schedule activities**. Ideally, ‘WBS’, ‘WBS Dictionary’, and ‘Activity Definition’ should be carried out in parallel.

# Tools and Techniques

## Rolling Wave Planning

AKA **Moving Window** planning

- Rolling Wave planning is a form of progressive elaboration, whereby work to be accomplished in the near future is planned in detail at low levels of the WBS
- Elements further into the future are only planned to the upper levels in the WBS
- Increases the risks associated with the project
- For complex projects, it is often the only way to execute

Two key points to consider:

- 1 How far out you can plan in detail will vary considerably from project to project
- 2 **It works best when client and upper management understand how the technique works**

Planning Horizon (Months)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Project Time	0	WBS Level 5				WBS Level 3				WBS Level 2					
	2	WBS Level 5		WBS Level 3				2							
	4	Completed		WBS Level 5				WBS Level 3							
	7	Completed Work			WBS Level 5				WBS Level 3						
	8	Completed Work			WBS Level 5				Level 3						

If the client or senior managers are not aware of the effects of progressive elaboration, there can be serious effects.

- Project budgets are normally set at the early stages of the project. Where PE is being used, a probability should be assigned to estimated costs to ensure funding will be available.

# Cost Estimate Accuracy

WBS		Estimate Accuracy	
Level	Description	Low Risk Projects	High Risk Projects
1	Program	±35%	±75-100%
2	Project	±20%	±50-60%
3	Task	±10%	±20-30%
4	Subtask	±5%	±10-15%
5	Work Package	±2%	±5-10%

Table: Kerzner (2009), P569

This partially explains why tender prices can vary as much as 30% between highest and lowest

## Define Activities

## Outputs

- Activity List
  - Comprehensive list of all schedule activities
- Activity Attributes
  - Activity identifier
  - Predecessors Successors
  - Logic Relationships
  - Leads Lags
  - Resource Requirements
- Milestone List
  - Mandatory or otherwise

# Sequence Activities






Figure 6-7. Sequence Activities: Inputs & Techniques, and Outputs

Part of the Planning Process Group

# Sequence Activities

- Activity Sequencing Involves identifying and documenting the logical relationship amongst schedule activities
- The logical relationships between schedule activities must be considered when determining project schedules
- Tools and techniques for this have already been covered :



# Tools and Techniques

## Precedence Diagrams

- Already covered

## Dependency Determination

- Mandatory or **Hard Logic**, Inherent in the nature of the work being done
- Discretionary, Preferred Logic, **Soft Logic** e.g. Landscaping
- External: Usually driven by dependencies between project activities and non-project activities such as Planning Permission, IPC Licence, etc.

# Tools and Techniques

## Leads and Lags

- Concrete set time typically creates a Lag
- Refer to book

## Schedule Network Templates

- Entire project or portions of the project
- Allows transfer of information from project to project  
(Knowledge Management)
- Lessens the likelihood of errors of omission

# Estimate Activity Resources




Figure 6-12. Estimate Activity Resources: Inputs, Tools & Techniques, and Outputs

Part of the Planning Process Group

# Estimate Activity Resources

## Inputs

- Refer to Book..
- Resource calendars: Concerned with resource availability
  - People, Equipment, Materials
  - People: are appropriate skill sets available?
  - Equipment: Own or Hire
  - Materials: Availability, Storage, lead times, etc.

# Tools and Techniques

## Alternatives Analysis

- Machine Types, Size, etc.
- Make or Buy?

## Published Estimating Data

- e.g. Spons Guides - Contains time and money data

## Bottom Up Estimating

- Most difficult and time consuming, however if done properly is highly accurate

## Project Management Software

- MS Project Resource Sheets, etc.



# Bottom-Up Estimating Example

Installation of a water meter box

Time	
Locate existing stop-tap	5 min
Setup equipment	15 min
Excavate	10 min
Cut and Remake Connections	10 min
Fill and Compact	10 min
Concrete Collar	10 min
<b>Total Time</b>	<b>60 min</b>
Cost	
Van, Tools & equip	€ 200 p/h
Labour	€ 120 p/h
<b>Total Cost</b>	<b>€ 320 p/h</b>



This example works out direct cost and time only

# Estimate Activity Durations




Figure 6-14. Estimate Activity Durations: Inputs, Tools & Techniques, and Outputs

Part of the Planning Process Group

# Estimate Activity Durations

Activity Duration Estimating involves:

- Estimating the amount of work required to complete an activity
- The level and type of resources that must be applied to complete an activity
- By using the above information, an estimate of the time taken to complete the task can be derived.

All data and assumptions that support the duration estimate are documented for each activity

# Estimate Activity Durations

Work, Time, Resource relationship

$$\text{Time Required} = \frac{\text{Work Required}}{\text{Resources Applied}}$$

Note: this is a pseudo-mathematical relationship.

- The actual mathematical relationship will depend on how the 3 elements (work, time, resource) are defined.

The mathematical relationship is better described below:

$$t = f(w, r)$$

# Tools & Techniques

## Expert Judgment

- Refer to Book
- Very common, but not accurate enough; should be combined with one or more other methods to improve accuracy

## Analogous Estimating

- Means using the actual duration of a previous similar activity as the basis for estimating the duration of a future schedule activity
- Very common method.

# Tools & Techniques

## Parametric Estimating

- Using the work, time, resource relationship

$$t = f(w, r)$$

- Parametric Estimating is a process by which the duration of an activity can be quantitatively determined by multiplying the quantity of work to be performed by the productivity rate
- Can be highly accurate. However, beware of inaccurate base data, or improperly used base data.

# SPON's Architects & Builders




268

*Prices for Measured Works – Major Works*
**L WINDOWS/DOORS/STAIRS**

Item	PC £	Labour hours	Labour £	Material £	Unit	Total rate £
<b>L20 DOORS/SHUTTERS/HATCHES – cont'd</b>						
<b>Doors; standard flush; softwood Composition – cont'd</b>						
Flush door; one-hour fire resisting; Iroko veneer, hardwood lipping all edges; Leaderflush® type B60 or other equal and approved; including groove and "Leaderseal" intumescence strip						
457 mm x 1981 mm x 54 mm	136.46	1.94	33.80	146.86	nr	180.67
533 mm x 1981 mm x 54 mm	137.97	1.94	33.80	148.49	nr	182.29
610 mm x 1981 mm x 54 mm	142.26	1.94	33.80	153.11	nr	186.91
686 mm x 1981 mm x 54 mm	143.32	1.94	33.80	154.25	nr	188.06
762 mm x 1981 mm x 54 mm	153.41	1.94	33.80	165.11	nr	198.92
838 mm x 1981 mm x 54 mm	154.69	1.94	33.80	166.49	nr	200.29
526 mm x 2040 mm x 54 mm	138.14	1.94	33.80	148.67	nr	182.48
626 mm x 2040 mm x 54 mm	142.97	1.94	33.80	153.87	nr	187.67
726 mm x 2040 mm x 54 mm	144.56	1.94	33.80	155.58	nr	189.38
826 mm x 2040 mm x 54 mm	155.18	1.94	33.80	167.01	nr	200.81
Flush door; external quality; skeleton or cellular core; plywood faced both sides; lipped on all four edges						
762 mm x 1981 mm x 54 mm	37.08	1.62	28.23	39.90	nr	68.13
838 mm x 1981 mm x 54 mm	38.41	1.62	28.23	41.34	nr	69.56
Flush door; external quality with standard glass opening; skeleton or cellular core; plywood faced both sides; lipped on all four edges; including glazing beads						
762 mm x 1981 mm x 54 mm	46.59	1.62	28.23	50.14	nr	78.36
838 mm x 1981 mm x 54 mm	47.81	1.62	28.23	51.45	nr	79.68

# SPON's Mech & Elec



Material Costs/Prices for Measured Works – Mechanical Installations

413

## U:VENTILATION/AIR CONDITIONING SYSTEMS

Item	Net Price £	Material £	Labour hours	Labour £	Unit	Total rate £
Modular air handling unit with supply and extract sections. Supply side; inlet with motorised damper, LTHW frost coil (at -5°C to 5°C), panel filter (EU4), bag filter (EU6), cooling coil at 28°Cdb/20°Cwb to 12°Cdb/11.5°C wb), LTHW heating coil (at 5°C to 21°C), supply fan, outlet plenum. Extract side; inlet with motorised damper, extract fan; includes access sections; placing in position and fitting of sections together; electrical work elsewhere.						
2 m³/s at 350 Pa	5703.90	7420.77	50.00	1133.92	nr	8554.69
2 m³/s at 700 Pa	6074.25	7779.84	50.00	1133.92	nr	8913.76
5 m³/s at 350 Pa	9985.50	12789.33	86.00	1950.34	nr	14739.67
5 m³/s at 700 Pa	10172.92	13029.38	86.00	1950.34	nr	14979.72
8 m³/s at 350 Pa	13866.30	17759.82	105.00	2381.23	nr	20141.05
8 m³/s at 700 Pa	14199.15	18186.13	105.00	2381.23	nr	20567.36
10 m³/s at 350 Pa	16011.45	20507.31	120.00	2721.41	nr	23228.71
10 m³/s at 700 Pa	16356.38	20949.08	120.00	2721.41	nr	23670.49
13 m³/s at 350 Pa	20069.18	25704.40	130.00	2948.19	nr	28652.59
13 m³/s at 700 Pa	20698.65	26510.62	130.00	2948.19	nr	29458.82
15 m³/s at 350 Pa	22425.90	28722.87	145.00	3288.37	nr	32011.24
15 m³/s at 700 Pa	22989.22	29444.37	145.00	3288.37	nr	32732.74
18 m³/s at 350 Pa	25092.37	32138.06	160.00	3628.54	nr	35766.61
18 m³/s at 700 Pa	25679.85	32890.50	160.00	3628.54	nr	36519.04
20 m³/s at 350 Pa	27424.95	35125.60	175.00	3968.72	nr	39094.32
20 m³/s at 700 Pa	28378.35	36346.71	175.00	3968.72	nr	40315.43

## Three-Point Estimates

The accuracy of a duration estimate can be improved by considering the amount of risk in the original estimate. Three types of estimate are produced:

- Most Likely
- Optimistic
- Pessimistic

The average of these three estimates is taken  
Average Duration

$$t_e = \frac{t_o + t_m + t_p}{3}$$

Weighted Average Duration (as per PERT)

$$t_e = \frac{t_o + 4t_m + t_p}{6}$$

# Reserve Analysis

Reserve analysis means adding time to a previously determined (or estimated) activity duration to account for:

- Potential Data inaccuracies (analogous, parametric etc.)
- Schedule risks (resource availability etc.)

Contingencies can be based on %age of estimated activities, fixed durations, etc.

Contingency reserves can be utilised, reduced or eliminated as the project progresses and more information becomes available  
All aspects of contingency reserves should be documented

# Activity Duration Estimating

## Outputs

Activity Durations Estimates: quantitative assessments of the work periods (time) that will be required to complete schedule activities

- 2 weeks  $\pm$  2 days
- 85% probability of 12 days

Project Document Updates

- Refer to book and previous lectures

# Develop Schedule




Figure 6-16 Develop Schedule: Inputs, Tools & Techniques, and Outputs

Part of the Planning Process Group

## Develop Schedule

Schedule Development is an iterative process to determine the planned start and planned completion dates for project activities. Duration Estimates and Resource Estimates may need to be revised in order to develop an accurate schedule against which project progress can be tracked.

The initial Project Schedule is known as the ‘Baseline Schedule’.

Schedule Development continues throughout the course of the project.

- Risk Events may occur, or may not occur
- Resource Availabilities may change
- Scope may change
- Etc.

## Tools & Techniques

Network Analysis, CPM, Critical Chain

- Already covered in lectures
- Refer to Book for further details

Schedule Compression

- Crashing
- Fast Tracking

What-if Scenario Analysis Resource Leveling

# Schedule Compression

Schedule Compression shortens the project schedule without changing the project scope.

- Crashing: shortening activity durations, in order to shorten the overall project duration
- Fast-Tracking: commencing phases (or activities) before their logical predecessor is completed.

# Crashing

Shortening Activity durations in order to shorten overall project duration.

- Usually involves shortening durations on the critical path.
- Shortening durations on the Critical Path may change the Critical Path
- Crashing normally involves increased costs

Crashing involves increasing the resources (labour and/or equipment) assigned to an activity.

- Remember:

$$\text{Time Required} = \frac{\text{Work Required}}{\text{Resources Applied}}$$

- You cannot change the work; the scope must remain unchanged

# Crashing

**NEVER** crash a project at planning stage

- At planning stage you should be looking at building in schedule contingency.
- If you are crashing at planning stage then you have underestimated resources or resource availability (need to re-plan, not crash)
- Better to look at:
  - Sequence of Activities
  - Internal v. External Resources
  - Modification of Scope (requires stakeholder approval)

# Crashing

A correctly planned and executed project should not require crashing

Crashing a project should be looked upon as the last resort for bringing a project back on schedule

Not all activities can be crashed

- *It takes one woman nine months to have a baby. It cannot be done in one month by impregnating nine women.*


Crashing an activity will always be subject to some form of constraint

## Crashing


## Trade-offs

- Increased Cost
- Increased Risk
  - Not just Schedule Risk; Health & Safety may be compromised, H&S should never be compromised.
- Typically increased management effort is required
- Crashing one project may have a detrimental effect on other projects (or operations) being undertaken by the organization

# Crash Costing




ID	Activity	IPA	Duration (weeks)		Cost €		Crash Cost per week
			Normal	Crash	Normal	Crash	
1	A	-	4	2	10,000	14,000	2,000
2	B	A	6	5	30,000	42,500	12,500
3	C	A	2	1	8,000	9,500	1,500
4	D	B,C	2	1	12,000	18,000	6,000
5	E	B,C	7	5	40,000	52,000	6,000
6	F	D,E	6	3	20,000	29,000	3,000




ID	Activity	IPA	Duration (weeks)		Cost €		Crash Cost per week
			Normal	Crash	Normal	Crash	
1	A	-	4	2	10,000	14,000	2,000
2	B	A	6	5	30,000	42,500	12,500
3	C	A	2	1	8,000	9,500	1,500
4	D	B	2	1	12,000	18,000	6,000
5	E	B,C	7	5	40,000	52,000	6,000
6	F	D,E	6	3	20,000	29,000	3,000

- Activity C has lowest crash cost per week
  - Crashing C at this stage will have no effect as it is not on the critical path
- Next lowest crash cost per week is A at €2,000 per week.
  - On critical path so will effect overall project duration
  - Crashing A reduces the overall project duration by 2 weeks to give new project duration of 21 weeks




ID	Activity	IPA	Duration (weeks)		Cost €		Crash Cost per week
			Normal	Crash	Normal	Crash	
1	A	-	4	2	10,000	14,000	2,000
2	B	A	6	5	30,000	42,500	12,500
3	C	A	2	1	8,000	9,500	1,500
4	D	B	2	1	12,000	18,000	6,000
5	E	B,C	7	5	40,000	52,000	6,000
6	F	D,E	6	3	20,000	29,000	3,000

- Next lowest crash cost per week is 'F' at €3,000 per week.
  - On critical path therefore it will effect overall project duration.
  - Crashing F reduces the overall project duration by 3 weeks to give new project duration of 18 weeks.
- Now we need to look at E and B.
  - 'E' has a crash cost of €6,000 per week as opposed to B at €12,500 per week
  - Therefore Crash E




ID	Activity	IPA	Duration (weeks)		Cost €		Crash Cost per week
			Normal	Crash	Normal	Crash	
1	A	-	4	2	10,000	14,000	2,000
2	B	A	6	5	30,000	42,500	12,500
3	C	A	2	1	8,000	9,500	1,500
4	D	B	2	1	12,000	18,000	6,000
5	E	B,C	7	5	40,000	52,000	6,000
6	F	D,E	6	3	20,000	29,000	3,000

- Crash E
  - Overall Project Duration is now 16 weeks
  - Total Project Costs, €145,000
- Activities C and D are still not on the critical path, therefore crashing C and D will have no effect on the overall project duration.
- B can be crashed by 1 week for €12,500



ID	Activity	IPA	Duration (weeks)		Cost €		Crash Cost per week
			Normal	Crash	Normal	Crash	
1	A	-	4	2	10,000	14,000	2,000
2	B	A	6	5	30,000	42,500	12,500
3	C	A	2	1	8,000	9,500	1,500
4	D	B	2	1	12,000	18,000	6,000
5	E	B,C	7	5	40,000	52,000	6,000
6	F	D,E	6	3	20,000	29,000	3,000

- Crash B
  - Overall Project Duration is now 15 weeks
  - Total Project Costs, €157,500
- Activities C and D can each be crashed to 1 week. However as they are not on the critical path, crashing these activities will have no effect on the overall project duration; the only effect will be to increase costs.



# Additional Resources

## **Support Material**

[Excel File Download](#)

[View File Online](#)

# More on Crashing

If you must crash a project, consider the following:

- If you are crashing to bring a project back on schedule:
  - Don't crash too early; If you need to crash early activities then chances are that the schedule is wrong in the first place, or there has been a delay. Better to get an EOT.
  - You can't crash what you have already done, or what is already in progress. Crashing tasks while in progress tends to lead to confusion. Better to look ahead and plan the crashing of an activity.
  - Crashing a construction project can put too many people in the same physical location, thus impeding progress and reducing productivity

# More on Crashing

If you must crash a project, consider the following:

- Financial Aspects
  - If LD clause exists, then compare crash costs against LDs.  
It may be cheaper to pay the LDs
  - Make sure you understand the effects of crashing on the financial aspects of the project. i.e. if 25% is added to the project cost, will it still be financially viable?