

ICPSR 25382

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2008

Lloyd D. Johnston

*University of Michigan. Institute for Social
Research. Survey Research Center*

Jerald G. Bachman

*University of Michigan. Institute for Social
Research. Survey Research Center*

Patrick M. O'Malley

*University of Michigan. Institute for Social
Research. Survey Research Center*

John E. Schulenberg

*University of Michigan. Institute for Social
Research. Survey Research Center*

Form 6 Data Codebook



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/cocoon/ICPSR/TERMS/25382.xml>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

TABLE OF CONTENTS

INTRODUCTION.....	3
DATA COLLECTION DESCRIPTION	3
DATA COLLECTION PROCEDURES	3
SAMPLING INFORMATION	4
Stage 1: Geographic Areas.....	4
Stage 2: Schools	4
Stage 3: Students	4
School Recruiting Procedures	5
Advance Contact With Teachers and Students	5
Questionnaire Administration	5
Procedures for Protecting Confidentiality.	6
CONTENT AREAS AND QUESTIONNAIRE DESIGN	6
MEASUREMENT CONTENT AREAS	6
REPRESENTATIVENESS AND VALIDITY	8
School Participation	8
Student Participation	9
Validity of Self-Report Data	9
Accuracy of the Sample	9
Consistency and the Measurement of Trends	10
Interpreting Racial Differences	10
Differential Representation	11
Differential Response Tendencies.	11
Covariance With Other Factors	12
WEIGHTING INFORMATION	13
FILE STRUCTURE	13
CODEBOOK INFORMATION	14
ICPSR PROCESSING INFORMATION	16
Omitted Variables	16
Recoded Variables	17
Missing Data for Western Region.....	18
Questionnaire Form 1 Processing	18
Revised Question Text for the Core Dataset.....	19
 FREQUENCIES.....	 21
APPENDICES	211
Appendix A: Publications	213
Appendix B: Sample Size and Student Response Rates.....	215

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2008, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, and John Schulenberg, co-principal investigators.) The research project is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 12 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two-year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter to the parents describing the study and providing them an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

-
-
- A. **DRUGS.** Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

regarding drugs.

- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
- T. HEALTH. Health habits, somatic symptoms, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the

investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to

note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 9-12 percent of each year's sample -- are represented by only 250 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the

degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African

American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in the 2008 codebooks are unweighted, rather than weighted by variable V5 as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2007 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	185	382	14,577
2	Form 1	624	1,261	2,441
3	Form 2	332	675	2,423
4	Form 3	357	726	2,409
5	Form 4	270	554	2,429
6	Form 5	327	665	2,436
7	Form 6	333	678	2,439

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V2119

[2] 082A04E #X INTERNET NEWS

[3] Location: 64-65(width: 2, decimal: 0)

[4] Variable Type: numeric (ISO)

[5] Range of Missing Values (M): -9

Question:

[6] Item Number: 24815

[7] Question Number(s): 2A04E

[8] How often do you use each of the following to get information about news and current events?

E: The Internet

[9] 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

V2119:082A04E #X INTERNET NEWS				
Value [10]	Label [11]	Unweighted Frequency [12]	% [13]	Valid % [14]
1	NEVER:(1)	280	5.2%	5.2%
2	FEW/YR:(2)	216	4.0%	4.0%
3	1-2/MO:(3)	576	10.6%	10.8%
4	1 /WK:(4)	1235	22.8%	23.1%
5	NR DAILY:(5)	3050	56.3%	56.9%
-9(M)	MISSING:(-9)	59	1.1%	-

[1] Indicates the variable number. A variable number is assigned to each variable in the data collection.

[2] Indicates the abbreviated variable name used to identify the variable for the user.

[3] Indicates starting and ending column locations of this variable. Variable width and number of decimal places are noted within parentheses.

[4] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).

[5] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.

[6] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.

[7] The question number, which consists of the number of the questionnaire form, the alphabetic section, the question number itself, and, if part of a series, the alphabetic part.

[8] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.

[9] Response category codes and the full text of the answer categories as they are worded in the questionnaire.

[10] Indicates the code values occurring in the data for this variable.

[11] Indicates the text labels of the codes for this variable, as they are provided in the data.

[12] Indicates the frequency of occurrence of each code value for this variable.

[13] Indicates the percentage distribution of each code value for this variable including cases where the value is missing.

[14] Indicates the percentage distribution of each code value for this variable excluding cases where the value is missing.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (V5) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 25382

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2008

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2008

Form 6 Data

CASEID	CASE IDENTIFICATION NUMBER
--------	----------------------------

Location: 1-4(width: 4; decimal: 0)

Variable Type: numeric (ISO)

V1	YEAR OF ADMIN (4-DIGITS)
----	--------------------------

Location: 5-8(width: 4; decimal: 0)

Variable Type: numeric (ISO)

V1: YEAR OF ADMIN (4-DIGITS)			
Value	Unweighted Frequency	%	Valid %
2008	2439	100.0 %	100.0%

V3	086:FORM ID
----	-------------

Location: 9-10(width: 2; decimal: 0)

Variable Type: numeric (ISO)

V3: 086:FORM ID			
Value	Unweighted Frequency	%	Valid %
6	2439	100.0 %	100.0%

V4	086:R'S ID-SERIAL #
----	---------------------

Location: 11-15(width: 5; decimal: 0)

Variable Type: numeric (ISO)

V5	SAMPLING WEIGHT
----	-----------------

Location: 16-21(width: 6; decimal: 4)

Variable Type: numeric (ISO)

V13	SCH REG-4 CAT
-----	---------------

Location: 22-23(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question:

Question Number(s): Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

V13: SCH REG-4 CAT				
Value	Label	Unweighted Frequency	%	Valid %
1	NE:(1)	486	19.9 %	19.9%

- Study 25382 -

V13: SCH REG-4 CAT				
Value	Label	Unweighted Frequency	%	Valid %
2	NC:(2)	583	23.9 %	23.9%
3	S:(3)	814	33.4 %	33.4%
4	W:(4)	556	22.8 %	22.8%

V16 LARGE MSA=1/NOT=0

Location: 24-25(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question:

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

V16: LARGE MSA=1/NOT=0				
Value	Label	Unweighted Frequency	%	Valid %
0	NOT:(0)	1626	66.7 %	66.7%
1	LARGE MSA:(1)	813	33.3 %	33.3%

V17 MSA=1/NON MSA=0

Location: 26-27(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question:

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

V17: MSA=1/NON MSA=0				
Value	Label	Unweighted Frequency	%	Valid %
0	NON-MSA:(0)	449	18.4 %	18.4%
1	MSA:(1)	1990	81.6 %	81.6%

V6207 086A01 :CMP SATFD W/LIFE

Location: 28-29(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 06840

Question Number(s): 6A01

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

V6207: 086A01 :CMP SATFD W/LIFE				
Value	Label	Unweighted Frequency	%	Valid %
1	COMP DIS:(1)	49	2.0 %	2.1%
2	-	110	4.5 %	4.6%
3	-	142	5.8 %	6.0%
4	MIXED:(4)	225	9.2 %	9.4%
5	-	524	21.5 %	22.0%
6	-	1016	41.7 %	42.7%
7	COMP SAT:(7)	316	13.0 %	13.3%
-9 (M)	MISSING:(-9)	57	2.3 %	-

V6208

086A02A:DALY WATCH TV

Location: 30-31(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05820

Question Number(s): 6A02A

The next questions ask about the kinds of things you might do.
How often do you do each of the following?

A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

V6208: 086A02A:DALY WATCH TV				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	36	1.5 %	1.5%
2	FEW /YR:(2)	46	1.9 %	1.9%
3	1-2 /MO:(3)	132	5.4 %	5.4%
4	1 /WK:(4)	662	27.1 %	27.3%
5	NR DAILY:(5)	1551	63.6 %	63.9%

- Study 25382 -

V6208: 086A02A:DALY WATCH TV				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	12	0.5 %	-

V6209 **086A02B:DALY GO TO MOVIE**

Location: 32-33(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05830

Question Number(s): 6A02B

How often do you do each of the following?

B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

V6209: 086A02B:DALY GO TO MOVIE				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	52	2.1 %	2.1%
2	FEW /YR:(2)	911	37.4 %	37.6%
3	1-2 /MO:(3)	1259	51.6 %	52.0%
4	1 /WK:(4)	186	7.6 %	7.7%
5	NR DAILY:(5)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	16	0.7 %	-

V6210 **086A02C:DALY MUSIC CNCRT**

Location: 34-35(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05846

Question Number(s): 6A02C

How often do you do each of the following?

C: Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

- Study 25382 -

V6210: 086A02C:DALY MUSIC CNCRT				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	878	36.0 %	36.3%
2	FEW /YR:(2)	1318	54.0 %	54.5%
3	1-2 /MO:(3)	164	6.7 %	6.8%
4	1 /WK:(4)	48	2.0 %	2.0%
5	NR DAILY:(5)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	19	0.8 %	-

V6211 086A02D:DALY RIDE FORFUN

Location: 36-37(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05850

Question Number(s): 6A02D

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

V6211: 086A02D:DALY RIDE FORFUN				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	368	15.1 %	15.2%
2	FEW /YR:(2)	281	11.5 %	11.6%
3	1-2 /MO:(3)	394	16.2 %	16.2%
4	1 /WK:(4)	621	25.5 %	25.6%
5	NR DAILY:(5)	764	31.3 %	31.5%
-9 (M)	MISSING:(-9)	11	0.5 %	-

V6212 086A02E:DALY CMNTY AFFRS

Location: 38-39(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05860

Question Number(s): 6A02E

How often do you do each of the following?

E: Participate in community affairs or volunteer work

- Study 25382 -

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

V6212: 086A02E:DALY CMNTY AFFRS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	598	24.5 %	24.6%
2	FEW /YR:(2)	1034	42.4 %	42.6%
3	1-2 /MO:(3)	504	20.7 %	20.8%
4	1 /WK:(4)	230	9.4 %	9.5%
5	NR DAILY:(5)	60	2.5 %	2.5%
-9 (M)	MISSING:(-9)	13	0.5 %	-

V6213 086A02F:DALY ACTV SPORTS

Location: 40-41(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05890

Question Number(s): 6A02F

How often do you do each of the following?

F: Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

V6213: 086A02F:DALY ACTV SPORTS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	256	10.5 %	10.6%
2	FEW /YR:(2)	298	12.2 %	12.3%
3	1-2 /MO:(3)	312	12.8 %	12.9%
4	1 /WK:(4)	604	24.8 %	24.9%
5	NR DAILY:(5)	956	39.2 %	39.4%
-9 (M)	MISSING:(-9)	13	0.5 %	-

V6214 086A02G:DALY VIST W/FRDS

Location: 42-43(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05920

- Study 25382 -

Question Number(s): 6A02G

How often do you do each of the following?

G: Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

V6214: 086A02G:DALY VIST W/FRDS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	44	1.8 %	1.8%
2	FEW /YR:(2)	98	4.0 %	4.1%
3	1-2 /MO:(3)	281	11.5 %	11.6%
4	1 /WK:(4)	982	40.3 %	40.6%
5	NR DAILY:(5)	1014	41.6 %	41.9%
-9 (M)	MISSING:(-9)	20	0.8 %	-

V6603

086A02H:DALY GO TO MALL

Location: 44-45(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05935

Question Number(s): 6A02H

How often do you do each of the following?

H. Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

V6603: 086A02H:DALY GO TO MALL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	78	3.2 %	3.2%
2	FEW /YR:(2)	540	22.1 %	22.3%
3	1-2 /MO:(3)	1283	52.6 %	52.9%
4	1 /WK:(4)	446	18.3 %	18.4%
5	NR DAILY:(5)	78	3.2 %	3.2%
-9 (M)	MISSING:(-9)	14	0.6 %	-

V6216

086A02I:DALY ALONE LEISR

Location: 46-47(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 05940

Question Number(s): 6A02I

How often do you do each of the following?

I: Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

V6216: 086A02I:DALY ALONE LEISR				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	116	4.8 %	4.8%
2	FEW /YR:(2)	108	4.4 %	4.5%
3	1-2 /MO:(3)	306	12.5 %	12.6%
4	1 /WK:(4)	779	31.9 %	32.2%
5	NR DAILY:(5)	1112	45.6 %	45.9%
-9 (M)	MISSING:(-9)	18	0.7 %	-

V6217 086A02J:DALY READ MAGZNS

Location: 48-49(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23070

Question Number(s): 6A02J

How often do you do each of the following?

J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

V6217: 086A02J:DALY READ MAGZNS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	346	14.2 %	14.3%
2	FEW /YR:(2)	394	16.2 %	16.2%
3	1-2 /MO:(3)	893	36.6 %	36.8%
4	1 /WK:(4)	654	26.8 %	26.9%
5	NR DAILY:(5)	140	5.7 %	5.8%
-9 (M)	MISSING:(-9)	12	0.5 %	-

- Study 25382 -

V6218 086A02K:DALY READ NWSPPR

Location: 50-51(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23080

Question Number(s): 6A02K

How often do you do each of the following?

K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

V6218: 086A02K:DALY READ NWSPPR				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	443	18.2 %	18.3%
2	FEW /YR:(2)	462	18.9 %	19.1%
3	1-2 /MO:(3)	574	23.5 %	23.7%
4	1 /WK:(4)	605	24.8 %	24.9%
5	NR DAILY:(5)	341	14.0 %	14.1%
-9 (M)	MISSING:(-9)	14	0.6 %	-

V6219 086A02L:DALY GO TO BARS

Location: 52-53(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05960

Question Number(s): 6A02L

How often do you do each of the following?

L: Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

V6219: 086A02L:DALY GO TO BARS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1408	57.7 %	58.0%
2	FEW /YR:(2)	450	18.5 %	18.5%
3	1-2 /MO:(3)	345	14.1 %	14.2%

- Study 25382 -

V6219: 086A02L:DALY GO TO BARS				
Value	Label	Unweighted Frequency	%	Valid %
4	1 /WK:(4)	169	6.9 %	7.0%
5	NR DAILY:(5)	55	2.3 %	2.3%
-9 (M)	MISSING:(-9)	12	0.5 %	-

V6220 086A02M:DALY GO TO PARTY

Location: 54-55(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05970

Question Number(s): 6A02M

How often do you do each of the following?

M: Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

V6220: 086A02M:DALY GO TO PARTY				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	214	8.8 %	8.8%
2	FEW /YR:(2)	566	23.2 %	23.3%
3	1-2 /MO:(3)	831	34.1 %	34.2%
4	1 /WK:(4)	724	29.7 %	29.8%
5	NR DAILY:(5)	92	3.8 %	3.8%
-9 (M)	MISSING:(-9)	12	0.5 %	-

V6604 086A02N:DALY GO TO RAVES

Location: 56-57(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29760

Question Number(s): 6A02N

How often do you do each of the following?

N: Go to raves

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day"

- Study 25382 -

V6604: 086A02N:DALY GO TO RAVES				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1991	81.6 %	82.7%
2	FEW /YR:(2)	219	9.0 %	9.1%
3	1-2 /MO:(3)	115	4.7 %	4.8%
4	1 /WK:(4)	45	1.8 %	1.9%
5	NR DAILY:(5)	37	1.5 %	1.5%
-9 (M)	MISSING:(-9)	32	1.3 %	-

V6221

086A03 : *SC WRK NVR MNG

Location: 58-59(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05700

Question Number(s): 6A03

The next questions are about your experiences in school.
How often do you feel that the school work you are assigned
is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

V6221: 086A03 : *SC WRK NVR MNG				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	131	5.4 %	5.5%
2	SELDOM:(2)	489	20.0 %	20.7%
3	SOMETIME:(3)	1029	42.2 %	43.5%
4	OFTEN:(4)	510	20.9 %	21.6%
5	ALWAYS:(5)	204	8.4 %	8.6%
-9 (M)	MISSING:(-9)	76	3.1 %	-

V6222

086A04 : *MST COUR V DUL

Location: 60-61(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05710

Question Number(s): 6A04

How interesting are most of your courses to you?

5="Very exciting and stimulating" 4="Quite interesting"

- Study 25382 -

3="Fairly interesting" 2="Slightly dull" 1="Very dull"

V6222: 086A04 : *MST COUR V DUL				
Value	Label	Unweighted Frequency	%	Valid %
1	VRD DUL:(1)	219	9.0 %	9.0%
2	SLTLY DU:(2)	536	22.0 %	22.1%
3	FRLY INT:(3)	1088	44.6 %	44.8%
4	QUITE IN:(4)	502	20.6 %	20.7%
5	VRD EXCI:(5)	84	3.4 %	3.5%
-9 (M)	MISSING:(-9)	10	0.4 %	-

V6223 086A05 : *LRN SCH NT IMP

Location: 62-63(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05720

Question Number(s): 6A05

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

V6223: 086A05 : *LRN SCH NT IMP				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	87	3.6 %	3.6%
2	SLTLY IM:(2)	556	22.8 %	23.0%
3	FRLY IMP:(3)	823	33.7 %	34.1%
4	QUITE IM:(4)	556	22.8 %	23.0%
5	VRD IMPT:(5)	392	16.1 %	16.2%
-9 (M)	MISSING:(-9)	25	1.0 %	-

V6224 086A06A: LSTYR/ENJOY SCHL

Location: 64-65(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23090

Question Number(s): 6A06A

Now thinking back over the past year in school, how often did

- Study 25382 -

you . . .

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6224: 086A06A:LSTYR/ENJOY SCHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	124	5.1 %	5.1%
2	SELDOM:(2)	383	15.7 %	15.8%
3	SOMETIME:(3)	1016	41.7 %	41.8%
4	OFTEN:(4)	669	27.4 %	27.6%
5	ALWAYS:(5)	236	9.7 %	9.7%
-9 (M)	MISSING:(-9)	11	0.5 %	-

V6225 086A06B:LSTYR/HATE SCHL

Location: 66-67(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23100

Question Number(s): 6A06B

Now thinking back over the past year in school, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6225: 086A06B:LSTYR/HATE SCHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	149	6.1 %	6.1%
2	SELDOM:(2)	584	23.9 %	24.1%
3	SOMETIME:(3)	887	36.4 %	36.6%
4	OFTEN:(4)	577	23.7 %	23.8%
5	ALWAYS:(5)	229	9.4 %	9.4%
-9 (M)	MISSING:(-9)	13	0.5 %	-

V6226 086A06C:LSTYR/DO BEST WK

Location: 68-69(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 23110

Question Number(s): 6A06C

Now thinking back over the past year in school, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6226: 086A06C:LSTYR/DO BEST WK				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	44	1.8 %	1.8%
2	SELDOM:(2)	169	6.9 %	7.0%
3	SOMETIME:(3)	571	23.4 %	23.5%
4	OFTEN:(4)	878	36.0 %	36.2%
5	ALWAYS:(5)	763	31.3 %	31.5%
-9 (M)	MISSING:(-9)	14	0.6 %	-

V6227

086A06D:LSTYR/SCH 2 HARD

Location: 70-71(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23120

Question Number(s): 6A06D

Now thinking back over the past year in school, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6227: 086A06D:LSTYR/SCH 2 HARD				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	360	14.8 %	14.8%
2	SELDOM:(2)	1008	41.3 %	41.5%
3	SOMETIME:(3)	799	32.8 %	32.9%
4	OFTEN:(4)	210	8.6 %	8.7%
5	ALWAYS:(5)	50	2.1 %	2.1%
-9 (M)	MISSING:(-9)	12	0.5 %	-

V6228

086A06E:LSTYR/FOOL ROUND

- Study 25382 -

Location: 72-73(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23130

Question Number(s): 6A06E

Now thinking back over the past year in school, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6228: 086A06E:LSTYR/FOOL ROUND				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	264	10.8 %	10.9%
2	SELDOM:(2)	624	25.6 %	25.7%
3	SOMETIME:(3)	818	33.5 %	33.7%
4	OFTEN:(4)	437	17.9 %	18.0%
5	ALWAYS:(5)	284	11.6 %	11.7%
-9 (M)	MISSING:(-9)	12	0.5 %	-

V6229 086A06F:LSTYR/WK NT DONE

Location: 74-75(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23140

Question Number(s): 6A06F

Now thinking back over the past year in school, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6229: 086A06F:LSTYR/WK NT DONE				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	482	19.8 %	19.9%
2	SELDOM:(2)	884	36.2 %	36.5%
3	SOMETIME:(3)	709	29.1 %	29.3%
4	OFTEN:(4)	270	11.1 %	11.2%

- Study 25382 -

V6229: 086A06F:LSTYR/WK NT DONE				
Value	Label	Unweighted Frequency	%	Valid %
5	ALWAYS:(5)	76	3.1 %	3.1%
-9 (M)	MISSING:(-9)	18	0.7 %	-

V6230 086A06G:LSTYR/GT GD GRDS

Location: 76-77(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23150

Question Number(s): 6A06G

Now thinking back over the past year in school, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6230: 086A06G:LSTYR/GT GD GRDS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	43	1.8 %	1.8%
2	SELDOM:(2)	237	9.7 %	9.8%
3	SOMETIME:(3)	548	22.5 %	22.6%
4	OFTEN:(4)	624	25.6 %	25.8%
5	ALWAYS:(5)	971	39.8 %	40.1%
-9 (M)	MISSING:(-9)	16	0.7 %	-

V6231 086A06H:LSTYR/U MISBEHAV

Location: 78-79(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23160

Question Number(s): 6A06H

Now thinking back over the past year in school, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

- Study 25382 -

V6231: 086A06H:LSTYR/U MISBEHAV				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1732	71.0 %	71.4%
2	SELDOM:(2)	481	19.7 %	19.8%
3	SOMETIME:(3)	134	5.5 %	5.5%
4	OFTEN:(4)	52	2.1 %	2.1%
5	ALWAYS:(5)	27	1.1 %	1.1%
-9 (M)	MISSING:(-9)	13	0.5 %	-

V6232 **086A06I:LSTYR/SKIP SCHL**

Location: 80-81(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23170

Question Number(s): 6A06I

Now thinking back over the past year in school, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6232: 086A06I:LSTYR/SKIP SCHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1092	44.8 %	45.0%
2	SELDOM:(2)	567	23.2 %	23.4%
3	SOMETIME:(3)	479	19.6 %	19.7%
4	OFTEN:(4)	214	8.8 %	8.8%
5	ALWAYS:(5)	76	3.1 %	3.1%
-9 (M)	MISSING:(-9)	11	0.5 %	-

V6242 **086A07A:5-6GR/ENJOY SCHL**

Location: 82-83(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23270

Question Number(s): 6A07A

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

- Study 25382 -

A: . . . Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6242: 086A07A:5-6GR/ENJOY SCHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	209	8.6 %	8.6%
2	SELDOM:(2)	265	10.9 %	10.9%
3	SOMETIME:(3)	553	22.7 %	22.8%
4	OFTEN:(4)	743	30.5 %	30.6%
5	ALWAYS:(5)	656	26.9 %	27.0%
-9 (M)	MISSING:(-9)	13	0.5 %	-

V6243 **086A07B:5-6GR/HATE SCHL**

Location: 84-85(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23280

Question Number(s): 6A07B

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

B: . . . Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6243: 086A07B:5-6GR/HATE SCHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	483	19.8 %	19.9%
2	SELDOM:(2)	787	32.3 %	32.5%
3	SOMETIME:(3)	616	25.3 %	25.4%
4	OFTEN:(4)	320	13.1 %	13.2%
5	ALWAYS:(5)	218	8.9 %	9.0%
-9 (M)	MISSING:(-9)	15	0.6 %	-

V6244 **086A07C:5-6GR/DO BEST WK**

Location: 86-87(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23290

- Study 25382 -

Question Number(s): 6A07C

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

C: . . . Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6244: 086A07C:5-6GR/DO BEST WK				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	51	2.1 %	2.1%
2	SELDOM:(2)	177	7.3 %	7.3%
3	SOMETIME:(3)	408	16.7 %	16.9%
4	OFTEN:(4)	664	27.2 %	27.5%
5	ALWAYS:(5)	1114	45.7 %	46.1%
-9 (M)	MISSING:(-9)	25	1.0 %	-

V6245 086A07D:5-6GR/SCH 2 HARD

Location: 88-89(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23300

Question Number(s): 6A07D

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

D: . . . Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6245: 086A07D:5-6GR/SCH 2 HARD				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	716	29.4 %	29.5%
2	SELDOM:(2)	734	30.1 %	30.3%
3	SOMETIME:(3)	666	27.3 %	27.5%
4	OFTEN:(4)	239	9.8 %	9.9%
5	ALWAYS:(5)	70	2.9 %	2.9%
-9 (M)	MISSING:(-9)	14	0.6 %	-

V6246 086A07E:5-6GR/FOOL ROUND

Location: 90-91(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23310

Question Number(s): 6A07E

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

E: . . . Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6246: 086A07E:5-6GR/FOOL ROUND				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	574	23.5 %	23.8%
2	SELDOM:(2)	514	21.1 %	21.3%
3	SOMETIME:(3)	622	25.5 %	25.8%
4	OFTEN:(4)	398	16.3 %	16.5%
5	ALWAYS:(5)	307	12.6 %	12.7%
-9 (M)	MISSING:(-9)	24	1.0 %	-

V6247

086A07F:5-6GR/WK NT DONE

Location: 92-93(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23320

Question Number(s): 6A07F

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

F: . . . Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6247: 086A07F:5-6GR/WK NT DONE				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1055	43.3 %	43.6%
2	SELDOM:(2)	696	28.5 %	28.8%
3	SOMETIME:(3)	402	16.5 %	16.6%
4	OFTEN:(4)	196	8.0 %	8.1%
5	ALWAYS:(5)	71	2.9 %	2.9%

- Study 25382 -

V6247: 086A07F:5-6GR/WK NT DONE				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	19	0.8 %	-

V6248 **086A07G:5-6GR/GT GD GRDS**

Location: 94-95(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23330

Question Number(s): 6A07G

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

G: . . . Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6248: 086A07G:5-6GR/GT GD GRDS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	74	3.0 %	3.1%
2	SELDOM:(2)	184	7.5 %	7.6%
3	SOMETIME:(3)	360	14.8 %	14.9%
4	OFTEN:(4)	530	21.7 %	21.9%
5	ALWAYS:(5)	1270	52.1 %	52.5%
-9 (M)	MISSING:(-9)	21	0.9 %	-

V6249 **086A07H:5-6GR/U MISBEHAV**

Location: 96-97(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23340

Question Number(s): 6A07H

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

H: . . . Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

- Study 25382 -

V6249: 086A07H:5-6GR/U MISBEHAV				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1520	62.3 %	62.7%
2	SELDOM:(2)	454	18.6 %	18.7%
3	SOMETIME:(3)	236	9.7 %	9.7%
4	OFTEN:(4)	131	5.4 %	5.4%
5	ALWAYS:(5)	83	3.4 %	3.4%
-9 (M)	MISSING:(-9)	15	0.6 %	-

V6250 086A07I:5-6GR/SKIP SCHL

Location: 98-99(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23350

Question Number(s): 6A07I

Now thinking back to the time when you were in fifth and sixth grade, how often did you . . .

I: . . . Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

V6250: 086A07I:5-6GR/SKIP SCHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2096	85.9 %	86.5%
2	SELDOM:(2)	158	6.5 %	6.5%
3	SOMETIME:(3)	100	4.1 %	4.1%
4	OFTEN:(4)	44	1.8 %	1.8%
5	ALWAYS:(5)	26	1.1 %	1.1%
-9 (M)	MISSING:(-9)	15	0.6 %	-

V6491 086A08A:#X PRNT CHK HMWK

Location: 100-101(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25180

Question Number(s): 6A08A

How often do your parents (or stepparents or guardians) do the following?

- Study 25382 -

A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

V6491: 086A08A:#X PRNT CHK HMWK				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	735	30.1 %	39.6%
2	RARELY:(2)	515	21.1 %	27.7%
3	SOMETIME:(3)	356	14.6 %	19.2%
4	OFTEN:(4)	251	10.3 %	13.5%
-9 (M)	MISSING:(-9)	582	23.9 %	-

V6492 086A08B:#X PRNT HLP HMWK

Location: 102-103(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25190

Question Number(s): 6A08B

How often do your parents (or stepparents or guardians) do the following?

B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

V6492: 086A08B:#X PRNT HLP HMWK				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	485	19.9 %	26.1%
2	RARELY:(2)	402	16.5 %	21.6%
3	SOMETIME:(3)	476	19.5 %	25.6%
4	OFTEN:(4)	494	20.3 %	26.6%
-9 (M)	MISSING:(-9)	582	23.9 %	-

V6493 086A08C:#X PRNT GV CHORE

Location: 104-105(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 25200

Question Number(s): 6A08C

How often do your parents (or stepparents or guardians) do the following?

C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

V6493: 086A08C:#X PRNT GV CHORE				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	141	5.8 %	7.6%
2	RARELY:(2)	260	10.7 %	14.0%
3	SOMETIME:(3)	512	21.0 %	27.6%
4	OFTEN:(4)	941	38.6 %	50.8%
-9 (M)	MISSING:(-9)	585	24.0 %	-

V6494

086A08D:#X PRNT LIMIT TV

Location: 106-107(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25210

Question Number(s): 6A08D

How often do your parents (or stepparents or guardians) do the following?

D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

V6494: 086A08D:#X PRNT LIMIT TV				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1246	51.1 %	67.2%
2	RARELY:(2)	317	13.0 %	17.1%
3	SOMETIME:(3)	213	8.7 %	11.5%
4	OFTEN:(4)	77	3.2 %	4.2%
-9 (M)	MISSING:(-9)	586	24.0 %	-

- Study 25382 -

V6495 086A08E:#X PRNT LMT OUT

Location: 108-109(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25220

Question Number(s): 6A08E

How often do your parents (or stepparents or guardians) do the following?

E: Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often"

Responses from the Western region intentionally obliterated.

V6495: 086A08E:#X PRNT LMT OUT				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	502	20.6 %	27.1%
2	RARELY:(2)	410	16.8 %	22.1%
3	SOMETIME:(3)	457	18.7 %	24.6%
4	OFTEN:(4)	485	19.9 %	26.2%
-9 (M)	MISSING:(-9)	585	24.0 %	-

V6251 086A09A:SCH ACTV-PBLCTNS

Location: 110-111(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22170

Question Number(s): 6A09A

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

V6251: 086A09A:SCH ACTV-PBLCTNS				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1866	76.5 %	77.7%

- Study 25382 -

V6251: 086A09A:SCH ACTV-PBLCTNS				
Value	Label	Unweighted Frequency	%	Valid %
2	SLIGHT:(2)	224	9.2 %	9.3%
3	MODERATE:(3)	101	4.1 %	4.2%
4	CONSDRBL:(4)	79	3.2 %	3.3%
5	GRT EXT:(5)	132	5.4 %	5.5%
-9 (M)	MISSING:(-9)	37	1.5 %	-

V6252 **086A09B:SCH ACTV-PRF ART**

Location: 112-113(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22180

Question Number(s): 6A09B

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

V6252: 086A09B:SCH ACTV-PRF ART				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1397	57.3 %	58.1%
2	SLIGHT:(2)	233	9.6 %	9.7%
3	MODERATE:(3)	174	7.1 %	7.2%
4	CONSDRBL:(4)	168	6.9 %	7.0%
5	GRT EXT:(5)	431	17.7 %	17.9%
-9 (M)	MISSING:(-9)	36	1.5 %	-

V6253 **086A09C:SCH ACTV-ATHLTCS**

Location: 114-115(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22190

Question Number(s): 6A09C

To what extent have you participated in the following school activities during this school year?

- Study 25382 -

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

V6253: 086A09C:SCH ACTV-ATHLTCS				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1085	44.5 %	45.3%
2	SLIGHT:(2)	209	8.6 %	8.7%
3	MODERATE:(3)	212	8.7 %	8.8%
4	CONSDRBL:(4)	242	9.9 %	10.1%
5	GRT EXT:(5)	649	26.6 %	27.1%
-9 (M)	MISSING:(-9)	42	1.7 %	-

V6254 **086A09D:SCH ATV-ACDMC CL**

Location: 116-117(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23360

Question Number(s): 6A09D

To what extent have you participated in the following school activities during this school year?

D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

V6254: 086A09D:SCH ATV-ACDMC CL				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1674	68.6 %	69.8%
2	SLIGHT:(2)	244	10.0 %	10.2%
3	MODERATE:(3)	189	7.7 %	7.9%
4	CONSDRBL:(4)	141	5.8 %	5.9%
5	GRT EXT:(5)	151	6.2 %	6.3%
-9 (M)	MISSING:(-9)	40	1.6 %	-

V6255 **086A09E:SCH ATV-STDN GVT**

Location: 118-119(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 23370

Question Number(s): 6A09E

To what extent have you participated in the following school activities during this school year?

E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

V6255: 086A09E:SCH ATV-STDN GVT				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	1958	80.3 %	81.6%
2	SLIGHT:(2)	153	6.3 %	6.4%
3	MODERATE:(3)	90	3.7 %	3.8%
4	CONSDRBL:(4)	75	3.1 %	3.1%
5	GRT EXT:(5)	123	5.0 %	5.1%
-9 (M)	MISSING:(-9)	40	1.6 %	-

V6256 **086A09F:SCH ACTV-OTH ACT**

Location: 120-121(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22200

Question Number(s): 6A09F

To what extent have you participated in the following school activities during this school year?

F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

V6256: 086A09F:SCH ACTV-OTH ACT				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	892	36.6 %	37.2%
2	SLIGHT:(2)	303	12.4 %	12.6%
3	MODERATE:(3)	434	17.8 %	18.1%
4	CONSDRBL:(4)	327	13.4 %	13.6%
5	GRT EXT:(5)	441	18.1 %	18.4%
-9 (M)	MISSING:(-9)	42	1.7 %	-

- Study 25382 -

V6272 086A10R:EVER HELD BACK

Location: 122-123(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23530

Question Number(s): 6A10

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

V6272: 086A10R:EVER HELD BACK				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2191	89.8 %	91.1%
2	YES:(2-3)	214	8.8 %	8.9%
-9 (M)	MISSING:(-9)	34	1.4 %	-

V6273 086A11R:NEED SUMMER SCHL

Location: 124-125(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23540

Question Number(s): 6A11

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers"

Codes 2, 3, and 4 are combined in this dataset.

V6273: 086A11R:NEED SUMMER SCHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1787	73.3 %	74.5%
2	YES:(2-4)	613	25.1 %	25.5%
-9 (M)	MISSING:(-9)	39	1.6 %	-

V6496 086A12R:EVER SUSPENDED

Location: 126-127(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25140

Question Number(s): 6A12

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times"

Codes 2 and 3 are combined in this dataset.

V6496: 086A12R:EVER SUSPENDED				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1737	71.2 %	72.3%
2	YES:(2-3)	664	27.2 %	27.7%
-9 (M)	MISSING:(-9)	38	1.6 %	-

V6507 086A13:#DA GUN SCHL/4WK

Location: 128-129(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29590

Question Number(s): 6A13

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"

6="10 or more days"

V6507: 086A13:#DA GUN SCHL/4WK				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	2360	96.8 %	98.3%
2	1 DAY:(2)	6	0.2 %	0.2%
3	2 DAYS:(3)	3	0.1 %	0.1%
4	3-5 DAYS:(4)	3	0.1 %	0.1%
5	6-9 DAYS:(5)	3	0.1 %	0.1%
6	10+ DAYS:(6)	27	1.1 %	1.1%
-9 (M)	MISSING:(-9)	37	1.5 %	-

V6504 086A14 :ILL DRG SOLD@SCH

Location: 130-131(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 25820

Question Number(s): 6A14

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

V6504: 086A14 :ILL DRG SOLD@SCH				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	1806	74.0 %	75.3%
2	YES:(2)	591	24.2 %	24.7%
-9 (M)	MISSING:(-9)	42	1.7 %	-

V6274 086A15A:TCHR PRVNT SMKNG

Location: 132-133(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 23550

Question Number(s): 6A15A

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

A: . . . Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"
 5="Very vigorous" 8="Don't Know"

V6274: 086A15A:TCHR PRVNT SMKNG				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	330	13.5 %	13.8%
2	SLIGHTLY:(2)	376	15.4 %	15.7%
3	SOMEWHAT:(3)	467	19.1 %	19.5%
4	FRLY VGR:(4)	406	16.6 %	16.9%
5	VRY VGRS:(5)	369	15.1 %	15.4%
8	DK:(8)	451	18.5 %	18.8%
-9 (M)	MISSING:(-9)	40	1.6 %	-

- Study 25382 -

V6275 086A15B:TCHR PRVNT DRNKG

Location: 134-135(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23560

Question Number(s): 6A15B

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

B: . . . Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"
5="Very vigorous" 8="Don't Know"

V6275: 086A15B:TCHR PRVNT DRNKG				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	279	11.4 %	11.6%
2	SLIGHTLY:(2)	328	13.4 %	13.7%
3	SOMEWHAT:(3)	437	17.9 %	18.2%
4	FRLY VGR:(4)	421	17.3 %	17.5%
5	VRY VGRS:(5)	465	19.1 %	19.4%
8	DK:(8)	469	19.2 %	19.5%
-9 (M)	MISSING:(-9)	40	1.6 %	-

V6276 086A15C:TCHR PRVNT DRUGS

Location: 136-137(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23570

Question Number(s): 6A15C

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . .

C: . . . Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous"
5="Very vigorous" 8="Don't Know"

- Study 25382 -

V6276: 086A15C:TCHR PRVNT DRUGS				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT @ALL:(1)	226	9.3 %	9.4%
2	SLIGHTLY:(2)	289	11.8 %	12.1%
3	SOMEWHAT:(3)	377	15.5 %	15.7%
4	FRLY VGR:(4)	443	18.2 %	18.5%
5	VRY VGRS:(5)	578	23.7 %	24.1%
8	DK:(8)	485	19.9 %	20.2%
-9 (M)	MISSING:(-9)	41	1.7 %	-

V6277 **086A16A:CNSEQNC 4 SMOKNG**

Location: 138-139(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23580

Question Number(s): 6A16A

How severe do you think the consequences would be for a student in your school who gets caught . . .

A: . . . Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"
8="Don't Know"

V6277: 086A16A:CNSEQNC 4 SMOKNG				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	146	6.0 %	6.1%
2	MILD:(2)	678	27.8 %	28.3%
3	MODERATE:(3)	738	30.3 %	30.8%
4	SEVERE:(4)	633	26.0 %	26.4%
8	DK:(8)	204	8.4 %	8.5%
-9 (M)	MISSING:(-9)	40	1.6 %	-

V6278 **086A16B:CNSEQNC 4 ALCOHL**

Location: 140-141(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23590

Question Number(s): 6A16B

- Study 25382 -

How severe do you think the consequences would be for a student in your school who gets caught . . .

B: . . . Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"
8="Don't Know"

V6278: 086A16B:CNSEQNC 4 ALCOHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	45	1.8 %	1.9%
2	MILD:(2)	191	7.8 %	8.0%
3	MODERATE:(3)	673	27.6 %	28.1%
4	SEVERE:(4)	1285	52.7 %	53.6%
8	DK:(8)	203	8.3 %	8.5%
-9 (M)	MISSING:(-9)	42	1.7 %	-

V6279 086A16C:CNSEQNC 4 DRUGS

Location: 142-143(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23600

Question Number(s): 6A16C

How severe do you think the consequences would be for a student in your school who gets caught . . .

C: . . . Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe"
8="Don't Know"

V6279: 086A16C:CNSEQNC 4 DRUGS				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	36	1.5 %	1.5%
2	MILD:(2)	88	3.6 %	3.7%
3	MODERATE:(3)	307	12.6 %	12.8%
4	SEVERE:(4)	1776	72.8 %	74.1%
8	DK:(8)	190	7.8 %	7.9%
-9 (M)	MISSING:(-9)	42	1.7 %	-

V6297 086A17A:RSK OF CIG1+PK/D

Location: 144-145(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 12360

Question Number(s): 6A17A

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6297: 086A17A:RSK OF CIG1+PK/D				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	59	2.4 %	2.5%
2	SLIGHT:(2)	105	4.3 %	4.4%
3	MOD RISK:(3)	480	19.7 %	20.1%
4	GRT RISK:(4)	1686	69.1 %	70.6%
5	CANT SAY:(5)	59	2.4 %	2.5%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6298

086A17B:RSK OF MJ 1-2 X

Location: 146-147(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12370

Question Number(s): 6A17B

How much do you think people risk harming themselves (physically or in other ways), if they . . .

B: . . . Try marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6298: 086A17B:RSK OF MJ 1-2 X				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	864	35.4 %	36.2%
2	SLIGHT:(2)	783	32.1 %	32.8%
3	MOD RISK:(3)	337	13.8 %	14.1%

- Study 25382 -

V6298: 086A17B:RSK OF MJ 1-2 X				
Value	Label	Unweighted Frequency	%	Valid %
4	GRT RISK:(4)	318	13.0 %	13.3%
5	CANT SAY:(5)	87	3.6 %	3.6%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6299 086A17C:RSK OF MJ OCSNLY

Location: 148-149(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12380

Question Number(s): 6A17C

How much do you think people risk harming themselves (physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6299: 086A17C:RSK OF MJ OCSNLY				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	421	17.3 %	17.6%
2	SLIGHT:(2)	645	26.4 %	27.0%
3	MOD RISK:(3)	711	29.2 %	29.8%
4	GRT RISK:(4)	520	21.3 %	21.8%
5	CANT SAY:(5)	92	3.8 %	3.9%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6300 086A17D:RSK OF MJ REGLY

Location: 150-151(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12390

Question Number(s): 6A17D

How much do you think people risk harming themselves (physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

- Study 25382 -

5="Can't Say, Drug Unfamiliar"

V6300: 086A17D:RSK OF MJ REGLY				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	201	8.2 %	8.4%
2	SLIGHT:(2)	350	14.4 %	14.7%
3	MOD RISK:(3)	590	24.2 %	24.7%
4	GRT RISK:(4)	1159	47.5 %	48.5%
5	CANT SAY:(5)	89	3.6 %	3.7%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6523 086A17E:RSK OF COKE 1-2X

Location: 152-153(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12490

Question Number(s): 6A17E

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Try cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6523: 086A17E:RSK OF COKE 1-2X				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	114	4.7 %	4.8%
2	SLIGHT:(2)	384	15.7 %	16.1%
3	MOD RISK:(3)	573	23.5 %	24.0%
4	GRT RISK:(4)	1191	48.8 %	49.9%
5	CANT SAY:(5)	126	5.2 %	5.3%
-9 (M)	MISSING:(-9)	51	2.1 %	-

V6316 086A17F:RSK OF 1-2 DR/DA

Location: 154-155(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12520

Question Number(s): 6A17F

- Study 25382 -

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6316: 086A17F:RSK OF 1-2 DR/DA				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	195	8.0 %	8.2%
2	SLIGHT:(2)	491	20.1 %	20.5%
3	MOD RISK:(3)	813	33.3 %	34.0%
4	GRT RISK:(4)	828	33.9 %	34.6%
5	CANT SAY:(5)	64	2.6 %	2.7%
-9 (M)	MISSING:(-9)	48	2.0 %	-

V6317 **086A17G:RSK OF 4-5 DR/DA**

Location: 156-157(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12530

Question Number(s): 6A17G

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Take four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6317: 086A17G:RSK OF 4-5 DR/DA				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	90	3.7 %	3.8%
2	SLIGHT:(2)	128	5.2 %	5.4%
3	MOD RISK:(3)	445	18.2 %	18.7%
4	GRT RISK:(4)	1659	68.0 %	69.6%
5	CANT SAY:(5)	63	2.6 %	2.6%
-9 (M)	MISSING:(-9)	54	2.2 %	-

V6318 **086A17H:RSK OF 5+DR/WKND**

Location: 158-159(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12540

Question Number(s): 6A17H

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Have five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6318: 086A17H:RSK OF 5+DR/WKND				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	184	7.5 %	7.7%
2	SLIGHT:(2)	360	14.8 %	15.1%
3	MOD RISK:(3)	642	26.3 %	26.9%
4	GRT RISK:(4)	1136	46.6 %	47.6%
5	CANT SAY:(5)	65	2.7 %	2.7%
-9 (M)	MISSING:(-9)	52	2.1 %	-

V6478 086A17I:RSK STEROID ATHL

Location: 160-161(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24510

Question Number(s): 6A17I

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I: . . . Take steroids for body-building or improved athletic
performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

V6478: 086A17I:RSK STEROID ATHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	74	3.0 %	3.1%
2	SLIGHT:(2)	165	6.8 %	6.9%
3	MOD RISK:(3)	564	23.1 %	23.6%

- Study 25382 -

V6478: 086A17I:RSK STEROID ATHL				
Value	Label	Unweighted Frequency	%	Valid %
4	GRT RISK:(4)	1432	58.7 %	59.9%
5	CANT SAY:(5)	154	6.3 %	6.4%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6524 086A17J:RSK MDMA 1-2X

Location: 162-163(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23040

Question Number(s): 6A17J

How much do you think people risk harming themselves (physically or in other ways), if they . . .

J: . . . Take MDMA (ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

V6524: 086A17J:RSK MDMA 1-2X				
Value	Label	Unweighted Frequency	%	Valid %
1	NO RISK:(1)	108	4.4 %	4.5%
2	SLIGHT:(2)	241	9.9 %	10.1%
3	MOD RISK:(3)	474	19.4 %	19.9%
4	GRT RISK:(4)	1341	55.0 %	56.2%
5	CANT SAY:(5)	222	9.1 %	9.3%
-9 (M)	MISSING:(-9)	53	2.2 %	-

V6320 086A18A:DAP SMK 1PCK CIG

Location: 164-165(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08560

Question Number(s): 6A18A

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

- Study 25382 -

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6320: 086A18A:DAP SMK 1PCK CIG				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	657	26.9 %	27.5%
2	DISAPPRV:(2)	916	37.6 %	38.4%
3	STRG DIS:(3)	814	33.4 %	34.1%
-9 (M)	MISSING:(-9)	52	2.1 %	-

V6321

086A18B:DAP TRY MRJ 1-2T

Location: 166-167(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08570

Question Number(s): 6A18B

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6321: 086A18B:DAP TRY MRJ 1-2T				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	1194	49.0 %	49.9%
2	DISAPPRV:(2)	658	27.0 %	27.5%
3	STRG DIS:(3)	540	22.1 %	22.6%
-9 (M)	MISSING:(-9)	47	1.9 %	-

V6322

086A18C:DAP SMK MRJ OCCS

Location: 168-169(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08580

Question Number(s): 6A18C

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

- Study 25382 -

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6322: 086A18C:DAP SMK MRJ OCCS				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	898	36.8 %	37.6%
2	DISAPPRV:(2)	725	29.7 %	30.3%
3	STRG DIS:(3)	766	31.4 %	32.1%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6323 **086A18D:DAP SMK MRJ REGL**

Location: 170-171(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08590

Question Number(s): 6A18D

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6323: 086A18D:DAP SMK MRJ REGL				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	540	22.1 %	22.6%
2	DISAPPRV:(2)	712	29.2 %	29.8%
3	STRG DIS:(3)	1138	46.7 %	47.6%
-9 (M)	MISSING:(-9)	49	2.0 %	-

V6525 **086A18E:DAP TRY COC 1-2T**

Location: 172-173(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08690

Question Number(s): 6A18E

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine once or twice

- Study 25382 -

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6525: 086A18E:DAP TRY COC 1-2T				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	292	12.0 %	12.3%
2	DISAPPRV:(2)	647	26.5 %	27.2%
3	STRG DIS:(3)	1442	59.1 %	60.6%
-9 (M)	MISSING:(-9)	58	2.4 %	-

V6339 086A18F:DAP 1-2 DRK/DAY

Location: 174-175(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08720

Question Number(s): 6A18F

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6339: 086A18F:DAP 1-2 DRK/DAY				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	707	29.0 %	29.5%
2	DISAPPRV:(2)	954	39.1 %	39.9%
3	STRG DIS:(3)	732	30.0 %	30.6%
-9 (M)	MISSING:(-9)	46	1.9 %	-

V6340 086A18G:DAP 4-5 DRK/DAY

Location: 176-177(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08730

Question Number(s): 6A18G

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking four or five drinks nearly every day

- Study 25382 -

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6340: 086A18G:DAP 4-5 DRK/DAY				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	283	11.6 %	11.9%
2	DISAPPRV:(2)	735	30.1 %	30.8%
3	STRG DIS:(3)	1369	56.1 %	57.4%
-9 (M)	MISSING:(-9)	52	2.1 %	-

V6341 **086A18H:DAP 5+ DRK WKND**

Location: 178-179(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 08740

Question Number(s): 6A18H

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6341: 086A18H:DAP 5+ DRK WKND				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	742	30.4 %	31.0%
2	DISAPPRV:(2)	707	29.0 %	29.6%
3	STRG DIS:(3)	942	38.6 %	39.4%
-9 (M)	MISSING:(-9)	48	2.0 %	-

V6479 **086A18I:DAP STEROID ATHL**

Location: 180-181(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24520

Question Number(s): 6A18I

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking steroids for body-building or improved athletic performance

- Study 25382 -

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6479: 086A18I:DAP STEROID ATHL				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	226	9.3 %	9.5%
2	DISAPPRV:(2)	783	32.1 %	32.8%
3	STRG DIS:(3)	1380	56.6 %	57.8%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6509

086A18J:DAP H -NDL 1-2X

Location: 182-183(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29690

Question Number(s): 6A18J

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6509: 086A18J:DAP H -NDL 1-2X				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	137	5.6 %	5.7%
2	DISAPPRV:(2)	422	17.3 %	17.7%
3	STRG DIS:(3)	1827	74.9 %	76.6%
-9 (M)	MISSING:(-9)	53	2.2 %	-

V6510

086A18K:DAP H -NDL OCC

Location: 184-185(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29700

Question Number(s): 6A18K

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Taking heroin occasionally without using a needle

- Study 25382 -

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6510: 086A18K:DAP H -NDL OCC				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	107	4.4 %	4.5%
2	DISAPPRV:(2)	323	13.2 %	13.5%
3	STRG DIS:(3)	1957	80.2 %	82.0%
-9 (M)	MISSING:(-9)	52	2.1 %	-

V6526

086A18L:DAP MDMA 1-2X

Location: 186-187(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29960

Question Number(s): 6A18L

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking MDMA ("ecstasy") once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6526: 086A18L:DAP MDMA 1-2X				
Value	Label	Unweighted Frequency	%	Valid %
1	DONT DIS:(1)	284	11.6 %	11.9%
2	DISAPPRV:(2)	571	23.4 %	23.9%
3	STRG DIS:(3)	1532	62.8 %	64.2%
-9 (M)	MISSING:(-9)	52	2.1 %	-

V6342

086A19A:EASY GT MARIJUAN

Location: 188-189(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 06750

Question Number(s): 6A19A

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly

- Study 25382 -

Difficult" 4="Fairly Easy" 5="Very Easy"

V6342: 086A19A:EASY GT MARIJUAN				
Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	104	4.3 %	4.4%
2	VRY DIFF:(2)	75	3.1 %	3.1%
3	FRLY DIF:(3)	117	4.8 %	4.9%
4	FRLY EAS:(4)	552	22.6 %	23.2%
5	VRY EASY:(5)	1536	63.0 %	64.4%
-9 (M)	MISSING:(-9)	55	2.3 %	-

V6343 086A19B:EASY GT LSD

Location: 190-191(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 06760

Question Number(s): 6A19B

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

V6343: 086A19B:EASY GT LSD				
Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	414	17.0 %	17.5%
2	VRY DIFF:(2)	507	20.8 %	21.5%
3	FRLY DIF:(3)	787	32.3 %	33.4%
4	FRLY EAS:(4)	447	18.3 %	18.9%
5	VRY EASY:(5)	204	8.4 %	8.6%
-9 (M)	MISSING:(-9)	80	3.3 %	-

V6344 086A19C:EASY GT PCP

Location: 192-193(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 06771

Question Number(s): 6A19C

- Study 25382 -

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

V6344: 086A19C:EASY GT PCP				
Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	506	20.7 %	21.4%
2	VRY DIFF:(2)	660	27.1 %	27.9%
3	FRLY DIF:(3)	729	29.9 %	30.8%
4	FRLY EAS:(4)	291	11.9 %	12.3%
5	VRY EASY:(5)	178	7.3 %	7.5%
-9 (M)	MISSING:(-9)	75	3.1 %	-

V6345

086A19D:EASY GT MDMA

Location: 194-195(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23050

Question Number(s): 6A19D

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: MDMA ("ecstasy")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

V6345: 086A19D:EASY GT MDMA				
Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	348	14.3 %	14.7%
2	VRY DIFF:(2)	441	18.1 %	18.6%
3	FRLY DIF:(3)	602	24.7 %	25.4%
4	FRLY EAS:(4)	564	23.1 %	23.8%
5	VRY EASY:(5)	417	17.1 %	17.6%
-9 (M)	MISSING:(-9)	67	2.7 %	-

V6480

086A19E:EASY GT ICE

Location: 196-197(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24410

Question Number(s): 6A19E

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

V6480: 086A19E:EASY GT ICE				
Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	515	21.1 %	21.7%
2	VRD DIFF:(2)	641	26.3 %	27.1%
3	FRLY DIF:(3)	624	25.6 %	26.4%
4	FRLY EAS:(4)	342	14.0 %	14.4%
5	VRD EASY:(5)	246	10.1 %	10.4%
-9 (M)	MISSING:(-9)	71	2.9 %	-

V6481

086A19F:EASY GT STEROIDS

Location: 198-199(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23060

Question Number(s): 6A19F

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

V6481: 086A19F:EASY GT STEROIDS				
Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	323	13.2 %	13.6%
2	VRD DIFF:(2)	397	16.3 %	16.7%
3	FRLY DIF:(3)	609	25.0 %	25.7%
4	FRLY EAS:(4)	570	23.4 %	24.0%

- Study 25382 -

V6481: 086A19F:EASY GT STEROIDS				
Value	Label	Unweighted Frequency	%	Valid %
5	VRY EASY:(5)	473	19.4 %	19.9%
-9 (M)	MISSING:(-9)	67	2.7 %	-

V6580 086A19G:EASY GT ALCOHOL

Location: 200-201(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30950

Question Number(s): 6A19G

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

V6580: 086A19G:EASY GT ALCOHOL				
Value	Label	Unweighted Frequency	%	Valid %
1	PROB IMP:(1)	60	2.5 %	2.5%
2	VRY DIFF:(2)	48	2.0 %	2.0%
3	FRLY DIF:(3)	72	3.0 %	3.0%
4	FRLY EAS:(4)	284	11.6 %	11.9%
5	VRY EASY:(5)	1921	78.8 %	80.5%
-9 (M)	MISSING:(-9)	54	2.2 %	-

V6101 086B01 :EVR SMK CIG,REGL

Location: 202-203(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00760

Question Number(s): 6B01

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

- Study 25382 -

V6101: 086B01 :EVR SMK CIG,REGL				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	1319	54.1 %	55.2%
2	1-2X:(2)	449	18.4 %	18.8%
3	OCCASNLY:(3)	281	11.5 %	11.8%
4	REG PAST:(4)	113	4.6 %	4.7%
5	REG NOW:(5)	227	9.3 %	9.5%
-9 (M)	MISSING:(-9)	50	2.1 %	-

V6102 086B02 :#CIGS SMKD/30DAY

Location: 204-205(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00780

Question Number(s): 6B02

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

V6102: 086B02 :#CIGS SMKD/30DAY				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1866	76.5 %	78.3%
2	<1 CIG/D:(2)	231	9.5 %	9.7%
3	1-5/DAY:(3)	169	6.9 %	7.1%
4	1/2PK/D:(4)	76	3.1 %	3.2%
5	1 PK/DA:(5)	25	1.0 %	1.0%
6	1 1/2 PK/D:(6)	10	0.4 %	0.4%
7	2+ PKS/D:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	56	2.3 %	-

V6527 086B03A:CIG HOW BUY-FRND

Location: 206-207(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29970

- Study 25382 -

Question Number(s): 6B03A

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

A: . . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

V6527: 086B03A:CIG HOW BUY-FRND				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	347	14.2 %	67.5%
2	1 TIME:(2)	64	2.6 %	12.5%
3	2 TIMES:(3)	39	1.6 %	7.6%
4	3-5TIMES:(4)	33	1.4 %	6.4%
5	6-9 TIMES:(5)	10	0.4 %	1.9%
6	10 OR +:(6)	21	0.9 %	4.1%
-9 (M)	MISSING:(-9)	1925	78.9 %	-

V6528

086B03B:CIG HOW BUY-VEND

Location: 208-209(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29980

Question Number(s): 6B03B

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

B: . . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

V6528: 086B03B:CIG HOW BUY-VEND				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	489	20.0 %	95.9%
2	1 TIME:(2)	9	0.4 %	1.8%
3	2 TIMES:(3)	2	0.1 %	0.4%
4	3-5TIMES:(4)	4	0.2 %	0.8%
5	6-9 TIMES:(5)	0	0.0 %	-
6	10 OR +:(6)	6	0.2 %	1.2%
-9 (M)	MISSING:(-9)	1929	79.1 %	-

- Study 25382 -

V6529 086B03C:CIG HOW BUY-MAIL

Location: 210-211(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29990

Question Number(s): 6B03C

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

C: . . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

V6529: 086B03C:CIG HOW BUY-MAIL				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	499	20.5 %	97.7%
2	1 TIME:(2)	6	0.2 %	1.2%
3	2 TIMES:(3)	3	0.1 %	0.6%
4	3-5TIMES:(4)	2	0.1 %	0.4%
5	6-9 TIMES:(5)	0	0.0 %	-
6	10 OR +:(6)	1	0.0 %	0.2%
-9 (M)	MISSING:(-9)	1928	79.0 %	-

V6530 086B03D:CIG HOW BUY-PKUP

Location: 212-213(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30000

Question Number(s): 6B03D

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

D: . . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

- Study 25382 -

V6530: 086B03D:CIG HOW BUY-PKUP				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	380	15.6 %	74.4%
2	1 TIME:(2)	48	2.0 %	9.4%
3	2 TIMES:(3)	30	1.2 %	5.9%
4	3-5TIMES:(4)	22	0.9 %	4.3%
5	6-9 TIMES:(5)	9	0.4 %	1.8%
6	10 OR +:(6)	22	0.9 %	4.3%
-9 (M)	MISSING:(-9)	1928	79.0 %	-

V6531 **086B03E:CIG HOW BUY-CLRK**

Location: 214-215(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30010

Question Number(s): 6B03E

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

E: . . . in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

V6531: 086B03E:CIG HOW BUY-CLRK				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	180	7.4 %	34.7%
2	1 TIME:(2)	95	3.9 %	18.3%
3	2 TIMES:(3)	73	3.0 %	14.1%
4	3-5TIMES:(4)	69	2.8 %	13.3%
5	6-9 TIMES:(5)	26	1.1 %	5.0%
6	10 OR +:(6)	75	3.1 %	14.5%
-9 (M)	MISSING:(-9)	1921	78.8 %	-

V6598 **086B03F:CIG HOW BUY-OTHR**

Location: 216-217(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31330

- Study 25382 -

Question Number(s): 6B03F

During the last 30 days, about how many times (if any) have you bought cigarettes . . .

F: . . . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

V6598: 086B03F:CIG HOW BUY-OTHR				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	436	17.9 %	85.8%
2	1 TIME:(2)	35	1.4 %	6.9%
3	2 TIMES:(3)	14	0.6 %	2.8%
4	3-5 TIMES:(4)	8	0.3 %	1.6%
5	6-9 TIMES:(5)	2	0.1 %	0.4%
6	10 or +:(6)	13	0.5 %	2.6%
-9 (M)	MISSING:(-9)	1931	79.2 %	-

V6532

086B04A:CIG WHERE-SUPMKT

Location: 218-219(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30020

Question Number(s): 6B04A

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . .

A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

V6532: 086B04A:CIG WHERE-SUPMKT				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	426	17.5 %	83.2%
2	1 TIME:(2)	39	1.6 %	7.6%
3	2 TIMES:(3)	24	1.0 %	4.7%
4	3-5TIMES:(4)	14	0.6 %	2.7%
5	6-9 TIMES:(5)	2	0.1 %	0.4%
6	10 OR +:(6)	7	0.3 %	1.4%
-9 (M)	MISSING:(-9)	1927	79.0 %	-

- Study 25382 -

V6533 086B04B:CIG WHERE-SMLGRC

Location: 220-221(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30030

Question Number(s): 6B04B

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

B: . . . at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

V6533: 086B04B:CIG WHERE-SMLGRC				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	380	15.6 %	74.7%
2	1 TIME:(2)	42	1.7 %	8.3%
3	2 TIMES:(3)	34	1.4 %	6.7%
4	3-5TIMES:(4)	30	1.2 %	5.9%
5	6-9 TIMES:(5)	7	0.3 %	1.4%
6	10 OR +:(6)	16	0.7 %	3.1%
-9 (M)	MISSING:(-9)	1930	79.1 %	-

V6534 086B04C:CIG WHERE-DRGSTR

Location: 222-223(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30040

Question Number(s): 6B04C

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

V6534: 086B04C:CIG WHERE-DRGSTR				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	415	17.0 %	81.4%

- Study 25382 -

V6534: 086B04C:CIG WHERE-DRGSTR				
Value	Label	Unweighted Frequency	%	Valid %
2	1 TIME:(2)	35	1.4 %	6.9%
3	2 TIMES:(3)	28	1.1 %	5.5%
4	3-5TIMES:(4)	20	0.8 %	3.9%
5	6-9 TIMES:(5)	6	0.2 %	1.2%
6	10 OR +:(6)	6	0.2 %	1.2%
-9 (M)	MISSING:(-9)	1929	79.1 %	-

V6535 086B04D:CIG WHERE-CNVGAS

Location: 224-225(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30050

Question Number(s): 6B04D

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

D: . . . at a convenience store (like a Hop-In or 7-11) or
a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

V6535: 086B04D:CIG WHERE-CNVGAS				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	173	7.1 %	33.3%
2	1 TIME:(2)	101	4.1 %	19.5%
3	2 TIMES:(3)	56	2.3 %	10.8%
4	3-5TIMES:(4)	79	3.2 %	15.2%
5	6-9 TIMES:(5)	30	1.2 %	5.8%
6	10 OR +:(6)	80	3.3 %	15.4%
-9 (M)	MISSING:(-9)	1920	78.7 %	-

V6599 086B04E:CIG WHERE-WEB

Location: 226-227(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31340

Question Number(s): 6B04E

- Study 25382 -

During the last 30 days, about how many times (if any) did
YOU buy cigarettes for your own use . . .

E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9
Times" 6="10 or More"

V6599: 086B04E:CIG WHERE-WEB				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	502	20.6 %	98.6%
2	1 TIME:(2)	3	0.1 %	0.6%
3	2 TIMES:(3)	1	0.0 %	0.2%
4	3-5 TIMES:(4)	1	0.0 %	0.2%
5	6-9 TIMES:(5)	0	0.0 %	-
6	10 or +:(6)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	1930	79.1 %	-

V6536

086B05 :USUAL CIG BRAND

Location: 228-230(width: 3; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30065

Question Number(s): 6B05

What brand of cigarettes do you usually smoke? (Brands are in
alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand"

V6536: 086B05 :USUAL CIG BRAND				
Value	Label	Unweighted Frequency	%	Valid %
1	BASIC:(1)	3	0.1 %	0.6%
2	B&H:(2)	1	0.0 %	0.2%
3	B&W:(3)	1	0.0 %	0.2%
4	CAMBRIDGE:(4)	0	0.0 %	-
5	CAMEL:(5)	89	3.6 %	18.5%
6	CAPRI:(6)	0	0.0 %	-

- Study 25382 -

V6536: 086B05 :USUAL CIG BRAND				
Value	Label	Unweighted Frequency	%	Valid %
7	CARLTON:(7)	0	0.0 %	-
8	DORAL:(8)	1	0.0 %	0.2%
9	GPC:(9)	0	0.0 %	-
10	KENT:(10)	0	0.0 %	-
11	KOOL:(11)	7	0.3 %	1.5%
12	MARLBORO:(12)	210	8.6 %	43.8%
13	MERIT:(13)	0	0.0 %	-
14	MISTY:(14)	0	0.0 %	-
15	MONARCH:(15)	0	0.0 %	-
16	MORE:(16)	0	0.0 %	-
17	NEWPORT:(17)	68	2.8 %	14.2%
18	PALLMALL:(18)	2	0.1 %	0.4%
19	PARLIAMENT:(19)	17	0.7 %	3.5%
20	SALEM:(20)	1	0.0 %	0.2%
21	VANTAGE:(21)	0	0.0 %	-
22	VA SLIMS:(22)	1	0.0 %	0.2%
23	WINSTON:(23)	0	0.0 %	-
24	OTHER:(24)	27	1.1 %	5.6%
25	NO USUAL:(25)	52	2.1 %	10.8%
-9 (M)	MISSING:(-9)	1959	80.3 %	-

V6537

086B06 :CIG PROOF OF AGE

Location: 231-232(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30070

Question Number(s): 6B06

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age."
[arrow to Q.B06A]

V6537: 086B06 :CIG PROOF OF AGE				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER TRIED:(1)	463	19.0 %	43.2%

- Study 25382 -

V6537: 086B06 :CIG PROOF OF AGE				
Value	Label	Unweighted Frequency	%	Valid %
2	NO & SOLD:(2)	206	8.4 %	19.2%
3	NO & NOSALE:(3)	7	0.3 %	0.7%
4	YES:(4)	395	16.2 %	36.9%
-9 (M)	MISSING:(-9)	1368	56.1 %	-

V6538 086B06A:CIG SHOW ID/SELL

Location: 233-234(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30080

Question Number(s): 6B06A

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

V6538: 086B06A:CIG SHOW ID/SELL				
Value	Label	Unweighted Frequency	%	Valid %
1	ID & GOT:(1)	362	14.8 %	90.7%
2	ID & NOSALE:(2)	1	0.0 %	0.3%
3	NO ID & SOLD:(3)	17	0.7 %	4.3%
4	NO ID & NOSALE:(4)	19	0.8 %	4.8%
-9 (M)	MISSING:(-9)	2040	83.6 %	-

V6539 086B07 :CIG STORE BUY<20

Location: 235-236(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30090

Question Number(s): 6B07

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not

- Study 25382 -

in the past 12 months"

V6539: 086B07 :CIG STORE BUY<20				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	943	38.7 %	87.2%
2	PAST 12MO:(2)	110	4.5 %	10.2%
3	NOT PAST12MO:(3)	28	1.1 %	2.6%
-9 (M)	MISSING:(-9)	1358	55.7 %	-

V6540 086B08 :*TRY STP SMK&FL

Location: 237-238(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01690

Question Number(s): 6B08

Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

V6540: 086B08 :*TRY STP SMK&FL				
Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	136	5.6 %	12.7%
2	NO:(2)	935	38.3 %	87.3%
-9 (M)	MISSING:(-9)	1368	56.1 %	-

V6541 086B09 :#X TRY STOP SMK

Location: 239-240(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01691

Question Number(s): 6B09

How many times, if any, have you tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"
6="10 or more times"

- Study 25382 -

V6541: 086B09 :#X TRY STOP SMK				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	702	28.8 %	66.1%
2	ONCE:(2)	180	7.4 %	16.9%
3	TWICE:(3)	74	3.0 %	7.0%
4	3-5 X:(4)	76	3.1 %	7.2%
5	6-9X:(5)	11	0.5 %	1.0%
6	10+ X:(6)	19	0.8 %	1.8%
-9 (M)	MISSING:(-9)	1377	56.5 %	-

V6542 **086B10 :*WNT STP SMK NW**

Location: 241-242(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01700

Question Number(s): 6B10

Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

V6542: 086B10 :*WNT STP SMK NW				
Value	Label	Unweighted Frequency	%	Valid %
1	YES:(1)	128	5.2 %	12.0%
2	NO:(2)	253	10.4 %	23.7%
8	DONT SMOKE:(8)	688	28.2 %	64.4%
-9 (M)	MISSING:(-9)	1370	56.2 %	-

V6543 **086B11 :QUIT SMK WRY FAT**

Location: 243-244(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30100

Question Number(s): 6B11

Do you (or did you) worry that quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

- Study 25382 -

V6543: 086B11 :QUIT SMK WRY FAT				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	933	38.3 %	88.4%
2	A LITTLE:(2)	64	2.6 %	6.1%
3	SOME:(3)	27	1.1 %	2.6%
4	A LOT:(4)	31	1.3 %	2.9%
-9 (M)	MISSING:(-9)	1384	56.7 %	-

V6544 **086B12 :START SMK LOSEWT**

Location: 245-246(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question: Item Number: 30110

Question Number(s): 6B12

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

V6544: 086B12 :START SMK LOSEWT				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	964	39.5 %	92.2%
2	A LITTLE:(2)	45	1.8 %	4.3%
3	SOME:(3)	21	0.9 %	2.0%
4	A LOT:(4)	15	0.6 %	1.4%
-9 (M)	MISSING:(-9)	1394	57.2 %	-

V6545 **086B13 :START SMK THISYR**

Location: 247-248(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question: Item Number: 30120

Question Number(s): 6B13

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

- Study 25382 -

not"

V6545: 086B13 :START SMK THISYR				
Value	Label	Unweighted Frequency	%	Valid %
1	ALREADY TRIED:(1)	773	31.7 %	33.2%
2	DEF WILL:(2)	17	0.7 %	0.7%
3	PROB WILL:(3)	55	2.3 %	2.4%
4	PROB WONT:(4)	259	10.6 %	11.1%
5	DEF WONT:(5)	1225	50.2 %	52.6%
-9 (M)	MISSING:(-9)	110	4.5 %	-

V6546 086B14 :NO SMK IN 5 YR

Location: 249-250(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01710

Question Number(s): 6B14

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

V6546: 086B14 :NO SMK IN 5 YR				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	32	1.3 %	1.3%
2	PROB WILL:(2)	202	8.3 %	8.5%
3	PROB WONT:(3)	584	23.9 %	24.5%
4	DEFWONT:(4)	1568	64.3 %	65.7%
-9 (M)	MISSING:(-9)	53	2.2 %	-

V6547 086B15A:NEVER CIG ADDICT

Location: 251-252(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30130

Question Number(s): 6B15A

How much do you agree or disagree with the following statements?

- Study 25382 -

A: I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6547: 086B15A:NEVER CIG ADDICT				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	407	16.7 %	17.0%
2	MOST DISAG:(2)	181	7.4 %	7.6%
3	NEITHER:(3)	221	9.1 %	9.2%
4	MOSTAGREE:(4)	211	8.7 %	8.8%
5	AGREE:(5)	1370	56.2 %	57.3%
-9 (M)	MISSING:(-9)	49	2.0 %	-

V6548 086B15B:QUIT CIG WN WANT

Location: 253-254(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30140

Question Number(s): 6B15B

How much do you agree or disagree with the following statements?

B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6548: 086B15B:QUIT CIG WN WANT				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1273	52.2 %	53.6%
2	MOST DISAG:(2)	350	14.4 %	14.7%
3	NEITHER:(3)	322	13.2 %	13.6%
4	MOSTAGREE:(4)	157	6.4 %	6.6%
5	AGREE:(5)	273	11.2 %	11.5%
-9 (M)	MISSING:(-9)	64	2.6 %	-

V6549 086B15C:SMK -DANGER QUIT

Location: 255-256(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 30150

Question Number(s): 6B15C

How much do you agree or disagree with the following statements?

C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6549: 086B15C:SMK -DANGER QUIT				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1657	67.9 %	69.7%
2	MOST DISAG:(2)	332	13.6 %	14.0%
3	NEITHER:(3)	210	8.6 %	8.8%
4	MOSTAGREE:(4)	89	3.6 %	3.7%
5	AGREE:(5)	91	3.7 %	3.8%
-9 (M)	MISSING:(-9)	60	2.5 %	-

V6550 086B16 :OWN TOBACCO LOGO

Location: 257-258(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30160

Question Number(s): 6B16

Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes" [arrow to Q.B16A]

V6550: 086B16 :OWN TOBACCO LOGO				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2177	89.3 %	91.2%
2	YES:(2)	209	8.6 %	8.8%
-9 (M)	MISSING:(-9)	53	2.2 %	-

V6551 086B16Aa:CIG LOGO CAMEL

Location: 259-260(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 30170

Question Number(s): 6B16Aa

What brand name is on it (or on them)? (Mark all that apply.)

A. Camel

0="UNMARKED" 1="MARKED"

V6551: 086B16Aa:CIG LOGO CAMEL				
Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	156	6.4 %	76.8%
1	YES:(1)	47	1.9 %	23.2%
-9 (M)	MISSING:(-9)	2236	91.7 %	-

V6552 086B16Ab:CIG LOGO KOOL

Location: 261-262(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30180

Question Number(s): 6B16Ab

What brand name is on it (or on them)? (Mark all that apply.)

B. Koool

0="UNMARKED" 1="MARKED"

V6552: 086B16Ab:CIG LOGO KOOL				
Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	193	7.9 %	95.1%
1	YES:(1)	10	0.4 %	4.9%
-9 (M)	MISSING:(-9)	2236	91.7 %	-

V6553 086B16Ac:CIG LOGO MARLB

Location: 263-264(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30190

Question Number(s): 6B16Ac

- Study 25382 -

What brand name is on it (or on them)? (Mark all that apply.)

C. Marlboro

0="UNMARKED" 1="MARKED"

V6553: 086B16Ac:CIG LOGO MARLB				
Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	66	2.7 %	32.5%
1	YES:(1)	137	5.6 %	67.5%
-9 (M)	MISSING:(-9)	2236	91.7 %	-

V6554 086B16Ad:CIG LOGO NEWPT

Location: 265-266(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30200

Question Number(s): 6B16Ad

What brand name is on it (or on them)? (Mark all that apply.)

D. Newport

0="UNMARKED" 1="MARKED"

V6554: 086B16Ad:CIG LOGO NEWPT				
Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	179	7.3 %	88.2%
1	YES:(1)	24	1.0 %	11.8%
-9 (M)	MISSING:(-9)	2236	91.7 %	-

V6555 086B16Ae:CIG LOGO VASLM

Location: 267-268(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30210

Question Number(s): 6B16Ae

What brand name is on it (or on them)? (Mark all that apply.)

E. Virginia Slims

- Study 25382 -

0="UNMARKED" 1="MARKED"

V6555: 086B16Ae:CIG LOGO VASLM				
Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	198	8.1 %	97.5%
1	YES:(1)	5	0.2 %	2.5%
-9 (M)	MISSING:(-9)	2236	91.7 %	-

V6556 086B16Af:CIG LOGO OTHER

Location: 269-270(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30220

Question Number(s): 6B16Af

What brand name is on it (or on them)? (Mark all that apply.)

F. Other

0="UNMARKED" 1="MARKED"

V6556: 086B16Af:CIG LOGO OTHER				
Value	Label	Unweighted Frequency	%	Valid %
0	NO:(0)	158	6.5 %	77.8%
1	YES:(1)	45	1.8 %	22.2%
-9 (M)	MISSING:(-9)	2236	91.7 %	-

V6557 086B17 :SAVED CIG COUPON

Location: 271-272(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30230

Question Number(s): 6B17

Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

1="No" 2="Yes" [arrow to QB17A]

- Study 25382 -

V6557: 086B17 :SAVED CIG COUPON				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	2271	93.1 %	95.3%
2	YES:(2)	113	4.6 %	4.7%
-9 (M)	MISSING:(-9)	55	2.3 %	-

V6558 086B17A:SAVE CIG CPN NOW

Location: 273-274(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30240

Question Number(s): 6B17A

A: Are you currently saving coupons from cigarettes?

1="No" 2="Yes"

V6558: 086B17A:SAVE CIG CPN NOW				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	71	2.9 %	64.5%
2	YES:(2)	39	1.6 %	35.5%
-9 (M)	MISSING:(-9)	2329	95.5 %	-

V6559 086B18 :CO GIVE FREE CIG

Location: 275-276(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30250

Question Number(s): 6B18

Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

V6559: 086B18 :CO GIVE FREE CIG				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2335	95.7 %	97.7%
2	PAST 12MO:(2)	39	1.6 %	1.6%
3	NOT PAST12M:(3)	16	0.7 %	0.7%

- Study 25382 -

V6559: 086B18 :CO GIVE FREE CIG				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	49	2.0 %	-

V6505 086B19 :EVR USE SMOKLESS

Location: 277-278(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22230

Question Number(s): 6B19

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

V6505: 086B19 :EVR USE SMOKLESS				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	2013	82.5 %	84.4%
2	1-2X:(2)	202	8.3 %	8.5%
3	OCCAS:(3)	73	3.0 %	3.1%
4	REG PAST:(4)	35	1.4 %	1.5%
5	REG NOW:(5)	62	2.5 %	2.6%
-9 (M)	MISSING:(-9)	54	2.2 %	-

V6506 086B20 :#X SMKLESS/30 DA

Location: 279-280(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22240

Question Number(s): 6B20

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19]
2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

- Study 25382 -

V6506: 086B20 :#X SMKLESS/30 DA				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	2231	91.5 %	93.5%
2	1-2X:(2)	69	2.8 %	2.9%
3	1-2X/WK:(3)	18	0.7 %	0.8%
4	3-5X/WK:(4)	7	0.3 %	0.3%
5	1/DAY:(5)	11	0.5 %	0.5%
6	>1/DAY:(6)	49	2.0 %	2.1%
-9 (M)	MISSING:(-9)	54	2.2 %	-

V6103 086B21 :EVER DRINK

Location: 281-282(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00790

Question Number(s): 6B21

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

V6103: 086B21 :EVER DRINK				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	670	27.5 %	28.5%
2	YES:(2)	1679	68.8 %	71.5%
-9 (M)	MISSING:(-9)	90	3.7 %	-

V6104 086B22A:#X ALC/LIF SIPS

Location: 283-284(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00810

Question Number(s): 6B22A

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

- Study 25382 -

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6104: 086B22A:#X ALC/LIF SIPS				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	670	27.5 %	29.0%
2	1-2X:(2)	171	7.0 %	7.4%
3	3-5X:(3)	231	9.5 %	10.0%
4	6-9X:(4)	210	8.6 %	9.1%
5	10-19X:(5)	294	12.1 %	12.7%
6	20-39X:(6)	238	9.8 %	10.3%
7	40+OCCAS:(7)	497	20.4 %	21.5%
-9 (M)	MISSING:(-9)	128	5.2 %	-

V6105 086B22B:#X ALC/ANN SIPS

Location: 285-286(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00820

Question Number(s): 6B22B

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6105: 086B22B:#X ALC/ANN SIPS				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	791	32.4 %	34.4%
2	1-2X:(2)	354	14.5 %	15.4%
3	3-5X:(3)	295	12.1 %	12.8%
4	6-9X:(4)	238	9.8 %	10.3%
5	10-19X:(5)	254	10.4 %	11.0%
6	20-39X:(6)	169	6.9 %	7.3%
7	40+OCCAS:(7)	200	8.2 %	8.7%
-9 (M)	MISSING:(-9)	138	5.7 %	-

V6106 086B22C:#X ALC/30D SIPS

- Study 25382 -

Location: 287-288(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00830

Question Number(s): 6B22C

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6106: 086B22C:#X ALC/30D SIPS				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1274	52.2 %	55.3%
2	1-2X:(2)	471	19.3 %	20.4%
3	3-5X:(3)	246	10.1 %	10.7%
4	6-9X:(4)	145	5.9 %	6.3%
5	10-19X:(5)	104	4.3 %	4.5%
6	20-39X:(6)	32	1.3 %	1.4%
7	40+OCCAS:(7)	32	1.3 %	1.4%
-9 (M)	MISSING:(-9)	135	5.5 %	-

V6107 086B23 :#X DRK ENF FL HI

Location: 289-290(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00840

Question Number(s): 6B23

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

V6107: 086B23 :#X DRK ENF FL HI				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	428	17.5 %	25.4%

- Study 25382 -

V6107: 086B23 :#X DRK ENF FL HI				
Value	Label	Unweighted Frequency	%	Valid %
2	FEW:(2)	452	18.5 %	26.9%
3	HALF:(3)	251	10.3 %	14.9%
4	MOST:(4)	327	13.4 %	19.4%
5	NRLY ALL:(5)	225	9.2 %	13.4%
-9 (M)	MISSING:(-9)	756	31.0 %	-

V6108 **086B24 :5+DRK ROW/LST 2W**

Location: 291-292(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00850

Question Number(s): 6B24

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]

2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

V6108: 086B24 :5+DRK ROW/LST 2W				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1637	67.1 %	72.0%
2	ONCE:(2)	246	10.1 %	10.8%
3	TWICE:(3)	170	7.0 %	7.5%
4	3-5X:(4)	151	6.2 %	6.6%
5	6-9X:(5)	36	1.5 %	1.6%
6	10+ TIME:(6)	35	1.4 %	1.5%
-9 (M)	MISSING:(-9)	164	6.7 %	-

V6115 **086B25A:#XMJ+HS/LIFETIME**

Location: 293-294(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00860

Question Number(s): 6B25A

On how many occasions (if any) have you used marijuana

- Study 25382 -

(weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6115: 086B25A:#XMJ+HS/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1338	54.9 %	56.7%
2	1-2X:(2)	248	10.2 %	10.5%
3	3-5X:(3)	143	5.9 %	6.1%
4	6-9X:(4)	103	4.2 %	4.4%
5	10-19X:(5)	102	4.2 %	4.3%
6	20-39X:(6)	96	3.9 %	4.1%
7	40+OCCAS:(7)	331	13.6 %	14.0%
-9 (M)	MISSING:(-9)	78	3.2 %	-

V6116 086B25B:#XMJ+HS/LAST12MO

Location: 295-296(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00870

Question Number(s): 6B25B

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6116: 086B25B:#XMJ+HS/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1572	64.5 %	66.7%
2	1-2X:(2)	231	9.5 %	9.8%
3	3-5X:(3)	124	5.1 %	5.3%
4	6-9X:(4)	81	3.3 %	3.4%
5	10-19X:(5)	84	3.4 %	3.6%
6	20-39X:(6)	72	3.0 %	3.1%
7	40+OCCAS:(7)	192	7.9 %	8.1%

- Study 25382 -

V6116: 086B25B:#XMJ+HS/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	83	3.4 %	-

V6117 086B25C:#XMJ+HS/LAST30DA

Location: 297-298(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00880

Question Number(s): 6B25C

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6117: 086B25C:#XMJ+HS/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1877	77.0 %	79.7%
2	1-2X:(2)	190	7.8 %	8.1%
3	3-5X:(3)	66	2.7 %	2.8%
4	6-9X:(4)	46	1.9 %	2.0%
5	10-19X:(5)	53	2.2 %	2.3%
6	20-39X:(6)	40	1.6 %	1.7%
7	40+OCCAS:(7)	82	3.4 %	3.5%
-9 (M)	MISSING:(-9)	85	3.5 %	-

V6118 086B26A:#X LSD/LIFETIME

Location: 299-300(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00890

Question Number(s): 6B26A

On how many occasions (if any) have you used LSD ("acid") . . .

A: . . . in your lifetime?

- Study 25382 -

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6118: 086B26A:#X LSD/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2282	93.6 %	96.1%
2	1-2X:(2)	52	2.1 %	2.2%
3	3-5X:(3)	18	0.7 %	0.8%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	6	0.2 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	64	2.6 %	-

V6119 086B26B:#X LSD/LAST 12MO

Location: 301-302(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00900

Question Number(s): 6B26B

On how many occasions (if any) have you used LSD ("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6119: 086B26B:#X LSD/LAST 12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2319	95.1 %	97.6%
2	1-2X:(2)	33	1.4 %	1.4%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	64	2.6 %	-

V6120 086B26C:#X LSD/LAST 30DA

- Study 25382 -

Location: 303-304(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00910

Question Number(s): 6B26C

On how many occasions (if any) have you used LSD
 ("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

V6120: 086B26C:#X LSD/LAST 30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2354	96.5 %	99.0%
2	1-2X:(2)	15	0.6 %	0.6%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	62	2.5 %	-

V6121

086B27A:#X PSYD/LIFETIME

Location: 305-306(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00920

Question Number(s): 6B27A

On how many occasions (if any) have you used hallucinogens
 other than LSD (like mescaline, peyote, "shrooms" or
 psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

- Study 25382 -

V6121: 086B27A:#X PSYD/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2182	89.5 %	91.8%
2	1-2X:(2)	98	4.0 %	4.1%
3	3-5X:(3)	51	2.1 %	2.1%
4	6-9X:(4)	23	0.9 %	1.0%
5	10-19X:(5)	8	0.3 %	0.3%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	61	2.5 %	-

V6122 **086B27B:#X PSYD/LAST12MO**

Location: 307-308(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00930

Question Number(s): 6B27B

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6122: 086B27B:#X PSYD/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2245	92.0 %	94.4%
2	1-2X:(2)	82	3.4 %	3.4%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	62	2.5 %	-

V6123 **086B27C:#X PSYD/LAST30DA**

Location: 309-310(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00940

Question Number(s): 6B27C

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6123: 086B27C:#X PSYD/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2332	95.6 %	98.1%
2	1-2X:(2)	29	1.2 %	1.2%
3	3-5X:(3)	12	0.5 %	0.5%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	62	2.5 %	-

V6127

086B28A:#X AMPH/LIFETIME

Location: 311-312(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00980

Question Number(s): 6B28A

Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

More"

V6127: 086B28A:#X AMPH/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2139	87.7 %	89.9%
2	1-2X:(2)	97	4.0 %	4.1%
3	3-5X:(3)	40	1.6 %	1.7%
4	6-9X:(4)	34	1.4 %	1.4%
5	10-19X:(5)	29	1.2 %	1.2%
6	20-39X:(6)	15	0.6 %	0.6%
7	40+OCCAS:(7)	24	1.0 %	1.0%
-9 (M)	MISSING:(-9)	61	2.5 %	-

V6128 086B28B:#X AMPH/LAST12MO

Location: 313-314(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00990

Question Number(s): 6B28B

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6128: 086B28B:#X AMPH/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2229	91.4 %	93.7%
2	1-2X:(2)	70	2.9 %	2.9%
3	3-5X:(3)	27	1.1 %	1.1%
4	6-9X:(4)	21	0.9 %	0.9%
5	10-19X:(5)	15	0.6 %	0.6%
6	20-39X:(6)	12	0.5 %	0.5%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	60	2.5 %	-

V6129 086B28C:#X AMPH/LAST30DA

Location: 315-316(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 01000

Question Number(s): 6B28C

On how many occasions (if any) have you taken amphetamines
 on your own--that is, without a doctor telling you to take
 them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

V6129: 086B28C:#X AMPH/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2311	94.8 %	97.1%
2	1-2X:(2)	40	1.6 %	1.7%
3	3-5X:(3)	19	0.8 %	0.8%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	0	0.0 %	-
-9 (M)	MISSING:(-9)	60	2.5 %	-

V6517 086B29A:#X CRACK/LIFETIM

Location: 317-318(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9

Question:
 Item Number: 22260

Question Number(s): 6B29A

On how many occasions (if any) have you used "crack" (cocaine
 in chunk or rock form) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

- Study 25382 -

V6517: 086B29A:#X CRACK/LIFETIM				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2321	95.2 %	97.4%
2	1-2X (2)	40	1.6 %	1.7%
3	3-5X (3)	11	0.5 %	0.5%
4	6-9X (4)	3	0.1 %	0.1%
5	10-19X (5)	5	0.2 %	0.2%
6	20-39X (6)	2	0.1 %	0.1%
7	40+X (7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	55	2.3 %	-

V6518 086B29B:#X CRACK/LAST12M

Location: 319-320(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22270

Question Number(s): 6B29B

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6518: 086B29B:#X CRACK/LAST12M				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2356	96.6 %	98.8%
2	1-2X (2)	14	0.6 %	0.6%
3	3-5X (3)	8	0.3 %	0.3%
4	6-9X (4)	4	0.2 %	0.2%
5	10-19X (5)	1	0.0 %	0.0%
6	20-39X (6)	1	0.0 %	0.0%
7	40+X (7)	0	0.0 %	-
-9 (M)	MISSING:(-9)	55	2.3 %	-

V6519 086B29C:#X CRACK/LAST30D

Location: 321-322(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 22280

Question Number(s): 6B29C

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6519: 086B29C:#X CRACK/LAST30D				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2376	97.4 %	99.6%
2	1-2X (2)	4	0.2 %	0.2%
3	3-5X (3)	2	0.1 %	0.1%
4	6-9X (4)	1	0.0 %	0.0%
5	10-19X (5)	1	0.0 %	0.0%
6	20-39X (6)	1	0.0 %	0.0%
7	40+X (7)	0	0.0 %	-
-9 (M)	MISSING:(-9)	54	2.2 %	-

V6520

086B30A:#XOTH COKE/LIFE

Location: 323-324(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22320

Question Number(s): 6B30A

On how many occasions (if any) have you used cocaine in any other form . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6520: 086B30A:#XOTH COKE/LIFE				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2217	90.9 %	93.3%
2	1-2X (2)	74	3.0 %	3.1%

- Study 25382 -

V6520: 086B30A:#XOTH COKE/LIFE				
Value	Label	Unweighted Frequency	%	Valid %
3	3-5X (3)	30	1.2 %	1.3%
4	6-9X (4)	15	0.6 %	0.6%
5	10-19X (5)	16	0.7 %	0.7%
6	20-39X (6)	10	0.4 %	0.4%
7	40+X (7)	15	0.6 %	0.6%
-9 (M)	MISSING:(-9)	62	2.5 %	-

V6521 086B30B:#XOTH COKE/12MO

Location: 325-326(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22330

Question Number(s): 6B30B

On how many occasions (if any) have you used cocaine in any other form . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6521: 086B30B:#XOTH COKE/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2277	93.4 %	95.9%
2	1-2X (2)	55	2.3 %	2.3%
3	3-5X (3)	15	0.6 %	0.6%
4	6-9X (4)	11	0.5 %	0.5%
5	10-19X (5)	9	0.4 %	0.4%
6	20-39X (6)	3	0.1 %	0.1%
7	40+X (7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	64	2.6 %	-

V6522 086B30C:#XOTH COKE/30DA

Location: 327-328(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22340

- Study 25382 -

Question Number(s): 6B30C

On how many occasions (if any) have you used cocaine in any other form . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6522: 086B30C:#XOTH COKE/30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS (1)	2341	96.0 %	98.5%
2	1-2X (2)	21	0.9 %	0.9%
3	3-5X (3)	6	0.2 %	0.3%
4	6-9X (4)	4	0.2 %	0.2%
5	10-19X (5)	1	0.0 %	0.0%
6	20-39X (6)	1	0.0 %	0.0%
7	40+X (7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	63	2.6 %	-

V6124

086R :#X COKE/LIFETIME

Location: 329-330(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00950

Question Number(s): 6B30X

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

A. . . . in your lifetime?" [item 22260]

and "On how many occasions (if any) have you used cocaine in any other form . . .

A. . . . in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6124: 086R :#X COKE/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2193	89.9 %	92.3%

- Study 25382 -

V6124: 086R :#X COKE/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	82	3.4 %	3.5%
3	3-5X:(3)	39	1.6 %	1.6%
4	6-9X:(4)	15	0.6 %	0.6%
5	10-19X:(5)	20	0.8 %	0.8%
6	20-39X:(6)	8	0.3 %	0.3%
7	40+OCCAS:(7)	19	0.8 %	0.8%
-9 (M)	MISSING:(-9)	63	2.6 %	-

V6125 **086R :#X COKE/LAST12MO**

Location: 331-332(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00960

Question Number(s): 6B30Y

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

B. . . . During the last 12 months?" [item 22270]

and "On how many occasions (if any) have you used cocaine in any other form . . .

B. . . . During the last 12 months? [item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6125: 086R :#X COKE/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2267	92.9 %	95.5%
2	1-2X:(2)	53	2.2 %	2.2%
3	3-5X:(3)	22	0.9 %	0.9%
4	6-9X:(4)	10	0.4 %	0.4%
5	10-19X:(5)	14	0.6 %	0.6%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	65	2.7 %	-

V6126 **086R :#X COKE/LAST30DA**

Location: 333-334(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00970

Question Number(s): 6B30Z

Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . .

C. . . . During the last 30 days?" [item 22280]

and "On how many occasions (if any) have you used cocaine in any other form . . .

C. . . . During the last 30 days? [item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6126: 086R :#X COKE/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2336	95.8 %	98.4%
2	1-2X:(2)	22	0.9 %	0.9%
3	3-5X:(3)	8	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	64	2.6 %	-

V6133 086B31A:#X SED/BARB/LIFE

Location: 335-336(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 01042

Question Number(s): 6B31A

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

- Study 25382 -

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6133: 086B31A:#X SED/BARB/LIFE				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2167	88.8 %	91.1%
2	1-2X:(2)	83	3.4 %	3.5%
3	3-5X:(3)	41	1.7 %	1.7%
4	6-9X:(4)	34	1.4 %	1.4%
5	10-19X:(5)	21	0.9 %	0.9%
6	20-39X:(6)	15	0.6 %	0.6%
7	40+OCCAS:(7)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	60	2.5 %	-

V6134 086B31B:#X SED/BARB/12MO

Location: 337-338(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01052

Question Number(s): 6B31B

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6134: 086B31B:#X SED/BARB/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2242	91.9 %	94.2%
2	1-2X:(2)	65	2.7 %	2.7%
3	3-5X:(3)	31	1.3 %	1.3%
4	6-9X:(4)	22	0.9 %	0.9%
5	10-19X:(5)	12	0.5 %	0.5%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	59	2.4 %	-

V6135 086B31C:#X SED/BARB/30DA

- Study 25382 -

Location: 339-340(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01062

Question Number(s): 6B31C

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6135: 086B31C:#X SED/BARB/30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2312	94.8 %	97.2%
2	1-2X:(2)	42	1.7 %	1.8%
3	3-5X:(3)	13	0.5 %	0.5%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	60	2.5 %	-

V6136

086B32A:#X TRQL/LIFETIME

Location: 341-342(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01070

Question Number(s): 6B32A

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

More"

V6136: 086B32A:#X TRQL/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2158	88.5 %	90.7%
2	1-2X:(2)	95	3.9 %	4.0%
3	3-5X:(3)	43	1.8 %	1.8%
4	6-9X:(4)	25	1.0 %	1.1%
5	10-19X:(5)	21	0.9 %	0.9%
6	20-39X:(6)	14	0.6 %	0.6%
7	40+OCCAS:(7)	23	0.9 %	1.0%
-9 (M)	MISSING:(-9)	60	2.5 %	-

V6137 086B32B:#X TRQL/LAST12MO

Location: 343-344(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01080

Question Number(s): 6B32B

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6137: 086B32B:#X TRQL/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2234	91.6 %	93.9%
2	1-2X:(2)	72	3.0 %	3.0%
3	3-5X:(3)	30	1.2 %	1.3%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	13	0.5 %	0.5%
6	20-39X:(6)	5	0.2 %	0.2%
7	40+OCCAS:(7)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	59	2.4 %	-

V6138 086B32C:#X TRQL/LAST30DA

Location: 345-346(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 01090

Question Number(s): 6B32C

On how many occasions (if any) have you taken tranquilizers
 on your own--that is, without a doctor telling you to take
 them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

V6138: 086B32C:#X TRQL/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2312	94.8 %	97.2%
2	1-2X:(2)	35	1.4 %	1.5%
3	3-5X:(3)	17	0.7 %	0.7%
4	6-9X:(4)	8	0.3 %	0.3%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	61	2.5 %	-

V6511 086B33A:#X H LIF USE NDL

Location: 347-348(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 29630

Question Number(s): 6B33A

On how many occasions (if any) have you taken heroin using a
 needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
 More"

- Study 25382 -

V6511: 086B33A:#X H LIF USE NDL				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2366	97.0 %	99.5%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	0	0.0 %	-
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	61	2.5 %	-

V6512 **086B33B:#X H 12M USE NDL**

Location: 349-350(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29640

Question Number(s): 6B33B

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6512: 086B33B:#X H 12M USE NDL				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2371	97.2 %	99.7%
2	1-2X:(2)	2	0.1 %	0.1%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	0	0.0 %	-
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	61	2.5 %	-

V6513 **086B33C:#X H 30D USE NDL**

Location: 351-352(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 29650

Question Number(s): 6B33C

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6513: 086B33C:#X H 30D USE NDL				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2376	97.4 %	99.8%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	0	0.0 %	-
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	0	0.0 %	-
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	59	2.4 %	-

V6514

086B34A:#X H LIF W/O NDL

Location: 353-354(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29660

Question Number(s): 6B34A

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6514: 086B34A:#X H LIF W/O NDL				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2348	96.3 %	99.0%
2	1-2X:(2)	13	0.5 %	0.5%

- Study 25382 -

V6514: 086B34A:#X H LIF W/O NDL				
Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	68	2.8 %	-

V6515 086B34B:#X H 12M W/O NDL

Location: 355-356(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29670

Question Number(s): 6B34B

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6515: 086B34B:#X H 12M W/O NDL				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2362	96.8 %	99.6%
2	1-2X:(2)	4	0.2 %	0.2%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	0	0.0 %	-
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	68	2.8 %	-

V6516 086B34C:#X H 30D W/O NDL

Location: 357-358(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29680

- Study 25382 -

Question Number(s): 6B34C

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6516: 086B34C:#X H 30D W/O NDL				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2371	97.2 %	99.9%
2	1-2X:(2)	1	0.0 %	0.0%
3	3-5X:(3)	0	0.0 %	-
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	0	0.0 %	-
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	0	0.0 %	-
-9 (M)	MISSING:(-9)	66	2.7 %	-

V6139

086R* :#X "H"/LIFETIME

Location: 359-360(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01100

Question Number(s): 6B34X

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6139: 086R* :#X "H"/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2349	96.3 %	98.7%

- Study 25382 -

V6139: 086R* :#X "H"/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
2	1-2X:(2)	16	0.7 %	0.7%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	59	2.4 %	-

V6140 **086R* :#X "H"/LAST12MO**

Location: 361-362(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01110

Question Number(s): 6B34Y

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6140: 086R* :#X "H"/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2368	97.1 %	99.5%
2	1-2X:(2)	3	0.1 %	0.1%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	59	2.4 %	-

V6141 **086R* :#X "H"/LAST30DAY**

Location: 363-364(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01120

Question Number(s): 6B34Z

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6141: 086R* :#X "H"/LAST30DAY				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2378	97.5 %	99.8%
2	1-2X:(2)	0	0.0 %	-
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	0	0.0 %	-
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	57	2.3 %	-

V6142 086B35A:#X NARC/LIFETIME

Location: 365-366(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01130

Question Number(s): 6B35A

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

- Study 25382 -

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6142: 086B35A:#X NARC/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2063	84.6 %	87.5%
2	1-2X:(2)	113	4.6 %	4.8%
3	3-5X:(3)	58	2.4 %	2.5%
4	6-9X:(4)	45	1.8 %	1.9%
5	10-19X:(5)	30	1.2 %	1.3%
6	20-39X:(6)	21	0.9 %	0.9%
7	40+OCCAS:(7)	29	1.2 %	1.2%
-9 (M)	MISSING:(-9)	80	3.3 %	-

V6143 086B35B:#X NARC/LAST12MO

Location: 367-368(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01140

Question Number(s): 6B35B

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6143: 086B35B:#X NARC/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2148	88.1 %	91.1%
2	1-2X:(2)	94	3.9 %	4.0%
3	3-5X:(3)	36	1.5 %	1.5%
4	6-9X:(4)	35	1.4 %	1.5%
5	10-19X:(5)	25	1.0 %	1.1%
6	20-39X:(6)	9	0.4 %	0.4%
7	40+OCCAS:(7)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	80	3.3 %	-

V6144 086B35C:#X NARC/LAST30DA

- Study 25382 -

Location: 369-370(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 01150

Question Number(s): 6B35C

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6144: 086B35C:#X NARC/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2268	93.0 %	96.1%
2	1-2X:(2)	46	1.9 %	1.9%
3	3-5X:(3)	29	1.2 %	1.2%
4	6-9X:(4)	7	0.3 %	0.3%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	80	3.3 %	-

V129 086B36A:#X METHAMPH/LIFE

Location: 371-372(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30800

Question Number(s): 6B36A

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

V129: 086B36A:#X METHAMPH/LIFE				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2296	94.1 %	97.3%
2	1-2X:(2)	32	1.3 %	1.4%
3	3-5X:(3)	11	0.5 %	0.5%
4	6-9X:(4)	6	0.2 %	0.3%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	80	3.3 %	-

V130 **086B36B:#X METHAMPH/12MO**

Location: 373-374(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30810

Question Number(s): 6B36B

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V130: 086B36B:#X METHAMPH/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2283	93.6 %	99.0%
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	1	0.0 %	0.0%
-9 (M)	MISSING:(-9)	132	5.4 %	-

V131 **086B36C:#X METHAMPH/30DA**

Location: 375-376(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 30820

Question Number(s): 6B36C

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V131: 086B36C:#X METHAMPH/30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2296	94.1 %	99.6%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	0	0.0 %	-
5	10-19X:(5)	0	0.0 %	-
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	0	0.0 %	-
-9 (M)	MISSING:(-9)	134	5.5 %	-

V6148

086C01(R):AGE <>18 DICHOTOMY

Location: 377-378(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 6C01-2

Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

V6148: 086C01(R):AGE <>18 DICHOTOMY				
Value	Label	Unweighted Frequency	%	Valid %
1	< 18:(1)	993	40.7 %	41.9%
2	18+:(2)	1378	56.5 %	58.1%
-9 (M)	MISSING:(-9)	68	2.8 %	-

V6150 086C03 :R'S SEX

Location: 379-380(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00030

Question Number(s): 6C03

What is your sex?

1="Male" 2="Female"

V6150: 086C03 :R'S SEX				
Value	Label	Unweighted Frequency	%	Valid %
1	MALE:(1)	1106	45.3 %	47.8%
2	FEMALE:(2)	1209	49.6 %	52.2%
-9 (M)	MISSING:(-9)	124	5.1 %	-

V6151 086C04(R):R'S RACEB/W/H

Location: 381-382(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 6C04A-I

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above].

- Study 25382 -

V6151: 086C04(R):R'S RACEB/W/H				
Value	Label	Unweighted Frequency	%	Valid %
1	BLACK: (1)	324	13.3 %	15.6%
2	WHITE: (2)	1382	56.7 %	66.7%
3	HISPANIC: (3)	366	15.0 %	17.7%
-9 (M)	MISSING:(-9)	367	15.0 %	-

V6152 **086C05 :R SPD >TIM R-URB**

Location: 383-384(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00050

Question Number(s): 6C05

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

V6152: 086C05 :R SPD >TIM R-URB				
Value	Label	Unweighted Frequency	%	Valid %
0	DK/MIXED:(0)	253	10.4 %	10.4%
1	FARM:(1)	84	3.4 %	3.4%
2	COUNTRY:(2)	199	8.2 %	8.2%
3	SML TOWN:(3)	563	23.1 %	23.1%
4	MED CITY:(4)	324	13.3 %	13.3%
5	SUBURB 4:(5)	249	10.2 %	10.2%
6	LRG CITY:(6)	281	11.5 %	11.5%
7	SUBURB 6:(7)	182	7.5 %	7.5%
8	VRYLG CY:(8)	166	6.8 %	6.8%
9	SUBURB 8:(9)	138	5.7 %	5.7%
-9 (M)	MISSING:(-9)	0	0.0 %	-

V6153 **086C06 :R NOT MARRIED**

Location: 385-386(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00060

Question Number(s): 6C06

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

V6153: 086C06 :R NOT MARRIED				
Value	Label	Unweighted Frequency	%	Valid %
1	MARRIED:(1)	79	3.2 %	3.3%
2	ENGAGED:(2)	121	5.0 %	5.1%
3	SEP/DIV:(3)	38	1.6 %	1.6%
4	SINGLE:(4)	2145	87.9 %	90.0%
-9 (M)	MISSING:(-9)	56	2.3 %	-

V49

08C07R:# SIBLINGS

Location: 387-388(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number:

Question Number(s): 6C07A-B

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five"
6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

V49: 08C07R:# SIBLINGS				
Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	142	5.8 %	6.0%
1	ONE:(1)	690	28.3 %	29.1%
2	TWO:(2)	617	25.3 %	26.0%
3	3 OR MORE:(3)	924	37.9 %	38.9%
-9 (M)	MISSING:(-9)	66	2.7 %	-

V6155

086C07Cb(R):R'S HSHLD FATHER

- Study 25382 -

Location: 389-390(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00090

Question Number(s): 6C07Cb

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

V6155: 086C07Cb(R):R'S HSHLD FATHER				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	686	28.1 %	28.9%
1	MARKED:(1)	1691	69.3 %	71.1%
-9 (M)	MISSING:(-9)	62	2.5 %	-

V6156 086C07Cc(R):R'S HSHLD MOTHER

Location: 391-392(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 00100

Question Number(s): 6C07Cc

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

V6156: 086C07Cc(R):R'S HSHLD MOTHER				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	254	10.4 %	10.7%
1	MARKED:(1)	2123	87.0 %	89.3%
-9 (M)	MISSING:(-9)	62	2.5 %	-

V6157 086C07Cd(R):R'S HSHLD BR/SR

Location: 393-394(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00110

Question Number(s): 6C07Cd

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

V6157: 086C07Cd(R):R'S HSHLD BR/SR				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	791	32.4 %	33.3%
1	MARKED:(1)	1586	65.0 %	66.7%
-9 (M)	MISSING:(-9)	62	2.5 %	-

V6163 086C08 :FATHR EDUC LEVEL

Location: 395-396(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00310

Question Number(s): 6C08

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

V6163: 086C08 :FATHR EDUC LEVEL				
Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	91	3.7 %	3.8%
2	SOME HS:(2)	262	10.7 %	11.0%
3	HS GRAD:(3)	602	24.7 %	25.3%

- Study 25382 -

V6163: 086C08 :FATHR EDUC LEVEL				
Value	Label	Unweighted Frequency	%	Valid %
4	SOME CLG:(4)	389	15.9 %	16.4%
5	CLG GRAD:(5)	511	21.0 %	21.5%
6	GRAD SCH:(6)	303	12.4 %	12.7%
7	DK:(7)	220	9.0 %	9.3%
-9 (M)	MISSING:(-9)	61	2.5 %	-

V6164 **086C09 :MOTHR EDUC LEVEL**

Location: 397-398(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question: Item Number: 00320

Question Number(s): 6C09

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"
7="Don't know, or does not apply"

V6164: 086C09 :MOTHR EDUC LEVEL				
Value	Label	Unweighted Frequency	%	Valid %
1	GRDE SCH:(1)	80	3.3 %	3.4%
2	SOME HS:(2)	213	8.7 %	8.9%
3	HS GRAD:(3)	616	25.3 %	25.9%
4	SOME CLG:(4)	481	19.7 %	20.2%
5	CLG GRAD:(5)	592	24.3 %	24.9%
6	GRAD SCH:(6)	284	11.6 %	11.9%
7	DK:(7)	115	4.7 %	4.8%
-9 (M)	MISSING:(-9)	58	2.4 %	-

V6165 **086C10 :MOTH PD JB R YNG**

Location: 399-400(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question: Item Number: 00330

Question Number(s): 6C10

Did your mother have a paid job (half-time or more) during

- Study 25382 -

the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

V6165: 086C10 :MOTH PD JB R YNG				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	338	13.9 %	14.3%
2	SOMETIME:(2)	420	17.2 %	17.7%
3	MOSTTIME:(3)	405	16.6 %	17.1%
4	ALL TIME:(4)	1208	49.5 %	50.9%
-9 (M)	MISSING:(-9)	68	2.8 %	-

V6166 086C11 :R'S POLTL PRFNC

Location: 401-402(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00340

Question Number(s): 6C11

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

V6166: 086C11 :R'S POLTL PRFNC				
Value	Label	Unweighted Frequency	%	Valid %
1	STRG GOP:(1)	195	8.0 %	8.5%
2	MILD GOP:(2)	284	11.6 %	12.4%
3	MILD DEM:(3)	342	14.0 %	15.0%
4	STRG DEM:(4)	350	14.4 %	15.3%
5	INDEPNDT:(5)	237	9.7 %	10.4%
6	NO PREF:(6)	327	13.4 %	14.3%
7	OTHER:(7)	46	1.9 %	2.0%
8	DK:(8)	506	20.7 %	22.1%
-9 (M)	MISSING:(-9)	152	6.2 %	-

V6167 086C12 :R'POL BLF RADCL

Location: 403-404(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00350

Question Number(s): 6C12

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of
the above, or don't know"

V6167: 086C12 :R'POL BLF RADCL				
Value	Label	Unweighted Frequency	%	Valid %
1	VRV CONS:(1)	106	4.3 %	4.5%
2	CONSERV:(2)	302	12.4 %	12.8%
3	MODERATE:(3)	522	21.4 %	22.1%
4	LIBERAL:(4)	400	16.4 %	17.0%
5	VRV LIB:(5)	161	6.6 %	6.8%
6	RADICAL:(6)	50	2.1 %	2.1%
8	NONE/DK:(8)	816	33.5 %	34.6%
-9 (M)	MISSING:(-9)	82	3.4 %	-

V6169 086C13B:R'ATTND REL SVC

Location: 405-406(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00370

Question Number(s): 6C13B

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once
a week or more"

Responses from the western region intentionally obliterated.

V6169: 086C13B:R'ATTND REL SVC				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	396	16.2 %	21.9%
2	RARELY:(2)	619	25.4 %	34.3%
3	1-2X/MO:(3)	293	12.0 %	16.2%
4	1/WK OR+:(4)	498	20.4 %	27.6%
-9 (M)	MISSING:(-9)	633	26.0 %	-

V6170 086C13C:RLGN IMP R'S LF

- Study 25382 -

Location: 407-408(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00380

Question Number(s): 6C13C

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

V6170: 086C13C:RLGN IMP R'S LF				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT IMPT:(1)	383	15.7 %	21.2%
2	LITL IMP:(2)	448	18.4 %	24.8%
3	PRTY IMP:(3)	521	21.4 %	28.8%
4	VERY IMP:(4)	457	18.7 %	25.3%
-9 (M)	MISSING:(-9)	630	25.8 %	-

V6171 086C14 :WHEN R XPCT GRAD

Location: 409-410(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00390

Question Number(s): 6C14

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

V6171: 086C14 :WHEN R XPCT GRAD				
Value	Label	Unweighted Frequency	%	Valid %
1	BY JUNE:(1)	2319	95.1 %	98.1%
2	JULY-JAN:(2)	34	1.4 %	1.4%
3	AFT JAN:(3)	0	0.0 %	-
6	WONT:(6)	10	0.4 %	0.4%
-9 (M)	MISSING:(-9)	76	3.1 %	-

V6172 086C15 :R'S HS PROGRAM

- Study 25382 -

Location: 411-412(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00400

Question Number(s): 6C15

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

V6172: 086C15 :R'S HS PROGRAM				
Value	Label	Unweighted Frequency	%	Valid %
1	CLG PREP:(1)	1256	51.5 %	53.5%
2	GENERAL:(2)	729	29.9 %	31.0%
3	VOC-TECH:(3)	121	5.0 %	5.2%
4	OTH/DK:(4)	242	9.9 %	10.3%
-9 (M)	MISSING:(-9)	91	3.7 %	-

V6173 086C16 :RT SF SCH AB>AVG

Location: 413-414(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00410

Question Number(s): 6C16

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

V6173: 086C16 :RT SF SCH AB>AVG				
Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	37	1.5 %	1.6%
2	BELOW AV:(2)	47	1.9 %	2.0%
3	SL BELOW:(3)	102	4.2 %	4.3%
4	AVERAGE:(4)	755	31.0 %	32.2%
5	SL ABOVE:(5)	560	23.0 %	23.9%
6	ABOVE AV:(6)	680	27.9 %	29.0%

- Study 25382 -

V6173: 086C16 :RT SF SCH AB>AVG				
Value	Label	Unweighted Frequency	%	Valid %
7	FAR ABOV:(7)	167	6.8 %	7.1%
-9 (M)	MISSING:(-9)	91	3.7 %	-

V6174 086C17 :RT SF INTELL>AVG

Location: 415-416(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00420

Question Number(s): 6C17

How intelligent do you think you are compared with others
your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below
Average" 4="Average" 5="Slightly Above Average" 6="Above
Average" 7="Far Above Average"

V6174: 086C17 :RT SF INTELL>AVG				
Value	Label	Unweighted Frequency	%	Valid %
1	FAR BLOW:(1)	27	1.1 %	1.1%
2	BELOW AV:(2)	26	1.1 %	1.1%
3	SL BELOW:(3)	93	3.8 %	4.0%
4	AVERAGE:(4)	692	28.4 %	29.5%
5	SL ABOVE:(5)	590	24.2 %	25.1%
6	ABOVE AV:(6)	710	29.1 %	30.2%
7	FAR ABOV:(7)	211	8.7 %	9.0%
-9 (M)	MISSING:(-9)	90	3.7 %	-

V6175 086C18A:#DA/4W SC MS ILL

Location: 417-418(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00430

Question Number(s): 6C18A

During the LAST FOUR WEEKS, how many whole days of school
have you missed . . .

A: . . . Because of illness?

- Study 25382 -

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

V6175: 086C18A:#DA/4W SC MS ILL				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1314	53.9 %	56.4%
2	1 DAY:(2)	421	17.3 %	18.1%
3	2 DAYS:(3)	244	10.0 %	10.5%
4	3 DAYS:(4)	179	7.3 %	7.7%
5	4-5 DAYS:(5)	103	4.2 %	4.4%
6	6-10 DA:(6)	43	1.8 %	1.8%
7	11+ DAYS:(7)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	108	4.4 %	-

V6176 **086C18B:#DA/4W SC MS CUT**

Location: 419-420(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00440

Question Number(s): 6C18B

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

V6176: 086C18B:#DA/4W SC MS CUT				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1495	61.3 %	65.0%
2	1 DAY:(2)	354	14.5 %	15.4%
3	2 DAYS:(3)	173	7.1 %	7.5%
4	3 DAYS:(4)	129	5.3 %	5.6%
5	4-5 DAYS:(5)	77	3.2 %	3.3%
6	6-10 DA:(6)	45	1.8 %	2.0%
7	11+ DAYS:(7)	27	1.1 %	1.2%
-9 (M)	MISSING:(-9)	139	5.7 %	-

V6177 **086C18C:#DA/4W SC MS OTH**

Location: 421-422(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 00450

Question Number(s): 6C18C

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

V6177: 086C18C:#DA/4W SC MS OTH				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1203	49.3 %	52.0%
2	1 DAY:(2)	506	20.7 %	21.9%
3	2 DAYS:(3)	291	11.9 %	12.6%
4	3 DAYS:(4)	149	6.1 %	6.4%
5	4-5 DAYS:(5)	93	3.8 %	4.0%
6	6-10 DA:(6)	41	1.7 %	1.8%
7	11+ DAYS:(7)	31	1.3 %	1.3%
-9 (M)	MISSING:(-9)	125	5.1 %	-

V6178

086C19 :#DA/4W SKP CLASS

Location: 423-424(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00460

Question Number(s): 6C19

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

V6178: 086C19 :#DA/4W SKP CLASS				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1527	62.6 %	65.1%
2	1-2:(2)	493	20.2 %	21.0%
3	3-5:(3)	193	7.9 %	8.2%
4	6-10:(4)	79	3.2 %	3.4%

- Study 25382 -

V6178: 086C19 :#DA/4W SKP CLASS				
Value	Label	Unweighted Frequency	%	Valid %
5	11-20:(5)	29	1.2 %	1.2%
6	21+:(6)	25	1.0 %	1.1%
-9 (M)	MISSING:(-9)	93	3.8 %	-

V6179 086C20 :R HS GRADE/D = 1

Location: 425-426(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00470

Question Number(s): 6C20

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

V6179: 086C20 :R HS GRADE/D = 1				
Value	Label	Unweighted Frequency	%	Valid %
1	D:(1)	38	1.6 %	1.6%
2	C-:(2)	70	2.9 %	3.0%
3	C:(3)	142	5.8 %	6.1%
4	C+:(4)	217	8.9 %	9.3%
5	B-:(5)	281	11.5 %	12.0%
6	B:(6)	404	16.6 %	17.2%
7	B+:(7)	434	17.8 %	18.5%
8	A-:(8)	406	16.6 %	17.3%
9	A:(9)	353	14.5 %	15.1%
-9 (M)	MISSING:(-9)	94	3.9 %	-

V6180 086C21A:R WL DO VOC/TEC

Location: 427-428(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00480

Question Number(s): 6C21A

How likely is it that you will do each of the following

- Study 25382 -

things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

V6180: 086C21A:R WL DO VOC/TEC				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1317	54.0 %	58.2%
2	PRB WONT:(2)	498	20.4 %	22.0%
3	PRB WILL:(3)	269	11.0 %	11.9%
4	DEF WILL:(4)	179	7.3 %	7.9%
-9 (M)	MISSING:(-9)	176	7.2 %	-

V6181 086C21B:R WL DO ARMD FC

Location: 429-430(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00490

Question Number(s): 6C21B

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

V6181: 086C21B:R WL DO ARMD FC				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	1708	70.0 %	75.1%
2	PRB WONT:(2)	351	14.4 %	15.4%
3	PRB WILL:(3)	127	5.2 %	5.6%
4	DEF WILL:(4)	89	3.6 %	3.9%
-9 (M)	MISSING:(-9)	164	6.7 %	-

V6182 086C21C:R WL DO 2YR CLG

Location: 431-432(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00500

- Study 25382 -

Question Number(s): 6C21C

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

V6182: 086C21C:R WL DO 2YR CLG				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	899	36.9 %	39.9%
2	PRB WONT:(2)	413	16.9 %	18.3%
3	PRB WILL:(3)	474	19.4 %	21.0%
4	DEF WILL:(4)	469	19.2 %	20.8%
-9 (M)	MISSING:(-9)	184	7.5 %	-

V6183 086C21D:R WL DO 4YR CLG

Location: 433-434(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00510

Question Number(s): 6C21D

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

V6183: 086C21D:R WL DO 4YR CLG				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	188	7.7 %	8.2%
2	PRB WONT:(2)	216	8.9 %	9.4%
3	PRB WILL:(3)	520	21.3 %	22.7%
4	DEF WILL:(4)	1371	56.2 %	59.7%
-9 (M)	MISSING:(-9)	144	5.9 %	-

V6184 086C21E:R WL DO GRD/PRF

Location: 435-436(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 00520

Question Number(s): 6C21E

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

V6184: 086C21E:R WL DO GRD/PRF				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WONT:(1)	380	15.6 %	16.8%
2	PRB WONT:(2)	598	24.5 %	26.4%
3	PRB WILL:(3)	745	30.5 %	32.9%
4	DEF WILL:(4)	541	22.2 %	23.9%
-9 (M)	MISSING:(-9)	175	7.2 %	-

V6185 086C22A:R WNTDO VOC/TEC

Location: 437-438(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00530

Question Number(s): 6C22A

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

V6185: 086C22A:R WNTDO VOC/TEC				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1946	79.8 %	84.4%
1	MARKED:(1)	359	14.7 %	15.6%
-9 (M)	MISSING:(-9)	134	5.5 %	-

V6186 086C22B:R WNTDO ARMD FC

Location: 439-440(width: 2; decimal: 0)

- Study 25382 -

Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00540

Question Number(s): 6C22B

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

V6186: 086C22B:R WNTDO ARMD FC				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2027	83.1 %	87.9%
1	MARKED:(1)	278	11.4 %	12.1%
-9 (M)	MISSING:(-9)	134	5.5 %	-

V6187 086C22C:R WNTDO 2YR CLG

Location: 441-442(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00550

Question Number(s): 6C22C

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

V6187: 086C22C:R WNTDO 2YR CLG				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	1676	68.7 %	72.7%
1	MARKED:(1)	629	25.8 %	27.3%
-9 (M)	MISSING:(-9)	134	5.5 %	-

V6188 086C22D:R WNTDO 4YR CLG

Location: 443-444(width: 2; decimal: 0)
 Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 00560

Question Number(s): 6C22D

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

V6188: 086C22D:R WNTDO 4YR CLG				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	453	18.6 %	19.7%
1	MARKED:(1)	1852	75.9 %	80.3%
-9 (M)	MISSING:(-9)	134	5.5 %	-

V6189 086C22E:R WNTDO GRD/PRF

Location: 445-446(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00570

Question Number(s): 6C22E

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

V6189: 086C22E:R WNTDO GRD/PRF				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	991	40.6 %	43.0%
1	MARKED:(1)	1314	53.9 %	57.0%
-9 (M)	MISSING:(-9)	134	5.5 %	-

V6190 086C22F:R WNTDO NONE

Location: 447-448(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00580

Question Number(s): 6C22F

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

V6190: 086C22F:R WNTDO NONE				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MARKD:(0)	2189	89.7 %	95.0%
1	MARKED:(1)	116	4.8 %	5.0%
-9 (M)	MISSING:(-9)	134	5.5 %	-

V6191 086C23 :HRS/W WRK SCHYR

Location: 449-450(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00590

Question Number(s): 6C23

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

V6191: 086C23 :HRS/W WRK SCHYR				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	752	30.8 %	32.4%
2	5 OR <:(2)	207	8.5 %	8.9%
3	6-10 HRS:(3)	215	8.8 %	9.3%
4	11-15 HR:(4)	268	11.0 %	11.6%
5	16-20 HR:(5)	314	12.9 %	13.5%
6	21-25 HR:(6)	236	9.7 %	10.2%
7	26-30 HR:(7)	147	6.0 %	6.3%
8	30+ HRS:(8)	181	7.4 %	7.8%
-9 (M)	MISSING:(-9)	119	4.9 %	-

- Study 25382 -

V6192 086C24A:R\$/AVG WEEK JOB

Location: 451-452(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00600

Question Number(s): 6C24A

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126+"

V6192: 086C24A:R\$/AVG WEEK JOB				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	830	34.0 %	36.4%
2	\$1-5:(2)	16	0.7 %	0.7%
3	\$6-10:(3)	75	3.1 %	3.3%
4	\$11-20:(4)	36	1.5 %	1.6%
5	\$21-35:(5)	77	3.2 %	3.4%
6	\$36-50:(6)	120	4.9 %	5.3%
7	\$51-75:(7)	180	7.4 %	7.9%
8	\$76-125:(8)	407	16.7 %	17.8%
9	\$126+:(9)	540	22.1 %	23.7%
-9 (M)	MISSING:(-9)	158	6.5 %	-

V6193 086C24B:R\$/AVG WEEK OTH

Location: 453-454(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00610

Question Number(s): 6C24B

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126+"

- Study 25382 -

V6193: 086C24B:R\$/AVG WEEK OTH				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	910	37.3 %	40.6%
2	\$1-5:(2)	95	3.9 %	4.2%
3	\$6-10:(3)	180	7.4 %	8.0%
4	\$11-20:(4)	343	14.1 %	15.3%
5	\$21-35:(5)	252	10.3 %	11.2%
6	\$36-50:(6)	190	7.8 %	8.5%
7	\$51-75:(7)	90	3.7 %	4.0%
8	\$76-125:(8)	81	3.3 %	3.6%
9	\$126+:(9)	102	4.2 %	4.5%
-9 (M)	MISSING:(-9)	196	8.0 %	-

V6194 **086C25 :#X/AV WK GO OUT**

Location: 455-456(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00620

Question Number(s): 6C25

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

V6194: 086C25 :#X/AV WK GO OUT				
Value	Label	Unweighted Frequency	%	Valid %
1	< 1:(1)	284	11.6 %	12.3%
2	ONE:(2)	323	13.2 %	14.0%
3	TWO:(3)	624	25.6 %	27.1%
4	THREE:(4)	538	22.1 %	23.3%
5	4-5:(5)	366	15.0 %	15.9%
6	6-7:(6)	171	7.0 %	7.4%
-9 (M)	MISSING:(-9)	133	5.5 %	-

V6195 **086C26 :#X DATE 3+/WK**

Location: 457-458(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00630

- Study 25382 -

Question Number(s): 6C26

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

V6195: 086C26 :#X DATE 3+/WK				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	694	28.5 %	30.1%
2	1/MO OR<:(2)	463	19.0 %	20.1%
3	2-3/MO:(3)	313	12.8 %	13.6%
4	1/WK:(4)	334	13.7 %	14.5%
5	2-3/WK:(5)	301	12.3 %	13.1%
6	3+/WK:(6)	197	8.1 %	8.6%
-9 (M)	MISSING:(-9)	137	5.6 %	-

V6196 **086C27 :DRIVE>200 MI/WK**

Location: 459-460(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00640

Question Number(s): 6C27

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

V6196: 086C27 :DRIVE>200 MI/WK				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	491	20.1 %	21.2%
2	1-10 MI:(2)	239	9.8 %	10.3%
3	11-50:(3)	555	22.8 %	24.0%
4	51-100:(4)	516	21.2 %	22.3%
5	101-200:(5)	322	13.2 %	13.9%
6	> 200:(6)	194	8.0 %	8.4%
-9 (M)	MISSING:(-9)	122	5.0 %	-

V6197 **086C28 :#X/12MO R TCKTD**

- Study 25382 -

Location: 461-462(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00650

Question Number(s): 6C28

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
 4="Four or more times"

V6197: 086C28 :#X/12MO R TCKTD				
Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1763	72.3 %	76.7%
1	ONE:(1)	342	14.0 %	14.9%
2	TWO:(2)	121	5.0 %	5.3%
3	THREE:(3)	43	1.8 %	1.9%
4	4+:(4)	31	1.3 %	1.3%
-9 (M)	MISSING:(-9)	139	5.7 %	-

V6198 086C29AR:#TCKTS AFT DRNK

Location: 463-464(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:
 Item Number: 00660

Question Number(s): 6C29A

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

V6198: 086C29AR:#TCKTS AFT DRNK				
Value	Label	Unweighted Frequency	%	Valid %
0	None:(0)	503	20.6 %	93.5%
1	One:(1)	31	1.3 %	5.8%

- Study 25382 -

V6198: 086C29AR:#TCKTS AFT DRNK				
Value	Label	Unweighted Frequency	%	Valid %
2	Two:(2)	2	0.1 %	0.4%
3	3-4 or +:(3-4)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	1901	77.9 %	-

V6199 086C29BR:#TCKTS AFT MARJ

Location: 465-466(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00670

Question Number(s): 6C29B

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

V6199: 086C29BR:#TCKTS AFT MARJ				
Value	Label	Unweighted Frequency	%	Valid %
0	None:(0)	501	20.5 %	93.1%
1	One:(1)	32	1.3 %	5.9%
2	Two:(2)	3	0.1 %	0.6%
3	3-4 or +:(3-4)	2	0.1 %	0.4%
-9 (M)	MISSING:(-9)	1901	77.9 %	-

V6200 086C29CR:#TCKTS AFT OTDG

Location: 467-468(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00680

Question Number(s): 6C29C

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

- Study 25382 -

Codes 3 and 4 are combined in this dataset.

V6200: 086C29CR:#TCKTS AFT OTDG				
Value	Label	Unweighted Frequency	%	Valid %
0	None:(0)	530	21.7 %	98.7%
1	One:(1)	3	0.1 %	0.6%
2	Two:(2)	0	0.0 %	-
3	3-4 or +:(3-4)	4	0.2 %	0.7%
-9 (M)	MISSING:(-9)	1902	78.0 %	-

V6201 086C30 :#ACCIDNTS/12 MO

Location: 469-470(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00690

Question Number(s): 6C30

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

V6201: 086C30 :#ACCIDNTS/12 MO				
Value	Label	Unweighted Frequency	%	Valid %
0	NONE:(0)	1846	75.7 %	80.6%
1	ONE:(1)	334	13.7 %	14.6%
2	TWO:(2)	77	3.2 %	3.4%
3	THREE:(3)	26	1.1 %	1.1%
4	4+:(4)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	150	6.2 %	-

V6202 086C31AR:#ACDTS AFT DRNK

Location: 471-472(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00700

Question Number(s): 6C31A

- Study 25382 -

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

V6202: 086C31AR:#ACDTS AFT DRNK				
Value	Label	Unweighted Frequency	%	Valid %
0	None:(0)	432	17.7 %	96.9%
1	One:(1)	11	0.5 %	2.5%
2	Two:(2)	0	0.0 %	-
3	3-4 or +:(3-4)	3	0.1 %	0.7%
-9 (M)	MISSING:(-9)	1993	81.7 %	-

V6203 086C31BR:#ACDTS AFT MARJ

Location: 473-474(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 00710

Question Number(s): 6C31B

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

V6203: 086C31BR:#ACDTS AFT MARJ				
Value	Label	Unweighted Frequency	%	Valid %
0	None:(0)	431	17.7 %	97.1%
1	One:(1)	10	0.4 %	2.3%
2	Two:(2)	1	0.0 %	0.2%
3	3-4 or +:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1995	81.8 %	-

V6204 086C31CR:#ACDTS AFT OTDG

Location: 475-476(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 00720

Question Number(s): 6C31C

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

V6204: 086C31CR:#ACDTS AFT OTDG				
Value	Label	Unweighted Frequency	%	Valid %
0	None:(0)	439	18.0 %	99.1%
1	One:(1)	2	0.1 %	0.5%
2	Two:(2)	0	0.0 %	-
3	3-4 or +:(3-4)	2	0.1 %	0.5%
-9 (M)	MISSING:(-9)	1996	81.8 %	-

V6205 086C32 :USE SEATBLT-DRVR

Location: 477-478(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22210

Question Number(s): 6C32

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"

8="Does Not Apply"

V6205: 086C32 :USE SEATBLT-DRVR				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	105	4.3 %	4.6%
2	SELDOM:(2)	92	3.8 %	4.0%
3	SOMETIME:(3)	130	5.3 %	5.7%
4	OFTEN:(4)	248	10.2 %	10.8%
5	ALWAYS:(5)	1582	64.9 %	68.9%
8	INAP:(8)	139	5.7 %	6.1%
-9 (M)	MISSING:(-9)	143	5.9 %	-

V6206 086C33 :USE SEATBLT-RIDR

- Study 25382 -

Location: 479-480(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 22220

Question Number(s): 6C33

When you are riding in the front passenger seat of a car,
 how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"
 8="Does Not Apply"

V6206: 086C33 :USE SEATBLT-RIDR				
Value	Label	Unweighted Frequency	%	Valid %
1	NEVER:(1)	87	3.6 %	3.8%
2	SELDOM:(2)	95	3.9 %	4.1%
3	SOMETIME:(3)	167	6.8 %	7.3%
4	OFTEN:(4)	329	13.5 %	14.4%
5	ALWAYS:(5)	1600	65.6 %	69.9%
8	INAP:(8)	12	0.5 %	0.5%
-9 (M)	MISSING:(-9)	149	6.1 %	-

V6560 086D01 :#X ANTISMK TV/RD

Location: 481-482(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 30260

Question Number(s): 6D01

The next questions are about anti-smoking commercials or
 "spots" that are intended to discourage cigarette smoking.
 In recent months, about how often have you seen such anti-
 smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per
 month" 4="1-3 times per week" 5="Daily or almost daily"
 6="More than once a day"

V6560: 086D01 :#X ANTISMK TV/RD				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	261	10.7 %	11.4%
2	<1X/MO:(2)	271	11.1 %	11.8%
3	1-3/MO:(3)	472	19.4 %	20.6%

- Study 25382 -

V6560: 086D01 :#X ANTISMK TV/RD				
Value	Label	Unweighted Frequency	%	Valid %
4	1-3/WK:(4)	581	23.8 %	25.3%
5	ABT DAILY:(5)	526	21.6 %	22.9%
6	> DAILY:(6)	181	7.4 %	7.9%
-9 (M)	MISSING:(-9)	147	6.0 %	-

V6561 086D02 :#X ANTISMK PRINT

Location: 483-484(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30270

Question Number(s): 6D02

In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

V6561: 086D02 :#X ANTISMK PRINT				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	472	19.4 %	20.6%
2	<1X/MO:(2)	530	21.7 %	23.2%
3	1-3/MO:(3)	668	27.4 %	29.2%
4	1-3/WK:(4)	363	14.9 %	15.9%
5	ABT DAILY:(5)	187	7.7 %	8.2%
6	> DAILY:(6)	69	2.8 %	3.0%
-9 (M)	MISSING:(-9)	150	6.2 %	-

V6562 086D03A:ANTISMK ADS<FVRB

Location: 485-486(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30280

Question Number(s): 6D03A

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

A: . . . made you less favorable toward smoking cigarettes?

- Study 25382 -

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

V6562: 086D03A:ANTISMK ADS<FVRB				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	793	32.5 %	34.9%
2	LITTLE:(2)	404	16.6 %	17.8%
3	SOME:(3)	565	23.2 %	24.9%
4	GREAT:(4)	210	8.6 %	9.3%
5	VRy GREAT:(5)	297	12.2 %	13.1%
-9 (M)	MISSING:(-9)	170	7.0 %	-

V6563 086D03B:ANTISMK ADS<LKLY

Location: 487-488(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30290

Question Number(s): 6D03B

To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . .

B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

V6563: 086D03B:ANTISMK ADS<LKLY				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	829	34.0 %	36.6%
2	LITTLE:(2)	390	16.0 %	17.2%
3	SOME:(3)	481	19.7 %	21.2%
4	GREAT:(4)	229	9.4 %	10.1%
5	VRy GREAT:(5)	337	13.8 %	14.9%
-9 (M)	MISSING:(-9)	173	7.1 %	-

V6564 086D03C:ANTISMK ADS EXAG

Location: 489-490(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30300

- Study 25382 -

Question Number(s): 6D03C

To what extent do you think such ads on TV, radio, and
billboards or in magazines and newspapers have . . .

C: . . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To
a Great Extent" 5="To a Very Great Extent"

V6564: 086D03C:ANTISMK ADS EXAG				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	926	38.0 %	40.9%
2	LITTLE:(2)	401	16.4 %	17.7%
3	SOME:(3)	465	19.1 %	20.5%
4	GREAT:(4)	209	8.6 %	9.2%
5	VRy GREAT:(5)	262	10.7 %	11.6%
-9 (M)	MISSING:(-9)	176	7.2 %	-

V6565 086D04A:CIG SMKRS-ATHLTS

Location: 491-492(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30310

Question Number(s): 6D04A

These days, how many people in the following groups would
you guess are regular cigarette smokers?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6565: 086D04A:CIG SMKRS-ATHLTS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	1038	42.6 %	45.9%
2	11%-30%:(2)	508	20.8 %	22.5%
3	31%-50%:(3)	221	9.1 %	9.8%
4	51%-70%:(4)	119	4.9 %	5.3%
5	71%-90%:(5)	59	2.4 %	2.6%
6	91%-100%:(6)	31	1.3 %	1.4%
8	NO IDEA:(8)	286	11.7 %	12.6%

- Study 25382 -

V6565: 086D04A:CIG SMKRS-ATHLTS				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	177	7.3 %	-

V6566 086D04B:CIG SMKRS-ROCKRS

Location: 493-494(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30320

Question Number(s): 6D04B

These days, how many people in the following groups would you guess are regular cigarette smokers?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6566: 086D04B:CIG SMKRS-ROCKRS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	61	2.5 %	2.7%
2	11%-30%:(2)	118	4.8 %	5.2%
3	31%-50%:(3)	286	11.7 %	12.6%
4	51%-70%:(4)	464	19.0 %	20.5%
5	71%-90%:(5)	699	28.7 %	30.8%
6	91%-100%:(6)	454	18.6 %	20.0%
8	NO IDEA:(8)	184	7.5 %	8.1%
-9 (M)	MISSING:(-9)	173	7.1 %	-

V6567 086D04C:CIG SMKRS-ACTORS

Location: 495-496(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30330

Question Number(s): 6D04C

These days, how many people in the following groups would you guess are regular cigarette smokers?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

- Study 25382 -

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6567: 086D04C:CIG SMKRS-ACTORS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	98	4.0 %	4.3%
2	11%-30%:(2)	214	8.8 %	9.5%
3	31%-50%:(3)	481	19.7 %	21.3%
4	51%-70%:(4)	577	23.7 %	25.5%
5	71%-90%:(5)	478	19.6 %	21.1%
6	91%-100%:(6)	185	7.6 %	8.2%
8	NO IDEA:(8)	230	9.4 %	10.2%
-9 (M)	MISSING:(-9)	176	7.2 %	-

V6568

086D04D:CIG SMKRS-PEERS

Location: 497-498(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30340

Question Number(s): 6D04D

These days, how many people in the following groups would you guess are regular cigarette smokers?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6568: 086D04D:CIG SMKRS-PEERS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	151	6.2 %	6.7%
2	11%-30%:(2)	427	17.5 %	18.9%
3	31%-50%:(3)	573	23.5 %	25.3%
4	51%-70%:(4)	487	20.0 %	21.5%
5	71%-90%:(5)	337	13.8 %	14.9%
6	91%-100%:(6)	153	6.3 %	6.8%
8	NO IDEA:(8)	135	5.5 %	6.0%
-9 (M)	MISSING:(-9)	176	7.2 %	-

V6569

086D05A:USE DRUGS-ATHLTS

Location: 499-500(width: 2; decimal: 0)

Variable Type: numeric (ISO)

- Study 25382 -

Range of Missing Values (M): -9

Question:

Item Number: 22380

Question Number(s): 6D05A

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6569: 086D05A:USE DRUGS-ATHLTS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	726	29.8 %	32.2%
2	11%-30%:(2)	565	23.2 %	25.0%
3	31%-50%:(3)	279	11.4 %	12.4%
4	51%-70%:(4)	195	8.0 %	8.6%
5	71%-90%:(5)	115	4.7 %	5.1%
6	91%-100%:(6)	54	2.2 %	2.4%
8	NO IDEA:(8)	324	13.3 %	14.3%
-9 (M)	MISSING:(-9)	181	7.4 %	-

V6570 086D05B:USE DRUGS-ROCKRS

Location: 501-502(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22390

Question Number(s): 6D05B

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6570: 086D05B:USE DRUGS-ROCKRS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	54	2.2 %	2.4%

- Study 25382 -

V6570: 086D05B:USE DRUGS-ROCKRS				
Value	Label	Unweighted Frequency	%	Valid %
2	11%-30%:(2)	139	5.7 %	6.2%
3	31%-50%:(3)	248	10.2 %	11.0%
4	51%-70%:(4)	420	17.2 %	18.6%
5	71%-90%:(5)	573	23.5 %	25.4%
6	91%-100%:(6)	579	23.7 %	25.7%
8	NO IDEA:(8)	244	10.0 %	10.8%
-9 (M)	MISSING:(-9)	182	7.5 %	-

V6571 086D05C:USE DRUGS-ACTORS

Location: 503-504(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22400

Question Number(s): 6D05C

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6571: 086D05C:USE DRUGS-ACTORS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	143	5.9 %	6.3%
2	11%-30%:(2)	345	14.1 %	15.3%
3	31%-50%:(3)	456	18.7 %	20.2%
4	51%-70%:(4)	452	18.5 %	20.1%
5	71%-90%:(5)	375	15.4 %	16.6%
6	91%-100%:(6)	180	7.4 %	8.0%
8	NO IDEA:(8)	302	12.4 %	13.4%
-9 (M)	MISSING:(-9)	186	7.6 %	-

V6572 086D05D:USE DRUGS-PEERS

Location: 505-506(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22405

- Study 25382 -

Question Number(s): 6D05D

How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly?

D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"
5="71% to 90%" 6="91% to 100%" 8="Have no idea"

V6572: 086D05D:USE DRUGS-PEERS				
Value	Label	Unweighted Frequency	%	Valid %
1	0%-10%:(1)	181	7.4 %	8.0%
2	11%-30%:(2)	423	17.3 %	18.8%
3	31%-50%:(3)	487	20.0 %	21.6%
4	51%-70%:(4)	453	18.6 %	20.1%
5	71%-90%:(5)	323	13.2 %	14.4%
6	91%-100%:(6)	195	8.0 %	8.7%
8	NO IDEA:(8)	188	7.7 %	8.4%
-9 (M)	MISSING:(-9)	189	7.7 %	-

V6573 086D06 :SMKRS MOVIE THTR

Location: 507-508(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30360

Question Number(s): 6D06

Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

V6573: 086D06 :SMKRS MOVIE THTR				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	662	27.1 %	29.3%
2	SOME:(2)	1088	44.6 %	48.2%
3	A LOT:(3)	216	8.9 %	9.6%
4	DONT REMEMBER:(4)	292	12.0 %	12.9%
-9 (M)	MISSING:(-9)	181	7.4 %	-

V6574 086D07 :SMKRS MOVIE HOME

- Study 25382 -

Location: 509-510(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30370

Question Number(s): 6D07

Think about the movie that you watched most recently on video, DVD or TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

V6574: 086D07 :SMKRS MOVIE HOME				
Value	Label	Unweighted Frequency	%	Valid %
1	NO:(1)	558	22.9 %	24.8%
2	SOME:(2)	1221	50.1 %	54.2%
3	A LOT:(3)	259	10.6 %	11.5%
4	DONT REMEMBER:(4)	215	8.8 %	9.5%
-9 (M)	MISSING:(-9)	186	7.6 %	-

V6581 086D08 :#X SEE DRUG SPTS

Location: 511-512(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22460

Question Number(s): 6D08

The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

V6581: 086D08 :#X SEE DRUG SPTS				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	393	16.1 %	17.5%
2	<1X/MO:(2)	355	14.6 %	15.8%
3	1-3/MO:(3)	573	23.5 %	25.5%
4	1-3/WK:(4)	496	20.3 %	22.1%

- Study 25382 -

V6581: 086D08 :#X SEE DRUG SPTS				
Value	Label	Unweighted Frequency	%	Valid %
5	ABT DAILY:(5)	319	13.1 %	14.2%
6	> DAILY:(6)	109	4.5 %	4.9%
-9 (M)	MISSING:(-9)	194	8.0 %	-

V6582

086D09A:ADS-PEOPL <FAVBL

Location: 513-514(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22470

Question Number(s): 6D09A

To what extent do you think such commercials have . . .

A: . . . Made people your age less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

V6582: 086D09A:ADS-PEOPL <FAVBL				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	634	26.0 %	28.7%
2	LITTLE:(2)	654	26.8 %	29.6%
3	SOME:(3)	670	27.5 %	30.3%
4	GREAT:(4)	144	5.9 %	6.5%
5	VRy GREAT:(5)	108	4.4 %	4.9%
-9 (M)	MISSING:(-9)	229	9.4 %	-

V6583

086D09B:ADS-YOU <FAVORBL

Location: 515-516(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22480

Question Number(s): 6D09B

To what extent do you think such commercials have . . .

B: . . . Made you less favorable toward drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

- Study 25382 -

V6583: 086D09B:ADS-YOU <FAVORBL				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	684	28.0 %	31.1%
2	LITTLE:(2)	463	19.0 %	21.0%
3	SOME:(3)	535	21.9 %	24.3%
4	GREAT:(4)	233	9.6 %	10.6%
5	VRY GREAT:(5)	286	11.7 %	13.0%
-9 (M)	MISSING:(-9)	238	9.8 %	-

V6584 086D09C:ADS-YOU <TRY DRG

Location: 517-518(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22490

Question Number(s): 6D09C

To what extent do you think such commercials have . . .

C: . . . Made you less likely to use drugs?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

V6584: 086D09C:ADS-YOU <TRY DRG				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	703	28.8 %	31.9%
2	LITTLE:(2)	442	18.1 %	20.1%
3	SOME:(3)	517	21.2 %	23.5%
4	GREAT:(4)	225	9.2 %	10.2%
5	VRY GREAT:(5)	314	12.9 %	14.3%
-9 (M)	MISSING:(-9)	238	9.8 %	-

V6585 086D09D:ADS-OVRST DANGER

Location: 519-520(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22500

Question Number(s): 6D09D

To what extent do you think such commercials have . . .

D: . . . Overstated the dangers or risks of drug use?

- Study 25382 -

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

V6585: 086D09D:ADS-OVRST DANGER				
Value	Label	Unweighted Frequency	%	Valid %
1	NOT@ALL:(1)	817	33.5 %	37.3%
2	LITTLE:(2)	474	19.4 %	21.6%
3	SOME:(3)	480	19.7 %	21.9%
4	GREAT:(4)	195	8.0 %	8.9%
5	VRy GREAT:(5)	227	9.3 %	10.4%
-9 (M)	MISSING:(-9)	246	10.1 %	-

V6353 086D10A:POS ATT TWD SELF

Location: 521-522(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12550

Question Number(s): 6D10A

How much do you agree or disagree with each of the following statements?

A: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6353: 086D10A:POS ATT TWD SELF				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	73	3.0 %	3.3%
2	MOST DIS:(2)	96	3.9 %	4.3%
3	NEITHER:(3)	214	8.8 %	9.6%
4	MOST AGR:(4)	964	39.5 %	43.3%
5	AGREE:(5)	881	36.1 %	39.5%
-9 (M)	MISSING:(-9)	211	8.7 %	-

V6354 086D10B:LIFE MEANINGLESS

Location: 523-524(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23700

- Study 25382 -

Question Number(s): 6D10B

How much do you agree or disagree with each of the following statements?

B: Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6354: 086D10B:LIFE MEANINGLESS				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	932	38.2 %	41.9%
2	MOST DIS:(2)	633	26.0 %	28.5%
3	NEITHER:(3)	352	14.4 %	15.8%
4	MOST AGR:(4)	211	8.7 %	9.5%
5	AGREE:(5)	94	3.9 %	4.2%
-9 (M)	MISSING:(-9)	217	8.9 %	-

V6355 **086D10C:SHD DO OWN THING**

Location: 525-526(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07040

Question Number(s): 6D10C

How much do you agree or disagree with each of the following statements?

C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6355: 086D10C:SHD DO OWN THING				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	60	2.5 %	2.7%
2	MOST DIS:(2)	63	2.6 %	2.8%
3	NEITHER:(3)	246	10.1 %	11.1%
4	MOST AGR:(4)	830	34.0 %	37.5%
5	AGREE:(5)	1017	41.7 %	45.9%
-9 (M)	MISSING:(-9)	223	9.1 %	-

- Study 25382 -

V6356 086D10D:-MUCH TO B PROUD

Location: 527-528(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12660

Question Number(s): 6D10D

How much do you agree or disagree with each of the following statements?

D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6356: 086D10D:-MUCH TO B PROUD				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1023	41.9 %	46.3%
2	MOST DIS:(2)	582	23.9 %	26.3%
3	NEITHER:(3)	303	12.4 %	13.7%
4	MOST AGR:(4)	198	8.1 %	9.0%
5	AGREE:(5)	103	4.2 %	4.7%
-9 (M)	MISSING:(-9)	230	9.4 %	-

V6357 086D10E:AM PRSN OF WORTH

Location: 529-530(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12570

Question Number(s): 6D10E

How much do you agree or disagree with each of the following statements?

E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6357: 086D10E:AM PRSN OF WORTH				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	82	3.4 %	3.7%

- Study 25382 -

V6357: 086D10E:AM PRSN OF WORTH				
Value	Label	Unweighted Frequency	%	Valid %
2	MOST DIS:(2)	100	4.1 %	4.5%
3	NEITHER:(3)	276	11.3 %	12.5%
4	MOST AGR:(4)	664	27.2 %	30.0%
5	AGREE:(5)	1088	44.6 %	49.2%
-9 (M)	MISSING:(-9)	229	9.4 %	-

V6358 086D10F:I ENJOY LIFE

Location: 531-532(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23710

Question Number(s): 6D10F

How much do you agree or disagree with each of the following statements?

F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6358: 086D10F:I ENJOY LIFE				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	68	2.8 %	3.1%
2	MOST DIS:(2)	121	5.0 %	5.5%
3	NEITHER:(3)	271	11.1 %	12.3%
4	MOST AGR:(4)	717	29.4 %	32.5%
5	AGREE:(5)	1030	42.2 %	46.7%
-9 (M)	MISSING:(-9)	232	9.5 %	-

V6359 086D10G:KICK DO DANGR TH

Location: 533-534(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07050

Question Number(s): 6D10G

How much do you agree or disagree with each of the following statements?

- Study 25382 -

G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6359: 086D10G:KICK DO DANGR TH				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	266	10.9 %	12.1%
2	MOST DIS:(2)	355	14.6 %	16.1%
3	NEITHER:(3)	592	24.3 %	26.8%
4	MOST AGR:(4)	630	25.8 %	28.6%
5	AGREE:(5)	362	14.8 %	16.4%
-9 (M)	MISSING:(-9)	234	9.6 %	-

V6360 086D10H:I AM NO GOOD

Location: 535-536(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12680

Question Number(s): 6D10H

How much do you agree or disagree with each of the following statements?

H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6360: 086D10H:I AM NO GOOD				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	922	37.8 %	41.7%
2	MOST DIS:(2)	557	22.8 %	25.2%
3	NEITHER:(3)	357	14.6 %	16.1%
4	MOST AGR:(4)	244	10.0 %	11.0%
5	AGREE:(5)	132	5.4 %	6.0%
-9 (M)	MISSING:(-9)	227	9.3 %	-

V6361 086D10I:DO WELL AS OTHRS

Location: 537-538(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 12580

Question Number(s): 6D10I

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6361: 086D10I:DO WELL AS OTHRS				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	69	2.8 %	3.1%
2	MOST DIS:(2)	93	3.8 %	4.2%
3	NEITHER:(3)	262	10.7 %	11.9%
4	MOST AGR:(4)	875	35.9 %	39.8%
5	AGREE:(5)	901	36.9 %	41.0%
-9 (M)	MISSING:(-9)	239	9.8 %	-

V6362 086D10J:FUTURE HOPELESS

Location: 539-540(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23720

Question Number(s): 6D10J

How much do you agree or disagree with each of the following statements?

J: The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6362: 086D10J:FUTURE HOPELESS				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1148	47.1 %	52.1%
2	MOST DIS:(2)	468	19.2 %	21.2%
3	NEITHER:(3)	326	13.4 %	14.8%
4	MOST AGR:(4)	176	7.2 %	8.0%
5	AGREE:(5)	86	3.5 %	3.9%
-9 (M)	MISSING:(-9)	235	9.6 %	-

V6363 086D10K:LIKE RISK SOME X

Location: 541-542(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07060

Question Number(s): 6D10K

How much do you agree or disagree with each of the following statements?

K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6363: 086D10K:LIKE RISK SOME X				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	389	15.9 %	17.6%
2	MOST DIS:(2)	351	14.4 %	15.9%
3	NEITHER:(3)	511	21.0 %	23.2%
4	MOST AGR:(4)	595	24.4 %	27.0%
5	AGREE:(5)	359	14.7 %	16.3%
-9 (M)	MISSING:(-9)	234	9.6 %	-

V6364 086D10L:I DO WRONG THING

Location: 543-544(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12720

Question Number(s): 6D10L

How much do you agree or disagree with each of the following statements?

L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

- Study 25382 -

V6364: 086D10L:I DO WRONG THING				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1086	44.5 %	49.4%
2	MOST DIS:(2)	548	22.5 %	24.9%
3	NEITHER:(3)	304	12.5 %	13.8%
4	MOST AGR:(4)	179	7.3 %	8.1%
5	AGREE:(5)	82	3.4 %	3.7%
-9 (M)	MISSING:(-9)	240	9.8 %	-

V6365 086D10M:SATISFD W MYSELF

Location: 545-546(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12620

Question Number(s): 6D10M

How much do you agree or disagree with each of the following statements?

M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6365: 086D10M:SATISFD W MYSELF				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	65	2.7 %	2.9%
2	MOST DIS:(2)	111	4.6 %	5.0%
3	NEITHER:(3)	256	10.5 %	11.6%
4	MOST AGR:(4)	733	30.1 %	33.3%
5	AGREE:(5)	1039	42.6 %	47.1%
-9 (M)	MISSING:(-9)	235	9.6 %	-

V6366 086D10N:MY LIFE NT USEFL

Location: 547-548(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 12750

Question Number(s): 6D10N

How much do you agree or disagree with each of the following statements?

- Study 25382 -

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6366: 086D10N:MY LIFE NT USEFL				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	1229	50.4 %	55.8%
2	MOST DIS:(2)	474	19.4 %	21.5%
3	NEITHER:(3)	310	12.7 %	14.1%
4	MOST AGR:(4)	121	5.0 %	5.5%
5	AGREE:(5)	68	2.8 %	3.1%
-9 (M)	MISSING:(-9)	237	9.7 %	-

V6367 086D100:GOOD TO BE ALIVE

Location: 549-550(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23730

Question Number(s): 6D100

How much do you agree or disagree with each of the following statements?

O: It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6367: 086D100:GOOD TO BE ALIVE				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	50	2.1 %	2.3%
2	MOST DIS:(2)	54	2.2 %	2.5%
3	NEITHER:(3)	216	8.9 %	9.8%
4	MOST AGR:(4)	467	19.1 %	21.2%
5	AGREE:(5)	1413	57.9 %	64.2%
-9 (M)	MISSING:(-9)	239	9.8 %	-

V6587 086D10P:LIK XPLOR STRANG

Location: 551-552(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 31080

Question Number(s): 6D10P

How much do you agree or disagree with each of the following statements?

P: I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6587: 086D10P:LIK XPLOR STRANG				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	142	5.8 %	6.5%
2	MOST DIS:(2)	137	5.6 %	6.2%
3	NEITHER:(3)	341	14.0 %	15.5%
4	MOST AGR:(4)	600	24.6 %	27.3%
5	AGREE:(5)	980	40.2 %	44.5%
-9 (M)	MISSING:(-9)	239	9.8 %	-

V6588

086D10Q:LIK DO FRIGHT TG

Location: 553-554(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31090

Question Number(s): 6D10Q

How much do you agree or disagree with each of the following statements?

Q: I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6588: 086D10Q:LIK DO FRIGHT TG				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	428	17.5 %	19.5%
2	MOST DIS:(2)	368	15.1 %	16.8%
3	NEITHER:(3)	550	22.6 %	25.1%
4	MOST AGR:(4)	477	19.6 %	21.8%
5	AGREE:(5)	369	15.1 %	16.8%
-9 (M)	MISSING:(-9)	247	10.1 %	-

V6589 086D10R:LIK EVN BRK RULE

Location: 555-556(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31100

Question Number(s): 6D10R

How much do you agree or disagree with each of the following statements?

R: I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6589: 086D10R:LIK EVN BRK RULE				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	236	9.7 %	10.7%
2	MOST DIS:(2)	318	13.0 %	14.5%
3	NEITHER:(3)	522	21.4 %	23.8%
4	MOST AGR:(4)	616	25.3 %	28.0%
5	AGREE:(5)	505	20.7 %	23.0%
-9 (M)	MISSING:(-9)	242	9.9 %	-

V6590 086D10S:PRF FRND EXCITNG

Location: 557-558(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31110

Question Number(s): 6D10S

How much do you agree or disagree with each of the following statements?

S: I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

- Study 25382 -

V6590: 086D10S:PRF FRND EXCITNG				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	127	5.2 %	5.8%
2	MOST DIS:(2)	190	7.8 %	8.7%
3	NEITHER:(3)	576	23.6 %	26.3%
4	MOST AGR:(4)	709	29.1 %	32.3%
5	AGREE:(5)	590	24.2 %	26.9%
-9 (M)	MISSING:(-9)	247	10.1 %	-

V6616 086D10T:I AM OFTEN BORED

Location: 559-560(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 32000

Question Number(s): 6D10T

How much do you agree or disagree with each of the following statements?

S: I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

V6616: 086D10T:I AM OFTEN BORED				
Value	Label	Unweighted Frequency	%	Valid %
1	DISAGREE:(1)	382	15.7 %	17.4%
2	MOST DIS:(2)	488	20.0 %	22.3%
3	NEITHER:(3)	533	21.9 %	24.3%
4	MOST AGR:(4)	493	20.2 %	22.5%
5	AGREE:(5)	297	12.2 %	13.5%
-9 (M)	MISSING:(-9)	246	10.1 %	-

V6497 086D11A:#XDRUNK/LIFETIME

Location: 561-562(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25020

Question Number(s): 6D11A

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask

- Study 25382 -

more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6497: 086D11A:#XDRUNK/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	931	38.2 %	43.0%
2	1-2X:(2)	276	11.3 %	12.8%
3	3-5X:(3)	192	7.9 %	8.9%
4	6-9X:(4)	132	5.4 %	6.1%
5	10-19X:(5)	173	7.1 %	8.0%
6	20-39X:(6)	190	7.8 %	8.8%
7	40+OCCAS:(7)	269	11.0 %	12.4%
-9 (M)	MISSING:(-9)	276	11.3 %	-

V6498 086D11B:#XDRUNK/LAST12MO

Location: 563-564(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25030

Question Number(s): 6D11B

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6498: 086D11B:#XDRUNK/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1106	45.3 %	51.3%
2	1-2X:(2)	342	14.0 %	15.9%
3	3-5X:(3)	175	7.2 %	8.1%
4	6-9X:(4)	149	6.1 %	6.9%

- Study 25382 -

V6498: 086D11B:#XDRUNK/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
5	10-19X:(5)	166	6.8 %	7.7%
6	20-39X:(6)	101	4.1 %	4.7%
7	40+OCCAS:(7)	118	4.8 %	5.5%
-9 (M)	MISSING:(-9)	282	11.6 %	-

V6499 086D11C:#XDRUNK/LAST30DA

Location: 565-566(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25040

Question Number(s): 6D11C

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6499: 086D11C:#XDRUNK/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1484	60.8 %	68.9%
2	1-2X:(2)	324	13.3 %	15.0%
3	3-5X:(3)	152	6.2 %	7.1%
4	6-9X:(4)	94	3.9 %	4.4%
5	10-19X:(5)	57	2.3 %	2.6%
6	20-39X:(6)	18	0.7 %	0.8%
7	40+OCCAS:(7)	26	1.1 %	1.2%
-9 (M)	MISSING:(-9)	284	11.6 %	-

V6368 086D12A:#X STRD/LIFETIME

Location: 567-568(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22690

Question Number(s): 6D12A

Anabolic steroids are prescription drugs sometimes prescribed

- Study 25382 -

by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6368: 086D12A:#X STRD/LIFETIME				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2130	87.3 %	98.0%
2	1-2X:(2)	15	0.6 %	0.7%
3	3-5X:(3)	5	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	5	0.2 %	0.2%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	12	0.5 %	0.6%
-9 (M)	MISSING:(-9)	266	10.9 %	-

V6369 086D12B:#X STRD/LAST12MO

Location: 569-570(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22700

Question Number(s): 6D12B

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6369: 086D12B:#X STRD/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2141	87.8 %	98.5%
2	1-2X:(2)	11	0.5 %	0.5%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	5	0.2 %	0.2%

- Study 25382 -

V6369: 086D12B:#X STRD/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	266	10.9 %	-

V6370 086D12C:#X STRD/LAST30DA

Location: 571-572(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 22710

Question Number(s): 6D12C

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6370: 086D12C:#X STRD/LAST30DA				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2150	88.2 %	98.9%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	1	0.0 %	0.0%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	266	10.9 %	-

V6376 086D13A:MTHD STRD-INJECT

Location: 573-574(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23790

Question Number(s): 6D13A

What methods have you used for taking steroids on your own?
(Mark ALL that apply.)

- Study 25382 -

A. Injection

0="UNMARKED" 1="MARKED"

V6376: 086D13A:MTHD STRD-INJECT				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	12	0.5 %	52.2%
1	MARKED:(1)	11	0.5 %	47.8%
-9 (M)	MISSING:(-9)	2416	99.1 %	-

V6377 086D13B:MTHD STRD-MOUTH

Location: 575-576(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23800

Question Number(s): 6D13B

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

V6377: 086D13B:MTHD STRD-MOUTH				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	9	0.4 %	39.1%
1	MARKED:(1)	14	0.6 %	60.9%
-9 (M)	MISSING:(-9)	2416	99.1 %	-

V6586 086D13C:HVNT USED STRDS

Location: 577-578(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30940

Question Number(s): 6D13C

What methods have you used for taking steroids on your own?

C: Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported

- Study 25382 -

nonuse on preceding prevalence question]"

V6586: 086D13C:HVNT USED STRDS				
Value	Label	Unweighted Frequency	%	Valid %
0	NT MRKED:(0)	22	0.9 %	1.0%
1	MARKED:(1)	2131	87.4 %	99.0%
-9 (M)	MISSING:(-9)	286	11.7 %	-

V6500

086D14A:#X INJECT/LIFE

Location: 579-580(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25050

Question Number(s): 6D14A

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

A: . . . in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6500: 086D14A:#X INJECT/LIFE				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2131	87.4 %	98.4%
2	1-2X:(2)	16	0.7 %	0.7%
3	3-5X:(3)	3	0.1 %	0.1%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	6	0.2 %	0.3%
-9 (M)	MISSING:(-9)	274	11.2 %	-

V6501

086D14B:#X INJECT/LST12M

Location: 581-582(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25060

- Study 25382 -

Question Number(s): 6D14B

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

B: . . . during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6501: 086D14B:#X INJECT/LST12M				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2144	87.9 %	99.0%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	3	0.1 %	0.1%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	274	11.2 %	-

V6502

086D14C:#X INJECT/LST30D

Location: 583-584(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25070

Question Number(s): 6D14C

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . .

C: . . . during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

V6502: 086D14C:#X INJECT/LST30D				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2152	88.2 %	99.4%
2	1-2X:(2)	7	0.3 %	0.3%
3	3-5X:(3)	1	0.0 %	0.0%
4	6-9X:(4)	1	0.0 %	0.0%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	273	11.2 %	-

V6503 **086D15 :GR 1ST INJECT**

Location: 585-586(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 25680

Question Number(s): 6D15

When (if ever) did you FIRST inject any drug with a needle
(without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

V6503: 086D15 :GR 1ST INJECT				
Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	6	0.2 %	0.3%
2	GRADE 7:(2)	1	0.0 %	0.0%
3	GRADE 8:(3)	1	0.0 %	0.0%
4	GRADE 9:(4)	6	0.2 %	0.3%
5	GRADE 10:(5)	4	0.2 %	0.2%
6	GRADE 11:(6)	3	0.1 %	0.1%
7	GRADE 12:(7)	4	0.2 %	0.2%
8	NEVER:(8)	2116	86.8 %	98.8%
-9 (M)	MISSING:(-9)	298	12.2 %	-

V6378 **086D16A:GR 1ST SMOK EVR**

Location: 587-588(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05575

- Study 25382 -

Question Number(s): 6D16A

When (if ever) did you FIRST do each of the following things?

A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

V6378: 086D16A:GR 1ST SMOK EVR				
Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	148	6.1 %	7.1%
2	GRADE 7:(2)	105	4.3 %	5.0%
3	GRADE 8:(3)	138	5.7 %	6.6%
4	GRADE 9:(4)	178	7.3 %	8.5%
5	GRADE 10:(5)	128	5.2 %	6.1%
6	GRADE 11:(6)	149	6.1 %	7.1%
7	GRADE 12:(7)	87	3.6 %	4.2%
8	NEVER:(8)	1156	47.4 %	55.3%
-9 (M)	MISSING:(-9)	350	14.4 %	-

V6379

086D16B:GR 1ST SMOK DLY

Location: 589-590(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05570

Question Number(s): 6D16B

When (if ever) did you FIRST do each of the following things?

B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

V6379: 086D16B:GR 1ST SMOK DLY				
Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	11	0.5 %	0.5%
2	GRADE 7:(2)	14	0.6 %	0.7%
3	GRADE 8:(3)	28	1.1 %	1.3%
4	GRADE 9:(4)	73	3.0 %	3.5%

- Study 25382 -

V6379: 086D16B:GR 1ST SMOK DLY				
Value	Label	Unweighted Frequency	%	Valid %
5	GRADE 10:(5)	72	3.0 %	3.4%
6	GRADE 11:(6)	84	3.4 %	4.0%
7	GRADE 12:(7)	90	3.7 %	4.3%
8	NEVER:(8)	1738	71.3 %	82.4%
-9 (M)	MISSING:(-9)	329	13.5 %	-

V6380 086D16C:GR 1ST SMOKELESS

Location: 591-592(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 05576

Question Number(s): 6D16C

When (if ever) did you FIRST do each of the following things?

C: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

V6380: 086D16C:GR 1ST SMOKELESS				
Value	Label	Unweighted Frequency	%	Valid %
1	GRADE 6:(1)	33	1.4 %	1.5%
2	GRADE 7:(2)	20	0.8 %	0.9%
3	GRADE 8:(3)	30	1.2 %	1.4%
4	GRADE 9:(4)	74	3.0 %	3.4%
5	GRADE 10:(5)	77	3.2 %	3.6%
6	GRADE 11:(6)	66	2.7 %	3.1%
7	GRADE 12:(7)	45	1.8 %	2.1%
8	NEVER:(8)	1818	74.5 %	84.0%
-9 (M)	MISSING:(-9)	276	11.3 %	-

V6482 086D17A:FUTR SMOKE CIGS

Location: 593-594(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24440

Question Number(s): 6D17A

- Study 25382 -

In the future, do you think that you will . . .

A: . . . Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

V6482: 086D17A:FUTR SMOKE CIGS				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	110	4.5 %	5.1%
2	PROB WL:(2)	188	7.7 %	8.6%
3	DK:(3)	164	6.7 %	7.5%
4	PROB WNT:(4)	306	12.5 %	14.1%
5	DEF WONT:(5)	1408	57.7 %	64.7%
-9 (M)	MISSING:(-9)	263	10.8 %	-

V6483 086D17B:FUTR DRINK ALCOL

Location: 595-596(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24450

Question Number(s): 6D17B

In the future, do you think that you will . . .

B: . . . Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"
4="Probably won't" 5="Definitely won't"

V6483: 086D17B:FUTR DRINK ALCOL				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	665	27.3 %	30.6%
2	PROB WL:(2)	758	31.1 %	34.9%
3	DK:(3)	278	11.4 %	12.8%
4	PROB WNT:(4)	143	5.9 %	6.6%
5	DEF WONT:(5)	329	13.5 %	15.1%
-9 (M)	MISSING:(-9)	266	10.9 %	-

V6484 086D17C:FUTR TRY/USE MJ

Location: 597-598(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 24460

Question Number(s): 6D17C

In the future, do you think that you will . . .

C: . . . Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

V6484: 086D17C:FUTR TRY/USE MJ				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	263	10.8 %	12.1%
2	PROB WL:(2)	277	11.4 %	12.8%
3	DK:(3)	289	11.8 %	13.3%
4	PROB WNT:(4)	241	9.9 %	11.1%
5	DEF WONT:(5)	1101	45.1 %	50.7%
-9 (M)	MISSING:(-9)	268	11.0 %	-

V6485

086D17D:FUTR TRY/USE CRK

Location: 599-600(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24470

Question Number(s): 6D17D

In the future, do you think that you will . . .

D: . . . Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

V6485: 086D17D:FUTR TRY/USE CRK				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	67	2.7 %	3.1%
2	PROB WL:(2)	19	0.8 %	0.9%
3	DK:(3)	56	2.3 %	2.6%
4	PROB WNT:(4)	102	4.2 %	4.7%
5	DEF WONT:(5)	1925	78.9 %	88.8%
-9 (M)	MISSING:(-9)	270	11.1 %	-

V6486

086D17E:FUTR TRY/US COKP

- Study 25382 -

Location: 601-602(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 24480

Question Number(s): 6D17E

In the future, do you think that you will . . .

E: . . . Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"
 4="Probably won't" 5="Definitely won't"

V6486: 086D17E:FUTR TRY/US COKP				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	72	3.0 %	3.3%
2	PROB WL:(2)	28	1.1 %	1.3%
3	DK:(3)	86	3.5 %	4.0%
4	PROB WNT:(4)	119	4.9 %	5.5%
5	DEF WONT:(5)	1865	76.5 %	85.9%
-9 (M)	MISSING:(-9)	269	11.0 %	-

V6487 086D17F:FUTR TR/U OTH DG

Location: 603-604(width: 2; decimal: 0)
 Variable Type: numeric (ISO)
 Range of Missing Values (M): -9
 Question:

Item Number: 24490

Question Number(s): 6D17F

In the future, do you think that you will . . .

F: . . . Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"
 4="Probably won't" 5="Definitely won't"

V6487: 086D17F:FUTR TR/U OTH DG				
Value	Label	Unweighted Frequency	%	Valid %
1	DEF WILL:(1)	99	4.1 %	4.6%
2	PROB WL:(2)	86	3.5 %	4.0%
3	DK:(3)	134	5.5 %	6.2%
4	PROB WNT:(4)	134	5.5 %	6.2%

- Study 25382 -

V6487: 086D17F:FUTR TR/U OTH DG				
Value	Label	Unweighted Frequency	%	Valid %
5	DEF WONT:(5)	1720	70.5 %	79.2%
-9 (M)	MISSING:(-9)	266	10.9 %	-

V6575 086D18A:FRND DAP CIG OCC

Location: 605-606(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30380

Question Number(s): 6D18A

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

A: Smoking cigarettes occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6575: 086D18A:FRND DAP CIG OCC				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	677	27.8 %	31.4%
2	DISAPRV:(2)	724	29.7 %	33.5%
3	ST DISAP:(3)	757	31.0 %	35.1%
-9 (M)	MISSING:(-9)	281	11.5 %	-

V6576 086D18B:FRND DAP CIG DLY

Location: 607-608(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30390

Question Number(s): 6D18B

How do you think your CLOSE FRIENDS feel (or would feel)
about YOU doing each of the following things?

B: Smoking cigarettes every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6576: 086D18B:FRND DAP CIG DLY				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	461	18.9 %	21.4%
2	DISAPRV:(2)	619	25.4 %	28.7%
3	ST DISAP:(3)	1077	44.2 %	49.9%
-9 (M)	MISSING:(-9)	282	11.6 %	-

V6408 086D18C:FRD DAP CIGS

Location: 609-610(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11470

Question Number(s): 6D18C

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

C: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6408: 086D18C:FRD DAP CIGS				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	303	12.4 %	14.1%
2	DISAPRV:(2)	545	22.3 %	25.3%
3	ST DISAP:(3)	1305	53.5 %	60.6%
-9 (M)	MISSING:(-9)	286	11.7 %	-

V6577 086D18D:FRND DAP SMK OC

Location: 611-612(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30400

Question Number(s): 6D18D

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

D: Using smokeless tobacco occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6577: 086D18D:FRND DAP SMK L OC				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	427	17.5 %	19.9%
2	DISAPRV:(2)	660	27.1 %	30.7%
3	ST DISAP:(3)	1060	43.5 %	49.4%
-9 (M)	MISSING:(-9)	292	12.0 %	-

V6578 086D18E:FRND DAP SMK L DL

Location: 613-614(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30410

Question Number(s): 6D18E

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

E: Using smokeless tobacco every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6578: 086D18E:FRND DAP SMK L DL				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	329	13.5 %	15.3%
2	DISAPRV:(2)	568	23.3 %	26.5%
3	ST DISAP:(3)	1249	51.2 %	58.2%
-9 (M)	MISSING:(-9)	293	12.0 %	-

V6579 086D18F:FRND DAP SMK L D+

Location: 615-616(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 30420

Question Number(s): 6D18F

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

F: Using smokeless tobacco several times per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6579: 086D18F:FRND DAP SMKL D+				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	289	11.8 %	13.5%
2	DISAPRV:(2)	513	21.0 %	23.9%
3	ST DISAP:(3)	1345	55.1 %	62.6%
-9 (M)	MISSING:(-9)	292	12.0 %	-

V6409 086D18G:FRD DAP TRY MARJ

Location: 617-618(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11480

Question Number(s): 6D18G

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

G: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6409: 086D18G:FRD DAP TRY MARJ				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	880	36.1 %	40.9%
2	DISAPRV:(2)	512	21.0 %	23.8%
3	ST DISAP:(3)	760	31.2 %	35.3%
-9 (M)	MISSING:(-9)	287	11.8 %	-

V6410 086D18H:FRD DAP MJ OCC

Location: 619-620(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11490

Question Number(s): 6D18H

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

H: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6410: 086D18H:FRD DAP MJ OCC				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	688	28.2 %	31.9%
2	DISAPRV:(2)	517	21.2 %	24.0%
3	ST DISAP:(3)	949	38.9 %	44.1%
-9 (M)	MISSING:(-9)	285	11.7 %	-

V6411 086D18I:FRD DAP MJ REG

Location: 621-622(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11500

Question Number(s): 6D18I

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

I: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6411: 086D18I:FRD DAP MJ REG				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	456	18.7 %	21.2%
2	DISAPRV:(2)	494	20.3 %	23.0%
3	ST DISAP:(3)	1196	49.0 %	55.7%
-9 (M)	MISSING:(-9)	293	12.0 %	-

V6414 086D18J:FRD DAP TRY CRCK

Location: 623-624(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23940

Question Number(s): 6D18J

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

J: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6414: 086D18J:FRD DAP TRY CRCK				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	136	5.6 %	6.3%
2	DISAPRV:(2)	353	14.5 %	16.3%
3	ST DISAP:(3)	1683	69.0 %	77.5%
-9 (M)	MISSING:(-9)	267	10.9 %	-

V6415 086D18K:FRD DAP CRCK OCC

Location: 625-626(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23950

Question Number(s): 6D18K

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

K: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6415: 086D18K:FRD DAP CRCK OCC				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	93	3.8 %	4.3%
2	DISAPRV:(2)	306	12.5 %	14.1%
3	ST DISAP:(3)	1771	72.6 %	81.6%
-9 (M)	MISSING:(-9)	269	11.0 %	-

V6416 086D18L:FRD DAP TRY PWDR

Location: 627-628(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23960

Question Number(s): 6D18L

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

L: Trying cocaine powder once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6416: 086D18L:FRD DAP TRY PWDR				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	161	6.6 %	7.4%
2	DISAPRV:(2)	346	14.2 %	16.0%
3	ST DISAP:(3)	1661	68.1 %	76.6%
-9 (M)	MISSING:(-9)	271	11.1 %	-

V6417 **086D18M:FRD DAP PWDR OCC**

Location: 629-630(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23970

Question Number(s): 6D18M

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

M: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6417: 086D18M:FRD DAP PWDR OCC				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	114	4.7 %	5.3%
2	DISAPRV:(2)	309	12.7 %	14.4%
3	ST DISAP:(3)	1727	70.8 %	80.3%
-9 (M)	MISSING:(-9)	289	11.8 %	-

V6418 **086D18N:FRD DAP 1-2DR/DA**

Location: 631-632(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11530

Question Number(s): 6D18N

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

N: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6418: 086D18N:FRD DAP 1-2DR/DA				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	543	22.3 %	25.1%
2	DISAPRV:(2)	667	27.3 %	30.9%
3	ST DISAP:(3)	952	39.0 %	44.0%
-9 (M)	MISSING:(-9)	277	11.4 %	-

V6419 086D18O:FRD DAP 4-5DR/DA

Location: 633-634(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11540

Question Number(s): 6D18O

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

O: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6419: 086D18O:FRD DAP 4-5DR/DA				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	283	11.6 %	13.1%
2	DISAPRV:(2)	551	22.6 %	25.5%
3	ST DISAP:(3)	1327	54.4 %	61.4%
-9 (M)	MISSING:(-9)	278	11.4 %	-

V6420 086D18P:FRD DAP 5+DR/WKD

Location: 635-636(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11550

Question Number(s): 6D18P

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

P: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6420: 086D18P:FRD DAP 5+DR/WKD				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	760	31.2 %	35.2%
2	DISAPRV:(2)	468	19.2 %	21.6%
3	ST DISAP:(3)	934	38.3 %	43.2%
-9 (M)	MISSING:(-9)	277	11.4 %	-

V6421 086D18Q:FRD DAP DRIV+2DR

Location: 637-638(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11551

Question Number(s): 6D18Q

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

Q: Driving a car after having 1-2 drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

V6421: 086D18Q:FRD DAP DRIV+2DR				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	352	14.4 %	16.3%
2	DISAPRV:(2)	535	21.9 %	24.8%
3	ST DISAP:(3)	1273	52.2 %	58.9%
-9 (M)	MISSING:(-9)	279	11.4 %	-

V6422 086D18R:FRD DAP DRIV+5DR

Location: 639-640(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 11552

Question Number(s): 6D18R

How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things?

R: Driving a car after having 5 or more drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

- Study 25382 -

V6422: 086D18R:FRD DAP DRIV+5DR				
Value	Label	Unweighted Frequency	%	Valid %
1	NT DISAP:(1)	102	4.2 %	4.7%
2	DISAPRV:(2)	281	11.5 %	13.0%
3	ST DISAP:(3)	1775	72.8 %	82.3%
-9 (M)	MISSING:(-9)	281	11.5 %	-

V6423 086D19A:ALL FRD SMK CIGS

Location: 641-642(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07070

Question Number(s): 6D19A

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

V6423: 086D19A:ALL FRD SMK CIGS				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	492	20.2 %	22.7%
2	A FEW:(2)	855	35.1 %	39.5%
3	SOME:(3)	520	21.3 %	24.0%
4	MOST:(4)	247	10.1 %	11.4%
5	ALL:(5)	49	2.0 %	2.3%
-9 (M)	MISSING:(-9)	276	11.3 %	-

V6424 086D19B:ALL FRD SMK MARJ

Location: 643-644(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07080

Question Number(s): 6D19B

How many of your friends would you estimate . . .

B: . . . Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

- Study 25382 -

V6424: 086D19B:ALL FRD SMK MARJ				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	542	22.2 %	25.0%
2	A FEW:(2)	660	27.1 %	30.5%
3	SOME:(3)	555	22.8 %	25.6%
4	MOST:(4)	327	13.4 %	15.1%
5	ALL:(5)	82	3.4 %	3.8%
-9 (M)	MISSING:(-9)	273	11.2 %	-

V6432 086D19C:# FRNDS TK CRACK

Location: 645-646(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07151

Question Number(s): 6D19C

How many of your friends would you estimate . . .

C: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

V6432: 086D19C:# FRNDS TK CRACK				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1767	72.4 %	81.7%
2	A FEW:(2)	299	12.3 %	13.8%
3	SOME:(3)	72	3.0 %	3.3%
4	MOST:(4)	9	0.4 %	0.4%
5	ALL:(5)	15	0.6 %	0.7%
-9 (M)	MISSING:(-9)	277	11.4 %	-

V6433 086D19D:# FRNDS TK C PWD

Location: 647-648(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23990

Question Number(s): 6D19D

How many of your friends would you estimate . . .

D: . . . Take cocaine in powder form?

- Study 25382 -

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

V6433: 086D19D:# FRNDS TK C PWD				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1658	68.0 %	77.0%
2	A FEW:(2)	376	15.4 %	17.5%
3	SOME:(3)	90	3.7 %	4.2%
4	MOST:(4)	10	0.4 %	0.5%
5	ALL:(5)	20	0.8 %	0.9%
-9 (M)	MISSING:(-9)	285	11.7 %	-

V6436 086D19E:ALL FRD TK INHL

Location: 649-650(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 07180

Question Number(s): 6D19E

How many of your friends would you estimate . . .

E: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

V6436: 086D19E:ALL FRD TK INHL				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1820	74.6 %	84.3%
2	A FEW:(2)	225	9.2 %	10.4%
3	SOME:(3)	77	3.2 %	3.6%
4	MOST:(4)	13	0.5 %	0.6%
5	ALL:(5)	24	1.0 %	1.1%
-9 (M)	MISSING:(-9)	280	11.5 %	-

V6488 086D19F:ALL FRD TK MDMA

Location: 651-652(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23020

Question Number(s): 6D19F

- Study 25382 -

How many of your friends would you estimate . . .

F: . . . Take MDMA (ecstasy)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

V6488: 086D19F:ALL FRD TK MDMA				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1598	65.5 %	74.2%
2	A FEW:(2)	386	15.8 %	17.9%
3	SOME:(3)	118	4.8 %	5.5%
4	MOST:(4)	31	1.3 %	1.4%
5	ALL:(5)	22	0.9 %	1.0%
-9 (M)	MISSING:(-9)	284	11.6 %	-

V6489

086D19G:ALL FRD TK ICE

Location: 653-654(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 24500

Question Number(s): 6D19G

How many of your friends would you estimate . . .

G: . . . Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

V6489: 086D19G:ALL FRD TK ICE				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1924	78.9 %	89.2%
2	A FEW:(2)	155	6.4 %	7.2%
3	SOME:(3)	49	2.0 %	2.3%
4	MOST:(4)	11	0.5 %	0.5%
5	ALL:(5)	18	0.7 %	0.8%
-9 (M)	MISSING:(-9)	282	11.6 %	-

V6490

086D19H:ALL FRD TK STERS

Location: 655-656(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 23030

- Study 25382 -

Question Number(s): 6D19H

How many of your friends would you estimate . . .

H: . . . Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

V6490: 086D19H:ALL FRD TK STERS				
Value	Label	Unweighted Frequency	%	Valid %
1	NONE:(1)	1739	71.3 %	80.6%
2	A FEW:(2)	315	12.9 %	14.6%
3	SOME:(3)	78	3.2 %	3.6%
4	MOST:(4)	9	0.4 %	0.4%
5	ALL:(5)	17	0.7 %	0.8%
-9 (M)	MISSING:(-9)	281	11.5 %	-

V6591

086D20A:#X GHB/LAST12MO

Location: 657-658(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31050

Question Number(s): 6D20A

Lately there has been some attention paid to certain drugs.
During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

A. . . . taken GHB ("liquid G," "grievous bodily harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

V6591: 086D20A:#X GHB/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2121	87.0 %	99.0%
2	1-2X:(2)	5	0.2 %	0.2%
3	3-5X:(3)	4	0.2 %	0.2%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	1	0.0 %	0.0%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%

- Study 25382 -

V6591: 086D20A:#X GHB/LAST12MO				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	MISSING:(-9)	296	12.1 %	-

V6592 086D20B:#X KETAMINE/12M

Location: 659-660(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31060

Question Number(s): 6D20B

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

B. . . . taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6592: 086D20B:#X KETAMINE/12M				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2113	86.6 %	98.6%
2	1-2X:(2)	12	0.5 %	0.6%
3	3-5X:(3)	7	0.3 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	2	0.1 %	0.1%
-9 (M)	MISSING:(-9)	295	12.1 %	-

V6593 086D20C:#X SMK BIDI/12M

Location: 661-662(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31070

Question Number(s): 6D20C

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

C. . . . smoked bidis (or beedies) which are small brown cigarettes from India?

- Study 25382 -

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6593: 086D20C:#X SMK BIDI/12M				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2102	86.2 %	98.1%
2	1-2X:(2)	17	0.7 %	0.8%
3	3-5X:(3)	11	0.5 %	0.5%
4	6-9X:(4)	3	0.1 %	0.1%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	3	0.1 %	0.1%
-9 (M)	MISSING:(-9)	297	12.2 %	-

V6594 086D20D:#X SMK KRETK/12M

Location: 663-664(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31150

Question Number(s): 6D20D

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

D. . . smoked kreteks (clove cigarettes)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6594: 086D20D:#X SMK KRETK/12M				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1987	81.5 %	92.9%
2	1-2X:(2)	67	2.7 %	3.1%
3	3-5X:(3)	38	1.6 %	1.8%
4	6-9X:(4)	16	0.7 %	0.7%
5	10-19X:(5)	10	0.4 %	0.5%
6	20-39X:(6)	10	0.4 %	0.5%
7	40+OCCAS:(7)	11	0.5 %	0.5%
-9 (M)	MISSING:(-9)	300	12.3 %	-

V6595 086D20E:#X ANDRO/12MO

- Study 25382 -

Location: 665-666(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31160

Question Number(s): 6D20E

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

E. . . taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6595: 086D20E:#X ANDRO/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2113	86.6 %	98.8%
2	1-2X:(2)	8	0.3 %	0.4%
3	3-5X:(3)	6	0.2 %	0.3%
4	6-9X:(4)	2	0.1 %	0.1%
5	10-19X:(5)	4	0.2 %	0.2%
6	20-39X:(6)	0	0.0 %	-
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	301	12.3 %	-

V6596 086D20F:#X CREATINE/12MO

Location: 667-668(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31170

Question Number(s): 6D20F

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

F. . . taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

- Study 25382 -

V6596: 086D20F:#X CREATINE/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1978	81.1 %	92.3%
2	1-2X:(2)	41	1.7 %	1.9%
3	3-5X:(3)	25	1.0 %	1.2%
4	6-9X:(4)	19	0.8 %	0.9%
5	10-19X:(5)	21	0.9 %	1.0%
6	20-39X:(6)	15	0.6 %	0.7%
7	40+OCCAS:(7)	43	1.8 %	2.0%
-9 (M)	MISSING:(-9)	297	12.2 %	-

V6597 086D20G:#X RITALIN/12MO

Location: 669-670(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31180

Question Number(s): 6D20G

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

G. . . . taken ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6597: 086D20G:#X RITALIN/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2061	84.5 %	96.3%
2	1-2X:(2)	41	1.7 %	1.9%
3	3-5X:(3)	16	0.7 %	0.7%
4	6-9X:(4)	5	0.2 %	0.2%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	3	0.1 %	0.1%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	299	12.3 %	-

V6600 086D20H:#X OXYCONTN/12MO

Location: 671-672(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

- Study 25382 -

Question:

Item Number: 31310

Question Number(s): 6D20H

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

H: . . . taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

V6600: 086D20H:#X OXYCONTN/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2026	83.1 %	94.7%
2	1-2X:(2)	57	2.3 %	2.7%
3	3-5X:(3)	24	1.0 %	1.1%
4	6-9X:(4)	12	0.5 %	0.6%
5	10-19X:(5)	7	0.3 %	0.3%
6	20-39X:(6)	6	0.2 %	0.3%
7	40+OCCAS:(7)	7	0.3 %	0.3%
-9 (M)	MISSING:(-9)	300	12.3 %	-

V6601

086D20I:#X VICODIN/12MO

Location: 673-674(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31320

Question Number(s): 6D20I

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

I: . . . taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

V6601: 086D20I:#X VICODIN/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	1930	79.1 %	90.1%
2	1-2X:(2)	105	4.3 %	4.9%

- Study 25382 -

V6601: 086D20I:#X VICODIN/12MO				
Value	Label	Unweighted Frequency	%	Valid %
3	3-5X:(3)	56	2.3 %	2.6%
4	6-9X:(4)	21	0.9 %	1.0%
5	10-19X:(5)	15	0.6 %	0.7%
6	20-39X:(6)	8	0.3 %	0.4%
7	40+OCCAS:(7)	8	0.3 %	0.4%
-9 (M)	MISSING:(-9)	296	12.1 %	-

V6602 086D20J:#X ROHYPNL/12MO

Location: 675-676(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 29785

Question Number(s): 6D20J

During the LAST 12 MONTHS, on how many occasions (if any) have you . . .

J: . . . taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

V6602: 086D20J:#X ROHYPNL/12MO				
Value	Label	Unweighted Frequency	%	Valid %
1	0 OCCAS:(1)	2109	86.5 %	98.7%
2	1-2X:(2)	12	0.5 %	0.6%
3	3-5X:(3)	2	0.1 %	0.1%
4	6-9X:(4)	4	0.2 %	0.2%
5	10-19X:(5)	2	0.1 %	0.1%
6	20-39X:(6)	4	0.2 %	0.2%
7	40+OCCAS:(7)	4	0.2 %	0.2%
-9 (M)	MISSING:(-9)	302	12.4 %	-

V6615 086D20K:#X COUGHMED/12MO

Location: 677-678(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -9

Question:

Item Number: 31670

- Study 25382 -

Question Number(s): 6D20K

During the LAST 12 MONTHS, on how many occasions (if any)
have you . . .

K. . . . taken a non-prescription cough or cold medicine
(robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

V6615: 086D20K:#X COUGHMED/12MO				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	0 OCCAS:(1)	2030	83.2 %	94.9%
2	1-2X:(2)	58	2.4 %	2.7%
3	3-5X:(3)	25	1.0 %	1.2%
4	6-9X:(4)	9	0.4 %	0.4%
5	10-19X:(5)	10	0.4 %	0.5%
6	20-39X:(6)	2	0.1 %	0.1%
7	40+OCCAS:(7)	5	0.2 %	0.2%
-9 (M)	MISSING:(-9)	300	12.3 %	-

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.