

ICPSR 39172

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2023

Richard A. Miech

*University of Michigan. Institute for Social Research. Survey
Research Center*

Lloyd D. Johnston

*University of Michigan. Institute for Social Research. Survey
Research Center*

Megan E. Patrick

*University of Michigan. Institute for Social Research. Survey
Research Center*

ICPSR Codebook for Form 6 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The [terms of use](https://www.icpsr.umich.edu/web/ICPSR/studies/39172/terms) for this study can be found at:
<https://www.icpsr.umich.edu/web/ICPSR/studies/39172/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 39172

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2023

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 6 Data

RESPONDENT_ID: R'S ID-SERIAL #

Value	Label	Unweighted Frequency	%
60001	-	1	0.1 %
60002	-	1	0.1 %
60003	-	1	0.1 %
60004	-	1	0.1 %
60005	-	1	0.1 %
60006	-	1	0.1 %
60007	-	1	0.1 %
60008	-	1	0.1 %
60009	-	1	0.1 %
60010	-	1	0.1 %
60011	-	1	0.1 %
60012	-	1	0.1 %
60013	-	1	0.1 %
60014	-	1	0.1 %
60015	-	1	0.1 %
60016	-	1	0.1 %
60017	-	1	0.1 %
60018	-	1	0.1 %
60019	-	1	0.1 %
60020	-	1	0.1 %
60021	-	1	0.1 %
60022	-	1	0.1 %
60023	-	1	0.1 %
60024	-	1	0.1 %
60025	-	1	0.1 %
60026	-	1	0.1 %
60027	-	1	0.1 %
60028	-	1	0.1 %
60029	-	1	0.1 %
60030	-	1	0.1 %
60031	-	1	0.1 %
60032	-	1	0.1 %

Value	Label	Unweighted Frequency	%
60033	-	1	0.1 %
60034	-	1	0.1 %
60035	-	1	0.1 %
60036	-	1	0.1 %
60037	-	1	0.1 %
60038	-	1	0.1 %
60039	-	1	0.1 %
60040	-	1	0.1 %
60041	-	1	0.1 %
60042	-	1	0.1 %
60043	-	1	0.1 %
60044	-	1	0.1 %
60045	-	1	0.1 %
60046	-	1	0.1 %
60047	-	1	0.1 %
60048	-	1	0.1 %
60049	-	1	0.1 %
60050	-	1	0.1 %
	Total	1,251	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,251 valid cases out of 1,251 total cases.

- Mean: 60631.12
- Minimum: 60001.00
- Maximum: 61282.00
- Standard Deviation: 368.72

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V1: 80001:YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2023	-	1251	100.0 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Mean: 2023.00

- Median: 2023.00
- Mode: 2023.00
- Minimum: 2023.00
- Maximum: 2023.00
- Standard Deviation: 0.00

Location: 6-9 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V3: 80003:FORM ID

Value	Label	Unweighted Frequency	%
1	FORM 1:(1)	0	0.0 %
2	FORM 2:(2)	0	0.0 %
3	FORM 3:(3)	0	0.0 %
4	FORM 4:(4)	0	0.0 %
5	FORM 5:(5)	0	0.0 %
6	FORM 6:(6)	1251	100.0 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 6.00
- Maximum: 6.00

Location: 10-11 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V545: 89978:SURVEY MODE: 1=PAPER 2=TABLET 3=WEB

Item Number: 89978

This variable is an indicator of survey mode: paper or tablet or web. This variable replaces TABLET (89977:RESPONDENT: TABLET=1 PAPER=0) in prior years.

1="PAPER" 2="TABLET" 3="WEB"

Value	Label	Unweighted Frequency	%
1	PAPER:(1)	0	0.0 %
2	TABLET:(2)	0	0.0 %
3	WEB:(3)	1251	100.0 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V548: 90016:MODE OF SURVEY ADMIN

Item Number: 90016

This variable provides information on the mode of survey administration to the students.

4="SYNCHRONOUS" 5="ASYNCHRONOUS" 6="MULTIPLE TYPES"

Value	Label	Unweighted Frequency	%
1	CLASS:(1)	0	0.0 %
2	MASS:(2)	0	0.0 %
3	MULTIPLE MASS:(3)	0	0.0 %
4	SYNCHRONOUS:(4)	1095	87.5 %
5	ASYNCHRONOUS:(5)	34	2.7 %
6	MULTIPLE TYPES:(6)	122	9.8 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 4.00
- Maximum: 6.00

Location: 14-15 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V549: 90017:INSTRUCTION MODE AT ADMIN

Item Number: 90017

Classroom instruction mode at time of survey administration

1 ="All in-person" 2 ="All remote" 3 ="Hybrid"

Value	Label	Unweighted Frequency	%
1	ALL IN-PERSON:(1)	1153	92.2 %
2	ALL REMOTE:(2)	29	2.3 %

Value	Label	Unweighted Frequency	%
3	HYBRID:(3)	69	5.5 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V550: 90018:PROCTOR IN SCHOOL

Item Number: 90018

MTF survey proctor present in the school

1 ="Yes" 0 ="No"

Value	Label	Unweighted Frequency	%
0	NO:(0)	80	6.4 %
1	YES:(1)	1171	93.6 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

RANDOM_GROUP: 90013:RANDOM GROUP: 1=BLUE 2=ORANGE

Item Number: 90013

This variable provides information to differentiate the "blue" and "orange" block questions. Please see the codebook for details.

1="BLUE" 2="ORANGE"

Value	Label	Unweighted Frequency	%
1	BLUE:(1)	632	50.5 %
2	ORANGE:(2)	619	49.5 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-21 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

ARCHIVE_WT: ARCHIVE WEIGHT

Value	Label	Unweighted Frequency	%
0.073590903868	-	1	0.1 %
0.074135607258	-	1	0.1 %
0.074357081511	-	1	0.1 %
0.077166654329	-	1	0.1 %
0.078066730264	-	1	0.1 %
0.078094198452	-	1	0.1 %
0.078529637834	-	1	0.1 %
0.079090746909	-	1	0.1 %
0.079367080877	-	1	0.1 %
0.079740676013	-	1	0.1 %
0.082590505827	-	1	0.1 %
0.082852451298	-	1	0.1 %
0.083456901496	-	1	0.1 %
0.084387768195	-	1	0.1 %
0.085030697267	-	1	0.1 %
0.085819699114	-	1	0.1 %
0.086206745807	-	1	0.1 %
0.087608222221	-	1	0.1 %
0.087758319511	-	1	0.1 %
0.088358647484	-	1	0.1 %
0.089138308150	-	1	0.1 %
0.090079417597	-	1	0.1 %
0.090969699431	-	1	0.1 %
0.091407238466	-	1	0.1 %
0.091885013912	-	1	0.1 %
0.095379767589	-	1	0.1 %

Value	Label	Unweighted Frequency	%
0.097455818895	-	1	0.1 %
0.098482227714	-	1	0.1 %
0.098851193185	-	1	0.1 %
0.100772365973	-	1	0.1 %
0.100953647000	-	1	0.1 %
0.101353692215	-	1	0.1 %
0.101791281812	-	1	0.1 %
0.102775911409	-	1	0.1 %
0.103448145004	-	1	0.1 %
0.103838773415	-	1	0.1 %
0.106024633008	-	1	0.1 %
0.106703755757	-	1	0.1 %
0.107248559791	-	1	0.1 %
0.107607965751	-	1	0.1 %
0.108453778763	-	1	0.1 %
0.108540760840	-	1	0.1 %
0.109177067237	-	1	0.1 %
0.109418047365	-	1	0.1 %
0.110102357850	-	1	0.1 %
0.110983079250	-	1	0.1 %
0.111556064995	-	1	0.1 %
0.111743949915	-	1	0.1 %
0.111769197605	-	1	0.1 %
0.112743366435	-	1	0.1 %
	Total	1,251	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,251 valid cases out of 1,251 total cases.

- Mean: 1.014084401727
- Minimum: 0.073590903868
- Maximum: 6.185054293949
- Standard Deviation: 0.814355941208

Location: 22-36 (width: 15; decimal: 12)

Variable Type: numeric

(Range of) Missing Values: -9.000000000000

Item Number: 80013

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=Midwest 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	288	23.0 %
2	MIDWEST:(2)	351	28.1 %
3	SOUTH:(3)	480	38.4 %
4	WEST:(4)	132	10.6 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V16: 80016:SELF-REP/NOT=0

Item Number: 80016

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Non Self-representing" 1="Self-representing"

Value	Label	Unweighted Frequency	%
0	NOT SELF REPRESENTING:(0)	802	64.1 %
1	SELF REPRESENTING:(1)	449	35.9 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V17: 80017:SMSA/NON-SMSA=0

Item Number: 80017

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NON-MSA:(0)	271	21.7 %
1	MSA:(1)	980	78.3 %
	Total	1,251	100%

Based upon 1,251 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V6207: 06840:CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied"

3="Somewhat dissatisfied" 4="Neither, or mixed feelings"

5="Somewhat satisfied" 6="Quite satisfied"

7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	22	1.8 %
2	QUITE DIS:(2)	93	7.4 %
3	SOME DIS:(3)	102	8.2 %
4	NEITHER:(4)	216	17.3 %
5	SOME SAT:(5)	308	24.6 %
6	QUITE SAT:(6)	404	32.3 %
7	COMP SAT:(7)	101	8.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	5	0.4 %
	Total	1,251	100%

Based upon 1,246 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6208: 05820:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do. How often do you do each of the following?

Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	82	6.6 %
2	FEW/YR:(2)	83	6.6 %
3	1X-2X/MO:(3)	155	12.4 %
4	ONCE+/WK:(4)	390	31.2 %
5	ALM EVERYDAY:(5)	346	27.7 %
6	DAILY:(6)	183	14.6 %
	Missing Data		
-9	MISSING:(-9)	12	1.0 %
	Total	1,251	100%

Based upon 1,239 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6664: 38190:DALY WATCH MOVIE

Item Number: 38190

How often do you do each of the following?

Watch movies

6="Every day" 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	26	2.1 %
2	FEW/YR:(2)	135	10.8 %
3	1X-2X/MO:(3)	421	33.7 %
4	ONCE+/WK:(4)	435	34.8 %
5	ALM EVERYDAY:(5)	145	11.6 %
6	DAILY:(6)	70	5.6 %
	Missing Data		
-9	MISSING:(-9)	19	1.5 %
	Total	1,251	100%

Based upon 1,232 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7748: 05846:DALY MUSIC CNCRT

Item Number: 30100

How often do you do each of the following?

Go to music concerts

6="Every day" 5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

NOTE: In 2006, the question text changed from "How often do you do each of the following? Go to rock concerts" (V6210 05845:DALY ROCK CNCRT) to "How often do you do each of the following? Go to music concerts". MTF decided to split "rock concert" from "music concert". Starting with 2022, V6210 is being replaced by V7748.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	675	54.0 %

Value	Label	Unweighted Frequency	%
2	FEW/YR:(2)	477	38.1 %
3	1X-2X/MO:(3)	47	3.8 %
4	ONCE+/WK:(4)	14	1.1 %
5	ALM EVERYDAY:(5)	1	0.1 %
6	DAILY:(6)	8	0.6 %
	Missing Data		
-9	MISSING:(-9)	29	2.3 %
	Total	1,251	100%

Based upon 1,222 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6211: 05850:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following?

Ride around in a car (or motorcycle) just for fun

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	185	14.8 %
2	FEW/YR:(2)	126	10.1 %
3	1X-2X/MO:(3)	216	17.3 %
4	ONCE+/WK:(4)	305	24.4 %
5	ALM EVERYDAY:(5)	214	17.1 %
6	DAILY:(6)	186	14.9 %
	Missing Data		
-9	MISSING:(-9)	19	1.5 %
	Total	1,251	100%

Based upon 1,232 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 6.00

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6212: 05860:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following?

Participate in community affairs or volunteer work

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	300	24.0 %
2	FEW/YR:(2)	442	35.3 %
3	1X-2X/MO:(3)	324	25.9 %
4	ONCE+/WK:(4)	119	9.5 %
5	ALM EVERYDAY:(5)	37	3.0 %
6	DAILY:(6)	13	1.0 %
	Missing Data		
-9	MISSING:(-9)	16	1.3 %
	Total	1,251	100%

Based upon 1,235 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6213: 05890:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following?

Actively participate in sports, athletics or exercising

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	174	13.9 %
2	FEW/YR:(2)	104	8.3 %
3	1X-2X/MO:(3)	125	10.0 %
4	ONCE+/WK:(4)	235	18.8 %
5	ALM EVERYDAY:(5)	276	22.1 %
6	DAILY:(6)	327	26.1 %
	Missing Data		
-9	MISSING:(-9)	10	0.8 %
	Total	1,251	100%

Based upon 1,241 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V6214: 05920:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following?

Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	44	3.5 %
2	FEW/YR:(2)	90	7.2 %
3	1X-2X/MO:(3)	287	22.9 %
4	ONCE+/WK:(4)	447	35.7 %
5	ALM EVERYDAY:(5)	272	21.7 %
6	DAILY:(6)	99	7.9 %
	Missing Data		
-9	MISSING:(-9)	12	1.0 %
	Total	1,251	100%

Based upon 1,239 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 57-58 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6597: 05935:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following?

Go to a shopping mall

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	113	9.0 %
2	FEW/YR:(2)	400	32.0 %
3	1X-2X/MO:(3)	559	44.7 %
4	ONCE+/WK:(4)	136	10.9 %
5	ALM EVERYDAY:(5)	17	1.4 %
6	DAILY:(6)	7	0.6 %
	Missing Data		
-9	MISSING:(-9)	19	1.5 %
	Total	1,251	100%

Based upon 1,232 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6216: 05940:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?

Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	42	3.4 %
2	FEW/YR:(2)	27	2.2 %
3	1X-2X/MO:(3)	79	6.3 %
4	ONCE+/WK:(4)	217	17.3 %
5	ALM EVERYDAY:(5)	378	30.2 %
6	DAILY:(6)	491	39.2 %
	Missing Data		
-9	MISSING:(-9)	17	1.4 %
	Total	1,251	100%

Based upon 1,234 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6217: 23070:DALY READ MAGZNS

Item Number: 23070

How often do you do each of the following?

Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	906	72.4 %
2	FEW/YR:(2)	217	17.3 %
3	1X-2X/MO:(3)	71	5.7 %
4	ONCE+/WK:(4)	31	2.5 %
5	ALM EVERYDAY:(5)	5	0.4 %
6	DAILY:(6)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	17	1.4 %
	Total	1,251	100%

Based upon 1,234 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6218: 23080:DALY READ NWSPPR

Item Number: 23080

How often do you do each of the following?

Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"

4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	912	72.9 %
2	FEW/YR:(2)	197	15.7 %
3	1X-2X/MO:(3)	67	5.4 %
4	ONCE+/WK:(4)	39	3.1 %
5	ALM EVERYDAY:(5)	13	1.0 %
6	DAILY:(6)	8	0.6 %
	Missing Data		
-9	MISSING:(-9)	15	1.2 %
	Total	1,251	100%

Based upon 1,236 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6219: 05960:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following?

Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	930	74.3 %
2	FEW/YR:(2)	142	11.4 %
3	1X-2X/MO:(3)	105	8.4 %
4	ONCE+/WK:(4)	40	3.2 %
5	ALM EVERYDAY:(5)	10	0.8 %
6	DAILY:(6)	9	0.7 %
	Missing Data		
-9	MISSING:(-9)	15	1.2 %
	Total	1,251	100%

Based upon 1,236 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6220: 05970:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following?

Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day" 6="Daily"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	221	17.7 %
2	FEW/YR:(2)	444	35.5 %
3	1X-2X/MO:(3)	363	29.0 %
4	ONCE+/WK:(4)	192	15.3 %
5	ALM EVERYDAY:(5)	12	1.0 %
6	DAILY:(6)	8	0.6 %
	Missing Data		
-9	MISSING:(-9)	11	0.9 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,240 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6598: 29760:DALY GO TO RAVES

Item Number: 29760

How often do you do each of the following?

Go to raves or other dance music events

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"
6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	892	71.3 %
2	FEW/YR:(2)	256	20.5 %
3	1X-2X/MO:(3)	59	4.7 %
4	ONCE+/WK:(4)	22	1.8 %
5	ALM EVERYDAY:(5)	3	0.2 %
6	DAILY:(6)	6	0.5 %
	Missing Data		
-9	MISSING:(-9)	13	1.0 %
	Total	1,251	100%

Based upon 1,238 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6221: 05700:SC WRK NVR MNG

Item Number: 05700

The next questions are about your experiences in school. How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	115	9.2 %
2	SELDOM:(2)	328	26.2 %
3	SOMETIME:(3)	558	44.6 %
4	OFTEN:(4)	185	14.8 %
5	ALM ALWYS:(5)	53	4.2 %
	Missing Data		
-9	MISSING:(-9)	12	1.0 %
	Total	1,251	100%

Based upon 1,239 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6223: 05720:LRN SCH NT IMP

Item Number: 05720

How important do you think the things you are learning in school are going to be for your later life?

5="Very important" 4="Quite important" 3="Fairly important" 2="Slightly important" 1="Not at all important"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	99	7.9 %
2	SLIGHT:(2)	456	36.5 %
3	FAIR IMPT:(3)	451	36.1 %
4	QUITE IMPT:(4)	171	13.7 %
5	VRY IMPT:(5)	60	4.8 %
	Missing Data		
-9	MISSING:(-9)	14	1.1 %
	Total	1,251	100%

Based upon 1,237 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6224: 23090:LSTYR/ENJOY SCHL

Item Number: 23090

Think back over the past year in school. I enjoy being in school.

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	106	8.5 %
2	RARELY:(2)	248	19.8 %
3	SOMETIMES:(3)	490	39.2 %
4	OFTEN:(4)	317	25.3 %
5	ALWAYS OR ALMOST ALWAYS:(5)	73	5.8 %
	Missing Data		
-9	MISSING:(-9)	17	1.4 %
	Total	1,251	100%

Based upon 1,234 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6225: 23100:LSTYR/HATE SCHL

Item Number: 23100

Think back over the past year in school. I hate being in school.

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	87	7.0 %
2	RARELY:(2)	253	20.2 %

Value	Label	Unweighted Frequency	%
3	SOMETIMES:(3)	463	37.0 %
4	OFTEN:(4)	309	24.7 %
5	ALWAYS OR ALMOST ALWAYS:(5)	119	9.5 %
	Missing Data		
-9	MISSING:(-9)	20	1.6 %
	Total	1,251	100%

Based upon 1,231 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7946: 39080:LSTYR/COMPLETE WORK

Item Number: 39080

Think back over the past year in school. I complete my work on time.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	23	1.8 %
2	RARELY:(2)	83	6.6 %
3	SOMETIMES:(3)	326	26.1 %
4	OFTEN:(4)	357	28.5 %
5	ALWAYS OR ALMOST ALWAYS:(5)	439	35.1 %
	Missing Data		
-9	MISSING:(-9)	23	1.8 %
	Total	1,251	100%

Based upon 1,228 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7947: 39090:LSTYR/FOLLOW RULES

Item Number: 39090

Think back over the past year in school. I follow the rules at school.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	15	1.2 %
2	RARELY:(2)	28	2.2 %
3	SOMETIMES:(3)	132	10.6 %
4	OFTEN:(4)	388	31.0 %
5	ALWAYS OR ALMOST ALWAYS:(5)	666	53.2 %
Missing Data			
-9	MISSING:(-9)	22	1.8 %
Total		1,251	100%

Based upon 1,229 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7948: 39100:LSTYR/GET IN TRBL

Item Number: 39100

Think back over the past year in school. I get in trouble at school.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	724	57.9 %
2	RARELY:(2)	419	33.5 %
3	SOMETIMES:(3)	65	5.2 %
4	OFTEN:(4)	13	1.0 %
5	ALWAYS OR ALMOST ALWAYS:(5)	10	0.8 %
Missing Data			
-9	MISSING:(-9)	20	1.6 %
Total		1,251	100%

Based upon 1,231 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7949: 39110:LSTYR/ACT LK WRKNG

Item Number: 39110

Think back over the past year in school. When I am in class, I just act as if I am working.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	137	11.0 %
2	RARELY:(2)	271	21.7 %
3	SOMETIMES:(3)	504	40.3 %
4	OFTEN:(4)	228	18.2 %
5	ALWAYS OR ALMOST ALWAYS:(5)	90	7.2 %
	Missing Data		
-9	MISSING:(-9)	21	1.7 %
	Total	1,251	100%

Based upon 1,230 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7950: 39120:LSTYR/PAY ATTN

Item Number: 39120

Think back over the past year in school. I pay attention in class.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	17	1.4 %

Value	Label	Unweighted Frequency	%
2	RARELY:(2)	50	4.0 %
3	SOMETIMES:(3)	305	24.4 %
4	OFTEN:(4)	555	44.4 %
5	ALWAYS OR ALMOST ALWAYS:(5)	307	24.5 %
	Missing Data		
-9	MISSING:(-9)	17	1.4 %
	Total	1,251	100%

Based upon 1,234 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V7951: 39130:LSTYR/EXCTD SCH WRK

Item Number: 39130

Think back over the past year in school. I feel excited by my work at school.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	311	24.9 %
2	RARELY:(2)	452	36.1 %
3	SOMETIMES:(3)	347	27.7 %
4	OFTEN:(4)	98	7.8 %
5	ALWAYS OR ALMOST ALWAYS:(5)	24	1.9 %
	Missing Data		
-9	MISSING:(-9)	19	1.5 %
	Total	1,251	100%

Based upon 1,232 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V7952: 39140:LSTYR/INTRSTD SCH WRK

Item Number: 39140

Think back over the past year in school. I am interested in the work at school.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	212	16.9 %
2	RARELY:(2)	359	28.7 %
3	SOMETIMES:(3)	502	40.1 %
4	OFTEN:(4)	129	10.3 %
5	ALWAYS OR ALMOST ALWAYS:(5)	27	2.2 %
	Missing Data		
-9	MISSING:(-9)	22	1.8 %
	Total	1,251	100%

Based upon 1,229 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7953: 39150:LSTYR/HAPPY IN SCH

Item Number: 39150

Think back over the past year in school. I feel happy in school.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	109	8.7 %
2	RARELY:(2)	229	18.3 %
3	SOMETIMES:(3)	520	41.6 %
4	OFTEN:(4)	295	23.6 %
5	ALWAYS OR ALMOST ALWAYS:(5)	75	6.0 %
	Missing Data		
-9	MISSING:(-9)	23	1.8 %
	Total	1,251	100%

Based upon 1,228 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7954: 39160:LSTYR/BORED IN SCH

Item Number: 39160

Think back over the past year in school. I feel bored in school.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	18	1.4 %
2	RARELY:(2)	56	4.5 %
3	SOMETIMES:(3)	340	27.2 %
4	OFTEN:(4)	521	41.6 %
5	ALWAYS OR ALMOST ALWAYS:(5)	293	23.4 %
	Missing Data		
-9	MISSING:(-9)	23	1.8 %
	Total	1,251	100%

Based upon 1,228 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7955: 39170:LSTYR/CHK SCHWRK

Item Number: 39170

Think back over the past year in school. I check my schoolwork for mistakes.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	123	9.8 %

Value	Label	Unweighted Frequency	%
2	RARELY:(2)	266	21.3 %
3	SOMETIMES:(3)	391	31.3 %
4	OFTEN:(4)	299	23.9 %
5	ALWAYS OR ALMOST ALWAYS:(5)	150	12.0 %
	Missing Data		
-9	MISSING:(-9)	22	1.8 %
	Total	1,251	100%

Based upon 1,229 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

V7956: 39180:LSTYR/STUDY AT HOME

Item Number: 39180

Think back over the past year in school. I study at home even when I don't have a test.

1="Never" 2="Rarely" 3="Sometimes" 4="Often" 5="Always or Almost Always"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	600	48.0 %
2	RARELY:(2)	366	29.3 %
3	SOMETIMES:(3)	192	15.3 %
4	OFTEN:(4)	50	4.0 %
5	ALWAYS OR ALMOST ALWAYS:(5)	24	1.9 %
	Missing Data		
-9	MISSING:(-9)	19	1.5 %
	Total	1,251	100%

Based upon 1,232 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 101-102 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

V6491: 25180:#X PRNT CHK HMWK

Item Number: 25180

How often do your parents (or stepparents or guardians) do the following?

Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	191	15.3 %
2	RARELY:(2)	112	9.0 %
3	SOMETIME:(3)	127	10.2 %
4	OFTEN:(4)	123	9.8 %
	Missing Data		
-9	MISSING:(-9)	79	6.3 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 553 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6492: 25190:#X PRNT HLP HMWK

Item Number: 25190

How often do your parents (or stepparents or guardians) do the following?

Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	172	13.7 %
2	RARELY:(2)	124	9.9 %
3	SOMETIME:(3)	134	10.7 %

Value	Label	Unweighted Frequency	%
4	OFTEN:(4)	122	9.8 %
	Missing Data		
-9	MISSING:(-9)	80	6.4 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 552 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6493: 25200:#X PRNT GV CHORE

Item Number: 25200

How often do your parents (or stepparents or guardians) do the following?

Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	41	3.3 %
2	RARELY:(2)	58	4.6 %
3	SOMETIME:(3)	156	12.5 %
4	OFTEN:(4)	296	23.7 %
	Missing Data		
-9	MISSING:(-9)	81	6.5 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 551 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V7886: 38090:#X PRNT LIMIT SCRIN TIME

Item Number: 38090

How often do your parents (or stepparents or guardians) do the following? Limit the amount of your screen time (such as video games, social media, TV/movies, etc.)

1="Never" 2="Rarely" 3="Sometimes" 4="Often" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	352	28.1 %
2	RARELY:(2)	109	8.7 %
3	SOMETIME:(3)	82	6.6 %
4	OFTEN:(4)	26	2.1 %
	Missing Data		
-9	MISSING:(-9)	63	5.0 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 569 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6495: 25220:#X PRNT LMT OUT

Item Number: 25220

How often do your parents (or stepparents or guardians) do the following?

Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	188	15.0 %

Value	Label	Unweighted Frequency	%
2	RARELY:(2)	138	11.0 %
3	SOMETIME:(3)	121	9.7 %
4	OFTEN:(4)	104	8.3 %
	Missing Data		
-9	MISSING:(-9)	81	6.5 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 551 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6251: 22170:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	472	37.7 %
2	SLIGHT:(2)	57	4.6 %
3	MODERATE:(3)	31	2.5 %
4	CONSDRBL:(4)	25	2.0 %
5	GRT EXT:(5)	32	2.6 %
	Missing Data		
-9	MISSING:(-9)	15	1.2 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 617 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6252: 22180:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"-8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	408	32.6 %
2	SLIGHT:(2)	43	3.4 %
3	MODERATE:(3)	39	3.1 %
4	CONSDRBL:(4)	32	2.6 %
5	GRT EXT:(5)	94	7.5 %
	Missing Data		
-9	MISSING:(-9)	16	1.3 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 616 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6253: 22190:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"-8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	289	23.1 %
2	SLIGHT:(2)	36	2.9 %
3	MODERATE:(3)	52	4.2 %
4	CONSDRBL:(4)	62	5.0 %
5	GRT EXT:(5)	177	14.1 %
	Missing Data		
-9	MISSING:(-9)	16	1.3 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 616 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6254: 23360:SCH ATV-ACDMC CL

Item Number: 23360

To what extent have you participated in the following school activities during this school year?

Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"-8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	411	32.9 %
2	SLIGHT:(2)	48	3.8 %
3	MODERATE:(3)	58	4.6 %
4	CONSDRBL:(4)	56	4.5 %
5	GRT EXT:(5)	42	3.4 %
	Missing Data		
-9	MISSING:(-9)	17	1.4 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 615 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6255: 23370:SCH ATV-STDN GVT

Item Number: 23370

To what extent have you participated in the following school activities during this school year?

Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"-8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	490	39.2 %
2	SLIGHT:(2)	39	3.1 %
3	MODERATE:(3)	36	2.9 %
4	CONSDRBL:(4)	20	1.6 %
5	GRT EXT:(5)	30	2.4 %
	Missing Data		
-9	MISSING:(-9)	17	1.4 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 615 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6256: 22200:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great" -8="R ASSIGNED ORANGE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	268	21.4 %
2	SLIGHT:(2)	68	5.4 %
3	MODERATE:(3)	88	7.0 %
4	CONSDRBL:(4)	99	7.9 %
5	GRT EXT:(5)	92	7.4 %
	Missing Data		
-9	MISSING:(-9)	17	1.4 %
-8	R ASSIGNED ORANGE:(-8)	619	49.5 %
	Total	1,251	100%

Based upon 615 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6272: 23530:EVER HELD BACK

Item Number: 23530

Have you ever had to repeat a grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NO:(1)	571	45.6 %
2	YES:(2-3)	41	3.3 %
	Missing Data		
-9	MISSING:(-9)	7	0.6 %
-8	R ASSIGNED BLUE:(-8)	632	50.5 %
	Total	1,251	100%

Based upon 612 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6273: 23540:NEED SUMMER SCHL

Item Number: 23540

Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NO:(1)	472	37.7 %
2	YES:(2-4)	140	11.2 %
	Missing Data		
-9	MISSING:(-9)	7	0.6 %
-8	R ASSIGNED BLUE:(-8)	632	50.5 %
	Total	1,251	100%

Based upon 612 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6496: 25140:EVER SUSPENDED

Item Number: 25140

Have you ever been suspended or expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NONE:(1)	509	40.7 %
2	YES:(2-3)	102	8.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	8	0.6 %
-8	R ASSIGNED BLUE:(-8)	632	50.5 %
	Total	1,251	100%

Based upon 611 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6507: 29590:#DA GUN SCHL/4WK

Item Number: 29590

During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days" -8="R ASSIGNED BLUE"

Note: Some data are missing due to question randomization. Please see RANDOM_GROUP in the codebook for details.

Value	Label	Unweighted Frequency	%
1	NONE:(1)	608	48.6 %
2	1 DAY:(2)	2	0.2 %
3	2 DAYS:(3)	1	0.1 %
4	3-5 DAYS:(4)	0	0.0 %
5	6-9 DAYS:(5)	0	0.0 %
6	10+ DAYS:(6)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	8	0.6 %
-8	R ASSIGNED BLUE:(-8)	632	50.5 %
	Total	1,251	100%

Based upon 611 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8

V6504: 25820:ILL DRG SOLD@SCH

Item Number: 25820

During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1033	82.6 %
2	YES:(2)	192	15.3 %
	Missing Data		
-9	MISSING:(-9)	26	2.1 %
	Total	1,251	100%

Based upon 1,225 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6274: 23550:TCHR PRVNT SMKNG

Item Number: 23550

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from... ..smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	160	12.8 %
2	SLIGHT:(2)	117	9.4 %
3	SOMEWHAT:(3)	210	16.8 %
4	FRLY VIGOR:(4)	260	20.8 %
5	VRV VIGOR:(5)	326	26.1 %
8	DK:(8)	153	12.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	25	2.0 %
	Total	1,251	100%

Based upon 1,226 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6275: 23560:TCHR PRVNT DRNG

Item Number: 23560

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from... ..drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	204	16.3 %
2	SLIGHT:(2)	182	14.5 %
3	SOMEWHAT:(3)	203	16.2 %
4	FRLY VIGOR:(4)	206	16.5 %
5	VRY VIGOR:(5)	233	18.6 %
8	DK:(8)	199	15.9 %
	Missing Data		
-9	MISSING:(-9)	24	1.9 %
	Total	1,251	100%

Based upon 1,227 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6276: 23570:TCHR PRVNT DRUGS

Item Number: 23570

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from... ..drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	163	13.0 %
2	SLIGHT:(2)	135	10.8 %
3	SOMEWHAT:(3)	182	14.5 %
4	FRLY VIGOR:(4)	231	18.5 %
5	VRY VIGOR:(5)	360	28.8 %
8	DK:(8)	155	12.4 %
	Missing Data		
-9	MISSING:(-9)	25	2.0 %
	Total	1,251	100%

Based upon 1,226 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6650: 35390:TCHR PRVNT VAPING

Item Number: 35390

In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from... ..vaping?

1="Not At All" 2="Slightly" 3="Somewhat" 4="Fairly Vigorous" 5="Very Vigorous" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	163	13.0 %
2	SLIGHT:(2)	111	8.9 %
3	SOMEWHAT:(3)	156	12.5 %
4	FRLY VIGOR:(4)	239	19.1 %
5	VRY VIGOR:(5)	438	35.0 %
8	DK:(8)	120	9.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	24	1.9 %
	Total	1,251	100%

Based upon 1,227 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6277: 23580:CNSEQNC 4 SMOKNG

Item Number: 23580

How severe do you think the consequences would be for a student in your school who gets caught... ..smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	33	2.6 %
2	MILD:(2)	144	11.5 %
3	MODERATE:(3)	364	29.1 %
4	SEVERE:(4)	560	44.8 %
8	DK:(8)	124	9.9 %
	Missing Data		
-9	MISSING:(-9)	26	2.1 %
	Total	1,251	100%

Based upon 1,225 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6278: 23590:CNSEQNC 4 ALCOHL

Item Number: 23590

How severe do you think the consequences would be for a student in your school who gets caught... using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	29	2.3 %
2	MILD:(2)	93	7.4 %
3	MODERATE:(3)	286	22.9 %
4	SEVERE:(4)	674	53.9 %
8	DK:(8)	145	11.6 %
	Missing Data		
-9	MISSING:(-9)	24	1.9 %
	Total	1,251	100%

Based upon 1,227 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6279: 23600:CNSEQNC 4 DRUGS

Item Number: 23600

How severe do you think the consequences would be for a student in your school who gets caught... using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	27	2.2 %
2	MILD:(2)	50	4.0 %
3	MODERATE:(3)	153	12.2 %
4	SEVERE:(4)	879	70.3 %
8	DK:(8)	119	9.5 %
	Missing Data		
-9	MISSING:(-9)	23	1.8 %
	Total	1,251	100%

Based upon 1,228 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6651: 35400:CNSEQNC 4 VAPING

Item Number: 35400

How severe do you think the consequences would be for a student in your school who gets caught... ..vaping?

1="No Consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	NO:(1)	46	3.7 %
2	MILD:(2)	229	18.3 %
3	MODERATE:(3)	424	33.9 %
4	SEVERE:(4)	426	34.1 %
8	DK:(8)	102	8.2 %
	Missing Data		
-9	MISSING:(-9)	24	1.9 %
	Total	1,251	100%

Based upon 1,227 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6297: 12360:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they... ..smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	51	4.1 %
2	SLIGHT:(2)	41	3.3 %
3	MOD RISK:(3)	141	11.3 %
4	GRT RISK:(4)	938	75.0 %
5	CANT SAY:(5)	52	4.2 %
	Missing Data		
-9	MISSING:(-9)	28	2.2 %
	Total	1,251	100%

Based upon 1,223 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6298: 12370:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they... ..try
marijuana (pot, weed) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	507	40.5 %
2	SLIGHT:(2)	378	30.2 %
3	MOD RISK:(3)	139	11.1 %
4	GRT RISK:(4)	135	10.8 %
5	CANT SAY:(5)	63	5.0 %
	Missing Data		
-9	MISSING:(-9)	29	2.3 %
	Total	1,251	100%

Based upon 1,222 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6299: 12380:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they... ..smoke
marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	262	20.9 %
2	SLIGHT:(2)	384	30.7 %
3	MOD RISK:(3)	323	25.8 %
4	GRT RISK:(4)	187	14.9 %
5	CANT SAY:(5)	64	5.1 %
	Missing Data		
-9	MISSING:(-9)	31	2.5 %
	Total	1,251	100%

Based upon 1,220 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6300: 12390:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they... ..smoke
marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	140	11.2 %
2	SLIGHT:(2)	234	18.7 %

Value	Label	Unweighted Frequency	%
3	MOD RISK:(3)	342	27.3 %
4	GRT RISK:(4)	436	34.9 %
5	CANT SAY:(5)	64	5.1 %
	Missing Data		
-9	MISSING:(-9)	35	2.8 %
	Total	1,251	100%

Based upon 1,216 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6517: 12490:RSK OF COKE 1-2X

Item Number: 12490

How much do you think people risk harming themselves
(physically or in other ways), if they... ..try
cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	54	4.3 %
2	SLIGHT:(2)	94	7.5 %
3	MOD RISK:(3)	201	16.1 %
4	GRT RISK:(4)	780	62.4 %
5	CANT SAY:(5)	94	7.5 %
	Missing Data		
-9	MISSING:(-9)	28	2.2 %
	Total	1,251	100%

Based upon 1,223 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6316: 12520:RSK OF 1-2 DR/DA

Item Number: 12520

How much do you think people risk harming themselves
(physically or in other ways), if they... ..have
one or two drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	88	7.0 %
2	SLIGHT:(2)	243	19.4 %
3	MOD RISK:(3)	467	37.3 %
4	GRT RISK:(4)	378	30.2 %
5	CANT SAY:(5)	45	3.6 %
Missing Data			
-9	MISSING:(-9)	30	2.4 %
Total		1,251	100%

Based upon 1,221 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6317: 12530:RSK OF 4-5 DR/DA

Item Number: 12530

How much do you think people risk harming themselves
(physically or in other ways), if they... ..have
four or five drinks nearly every day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	38	3.0 %
2	SLIGHT:(2)	45	3.6 %
3	MOD RISK:(3)	205	16.4 %
4	GRT RISK:(4)	888	71.0 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	45	3.6 %
	Missing Data		
-9	MISSING:(-9)	30	2.4 %
	Total	1,251	100%

Based upon 1,221 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6318: 12540:RSK OF 5+DR/WKND

Item Number: 12540

How much do you think people risk harming themselves
(physically or in other ways), if they... ..have
five or more drinks once or twice each weekend?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	76	6.1 %
2	SLIGHT:(2)	177	14.1 %
3	MOD RISK:(3)	407	32.5 %
4	GRT RISK:(4)	514	41.1 %
5	CANT SAY:(5)	46	3.7 %
	Missing Data		
-9	MISSING:(-9)	31	2.5 %
	Total	1,251	100%

Based upon 1,220 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6478: 24510:RSK STEROID ATHL

Item Number: 24510

How much do you think people risk harming themselves
(physically or in other ways), if they... ..take steroids
for body-building or improved athletic performance?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	50	4.0 %
2	SLIGHT:(2)	123	9.8 %
3	MOD RISK:(3)	354	28.3 %
4	GRT RISK:(4)	598	47.8 %
5	CANT SAY:(5)	94	7.5 %
	Missing Data		
-9	MISSING:(-9)	32	2.6 %
	Total	1,251	100%

Based upon 1,219 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6518: 23040:RSK MDMA 1-2X

Item Number: 23040

How much do you think people risk harming themselves
(physically or in other ways), if they... ..try
MDMA (Molly, ecstasy) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	51	4.1 %
2	SLIGHT:(2)	136	10.9 %
3	MOD RISK:(3)	231	18.5 %
4	GRT RISK:(4)	606	48.4 %
5	CANT SAY:(5)	196	15.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	31	2.5 %
	Total	1,251	100%

Based upon 1,220 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6320: 08560:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	154	12.3 %
2	DISAPPRV:(2)	489	39.1 %
3	STRG DIS:(3)	571	45.6 %
	Missing Data		
-9	MISSING:(-9)	37	3.0 %
	Total	1,251	100%

Based upon 1,214 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6321: 08570:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	826	66.0 %
2	DISAPPRV:(2)	239	19.1 %
3	STRG DIS:(3)	149	11.9 %
	Missing Data		
-9	MISSING:(-9)	37	3.0 %
	Total	1,251	100%

Based upon 1,214 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6322: 08580:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	703	56.2 %
2	DISAPPRV:(2)	314	25.1 %
3	STRG DIS:(3)	197	15.7 %
	Missing Data		
-9	MISSING:(-9)	37	3.0 %
	Total	1,251	100%

Based upon 1,214 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6323: 08590:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	475	38.0 %
2	DISAPPRV:(2)	416	33.3 %
3	STRG DIS:(3)	322	25.7 %
	Missing Data		
-9	MISSING:(-9)	38	3.0 %
	Total	1,251	100%

Based upon 1,213 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6519: 08690:DAP TRY COC 1-2T

Item Number: 08690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	149	11.9 %
2	DISAPPRV:(2)	365	29.2 %
3	STRG DIS:(3)	700	56.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	37	3.0 %
	Total	1,251	100%

Based upon 1,214 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6339: 08720:DAP 1-2 DRK/DAY

Item Number: 08720

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

Having one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	293	23.4 %
2	DISAPPRV:(2)	501	40.0 %
3	STRG DIS:(3)	420	33.6 %
	Missing Data		
-9	MISSING:(-9)	37	3.0 %
	Total	1,251	100%

Based upon 1,214 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6340: 08730:DAP 4-5 DRK/DAY

Item Number: 08730

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18

or older) doing each of the following?

Having four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	94	7.5 %
2	DISAPPRV:(2)	377	30.1 %
3	STRG DIS:(3)	741	59.2 %
	Missing Data		
-9	MISSING:(-9)	39	3.1 %
	Total	1,251	100%

Based upon 1,212 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6341: 08740:DAP 5+ DRK WKND

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	343	27.4 %
2	DISAPPRV:(2)	484	38.7 %
3	STRG DIS:(3)	385	30.8 %
	Missing Data		
-9	MISSING:(-9)	39	3.1 %
	Total	1,251	100%

Based upon 1,212 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6479: 24520:DAP STEROID ATHL

Item Number: 24520

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	215	17.2 %
2	DISAPPRV:(2)	474	37.9 %
3	STRG DIS:(3)	521	41.6 %
	Missing Data		
-9	MISSING:(-9)	41	3.3 %
	Total	1,251	100%

Based upon 1,210 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6509: 29690:DAP H -NDL 1-2X

Item Number: 29690

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	60	4.8 %
2	DISAPPRV:(2)	238	19.0 %
3	STRG DIS:(3)	913	73.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	40	3.2 %
	Total	1,251	100%

Based upon 1,211 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6510: 29700:DAP H -NDL OCC

Item Number: 29700

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	57	4.6 %
2	DISAPPRV:(2)	194	15.5 %
3	STRG DIS:(3)	960	76.7 %
	Missing Data		
-9	MISSING:(-9)	40	3.2 %
	Total	1,251	100%

Based upon 1,211 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6520: 29960:DAP MDMA 1-2X

Item Number: 29960

Do YOU disapprove of people (who are 18 or older) doing each of the following?

Taking MDMA (Molly, ecstasy) once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	151	12.1 %
2	DISAPPRV:(2)	359	28.7 %
3	STRG DIS:(3)	697	55.7 %
	Missing Data		
-9	MISSING:(-9)	44	3.5 %
	Total	1,251	100%

Based upon 1,207 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6342: 06750:EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	97	7.8 %
2	VRY DIFF:(2)	72	5.8 %
3	FRLY DIF:(3)	133	10.6 %
4	FRLY EAS:(4)	394	31.5 %
5	VRY EASY:(5)	517	41.3 %
	Missing Data		
-9	MISSING:(-9)	38	3.0 %
	Total	1,251	100%

Based upon 1,213 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6343: 06760:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	302	24.1 %
2	VRY DIFF:(2)	317	25.3 %
3	FRLY DIF:(3)	349	27.9 %
4	FRLY EAS:(4)	157	12.5 %
5	VRY EASY:(5)	78	6.2 %
	Missing Data		
-9	MISSING:(-9)	48	3.8 %
	Total	1,251	100%

Based upon 1,203 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6344: 06771:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	397	31.7 %
2	VRY DIFF:(2)	416	33.3 %

Value	Label	Unweighted Frequency	%
3	FRLY DIF:(3)	264	21.1 %
4	FRLY EAS:(4)	78	6.2 %
5	VRY EASY:(5)	44	3.5 %
	Missing Data		
-9	MISSING:(-9)	52	4.2 %
	Total	1,251	100%

Based upon 1,199 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6345: 23050:EASY GT MDMA

Item Number: 23050

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

MDMA (Molly, ecstasy)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	334	26.7 %
2	VRY DIFF:(2)	362	28.9 %
3	FRLY DIF:(3)	304	24.3 %
4	FRLY EAS:(4)	142	11.4 %
5	VRY EASY:(5)	61	4.9 %
	Missing Data		
-9	MISSING:(-9)	48	3.8 %
	Total	1,251	100%

Based upon 1,203 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6480: 24410:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	485	38.8 %
2	VRY DIFF:(2)	406	32.5 %
3	FRLY DIF:(3)	204	16.3 %
4	FRLY EAS:(4)	74	5.9 %
5	VRY EASY:(5)	39	3.1 %
Missing Data			
-9	MISSING:(-9)	43	3.4 %
Total		1,251	100%

Based upon 1,208 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6481: 23060:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	264	21.1 %
2	VRY DIFF:(2)	268	21.4 %
3	FRLY DIF:(3)	311	24.9 %
4	FRLY EAS:(4)	253	20.2 %

Value	Label	Unweighted Frequency	%
5	VRY EASY:(5)	113	9.0 %
	Missing Data		
-9	MISSING:(-9)	42	3.4 %
	Total	1,251	100%

Based upon 1,209 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6574: 30950:EASY GT ALCOHOL

Item Number: 30950

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	79	6.3 %
2	VRY DIFF:(2)	47	3.8 %
3	FRLY DIF:(3)	95	7.6 %
4	FRLY EAS:(4)	297	23.7 %
5	VRY EASY:(5)	692	55.3 %
	Missing Data		
-9	MISSING:(-9)	41	3.3 %
	Total	1,251	100%

Based upon 1,210 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6101: 00760:EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1018	81.4 %
2	1-2X:(2)	140	11.2 %
3	OCCASONLY:(3)	35	2.8 %
4	REG PAST:(4)	10	0.8 %
5	REG NOW:(5)	9	0.7 %
Missing Data			
-9	MISSING:(-9)	39	3.1 %
Total		1,251	100%

Based upon 1,212 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6102: 00780:#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [Includes respondents who marked "1" on question B01] 2="Less than one cigarette per day"
3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	1181	94.4 %
2	<1 CIG/D:(2)	27	2.2 %
3	1-5/DAY:(3)	2	0.2 %
4	1/2 PK:(4)	0	0.0 %
5	1 PK:(5)	0	0.0 %
6	1 1/2 PK:(6)	2	0.2 %

Value	Label	Unweighted Frequency	%
7	2+ PKS:(7)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	36	2.9 %
	Total	1,251	100%

Based upon 1,215 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6521: 29970:CIG HOW BUY-FRND

Item Number: 29970

During the last 30 days, about how many times (if any) have you bought cigarettes... ..by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	24	1.9 %
2	1 TIME:(2)	4	0.3 %
3	2 TIMES:(3)	2	0.2 %
4	3-5 TMS:(4)	0	0.0 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	1217	97.3 %
	Total	1,251	100%

Based upon 34 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6523: 29990:CIG HOW BUY-MAIL

Item Number: 29990

During the last 30 days, about how many times (if any) have you bought cigarettes... ..through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	30	2.4 %
2	1 TIME:(2)	0	0.0 %
3	2 TIMES:(3)	0	0.0 %
4	3-5 TMS:(4)	1	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	1217	97.3 %
	Total	1,251	100%

Based upon 34 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6524: 30000:CIG HOW BUY-PKUP

Item Number: 30000

During the last 30 days, about how many times (if any) have you bought cigarettes... ..in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	23	1.8 %
2	1 TIME:(2)	3	0.2 %
3	2 TIMES:(3)	2	0.2 %
4	3-5 TMS:(4)	1	0.1 %
5	6-9 TMS:(5)	1	0.1 %
6	10+ TMS:(6)	4	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1217	97.3 %
	Total	1,251	100%

Based upon 34 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6525: 30010:CIG HOW BUY-CLRK

Item Number: 30010

During the last 30 days, about how many times (if any) have you bought cigarettes... ..in a store where the clerk has to hand you the pack or carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	21	1.7 %
2	1 TIME:(2)	3	0.2 %
3	2 TIMES:(3)	5	0.4 %
4	3-5 TMS:(4)	1	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	1217	97.3 %
	Total	1,251	100%

Based upon 34 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6592: 31330:CIG HOW BUY-OTHR

Item Number: 31330

During the last 30 days, about how many times (if any) have you bought cigarettes... ..bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	24	1.9 %
2	1 TIME:(2)	4	0.3 %
3	2 TIMES:(3)	1	0.1 %
4	3-5 TMS:(4)	1	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	1217	97.3 %
	Total	1,251	100%

Based upon 34 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6526: 30020:CIG WHERE-SUPMKT

Item Number: 30020

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use.... ..at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	27	2.2 %
2	1 TIME:(2)	1	0.1 %
3	2 TIMES:(3)	0	0.0 %
4	3-5 TMS:(4)	1	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	4	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1218	97.4 %
	Total	1,251	100%

Based upon 33 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6527: 30030:CIG WHERE-SMLGRC

Item Number: 30030

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use... ..at a small grocery store?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	24	1.9 %
2	1 TIME:(2)	3	0.2 %
3	2 TIMES:(3)	1	0.1 %
4	3-5 TMS:(4)	2	0.2 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	1218	97.4 %
	Total	1,251	100%

Based upon 33 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6528: 30040:CIG WHERE-DRGSTR

Item Number: 30040

During the last 30 days, about how many times (if any) did YOU
buy cigarettes for your own use... ..at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	25	2.0 %
2	1 TIME:(2)	1	0.1 %
3	2 TIMES:(3)	2	0.2 %
4	3-5 TMS:(4)	1	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	1218	97.4 %
	Total	1,251	100%

Based upon 33 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6529: 30050:CIG WHERE-CNVGAS

Item Number: 30050

During the last 30 days, about how many times (if any) did YOU
buy cigarettes for your own use... ..at a convenience store
(like a Hop-In or 7-11) or a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	19	1.5 %
2	1 TIME:(2)	3	0.2 %
3	2 TIMES:(3)	4	0.3 %
4	3-5 TMS:(4)	2	0.2 %
5	6-9 TMS:(5)	2	0.2 %
6	10+ TMS:(6)	3	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1218	97.4 %
	Total	1,251	100%

Based upon 33 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6593: 31340:CIG WHERE-WEB

Item Number: 31340

During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use... ..from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	28	2.2 %
2	1 TIME:(2)	0	0.0 %
3	2 TIMES:(3)	0	0.0 %
4	3-5 TMS:(4)	1	0.1 %
5	6-9 TMS:(5)	0	0.0 %
6	10+ TMS:(6)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	1219	97.4 %
	Total	1,251	100%

Based upon 32 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6530: 30065:USUAL CIG BRAND

Item Number: 30065

What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
 5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
 11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
 16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
 20="Salem" 22="Virginia Slims" 23="Winston" 24="Other"
 25="No usual brand" 26 "American Spirit"

Value	Label	Unweighted Frequency	%
1	BASIC:(1)	0	0.0 %
2	BNSN HDGS:(2)	0	0.0 %
3	BLACK WHT:(3)	0	0.0 %
4	CAMBRDGE:(4)	0	0.0 %
5	CAMEL:(5)	5	0.4 %
6	CAPRI:(6)	0	0.0 %
7	CARLTON:(7)	0	0.0 %
8	DORAL:(8)	0	0.0 %
9	GPC:(9)	0	0.0 %
10	KENT:(10)	0	0.0 %
11	KOOL:(11)	0	0.0 %
12	MARLBORO:(12)	17	1.4 %
13	MERIT:(13)	0	0.0 %
14	MISTY:(14)	0	0.0 %
15	MONARCH: (15)	0	0.0 %
16	MORE:(16)	0	0.0 %
17	NEWPORT:(17)	1	0.1 %
18	PALLMALL:(18)	0	0.0 %
19	PARLMENT:(19)	0	0.0 %
20	SALEM:(20)	0	0.0 %
22	VA SLIMS:(22)	0	0.0 %
23	WINSTON:(23)	0	0.0 %
24	OTHER:(24)	2	0.2 %
25	NO USUAL:(25)	3	0.2 %
26	AMER SPIRIT:(26)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	1221	97.6 %
	Total	1,251	100%

Based upon 30 valid cases out of 1,251 total cases.

- Minimum: 5.00
- Maximum: 26.00

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6619: 32890:SMOKE MENTHOL CIG

Item Number: 32890

Are the cigarettes you usually smoke menthol?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES(1)	16	1.3 %
2	NO:(2)	17	1.4 %
	Missing Data		
-9	MISSING:(-9)	1218	97.4 %
	Total	1,251	100%

Based upon 33 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6531: 30070:CIG PROOF OF AGE

Item Number: 30070

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station."
2="No, they didn't ask me and they sold me the cigarettes."
3="No, they didn't ask but they didn't sell me the cigarettes."
4="Yes, I was asked for proof of age." [arrow to Q.B06A]

Value	Label	Unweighted Frequency	%
1	NEVER TRIED:(1)	150	12.0 %
2	NO & SOLD:(2)	30	2.4 %
3	NO & NOSALE:(3)	2	0.2 %

Value	Label	Unweighted Frequency	%
4	YES:(4)	14	1.1 %
	Missing Data		
-9	MISSING:(-9)	1055	84.3 %
	Total	1,251	100%

Based upon 196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6532: 30080:CIG SHOW ID/SELL

Item Number: 30080

The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes"

3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

Value	Label	Unweighted Frequency	%
1	ID & GOT:(1)	9	0.7 %
2	ID & NOSALE:(2)	1	0.1 %
3	NO ID & SOLD:(3)	2	0.2 %
4	NO ID & NOSALE:(4)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	1237	98.9 %
	Total	1,251	100%

Based upon 14 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6533: 30090:CIG STORE BUY<20

Item Number: 30090

Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

Value	Label	Unweighted Frequency	%
1	NO:(1)	187	14.9 %
2	PAST 12MO:(2)	6	0.5 %
3	NOT PAST12MO:(3)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	1055	84.3 %
	Total	1,251	100%

Based upon 196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6534: 01690:TRY STP SMK&FL

Item Number: 01690

Have you ever tried to stop smoking cigarettes and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	15	1.2 %
2	NO:(2)	181	14.5 %
	Missing Data		
-9	MISSING:(-9)	1055	84.3 %
	Total	1,251	100%

Based upon 196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6535: 01691:#X TRY STOP SMK

Item Number: 01691

How many times (if any) have you tried to stop smoking cigarettes?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	163	13.0 %
2	1 TIME:(2)	16	1.3 %
3	2 TIMES:(3)	8	0.6 %
4	3-5 TMS:(4)	3	0.2 %
5	6-9 TMS:(5)	2	0.2 %
6	10+ TMS:(6)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	1057	84.5 %
	Total	1,251	100%

Based upon 194 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6536: 01700:WNT STP SMK NW

Item Number: 01700

Do you want to stop smoking cigarettes now?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	8	0.6 %
2	NO:(2)	22	1.8 %
8	DONT SMOKE NOW:(8)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1221	97.6 %
	Total	1,251	100%

Based upon 30 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6537: 30100:QUIT SMK WRY FAT

Item Number: 30100

Do you (or did you) worry that quitting smoking cigarettes would make you gain weight?

1='NO:(1)' 2='A LITTLE:(2)' 3='SOME:(3)' 4='A LOT:(4)'

Value	Label	Unweighted Frequency	%
1	NO:(1)	176	14.1 %
2	A LITTLE:(2)	7	0.6 %
3	SOME:(3)	1	0.1 %
4	A LOT:(4)	8	0.6 %
	Missing Data		
-9	MISSING:(-9)	1059	84.7 %
	Total	1,251	100%

Based upon 192 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6538: 30110:START SMK LOSEWT

Item Number: 30110

Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot"

Value	Label	Unweighted Frequency	%
1	NO:(1)	172	13.7 %
2	A LITTLE:(2)	9	0.7 %
3	SOME:(3)	3	0.2 %
4	A LOT:(4)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	1063	85.0 %
	Total	1,251	100%

Based upon 188 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6539: 30120:START SMK THISYR

Item Number: 30120

If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will"

3="I probably will" 4="I probably will not"

5="I definitely will not"

Value	Label	Unweighted Frequency	%
1	ALREADY TRIED:(1)	104	8.3 %
2	DEF WILL:(2)	3	0.2 %
3	PROB WILL:(3)	20	1.6 %
4	PROB WONT:(4)	167	13.3 %
5	DEF WONT:(5)	913	73.0 %
	Missing Data		
-9	MISSING:(-9)	44	3.5 %
	Total	1,251	100%

Based upon 1,207 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6540: 01710:NO SMK IN 5 YR

Item Number: 01710

Do you think you will be smoking cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	11	0.9 %
2	PRB WILL:(2)	24	1.9 %
3	PRB WONT:(3)	202	16.1 %
4	DEF WONT:(4)	974	77.9 %
	Missing Data		
-9	MISSING:(-9)	40	3.2 %
	Total	1,251	100%

Based upon 1,211 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6541: 30130:NEVER CIG ADDICT

Item Number: 30130

How much do you agree or disagree with the following statements?

I will never get addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	93	7.4 %
2	MOST DIS:(2)	43	3.4 %
3	NEITHER:(3)	64	5.1 %
4	MOST AGR:(4)	116	9.3 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	894	71.5 %
	Missing Data		
-9	MISSING:(-9)	41	3.3 %
	Total	1,251	100%

Based upon 1,210 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6542: 30140:QUIT CIG WN WANT

Item Number: 30140

How much do you agree or disagree with the following statements?

I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	652	52.1 %
2	MOST DIS:(2)	164	13.1 %
3	NEITHER:(3)	185	14.8 %
4	MOST AGR:(4)	63	5.0 %
5	AGREE:(5)	140	11.2 %
	Missing Data		
-9	MISSING:(-9)	47	3.8 %
	Total	1,251	100%

Based upon 1,204 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6543: 30150:SMK -DANGER QUIT

Item Number: 30150

How much do you agree or disagree with the following statements?

At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	926	74.0 %
2	MOST DIS:(2)	129	10.3 %
3	NEITHER:(3)	88	7.0 %
4	MOST AGR:(4)	22	1.8 %
5	AGREE:(5)	39	3.1 %
	Missing Data		
-9	MISSING:(-9)	47	3.8 %
	Total	1,251	100%

Based upon 1,204 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6505: 22230:EVR USE SMOKLESS

Item Number: 22230

Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing tobacco, snus, dissolvable tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice"

3="Occasionally but not regularly" 4="Regularly in the past"

5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1112	88.9 %
2	1-2X:(2)	61	4.9 %
3	OCCASNLY:(3)	22	1.8 %
4	REG PAST:(4)	6	0.5 %
5	REG NOW:(5)	7	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	43	3.4 %
	Total	1,251	100%

Based upon 1,208 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6506: 22240:#X SMKLESS/30DA

Item Number: 22240

How frequently have you taken smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19]

2="Once or twice" 3="Once or twice per week"

4="Three to five times per week" 5="About once a day" 6="More than once a day"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	1178	94.2 %
2	1-2 X:(2)	14	1.1 %
3	1-2/WK:(3)	7	0.6 %
4	3-5/WK:(4)	3	0.2 %
5	1/DAY:(5)	3	0.2 %
6	>1/DAY:(6)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	42	3.4 %
	Total	1,251	100%

Based upon 1,209 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6658: 36230:HEAT-NOT-BURN 12MO

Item Number: 36230

During the LAST 12 MONTHS have you used a heat-not-burn device for tobacco?

2="No" 1="Yes" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	YES:(1)	27	2.2 %
2	NO:(2)	1107	88.5 %
8	DONT KNOW:(8)	74	5.9 %
	Missing Data		
-9	MISSING:(-9)	43	3.4 %
	Total	1,251	100%

Based upon 1,208 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6103: 00790:EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink-more than just a few sips?

1 ="No" 2="Yes"

Note: This question was dropped from the survey in 2022 and added back in the 2023 survey.

Value	Label	Unweighted Frequency	%
1	NO:(1)	517	41.3 %
2	YES:(2)	664	53.1 %
	Missing Data		
-9	MISSING:(-9)	70	5.6 %
	Total	1,251	100%

Based upon 1,181 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 2.00

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6104: 00810:#X DRNK/LIFETIME

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ...in our lifetime?

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	517	41.3 %
2	1-2X:(2)	115	9.2 %
3	3-5X:(3)	101	8.1 %
4	6-9X:(4)	94	7.5 %
5	10-19X:(5)	112	9.0 %
6	20-39X:(6)	107	8.6 %
7	40+OCCAS:(7)	127	10.2 %
	Missing Data		
-9	MISSING:(-9)	78	6.2 %
	Total	1,251	100%

Based upon 1,173 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6105: 00820:#X DRNK/LAST12MO

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	580	46.4 %
2	1-2X:(2)	191	15.3 %
3	3-5X:(3)	110	8.8 %
4	6-9X:(4)	112	9.0 %
5	10-19X:(5)	94	7.5 %
6	20-39X:(6)	49	3.9 %
7	40+OCCAS:(7)	36	2.9 %
	Missing Data		
-9	MISSING:(-9)	79	6.3 %
	Total	1,251	100%

Based upon 1,172 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V6106: 00830:#X DRNK/LAST30DA

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	833	66.6 %
2	1-2X:(2)	196	15.7 %
3	3-5X:(3)	83	6.6 %
4	6-9X:(4)	29	2.3 %
5	10-19X:(5)	21	1.7 %
6	20-39X:(6)	4	0.3 %
7	40+OCCAS:(7)	5	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	80	6.4 %
	Total	1,251	100%

Based upon 1,171 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7942: 39060:DAILY USE ALC/30DAY

Item Number: 39060

On how many DAYS during the LAST 30 DAYS have you used alcohol?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	854	68.3 %
2	1-2 DAYS:(2)	173	13.8 %
3	3-5 DAYS:(3)	77	6.2 %
4	6-9 DAYS:(4)	50	4.0 %
5	10-19 DAYS:(5)	8	0.6 %
6	20-29 DAYS:(6)	5	0.4 %
7	30 DAYS:(7)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	80	6.4 %
	Total	1,251	100%

Based upon 1,171 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6107: 00840:#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions"

3="On about half of the occasions" 4="On most of the occasions"

5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	236	18.9 %
2	FEW OCC:(2)	181	14.5 %
3	HALF OCC:(3)	76	6.1 %
4	MOST OCC:(4)	103	8.2 %
5	NRLY ALL:(5)	66	5.3 %
	Missing Data		
-9	MISSING:(-9)	589	47.1 %
	Total	1,251	100%

Based upon 662 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 279-280 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6108: 00850:5+DRK ROW/LST 2W

Item Number: 00850

The following questions ask about how much you have to drink on the occasions when you drink alcoholic beverages. For these questions, one "drink" means any of the following:

12 fl oz of regular beer

8-9 fl oz of malt liquor

5 fl oz of wine

1.5 fl oz shot of distilled spirits (gin, rum, tequila, vodka, whiskey, etc.)

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row?

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times"

5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1009	80.7 %
2	ONCE:(2)	73	5.8 %
3	TWICE:(3)	41	3.3 %

Value	Label	Unweighted Frequency	%
4	3-5X:(4)	26	2.1 %
5	6-9X:(5)	2	0.2 %
6	10+ TIME:(6)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	97	7.8 %
	Total	1,251	100%

Based upon 1,154 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6626: 00853:10+DRK ROW/2WK

Item Number: 00853

During the LAST TWO WEEKS, how many times have you had ten or more drinks in a row?

1="None" [includes respondents who indicated nonuse above]

2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	616	49.2 %
2	1 TIME:(2)	36	2.9 %
3	2 TIMES:(3)	17	1.4 %
4	3-5 TMS:(4)	13	1.0 %
5	6-9 TMS:(5)	2	0.2 %
6	10+ TMS:(6)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	566	45.2 %
	Total	1,251	100%

Based upon 685 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6638: 34850:2WKS NUM DRINKS ROW

Item Number: 34850

During the LAST TWO WEEKS, what was the largest number of drinks that you had in a row? (Give your best estimate.)

Value	Label	Unweighted Frequency	%
0	0 DRINKS:(0)	383	30.6 %
1	1 DRINK:(1)	48	3.8 %
2	2 DRINKS:(2)	56	4.5 %
3	3 DRINKS:(3)	35	2.8 %
4	4 DRINKS:(4)	34	2.7 %
5	5 DRINKS:(5)	26	2.1 %
6	6 DRINKS:(6)	20	1.6 %
7	7 DRINKS:(7)	18	1.4 %
8	8 DRINKS:(8)	12	1.0 %
9	9 DRINKS:(9)	4	0.3 %
10	10 DRINKS:(10)	14	1.1 %
11	11 DRINKS:(11)	3	0.2 %
12	12 DRINKS:(12)	3	0.2 %
13	13 DRINKS:(13)	9	0.7 %
14	14 DRINKS:(14)	5	0.4 %
15	15 DRINKS:(15)	3	0.2 %
16	16 DRINKS:(16)	3	0.2 %
17	17 DRINKS:(17)	1	0.1 %
18	18 DRINKS:(18)	1	0.1 %
19	19 DRINKS:(19)	0	0.0 %
20	20+ DRINKS:(20)	9	0.7 %
Missing Data			
-9	MISSING:(-9)	564	45.1 %
Total		1,251	100%

Based upon 687 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 20.00

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7957: 38960:#X CBD/LIFETIME

Item Number: 38960

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD....in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	904	72.3 %
2	1-2X:(2)	89	7.1 %
3	3-5X:(3)	62	5.0 %
4	6-9X:(4)	26	2.1 %
5	10-19X:(5)	29	2.3 %
6	20-39X:(6)	19	1.5 %
7	40+OCCAS:(7)	66	5.3 %
	Missing Data		
-9	MISSING:(-9)	56	4.5 %
	Total	1,251	100%

Based upon 1,195 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7958: 38970:#X CBD/LAST12MO

Item Number: 38970

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD....during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	988	79.0 %
2	1-2X:(2)	78	6.2 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	41	3.3 %
4	6-9X:(4)	13	1.0 %
5	10-19X:(5)	20	1.6 %
6	20-39X:(6)	14	1.1 %
7	40+OCCAS:(7)	37	3.0 %
	Missing Data		
-9	MISSING:(-9)	60	4.8 %
	Total	1,251	100%

Based upon 1,191 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7959: 38980:#X CBD/LAST30DA

Item Number: 38980

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD.... during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1079	86.3 %
2	1-2X:(2)	45	3.6 %
3	3-5X:(3)	13	1.0 %
4	6-9X:(4)	13	1.0 %
5	10-19X:(5)	9	0.7 %
6	20-39X:(6)	13	1.0 %
7	40+OCCAS:(7)	20	1.6 %
	Missing Data		
-9	MISSING:(-9)	59	4.7 %
	Total	1,251	100%

Based upon 1,192 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6115: 00860:#XMJ+HS/LIFETIME

Item Number: 00860

The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Note: The question stem text changed again in 2023. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	740	59.2 %
2	1-2X:(2)	105	8.4 %
3	3-5X:(3)	73	5.8 %
4	6-9X:(4)	34	2.7 %
5	10-19X:(5)	42	3.4 %
6	20-39X:(6)	34	2.7 %
7	40+OCCAS:(7)	157	12.5 %
	Missing Data		
-9	MISSING:(-9)	66	5.3 %
	Total	1,251	100%

Based upon 1,185 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6116: 00870:#XMJ+HS/LAST12MO

Item Number: 00870

The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Note: The question stem text changed again in 2023. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	823	65.8 %
2	1-2X:(2)	112	9.0 %
3	3-5X:(3)	53	4.2 %
4	6-9X:(4)	25	2.0 %
5	10-19X:(5)	30	2.4 %
6	20-39X:(6)	35	2.8 %
7	40+OCCAS:(7)	104	8.3 %
	Missing Data		
-9	MISSING:(-9)	69	5.5 %
	Total	1,251	100%

Based upon 1,182 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6117: 00880:#XMJ+HS/LAST30DA

Item Number: 00880

The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Note: The question stem text changed again in 2023. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	953	76.2 %
2	1-2X:(2)	76	6.1 %
3	3-5X:(3)	22	1.8 %
4	6-9X:(4)	23	1.8 %
5	10-19X:(5)	23	1.8 %
6	20-39X:(6)	32	2.6 %
7	40+OCCAS:(7)	54	4.3 %
	Missing Data		
-9	MISSING:(-9)	68	5.4 %
	Total	1,251	100%

Based upon 1,183 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7943: 39070:DAILY USE MJ/30DAY

Item Number: 39070

On how many DAYS during the LAST 30 DAYS have you used marijuana?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	967	77.3 %
2	1-2 DAYS:(2)	60	4.8 %
3	3-5 DAYS:(3)	30	2.4 %
4	6-9 DAYS:(4)	18	1.4 %
5	10-19 DAYS:(5)	36	2.9 %
6	20-29 DAYS:(6)	29	2.3 %
7	30 DAYS:(7)	43	3.4 %
	Missing Data		
-9	MISSING:(-9)	68	5.4 %
	Total	1,251	100%

Based upon 1,183 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6633: 34180:MED MJ EVER

Item Number: 34180

Have you ever used "medical marijuana;" that is, marijuana you used because a doctor told you to use it?

1="No" 2="Yes, using med marj" 3="Used med marj, but not now"

Value	Label	Unweighted Frequency	%
1	NO:(1)	1164	93.0 %
2	NOW MED MJ DR RX:(2)	15	1.2 %
3	PAST MED MJ DR RX:(3)	20	1.6 %
Missing Data			
-9	MISSING:(-9)	52	4.2 %
Total		1,251	100%

Based upon 1,199 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6627: 22660:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy")... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1174	93.8 %
2	1-2X:(2)	14	1.1 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	4	0.3 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	2	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6628: 22670:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy")... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1186	94.8 %
2	1-2X:(2)	7	0.6 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6629: 22680:#X MDMA/LAST30DA

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly," "ecstasy")... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1192	95.3 %
2	1-2X:(2)	1	0.1 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6127: 00980:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do

NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills. On how many occasions (if any) have you taken amphetamines on your own, that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1158	92.6 %
2	1-2X:(2)	13	1.0 %
3	3-5X:(3)	5	0.4 %
4	6-9X:(4)	4	0.3 %
5	10-19X:(5)	4	0.3 %
6	20-39X:(6)	1	0.1 %
7	40+OCCAS:(7)	12	1.0 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6128: 00990:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1177	94.1 %
2	1-2X:(2)	7	0.6 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	4	0.3 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	4	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.4 %
	Missing Data		
-9	MISSING:(-9)	53	4.2 %
	Total	1,251	100%

Based upon 1,198 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6129: 01000:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1186	94.8 %
2	1-2X:(2)	5	0.4 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	2	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6039: 22260:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1191	95.2 %
2	1-2X:(2)	1	0.1 %
3	3-5X:(3)	3	0.2 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	52	4.2 %
	Total	1,251	100%

Based upon 1,199 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6040: 22270:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1195	95.5 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	52	4.2 %
	Total	1,251	100%

Based upon 1,199 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6041: 22280:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1195	95.5 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	52	4.2 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,199 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6042: 22320:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1181	94.4 %
2	1-2X:(2)	3	0.2 %
3	3-5X:(3)	8	0.6 %
4	6-9X:(4)	3	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6043: 22330:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1190	95.1 %
2	1-2X:(2)	3	0.2 %
3	3-5X:(3)	3	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6044: 22340:#XOTH COKE/30DA

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1191	95.2 %
2	1-2X:(2)	4	0.3 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	55	4.4 %
Total		1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6124: 00950:#X COKE/LIFETIME

Item Number: 00950

Component questions:

"On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form)... ..in your
lifetime?" [item 22260]

"On how many occasions (if any) have you used cocaine
in any other form... ..in your lifetime? [item 22320]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1179	94.2 %
2	1-2X:(2)	3	0.2 %
3	3-5X:(3)	5	0.4 %
4	6-9X:(4)	5	0.4 %
5	10-19X:(5)	1	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.2 %
Missing Data			
-9	MISSING:(-9)	55	4.4 %
Total		1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6125: 00960:#X COKE/LAST12MO

Item Number: 00960

Component questions:

"On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form)... ...during the
last 12 months?" [item 22270]

"On how many occasions (if any) have you used cocaine
in any other form... ...during the last 12 months?
[item 22330]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1188	95.0 %
2	1-2X:(2)	3	0.2 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	2	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6126: 00970:#X COKE/LAST30DA

Item Number: 00970

Component questions:

"On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form)... ..during the last
30 days?" [item 22280]

"On how many occasions (if any) have you used cocaine
in any other form... ..during the last 30 days?
[item 22340]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1189	95.0 %
2	1-2X:(2)	3	0.2 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6133: 01040:#X SED/BARB/LIFETIME

Item Number: 01040

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1154	92.2 %
2	1-2X:(2)	20	1.6 %
3	3-5X:(3)	12	1.0 %
4	6-9X:(4)	4	0.3 %
5	10-19X:(5)	2	0.2 %
6	20-39X:(6)	1	0.1 %
7	40+OCCAS:(7)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 333-334 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

V6134: 01050:#X SED/BARB/LAST12MO

Item Number: 01050

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1178	94.2 %
2	1-2X:(2)	12	1.0 %
3	3-5X:(3)	6	0.5 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6135: 01060:#X SED/BARB/LAST30DA

Item Number: 01060

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1188	95.0 %
2	1-2X:(2)	7	0.6 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6136: 01070:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1168	93.4 %
2	1-2X:(2)	20	1.6 %
3	3-5X:(3)	5	0.4 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.1 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6137: 01080:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1186	94.8 %
2	1-2X:(2)	9	0.7 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6138: 01090:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1195	95.5 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6139: 01100:#X 'H'/LIFETIME

Item Number: 01100

On how many occasions (if any) have you used heroin... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

NOTE: In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V6511 29630 #X H LIF USE NDL) and without (V6514 29660 #X H LIF W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1194	95.4 %
2	1-2X:(2)	1	0.1 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6140: 01110:#X 'H'/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you used heroin...
...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

NOTE: In 2022, the single question about heroin use replaces
the two separate questions about heroin use with (V6512
29640 #X H 12M USE NDL) and without (V6515 29670 #X H 12M
W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1197	95.7 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6141: 01120:#X 'H'/LAST 30DA

Item Number: 01120

On how many occasions (if any) have you used heroin...
...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
 7="40 or More"

NOTE: In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V6513 29650 #X H 30D USE NDL) and without (V6516 29680 #X H 30D W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1197	95.7 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 349-350 (width: 2; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -9

V7820: 36240:MTHD MJ JOINT

Item Number: 36240

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking a joint

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	264	21.1 %
1	MARKED:(1)	247	19.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7821: 36250:MTHD MJ BLUNT

Item Number: 36250

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking a blunt

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	283	22.6 %
1	MARKED:(1)	228	18.2 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7822: 36260:MTHD MJ BONG/WP

Item Number: 36260

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking in a bong/water pipe

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	352	28.1 %
1	MARKED:(1)	159	12.7 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7823: 36270:MTHD MJ OTH PIPE

Item Number: 36270

What methods have you used for using marijuana during the last year? (Select all that apply.)

Smoking in another type of pipe

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	386	30.9 %
1	MARKED:(1)	125	10.0 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7824: 33970:MTHD MJ VAPORIZER

Item Number: 33970

What methods have you used for using marijuana during the last year? (Select all that apply.)

Vaping

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	252	20.1 %
1	MARKED:(1)	259	20.7 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7825: 33020:MTHD MJ IN FOOD

Item Number: 33020

What methods have you used for using marijuana or hashish during the last year? (Select all that apply.)

Eating in food

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	310	24.8 %
1	MARKED:(1)	201	16.1 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V7826: 33030:MTHD MJ IN DRINK

Item Number: 33030

What methods have you used for using marijuana during the last year? (Select all that apply.)

Drink in a beverage

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	463	37.0 %
1	MARKED:(1)	48	3.8 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7827: 34860:MTHD MJ CONCNR

Item Number: 34860

What methods have you used for using marijuana during the last year? (Select all that apply.)

Use a concentrate (such as "wax," "honey oil," "budder," or "shatter")

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	390	31.2 %
1	MARKED:(1)	121	9.7 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7828: 33040:MTHD MJ OTHER

Item Number: 33040

What methods have you used for taking marijuana or hashish during the last year? (Mark all that apply.)

Other

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NOT MARKED:(0)	468	37.4 %
1	MARKED:(1)	43	3.4 %
	Missing Data		
-9	MISSING:(-9)	740	59.2 %
	Total	1,251	100%

Based upon 511 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6142: 01130:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1162	92.9 %
2	1-2X:(2)	13	1.0 %
3	3-5X:(3)	6	0.5 %
4	6-9X:(4)	2	0.2 %
5	10-19X:(5)	4	0.3 %
6	20-39X:(6)	2	0.2 %
7	40+OCCAS:(7)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	58	4.6 %
	Total	1,251	100%

Based upon 1,193 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6143: 01140:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1182	94.5 %
2	1-2X:(2)	6	0.5 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	1	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	57	4.6 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,194 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6144: 01150:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1189	95.0 %
2	1-2X:(2)	1	0.1 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.1 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	58	4.6 %
	Total	1,251	100%

Based upon 1,193 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6614: 30800:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used
methamphetamine (meth, speed, crank, crystal
meth) by any method... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1188	95.0 %
2	1-2X:(2)	3	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	57	4.6 %
	Total	1,251	100%

Based upon 1,194 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6615: 30810:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used
methamphetamine (meth, speed, crank, crystal
meth) by any method... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1188	95.0 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	62	5.0 %
	Total	1,251	100%

Based upon 1,189 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6616: 30820:#X METHAMPH/30DA

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1190	95.1 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	60	4.8 %
	Total	1,251	100%

Based upon 1,191 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6640: 34230:EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a JUUL, vape-pen, e-cigarette, e-hookah, or e-vaporizer to inhale a vapor into the lungs. Have you ever vaped?

0="No" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	731	58.4 %
1	YES:(1)	467	37.3 %
	Missing Data		
-9	MISSING:(-9)	53	4.2 %
	Total	1,251	100%

Based upon 1,198 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V7780: 35910:VAPED NIC/LIFE

Item Number: 35910

In your LIFETIME how often have you vaped nicotine?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	758	60.6 %
2	1-2X:(2)	152	12.2 %
3	OCCASNLV:(3)	114	9.1 %

Value	Label	Unweighted Frequency	%
4	REG PAST:(4)	65	5.2 %
5	REG NOW:(5)	108	8.6 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7781: 35920:VAPED NIC/12MO

Item Number: 35920

During the LAST 12 MONTHS have you vaped nicotine?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	294	23.5 %
2	NO:(2)	904	72.3 %
	Missing Data		
-9	MISSING:(-9)	53	4.2 %
	Total	1,251	100%

Based upon 1,198 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7782: 35930:VAPED NIC DAYS/30DA

Item Number: 35930

On how many DAYS (if any) during the LAST 30 DAYS have you vaped nicotine?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	976	78.0 %
2	1-2 DAYS:(2)	46	3.7 %
3	3-5 DAYS:(3)	30	2.4 %
4	6-9 DAYS:(4)	21	1.7 %
5	10-19 DAYS:(5)	29	2.3 %
6	20-29 DAYS:(6)	20	1.6 %
7	30 DAYS:(7)	75	6.0 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
	Total	1,251	100%

Based upon 1,197 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7789: 35940:START VAPE NIC 30DA

Item Number: 35940

Did you first start vaping nicotine in the LAST 30 DAYS?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	8	0.6 %
2	NO:(2)	213	17.0 %
	Missing Data		
-9	MISSING:(-9)	54	4.3 %
-7	NO NIC VAPING 30 DAYS:(-7)	245	19.6 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 221 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7783: 35950:VAPED MJ/LIFE

Item Number: 35950

In your LIFETIME how often have you... ..vaped marijuana?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	878	70.2 %
2	1-2X:(2)	107	8.6 %
3	OCCASNLY:(3)	94	7.5 %
4	REG PAST:(4)	54	4.3 %
5	REG NOW:(5)	65	5.2 %
	Missing Data		
-9	MISSING:(-9)	53	4.2 %
	Total	1,251	100%

Based upon 1,198 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7784: 35960:VAPED MJ/12MO

Item Number: 35960

During the LAST 12 MONTHS have you... ..vaped marijuana?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	245	19.6 %
2	NO:(2)	953	76.2 %
	Missing Data		
-9	MISSING:(-9)	53	4.2 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,198 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7785: 35970:VAPED MJ DAYS/30DA

Item Number: 35970

On how many DAYS (if any) during the LAST 30 DAYS have you... ..vaped marijuana?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1022	81.7 %
2	1-2 DAYS:(2)	51	4.1 %
3	3-5 DAYS:(3)	30	2.4 %
4	6-9 DAYS:(4)	14	1.1 %
5	10-19 DAYS:(5)	31	2.5 %
6	20-29 DAYS:(6)	21	1.7 %
7	30 DAYS:(7)	27	2.2 %
	Missing Data		
-9	MISSING:(-9)	55	4.4 %
	Total	1,251	100%

Based upon 1,196 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7786: 35980:VAPED FLAV/LIFE

Item Number: 35980

In your LIFETIME how often have you vaped just flavoring?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	910	72.7 %
2	1-2X:(2)	138	11.0 %
3	OCCASNLY:(3)	82	6.6 %
4	REG PAST:(4)	30	2.4 %
5	REG NOW:(5)	34	2.7 %
	Missing Data		
-9	MISSING:(-9)	57	4.6 %
	Total	1,251	100%

Based upon 1,194 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7787: 35990:VAPED FLAV/12MO

Item Number: 35990

During the LAST 12 MONTHS have you vaped just flavoring?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	151	12.1 %
2	NO:(2)	1042	83.3 %
	Missing Data		
-9	MISSING:(-9)	58	4.6 %
	Total	1,251	100%

Based upon 1,193 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7788: 36000:VAPED FLAV DAYS/30DA

Item Number: 36000

On how many DAYS (if any) during the LAST 30 DAYS have you vaped just flavoring?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1088	87.0 %
2	1-2 DAYS:(2)	32	2.6 %
3	3-5 DAYS:(3)	23	1.8 %
4	6-9 DAYS:(4)	8	0.6 %
5	10-19 DAYS:(5)	13	1.0 %
6	20-29 DAYS:(6)	6	0.5 %
7	30 DAYS:(7)	23	1.8 %
	Missing Data		
-9	MISSING:(-9)	58	4.6 %
	Total	1,251	100%

Based upon 1,193 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7834: 36080:VAPE MJ SRC FRND -ASK

Item Number: 36080

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Took from a friend without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	289	23.1 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	9	0.7 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7835: 36090:VAPE MJ SRC RLTV -ASK

Item Number: 36090

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Took from a relative without asking

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	287	22.9 %
1	MARKED:(1)	11	0.9 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 405-406 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7836: 36100:VAPE MJ SRC FRND FREE

Item Number: 36100

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Given for free by a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	172	13.7 %
1	MARKED:(1)	126	10.1 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7837: 36110:VAPE MJ SRC RLTV FREE

Item Number: 36110

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Given for free by a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	260	20.8 %
1	MARKED:(1)	38	3.0 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7838: 36120:VAPE MJ SRC FRND BGHT

Item Number: 36120

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Bought from a friend

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	221	17.7 %
1	MARKED:(1)	77	6.2 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7839: 36130:VAPE MJ SRC RLTV BGHT

Item Number: 36130

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Bought from a relative

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	285	22.8 %
1	MARKED:(1)	13	1.0 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7840: 36140:VAPE MJ SRC DEALER

Item Number: 36140

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Bought from a drug dealer/stranger

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	253	20.2 %
1	MARKED:(1)	45	3.6 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7841: 36150:VAPE MJ SRC INTERNET

Item Number: 36150

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

On the Internet

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	283	22.6 %
1	MARKED:(1)	15	1.2 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7842: 36160:VAPE MJ SRC OTHER

Item Number: 36160

When you vaped MARIJUANA in the past 12 months where did you get the marijuana vape liquid that you used? (Select all that apply.)

Other method

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	234	18.7 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	64	5.1 %
	Missing Data		
-7	NO VAPING MJ 12 MONTHS:(-7)	222	17.7 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 298 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7790: 36010:TRY STP VAPE NIC

Item Number: 36010

Have you ever tried to stop vaping nicotine and found that you could not?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	63	5.0 %
2	NO:(2)	373	29.8 %
	Missing Data		
-9	MISSING:(-9)	57	4.6 %
-7	NO NIC VAPING:(-7)	27	2.2 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 436 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7829: 36280:#TIMES STP VAPE NIC

Item Number: 36280

How many times, if any, have you tried to stop vaping nicotine?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	257	20.5 %
2	ONCE:(2)	97	7.8 %
3	TWICE:(3)	38	3.0 %
4	3-5X:(4)	26	2.1 %
5	6-9X:(5)	8	0.6 %
6	10+ TIME:(6)	7	0.6 %
	Missing Data		
-9	MISSING:(-9)	60	4.8 %
-7	NO NIC VAPING:(-7)	27	2.2 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 433 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9 , -7 , -6

V7830: 36290:WANT STP VAPE NIC

Item Number: 36290

Do you want to stop vaping nicotine now?

1="Yes" 2="No" 8="Don't vape nicotine now"

Value	Label	Unweighted Frequency	%
1	YES:(1)	51	4.1 %
2	NO:(2)	87	7.0 %
8	DONT VAPE NIC NOW:(8)	297	23.7 %
	Missing Data		
-9	MISSING:(-9)	58	4.6 %
-7	NO NIC VAPING:(-7)	27	2.2 %
-6	NO VAPING:(-6)	731	58.4 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 435 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7791: 35551:VAPE BRAND MST OFTN

Item Number: 35551

What is the brand name of the vaping device you use most often?

1="JUUL" 2="SMOK" 4="Vuse" 6="Other [capture write in]" 7="Breeze" 8="Puff Bar"

Value	Label	Unweighted Frequency	%
1	JUUL:(1)	14	1.1 %
2	SMOK:(2)	11	0.9 %
4	Vuse:(4)	37	3.0 %
6	OTHER:(6)	115	9.2 %
7	Breeze:(7)	41	3.3 %
8	Puff Bar:(8)	43	3.4 %
	Missing Data		
-9	MISSING:(-9)	78	6.2 %
-7	NO VAPING 30 DAYS:(-7)	181	14.5 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 261 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7793: 36020:VAPE NIC FLVR MOST OFTEN

Item Number: 36020

When you vape nicotine, which type of flavor do you use most often? (Select one flavor that is the best fit.)

1="Sweet (Chocolate, Creme, etc.)" 2="Fruit (Mango, Strawberry, etc.)" 3="Tobacco " 4="Mint" 5="Menthol"
6="Unflavored" 7="Ice-fruit combinations (Blueberry Ice, Banana Ice, etc.)"

Value	Label	Unweighted Frequency	%
1	SWEET:(1)	13	1.0 %
2	FRUIT:(2)	186	14.9 %
3	TOBACCO:(3)	2	0.2 %
4	MINT:(4)	33	2.6 %
5	MENTHOL:(5)	45	3.6 %
6	UNFLAVORED:(6)	21	1.7 %
7	ICE-FRUIT COMBO:(7)	92	7.4 %
	Missing Data		
-9	MISSING:(-9)	101	8.1 %
-7	NO NIC VAPING:(-7)	27	2.2 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 392 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7724: 35590:EVER VAPE OTHR THAN NIC MJ FLAV

Item Number: 35590

Have you ever vaped something other than nicotine, marijuana, or just flavoring?

1="Yes" 2="No" -9="Missing" -7="No vaping 30 days" -6="No vaping"

Value	Label	Unweighted Frequency	%
1	YES:(1)	9	0.7 %
2	NO:(2)	271	21.7 %
	Missing Data		
-9	MISSING:(-9)	59	4.7 %

Value	Label	Unweighted Frequency	%
-7	NO VAPING 30 DAYS:(-7)	181	14.5 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 280 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -8 , -7 , -6

V7885: 36950:VAPE MJ FLVR MOST OFTN

Item Number: 36950

When you vape marijuana, which type of flavor do you use most often? (Select one flavor that is the best fit.)

1="Sweet" 2="Fruit" 3="Sour" 4="Unflavored (tastes like cannabis)"

Value	Label	Unweighted Frequency	%
1	SWEET:(1)	38	3.0 %
2	FRUIT:(2)	88	7.0 %
3	SOUR:(3)	5	0.4 %
4	UNFLAVORED:(4)	170	13.6 %
	Missing Data		
-9	MISSING:(-9)	72	5.8 %
-7	NO MJ VAPING:(-7)	147	11.8 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 301 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -7 , -6

V7884: 38080:VAPE DEVICE SOURCE

Item Number: 38080

The last time you used a vaping device how did you get it?

0="Took from a relative without asking" 1="Given for free by a friend" 2="Given for free by a relative " 3="Bought from a friend" 4="Bought from a relative " 5="At a convenience store (such as 7-Eleven) or a gas station" 6="At a "vape" store" 7="Over the internet" 8="From a person who is known to sell a vaping device to kids (a dealer)" 9="Other"

Value	Label	Unweighted Frequency	%
0	TOOK FRM REL WO ASKING:(0)	16	1.3 %
1	GIVEN FREE BY FRND:(1)	158	12.6 %
2	GIVEN FREE BY REL: (2)	34	2.7 %
3	BOUGHT FRM FRND:(3)	49	3.9 %
4	BOUGHT FRM REL:(4)	10	0.8 %
5	AT CONVENIENCE STOR:(5)	31	2.5 %
6	AT VAPE STOR:(6)	74	5.9 %
7	OVER INTERNET:(7)	3	0.2 %
8	FRM VAPE DVC DEALER:(8)	12	1.0 %
9	OTHER:(9)	51	4.1 %
	Missing Data		
-9	MISSING:(-9)	82	6.6 %
-6	NO VAPING:(-6)	731	58.4 %
	Total	1,251	100%

Based upon 438 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9 , -6

V7804: 36060:VAPE NIC 5 YEARS

Item Number: 36060

Do you think you will be vaping nicotine five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	23	1.8 %

Value	Label	Unweighted Frequency	%
2	PRB WILL:(2)	86	6.9 %
3	PRB WONT:(3)	267	21.3 %
4	DEF WONT:(4)	813	65.0 %
	Missing Data		
-9	MISSING:(-9)	62	5.0 %
	Total	1,251	100%

Based upon 1,189 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RESPONDENT_AGE: 89848:AGE <>18 DICHOTOMY

Item Number: 00010-00020

Component variables:

- 1) Q. C01 "In what year were you born?" (item 00010),
- 2) Q. C02 "In what month were you born?" (item 00020), and
- 3) date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	UNDER 18:(1)	496	39.6 %
2	18 OR OLDER:(2)	693	55.4 %
	Missing Data		
-9	MISSING:(-9)	62	5.0 %
	Total	1,251	100%

Based upon 1,189 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6150: 00030:R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female" 3="Other" 4="Prefer not to answer"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	588	47.0 %
2	FEMALE:(2)	550	44.0 %
3	OTHER:(3)	14	1.1 %
4	PREFER NOT ANSWER:(4)	37	3.0 %
	Missing Data		
-9	MISSING:(-9)	62	5.0 %
	Total	1,251	100%

Based upon 1,189 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6151: 00040:R'S RACE B/W/H

Item Number: 00041-00049

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander; Middle Eastern.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; "Hispanic" = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)" 3="Hispanic" [see above].

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	130	10.4 %
2	WHITE:(2)	605	48.4 %

Value	Label	Unweighted Frequency	%
3	HISPANIC:(3)	233	18.6 %
	Missing Data		
-9	MISSING:(-9)	283	22.6 %
	Total	1,251	100%

Based upon 968 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6152: 00050:R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm"
3="In a small city or town (under 50,000 people)"
4="In a medium-sized city (50,000-100,000)"
5="In a suburb of a medium-sized city"
6="In a large city (100,000-500,000)"
7="In a suburb of a large city"
8="In a very large city (over 500,000)"
9="In a suburb of a very large city"
0="Can't say; mixed"

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	131	10.5 %
1	A FARM:(1)	39	3.1 %
2	COUNTRY:(2)	90	7.2 %
3	SM CITY:(3)	350	28.0 %
4	MED CITY:(4)	148	11.8 %
5	SUB MED:(5)	147	11.8 %
6	LGE CITY:(6)	79	6.3 %
7	SUB LGE:(7)	59	4.7 %
8	V-LGE CITY:(8)	102	8.2 %
9	SUB V-LGE:(9)	38	3.0 %
	Missing Data		
-9	MISSING:(-9)	68	5.4 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,183 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6153: 00060:R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	109	8.7 %
2	ENGAGED:(2)	28	2.2 %
3	SEP/DIV:(3)	53	4.2 %
4	SINGLE:(4)	992	79.3 %
	Missing Data		
-9	MISSING:(-9)	69	5.5 %
	Total	1,251	100%

Based upon 1,182 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V49: 89849:# SIBLINGS

Item Number: 00075-00076

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters)

- Older brothers and sisters" (item 00075);
- Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	87	7.0 %
1	ONE:(1)	343	27.4 %
2	TWO:(2)	285	22.8 %
3	THREE+: (3)	467	37.3 %
	Missing Data		
-9	MISSING:(-9)	69	5.5 %
	Total	1,251	100%

Based upon 1,182 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6155: 00090:R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	342	27.3 %
1	MARKED:(1)	835	66.7 %
	Missing Data		
-9	MISSING:(-9)	74	5.9 %
	Total	1,251	100%

Based upon 1,177 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6156: 00100:R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	129	10.3 %
1	MARKED:(1)	1048	83.8 %
	Missing Data		
-9	MISSING:(-9)	74	5.9 %
	Total	1,251	100%

Based upon 1,177 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 453-454 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6157: 00110:R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"
"My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	402	32.1 %
1	MARKED:(1)	775	62.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	74	5.9 %
	Total	1,251	100%

Based upon 1,177 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6163: 00310:FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"

3="Completed high school" 4="Some college"

5="Completed college"

6="Graduate or professional school after college"

7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	52	4.2 %
2	SOME HS:(2)	131	10.5 %
3	HS GRAD:(3)	274	21.9 %
4	SOME CLG:(4)	156	12.5 %
5	CLG GRAD:(5)	254	20.3 %
6	GRAD SCH:(6)	165	13.2 %
7	DK:(7)	142	11.4 %
	Missing Data		
-9	MISSING:(-9)	77	6.2 %
	Total	1,251	100%

Based upon 1,174 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 457-458 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6164: 00320:MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"

3="Completed high school" 4="Some college"

5="Completed college"

6="Graduate or professional school after college"

7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	43	3.4 %
2	SOME HS:(2)	64	5.1 %
3	HS GRAD:(3)	206	16.5 %
4	SOME CLG:(4)	201	16.1 %
5	CLG GRAD:(5)	377	30.1 %
6	GRAD SCH:(6)	200	16.0 %
7	DK:(7)	82	6.6 %
	Missing Data		
-9	MISSING:(-9)	78	6.2 %
	Total	1,251	100%

Based upon 1,173 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6166: 00340:R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican"

3="Mildly Democrat" 4="Strongly Democrat"

5="Independent" 6="No preference" 7="Other"

8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	128	10.2 %
2	MILD GOP:(2)	149	11.9 %
3	MILD DEM:(3)	127	10.2 %
4	STRG DEM:(4)	125	10.0 %
5	INDEPNDT:(5)	127	10.2 %
6	NO PREF:(6)	204	16.3 %
7	OTHER:(7)	34	2.7 %
8	DK/HVNT DECID:(8)	277	22.1 %
	Missing Data		
-9	MISSING:(-9)	80	6.4 %
	Total	1,251	100%

Based upon 1,171 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6167: 00350:R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very Conservative" 2="Conservative" 3="Moderate"

4="Liberal" 5="Very Liberal" 6="Radical"

8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	57	4.6 %
2	CONSERV:(2)	153	12.2 %
3	MODERATE:(3)	177	14.1 %
4	LIBERAL:(4)	178	14.2 %
5	VRY LIB:(5)	81	6.5 %
6	RADICAL:(6)	31	2.5 %
8	NONE/DK:(8)	492	39.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	82	6.6 %
	Total	1,251	100%

Based upon 1,169 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6169: 00370:R'ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	312	24.9 %
2	RARELY:(2)	348	27.8 %
3	1-2X/MO:(3)	161	12.9 %
4	1/WK OR+:(4)	222	17.7 %
	Missing Data		
-9	MISSING:(-9)	208	16.6 %
	Total	1,251	100%

Based upon 1,043 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6170: 00380:RLGN IMP R'S LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	318	25.4 %
2	LITL IMP:(2)	253	20.2 %
3	PRTY IMP:(3)	275	22.0 %
4	VERY IMP:(4)	198	15.8 %
	Missing Data		
-9	MISSING:(-9)	207	16.5 %
	Total	1,251	100%

Based upon 1,044 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6171: 00390:WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	1142	91.3 %
2	JUL-JAN:(2)	15	1.2 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	11	0.9 %
	Missing Data		
-9	MISSING:(-9)	83	6.6 %
	Total	1,251	100%

Based upon 1,168 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6172: 00400:R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	575	46.0 %
2	GENERAL:(2)	369	29.5 %
3	VOC-TECH:(3)	35	2.8 %
4	OTH/DK:(4)	183	14.6 %
	Missing Data		
-9	MISSING:(-9)	89	7.1 %
	Total	1,251	100%

Based upon 1,162 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6173: 00410:RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average"
6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	11	0.9 %
2	BELOW AVG:(2)	32	2.6 %
3	SLIGHT BELOW:(3)	63	5.0 %
4	AVERAGE:(4)	373	29.8 %
5	SLIGHT ABOVE:(5)	298	23.8 %
6	ABOVE AVG:(6)	309	24.7 %
7	FAR ABOVE:(7)	78	6.2 %
	Missing Data		
-9	MISSING:(-9)	87	7.0 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,164 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6174: 00420:RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average"
6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	14	1.1 %
2	BELOW AVG:(2)	26	2.1 %
3	SLIGHT BELOW:(3)	73	5.8 %
4	AVERAGE:(4)	330	26.4 %
5	SLIGHT ABOVE:(5)	347	27.7 %
6	ABOVE AVG:(6)	305	24.4 %
7	FAR ABOVE:(7)	67	5.4 %
	Missing Data		
-9	MISSING:(-9)	89	7.1 %
	Total	1,251	100%

Based upon 1,162 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6175: 00430:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed... ..because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	583	46.6 %
2	1 DAY:(2)	178	14.2 %
3	2 DAYS:(3)	129	10.3 %
4	3 DAYS:(4)	93	7.4 %
5	4-5 DAYS:(5)	90	7.2 %
6	6-10 DA:(6)	37	3.0 %
7	11+ DAYS:(7)	23	1.8 %
	Missing Data		
-9	MISSING:(-9)	118	9.4 %
	Total	1,251	100%

Based upon 1,133 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6176: 00440:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed... ..because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	744	59.5 %
2	1 DAY:(2)	147	11.8 %
3	2 DAYS:(3)	85	6.8 %
4	3 DAYS:(4)	56	4.5 %
5	4-5 DAYS:(5)	39	3.1 %
6	6-10 DA:(6)	14	1.1 %
7	11+ DAYS:(7)	19	1.5 %
	Missing Data		
-9	MISSING:(-9)	147	11.8 %

Value	Label	Unweighted Frequency	%
	Total	1,251	100%

Based upon 1,104 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6177: 00450:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed... ..for other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	565	45.2 %
2	1 DAY:(2)	225	18.0 %
3	2 DAYS:(3)	125	10.0 %
4	3 DAYS:(4)	80	6.4 %
5	4-5 DAYS:(5)	65	5.2 %
6	6-10 DA:(6)	26	2.1 %
7	11+ DAYS:(7)	28	2.2 %
	Missing Data		
-9	MISSING:(-9)	137	11.0 %
	Total	1,251	100%

Based upon 1,114 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6178: 00460:#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	877	70.1 %
2	1-2:(2)	166	13.3 %
3	3-5:(3)	62	5.0 %
4	6-10:(4)	23	1.8 %
5	11-20:(5)	10	0.8 %
6	21+:(6)	20	1.6 %
	Missing Data		
-9	MISSING:(-9)	93	7.4 %
	Total	1,251	100%

Based upon 1,158 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6179: 00470:R HS GRADE/D=1

Item Number: 00470

Which one of the following best describes your average grades in this school year?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)"
2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	21	1.7 %
2	C-:(2)	25	2.0 %
3	C:(3)	42	3.4 %
4	C+:(4)	60	4.8 %
5	B-:(5)	97	7.8 %
6	B:(6)	135	10.8 %
7	B+:(7)	180	14.4 %
8	A-:(8)	267	21.3 %
9	A:(9)	337	26.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	87	7.0 %
	Total	1,251	100%

Based upon 1,164 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6180: 00480:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	661	52.8 %
2	PRB WONT:(2)	272	21.7 %
3	PRB WILL:(3)	120	9.6 %
4	DEF WILL:(4)	65	5.2 %
	Missing Data		
-9	MISSING:(-9)	133	10.6 %
	Total	1,251	100%

Based upon 1,118 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6181: 00490:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	812	64.9 %
2	PRB WONT:(2)	199	15.9 %
3	PRB WILL:(3)	64	5.1 %
4	DEF WILL:(4)	45	3.6 %
	Missing Data		
-9	MISSING:(-9)	131	10.5 %
	Total	1,251	100%

Based upon 1,120 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6182: 00500:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	436	34.9 %
2	PRB WONT:(2)	233	18.6 %
3	PRB WILL:(3)	266	21.3 %
4	DEF WILL:(4)	185	14.8 %
	Missing Data		
-9	MISSING:(-9)	131	10.5 %
	Total	1,251	100%

Based upon 1,120 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V6183: 00510:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	161	12.9 %
2	PRB WONT:(2)	126	10.1 %
3	PRB WILL:(3)	304	24.3 %
4	DEF WILL:(4)	548	43.8 %
	Missing Data		
-9	MISSING:(-9)	112	9.0 %
	Total	1,251	100%

Based upon 1,139 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 493-494 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6184: 00520:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	287	22.9 %
2	PRB WONT:(2)	324	25.9 %
3	PRB WILL:(3)	333	26.6 %

Value	Label	Unweighted Frequency	%
4	DEF WILL:(4)	179	14.3 %
	Missing Data		
-9	MISSING:(-9)	128	10.2 %
	Total	1,251	100%

Based upon 1,123 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6185: 00530:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	974	77.9 %
1	MARKED:(1)	177	14.1 %
	Missing Data		
-9	MISSING:(-9)	100	8.0 %
	Total	1,251	100%

Based upon 1,151 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6186: 00540:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1008	80.6 %
1	MARKED:(1)	143	11.4 %
	Missing Data		
-9	MISSING:(-9)	100	8.0 %
	Total	1,251	100%

Based upon 1,151 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6187: 00550:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	817	65.3 %
1	MARKED:(1)	334	26.7 %
	Missing Data		
-9	MISSING:(-9)	100	8.0 %
	Total	1,251	100%

Based upon 1,151 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6188: 00560:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	360	28.8 %
1	MARKED:(1)	791	63.2 %
	Missing Data		
-9	MISSING:(-9)	100	8.0 %
	Total	1,251	100%

Based upon 1,151 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6189: 00570:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	659	52.7 %
1	MARKED:(1)	492	39.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	100	8.0 %
	Total	1,251	100%

Based upon 1,151 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6190: 00580:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1004	80.3 %
1	MARKED:(1)	147	11.8 %
	Missing Data		
-9	MISSING:(-9)	100	8.0 %
	Total	1,251	100%

Based upon 1,151 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6191: 00590:HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours"
5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours"
8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	479	38.3 %
2	5 OR <:(2)	97	7.8 %
3	6-10 HRS:(3)	102	8.2 %
4	11-15 HRS:(4)	104	8.3 %
5	16-20 HRS:(5)	143	11.4 %
6	21-25 HRS:(6)	82	6.6 %
7	26-30 HRS:(7)	77	6.2 %
8	30+ HRS:(8)	68	5.4 %
	Missing Data		
-9	MISSING:(-9)	99	7.9 %
	Total	1,251	100%

Based upon 1,152 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6192: 00600:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from... ..a job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	498	39.8 %
2	\$1-5:(2)	9	0.7 %
3	\$6-10:(3)	15	1.2 %
4	\$11-20:(4)	106	8.5 %
5	\$21-35:(5)	23	1.8 %
6	\$36-50:(6)	30	2.4 %
7	\$51-75:(7)	40	3.2 %

Value	Label	Unweighted Frequency	%
8	\$76-125:(8)	94	7.5 %
9	\$126-175:(9)	103	8.2 %
10	\$176+:(10)	222	17.7 %
	Missing Data		
-9	MISSING:(-9)	111	8.9 %
	Total	1,251	100%

Based upon 1,140 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6193: 00610:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from... ..other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	669	53.5 %
2	\$1-5:(2)	37	3.0 %
3	\$6-10:(3)	46	3.7 %
4	\$11-20:(4)	100	8.0 %
5	\$21-35:(5)	76	6.1 %
6	\$36-50:(6)	52	4.2 %
7	\$51-75:(7)	38	3.0 %
8	\$76-125:(8)	36	2.9 %
9	\$126-175:(9)	12	1.0 %
10	\$176+:(10)	45	3.6 %
	Missing Data		
-9	MISSING:(-9)	140	11.2 %
	Total	1,251	100%

Based upon 1,111 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6194: 00620:#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	247	19.7 %
2	ONE:(2)	243	19.4 %
3	TWO:(3)	316	25.3 %
4	THREE:(4)	202	16.1 %
5	4-5:(5)	112	9.0 %
6	6-7:(6)	31	2.5 %
	Missing Data		
-9	MISSING:(-9)	100	8.0 %
	Total	1,251	100%

Based upon 1,151 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6195: 00630:#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"

4="Once a week" 5="2 or 3 times a week"

6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	626	50.0 %
2	ONCE/MO:(2)	139	11.1 %

Value	Label	Unweighted Frequency	%
3	2-3X MO:(3)	144	11.5 %
4	ONCE WK:(4)	111	8.9 %
5	2-3X WK:(5)	90	7.2 %
6	3+ WEEK:(6)	42	3.4 %
	Missing Data		
-9	MISSING:(-9)	99	7.9 %
	Total	1,251	100%

Based upon 1,152 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6196: 00640:DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles"

4="51 to 100 miles" 5="101 to 200 miles"

6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	289	23.1 %
2	1-10 MI:(2)	99	7.9 %
3	11-50:(3)	279	22.3 %
4	51-100:(4)	238	19.0 %
5	101-200:(5)	145	11.6 %
6	> 200:(6)	102	8.2 %
	Missing Data		
-9	MISSING:(-9)	99	7.9 %
	Total	1,251	100%

Based upon 1,152 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 519-520 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6197: 00650:#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	985	78.7 %
1	ONCE:(1)	93	7.4 %
2	TWICE:(2)	43	3.4 %
3	3 TIMES:(3)	13	1.0 %
4	4+ TIMES:(4)	15	1.2 %
	Missing Data		
-9	MISSING:(-9)	102	8.2 %
	Total	1,251	100%

Based upon 1,149 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6198: 00660:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were... ..drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	159	12.7 %
1	ONE:(1)	1	0.1 %

Value	Label	Unweighted Frequency	%
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	1089	87.1 %
	Total	1,251	100%

Based upon 162 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6199: 00670:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were... ..using marijuana?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	160	12.8 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	1089	87.1 %
	Total	1,251	100%

Based upon 162 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6200: 00680:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were... using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	161	12.9 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	1089	87.1 %
	Total	1,251	100%

Based upon 162 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6201: 00690:#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving?

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	946	75.6 %
1	ONCE:(1)	166	13.3 %
2	TWICE:(2)	25	2.0 %
3	3 TIMES:(3)	3	0.2 %
4	4+ TIMES:(4)	8	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	103	8.2 %
	Total	1,251	100%

Based upon 1,148 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6202: 00700:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were... ..drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	197	15.7 %
1	ONE:(1)	2	0.2 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1052	84.1 %
	Total	1,251	100%

Based upon 199 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6203: 00710:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were... ..using marijuana?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	195	15.6 %
1	ONE:(1)	4	0.3 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1052	84.1 %
	Total	1,251	100%

Based upon 199 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6204: 00720:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were... ..using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	198	15.8 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	1	0.1 %
3	THREE+:(3)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	1052	84.1 %
	Total	1,251	100%

Based upon 199 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6205: 22210:USE SEATBLT-DRVR

Item Number: 22210

When you drive a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always" 8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	46	3.7 %
2	SELDOM:(2)	18	1.4 %
3	SOMETIME:(3)	39	3.1 %
4	OFTEN:(4)	100	8.0 %
5	ALWAYS:(5)	866	69.2 %
8	INAP:(8)	65	5.2 %
	Missing Data		
-9	MISSING:(-9)	117	9.4 %
	Total	1,251	100%

Based upon 1,134 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6206: 22220:USE SEATBLT-RIDR

Item Number: 22220

When you are riding in the front passenger seat of a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always" 8="Does Not Apply"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	38	3.0 %
2	SELDOM:(2)	17	1.4 %
3	SOMETIME:(3)	62	5.0 %

Value	Label	Unweighted Frequency	%
4	OFTEN:(4)	109	8.7 %
5	ALWAYS:(5)	898	71.8 %
8	INAP:(8)	9	0.7 %
	Missing Data		
-9	MISSING:(-9)	118	9.4 %
	Total	1,251	100%

Based upon 1,133 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6353: 12550:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	84	6.7 %
2	MOST DIS:(2)	122	9.8 %
3	NEITHER:(3)	166	13.3 %
4	MOST AGR:(4)	492	39.3 %
5	AGREE:(5)	255	20.4 %
	Missing Data		
-9	MISSING:(-9)	132	10.6 %
	Total	1,251	100%

Based upon 1,119 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6354: 23700:LIFE MEANINGLESS

Item Number: 23700

How much do you agree or disagree with each of the following statements?

Life often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	326	26.1 %
2	MOST DIS:(2)	295	23.6 %
3	NEITHER:(3)	219	17.5 %
4	MOST AGR:(4)	199	15.9 %
5	AGREE:(5)	76	6.1 %
	Missing Data		
-9	MISSING:(-9)	136	10.9 %
	Total	1,251	100%

Based upon 1,115 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6355: 07040:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	47	3.8 %
2	MOST DIS:(2)	37	3.0 %
3	NEITHER:(3)	121	9.7 %
4	MOST AGR:(4)	455	36.4 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	452	36.1 %
	Missing Data		
-9	MISSING:(-9)	139	11.1 %
	Total	1,251	100%

Based upon 1,112 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6356: 12660:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	313	25.0 %
2	MOST DIS:(2)	312	24.9 %
3	NEITHER:(3)	218	17.4 %
4	MOST AGR:(4)	188	15.0 %
5	AGREE:(5)	82	6.6 %
	Missing Data		
-9	MISSING:(-9)	138	11.0 %
	Total	1,251	100%

Based upon 1,113 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6357: 12570:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	66	5.3 %
2	MOST DIS:(2)	101	8.1 %
3	NEITHER:(3)	235	18.8 %
4	MOST AGR:(4)	408	32.6 %
5	AGREE:(5)	304	24.3 %
	Missing Data		
-9	MISSING:(-9)	137	11.0 %
	Total	1,251	100%

Based upon 1,114 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6358: 23710:I ENJOY LIFE

Item Number: 23710

How much do you agree or disagree with each of the following statements?

I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	79	6.3 %
2	MOST DIS:(2)	121	9.7 %
3	NEITHER:(3)	229	18.3 %
4	MOST AGR:(4)	390	31.2 %
5	AGREE:(5)	295	23.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	137	11.0 %
	Total	1,251	100%

Based upon 1,114 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6359: 07050:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	192	15.3 %
2	MOST DIS:(2)	193	15.4 %
3	NEITHER:(3)	287	22.9 %
4	MOST AGR:(4)	313	25.0 %
5	AGREE:(5)	116	9.3 %
	Missing Data		
-9	MISSING:(-9)	150	12.0 %
	Total	1,251	100%

Based upon 1,101 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6360: 12680:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	263	21.0 %
2	MOST DIS:(2)	262	20.9 %
3	NEITHER:(3)	223	17.8 %
4	MOST AGR:(4)	235	18.8 %
5	AGREE:(5)	114	9.1 %
	Missing Data		
-9	MISSING:(-9)	154	12.3 %
	Total	1,251	100%

Based upon 1,097 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6361: 12580:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	59	4.7 %
2	MOST DIS:(2)	88	7.0 %
3	NEITHER:(3)	218	17.4 %
4	MOST AGR:(4)	472	37.7 %
5	AGREE:(5)	257	20.5 %
	Missing Data		
-9	MISSING:(-9)	157	12.5 %
	Total	1,251	100%

Based upon 1,094 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6362: 23720:FUTURE HOPELESS

Item Number: 23720

How much do you agree or disagree with each of the following statements?

The future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	359	28.7 %
2	MOST DIS:(2)	295	23.6 %
3	NEITHER:(3)	215	17.2 %
4	MOST AGR:(4)	148	11.8 %
5	AGREE:(5)	78	6.2 %
	Missing Data		
-9	MISSING:(-9)	156	12.5 %
	Total	1,251	100%

Based upon 1,095 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6363: 07060:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	189	15.1 %
2	MOST DIS:(2)	206	16.5 %
3	NEITHER:(3)	261	20.9 %
4	MOST AGR:(4)	307	24.5 %
5	AGREE:(5)	134	10.7 %
	Missing Data		
-9	MISSING:(-9)	154	12.3 %
	Total	1,251	100%

Based upon 1,097 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6364: 12720:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	349	27.9 %
2	MOST DIS:(2)	285	22.8 %
3	NEITHER:(3)	234	18.7 %
4	MOST AGR:(4)	153	12.2 %
5	AGREE:(5)	76	6.1 %
	Missing Data		
-9	MISSING:(-9)	154	12.3 %
	Total	1,251	100%

Based upon 1,097 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6365: 12620:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	83	6.6 %
2	MOST DIS:(2)	122	9.8 %
3	NEITHER:(3)	215	17.2 %
4	MOST AGR:(4)	413	33.0 %
5	AGREE:(5)	258	20.6 %
	Missing Data		
-9	MISSING:(-9)	160	12.8 %
	Total	1,251	100%

Based upon 1,091 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6366: 12750:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	374	29.9 %
2	MOST DIS:(2)	289	23.1 %
3	NEITHER:(3)	226	18.1 %

Value	Label	Unweighted Frequency	%
4	MOST AGR:(4)	137	11.0 %
5	AGREE:(5)	65	5.2 %
	Missing Data		
-9	MISSING:(-9)	160	12.8 %
	Total	1,251	100%

Based upon 1,091 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6367: 23730:GOOD TO BE ALIVE

Item Number: 23730

How much do you agree or disagree with each of the following statements?

It feels good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	56	4.5 %
2	MOST DIS:(2)	65	5.2 %
3	NEITHER:(3)	203	16.2 %
4	MOST AGR:(4)	319	25.5 %
5	AGREE:(5)	448	35.8 %
	Missing Data		
-9	MISSING:(-9)	160	12.8 %
	Total	1,251	100%

Based upon 1,091 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6581: 31080:LIK XPLOR STRANG

Item Number: 31080

How much do you agree or disagree with each of the following statements?

I would like to explore strange places

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	90	7.2 %
2	MOST DIS:(2)	82	6.6 %
3	NEITHER:(3)	198	15.8 %
4	MOST AGR:(4)	347	27.7 %
5	AGREE:(5)	372	29.7 %
Missing Data			
-9	MISSING:(-9)	162	12.9 %
Total		1,251	100%

Based upon 1,089 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6582: 31090:LIK DO FRIGHT TG

Item Number: 31090

How much do you agree or disagree with each of the following statements?

I like to do frightening things

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	188	15.0 %
2	MOST DIS:(2)	228	18.2 %
3	NEITHER:(3)	317	25.3 %
4	MOST AGR:(4)	211	16.9 %
5	AGREE:(5)	146	11.7 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	161	12.9 %
	Total	1,251	100%

Based upon 1,090 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6583: 31100:LIK EVN BRK RULE

Item Number: 31100

How much do you agree or disagree with each of the following statements?

I like new and exciting experiences, even if I have to break the rules

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	135	10.8 %
2	MOST DIS:(2)	148	11.8 %
3	NEITHER:(3)	282	22.5 %
4	MOST AGR:(4)	325	26.0 %
5	AGREE:(5)	199	15.9 %
	Missing Data		
-9	MISSING:(-9)	162	12.9 %
	Total	1,251	100%

Based upon 1,089 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6584: 31110:PRF FRND EXCITNG

Item Number: 31110

How much do you agree or disagree with each of the following statements?

I prefer friends who are exciting and unpredictable

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	96	7.7 %
2	MOST DIS:(2)	130	10.4 %
3	NEITHER:(3)	349	27.9 %
4	MOST AGR:(4)	339	27.1 %
5	AGREE:(5)	176	14.1 %
	Missing Data		
-9	MISSING:(-9)	161	12.9 %
	Total	1,251	100%

Based upon 1,090 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6610: 32000:I AM OFTEN BORED

Item Number: 32000

How much do you agree or disagree with each of the following statements?

I am often bored

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	89	7.1 %
2	MOST DIS:(2)	191	15.3 %
3	NEITHER:(3)	255	20.4 %
4	MOST AGR:(4)	380	30.4 %
5	AGREE:(5)	174	13.9 %
	Missing Data		
-9	MISSING:(-9)	162	12.9 %
	Total	1,251	100%

Based upon 1,089 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6634: 34350:OFTEN FEEL ANXIOUS

Item Number: 34350

How much do you agree or disagree with each of the following?

I often feel anxious

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

NOTE: This variable was introduced in form 6 beginning in 2017.

Data on this variable for the years 2017 and 2018 are available
in the 2019 DS9 - Supplemental Form 6 Data.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	115	9.2 %
2	MOST DIS:(2)	156	12.5 %
3	NEITHER:(3)	228	18.2 %
4	MOST AGR:(4)	327	26.1 %
5	AGREE:(5)	259	20.7 %
	Missing Data		
-9	MISSING:(-9)	166	13.3 %
	Total	1,251	100%

Based upon 1,085 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6635: 34440:WRY HOW PPL REACT TO ME

Item Number: 34440

How much do you agree or disagree with each of the following?

I often worry about how other people react to me

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

NOTE: This variable was introduced in form 6 beginning in 2017.
Data on this variable for the years 2017 and 2018 are available
in the 2019 DS9 - Supplemental Form 6 Data.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	142	11.4 %
2	MOST DIS:(2)	131	10.5 %
3	NEITHER:(3)	202	16.1 %
4	MOST AGR:(4)	322	25.7 %
5	AGREE:(5)	291	23.3 %
	Missing Data		
-9	MISSING:(-9)	163	13.0 %
	Total	1,251	100%

Based upon 1,088 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 583-584 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6636: 34450:CONTROL TEMPER

Item Number: 34450

How much do you agree or disagree with each of the following?

I have trouble controlling my temper

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

NOTE: This variable was introduced in form 6 beginning in 2017.
Data on this variable for the years 2017 and 2018 are available
in the 2019 DS9 - Supplemental Form 6 Data.

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	287	22.9 %
2	MOST DIS:(2)	282	22.5 %
3	NEITHER:(3)	234	18.7 %
4	MOST AGR:(4)	176	14.1 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	111	8.9 %
	Missing Data		
-9	MISSING:(-9)	161	12.9 %
	Total	1,251	100%

Based upon 1,090 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6670: 38210:SCHL SRVC COUNSELING

Item Number: 38210

During the current school year, how helpful have the following been, if provided by your school?

Counseling support

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful" 2="A little helpful" 1="Not at all helpful" 7="Not offered"
8="Don't know/Not applicable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	138	11.0 %
2	A LITTLE:(2)	135	10.8 %
3	SOMEWHAT:(3)	139	11.1 %
4	QUITE:(4)	139	11.1 %
5	EXTREMELY:(5)	126	10.1 %
7	NOT OFFERED:(7)	61	4.9 %
8	DK/NA:(8)	342	27.3 %
	Missing Data		
-9	MISSING:(-9)	171	13.7 %
	Total	1,251	100%

Based upon 1,080 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6671: 38220:SCHL SRVC GRP CNSLNG

Item Number: 38220

During the current school year, how helpful have the following been, if provided by your school?

Group counseling

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful" 2="A little helpful" 1="Not at all helpful" 7="Not offered"
8="Don't know/Not applicable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	116	9.3 %
2	A LITTLE:(2)	72	5.8 %
3	SOMEWHAT:(3)	45	3.6 %
4	QUITE:(4)	55	4.4 %
5	EXTREMELY:(5)	58	4.6 %
7	NOT OFFERED:(7)	203	16.2 %
8	DK/NA:(8)	526	42.0 %
	Missing Data		
-9	MISSING:(-9)	176	14.1 %
	Total	1,251	100%

Based upon 1,075 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6672: 38230:SCHL SRVC MNTL HLTH CUR

Item Number: 38230

During the current school year, how helpful have the following been, if provided by your school?

Mental health curriculum

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful" 2="A little helpful" 1="Not at all helpful" 7="Not offered"
8="Don't know/Not applicable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	146	11.7 %

Value	Label	Unweighted Frequency	%
2	A LITTLE:(2)	107	8.6 %
3	SOMEWHAT:(3)	81	6.5 %
4	QUITE:(4)	49	3.9 %
5	EXTREMELY:(5)	71	5.7 %
7	NOT OFFERED:(7)	178	14.2 %
8	DK/NA:(8)	440	35.2 %
	Missing Data		
-9	MISSING:(-9)	179	14.3 %
	Total	1,251	100%

Based upon 1,072 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6673: 38240:SCHL SRVC MNTL HLTH RES

Item Number: 38240

During the current school year, how helpful have the following been, if provided by your school?

Mental health resources

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful" 2="A little helpful" 1="Not at all helpful" 7="Not offered"
8="Don't know/Not applicable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	143	11.4 %
2	A LITTLE:(2)	124	9.9 %
3	SOMEWHAT:(3)	99	7.9 %
4	QUITE:(4)	67	5.4 %
5	EXTREMELY:(5)	78	6.2 %
7	NOT OFFERED:(7)	119	9.5 %
8	DK/NA:(8)	430	34.4 %
	Missing Data		
-9	MISSING:(-9)	191	15.3 %
	Total	1,251	100%

Based upon 1,060 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6674: 38250:SCHL SRVC INFRML MEETINGS

Item Number: 38250

During the current school year, how helpful have the following been, if provided by your school?

"Check-ins" or informal one-on-one meetings between students and school staff

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful" 2="A little helpful" 1="Not at all helpful" 7="Not offered"
8="Don't know/Not applicable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	122	9.8 %
2	A LITTLE:(2)	118	9.4 %
3	SOMEWHAT:(3)	80	6.4 %
4	QUITE:(4)	88	7.0 %
5	EXTREMELY:(5)	105	8.4 %
7	NOT OFFERED:(7)	152	12.2 %
8	DK/NA:(8)	410	32.8 %
	Missing Data		
-9	MISSING:(-9)	176	14.1 %
	Total	1,251	100%

Based upon 1,075 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6675: 38260:SCHL SRVC MENTORING

Item Number: 38260

During the current school year, how helpful have the following been, if provided by your school?

Mentoring

5="Extremely helpful" 4="Quite helpful" 3="Somewhat helpful" 2="A little helpful" 1="Not at all helpful" 7="Not offered"
8="Don't know/Not applicable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	111	8.9 %
2	A LITTLE:(2)	112	9.0 %
3	SOMEWHAT:(3)	93	7.4 %
4	QUITE:(4)	73	5.8 %
5	EXTREMELY:(5)	84	6.7 %
7	NOT OFFERED:(7)	140	11.2 %
8	DK/NA:(8)	459	36.7 %
	Missing Data		
-9	MISSING:(-9)	179	14.3 %
	Total	1,251	100%

Based upon 1,072 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6497: 25020:#XDRUNK/LIFETIME

Item Number: 25020

The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs.

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	669	53.5 %
2	1-2X:(2)	111	8.9 %
3	3-5X:(3)	67	5.4 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	48	3.8 %
5	10-19X:(5)	57	4.6 %
6	20-39X:(6)	49	3.9 %
7	40+OCCAS:(7)	61	4.9 %
	Missing Data		
-9	MISSING:(-9)	189	15.1 %
	Total	1,251	100%

Based upon 1,062 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6498: 25030:#XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	745	59.6 %
2	1-2X:(2)	107	8.6 %
3	3-5X:(3)	70	5.6 %
4	6-9X:(4)	45	3.6 %
5	10-19X:(5)	46	3.7 %
6	20-39X:(6)	18	1.4 %
7	40+OCCAS:(7)	27	2.2 %
	Missing Data		
-9	MISSING:(-9)	193	15.4 %
	Total	1,251	100%

Based upon 1,058 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6499: 25040:#XDRUNK/LAST30DA

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages... during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	855	68.3 %
2	1-2X:(2)	110	8.8 %
3	3-5X:(3)	51	4.1 %
4	6-9X:(4)	22	1.8 %
5	10-19X:(5)	14	1.1 %
6	20-39X:(6)	2	0.2 %
7	40+OCCAS:(7)	5	0.4 %
	Missing Data		
-9	MISSING:(-9)	192	15.3 %
	Total	1,251	100%

Based upon 1,059 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6368: 22690:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your

own--that is, without a doctor telling you to take them... ..in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1059	84.7 %
2	1-2X:(2)	2	0.2 %
3	3-5X:(3)	3	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	185	14.8 %
	Total	1,251	100%

Based upon 1,066 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 605-606 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6369: 22700:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them... ..during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1062	84.9 %
2	1-2X:(2)	2	0.2 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.1 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	182	14.5 %
	Total	1,251	100%

Based upon 1,069 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6370: 22710:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them... ..during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1063	85.0 %
2	1-2X:(2)	2	0.2 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	183	14.6 %
	Total	1,251	100%

Based upon 1,068 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6376: 23790:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own? (Mark ALL that apply.)

Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	14	1.1 %
1	MARKED:(1)	2	0.2 %
	Missing Data		
-9	MISSING:(-9)	1235	98.7 %
	Total	1,251	100%

Based upon 16 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6377: 23800:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own? (Mark all that apply.)

By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	15	1.2 %
1	MARKED:(1)	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	1235	98.7 %
	Total	1,251	100%

Based upon 16 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6580: 30940:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

Haven't used steroids.

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	3	0.2 %
1	MARKED:(1)	1072	85.7 %
	Missing Data		
-9	MISSING:(-9)	176	14.1 %
	Total	1,251	100%

Based upon 1,075 valid cases out of 1,251 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6500: 25050:#X INJECT/LIFE

Item Number: 25050

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids)... ..in your lifetime?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1067	85.3 %
2	1-2X:(2)	6	0.5 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	176	14.1 %
	Total	1,251	100%

Based upon 1,075 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6501: 25060:#X INJECT/LST12M

Item Number: 25060

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids)... ..during the last 12 months?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1071	85.6 %
2	1-2X:(2)	4	0.3 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	175	14.0 %
	Total	1,251	100%

Based upon 1,076 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6502: 25070:#X INJECT/LST30D

Item Number: 25070

On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids)... ..during the last 30 days?

Do NOT include anything you took under a doctor's orders.

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1071	85.6 %
2	1-2X:(2)	3	0.2 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	176	14.1 %
	Total	1,251	100%

Based upon 1,075 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 621-622 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6503: 25680:GR 1ST INJECT

Item Number: 25680

When (if ever) did you FIRST inject any drug with a needle (without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%
1	<=GRADE 6:(1)	1	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	2	0.2 %
5	GRADE 10:(5)	1	0.1 %
6	GRADE 11:(6)	0	0.0 %
7	GRADE 12:(7)	3	0.2 %
8	NEVER:(8)	1044	83.5 %
	Missing Data		
-9	MISSING:(-9)	200	16.0 %
	Total	1,251	100%

Based upon 1,051 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 623-624 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6378: 05575:GR 1ST SMOK EVR

Item Number: 05575

When (if ever) did you FIRST do each of the following things?

Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%
1	<=GRADE 6:(1)	30	2.4 %
2	GRADE 7:(2)	10	0.8 %
3	GRADE 8:(3)	14	1.1 %
4	GRADE 9:(4)	15	1.2 %
5	GRADE 10:(5)	22	1.8 %
6	GRADE 11:(6)	28	2.2 %
7	GRADE 12:(7)	13	1.0 %
8	NEVER:(8)	906	72.4 %
	Missing Data		
-9	MISSING:(-9)	213	17.0 %
	Total	1,251	100%

Based upon 1,038 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6379: 05570:GR 1ST SMOK DLY

Item Number: 05570

When (if ever) did you FIRST do each of the following things?

Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%
1	<=GRADE 6:(1)	2	0.2 %
2	GRADE 7:(2)	1	0.1 %
3	GRADE 8:(3)	2	0.2 %
4	GRADE 9:(4)	1	0.1 %
5	GRADE 10:(5)	2	0.2 %
6	GRADE 11:(6)	1	0.1 %
7	GRADE 12:(7)	1	0.1 %
8	NEVER:(8)	1051	84.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	190	15.2 %
	Total	1,251	100%

Based upon 1,061 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6380: 05576:GR 1ST SMOKELESS

Item Number: 05576

When (if ever) did you FIRST do each of the following things?

Try smokeless tobacco (snuff, plug, chewing tobacco, snus, dissolvable tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12"

Value	Label	Unweighted Frequency	%
1	<=GRADE 6:(1)	14	1.1 %
2	GRADE 7:(2)	11	0.9 %
3	GRADE 8:(3)	7	0.6 %
4	GRADE 9:(4)	10	0.8 %
5	GRADE 10:(5)	8	0.6 %
6	GRADE 11:(6)	11	0.9 %
7	GRADE 12:(7)	10	0.8 %
8	NEVER:(8)	1004	80.3 %
	Missing Data		
-9	MISSING:(-9)	176	14.1 %
	Total	1,251	100%

Based upon 1,075 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6660: 36700:GR 1ST VAPE NIC

Item Number: 36700

When (if ever) did you FIRST do each of the following things?

Vape an e-liquid with nicotine (JUUL, e-cigarette, e-pen, etc.)

1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9" 5="Grade 10" 6="Grade 11" 7="Grade 12" 8="Never"

Value	Label	Unweighted Frequency	%
1	<=GRADE 6:(1)	25	2.0 %
2	GRADE 7:(2)	39	3.1 %
3	GRADE 8:(3)	76	6.1 %
4	GRADE 9:(4)	76	6.1 %
5	GRADE 10:(5)	47	3.8 %
6	GRADE 11:(6)	83	6.6 %
7	GRADE 12:(7)	21	1.7 %
8	NEVER:(8)	711	56.8 %
	Missing Data		
-9	MISSING:(-9)	173	13.8 %
	Total	1,251	100%

Based upon 1,078 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6482: 24440:FUTR SMOKE CIGS

Item Number: 24440

In the future, do you think that you will... ..smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know" 4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	55	4.4 %
2	PROB WILL:(2)	24	1.9 %
3	DK:(3)	41	3.3 %
4	PRB WONT:(4)	111	8.9 %

Value	Label	Unweighted Frequency	%
5	DEF WONT:(5)	837	66.9 %
	Missing Data		
-9	MISSING:(-9)	183	14.6 %
	Total	1,251	100%

Based upon 1,068 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6483: 24450:FUTR DRINK ALCOL

Item Number: 24450

In the future, do you think that you will... ..drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know" 4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	262	20.9 %
2	PROB WILL:(2)	340	27.2 %
3	DK:(3)	107	8.6 %
4	PRB WONT:(4)	90	7.2 %
5	DEF WONT:(5)	271	21.7 %
	Missing Data		
-9	MISSING:(-9)	181	14.5 %
	Total	1,251	100%

Based upon 1,070 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6484: 24460:FUTR TRY/USE MJ

Item Number: 24460

In the future, do you think that you will... ..try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know" 4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	174	13.9 %
2	PROB WILL:(2)	197	15.7 %
3	DK:(3)	126	10.1 %
4	PRB WONT:(4)	134	10.7 %
5	DEF WONT:(5)	441	35.3 %
	Missing Data		
-9	MISSING:(-9)	179	14.3 %
	Total	1,251	100%

Based upon 1,072 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6485: 24470:FUTR TRY/USE CRK

Item Number: 24470

In the future, do you think that you will... ..try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know" 4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	49	3.9 %
2	PROB WILL:(2)	5	0.4 %
3	DK:(3)	18	1.4 %
4	PRB WONT:(4)	49	3.9 %
5	DEF WONT:(5)	950	75.9 %
	Missing Data		
-9	MISSING:(-9)	180	14.4 %
	Total	1,251	100%

Based upon 1,071 valid cases out of 1,251 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6486: 24480:FUTR TRY/US COKP

Item Number: 24480

In the future, do you think that you will... ..try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know" 4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	49	3.9 %
2	PROB WILL:(2)	7	0.6 %
3	DK:(3)	18	1.4 %
4	PRB WONT:(4)	55	4.4 %
5	DEF WONT:(5)	940	75.1 %
Missing Data			
-9	MISSING:(-9)	182	14.5 %
Total		1,251	100%

Based upon 1,069 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6487: 24490:FUTR TR/U OTH DG

Item Number: 24490

In the future, do you think that you will... ..try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know" 4="Probably won't" 5="Definitely won't"

Value	Label	Unweighted Frequency	%
1	DEF WILL:(1)	51	4.1 %
2	PROB WILL:(2)	33	2.6 %
3	DK:(3)	38	3.0 %

Value	Label	Unweighted Frequency	%
4	PRB WONT:(4)	62	5.0 %
5	DEF WONT:(5)	887	70.9 %
Missing Data			
-9	MISSING:(-9)	180	14.4 %
Total		1,251	100%

Based upon 1,071 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6423: 07070:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate... ..smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	713	57.0 %
2	A FEW:(2)	247	19.7 %
3	SOME:(3)	86	6.9 %
4	MOST:(4)	20	1.6 %
5	ALL:(5)	4	0.3 %
Missing Data			
-9	MISSING:(-9)	181	14.5 %
Total		1,251	100%

Based upon 1,070 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6424: 07080:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate... ..use marijuana?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	321	25.7 %
2	A FEW:(2)	313	25.0 %
3	SOME:(3)	224	17.9 %
4	MOST:(4)	182	14.5 %
5	ALL:(5)	27	2.2 %
	Missing Data		
-9	MISSING:(-9)	184	14.7 %
	Total	1,251	100%

Based upon 1,067 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6432: 07151:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate... ..take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	979	78.3 %
2	A FEW:(2)	59	4.7 %
3	SOME:(3)	22	1.8 %
4	MOST:(4)	2	0.2 %
5	ALL:(5)	5	0.4 %
	Missing Data		
-9	MISSING:(-9)	184	14.7 %
	Total	1,251	100%

Based upon 1,067 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 649-650 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6433: 23990:# FRNDS TK C PWD

Item Number: 23990

How many of your friends would you estimate... ..take cocaine powder?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	967	77.3 %
2	A FEW:(2)	69	5.5 %
3	SOME:(3)	23	1.8 %
4	MOST:(4)	3	0.2 %
5	ALL:(5)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	186	14.9 %
	Total	1,251	100%

Based upon 1,065 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 651-652 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V6436: 07180:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate... ..use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	983	78.6 %
2	A FEW:(2)	60	4.8 %

Value	Label	Unweighted Frequency	%
3	SOME:(3)	17	1.4 %
4	MOST:(4)	4	0.3 %
5	ALL:(5)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	183	14.6 %
	Total	1,251	100%

Based upon 1,068 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6488: 23020:ALL FRD TK MDMA

Item Number: 23020

How many of your friends would you estimate... ..take MDMA ("Molly," "ecstasy")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	948	75.8 %
2	A FEW:(2)	85	6.8 %
3	SOME:(3)	26	2.1 %
4	MOST:(4)	3	0.2 %
5	ALL:(5)	5	0.4 %
	Missing Data		
-9	MISSING:(-9)	184	14.7 %
	Total	1,251	100%

Based upon 1,067 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6489: 24500:ALL FRD TK ICE

Item Number: 24500

How many of your friends would you estimate... ..take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1032	82.5 %
2	A FEW:(2)	25	2.0 %
3	SOME:(3)	7	0.6 %
4	MOST:(4)	2	0.2 %
5	ALL:(5)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	184	14.7 %
	Total	1,251	100%

Based upon 1,067 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6490: 23030:ALL FRD TK STERS

Item Number: 23030

How many of your friends would you estimate... ..take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	942	75.3 %
2	A FEW:(2)	98	7.8 %
3	SOME:(3)	22	1.8 %
4	MOST:(4)	2	0.2 %
5	ALL:(5)	4	0.3 %
	Missing Data		
-9	MISSING:(-9)	183	14.6 %
	Total	1,251	100%

Based upon 1,068 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6663: 35460:ALL FRD VAPE NIC

Item Number: 35460

How many of your friends would you estimate... vape nicotine (using a JUUL, e-cigarette, e-pen, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	360	28.8 %
2	A FEW:(2)	229	18.3 %
3	SOME:(3)	232	18.5 %
4	MOST:(4)	211	16.9 %
5	ALL:(5)	36	2.9 %
	Missing Data		
-9	MISSING:(-9)	183	14.6 %
	Total	1,251	100%

Based upon 1,068 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6585: 31050:#X GHB/LAST12MO

Item Number: 31050

Lately there has been some attention paid to certain drugs.
During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken GHB ("liquid G," "grievous bodily
harm")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1061	84.8 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	188	15.0 %
	Total	1,251	100%

Based upon 1,063 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6586: 31060:#X KETAMINE/12M

Item Number: 31060

During the LAST 12 MONTHS, on how many occasions (if any) have you... ..taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1054	84.3 %
2	1-2X:(2)	5	0.4 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	190	15.2 %
	Total	1,251	100%

Based upon 1,061 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6590: 31170:#X CREATINE/12MO

Item Number: 31170

During the LAST 12 MONTHS, on how many occasions (if any) have you... ..taken creatine (amino acid used to build muscles)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	934	74.7 %
2	1-2X:(2)	23	1.8 %
3	3-5X:(3)	24	1.9 %
4	6-9X:(4)	12	1.0 %
5	10-19X:(5)	17	1.4 %
6	20-39X:(6)	19	1.5 %
7	40+OCCAS:(7)	33	2.6 %
	Missing Data		
-9	MISSING:(-9)	189	15.1 %
	Total	1,251	100%

Based upon 1,062 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6591: 31180:#X RITALIN/12MO

Item Number: 31180

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken Ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1051	84.0 %
2	1-2X:(2)	0	0.0 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	2	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	196	15.7 %
	Total	1,251	100%

Based upon 1,055 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6611: 32450:#X ADDERALL/12MO

Item Number: 32540

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1044	83.5 %
2	1-2X:(2)	8	0.6 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	3	0.2 %
4	6-9X:(4)	2	0.2 %
5	10-19X:(5)	1	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.2 %
	Missing Data		
-9	MISSING:(-9)	190	15.2 %
	Total	1,251	100%

Based upon 1,061 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6594: 31310:#X OXYCONTN/12MO

Item Number: 31310

During the LAST 12 MONTHS, on how many occasions (if any) have you... ..taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1056	84.4 %
2	1-2X:(2)	1	0.1 %
3	3-5X:(3)	1	0.1 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	2	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	190	15.2 %
	Total	1,251	100%

Based upon 1,061 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 673-674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6595: 31320:#X VICODIN/12MO

Item Number: 31320

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1056	84.4 %
2	1-2X:(2)	1	0.1 %
3	3-5X:(3)	2	0.2 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	2	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	190	15.2 %
	Total	1,251	100%

Based upon 1,061 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 675-676 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6659: 36070:#X FENTANYL/12MO

Item Number: 36070

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken fentanyl (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1057	84.5 %
2	1-2X:(2)	2	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %
	Missing Data		
-9	MISSING:(-9)	189	15.1 %
	Total	1,251	100%

Based upon 1,062 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 677-678 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9)

V6596: 29785:#X ROHYPNL/12MO

Item Number: 29785

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken Rohypnol ("rophies," "roofies")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1052	84.1 %
2	1-2X:(2)	1	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.1 %
5	10-19X:(5)	1	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	195	15.6 %
	Total	1,251	100%

Based upon 1,056 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 679-680 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6609: 31670:#X COUGHMED/12MO

Item Number: 31670

During the LAST 12 MONTHS, on how many occasions (if any) have you... ..taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"

4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"

7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1041	83.2 %
2	1-2X:(2)	5	0.4 %
3	3-5X:(3)	5	0.4 %
4	6-9X:(4)	5	0.4 %
5	10-19X:(5)	1	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	194	15.5 %
	Total	1,251	100%

Based upon 1,057 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 681-682 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6631: 34070:#X FLAKKA/12MO

Item Number: 34070

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken Flakka ("gravel")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1051	84.0 %
2	1-2X:(2)	2	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	197	15.7 %
	Total	1,251	100%

Based upon 1,054 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 683-684 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6637: 33980:#X HASH OIL/LAST 12M

Item Number: 33980

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..used hash oil ("dabs," "honey oil,"
"budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	995	79.5 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	21	1.7 %
3	3-5X:(3)	11	0.9 %
4	6-9X:(4)	6	0.5 %
5	10-19X:(5)	7	0.6 %
6	20-39X:(6)	5	0.4 %
7	40+OCCAS:(7)	9	0.7 %
	Missing Data		
-9	MISSING:(-9)	197	15.7 %
	Total	1,251	100%

Based upon 1,054 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 685-686 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6618: 32690:#X ALCL+CAFFN/12MO

Item Number: 32690

During the LAST 12 MONTHS, on how many occasions (if any) have you... ..had an alcoholic beverage mixed with an energy drink (like Red Bull)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions"
4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	907	72.5 %
2	1-2X:(2)	83	6.6 %
3	3-5X:(3)	30	2.4 %
4	6-9X:(4)	16	1.3 %
5	10-19X:(5)	12	1.0 %
6	20-39X:(6)	3	0.2 %
7	40+OCCAS:(7)	6	0.5 %
	Missing Data		
-9	MISSING:(-9)	194	15.5 %
	Total	1,251	100%

Based upon 1,057 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 687-688 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V6676: 39200:#X DELTA8/12MO

Item Number: 39200

During the LAST 12 MONTHS, on how many occasions (if any)
have you... ..taken "delta 8" THC to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	921	73.6 %
2	1-2X:(2)	47	3.8 %
3	3-5X:(3)	27	2.2 %
4	6-9X:(4)	19	1.5 %
5	10-19X:(5)	12	1.0 %
6	20-39X:(6)	9	0.7 %
7	40+OCCAS:(7)	22	1.8 %
	Missing Data		
-9	MISSING:(-9)	194	15.5 %
	Total	1,251	100%

Based upon 1,057 valid cases out of 1,251 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 689-690 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9