ICPSR 20022

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2006

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social
Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social
Research. Survey Research Center

Form 6 Data Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

TABLE OF CONTENTS

INTRODUCTION	3
DATA COLLECTION DESCRIPTION	3
DATA COLLECTION PROCEDURES	3
SAMPLING INFORMATION	
STAGE 1: GEOGRAPHIC AREAS	
STAGE 2: SCHOOLS	
STAGE 3: STUDENTS.	4
SCHOOL RECRUITING PROCEDURES.	5
ADVANCE CONTACT WITH TEACHERS AND STUDENTS	
QUESTIONNAIRE ADMINISTRATION	5
PROCEDURES FOR PROTECTING CONFIDENTIALITY	6
CONTENT AREAS AND QUESTIONNAIRE DESIGN	7
MEASUREMENT CONTENT AREAS	7
REPRESENTATIVENESS AND VALIDITY	8
SCHOOL PARTICIPATION.	8
STUDENT PARTICIPATION.	
VALIDITY OF SELF-REPORT DATA	
ACCURACY OF THE SAMPLE	
CONSISTENCY AND THE MEASUREMENT OF TRENDS	
INTERPRETING RACIAL DIFFERENCES	
DIFFERENTIAL REPRESENTATION.	
DIFFERENTIAL RESPONSE TENDENCIES	
COVARIANCE WITH OTHER FACTORS	
WEIGHTING INFORMATION	
FILE STRUCTURE	
CODEBOOK INFORMATION	
ICPSR PROCESSING INFORMATION	16
FREQUENCIES	20
APPENDICES	312
APPENDIX A: PUBLICATIONS	313
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES	

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2006, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the <u>cross-time index</u> of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

T.	HEALTH.	Health habits.	somatic symptoms	, medical treatment.

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement

for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 8-12 percent of each year's sample -- are represented by only 200 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement

in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the

white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2006 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	unweighted n
1	Core	185	382	14,814
2	Form 1	618	1,249	2,475
3	Form 2	332	675	2,460
4	Form 3	357	726	2,456
5	Form 4	270	554	2,461
6	Form 5	327	665	2,479
7	Form 6	332	676	2,483

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134 [2] 991A13 KIND OF PAID JOB

[3] Item Number: 25160

[4] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
[10]	[11]	[]	12]	
100.0	100.0	5,745	cases	(Wtd)

[13] Data type: numeric

[14] Decimals: 0

[15] Missing-data codes: -9

[16] Columns: 98-99

- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01	R'S BIRTH YEAR	
All ualasels	$ \sim$ \sim \sim \sim \sim \sim		

C02. R'S BIRTH MONTH

C07A-B. # OLDER BR/SR, # YOUNGER BR/SR

C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)

C13A. R'S RELGS PRFNC

Form 1 D19. CURRENT HEIGHT

D20. CURRENT WEIGHT

Form 2 2A19P. ARRSTD&TKN 2 POL Form 5 5A21. CURRENT HEIGHT

5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

For 2006, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK 1=No, 2=Yes

A11. NEED SUMMER SCHL 1=No, 2=Yes

A12. EVER SUSPENDED 1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from Schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question to the respondent. To help improve the clarity of subsequent questions within the series this

additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

FREQUENCIES

FILE

CASEID

CASE IDENTIFICATION NUMBER

2,489 cases (Wtd) (Range of valid codes: 1-2483)

Data type: numeric

Columns: 1-4

V1

YEAR OF ADMIN (4-DIGITS)

Item Number:

Question Number(s):

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,489 2006 ---- 100.0 100.0 2,489 cases (Wtd)

Data type: numeric

Columns: 5-8

V3

066 :FORM ID

Item Number:

Question Number(s):

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,489 6 ---- 100.0 100.0 2,489 cases (Wtd)

Data type: numeric Columns: 9-10

 $\nabla 4$ 066 :R'S ID-SERIAL #

Item Number:

Question Number(s):

2,489 cases (Wtd) (Range of valid codes: 60001-62483)

Data type: numeric Columns: 11-15

V5 SAMPLING WEIGHT

Item Number:

Question Number(s):

2,489 cases (Wtd) (Range of valid codes: 0.1716-4.7331)

Data type: numeric Decimals: 4 Columns: 16-21

V13 066 :SCHL RGN-4 CAT

Item Number:

Question Number(s): Region of the country, based on Census categories, in which respondent's school is located. 1=Northeast 2=North Central 3=South

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.5	462	1	NE:(1)
24.0	24.0	597	2	NC:(2)
36.7	36.7	915	3	S:(3)
20.7	20.7	515	4	W:(4)
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Columns: 22-23

V16 066 :SELF-REP/NOT = 0

Item Number:

Question Number(s): Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census. 0=Not Self-Representing MSA 1=Self-Representing MSA

Data type: numeric Columns: 24-25

V17 066 : SMSA/NON-SMSA = 0

Item Number:

Question Number(s): SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.) 0=Not MSA 1=MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	22.8	568	0	Non-MSA:(0)
77.2	77.2	1,921	1	MSA:(1)
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Columns: 26-27

V6207 066A01 :CMP SATFD W/LIFE

Item Number: 06840

Question Number(s): 6A01 How satisfied are you with your

life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	51	1	COMP DIS:(1)
5.5	5.3	132	2	
5.9	5.7	142	3	
9.5	9.2	229	4	MIXED:(4)
21.8	21.2	526	5	
42.3	41.0	1,021	6	
13.0	12.6	314	7	COMP SAT: (7)
	2.9	73	-9	MISSING
100 0	1000	0 400	,	T.T. 7 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 28-29

V6208 066A02A:DALY WATCH TV

Item Number: 05820

Question Number(s): 6A02A The next questions ask about the kinds of things you might do. How often do you do each of the following? A: Watch TV

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	35	1	NEVER: (1)
1.8	1.8	45	2	FEW /YR:(2)
5.4	5.4	135	3	1-2 /MO:(3)
28.4	28.2	702	4	1 /WK:(4)
62.9	62.6	1,558	5	NR DAILY:(5)
	0.6	14	-9	MISSING
100 0	100 0	2 489	02000 /	(b+w

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 30-31

V6209 066A02B:DALY GO TO MOVIE

Item Number: 05830

Question Number(s): 6A02B How often do you do each of the

following? B: Go to movies

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	58	1	NEVER: (1)
37.8	37.5	934	2	FEW /YR:(2)
52.1	51.7	1,287	3	1-2 / MO: (3)
7.4	7.3	182	4	1 /WK:(4)
0.3	0.3	7	5	NR DAILY:(5)
	0.8	20	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 32-33

V6210 066A02C:DALY MUSIC CNCRT

Item Number: 05846

Question Number(s): 6A02C How often do you do each of the

following? C: Go to music concerts

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	37.1	924	1	NEVER: (1)
53.1	52.6	1,309	2	FEW /YR:(2)
7.7	7.6	189	3	1-2 / MO: (3)
1.3	1.3	33	4	1 /WK:(4)
0.4	0.4	9	5	NR DAILY:(5)
	1.0	25	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 34-35

V6211 066A02D:DALY RIDE FORFUN

Item Number: 05850

Question Number(s): 6A02D How often do you do each of the following? D: Ride around in a car (or motorcycle) just for

fun

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.6	363	1	NEVER: (1)
10.8	10.7	267	2	FEW /YR:(2)
15.6	15.5	387	3	1-2 / MO: (3)
26.0	25.9	644	4	1 /WK:(4)
32.8	32.6	812	5	NR DAILY:(5)
	0.7	16	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 36-37

V6212 066A02E:DALY CMNTY AFFRS

Item Number: 05860

Question Number(s): 6A02E How often do you do each of the following? E: Participate in community affairs or volunteer

work

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	26.0	648	1	NEVER: (1)
40.0	39.7	988	2	FEW /YR:(2)
19.7	19.5	485	3	1-2 / MO:(3)
11.2	11.1	277	4	1 /WK:(4)
2.8	2.8	70	5	NR DAILY:(5)
	0.8	21	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 38-39

V6213 066A02F:DALY ACTV SPORTS

Item Number: 05890

Question Number(s): 6A02F How often do you do each of the following? F: Actively participate in sports, athletics or

exercising

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.3	231	1	NEVER: (1)
11.2	11.1	275	2	FEW /YR:(2)
12.8	12.7	315	3	1-2 / MO:(3)
25.2	24.9	620	4	1 /WK:(4)
41.6	41.2	1,024	5	NR DAILY: (5)
	0.9	23	-9	MISSING
100 0	100 0	2 / 2 0	anana	(D+W)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 40-41

V6214 066A02G:DALY VIST W/FRDS

Item Number: 05920

Question Number(s): 6A02G How often do you do each of the

following? G: Get together with friends informally

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
1.3	1.3	32	1	NEVER: (1)
3.7	3.7	92	2	FEW /YR:(2)
11.9	11.7	292	3	1-2 / MO: (3)
40.4	39.9	994	4	1 /WK:(4)
42.7	42.2	1,050	5	NR DAILY:(5)
	1.2	30	-9	MISSING
100 0	100 0	2 400	a2a2a	/ M+M /

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 42-43

V6603 066A02H:DALY GO TO MALL

Item Number: 05935

Question Number(s): 6A02H How often do you do each of the

following? H. Go to a shopping mall.

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	90	1	NEVER: (1)
19.1	18.9	470	2	FEW /YR:(2)
53.2	52.6	1,310	3	1-2 / MO: (3)
21.4	21.2	527	4	1 /WK:(4)
2.6	2.6	64	5	NR DAILY:(5)
	1.1	28	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 44-45

V6216 066A02I:DALY ALONE LEISR

Item Number: 05940

Question Number(s): 6A02I How often do you do each of the following? I: Spend at least an hour of leisure time alone

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.3	156	1	NEVER: (1)
5.2	5.1	128	2	FEW /YR:(2)
11.8	11.7	290	3	1-2 / MO: (3)
34.1	33.8	841	4	1 /WK:(4)
42.6	42.2	1,051	5	NR DAILY:(5)
	0.9	23	-9	MISSING
100 0	100 0	2 400	anana 1	' tu+ ⊷ \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 46-47

V6217 066A02J:DALY READ MAGZNS

Item Number: 23070

Question Number(s): 6A02J How often do you do each of the

following? J: Read magazines

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.9	246	1	NEVER: (1)
16.8	16.6	413	2	FEW /YR:(2)
35.6	35.3	878	3	1-2 / MO: (3)
29.5	29.3	728	4	1 /WK:(4)
8.1	8.0	199	5	NR DAILY:(5)
	1.0	24	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 48-49

V6218 066A02K:DALY READ NWSPPR

Item Number: 23080

Question Number(s): 6A02K How often do you do each of the

following? K: Read newspapers

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.7	340	1	NEVER: (1)
17.8	17.6	438	2	FEW /YR:(2)
23.1	22.8	568	3	1-2 / MO: (3)
30.1	29.8	742	4	1 /WK:(4)
15.2	15.1	375	5	NR DAILY:(5)
	1.0	26	-9	MISSING
1000	1000	0 400	,	7\

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 50-51

V6219 066A02L:DALY GO TO BARS

Item Number: 05960

Question Number(s): 6A02L How often do you do each of the

following? L: Go to taverns, bars or nightclubs

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	56.5	1,406	1	NEVER: (1)
18.4	18.2	452	2	FEW /YR:(2)
15.0	14.9	370	3	1-2 / MO: (3)
7.6	7.5	188	4	1 /WK:(4)
1.9	1.9	46	5	NR DAILY:(5)
	1.1	26	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 52-53

V6220 066A02M:DALY GO TO PARTY

Item Number: 05970

Question Number(s): 6A02M How often do you do each of the

following? M: Go to parties or other social affairs

1="Never" 2="A few times a year" 3="Once or twice a month"
4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.4	209	1	NEVER: (1)
24.2	23.9	596	2	FEW /YR:(2)
32.9	32.6	811	3	1-2 / MO: (3)
31.0	30.7	764	4	1 /WK:(4)
3.4	3.4	84	5	NR DAILY:(5)
	1.0	24	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 54-55

V6604 066A02N:DALY GO TO RAVES

Item Number: 29760

Question Number(s): 6A02N How often do you do each of the

following? N: Go to raves

1="Never" 2="A few times a year" 3="Once or twice a month" 4="At least once a week" 5="Almost every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	83.6	2,080	1	NEVER: (1)
7.8	7.6	190	2	FEW /YR:(2)
3.8	3.7	92	3	1-2 / MO: (3)
1.6	1.6	39	4	1 /WK:(4)
1.2	1.2	30	5	NR DAILY:(5)
	2.3	58	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 56-57

V6221 066A03 :*SC WRK NVR MNG

Item Number: 05700

Question Number(s): 6A03 The next questions are about your experiences in school. How often do you feel that the school work you are assigned is meaningful and important?

5="Almost always" 4="Often" 3="Sometimes" 2="Seldom" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.6	89	1	NEVER: (1)
19.5	18.8	468	2	SELDOM: (2)
45.0	43.4	1,080	3	SOMETIME: (3)
22.6	21.8	542	4	OFTEN: (4)
9.2	8.9	221	5	ALWAYS:(5)
	3.6	89	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 58-59

V6222 066A04 :*MST COUR V DUL

Item Number: 05710

Question Number(s): 6A04 How interesting are most of your

courses to you?

5="Very exciting and stimulating" 4="Quite interesting" 3="Fairly interesting" 2="Slightly dull" 1="Very dull"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.2	205	1	VRY DULL:(1)
24.9	24.7	614	2	SLTLY DU:(2)
43.6	43.2	1,075	3	FRLY INT:(3)
19.7	19.5	486	4	QUITE IN:(4)
3.5	3.5	87	5	VRY EXCI:(5)
	0.8	21	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 60-61

V6223 066A05 :*LRN SCH NT IMP

Item Number: 05720

Question Number(s): 6A05 How important do you think the things you are learning in school are going to be for your

later life?

5="Very important" 4="Quite important" 3="Fairly important"
2="Slightly important" 1="Not at all important"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	107	1	NOT IMPT:(1)
21.6	21.3	529	2	SLTLY IM:(2)
33.7	33.2	827	3	FRLY IMP:(3)
23.1	22.8	567	4	QUITE IM:(4)
17.3	17.0	424	5	VRY IMPT:(5)
	1.4	35	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

_ . . .

Data type: numeric Missing-data code: -9

Columns: 62-63

V6224 066A06A:LSTYR/ENJOY SCHL

Item Number: 23090

Question Number(s): 6A06A Now thinking back over the past year in school, how often did you. . . A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	146	1	NEVER: (1)
16.1	16.0	398	2	SELDOM: (2)
41.0	40.8	1,014	3	SOMETIME: (3)
28.2	28.0	697	4	OFTEN: (4)
8.8	8.8	218	5	ALWAYS: (5)
	0.6	15	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 64-65

V6225 066A06B:LSTYR/HATE SCHL

Item Number: 23100

Question Number(s): 6A06B Now thinking back over the past year in school, how often did you. . . B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	150	1	NEVER: (1)
25.0	24.8	618	2	SELDOM: (2)
36.4	36.1	897	3	SOMETIME: (3)
21.9	21.7	540	4	OFTEN: (4)
10.6	10.5	262	5	ALWAYS:(5)
	0.8	21	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 66-67

V6226 066A06C:LSTYR/DO BEST WK

Item Number: 23110

Question Number(s): 6A06C Now thinking back over the past year in school, how often did you. . . C: Try to do your

best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	34	1	NEVER: (1)
7.8	7.7	192	2	SELDOM: (2)
25.7	25.5	634	3	SOMETIME: (3)
35.4	35.2	876	4	OFTEN: (4)
29.8	29.6	736	5	ALWAYS:(5)
	0.7	17	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 68-69

V6227 066A06D:LSTYR/SCH 2 HARD

Item Number: 23120

Question Number(s): 6A06D Now thinking back over the past year in school, how often did you. . . D: Find the school

work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	15.1	377	1	NEVER: (1)
40.2	39.9	992	2	SELDOM: (2)
34.7	34.4	856	3	SOMETIME: (3)
7.6	7.6	189	4	OFTEN: (4)
2.2	2.2	55	5	ALWAYS: (5)
	0.8	19	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 70-71

V6228 066A06E:LSTYR/FOOL ROUND

Item Number: 23130

Question Number(s): 6A06E Now thinking back over the past year in school, how often did you . . .E: Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.4	259	1	NEVER: (1)
24.6	24.4	607	2	SELDOM: (2)
36.1	35.8	890	3	SOMETIME: (3)
19.6	19.4	482	4	OFTEN: (4)
9.2	9.1	226	5	ALWAYS:(5)
	1.0	25	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 72-73

V6229 066A06F:LSTYR/WK NT DONE

Item Number: 23140

Question Number(s): 6A06F Now thinking back over the past year in school, how often did you . . .F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	20.4	507	1	NEVER: (1)
39.4	38.9	968	2	SELDOM: (2)
27.7	27.4	682	3	SOMETIME: (3)
10.2	10.0	250	4	OFTEN: (4)
2.2	2.1	53	5	ALWAYS:(5)
	1.2	29	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 74-75

V6230 066A06G:LSTYR/GT GD GRDS

Item Number: 23150

Question Number(s): 6A06G Now thinking back over the past year in school, how often did you . . .G: Get good grades

(like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	51	1	NEVER: (1)
9.2	9.2	228	2	SELDOM: (2)
22.6	22.4	557	3	SOMETIME: (3)
27.2	27.0	672	4	OFTEN: (4)
39.0	38.7	962	5	ALWAYS:(5)
	0.8	19	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 76-77

V6231 066A06H:LSTYR/U MISBEHAV

Item Number: 23160

Question Number(s): 6A06H Now thinking back over the past year in school, how often did you . . .H: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	73.0	1,816	1	NEVER: (1)
18.4	18.2	454	2	SELDOM: (2)
5.8	5.8	144	3	SOMETIME: (3)
1.8	1.8	45	4	OFTEN: (4)
0.5	0.5	13	5	ALWAYS:(5)
	0.6	16	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 78-79

V6232 066A06I:LSTYR/SKIP SCHL

Item Number: 23170

Question Number(s): 6A06I Now thinking back over the past year in school, how often did you . . . I: Skip a day of school, or part of a day (without permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	45.2	1,124	1	NEVER: (1)
24.0	23.8	593	2	SELDOM: (2)
19.4	19.3	479	3	SOMETIME: (3)
8.0	8.0	199	4	OFTEN: (4)
3.0	3.0	74	5	ALWAYS:(5)
	0.8	20	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 80-81

V6242 066A07A:5-6GR/ENJOY SCHL

Item Number: 23270

Question Number(s): 6A07A Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. A: Enjoy being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.9	222	1	NEVER: (1)
10.9	10.8	269	2	SELDOM: (2)
22.7	22.5	559	3	SOMETIME: (3)
32.0	31.6	787	4	OFTEN: (4)
25.4	25.2	626	5	ALWAYS: (5)
	1.0	25	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 82-83

V6243 066A07B:5-6GR/HATE SCHL

Item Number: 23280

Question Number(s): 6A07B Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. B: Hate being in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	17.4	432	1	NEVER: (1)
32.4	32.1	799	2	SELDOM: (2)
27.8	27.5	685	3	SOMETIME: (3)
12.6	12.5	312	4	OFTEN: (4)
9.6	9.5	236	5	ALWAYS:(5)
	1.0	24	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 84-85

V6244 066A07C:5-6GR/DO BEST WK

Item Number: 23290

Question Number(s): 6A07C Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. C: Try to do your best work in school?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	68	1	NEVER: (1)
5.7	5.6	140	2	SELDOM: (2)
21.1	20.9	520	3	SOMETIME: (3)
28.7	28.4	706	4	OFTEN: (4)
41.7	41.2	1,026	5	ALWAYS:(5)
	1.1	27	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 86-87

V6245 066A07D:5-6GR/SCH 2 HARD

Item Number: 23300

Question Number(s): 6A07D Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. D: Find the school work too hard to understand?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	27.4	681	1	NEVER: (1)
32.9	32.5	810	2	SELDOM: (2)
26.6	26.3	655	3	SOMETIME: (3)
10.3	10.2	254	4	OFTEN: (4)
2.6	2.5	63	5	ALWAYS:(5)
	1.0	26	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 88-89

V6246 066A07E:5-6GR/FOOL ROUND

Item Number: 23310

Question Number(s): 6A07E Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. E: Fool around in class?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	22.8	569	1	NEVER: (1)
23.5	23.2	576	2	SELDOM: (2)
24.9	24.5	611	3	SOMETIME: (3)
16.4	16.2	403	4	OFTEN: (4)
12.1	12.0	298	5	ALWAYS:(5)
	1.3	33	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 90-91

V6247 066A07F:5-6GR/WK NT DONE

Item Number: 23320

Question Number(s): 6A07F Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. F: Fail to complete or turn in your assignments?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	40.2	1,001	1	NEVER: (1)
31.8	31.5	783	2	SELDOM: (2)
17.2	17.0	424	3	SOMETIME: (3)
7.4	7.3	182	4	OFTEN: (4)
3.1	3.0	75	5	ALWAYS:(5)
	0.9	23	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 92-93

V6248 066A07G:5-6GR/GT GD GRDS

Item Number: 23330

Question Number(s): 6A07G Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. G: Get good grades (like As or Bs)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	69	1	NEVER: (1)
7.1	7.0	175	2	SELDOM: (2)
16.9	16.7	416	3	SOMETIME: (3)
22.3	22.1	550	4	OFTEN: (4)
50.9	50.4	1,254	5	ALWAYS: (5)
	1.0	24	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 94-95

V6249 066A07H:5-6GR/U MISBEHAV

Item Number: 23340

Question Number(s): 6A07H Now thinking back to the time when you were in fifth and sixth grade, how often did you . . . H: Get sent to the office, or have to stay after school, because you misbehaved?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	62.8	1,564	1	NEVER: (1)
18.0	17.9	444	2	SELDOM: (2)
9.9	9.8	245	3	SOMETIME: (3)
6.0	5.9	147	4	OFTEN: (4)
2.6	2.6	64	5	ALWAYS: (5)
	1.0	25	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 96-97

V6250 066A07I:5-6GR/SKIP SCHL

Item Number: 23350

Question Number(s): 6A07I Now thinking back to the time when you were in fifth and sixth grade, how often did you . .

. I: Skip a day of school, or part of a day (without

permission)?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Almost always"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	85.4	2,125	1	NEVER: (1)
8.0	7.9	196	2	SELDOM: (2)
3.6	3.5	88	3	SOMETIME: (3)
1.2	1.1	28	4	OFTEN: (4)
1.1	1.1	28	5	ALWAYS: (5)
	1.0	24	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 98-99

V6491 066A08A: #X PRNT CHK HMWK

Item Number: 25180

Question Number(s): 6A08A How often do your parents (or stepparents or guardians) do the following? A: Check on whether you have done your homework

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	31.6	787	1	NEVER: (1)
27.7	21.7	540	2	RARELY: (2)
18.6	14.5	362	3	SOMETIME: (3)
13.3	10.4	260	4	OFTEN: (4)
	21.7	540	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 100-101

V6492 066A08B:#X PRNT HLP HMWK

Item Number: 25190

Question Number(s): 6A08B How often do your parents (or stepparents or guardians) do the following? B: Provide help with your homework when it's needed

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	20.6	512	1	NEVER: (1)
20.5	16.1	400	2	RARELY:(2)
25.4	19.9	496	3	SOMETIME: (3)
27.7	21.7	540	4	OFTEN: (4)
	21.7	541	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 102-103

V6493 066A08C: #X PRNT GV CHORE

Item Number: 25200

Question Number(s): 6A08C How often do your parents (or stepparents or guardians) do the following? C: Require you to do work or chores around the home

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	6.3	156	1	NEVER: (1)
14.3	11.2	278	2	RARELY:(2)
29.8	23.3	579	3	SOMETIME: (3)
47.8	37.3	928	4	OFTEN: (4)
	22.0	546	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 104-105

V6494 066A08D:#X PRNT LIMIT TV

Item Number: 25210

Question Number(s): 6A08D How often do your parents (or stepparents or guardians) do the following? D: Limit the amount of time you can spend watching TV

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	53.2	1,324	1	NEVER: (1)
18.5	14.5	360	2	RARELY:(2)
10.2	8.0	199	3	SOMETIME: (3)
3.2	2.5	62	4	OFTEN: (4)
	21.9	544	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 106-107

V6495 066A08E:#X PRNT LMT OUT

Item Number: 25220

Question Number(s): 6A08E How often do your parents (or stepparents or guardians) do the following? E: Limit the amount of time you can go out with friends on school nights

1="Never" 2="Rarely" 3="Sometimes" 4="Often" Responses from the Western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	22.9	570	1	NEVER: (1)
20.7	16.2	404	2	RARELY: (2)
24.1	18.9	470	3	SOMETIME: (3)
25.8	20.2	503	4	OFTEN: (4)
	21.8	542	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 108-109

V6251 066A09A:SCH ACTV-PBLCTNS

Item Number: 22170

Question Number(s): 6A09A To what extent have you participated in the following school activities during this

school year? A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	73.7	1,835	1	NOT @ALL:(1)
10.8	10.6	264	2	SLIGHT:(2)
4.8	4.7	117	3	MODERATE: (3)
3.7	3.6	90	4	CONSDRBL: (4)
6.0	6.0	148	5	<pre>GRT EXT:(5)</pre>
	1.4	34	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 110-111

V6252 066A09B:SCH ACTV-PRF ART

Item Number: 22180

Question Number(s): 6A09B To what extent have you participated in the following school activities during this

school year? B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	56.8	1,413	1	NOT @ALL:(1)
9.0	8.8	220	2	SLIGHT:(2)
6.7	6.6	165	3	MODERATE: (3)
7.9	7.7	193	4	CONSDRBL: (4)
18.7	18.4	459	5	GRT EXT:(5)
	1.6	39	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 112-113

V6253 066A09C:SCH ACTV-ATHLTCS

Item Number: 22190

Question Number(s): 6A09C To what extent have you

participated in the following school activities during this

school year? C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	44.6	1,111	1	NOT @ALL:(1)
8.9	8.8	219	2	SLIGHT:(2)
8.1	8.0	199	3	MODERATE: (3)
9.5	9.3	232	4	CONSDRBL: (4)
28.1	27.7	688	5	GRT EXT:(5)
	1.6	40	-9	MISSING
100 0	100 0	2 400	anana /	.π+ ⊲ \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 114-115

V6254 066A09D:SCH ATV-ACDMC CL

Item Number: 23360

Question Number(s): 6A09D To what extent have you participated in the following school activities during this school year? D: Academic clubs (e.g., science, math, language)

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.1	66.0	1,643	1	NOT @ALL:(1)
9.9	9.8	243	2	SLIGHT:(2)
8.8	8.6	215	3	MODERATE: (3)
6.7	6.6	165	4	CONSDRBL: (4)
7.5	7.3	183	5	GRT EXT:(5)
	1.6	40	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 116-117

V6255 066A09E:SCH ATV-STDN GVT

Item Number: 23370

Question Number(s): 6A09E To what extent have you

participated in the following school activities during this

school year? E: Student council or government

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.4	78.1	1,945	1	NOT @ALL:(1)
6.9	6.7	168	2	SLIGHT:(2)
4.7	4.6	114	3	MODERATE: (3)
3.5	3.5	86	4	CONSDRBL: (4)
5.5	5.4	135	5	GRT EXT:(5)
	1.6	40	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 118-119

V6256 066A09F:SCH ACTV-OTH ACT

Item Number: 22200

Question Number(s): 6A09F To what extent have you

participated in the following school activities during this

school year? F: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	36.8	916	1	NOT @ALL:(1)
12.5	12.3	307	2	SLIGHT:(2)
17.7	17.4	433	3	MODERATE: (3)
14.6	14.4	357	4	CONSDRBL: (4)
17.8	17.5	435	5	GRT EXT:(5)
	1.6	40	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 120-121

V6272

066A10R:EVER HELD BACK

Item Number: 23530

Question Number(s): 6A10 Have you ever had to repeat a

grade in school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2 and 3 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	90.9	2,263	1	NO:(1)
7.8	7.7	191	2	YES: (2-3)
	1.4	35	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 122-123

V6273 066A11R:NEED SUMMER SCHL

Item Number: 23540

Question Number(s): 6All Did you ever attend summer school to make up for poor grades or to keep from being held back?

1="No" 2="Yes, one summer" 3="Yes, two summers" 4="Yes, three or more summers" Codes 2, 3, and 4 are combined in this dataset.

Data type: numeric Missing-data code: -9 Columns: 124-125

V6496

066A12R:EVER SUSPENDED

Item Number: 25140

Question Number(s): 6A12 Have you ever been suspended or

expelled from school?

1="No" 2="Yes, one time" 3="Yes, two or more times" Codes 2 and 3 are combined in this dataset.

Data type: numeric Missing-data code: -9 Columns: 126-127

V6507 066A13:#DA GUN SCHL/4WK

Item Number: 29590

Question Number(s): 6A13 During the LAST FOUR WEEKS, on how many days (if any) did you carry a gun to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	96.7	2,406	1	NONE: (1)
0.3	0.3	8	2	1 DAY:(2)
0.1	0.1	2	3	2 DAYS:(3)
0.3	0.3	8	4	3-5 DAYS:(4)
0.2	0.2	4	5	6-9 DAYS:(5)
1.1	1.1	26	6	10+ DAYS:(6)
	1.4	34	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 128-129

V6504

066A14 :ILL DRG SOLD@SCH

Item Number: 25820

Question Number(s): 6A14 During the past 12 months, has anyone made an offer at school to sell or give you an illegal drug (or actually sold or given you one at school)?

1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	75.0	1,867	1	NO:(1)
23.7	23.2	578	2	YES:(2)
	1.8	44	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 130-131

V6274 066A15A:TCHR PRVNT SMKNG

Item Number: 23550

Question Number(s): 6A15A In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . A: Smoking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.5	337	1	NOT @ALL:(1)
17.8	17.5	436	2	SLIGHTLY:(2)
19.0	18.6	464	3	SOMEWHAT: (3)
15.3	15.0	373	4	FRLY VGR: (4)
15.1	14.8	370	5	VRY VGRS:(5)
19.0	18.7	465	8	DK:(8)
	1.8	44	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 132-133

V6275 066A15B:TCHR PRVNT DRNKG

Item Number: 23560

Question Number(s): 6A15B In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . . B: Drinking?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	12.5	311	1	NOT @ALL:(1)
16.2	15.9	395	2	SLIGHTLY:(2)
17.8	17.5	435	3	SOMEWHAT: (3)
15.0	14.8	367	4	FRLY VGR: (4)
18.7	18.4	458	5	VRY VGRS:(5)
19.5	19.1	475	8	DK:(8)
	1.9	47	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 134-135

V6276 066A15C:TCHR PRVNT DRUGS

Item Number: 23570

Question Number(s): 6A15C In your present school, how vigorous are the teachers and administrators in their attempts to prevent students from . . . C: Drug use?

1="Not at all" 2="Slightly" 3="Somewhat" 4="Fairly vigorous" 5="Very vigorous" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.4	260	1	NOT @ALL:(1)
12.2	12.0	298	2	SLIGHTLY:(2)
16.8	16.4	409	3	SOMEWHAT: (3)
17.4	17.0	424	4	FRLY VGR:(4)
23.4	22.9	570	5	VRY VGRS:(5)
19.5	19.1	476	8	DK:(8)
	2.1	51	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 136-137

V6277 066A16A:CNSEQNC 4 SMOKNG

Item Number: 23580

Question Number(s): 6A16A How severe do you think the consequences would be for a student in your school who gets

caught . . . A: Smoking?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.9	97	1	NONE: (1)
28.9	28.4	706	2	MILD:(2)
33.6	32.9	819	3	MODERATE: (3)
25.0	24.6	611	4	SEVERE: (4)
8.5	8.4	208	8	DK:(8)
	1.9	47	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 138-139

V6278 066A16B:CNSEQNC 4 ALCOHL

Item Number: 23590

Question Number(s): 6A16B How severe do you think the consequences would be for a student in your school who gets

caught . . . B: Using (or possessing) alcohol?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	25	1	NONE: (1)
8.6	8.5	210	2	MILD:(2)
29.2	28.6	712	3	MODERATE: (3)
51.8	50.8	1,265	4	SEVERE: (4)
9.3	9.1	227	8	DK:(8)
	2.0	49	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 140-141

V6279 066A16C:CNSEQNC 4 DRUGS

Item Number: 23600

Question Number(s): 6A16C How severe do you think the consequences would be for a student in your school who gets caught . . . C: Using (or possessing) an illegal drug?

1="No consequences" 2="Mild" 3="Moderate" 4="Severe" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	23	1	NONE: (1)
3.7	3.6	90	2	MILD:(2)
13.2	12.9	322	3	MODERATE: (3)
73.5	72.0	1,791	4	SEVERE: (4)
8.7	8.5	212	8	DK:(8)
	2.0	51	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 142-143

V6297 066A17A:RSK OF CIG1+PK/D

Item Number: 12360

Question Number(s): 6A17A The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	45	1	NO RISK:(1)
4.7	4.6	115	2	SLIGHT:(2)
19.9	19.5	486	3	MOD RISK:(3)
71.3	70.0	1,742	4	GRT RISK:(4)
2.3	2.2	55	5	CANT SAY: (5)
	1.8	45	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 144-145

V6298 066A17B:RSK OF MJ 1-2 X

Item Number: 12370

Question Number(s): 6A17B How much do you think people risk harming themselves (physically or in other ways), if they . . . B: Try marijuana (pot, weed) once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	29.8	742	1	NO RISK:(1)
33.5	32.9	819	2	SLIGHT:(2)
16.3	16.0	398	3	MOD RISK:(3)
16.4	16.1	400	4	<pre>GRT RISK:(4)</pre>
3.5	3.4	85	5	CANT SAY: (5)
	1.8	45	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 146-147

V6299 066A17C:RSK OF MJ OCSNLY

Item Number: 12380

Question Number(s): 6A17C How much do you think people risk harming themselves (physically or in other ways), if

they . . . C: Smoke marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	12.1	300	1	NO RISK:(1)
26.5	26.0	647	2	SLIGHT:(2)
31.1	30.5	759	3	MOD RISK:(3)
26.7	26.1	651	4	GRT RISK:(4)
3.4	3.3	82	5	CANT SAY: (5)
	2.0	50	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 148-149

V6300 066A17D:RSK OF MJ REGLY

Item Number: 12390

Question Number(s): 6A17D How much do you think people risk harming themselves (physically or in other ways), if

they . . . D: Smoke marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.1	152	1	NO RISK:(1)
11.4	11.2	278	2	SLIGHT:(2)
24.0	23.5	586	3	MOD RISK:(3)
55.2	54.1	1,347	4	GRT RISK:(4)
3.2	3.2	79	5	CANT SAY: (5)
	1.9	47	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 150-151

V6523 066A17E:RSK OF COKE 1-2X

Item Number: 12490

Question Number(s): 6A17E How much do you think people risk harming themselves (physically or in other ways) if they

. . . E: Try cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		******	
5.2	5.1	126	1	NO RISK:(1)
15.0	14.7	366	2	SLIGHT:(2)
25.0	24.5	609	3	MOD RISK:(3)
49.3	48.2	1,200	4	GRT RISK:(4)
5.5	5.4	134	5	CANT SAY: (5)
	2.1	53	-9	MISSING
4000				: 3.

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 152-153

V6316 066A17F:RSK OF 1-2 DR/DA

Item Number: 12520

Question Number(s): 6A17F How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Take one or two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.3	181	1	NO RISK:(1)
23.5	23.1	574	2	SLIGHT:(2)
33.5	32.9	819	3	MOD RISK:(3)
33.0	32.4	806	4	GRT RISK:(4)
2.6	2.5	62	5	CANT SAY: (5)
	1.8	45	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 154-155

V6317 066A17G:RSK OF 4-5 DR/DA

Item Number: 12530

Question Number(s): 6A17G How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take four or five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	67	1	NO RISK:(1)
6.4	6.3	156	2	SLIGHT:(2)
21.6	21.2	527	3	MOD RISK:(3)
66.4	65.1	1,621	4	<pre>GRT RISK:(4)</pre>
2.8	2.7	68	5	CANT SAY: (5)
	2.0	49	-9	MISSING
100 0	100 0	2 400	a0a0a	/ M + M /

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 156-157

V6318 066A17H:RSK OF 5+DR/WKND

Item Number: 12540

Question Number(s): 6A17H How much do you think people risk harming themselves (physically or in other ways), if they. . . H: Have five or more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.6	141	1	NO RISK:(1)
15.0	14.7	365	2	SLIGHT:(2)
29.3	28.7	715	3	MOD RISK:(3)
47.2	46.3	1,152	4	GRT RISK:(4)
2.8	2.7	67	5	CANT SAY: (5)
	2.0	49	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 158-159

V6478 066A17I:RSK STEROID ATHL

Item Number: 24510

Question Number(s): 6A17I How much do you think people risk harming themselves (physically or in other ways) if they . . . I: Take steroids for body-building or improved athletic performance

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	63	1	NO RISK:(1)
6.7	6.5	163	2	SLIGHT:(2)
23.6	23.2	578	3	MOD RISK:(3)
60.1	59.0	1,469	4	GRT RISK:(4)
7.0	6.9	170	5	CANT SAY: (5)
	1.8	46	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 160-161

V6524 066A17J:RSK MDMA 1-2X

Item Number: 23040

Question Number(s): 6A17J How much do you think people risk harming themselves (physically or in other ways) if they

. . . J: Take MDMA (ecstasy) once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.3	82	1	NO RISK:(1)
9.1	8.9	223	2	SLIGHT:(2)
18.1	17.7	441	3	MOD RISK:(3)
59.2	58.0	1,444	4	GRT RISK:(4)
10.2	10.0	250	5	CANT SAY: (5)
	2.0	49	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 162-163

V6320 066A18A:DAP SMK 1PCK CIG

Item Number: 08560

Question Number(s): 6A18A Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	24.8	618	1	DONT DIS:(1)
37.1	36.4	906	2	DISAPPRV:(2)
37.6	36.9	918	3	STRG DIS:(3)
	1.9	47	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 164-165

V6321

066A18B:DAP TRY MRJ 1-2T

Item Number: 08570

Question Number(s): 6A18B Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	43.5	1,083	1	DONT DIS:(1)
28.9	28.3	705	2	DISAPPRV:(2)
26.7	26.1	650	3	STRG DIS:(3)
	2.0	50	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 166-167

V6322 066A18C:DAP SMK MRJ OCCS

Item Number: 08580

Question Number(s): 6A18C Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking

marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	32.6	811	1	DONT DIS:(1)
30.8	30.2	751	2	DISAPPRV:(2)
36.0	35.2	877	3	STRG DIS:(3)
	2.0	50	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 168-169

V6323

066A18D:DAP SMK MRJ REGL

Item Number: 08590

Question Number(s): 6A18D Do YOU disapprove of people (who are 18 or older) doing each of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.2	504	1	DONT DIS:(1)
27.7	27.2	676	2	DISAPPRV:(2)
51.6	50.5	1,257	3	STRG DIS:(3)
	2.1	51	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 170-171

V6525 066A18E:DAP TRY COC 1-2T

Item Number: 08690

Question Number(s): 6A18E Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying

cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	13.0	322	1	NT DISAP:(1)
24.3	23.7	590	2	DISAPRV:(2)
62.5	61.1	1,521	3	ST DISAP:(3)
	2.2	55	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 172-173

V6339

066A18F:DAP 1-2 DRK/DAY

Item Number: 08720

Question Number(s): 6A18F Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	29.2	727	1	DONT DIS:(1)
38.5	37.8	940	2	DISAPPRV:(2)
31.7	31.1	773	3	STRG DIS:(3)
	1.9	48	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 174-175

V6340 066A18G:DAP 4-5 DRK/DAY

Item Number: 08730

Question Number(s): 6A18G Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.3	332	1	DONT DIS:(1)
31.4	30.7	764	2	DISAPPRV:(2)
55.0	53.8	1,340	3	STRG DIS:(3)
	2.1	53	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 176-177

V6341

066A18H:DAP 5+ DRK WKNDS

Item Number: 08740

Question Number(s): 6A18H Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	30.6	762	1	DONT DIS:(1)
30.1	29.5	734	2	DISAPPRV:(2)
38.7	37.9	944	3	STRG DIS:(3)
	2.0	50	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 178-179

V6479 066A18I:DAP STEROID ATHL

Item Number: 24520

Question Number(s): 6A18I Do YOU disapprove of people (who are 18 or older) doing each of the following? I: Taking steroids for body-building or improved athletic performance

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.2	253	1	DONT DIS:(1)
31.5	30.9	768	2	DISAPPRV:(2)
58.1	57.0	1,419	3	STRG DIS:(3)
	1.9	48	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 180-181

V6509

066A18J:DAP H -NDL 1-2X

Item Number: 29690

Question Number(s): 6A18J Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Trying heroin once or twice without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.2	155	1	DONT DIS:(1)
17.1	16.8	417	2	DISAPPRV:(2)
76.5	75.0	1,867	3	STRG DIS:(3)
	2.0	49	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 182-183

V6510 066A18K:DAP H -NDL OCC

Item Number: 29700

Question Number(s): 6A18K Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Taking

heroin occasionally without using a needle

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	134	1	DONT DIS:(1)
12.8	12.5	311	2	DISAPPRV:(2)
81.7	79.7	1,984	3	STRG DIS:(3)
	2.4	60	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 184-185

V6526

066A18L:DAP MDMA 1-2X

Item Number: 29960

Question Number(s): 6A18L Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Taking MDMA ("ecstasy") once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.0	272	1	NT DISAP:(1)
21.6	21.1	526	2	DISAPRV:(2)
67.2	65.7	1,636	3	ST DISAP:(3)
	2.2	55	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 186-187

V6342 066A19A:EASY GT MARIJUAN

Item Number: 06750

Question Number(s): 6A19A How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.5	112	1	PROB IMP:(1)
3.4	3.4	84	2	VRY DIFF:(2)
7.4	7.3	181	3	<pre>FRLY DIF:(3)</pre>
24.5	24.0	596	4	FRLY EAS: (4)
60.1	58.8	1,463	5	VRY EASY: (5)
	2.1	52	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 188-189

V6343 066A19B:EASY GT LSD

Item Number: 06760

Question Number(s): 6A19B How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	15.8	393	1	PROB IMP:(1)
22.4	21.5	536	2	VRY DIFF:(2)
35.1	33.8	840	3	<pre>FRLY DIF:(3)</pre>
18.1	17.4	434	4	FRLY EAS: (4)
8.0	7.7	192	5	VRY EASY: (5)
	3.8	94	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 190-191

V6344 066A19C:EASY GT PCP

Item Number: 06771

Question Number(s): 6A19C How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? C: PCP (angel dust)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	20.0	497	1	PROB IMP:(1)
26.9	26.1	649	2	VRY DIFF:(2)
30.7	29.7	740	3	<pre>FRLY DIF:(3)</pre>
14.2	13.7	341	4	FRLY EAS: (4)
7.6	7.3	183	5	VRY EASY: (5)
	3.2	80	-9	MISSING
100 0	100 0	2 400	anana /	

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 192-193

V6345 066A19D:EASY GT MDMA

Item Number: 23050

Question Number(s): 6A19D How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? D: MDMA ("ecstasy")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.4	333	1	PROB IMP:(1)
18.7	18.0	449	2	VRY DIFF:(2)
27.1	26.2	652	3	<pre>FRLY DIF:(3)</pre>
23.0	22.3	554	4	FRLY EAS: (4)
17.4	16.8	418	5	VRY EASY: (5)
	3.3	82	-9	MISSING
100 0	100 0	2 400	anana /	ra+ A \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 194-195

V6480 066A19E:EASY GT ICE

Item Number: 24410

Question Number(s): 6A19E How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	18.8	469	1	PROB IMP:(1)
23.8	23.1	574	2	VRY DIFF:(2)
28.2	27.3	679	3	<pre>FRLY DIF:(3)</pre>
16.7	16.2	403	4	FRLY EAS: (4)
11.8	11.5	285	5	VRY EASY: (5)
	3.2	79	-9	MISSING
100 0	100 0	2 /00	anana /	W+4 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 196-197

V6481 066A19F:EASY GT STEROIDS

Item Number: 23060

Question Number(s): 6A19F How diffucult do you think it would be for you to get each of the following types of drugs,

if you wanted some? F: Steroids

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.7	291	1	PROB IMP:(1)
15.5	15.0	374	2	<pre>VRY DIFF:(2)</pre>
24.4	23.7	590	3	<pre>FRLY DIF:(3)</pre>
24.5	23.8	592	4	FRLY EAS: (4)
23.7	23.0	572	5	VRY EASY: (5)
	2.8	70	-9	MISSING
100 0	100 0	2 400	a2a2a	(M+ A)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 198-199

V6580 066A19G:EASY GT ALCOHOL

Item Number: 30950

Question Number(s): 6A19G How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? G. Alcohol

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	64	1	PROB IMP:(1)
1.5	1.5	36	2	VRY DIFF:(2)
3.1	3.0	76	3	<pre>FRLY DIF:(3)</pre>
11.5	11.2	280	4	FRLY EAS: (4)
81.2	79.4	1,975	5	VRY EASY: (5)
	2.3	58	-9	MISSING
100 0	100 0	2 /00	aaaaa /	M+ → \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 200-201

V6101 066B01 :EVR SMK CIG, REGL

Item Number: 00760

Question Number(s): 6B01 The following questions are about

cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 13" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	54.6	1,359	1	NEVER: (1)
18.6	18.1	451	2	1-2X:(2)
10.5	10.2	254	3	OCCASNLY: (3)
5.4	5.3	132	4	REG PAST: (4)
9.6	9.4	235	5	REG NOW: (5)
	2.3	58	-9	MISSING
	4000			

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 202-203

V6102 066B02 :#CIGS SMKD/30DAY

Item Number: 00780

Question Number(s): 6B02 How frequently have you smoked cigarettes during the past 30 days?

1="Not at all--GO TO QUESTION 6" [Includes respondents who marked "1" on question B01] " 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	76.5	1,904	1	NONE: (1)
9.3	9.1	225	2	<1 CIG/D:(2)
6.3	6.2	154	3	1-5/DAY:(3)
3.7	3.6	89	4	1/2PK/D:(4)
1.8	1.8	44	5	1 PK/DA:(5)
0.4	0.4	11	6	1.5 PK/D:(6)
0.1	0.1	3	7	2+ PKS/D:(7)
	2.4	59	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 204-205

V6527 066B03A:CIG HOW BUY-FRND

Item Number: 29970

Question Number(s): 6B03A During the last 30 days, about how many times (if any) have you bought cigarettes . . . A:

. . . by having a friend or relative buy them for you?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 $^{\circ}$ Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	13.7	342	1	NONE: (1)
10.0	2.1	52	2	1 TIME:(2)
7.4	1.5	39	3	2 TIMES:(3)
8.5	1.8	44	4	3-5TIMES:(4)
3.2	0.7	16	5	6-9 TIMES:(5)
5.3	1.1	27	6	10 OR +: (6)
	79.1	1,969	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 206-207

V6528 066B03B:CIG HOW BUY-VEND

Item Number: 29980

Question Number(s): 6B03B During the last 30 days, about how many times (if any) have you bought cigarettes . . . B: . . on your own from vending machines?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	19.7	489	1	NONE: (1)
2.1	0.4	11	2	1 TIME:(2)
2.5	0.5	13	3	2 TIMES:(3)
0.6	0.1	3	4	3-5TIMES:(4)
0.3	0.1	2	5	6-9 TIMES:(5)
0.3	0.1	2	6	10 OR +:(6)
	79.1	1,969	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 208-209

V6529 066B03C:CIG HOW BUY-MAIL

Item Number: 29990

Question Number(s): 6B03C During the last 30 days, about how many times (if any) have you bought cigarettes. . . C:

. . . through the mail?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 $^{\circ}$ Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	20.5	510	1	NONE: (1)
0.4	0.1	2	2	1 TIME:(2)
0.6	0.1	3	3	2 TIMES:(3)
0.0	0.0	0	4	3-5TIMES:(4)
0.1	0.0	1	5	6-9 TIMES:(5)
0.1	0.0	1	6	10 OR +:(6)
	79.3	1,972	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 210-211

V6530 066B03D:CIG HOW BUY-PKUP

Item Number: 30000

Question Number(s): 6B03D During the last 30 days, about how many times (if any) have you bought cigarettes. . D: . . in a store where you pick up the pack (or carton) and bring it to the check-out counter?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	15.7	392	1	NONE: (1)
7.5	1.6	39	2	1 TIME:(2)
6.2	1.3	32	3	2 TIMES:(3)
4.8	1.0	25	4	3-5TIMES: (4)
1.0	0.2	5	5	6-9 TIMES:(5)
5.0	1.0	26	6	10 OR +: (6)
	79.1	1,970	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 212-213

V6531 066B03E:CIG HOW BUY-CLRK

Item Number: 30010

Question Number(s): 6B03E During the last 30 days, about how many times (if any) have you bought cigarettes . . . E: . . . in a store where the clerk has to hand you the $% \left(1\right) =\left(1\right) +\left(1\right$ carton?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	7.6	189	1	NONE: (1)
15.1	3.2	79	2	1 TIME:(2)
13.3	2.8	69	3	2 TIMES:(3)
12.2	2.5	63	4	3-5TIMES:(4)
5.0	1.1	26	5	6-9 TIMES:(5)
18.1	3.8	94	6	10 OR +: (6)
	79.1	1,968	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 214-215

V6598 066B03F:CIG HOW BUY-OTHR

Item Number: 31330

Question Number(s): 6B03F During the last 30 days, about how many times (if any) have you bought cigarettes. . . F: .

. . bought them in some other way?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	17.3	430	1	NONE: (1)
5.7	1.2	29	2	1 TIME:(2)
4.9	1.0	25	3	2 TIMES:(3)
2.4	0.5	12	4	3-5 TIMES:(4)
1.6	0.3	8	5	6-9 TIMES:(5)
1.7	0.4	9	6	10 or $+:(6)$
	79.4	1,975	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 216-217

V6532 066B04A:CIG WHERE-SUPMKT

Item Number: 30020

Question Number(s): 6B04A During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own

use. . . A: . . . at a big supermarket?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 $^{\circ}$ Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	17.5	435	1	NONE: (1)
7.1	1.5	37	2	1 TIME:(2)
4.4	0.9	23	3	2 TIMES:(3)
2.7	0.6	14	4	3-5TIMES:(4)
0.6	0.1	3	5	6-9 TIMES:(5)
1.8	0.4	9	6	10 OR +:(6)
	79.0	1,967	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 218-219

V6533 066B04B:CIG WHERE-SMLGRC

Item Number: 30030

Question Number(s): 6B04B During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own

use. . . B: . . . at a small grocery store

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	14.8	367	1	NONE: (1)
9.6	2.0	50	2	1 TIME:(2)
6.9	1.4	36	3	2 TIMES:(3)
7.5	1.6	39	4	3-5TIMES:(4)
1.6	0.3	8	5	6-9 TIMES:(5)
3.7	0.8	19	6	10 OR +: (6)
	79.1	1,969	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 220-221

V6534 066B04C:CIG WHERE-DRGSTR

Item Number: 30040

Question Number(s): 6B04C During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own

use . . . C: . . . at a drugstore?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 $^{\circ}$ Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	17.4	433	1	NONE: (1)
5.9	1.2	30	2	1 TIME:(2)
3.6	0.7	18	3	2 TIMES:(3)
2.6	0.5	13	4	3-5TIMES:(4)
1.6	0.3	8	5	6-9 TIMES:(5)
1.8	0.4	9	6	10 OR +:(6)
	79.4	1,976	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 222-223

V6535 066B04D:CIG WHERE-CNVGAS

Item Number: 30050

Question Number(s): 6B04D During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own use . . . D: . . . at a convenience store (like a Hop-In or 7-11) or a gas station?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 Times" 6="10 or More" $\ensuremath{\mbox{\sc More}}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.4	7.0	174	1	NONE: (1)
17.2	3.6	90	2	1 TIME:(2)
12.4	2.6	64	3	2 TIMES:(3)
14.0	2.9	73	4	3-5TIMES:(4)
6.8	1.4	36	5	6-9 TIMES:(5)
16.1	3.4	84	6	10 OR +:(6)
	79.1	1,968	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 224-225

V6599 066B04E:CIG WHERE-WEB

Item Number: 31340

Question Number(s): 6B04E During the last 30 days, about how many times (if any) did YOU buy cigarettes for your own

use . . . E: . . . from a Web site?

1="None" 2="1 Time" 3="2 Times" 4="3 to 5 Times" 5="6 to 9 $^{\circ}$ Times" 6="10 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	20.5	509	1	NONE: (1)
0.1	0.0	0	2	1 TIME:(2)
0.7	0.1	3	3	2 TIMES:(3)
0.4	0.1	2	4	3-5 TIMES:(4)
0.2	0.0	1	5	6-9 TIMES:(5)
0.2	0.1	1	6	10 or +:(6)
	79.2	1,971	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 226-227

V6536 066B05 :USUAL CIG BRAND

Item Number: 30065

Question Number(s): 6B05 What brand of cigarettes do you usually smoke? (Brands are in alphabetical order. Mark only one.)

1="Basic" 2="Benson & Hedges" 3="Black & Whites" 4="Cambridge"
5="Camel" 6="Capri" 7="Carlton" 8="Doral" 9="GPC" 10="Kent"
11="Kool" 12="Marlboro" 13="Merit" 14="Misty" 15="Monarch"
16="More" 17="Newport" 18="Pall Mall" 19="Parliament"
20="Salem" 21="Vantage" 22="Virginia Slims" 23="Winston"
24="Other" 25="No usual brand"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		_	
0.3		1	1	(/
0.0		0	2	` '
1.4		7	3	` '
0.0	0.0	0	4	CAMBRIDGE: (4)
13.8		67	5	
0.3		1	6	CAPRI:(6)
0.0		0	7	CARLTON: (7)
0.5	0.1	3	8	DORAL:(8)
0.0		0	9	GPC:(9)
0.4	0.1	2	10	KENT: (10)
2.6	0.5	13	11	KOOL:(11)
48.3	9.4	235	12	MARLBORO: (12)
0.0	0.0	0	13	MERIT: (13)
0.0	0.0	0	14	MISTY: (14)
0.0	0.0	0	15	MONARCH: (15)
0.1	0.0	1	16	MORE: (16)
14.9	2.9	72	17	NEWPORT: (17)
0.3	0.1	1	18	PALLMALL: (18)
3.1	0.6	15	19	PARLIAMENT: (19)
0.3	0.1	2	20	SALEM: (20)
0.0	0.0	0	21	VANTAGE: (21)
0.0	0.0	0	22	VA SLIMS: (22)
0.0	0.0	0	23	WINSTON: (23)
5.5	1.1	27	24	OTHER: (24)
8.2	1.6	40	25	NO USUAL: (25)
	80.4	2,002	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 228-230 V6537 066B06 :CIG PROOF OF AGE

Item Number: 30070

Question Number(s): 6B06 The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age?

1="I never tried to buy cigarettes at a store or a gas station." 2="No, they didn't ask me and they sold me the cigarettes." 3="No, they didn't ask but they didn't sell me the cigarettes." 4="Yes, I was asked for proof of age." [arrow to Q.B06A]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	18.4	459	1	NEVER TRIED: (1)
18.9	8.0	199	2	NO & SOLD:(2)
1.0	0.4	11	3	NO & NOSALE:(3)
36.4	15.4	383	4	YES: (4)
	57.8	1,437	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 231-232

V6538 066B06A:CIG SHOW ID/SELL

Item Number: 30080

Question Number(s): 6B06A The last time that you tried to buy cigarettes in a store or gas station, were you asked for proof of age? A: If yes, what happened?

1="I showed some ID and got the cigarettes" 2="I showed some ID but they refused to sell me the cigarettes" 3="I didn't show ID and they sold them to me anyway" 4="I didn't show ID and they didn't sell me any cigarettes"

PCT	PCT	N	VALUE	LABEL
VALID	\mathtt{ALL}			
87.1	13.6	338	1	ID & GOT:(1)
2.3	0.4	9	2	ID & NOSALE:(2)
5.5	0.9	22	3	NO ID & SOLD:(3)
5.1	0.8	20	4	NO ID & NOSALE:(4)
	84.4	2,101	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 233-234

V6539 066B07 :CIG STORE BUY<20

Item Number: 30090

Question Number(s): 6B07 Have you ever gone to a store and bought just one or a few cigarettes (fewer than the usual pack of 20)?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	37.5	934	1	NO:(1)
9.6	4.1	102	2	PAST 12MO:(2)
2.6	1.1	28	3	NOT PAST12MO:(3)
	57.3	1,426	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 235-236

V6540

066B08 :*TRY STP SMK&FL

Item Number: 01690

Question Number(s): 6B08 Have you ever tried to stop smoking and found that you could not?

1="Yes" 2="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	6.3	156	1	YES:(1)
84.9	35.3	879	2	NO:(2)
	58.4	1,453	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 237-238

V6541 066B09 :#X TRY STOP SMK

Item Number: 01691

Question Number(s): 6B09 How many times, if any, have you

tried to stop smoking?

1="None" 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times"

6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		V1111011	
64.2	26.3	655	1	NONE:(1)
16.8	6.9	171	2	ONCE: (2)
9.9	4.1	101	3	TWICE: (3)
6.4	2.6	66	4	3-5 X:(4)
1.4	0.6	14	5	6-9X:(5)
1.3	0.5	13	6	10+ X:(6)
	59.0	1,468	-9	MISSING
100 0	100 0	2 /00	aaaaa /	W+ ₩ \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 239-240

V6542

066B10 :*WNT STP SMK NW

Item Number: 01700

Question Number(s): 6B10 Do you want to stop smoking now?

1="Yes" 2="No" 8="Don't smoke now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	5.7	141	1	YES:(1)
22.9	9.6	240	2	NO: (2)
63.6	26.7	665	8	DONT SMOKE: (8)
	58.0	1,443	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 241-242

V6543 066B11 :QUIT SMK WRY FAT

Item Number: 30100

Question Number(s): 6B11 Do you (or did you) worry that

quitting smoking would make you gain weight?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, alot"

PCT VALID	PCT ALL	N	VALUE	LABEL	
		0.71		(4)	
85.2	35.0	871	1	NO:(1)	
7.4	3.0	76	2	A LITTLE:(2)	
3.5	1.4	36	3	SOME: (3)	
3.9	1.6	40	4	A LOT:(4)	
	58.9	1,466	-9	MISSING	
100.0	100.0	2,489	cases	(Wtd)	

Data type: numeric Missing-data code: -9

Columns: 243-244

V6544 066B12 :START SMK LOSEWT

Item Number: 30110

Question Number(s): 6B12 Some people start to smoke because they think it will help them lose weight. Was losing weight one of the reasons you started to smoke?

1="No, not at all" 2="Yes, a little" 3="Yes, some" 4="Yes, a lot" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	37.9	944	1	NO: (1)
3.7	1.5	38	2	A LITTLE:(2)
2.6	1.1	27	3	SOME: (3)
0.7	0.3	7	4	A LOT:(4)
	59.2	1,473	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 245-246

V6545 066B13 :START SMK THISYR

Item Number: 30120

Question Number(s): 6B13 If you have never smoked, do you think you will try smoking cigarettes sometime this year?

1="I already have tried cigarettes" 2="I definitely will" 3="I probably will" 4="I probably will not" 5="I definitely will not"

PCT	PCT	N	VALUE	E LABEL
VALID	ALL			
32.5	30.6	762	1	L ALREADY TRIED: (1)
0.4	0.4	10	2	DEF WILL:(2)
3.3	3.1	76	3	B PROB WILL:(3)
11.1	10.4	259	4	PROB WONT:(4)
52.7	49.7	1,236	5	DEF WONT:(5)
	5.8	144	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 247-248

V6546 066B14 :NO SMK IN 5 YR

Item Number: 01710

Question Number(s): 6B14 Do you think you will be smoking

cigarettes five years from now?

1="I definitely will" 2="I probably will" 3="I probably will not" 4="I definitely will not"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	30	1	DEF WILL:(1)
9.5	9.2	230	2	PROB WILL:(2)
20.6	20.0	498	3	PROB WONT: (3)
68.6	66.6	1,658	4	DEFWONT: (4)
	2.9	72	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 249-250

V6547 066B15A:NEVER CIG ADDICT

Item Number: 30130

Question Number(s): 6B15A How much do you agree or disagree with the following statements? A: I will never get

addicted to cigarettes

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	20.5	510	1	DISAGREE:(1)
8.3	8.1	201	2	MOST DISAG:(2)
7.7	7.5	186	3	NEITHER:(3)
9.2	9.0	224	4	MOSTAGREE: (4)
53.7	52.3	1,301	5	AGREE: (5)
	2.6	66	-9	MISSING
100 0	100 0	2 /00	aaaaa	/ W+ A)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 251-252

V6548 066B15B:QUIT CIG WN WANT

Item Number: 30140

Question Number(s): 6B15B How much do you agree or disagree with the following statements? B: I could smoke a pack a day for a year or more and still be able to quit if I wanted to

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	55.1	1,371	1	<pre>DISAGREE:(1)</pre>
15.9	15.5	385	2	MOST DISAG:(2)
12.0	11.7	291	3	NEITHER: (3)
5.3	5.2	129	4	MOSTAGREE: (4)
10.0	9.7	241	5	AGREE:(5)
	2.9	72	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 253-254

V6549 066B15C:SMK -DANGER QUIT

Item Number: 30150

Question Number(s): 6B15C How much do you agree or disagree with the following statements? C: At my age, smoking is not too dangerous because you can always quit later

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	71.5	1,779	1	DISAGREE:(1)
13.7	13.3	330	2	MOST DISAG:(2)
7.2	7.0	175	3	NEITHER:(3)
2.8	2.7	67	4	MOSTAGREE: (4)
2.7	2.7	66	5	AGREE: (5)
	2.9	71	-9	MISSING
100 0	100 0	2 / 2 0	anaoa	(b+w)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 255-256

V6550 066B16 :OWN TOBACCO LOGO

Item Number: 30160

Question Number(s): 6B16 Some tobacco companies make clothing, hats, bags, or other things with their brand on it. Do you have a piece of clothing or other thing that has a tobacco brand name or logo on it?

1="No" 2="Yes" [arrow to Q.B16A]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	87.4	2,174	1	NO:(1)
9.9	9.6	238	2	YES:(2)
	3.1	76	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 257-258

V6551

066B16Aa:CIG LOGO CAMEL

Item Number: 30170

Question Number(s): 6B16Aa What brand name is on it (or on them)? (Mark all that apply.) A. Camel

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	7.5	187	0	NO:(0)
22.8	2.2	55	1	YES:(1)
	90.3	2,246	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 259-260

V6552 066B16Ab:CIG LOGO KOOL

Item Number: 30180

Question Number(s): 6B16Ab What brand name is on it (or on

them)? (Mark all that apply.) B. Kool

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	8.6	214	0	NO:(0)
11.5	1.1	28	1	YES: (1)
	90.3	2,246	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 261-262

V6553

066B16Ac:CIG LOGO MARLB

Item Number: 30190

Question Number(s): 6B16Ac What brand name is on it (or on

them)? (Mark all that apply.) C. Marlboro

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	3.1	78	0	NO:(0)
68.0	6.6	165	1	YES:(1)
	90.3	2,246	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 263-264

V6554 066B16Ad:CIG LOGO NEWPT

Item Number: 30200

Question Number(s): 6B16Ad What brand name is on it (or on

them)? (Mark all that apply.) D. Newport

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	8.7	216	0	NO:(0)
10.7	1.0	26	1	YES:(1)
	90.3	2,246	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 265-266

V6555

066B16Ae:CIG LOGO VASLM

Item Number: 30210

Question Number(s): 6B16Ae What brand name is on it (or on

them)? (Mark all that apply.) E. Virginia Slims

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	9.4	233	0	NO:(0)
3.8	0.4	9	1	YES:(1)
	90.3	2,246	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 267-268

V6556 066B16Af:CIG LOGO OTHER

Item Number: 30220

Question Number(s): 6B16Af What brand name is on it (or on

them)? (Mark all that apply.) F. Other

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.1	7.6	189	0	NO:(0)
21.9	2.1	53	1	YES:(1)
	90.3	2,246	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 269-270

V6557 066B17 :SAVED CIG COUPON

Item Number: 30230

Question Number(s): 6B17 Have you ever saved coupons from cigarettes (whether or not you bought them yourself)?

1="No" 2="Yes" [arrow to QB17A]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	91.5	2,276	1	NO:(1)
5.4	5.3	131	2	YES:(2)
	3.3	81	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 271-272

V6558 066B17A:SAVE CIG CPN NOW

Item Number: 30240

Question Number(s): 6B17A A: Are you currently saving

coupons from cigarettes?

1="No" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	3.5	86	1	NO:(1)
35.3	1.9	47	2	YES:(2)
	94.7	2,355	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 273-274

V6559 066B18 :CO GIVE FREE CIG

Item Number: 30250

Question Number(s): 6B18 Has anyone from a tobacco company ever given you, or mailed you, a free sample of their cigarettes?

1="No, never" 2="Yes, in the past 12 months" 3="Yes, but not in the past 12 months"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.8	2,358	1	NEVER: (1)
1.9	1.9	46	2	PAST 12MO:(2)
0.7	0.7	17	3	NOT PAST12M:(3)
	2.7	67	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 275-276

V6505 066B19 :EVR USE SMOKLESS

Item Number: 22230

Question Number(s): 6B19 Have you ever taken or used smokeless tobacco (snuff, plug, dipping tobacco, chewing

tobacco)?

1="Never--GO TO QUESTION 21" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	82.2	2,046	1	NEVER: (1)
8.5	8.3	206	2	1-2X:(2)
2.7	2.7	66	3	OCCAS:(3)
1.8	1.8	44	4	REG PAST: (4)
1.9	1.9	47	5	REG NOW: (5)
	3.2	80	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 277-278

V6506 066B20 :#X SMKLESS/30 DA

Item Number: 22240

Question Number(s): 6B20 How frequently have you taken

smokeless tobacco during the past 30 days?

1="Not at all" [includes respondents who marked '1' on Q. 19] 2="Once or twice" 3="Once or twice per week" 4="Three to five times per week" 5="About once a day" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	91.2	2,270	1	NOT@ALL:(1)
2.8	2.7	67	2	1-2X:(2)
0.9	0.8	21	3	1-2X/WK:(3)
0.3	0.3	6	4	3-5X/WK:(4)
0.3	0.3	8	5	1/DAY:(5)
1.7	1.6	40	6	>1/DAY:(6)
	3.1	76	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 279-280 V6103 066B21 :EVER DRINK

Item Number: 00790

Question Number(s): 6B21 Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips . . .

1="No--GO TO TOP OF NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	27.6	687	1	NO:(1)
71.3	68.7	1,709	2	YES:(2)
	3.7	92	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 281-282

V6104 066B22A: #X ALC/LIF SIPS

Item Number: 00810

Question Number(s): 6B22A On how many occasions (if any) have you had alcoholic beverages to drink--more than just a

few sips . . . A: . . . in your lifetime?

1="0 Occasions" [includes respondents who indicated nonuse above] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	27.6	687	1	0 OCCAS:(1)
7.8	7.3	183	2	1-2X:(2)
10.5	9.9	247	3	3-5X:(3)
8.6	8.1	202	4	6-9X:(4)
11.5	10.9	271	5	10-19X:(5)
10.8	10.2	254	6	20-39X:(6)
21.5	20.3	506	7	40+OCCAS:(7)
	5.6	139	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 283-284

V6105 066B22B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 6B22B On how many occasions (if any) have you had alcoholic beverages to drink--more than just a

few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	32.4	807	1	0 OCCAS:(1)
15.5	14.6	363	2	1-2X:(2)
12.0	11.2	280	3	3-5X:(3)
10.7	10.1	252	4	6-9X:(4)
11.4	10.8	268	5	10-19X:(5)
7.7	7.3	181	6	20-39X:(6)
8.2	7.7	191	7	40+OCCAS:(7)
	5.9	147	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 285-286

V6106 066B22C:#X ALC/30D SIPS

Item Number: 00830

Question Number(s): 6B22C On how many occasions (if any) have you had alcoholic beverages to drink--more than just a

few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	52.3	1,302	1	0 OCCAS:(1)
18.7	17.6	438	2	1-2X:(2)
12.4	11.7	291	3	3-5X:(3)
6.3	6.0	149	4	6-9X:(4)
4.3	4.1	101	5	10-19X:(5)
1.5	1.4	36	6	20-39X:(6)
1.1	1.0	26	7	40+OCCAS:(7)
	5.9	146	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 287-288

V6107 066B23 :#X DRK ENF FL HI

Item Number: 00840

Question Number(s): 6B23 On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	15.3	382	1	NONE: (1)
27.6	18.9	471	2	FEW: (2)
15.8	10.8	270	3	HALF:(3)
21.6	14.8	369	4	MOST: (4)
12.6	8.6	215	5	NRLY ALL:(5)
	31.4	782	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 289-290

V6108 066B24 :5+DRK ROW/LST 2W

Item Number: 00850

Question Number(s): 6B24 Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a glass of wine, a bottle of beer, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	69.0	1,717	1	NONE: (1)
8.5	8.0	198	2	ONCE: (2)
7.1	6.6	165	3	TWICE:(3)
7.8	7.2	180	4	3-5X:(4)
1.6	1.5	36	5	6-9X:(5)
1.1	1.0	26	6	10+ TIME:(6)
	6.7	166	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 291-292

V6115 066B25A: #XMJ+HS/LIFETIME

Item Number: 00860

Question Number(s): 6B25A On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	57.0	1,419	1	0 OCCAS:(1)
9.1	8.7	217	2	1-2X:(2)
5.5	5.3	131	3	3-5X:(3)
3.9	3.7	93	4	6-9X:(4)
4.4	4.3	107	5	10-19X:(5)
4.4	4.2	106	6	20-39X:(6)
13.6	13.1	326	7	40+OCCAS:(7)
	3.6	90	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 293-294

V6116 066B25B:#XMJ+HS/LAST12MO

Item Number: 00870

Question Number(s): 6B25B On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...B: ... during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	66.3	1,651	1	0 OCCAS:(1)
8.1	7.7	193	2	1-2X:(2)
5.5	5.3	133	3	3-5X:(3)
3.2	3.1	76	4	6-9X:(4)
3.7	3.5	88	5	10-19X:(5)
2.6	2.5	63	6	20-39X:(6)
7.9	7.6	190	7	40+OCCAS:(7)
	3.8	96	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 295-296

V6117 066B25C: #XMJ+HS/LAST30DA

Item Number: 00880

Question Number(s): 6B25C On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	78.6	1,957	1	0 OCCAS:(1)
6.1	5.9	146	2	1-2X:(2)
3.0	2.9	71	3	3-5X:(3)
2.1	2.0	51	4	6-9X:(4)
2.3	2.2	54	5	10-19X:(5)
1.5	1.4	35	6	20-39X:(6)
3.3	3.2	79	7	40+OCCAS:(7)
	3.9	96	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 297-298

V6118 066B26A: #X LSD/LIFETIME

Item Number: 00890

Question Number(s): 6B26A On how many occasions (if any) have you used LSD ("acid"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.4	2,350	1	0 OCCAS:(1)
1.6	1.6	39	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS: (7)
	3.0	75	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 299-300

V6119 066B26B:#X LSD/LAST 12MO

Item Number: 00900

Question Number(s): 6B26B On how many occasions (if any) have you used LSD ("acid"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	95.6	2,379	1	0 OCCAS:(1)
0.9	0.9	22	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.9	73	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 301-302

V6120 066B26C:#X LSD/LAST 30DA

Item Number: 00910

Question Number(s): 6B26C On how many occasions (if any) have you used LSD ("acid"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.5	2,401	1	0 OCCAS:(1)
0.4	0.3	9	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.9	72	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 303-304

V6121 066B27A:#X PSYD/LIFETIME

Item Number: 00920

6B27A On how many occasions (if any) Question Number(s): have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	89.1	2,218	1	0 OCCAS:(1)
4.8	4.7	117	2	1-2X:(2)
1.3	1.3	32	3	3-5X:(3)
0.7	0.7	18	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	3.2	81	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 305-306

V6122 066B27B:#X PSYD/LAST12MO

Item Number: 00930

Question Number(s): 6B27B On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	92.5	2,301	1	0 OCCAS:(1)
3.0	2.9	72	2	1-2X:(2)
0.7	0.6	16	3	3-5X:(3)
0.5	0.5	12	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.2	79	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 307-308

V6123 066B27C: #X PSYD/LAST30DA

Item Number: 00940

Question Number(s): 6B27C On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	95.5	2,377	1	0 OCCAS:(1)
0.8	0.8	20	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.2	79	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 309-310

V6127 066B28A: #X AMPH/LIFETIME

Item Number: 00980

Question Number(s): 6B28A Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	84.6	2,106	1	0 OCCAS:(1)
5.5	5.3	132	2	1-2X:(2)
2.2	2.1	53	3	3-5X:(3)
1.1	1.1	27	4	6-9X:(4)
1.4	1.3	33	5	10-19X:(5)
0.8	0.7	18	6	20-39X:(6)
1.3	1.3	32	7	40+OCCAS:(7)
	3.5	87	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 311-312

V6128 066B28B:#X AMPH/LAST12MO

Item Number: 00990

Question Number(s): 6B28B On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	88.4	2,200	1	0 OCCAS:(1)
4.5	4.3	107	2	1-2X:(2)
1.2	1.1	29	3	3-5X:(3)
1.0	0.9	24	4	6-9X:(4)
0.8	0.8	19	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.5	0.5	13	7	40+OCCAS:(7)
	3.4	85	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 313-314

V6129 066B28C:#X AMPH/LAST30DA

Item Number: 01000

Question Number(s): 6B28C On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	92.5	2,302	1	0 OCCAS:(1)
2.4	2.3	57	2	1-2X:(2)
0.7	0.6	16	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.4	0.4	10	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	3.5	88	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 315-316

V6517 066B29A:#X CRACK/LIFETIM

Item Number: 22260

Question Number(s): 6B29A On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	94.2	2,345	1	0 OCCAS (1)
1.6	1.5	38	2	1-2X (2)
0.4	0.4	9	3	3-5X(3)
0.3	0.3	8	4	6-9X (4)
0.2	0.2	4	5	10-19X (5)
0.2	0.2	5	6	20-39X (6)
0.3	0.3	7	7	40+X(7)
	2.9	71	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 317-318

V6518 066B29B:#X CRACK/LAST12M

Item Number: 22270

Question Number(s): 6B29B On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	95.1	2,367	1	0 OCCAS (1)
1.1	1.1	27	2	1-2X (2)
0.3	0.3	8	3	3-5X(3)
0.3	0.3	6	4	6-9X (4)
0.2	0.2	4	5	10-19X (5)
0.0	0.0	1	6	20-39X (6)
0.2	0.2	5	7	40+X(7)
	2.9	71	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 319-320

V6519 066B29C:#X CRACK/LAST30D

Item Number: 22280

Question Number(s): 6B29C On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	96.3	2,396	1	0 OCCAS (1)
0.4	0.4	10	2	1-2X (2)
0.1	0.1	2	3	3-5X(3)
0.2	0.1	4	4	6-9X (4)
0.1	0.1	2	5	10-19X(5)
0.0	0.0	1	6	20-39X (6)
0.1	0.1	1	7	40+X(7)
	2.9	71	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 321-322

V6520 066B30A: #XOTH COKE/LIFE

Item Number: 22320

Question Number(s): 6B30A On how many occasions (if any) have you used cocaine in any other form. . . A: . . . in

your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	89.7	2,232	1	0 OCCAS (1)
3.1	3.0	76	2	1-2X (2)
1.0	1.0	25	3	3-5X(3)
0.8	0.7	18	4	6-9X (4)
0.7	0.7	17	5	10-19X(5)
0.8	0.8	20	6	20-39X (6)
0.9	0.9	23	7	40+X(7)
	3.1	78	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 323-324

V6521 066B30B:#XOTH COKE/12MO

Item Number: 22330

Question Number(s): 6B30B On how many occasions (if any) have you used cocaine in any other form. . . B: . . . during

the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	92.1	2,292	1	0 OCCAS (1)
2.1	2.0	50	2	1-2X (2)
0.8	0.7	18	3	3-5X(3)
0.5	0.5	13	4	6-9X (4)
0.9	0.9	23	5	10-19X (5)
0.2	0.2	4	6	20-39X (6)
0.5	0.5	13	7	40+X(7)
	3.0	75	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 325-326

V6522 066B30C: #XOTH COKE/30DA

Item Number: 22340

Question Number(s): 6B30C On how many occasions (if any) have you used cocaine in any other form. . . C: . . . during

the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.5	2,351	1	0 OCCAS (1)
1.1	1.1	28	2	1-2X (2)
0.6	0.6	14	3	3-5X(3)
0.4	0.4	10	4	6-9X (4)
0.3	0.3	7	5	10-19X (5)
0.1	0.1	2	6	20-39X (6)
0.1	0.1	2	7	40+X(7)
	3.0	75	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 327-328 V6124 066R :#X COKE/LIFETIME

Item Number: 00950

Question Number(s): 6B30X Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . A. in your lifetime?" [item 22260] and "On how many occasions (if any) have you used cocaine in any other form . . . A. in your lifetime? [item 22320].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

БСШ	ъсш	3.7	7.7.7. T.T.T.	TADDI
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	88.8	2,211	1	0 OCCAS:(1)
3.1	3.0	74	2	1-2X:(2)
1.4	1.4	35	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.9	0.9	23	5	10-19X:(5)
0.9	0.8	21	6	20-39X:(6)
1.2	1.2	29	7	40+OCCAS:(7)
	3.2	80	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 329-330

V6125 066R :#X COKE/LAST12MO

Item Number: 00960

Question Number(s): 6B30Y Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . B. During the last 12 months?" [item 22270] and "On how many occasions (if any) have you used cocaine in any other form . . . B. During the last 12 months? [item 22330].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	91.5	2,278	1	0 OCCAS:(1)
1.8	1.7	43	2	1-2X:(2)
1.1	1.1	27	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
1.1	1.1	27	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS:(7)
	3.1	77	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 331-332 V6126 066R :#X COKE/LAST30DA

Item Number: 00970

Question Number(s): 6B30Z Component questions: "On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form) . . . C. During the last 30 days?" [item 22280] and "On how many occasions (if any) have you used cocaine in any other form . . . C. During the last 30 days? [item 22340].

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	94.2	2,344	1	0 OCCAS:(1)
0.9	0.9	23	2	1-2X:(2)
0.9	0.8	21	3	3-5X:(3)
0.4	0.3	8	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.1	76	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 333-334

V6133 066B31A:#X SED/BARB/LIFE

Item Number: 01042

Question Number(s): 6B31A Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	86.6	2,156	1	0 OCCAS:(1)
4.5	4.4	110	2	1-2X:(2)
2.2	2.1	53	3	3-5X:(3)
1.3	1.3	32	4	6-9X:(4)
0.7	0.6	16	5	10-19X:(5)
0.8	0.8	20	6	20-39X:(6)
1.0	0.9	23	7	40+OCCAS:(7)
	3.2	79	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 335-336

V6134 066B31B:#X SED/BARB/12MO

Item Number: 01052

Question Number(s): 6B31B On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	90.2	2,244	1	0 OCCAS:(1)
3.6	3.5	87	2	1-2X:(2)
0.9	0.9	22	3	3-5X:(3)
1.0	0.9	24	4	6-9X:(4)
0.5	0.5	12	5	10-19X:(5)
0.4	0.4	10	6	20-39X:(6)
0.4	0.4	11	7	40+OCCAS: (7)
	3.2	79	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 337-338

V6135 066B31C:#X SED/BARB/30DA

Item Number: 01062

Question Number(s): 6B31C On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	93.8	2,335	1	0 OCCAS:(1)
1.6	1.6	39	2	1-2X:(2)
0.4	0.4	11	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.3	0.2	6	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS: (7)
	3.2	79	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 339-340

V6136 066B32A:#X TRQL/LIFETIME

Item Number: 01070

Question Number(s): 6B32A Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	86.7	2,158	1	0 OCCAS:(1)
4.9	4.7	117	2	1-2X:(2)
1.9	1.9	47	3	3-5X:(3)
1.4	1.3	33	4	6-9X:(4)
0.9	0.9	21	5	10-19X:(5)
0.7	0.7	16	6	20-39X:(6)
0.8	0.8	19	7	40+OCCAS:(7)
	3.1	76	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 341-342

V6137 066B32B:#X TRQL/LAST12MO

Item Number: 01080

Question Number(s): 6B32B On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	90.4	2,249	1	0 OCCAS:(1)
3.3	3.2	79	2	1-2X:(2)
1.3	1.2	31	3	3-5X:(3)
1.2	1.1	29	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	3.1	77	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 343-344

V6138 066B32C:#X TRQL/LAST30DA

Item Number: 01090

Question Number(s): 6B32C On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.4	2,350	1	0 OCCAS:(1)
1.4	1.4	34	2	1-2X:(2)
0.5	0.5	12	3	3-5X:(3)
0.5	0.4	11	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.1	77	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 345-346

V6511 066B33A:#X H LIF USE NDL

Item Number: 29630

Question Number(s): 6B33A On how many occasions (if any) have you taken heroin using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.3	2,395	1	0 OCCAS:(1)
0.4	0.4	10	2	1-2X:(2)
0.1	0.1	1	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.1	76	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 347-348

V6512 066B33B:#X H 12M USE NDL

Item Number: 29640

Question Number(s): 6B33B On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during

the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	96.6	2,404	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.1	77	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 349-350

V6513 066B33C:#X H 30D USE NDL

Item Number: 29650

Question Number(s): 6B33C On how many occasions (if any) have you taken heroin using a needle . . . C: . . . during

the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	96.7	2,406	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	3.1	77	-9	MISSING

---- 100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 351-352

V6514 066B34A:#X H LIF W/O NDL

Item Number: 29660

Question Number(s): 6B34A On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	95.5	2,377	1	0 OCCAS:(1)
0.4	0.4	11	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.1	0.1	4	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.6	88	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 353-354

V6515 066B34B:#X H 12M W/O NDL

Item Number: 29670

Question Number(s): 6B34B On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . B: . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	95.9	2,386	1	0 OCCAS:(1)
0.2	0.2	6	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.5	88	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 355-356

V6516 066B34C:#X H 30D W/O NDL

Item Number: 29680

Question Number(s): 6B34C On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.0	2,389	1	0 OCCAS:(1)
0.3	0.3	8	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.6	88	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 357-358

V6139 066R* :#X "H"/LIFETIME

Item Number: 01100

Question Number(s): 6B34X Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . In your lifetime?" (item 29630) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . In your lifetime?" (item 29660).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	95.8	2,385	1	0 OCCAS:(1)
0.6	0.6	14	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	3.0	76	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 359-360 V6140 066R* :#X "H"/LAST12MO

Item Number: 01110

Question Number(s): 6B34Y Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 12 months?" $\,$ (item 29640) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 12 months?" (item 29670).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.4	2,398	1	0 OCCAS:(1)
0.2	0.2	4	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.2	0.1	4	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.0	76	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 361-362

V6141 066R* :#X "H"/LAST30DAY

Item Number: 01120

Question Number(s): 6B34Z Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 30 days?" (item 29650) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 30 days?" (item 29680).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.5	2,401	1	0 OCCAS:(1)
0.3	0.3	6	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.0	76	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 363-364

V6142 066B35A:#X NARC/LIFETIME

Item Number: 01130

Question Number(s): 6B35A There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own-that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	83.7	2,082	1	0 OCCAS:(1)
4.3	4.1	103	2	1-2X:(2)
2.6	2.5	62	3	3-5X:(3)
1.7	1.6	41	4	6-9X:(4)
1.6	1.5	38	5	10-19X:(5)
1.2	1.2	30	6	20-39X:(6)
1.4	1.3	33	7	40+OCCAS:(7)
	4.0	100	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 365-366

V6143 066B35B:#X NARC/LAST12MO

Item Number: 01140

Question Number(s): 6B35B On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . $B: \ldots$ during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	87.0	2,165	1	0 OCCAS:(1)
3.5	3.4	84	2	1-2X:(2)
2.2	2.1	52	3	3-5X:(3)
1.6	1.6	39	4	6-9X:(4)
1.2	1.2	29	5	10-19X:(5)
0.5	0.4	11	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS: (7)
	3.9	98	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 367-368

V6144 066B35C:#X NARC/LAST30DA

Item Number: 01150

Question Number(s): 6B35C On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	91.8	2,284	1	0 OCCAS:(1)
2.3	2.2	56	2	1-2X:(2)
0.8	0.8	19	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	6	7	40+OCCAS: (7)
	4.1	101	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 369-370

V129 066B36A:#X METHAMPH/LIFE

Item Number: 30800

Question Number(s): 6B36A On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . A. . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	91.5	2,277	1	0 Occas(1)
2.3	2.2	55	2	1-2 occas(2)
0.8	0.8	20	3	3-5 occas(3)
0.2	0.2	6	4	6-9 occas(4)
0.6	0.5	14	5	10-19 occas(5)
0.3	0.3	8	6	20-39 occas(6)
0.3	0.3	8	7	40 or more(7)
	4.1	101	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 371-372

V130 066B36B:#X METHAMPH/12MO

Item Number: 30810

Question Number(s): 6B36B On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . B. . . .during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	91.9	2,288	1	0 Occas(1)
1.2	1.1	28	2	1-2 occas(2)
0.5	0.5	12	3	3-5 occas(3)
0.3	0.3	8	4	6-9 occas(4)
0.2	0.2	4	5	10-19 occas(5)
0.1	0.1	2	6	20-39 occas(6)
0.1	0.1	3	7	40 or more(7)
	5.8	144	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 373-374

V131 066B36C: #X METHAMPH/30DA

Item Number: 30820

Question Number(s): 6B36C On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method. . . C. . . .during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	93.2	2,320	1	0 Occas(1)
0.4	0.4	10	2	1-2 occas(2)
0.3	0.3	8	3	3-5 occas(3)
0.2	0.2	4	4	6-9 occas(4)
0.1	0.1	2	5	10-19 occas(5)
0.0	0.0	0	6	20-39 occas(6)
0.0	0.0	0	7	40 or more(7)
	5.8	145	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 375-376

V6148 066(R) :AGE <>18 DICHOTOMY

Item Number:

Question Number(s): 6C01-2 Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3)date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	43.7	1,087	1	< 18:(1)
54.9	53.2	1,324	2	18+:(2)
	3.1	77	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 377-378

V6150

066C03 :R'S SEX

Item Number: 00030

Question Number(s): 6C03 What is your sex?

1="Male" 2="Female"

```
PCT
      PCT N VALUE LABEL
VALID
      ALL
                  1 MALE:(1)
2 FEMALE:(2)
48.6
     46.1 1,148
51.4 48.7 1,212
      5.2 129
                  -9 MISSING
_____
100.0 100.0 2,489 cases (Wtd)
```

Data type: numeric Missing-data code: -9 Columns: 379-380

V6151

066C04(R):R'S RACE B/W/H

Item Number:

Question Number(s): 6C04A-I How do you describe yourself? (Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latin; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander

1="Black or African American", 2="White (Caucasian)", 3=Hispanic ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those which fell into more than one of three recoded categories (Black, White, Hispanic), were deleted.

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
12.1	10.3	257	1	BLACK: (1)	
72.5	62.1	1,546	2	WHITE: (2)	
15.5	13.3	330	3	HISPANIC: (3)
	14.3	356	-9	MISSING	
100.0	100.0	2,489	cases	(Wtd)	

Data type: numeric Missing-data code: -9 Columns: 381-382

V6152 066C05 :R SPD >TIM R-URB

Item Number: 00050

Question Number(s): 6C05 Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small $\,$ city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.9	296	0	DK/MIXED:(0)
4.4	4.4	110	1	FARM:(1)
12.8	12.8	318	2	COUNTRY: (2)
23.0	23.0	572	3	SML TOWN: (3)
13.5	13.5	336	4	MED CITY: (4)
8.5	8.5	212	5	SUBURB 4:(5)
8.4	8.4	209	6	LRG CITY:(6)
7.4	7.4	185	7	SUBURB 6:(7)
5.9	5.9	147	8	VRYLG CY:(8)
4.2	4.2	104	9	SUBURB 8:(9)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 383-384

V6153 066C06 :R NOT MARRIED

Item Number: 00060

Question Number(s): 6C06 What is your present marital

status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	59	1	MARRIED: (1)
4.7	4.5	112	2	ENGAGED: (2)
0.7	0.7	17	3	SEP/DIV:(3)
92.2	89.3	2,223	4	SINGLE:(4)
	3.1	77	-9	MISSING
100 0	100 0	2 / 2 0	anana /	/ Б +₩

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 385-386 V49 06C07R:# SIBLINGS

Item Number:

Question Number(s): 6C07A-B Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more". For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	107	0	
30.7	29.8	741	1	
28.6	27.7	690	2	
36.3	35.2	876	3	3 OR MORE
	3.0	75	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 387-388

V6155 066C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Question Number(s): 6C07Cb Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 389-390

V6156

066C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Question Number(s): 6CO7Cc Which of the following people live in the same household with you? (Mark all that apply.) C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 391-392

V6157 066C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Question Number(s): 6C07Cd Which of the following people live in the same household with you? (Mark all that apply.) Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED" Other alternatives --"Grandparent(s)," "My husband/wife," "My child(ren)," "Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted for reasons of confidentiality.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	31.4	782	0	NT MARKD:(0)
67.6	65.5	1,630	1	MARKED: (1)
	3.1	77	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 393-394

V6163 066C08 :FATHR EDUC LEVEL

Item Number: 00310

Question Number(s): 6C08 The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.8	96	1	GRDE SCH:(1)
8.6	8.4	209	2	SOME HS:(2)
27.6	26.7	665	3	HS GRAD:(3)
16.8	16.3	405	4	SOME CLG:(4)
22.6	21.9	545	5	CLG GRAD: (5)
13.0	12.6	313	6	GRAD SCH: (6)
7.5	7.3	181	7	DK:(7)
	3.0	75	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 395-396

V6164 066C09 :MOTHR EDUC LEVEL

Item Number: 00320

Question Number(s): 6C09 What is the highest level of

schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	73	1	GRDE SCH:(1)
8.1	7.9	196	2	SOME HS:(2)
26.2	25.4	632	3	HS GRAD: (3)
20.5	19.9	496	4	SOME CLG:(4)
26.0	25.2	627	5	CLG GRAD: (5)
11.8	11.5	286	6	GRAD SCH:(6)
4.4	4.2	105	7	DK:(7)
	3.0	74	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 397-398

V6165 066C10 :MOTH PD JB R YNG

Item Number: 00330

Question Number(s): 6C10 Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.3	330	1	NO:(1)
20.0	19.4	482	2	SOMETIME: (2)
16.6	16.1	400	3	MOSTTIME: (3)
49.6	47.9	1,193	4	ALL TIME: (4)
	3.4	84	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 399-400

V6166 066C11 :R'S POLTL PRFNC

Item Number: 00340

Question Number(s): 6C11 How would you describe your

political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.6	265	1	STRG GOP:(1)
15.0	13.9	347	2	MILD GOP:(2)
12.1	11.2	280	3	MILD DEM:(3)
11.6	10.8	268	4	STRG DEM: (4)
8.7	8.1	202	5	<pre>INDEPNDT:(5)</pre>
14.9	13.9	345	6	NO PREF: (6)
1.5	1.4	36	7	OTHER: (7)
24.8	23.0	573	8	DK:(8)
	7.0	173	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 401-402

V6167 066C12 :R'POL BLF RADCL

Item Number: 00350

Question Number(s): 6C12 How would you describe your

political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.9	122	1	VRY CONS:(1)
15.7	15.0	374	2	CONSERV: (2)
23.9	22.9	570	3	MODERATE: (3)
15.1	14.4	359	4	LIBERAL: (4)
4.9	4.7	117	5	VRY LIB:(5)
2.3	2.2	55	6	RADICAL:(6)
33.0	31.6	787	8	NONE/DK:(8)
	4.2	104	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 403-404

V6169 066C13B:R'ATTND REL SVC

Item Number: 00370

Question Number(s): 6C13B How often do you attend

religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	15.0	374	1	NEVER: (1)
32.9	25.3	628	2	RARELY:(2)
16.1	12.4	307	3	1-2X/MO:(3)
31.5	24.2	602	4	1/WK OR+:(4)
	23.2	576	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 405-406

V6170 066C13C:RLGN IMP R'S LF

Item Number: 00380

Question Number(s): 6C13C How important is religion in

your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important" Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	13.6	340	1	NOT IMPT:(1)
22.9	17.6	437	2	LITL IMP:(2)
29.7	22.7	566	3	PRTY IMP:(3)
29.7	22.7	566	4	VERY IMP:(4)
	23.3	580	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 407-408

V6171 066C14 :WHEN R XPCT GRAD

Item Number: 00390

Question Number(s): 6C14 When are you most likely to

graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	95.5	2,376	1	BY JUNE: (1)
0.7	0.7	17	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.3	0.3	8	6	WONT: (6)
	3.5	88	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 409-410

V6172

066C15 :R'S HS PROGRAM

Item Number: 00400

Question Number(s): 6C15 Which of the following best

describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	49.4	1,229	1	CLG PREP:(1)
30.5	29.2	725	2	GENERAL: (2)
7.4	7.1	176	3	VOC-TECH:(3)
10.5	10.0	249	4	OTH/DK:(4)
	4.4	108	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 411-412

V6173 066C16 :RT SF SCH AB>AVG

Item Number: 00410

Question Number(s): 6C16 Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	24	1	FAR BLOW: (1)
1.7	1.6	41	2	BELOW AV: (2)
5.7	5.4	135	3	SL BELOW: (3)
34.6	33.0	821	4	AVERAGE: (4)
23.3	22.2	554	5	SL ABOVE: (5)
25.8	24.6	612	6	ABOVE AV: (6)
7.9	7.5	187	7	FAR ABOV: (7)
	4.6	114	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 413-414

V6174 066C17 :RT SF INTELL>AVG

Item Number: 00420

Question Number(s): 6C17 How intelligent do you think you

are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	27	1	FAR BLOW: (1)
1.9	1.8	45	2	BELOW AV: (2)
4.1	3.9	97	3	SL BELOW: (3)
32.8	31.3	779	4	AVERAGE: (4)
25.3	24.1	600	5	SL ABOVE: (5)
26.4	25.2	626	6	ABOVE AV: (6)
8.5	8.1	201	7	FAR ABOV: (7)
	4.6	114	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 415-416

V6175 066C18A:#DA/4W SC MS ILL

Item Number: 00430

Question Number(s): 6C18A During the LAST FOUR WEEKS, how many whole days of school have you missed . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	54.3	1,351	1	NONE: (1)
17.6	16.7	416	2	1 DAY:(2)
12.1	11.4	285	3	2 DAYS:(3)
6.7	6.3	158	4	3 DAYS:(4)
4.1	3.9	97	5	4-5 DAYS:(5)
1.5	1.4	35	6	6-10 DA:(6)
0.9	0.8	21	7	11+ DAYS:(7)
	5.1	127	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 417-418

V6176 066C18B:#DA/4W SC MS CUT

Item Number: 00440

Question Number(s): 6C18B During the LAST FOUR WEEKS, how many whole days of school have you missed. . . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	64.2	1,598	1	NONE: (1)
13.1	12.2	304	2	1 DAY:(2)
7.4	6.9	172	3	2 DAYS:(3)
3.8	3.5	88	4	3 DAYS:(4)
4.3	4.0	100	5	4-5 DAYS:(5)
1.2	1.1	28	6	6-10 DA:(6)
1.2	1.1	27	7	11+ DAYS:(7)
	6.9	172	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 419-420

V6177 066C18C:#DA/4W SC MS OTH

Item Number: 00450

Question Number(s): 6C18C During the LAST FOUR WEEKS, how many whole days of school have you missed . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	50.6	1,260	1	NONE: (1)
21.8	20.5	511	2	1 DAY:(2)
10.4	9.8	243	3	2 DAYS:(3)
6.5	6.1	151	4	3 DAYS:(4)
5.0	4.7	116	5	4-5 DAYS:(5)
1.4	1.3	33	6	6-10 DA:(6)
1.1	1.0	25	7	11+ DAYS:(7)
	6.0	149	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 421-422

V6178 066C19 :#DA/4W SKP CLASS

Item Number: 00460

Question Number(s): 6C19 During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	64.7	1,611	1	NONE: (1)
19.4	18.6	463	2	1-2:(2)
8.8	8.4	209	3	3-5:(3)
2.0	1.9	48	4	6-10:(4)
1.2	1.2	29	5	11-20:(5)
1.2	1.1	28	6	21+:(6)
	4.0	100	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 423-424

V6179 066C20 :R HS GRADE/D=1

Item Number: 00470

Question Number(s): 6C20 Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92) 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	31	1	D:(1)
3.0	2.8	70	2	C-:(2)
5.9	5.7	141	3	C:(3)
9.0	8.6	214	4	C+:(4)
13.6	13.0	324	5	B-:(5)
16.9	16.2	402	6	B:(6)
16.3	15.6	388	7	B+:(7)
17.3	16.6	412	8	A-:(8)
16.7	15.9	397	9	A:(9)
	4.4	109	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 425-426

V6180 066C21A:R WL DO VOC/TEC

Item Number: 00480

Question Number(s): 6C21A How likely is it that you will do each of the following things after high school? A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	52.0	1,293	1	DEF WONT: (1)
22.2	20.5	511	2	PRB WONT:(2)
14.4	13.3	332	3	PRB WILL:(3)
7.2	6.6	165	4	DEF WILL: (4)
	7.6	188	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 427-428

V6181 066C21B:R WL DO ARMD FC

Item Number: 00490

Question Number(s): 6C21B How likely is it that you will do each of the following things after high school? B: Serve

in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will" \tt

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	67.1	1,670	1	DEF WONT: (1)
16.8	15.5	386	2	PRB WONT:(2)
6.2	5.7	141	3	PRB WILL:(3)
4.2	3.9	97	4	DEF WILL: (4)
	7.9	195	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 429-430

V6182 066C21C:R WL DO 2YR CLG

Item Number: 00500

Question Number(s): 6C21C How likely is it that you will

do each of the following things after high school? C:

Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	35.5	883	1	DEF WONT: (1)
19.4	17.9	445	2	PRB WONT: (2)
22.6	20.8	518	3	PRB WILL:(3)
19.4	17.9	444	4	DEF WILL: (4)
	8.0	198	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 431-432

V6183 066C21D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 6C21D How likely is it that you will do each of the following things after high school? D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.0	223	1	DEF WONT: (1)
9.6	9.0	224	2	PRB WONT: (2)
22.8	21.3	530	3	PRB WILL:(3)
58.0	54.2	1,350	4	DEF WILL: (4)
	6.5	161	-9	MISSING
100 0	100 0	2 400	anana /	.π+ ⊲ \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 433-434

V6184 066C21E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 6C21E How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
18.9	17.4	432	1	DEF WC	NT: (1)
28.3	26.0	647	2	PRB WC	NT: (2)
31.1	28.6	711	3	PRB WI	LL:(3)
21.8	20.1	499	4	DEF WI	LL: (4)
	8.0	200	-9	MISSIN	ſĠ
100.0	100.0	2,489	cases (Wtd)	

Data type: numeric Missing-data code: -9 Columns: 435-436

V6185

066C22A:R WNTDO VOC/TEC

Item Number: 00530

Question Number(s): 6C22A Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	78.8	1,961	0	NT MARKD:(0)
16.8	15.9	395	1	MARKED: (1)
	5.3	133	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 437-438

V6186 066C22B:R WNTDO ARMD FC

Item Number: 00540

Question Number(s): 6C22B Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 439-440

V6187

066C22C:R WNTDO 2YR CLG

Item Number: 00550

Question Number(s): 6C22C Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 441-442

V6188 066C22D:R WNTDO 4YR CLG

Item Number: 00560

Question Number(s): 6C22D Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	19.3	480	0	NT MARKD:(0)
79.6	75.4	1,876	1	MARKED: (1)
	5.3	133	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 443-444

V6189

066C22E:R WNTDO GRD/PRF

Item Number: 00570

Question Number(s): 6C22E Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

```
PCT
     PCT N VALUE LABEL
VALID
      ALL
                 0 NT MARKD:(0)
45.0 42.6 1,060
55.0 52.1 1,296
                  1 MARKED: (1)
     5.3 133
                 -9 MISSING
_____
100.0 100.0 2,489 cases (Wtd)
```

Data type: numeric Missing-data code: -9 Columns: 445-446

V6190 066C22F:R WNTDO NONE

Item Number: 00580

Question Number(s): 6C22F Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	89.6	2,230	0	NT MARKD:(0)
5.3	5.1	126	1	MARKED: (1)
	5.3	133	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 447-448

V6191 066C23 :HRS/W WRK SCHYR

Item Number: 00590

Question Number(s): 6C23 On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26-30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	26.8	667	1	NONE: (1)
9.4	8.9	220	2	5 OR <:(2)
9.2	8.7	217	3	6-10 HRS:(3)
11.2	10.6	264	4	11-15 HR:(4)
15.2	14.3	356	5	16-20 HR:(5)
10.8	10.2	253	6	21-25 HR:(6)
8.0	7.6	189	7	26-30 HR:(7)
7.8	7.4	184	8	30+ HRS:(8)
	5.6	139	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 449-450

V6192 066C24A:R\$/AVG WEEK JOB

Item Number: 00600

Question Number(s): 6C24A During an average week, how much

money did you get from. . . A: A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	29.5	735	1	NONE: (1)
0.9	0.8	21	2	\$1-5:(2)
2.9	2.7	68	3	\$6-10:(3)
2.6	2.4	59	4	\$11-20:(4)
4.0	3.7	92	5	\$21-35:(5)
6.1	5.6	140	6	\$36-50:(6)
8.6	8.0	199	7	\$51-75:(7)
18.8	17.4	434	8	\$76-125:(8)
24.2	22.4	558	9	\$126+:(9)
	7.3	183	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 451-452

V6193 066C24B:R\$/AVG WEEK OTH

Item Number: 00610

Question Number(s): 6C24B During an average week, how much money did you get from. . . B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	35.7	888	1	NONE: (1)
4.5	4.1	103	2	\$1-5:(2)
8.1	7.4	184	3	\$6-10:(3)
17.9	16.4	408	4	\$11-20:(4)
13.3	12.1	302	5	\$21-35:(5)
7.4	6.7	168	6	\$36-50:(6)
3.1	2.8	70	7	\$51-75:(7)
3.4	3.1	78	8	\$76-125:(8)
3.2	3.0	74	9	\$126+:(9)
	8.5	213	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 453-454

V6194 066C25 :#X/AV WK GO OUT

Item Number: 00620

Question Number(s): 6C25 During a typical week, on how

many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	10.6	264	1	< 1:(1)
14.9	14.1	350	2	ONE: (2)
26.0	24.4	608	3	TWO:(3)
22.5	21.1	526	4	THREE: (4)
17.5	16.5	410	5	4-5:(5)
7.8	7.3	183	6	6-7:(6)
	6.0	149	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 455-456

V6195 066C26 :#X DATE 3+/WK

Item Number: 00630

Question Number(s): 6C26 On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	25.2	628	1	NEVER: (1)
19.3	18.2	453	2	1/MO OR<:(2)
17.0	16.0	398	3	2-3/MO:(3)
15.0	14.2	352	4	1/WK:(4)
14.0	13.2	328	5	2-3/WK:(5)
8.0	7.5	187	6	3+/WK:(6)
	5.7	142	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 457-458

V6196 066C27 :DRIVE>200 MI/WK

Item Number: 00640

Question Number(s): 6C27 During an average week, how much

do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.1	401	1	NONE: (1)
8.7	8.2	204	2	1-10 MI:(2)
24.1	22.8	568	3	11-50:(3)
21.7	20.6	512	4	51-100:(4)
17.9	17.0	422	5	101-200:(5)
10.6	10.1	250	6	> 200:(6)
	5.3	131	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 459-460

V6197 066C28 :#X/12MO R TCKTD

Item Number: 00650

Question Number(s): 6C28 Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	71.1	1,768	0	NONE: (0)
14.1	13.3	332	1	ONE:(1)
6.0	5.7	142	2	TWO: (2)
2.2	2.1	52	3	THREE: (3)
2.3	2.2	54	4	4+:(4)
	5.6	140	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 461-462

V6198 066C29AR#TCKTS AFT DRNK

Item Number: 00660

Question Number(s): 6C29A How many of these tickets or warnings occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	21.9	544	0	None:(0)
3.4	0.8	19	1	One:(1)
1.6	0.4	9	2	Two: (2)
0.2	0.1	1	3	3-4 or +: (3-4)
	76.9	1,914	-9	MISSING
100 0	100 0	2 400	anana /	w+4)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 463-464

V6199 066C29BR#TCKTS AFT MARJ

Item Number: 00670

Question Number(s): 6C29B How many of these tickets or warnings occurred after you were . . . B: Smoking marijuana

or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	22.0	547	0	None:(0)
2.7	0.6	16	1	One:(1)
1.1	0.3	6	2	Two: (2)
0.8	0.2	5	3	3-4 or +: (3-4)
	76.9	1,915	-9	MISSING
100 0	100 0	2.489	cases	(M+d)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 465-466

V6200 066C29CR#TCKTS AFT OTDG

Item Number: 00680

Question Number(s): 6C29C How many of these tickets or warnings occurred after you were . . . C: Using other

illegal drugs?

0="None" l="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	22.7	564	0	None:(0)
0.7	0.2	4	1	One:(1)
0.4	0.1	3	2	Two:(2)
0.4	0.1	2	3	3-4 or +: (3-4)
	77.0	1,916	-9	MISSING
100 0	100 0	2 400	aaaa	/ m+ → \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 467-468

V6201 066C30 :#ACCIDNTS/12 MO

Item Number: 00690

Question Number(s): 6C30 We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving

0="None--GO TO QUESTION 32" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	74.3	1,850	0	NONE: (0)
15.9	15.0	372	1	ONE: (1)
4.0	3.8	94	2	TWO:(2)
0.7	0.6	16	3	THREE: (3)
0.6	0.5	14	4	4+:(4)
	5.8	143	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 469-470

V6202 066C31AR#ACDTS AFT DRNK

Item Number: 00700

Question Number(s): 6C31A How many of these accidents occurred after you were . . . A: Drinking alcoholic

beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	18.9	471	0	None:(0)
3.5	0.7	17	1	One:(1)
0.1	0.0	1	2	Two: (2)
0.7	0.1	4	3	3-4 or +: (3-4)
	80.2	1,996	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 471-472

V6203 066C31BR#ACDTS AFT MARJ

Item Number: 00710

Question Number(s): 6C31B How many of these accidents occurred after you were . . . B: Smoking marijuana or

hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	19.0	473	0	None:(0)
2.0	0.4	10	1	One:(1)
0.6	0.1	3	2	Two: (2)
0.6	0.1	3	3	3-4 or +: (3-4)
	80.3	1,999	-9	MISSING
100 0	100 0	0 400	/	T.T.L7 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 473-474

V6204 066C31CR#ACDTS AFT OTDG

Item Number: 00720

Question Number(s): 6C31C How many of these accidents occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	19.2	479	0	None:(0)
1.0	0.2	5	1	One:(1)
0.0	0.0	0	2	Two: (2)
0.6	0.1	3	3	3-4 or +: (3-4)
	80.4	2,002	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 475-476

V6205 066C32 :USE SEATBLT-DRVR

Item Number: 22210

Question Number(s): 6C32 When you drive a car, how often

do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always"

8="Does Not Apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.6	114	1	NEVER: (1)
4.9	4.6	114	2	SELDOM: (2)
6.1	5.7	142	3	SOMETIME: (3)
8.5	8.0	200	4	OFTEN: (4)
70.5	66.3	1,649	5	ALWAYS: (5)
5.2	4.9	122	8	INAP:(8)
	5.9	148	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 477-478

V6206 066C33 :USE SEATBLT-RIDR

Item Number: 22220

Question Number(s): 6C33 When you are riding in the front passenger seat of a car, how often do you wear a seatbelt?

1="Never" 2="Seldom" 3="Sometimes" 4="Often" 5="Always" 8="Does Not Apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	112	1	NEVER: (1)
5.6	5.2	129	2	SELDOM: (2)
6.8	6.3	157	3	SOMETIME: (3)
14.6	13.6	339	4	OFTEN: (4)
67.8	63.2	1,573	5	ALWAYS: (5)
0.4	0.4	10	8	INAP:(8)
	6.8	170	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 479-480 V6560 066D01 :#X ANTISMK TV/RD

Item Number: 30260

Question Number(s): 6D01 The next questions are about anti-smoking commercials or "spots" that are intended to discourage cigarette smoking. In recent months, about how often have you seen such anti-smoking commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.7	217	1	NOT@ALL:(1)
11.6	10.9	272	2	<1X/MO:(2)
23.7	22.3	555	3	1-3/MO:(3)
27.6	25.9	646	4	1-3/WK:(4)
21.0	19.8	492	5	ABT DAILY:(5)
6.7	6.3	157	6	> DAILY:(6)
	6.1	151	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric

Missing-data code: -9 Columns: 481-482

V6561 066D02 :#X ANTISMK PRINT

Item Number: 30270

Question Number(s): 6D02 In recent months, about how often have you seen anti-smoking ads on billboards or in magazines and newspapers?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	16.0	399	1	NOT@ALL:(1)
22.1	20.8	517	2	<1X/MO:(2)
32.3	30.3	753	3	1-3/MO:(3)
18.6	17.5	434	4	1-3/WK:(4)
7.9	7.4	184	5	ABT DAILY:(5)
2.1	2.0	49	6	<pre>> DAILY:(6)</pre>
	6.1	152	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 483-484

V6562 066D03A:ANTISMK ADS<FVRB

Item Number: 30280

Question Number(s): 6D03A To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . . A: . . . made you less favorable toward smoking cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	29.5	734	1	NOT@ALL:(1)
19.5	18.2	454	2	LITTLE:(2)
27.3	25.5	635	3	SOME:(3)
10.3	9.6	239	4	GREAT: (4)
11.4	10.6	264	5	VRY GREAT: (5)
	6.5	162	-9	MISSING
100 0	100 0	2 / 2 0	angog	(W+d)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 485-486

V6563 066D03B:ANTISMK ADS<LKLY

Item Number: 30290

Question Number(s): 6D03B To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . . B: . . . made you less likely to smoke cigarettes?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	33.5	833	1	NOT@ALL:(1)
16.8	15.7	389	2	LITTLE:(2)
23.7	22.1	549	3	SOME: (3)
10.6	9.9	247	4	GREAT: (4)
12.8	11.9	297	5	VRY GREAT: (5)
	7.0	173	-9	MISSING
100 0	100 0	2 400	anana 1	' 14 + A \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 487-488

V6564 066D03C:ANTISMK ADS EXAG

Item Number: 30300

Question Number(s): 6D03C To what extent do you think such ads on TV, radio, and billboards or in magazines and newspapers have . . . $\ensuremath{\text{C:}}$. . . overstated the dangers or risks of cigarette smoking?

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	38.4	956	1	NOT@ALL:(1)
18.8	17.4	434	2	LITTLE:(2)
21.8	20.3	504	3	SOME: (3)
8.4	7.8	194	4	GREAT: (4)
9.7	9.0	225	5	<pre>VRY GREAT:(5)</pre>
	7.1	176	-9	MISSING
1000	100 0	0 400		/ T.T. 7 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 489-490

V6565 066D04A:CIG SMKRS-ATHLTS

Item Number: 30310

Question Number(s): 6D04A These days, how many people in the following groups would you guess are regular cigarette smokers? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	41.2	1,025	1	0%-10%:(1)
22.8	21.3	530	2	11%-30%:(2)
10.8	10.1	250	3	31%-50%:(3)
5.6	5.3	131	4	51%-70%:(4)
2.6	2.5	61	5	71%-90%:(5)
1.0	1.0	24	6	91%-100%:(6)
13.0	12.1	302	8	NO IDEA:(8)
	6.6	165	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 491-492

V6566 066D04B:CIG SMKRS-ROCKRS

Item Number: 30320

Question Number(s): 6D04B These days, how many people in the following groups would you guess are regular cigarette smokers? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.9	72	1	0%-10%:(1)
5.6	5.2	129	2	11%-30%:(2)
12.8	11.9	297	3	31%-50%:(3)
21.3	19.9	494	4	51%-70%:(4)
31.0	29.0	721	5	71%-90%:(5)
17.5	16.4	408	6	91%-100%:(6)
8.7	8.1	203	8	NO IDEA:(8)
	6.6	165	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 493-494

V6567 066D04C:CIG SMKRS-ACTORS

Item Number: 30330

Question Number(s): 6D04C These days, how many people in the following groups would you guess are regular cigarette smokers? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%"

5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	3.8	96	1	0%-10%:(1)
10.5	9.8	243	2	11%-30%:(2)
20.9	19.4	483	3	31%-50%:(3)
26.3	24.5	610	4	51%-70%:(4)
19.2	17.9	446	5	71%-90%:(5)
8.2	7.6	189	6	91%-100%:(6)
10.7	10.0	248	8	NO IDEA:(8)
	6.9	172	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 495-496

V6568 066D04D:CIG SMKRS-PEERS

Item Number: 30340

Question Number(s): 6D04D These days, how many people in the following groups would you guess are regular cigarette smokers? D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	7.8	194	1	0%-10%:(1)
18.0	16.8	418	2	11%-30%:(2)
25.0	23.3	580	3	31%-50%:(3)
22.6	21.1	526	4	51%-70%:(4)
13.9	13.0	323	5	71%-90%:(5)
5.7	5.3	132	6	91%-100%:(6)
6.4	6.0	150	8	NO IDEA:(8)
	6.6	165	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 497-498

V6569 066D05A:USE DRUGS-ATHLTS

Item Number: 22380

Question Number(s): 6D05A How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? A: Professional athletes

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	30.2	752	1	0%-10%:(1)
26.1	24.4	607	2	11%-30%:(2)
12.2	11.4	283	3	31%-50%:(3)
8.0	7.5	186	4	51%-70%:(4)
6.0	5.6	139	5	71%-90%:(5)
2.2	2.0	51	6	91%-100%:(6)
13.2	12.3	306	8	NO IDEA:(8)
	6.7	167	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 499-500

V6570 066D05B:USE DRUGS-ROCKRS

Item Number: 22390

Question Number(s): 6D05B How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? B: Rock music performers

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.4	61	1	0%-10%:(1)
6.2	5.8	144	2	11%-30%:(2)
13.2	12.3	305	3	31%-50%:(3)
18.7	17.4	433	4	51%-70%:(4)
29.2	27.2	677	5	71%-90%:(5)
20.3	18.9	469	6	91%-100%:(6)
9.8	9.1	227	8	NO IDEA:(8)
	6.9	172	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 501-502

V6571 066D05C:USE DRUGS-ACTORS

Item Number: 22400

Question Number(s): 6D05C How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? C: Actors and actresses

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.2	178	1	0%-10%:(1)
17.9	16.7	415	2	11%-30%:(2)
21.8	20.3	505	3	31%-50%:(3)
20.0	18.6	462	4	51%-70%:(4)
14.3	13.3	332	5	71%-90%:(5)
5.0	4.7	117	6	91%-100%:(6)
13.3	12.3	307	8	NO IDEA:(8)
	6.9	172	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 503-504

V6572 066D05D:USE DRUGS-PEERS

Item Number: 22405

Question Number(s): 6D05D How many people in the following groups would you guess use illicit drugs (like marijuana, cocaine, etc.) occasionally or regularly? D: Students in your school

1="0% to 10%" 2="11% to 30%" 3="31% to 50%" 4="51% to 70%" 5="71% to 90%" 6="91% to 100%" 8="Have no idea"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	9.9	247	1	0%-10%:(1)
18.5	17.3	430	2	11%-30%:(2)
21.5	20.0	499	3	31%-50%:(3)
18.7	17.4	432	4	51%-70%:(4)
14.9	13.8	344	5	71%-90%:(5)
8.0	7.4	184	6	91%-100%:(6)
7.8	7.3	180	8	NO IDEA:(8)
	6.9	172	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 505-506

V6573 066D06 :SMKRS MOVIE THTR

Item Number: 30360

Question Number(s): 6D06 Think about the movie that you watched most recently in a theater. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	23.8	593	1	NO:(1)
50.3	46.9	1,167	2	SOME: (2)
9.9	9.2	230	3	A LOT:(3)
14.3	13.3	332	4	DONT REMEMBER: (4)
	6.7	167	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 507-508

V6574

066D07 :SMKRS MOVIE HOME

Item Number: 30370

Question Number(s): 6D07 Think about the movie that you watched most recently on video, DVD or TV. Did any of the characters in the movie smoke cigarettes?

1="No" 2="Yes, some" 3="Yes, a lot" 4="Don't remember"

PCT	PCT	N	VALUE	LABEI	L
VALID	ALL				
25.6	23.9	595	1	NO: (2	1)
52.1	48.6	1,209	2	SOME	:(2)
13.3	12.4	308	3	A LO	Γ:(3)
8.9	8.3	207	4	DONT	REMEMBER: (4)
	6.8	169	-9	MISS	ING
100.0	100.0	2,489	cases	(Wtd)	

Data type: numeric Missing-data code: -9 Columns: 509-510 V6581 066D08 :#X SEE DRUG SPTS

Item Number: 22460

Question Number(s): 6D08 The next questions ask about anti-drug commercials or "spots" that are intended to discourage drug use. In recent months, about how often have you seen such anti-drug commercials on TV, or heard them on the radio?

1="Not at all" 2="Less than once a month" 3="1-3 times per month" 4="1-3 times per week" 5="Daily or almost daily" 6="More than once a day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	12.7	316	1	Not at all(1)
15.7	14.6	364	2	Less than once/mo(2)
27.7	25.7	639	3	1-3/mo(3)
23.9	22.2	553	4	1-3/week(4)
14.8	13.8	343	5	Daily or almost(5)
4.2	3.9	96	6	More than once/day(6)
	7.1	177	-9	MISSING
1000	1000	0 400	,	7\

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 511-512

V6582 066D09A:ADS-PEOPL <FAVBL

Item Number: 22470

Question Number(s): 6D09A To what extent do you think such commercials have . . . A: Made people your age less

favorable toward drugs

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	26.5	659	1	Not at all(1)
30.3	27.7	690	2	Little extent(2)
30.5	27.9	695	3	Some extent(3)
6.4	5.8	145	4	<pre>Great extent(4)</pre>
4.0	3.6	90	5	Very Great extent(5)
	8.4	209	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 513-514

V6583 066D09B:ADS-YOU <FAVORBL

Item Number: 22480

Question Number(s): 6D09B To what extent do you think such commercials have . . . B: Made you less favorable toward

drugs

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	28.2	701	1	Not at all(1)
19.2	17.5	437	2	Little extent(2)
27.3	24.9	620	3	Some extent(3)
11.9	10.8	269	4	<pre>Great extent(4)</pre>
10.7	9.7	243	5	Very Great extent(5)
	8.8	219	-9	MISSING
100 0	100 0	2 /00	anana /	′ ₩+ ♂ \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 515-516

V6584 066D09C:ADS-YOU <TRY DRG

Item Number: 22490

Question Number(s): 6D09C To what extent do you think such commercials have . . . C: Made you less likely to use drugs

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	29.5	735	1	Not at all(1)
19.3	17.6	438	2	Little extent(2)
24.3	22.1	549	3	Some extent(3)
12.0	10.9	271	4	<pre>Great extent(4)</pre>
12.0	10.9	271	5	Very Great extent(5)
	9.1	225	-9	MISSING
1000	100 0	0 400	,	TT: 7\

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 517-518

V6585 066D09D:ADS-OVRST DANGER

Item Number: 22500

Question Number(s): 6D09D To what extent do you think such commercials have . . . D: Overstated the dangers or risks of drug use

1="Not at All" 2="To a Little Extent" 3="To Some Extent" 4="To a Great Extent" 5="To a Very Great Extent"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	37.0	922	1	Not at all(1)
20.6	18.7	464	2	Little extent(2)
21.3	19.3	480	3	Some extent(3)
9.1	8.3	206	4	<pre>Great extent(4)</pre>
8.2	7.5	185	5	<pre>Very Great extent(5)</pre>
	9.3	231	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 519-520

V6353 066D10A:POS ATT TWD SELF

Item Number: 12550

Question Number(s): 6D10A How much do you agree or disagree with each of the following statements? A: I take a

positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.3	82	1	DISAGREE: (1)
5.9	5.4	135	2	MOST DIS:(2)
9.1	8.4	209	3	NEITHER: (3)
42.7	39.3	977	4	MOST AGR: (4)
38.6	35.5	883	5	AGREE: (5)
	8.1	202	-9	MISSING
4000	4000		,	

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 521-522

V6354 066D10B:LIFE MEANINGLESS

Item Number: 23700

Question Number(s): 6D10B How much do you agree or disagree with each of the following statements? B: Life

often seems meaningless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	36.4	905	1	DISAGREE:(1)
30.6	28.1	698	2	MOST DIS:(2)
16.6	15.2	378	3	NEITHER: (3)
8.9	8.2	203	4	MOST AGR: (4)
4.1	3.8	94	5	AGREE: (5)
	8.5	210	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 523-524

V6355 066D10C:SHD DO OWN THING

Item Number: 07040

Question Number(s): 6D10C How much do you agree or disagree with each of the following statements? C: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.1	76	1	DISAGREE: (1)
3.1	2.8	71	2	MOST DIS:(2)
9.8	9.0	223	3	NEITHER:(3)
36.5	33.4	832	4	MOST AGR: (4)
47.3	43.3	1,077	5	AGREE: (5)
	8.4	210	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 525-526

V6356 066D10D:-MUCH TO B PROUD

Item Number: 12660

Question Number(s): 6D10D How much do you agree or disagree with each of the following statements? D: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	44.0	1,095	1	DISAGREE: (1)
26.6	24.3	606	2	MOST DIS:(2)
14.0	12.8	319	3	NEITHER:(3)
6.8	6.3	156	4	MOST AGR: (4)
4.4	4.0	100	5	AGREE: (5)
	8.6	213	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 527-528

V6357 066D10E:AM PRSN OF WORTH

Item Number: 12570

Question Number(s): 6D10E How much do you agree or disagree with each of the following statements? E: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.9	96	1	DISAGREE: (1)
4.3	4.0	99	2	MOST DIS:(2)
13.5	12.4	308	3	NEITHER: (3)
33.0	30.2	751	4	MOST AGR: (4)
45.0	41.2	1,025	5	AGREE: (5)
	8.4	210	-9	MISSING
1000	1000	0 400	,	1\

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 529-530

V6358 066D10F:I ENJOY LIFE

Item Number: 23710

Question Number(s): 6D10F How much do you agree or disagree with each of the following statements? F: I enjoy life as much as anyone

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.4	86	1	DISAGREE: (1)
5.8	5.3	132	2	MOST DIS:(2)
11.8	10.7	267	3	NEITHER:(3)
34.1	31.0	772	4	MOST AGR: (4)
44.5	40.5	1,008	5	AGREE:(5)
	9.0	223	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 531-532

V6359 066D10G:KICK DO DANGR TH

Item Number: 07050

Question Number(s): 6D10G How much do you agree or disagree with each of the following statements? G: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	12.1	300	1	DISAGREE: (1)
15.6	14.2	354	2	MOST DIS:(2)
22.2	20.2	503	3	NEITHER: (3)
29.7	27.1	674	4	MOST AGR: (4)
19.3	17.6	437	5	AGREE: (5)
	8.8	220	-9	MISSING
100 0	100 0	2 /00	anana /	W+4)

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 533-534

V6360 066D10H:I AM NO GOOD

Item Number: 12680

Question Number(s): 6D10H How much do you agree or disagree with each of the following statements? H: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	37.4	932	1	DISAGREE: (1)
25.7	23.4	583	2	MOST DIS:(2)
15.3	14.0	348	3	NEITHER:(3)
12.3	11.2	279	4	MOST AGR: (4)
5.7	5.2	129	5	AGREE: (5)
	8.7	218	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 535-536

V6361 066D10I:DO WELL AS OTHRS

Item Number: 12580

Question Number(s): 6D10I How much do you agree or disagree with each of the following statements? I: I am able

to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.3	58	1	DISAGREE: (1)
4.3	3.9	96	2	MOST DIS:(2)
12.9	11.7	292	3	NEITHER:(3)
38.5	35.0	872	4	MOST AGR: (4)
41.9	38.1	949	5	AGREE: (5)
	8.9	222	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 537-538

V6362 066D10J:FUTURE HOPELESS

Item Number: 23720

Question Number(s): 6D10J How much do you agree or disagree with each of the following statements? J: The

future often seems hopeless

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	48.2	1,199	1	DISAGREE: (1)
23.8	21.7	541	2	MOST DIS:(2)
13.2	12.1	301	3	NEITHER:(3)
6.7	6.2	153	4	MOST AGR: (4)
3.4	3.1	78	5	AGREE: (5)
	8.7	216	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 539-540

V6363 066D10K:LIKE RISK SOME X

Item Number: 07060

Question Number(s): 6D10K How much do you agree or disagree with each of the following statements? K: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	15.3	381	1	DISAGREE: (1)
15.7	14.3	357	2	MOST DIS:(2)
22.2	20.2	503	3	NEITHER:(3)
27.6	25.2	627	4	MOST AGR: (4)
17.6	16.1	400	5	AGREE: (5)
	8.9	221	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 541-542

V6364 066D10L:I DO WRONG THING

Item Number: 12720

Question Number(s): 6D10L How much do you agree or diagree with each of the following statements? L: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	43.1	1,073	1	DISAGREE: (1)
26.2	23.8	593	2	MOST DIS:(2)
15.1	13.7	342	3	NEITHER:(3)
8.0	7.3	181	4	MOST AGR: (4)
3.4	3.1	77	5	AGREE: (5)
	9.0	224	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 543-544

V6365 066D10M:SATISFD W MYSELF

Item Number: 12620

Question Number(s): 6D10M How much do you agree or disagree with each of the following statements? M: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.5	86	1	DISAGREE: (1)
4.4	4.0	100	2	MOST DIS:(2)
12.6	11.4	285	3	NEITHER: (3)
32.8	29.7	740	4	MOST AGR: (4)
46.3	42.0	1,044	5	AGREE: (5)
	9.4	234	-9	MISSING
	1000	0 400	,	7\

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 545-546

V6366 066D10N:MY LIFE NT USEFL

Item Number: 12750

Question Number(s): 6D10N How much do you agree or diagree with each of the following statements? N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	49.0	1,220	1	DISAGREE: (1)
24.5	22.3	556	2	MOST DIS:(2)
13.1	12.0	298	3	NEITHER:(3)
5.3	4.8	120	4	MOST AGR: (4)
3.2	3.0	74	5	AGREE: (5)
	8.9	222	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 547-548

V6367 066D100:GOOD TO BE ALIVE

Item Number: 23730

Question Number(s): 6D100 How much do you agree or

disagree with each of the following statements? O: It feels

good to be alive

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.2	55	1	DISAGREE: (1)
1.7	1.6	39	2	MOST DIS:(2)
9.6	8.7	218	3	NEITHER:(3)
24.5	22.3	554	4	MOST AGR: (4)
61.8	56.2	1,397	5	AGREE: (5)
	9.1	226	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 549-550

V6587 066D10P:LIK XPLOR STRANG

Item Number: 31080

Question Number(s): 6D10P How much do you agree or disagree with each of the following statements? P: I would like to explore strange places.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.1	127	1	Disagree(1)
5.3	4.9	121	2	Mostly Disagree(2)
14.6	13.3	331	3	Neither(3)
28.4	25.8	642	4	Mostly Agree(4)
46.0	41.8	1,041	5	Agree(5)
	9.1	227	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 551-552

V6588 066D10Q:LIK DO FRIGHT TG

Item Number: 31090

Question Number(s): 6D10Q How much do you agree or disagree with each of the following statements? Q: I like to do frightening things.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	18.3	456	1	Disagree(1)
15.8	14.3	357	2	Mostly Disagree(2)
24.2	22.0	548	3	Neither(3)
22.3	20.2	504	4	Mostly Agree(4)
17.5	15.9	396	5	Agree(5)
	9.2	228	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 553-554

V6589 066D10R:LIK EVN BRK RULE

Item Number: 31100

Question Number(s): 6D10R How much do you agree or disagree with each of the following statements? R: I like new and exciting experiences, even if I have to break the rules.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	L	ABEL
VALID	ALL				
12.8	11.6	289	1	. D	isagree(1)
15.5	14.1	350	2	M 2	ostly Disagree(2)
20.5	18.6	464	3	3 N	either(3)
29.1	26.4	657	4	l M	ostly Agree(4)
22.2	20.1	501	5	5 A	gree(5)
	9.1	227	- 9) M	ISSING
100.0	100.0	2,489	cases	(Wt	d)

Data type: numeric Missing-data code: -9 Columns: 555-556

V6590 066D10S:PRF FRND EXCITNG

Item Number: 31110

Question Number(s): 6D10S How much do you agree or disagree with each of the following statements? S: I prefer friends who are exciting and unpredictable.

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.0	150	1	Disagree(1)
8.2	7.5	186	2	Mostly Disagree(2)
27.5	24.9	621	3	Neither(3)
30.8	28.0	696	4	Mostly Agree(4)
26.8	24.3	604	5	Agree(5)
	9.3	232	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 557-558

V6497 066D11A: #XDRUNK/LIFETIME

Item Number: 25020

Question Number(s): 6D11A The different questionnaire forms used in this study emphasize different topics. In the rest of this questionnaire, we ask more about your experiences and attitudes relating to alcohol and other drugs. On how many occasions (if any) have you been drunk or very high from drinking alcoholic beverages? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	38.1	949	1	0 OCCAS:(1)
13.8	12.4	309	2	1-2X:(2)
8.5	7.6	189	3	3-5X:(3)
6.5	5.8	145	4	6-9X:(4)
8.3	7.4	185	5	10-19X:(5)
7.1	6.4	159	6	20-39X:(6)
13.3	11.9	297	7	40+OCCAS:(7)
	10.3	256	-9	MISSING
100 0	100 0	0 400	/	T.T.L7 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 559-560

V6498 066D11B: #XDRUNK/LAST12MO

Item Number: 25030

Question Number(s): 6D11B On how many occasions (if any) have you been drunk or very high from drinking alcoholic

beverages? B: . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	46.2	1,149	1	0 OCCAS:(1)
15.0	13.4	334	2	1-2X:(2)
8.8	7.9	197	3	3-5X:(3)
7.9	7.0	175	4	6-9X:(4)
6.5	5.8	145	5	10-19X:(5)
4.5	4.0	99	6	20-39X:(6)
5.8	5.2	129	7	40+OCCAS: (7)
	10.5	261	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 561-562

V6499 066D11C: #XDRUNK/LAST30DA

Item Number: 25040

Question Number(s): 6D11C On how many occasions (if any) have you been drunk or very high from drinking alcoholic

beverages? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	61.7	1,534	1	0 OCCAS:(1)
14.8	13.2	328	2	1-2X:(2)
7.5	6.7	167	3	3-5X:(3)
4.4	3.9	97	4	6-9X:(4)
2.5	2.2	56	5	10-19X:(5)
0.8	0.7	17	6	20-39X:(6)
1.1	1.0	25	7	40+OCCAS:(7)
	10.6	264	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 563-564

V6368 066D12A:#X STRD/LIFETIME

Item Number: 22690

Question Number(s): 6D12A Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	87.9	2,187	1	0 OCCAS:(1)
1.2	1.1	27	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.3	0.3	6	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.5	0.5	12	7	40+OCCAS:(7)
	9.9	247	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 565-566

V6369 066D12B:#X STRD/LAST12MO

Item Number: 22700

Question Number(s): 6D12B On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	88.5	2,203	1	0 OCCAS:(1)
0.7	0.6	15	2	1-2X:(2)
0.4	0.3	9	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS: (7)
	9.9	246	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 567-568

V6370 066D12C:#X STRD/LAST30DA

Item Number: 22710

Question Number(s): 6D12C On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	89.1	2,216	1	0 OCCAS:(1)
0.4	0.3	8	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	9.9	246	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 569-570

V6376 066D13A:MTHD STRD-INJECT

Item Number: 23790

Question Number(s): 6D13A What methods have you used for taking steroids on your own? (Mark ALL that apply.) A. Injection

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL 0 NT MRKED:(0) 31 10 74.9 1.3 1 MARKED: (1) 25.1 0.4 98.3 2,447 -9 MISSING 100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 571-572

V6377

066D13B:MTHD STRD-MOUTH

Item Number: 23800

Question Number(s): 6D13B What methods have you used for taking steroids on your own? (Mark all that apply.) B. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	0.6	14	0	NT MRKED: (0)
67.1	1.1	28	1	MARKED: (1)
	98.3	2,447	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 573-574

V6586 066D13C:HVNT USED STRDS

Item Number: 30940

Question Number(s): 6D13C What methods have you used for taking steroids on your own? C: Haven't used steroids.

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.4	36	0	Not marked(0)
98.4	88.1	2,193	1	Marked(1)
	10.5	260	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 575-576

V6500 066D14A: #X INJECT/LIFE

Item Number: 25050

Question Number(s): 6D14A On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	88.1	2,192	1	0 OCCAS:(1)
0.9	0.8	20	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.0	1	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.4	0.3	9	7	40+OCCAS:(7)
	10.2	253	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 577-578

V6501 066D14B:#X INJECT/LST12M

Item Number: 25060

Question Number(s): 6D14B On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	88.6	2,205	1	0 OCCAS:(1)
0.4	0.3	8	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.2	0.1	3	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	10.2	253	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 579-580

V6502 066D14C:#X INJECT/LST30D

Item Number: 25070

Question Number(s): 6D14C On how many occasions (if any) have you taken any drugs by injection with a needle (like heroin, cocaine, amphetamines, or steroids) . . . Do NOT include anything you took under a doctor's orders. C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	88.8	2,210	1	0 OCCAS:(1)
0.3	0.3	6	2	1-2X:(2)
0.3	0.3	6	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS: (7)
	10.2	253	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 581-582

V6503 066D15 :GR 1ST INJECT

Item Number: 25680

Question Number(s): 6D15 When (if ever) did you FIRST inject any drug with a needle (without doctor's orders)?

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.3	0.2	6	1	GRADE	6:(1)
0.2	0.2	4	2	GRADE	7:(2)
0.0	0.0	0	3	GRADE	8:(3)
0.3	0.3	6	4	GRADE	9:(4)
0.3	0.2	6	5	GRADE	10:(5)
0.1	0.1	3	6	GRADE	11:(6)
0.2	0.2	4	7	GRADE	12:(7)
98.7	87.3	2,173	8	NEVER:	:(8)
	11.5	286	-9	MISSI	1G

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 583-584

V6378 066D16A:GR 1ST SMOK EVR

Item Number: 05575

Question Number(s): 6D16A When (if ever) did you FIRST do each of the following things? A: Smoke your first cigarette

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7= "Grade 12 (Senior) "

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	7.3	180	1	GRADE 6:(1)
5.6	4.8	120	2	GRADE 7:(2)
7.0	6.0	150	3	GRADE 8:(3)
6.7	5.8	143	4	GRADE 9:(4)
7.2	6.2	155	5	GRADE 10:(5)
5.0	4.3	108	6	GRADE 11:(6)
3.9	3.4	84	7	GRADE 12:(7)
56.3	48.8	1,214	8	NEVER: (8)
	13.4	334	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 585-586

V6379 066D16B:GR 1ST SMOK DLY

Item Number: 05570

Question Number(s): 6D16B When (if ever) did you FIRST do each of the following things? B: Smoke cigarettes on a daily basis

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	13	1	GRADE 6:(1)
0.8	0.7	16	2	GRADE 7:(2)
1.7	1.5	36	3	GRADE 8:(3)
3.5	3.0	75	4	GRADE 9:(4)
3.6	3.1	78	5	GRADE 10:(5)
4.5	3.9	98	6	GRADE 11:(6)
3.7	3.2	81	7	GRADE 12:(7)
81.6	71.0	1,768	8	NEVER: (8)
	13.0	324	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 587-588

V6380 066D16C:GR 1ST SMOKELESS

Item Number: 05576

Question Number(s): 6D16C When (if ever) did you FIRST do each of the following things? C: Try smokeless tobacco (snuff, plug or chewing tobacco)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
1.6	1.4	36	1	GRADE 6:(1)	
1.3	1.2	30	2	GRADE 7:(2)	
1.4	1.2	31	3	GRADE 8:(3)	
3.0	2.6	66	4	GRADE 9:(4)	
2.6	2.3	57	5	GRADE 10:(5)
3.4	3.0	75	6	GRADE 11:(6)
2.7	2.4	60	7	GRADE 12:(7)
84.1	75.3	1,873	8	NEVER: (8)	
	10.5	260	-9	MISSING	

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 589-590

V6482 066D17A:FUTR SMOKE CIGS

Item Number: 24440

Question Number(s): 6D17A In the future, do you think that

you will . . . A: Smoke cigarettes?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.4	84	1	DEF WILL:(1)
8.5	7.6	190	2	PROB WL:(2)
8.0	7.2	179	3	DK:(3)
12.1	11.0	273	4	PROB WNT: (4)
67.7	61.1	1,520	5	DEF WONT: (5)
	9.7	242	-9	MISSING
1000	1000	0 400	,	7 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 591-592

V6483 066D17B:FUTR DRINK ALCOL

Item Number: 24450

Question Number(s): 6D17B In the future, do you think that

you will . . . B: Drink alcoholic beverages?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	25.0	622	1	DEF WILL:(1)
35.0	31.5	784	2	PROB WL:(2)
12.7	11.4	284	3	DK:(3)
6.8	6.2	153	4	PROB WNT: (4)
17.8	16.0	399	5	DEF WONT: (5)
	9.9	246	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 593-594

V6484 066D17C:FUTR TRY/USE MJ

Item Number: 24460

Question Number(s): 6D17C In the future, do you think that

you will . . . C: Try or use marijuana?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	9.0	224	1	DEF WILL:(1)
12.1	10.9	270	2	PROB WL:(2)
11.9	10.7	267	3	DK:(3)
11.9	10.7	267	4	PROB WNT:(4)
54.1	48.8	1,214	5	DEF WONT: (5)
	9.9	247	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 595-596

V6485 066D17D:FUTR TRY/USE CRK

Item Number: 24470

Question Number(s): 6D17D In the future, do you think that

you will . . . D: Try or use "crack" cocaine?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL	11	VIIIOI	
3.0	2.7	67	1	DEF WILL:(1)
0.7	0.7	17	2	PROB WL:(2)
2.6	2.3	58	3	DK:(3)
4.1	3.7	92	4	PROB WNT: (4)
89.6	80.8	2,011	5	DEF WONT: (5)
	9.8	245	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 597-598

V6486 066D17E:FUTR TRY/US COKP

Item Number: 24480

Question Number(s): 6D17E In the future, do you think that

you will . . . E: Try or use cocaine in powder form?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.9	71	1	DEF WILL:(1)
1.7	1.5	38	2	PROB WL:(2)
3.7	3.4	83	3	DK:(3)
4.0	3.6	89	4	PROB WNT: (4)
87.4	78.6	1,957	5	DEF WONT: (5)
	10.0	250	-9	MISSING
1000	100 0	0 100	,	T.T. 7 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 599-600

V6487 066D17F:FUTR TR/U OTH DG

Item Number: 24490

Question Number(s): 6D17F In the future, do you think that

you will . . . F: Try or use any other illegal drugs?

1="Definitely will" 2="Probably will" 3="Don't know"

4="Probably won't" 5="Definitely won't"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.2	80	1	DEF WILL: (1)
3.4	3.0	76	2	PROB WL:(2)
6.7	6.0	150	3	DK:(3)
6.4	5.8	144	4	PROB WNT: (4)
79.9	71.9	1,788	5	DEF WONT: (5)
	10.1	250	-9	MISSING
100 0	100 0	2 489	02000 /	(b+w

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 601-602

V6575

066D18A:FRND DAP CIG OCC

Item Number: 30380

Question Number(s): 6D18A How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? A: Smoking cigarettes occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	27.0	672	1	NT DISAP:(1)
34.8	31.1	773	2	DISAPRV:(2)
34.9	31.2	776	3	ST DISAP:(3)
	10.7	267	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 603-604

V6576 066D18B:FRND DAP CIG DLY

Item Number: 30390

Question Number(s): 6D18B How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? B: Smoking cigarettes every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	18.4	457	1	NT DISAP:(1)
29.3	26.2	651	2	DISAPRV:(2)
50.1	44.8	1,114	3	ST DISAP:(3)
	10.7	267	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 605-606

V6408

066D18C:FRD DAP CIGS

Item Number: 11470

Question Number(s): 6D18C How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? C: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	12.2	303	1	NT DISAP:(1)
25.2	22.5	560	2	DISAPRV:(2)
61.2	54.6	1,359	3	ST DISAP:(3)
	10.7	267	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 607-608

V6577 066D18D:FRND DAP SMKL OC

Item Number: 30400

Question Number(s): 6D18D How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? D: Using smokeless tobacco occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	16.9	421	1	NT DISAP:(1)
31.1	27.6	687	2	DISAPRV:(2)
49.9	44.3	1,103	3	ST DISAP:(3)
	11.2	278	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 609-610

V6578

066D18E:FRND DAP SMKL DL

Item Number: 30410

Question Number(s): 6D18E How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? E: Using smokeless tobacco every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	13.0	323	1	NT DISAP:(1)
27.8	24.7	614	2	DISAPRV:(2)
57.6	51.1	1,271	3	ST DISAP:(3)
	11.3	281	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 611-612

V6579 066D18F:FRND DAP SMKL D+

Item Number: 30420

Question Number(s): 6D18F How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? F: Using smokeless tobacco several times per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	10.9	271	1	NT DISAP:(1)
25.4	22.5	560	2	DISAPRV:(2)
62.3	55.3	1,377	3	ST DISAP:(3)
	11.3	280	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 613-614

V6409

066D18G:FRD DAP TRY MARJ

Item Number: 11480

Question Number(s): 6D18G How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? G: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	34.2	851	1	NT DISAP:(1)
23.6	21.0	523	2	DISAPRV:(2)
38.0	33.8	841	3	ST DISAP:(3)
	11.0	274	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 615-616

V6410 066D18H:FRD DAP MJ OCC

Item Number: 11490

Question Number(s): 6D18H How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? H: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	27.0	671	1	NT DISAP:(1)
23.8	21.2	528	2	DISAPRV:(2)
45.9	40.9	1,018	3	ST DISAP:(3)
	10.9	272	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 617-618

V6411

066D18I:FRD DAP MJ REG

Item Number: 11500

Question Number(s): 6D18I How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? I: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	16.8	419	1	NT DISAP:(1)
24.2	21.5	535	2	DISAPRV:(2)
56.9	50.6	1,258	3	ST DISAP:(3)
	11.1	277	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 619-620

V6414 066D18J:FRD DAP TRY CRCK

Item Number: 23940

Question Number(s): 6D18J How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? J: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.0	148	1	NT DISAP:(1)
16.7	15.1	376	2	DISAPRV:(2)
76.7	69.3	1,724	3	ST DISAP:(3)
	9.6	240	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 621-622

V6415

066D18K:FRD DAP CRCK OCC

Item Number: 23950

Question Number(s): 6D18K How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? K: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.4	109	1	NT DISAP:(1)
14.4	13.0	322	2	DISAPRV:(2)
80.8	72.8	1,811	3	ST DISAP:(3)
	9.9	246	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 623-624

V6416 066D18L:FRD DAP TRY PWDR

Item Number: 23960

Question Number(s): 6D18L How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? L: Trying cocaine powder once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	7.4	185	1	NT DISAP:(1)
15.4	13.9	345	2	DISAPRV:(2)
76.3	68.6	1,707	3	ST DISAP:(3)
	10.1	252	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 625-626

V6417

066D18M:FRD DAP PWDR OCC

Item Number: 23970

Question Number(s): 6D18M How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? M: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.0	124	1	NT DISAP:(1)
15.0	13.4	334	2	DISAPRV:(2)
79.5	71.1	1,770	3	ST DISAP:(3)
	10.5	261	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 627-628

V6418 066D18N:FRD DAP 1-2DR/DA

Item Number: 11530

Question Number(s): 6D18N How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? N: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	23.9	594	1	NT DISAP:(1)
31.0	27.9	695	2	DISAPRV:(2)
42.5	38.2	952	3	ST DISAP:(3)
	10.0	248	-9	MISSING
100.0	100.0	2,489	cases ((Wtd)

Data type: numeric Missing-data code: -9 Columns: 629-630

V6419

066D18O:FRD DAP 4-5DR/DA

Item Number: 11540

Question Number(s): 6D180 How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? O: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	12.8	318	1	NT DISAP:(1)
27.6	24.8	618	2	DISAPRV:(2)
58.2	52.4	1,305	3	ST DISAP:(3)
	9.9	247	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 631-632

V6420 066D18P:FRD DAP 5+DR/WKD

Item Number: 11550

Question Number(s): 6D18P How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? P: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	32.4	807	1	NT DISAP:(1)
22.3	20.1	501	2	DISAPRV:(2)
41.7	37.6	937	3	ST DISAP:(3)
	9.8	244	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 633-634

V6421

066D18Q:FRD DAP DRIV+2DR

Item Number: 11551

Question Number(s): 6D18Q How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? Q: Driving a car after having 1-2 drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	14.7	366	1	NT DISAP:(1)
27.5	24.7	615	2	DISAPRV:(2)
56.1	50.4	1,254	3	ST DISAP:(3)
	10.2	253	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 635-636

V6422 066D18R:FRD DAP DRIV+5DR

Item Number: 11552

Question Number(s): 6D18R How do you think your CLOSE FRIENDS feel (or would feel) about YOU doing each of the following things? R: Driving a car after having 5 or more drinks

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.5	113	1	NT DISAP:(1)
13.9	12.5	312	2	DISAPRV:(2)
81.0	72.9	1,813	3	ST DISAP:(3)
	10.1	251	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 637-638

V6423

066D19A:ALL FRD SMK CIGS

Item Number: 07070

Question Number(s): 6D19A How many of your friends would

you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	21.9	546	1	NONE: (1)
39.5	35.8	890	2	A FEW: (2)
23.5	21.3	530	3	SOME: (3)
11.1	10.1	251	4	MOST:(4)
1.7	1.5	38	5	ALL:(5)
	9.4	234	-9	MISSING
100 0	100 0	0 400	/	T.T.L7 \

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 639-640

V6424 066D19B:ALL FRD SMK MARJ

Item Number: 07080

Question Number(s): 6D19B How many of your friends would

you estimate . . . B: Smoke marijuana or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	26.9	670	1	NONE: (1)
29.4	26.6	661	2	A FEW: (2)
23.8	21.5	535	3	SOME:(3)
14.3	13.0	322	4	MOST:(4)
2.7	2.4	60	5	ALL:(5)
	9.7	240	-9	MISSING
100 0	100 0	2 /00	a2a0a	/ W+ J /

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 641-642

V6432

066D19C:# FRNDS TK CRACK

Item Number: 07151

Question Number(s): 6D19C How many of your friends would

you estimate . . . C: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	72.4	1,803	1	NONE: (1)
14.7	13.3	330	2	A FEW: (2)
3.7	3.3	82	3	SOME: (3)
0.4	0.4	9	4	MOST:(4)
0.8	0.7	18	5	ALL:(5)
	9.9	246	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 643-644

V6433 066D19D:# FRNDS TK C PWD

Item Number: 23990

Question Number(s): 6D19D How many of your friends would

you estimate. . . D: Take cocaine in powder form?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	69.2	1,721	1	NONE: (1)
16.6	14.9	371	2	A FEW: (2)
4.8	4.3	107	3	SOME: (3)
0.9	0.8	21	4	MOST: (4)
0.8	0.7	18	5	ALL:(5)
	10.0	250	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 645-646

V6436 066D19E:ALL FRD TK INHL

Item Number: 07180

Question Number(s): 6D19E How many of your friends would you estimate . . . E: Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	74.9	1,864	1	NONE: (1)
11.1	10.0	250	2	A FEW: (2)
4.3	3.9	97	3	SOME: (3)
0.7	0.6	16	4	MOST: (4)
0.9	0.8	19	5	ALL:(5)
	9.7	242	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 647-648

V6488 066D19F:ALL FRD TK MDMA

Item Number: 23020

Question Number(s): 6D19F How many of your friends would

you estimate . . . F: Take MDMA (ecstasy)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	69.1	1,721	1	NONE: (1)
15.8	14.2	354	2	A FEW:(2)
5.4	4.9	122	3	SOME: (3)
1.3	1.2	29	4	MOST: (4)
0.6	0.5	13	5	ALL:(5)
	10.0	250	-9	MISSING
100.0	100.0	2,489	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 649-650

V6489

066D19G:ALL FRD TK ICE

Item Number: 24500

Question Number(s): 6D19G How many of your friends would

)

you estimate . . . G: Take crystal meth ("ice")?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	78.0	1,942	1	NONE: (1)
9.1	8.2	204	2	A FEW: (2
2.9	2.6	66	3	SOME: (3)
0.5	0.5	11	4	MOST:(4)
0.7	0.7	16	5	ALL:(5)
	10.0	249	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 651-652

V6490 066D19H:ALL FRD TK STERS

Item Number: 23030

Question Number(s): 6D19H How many of your friends would

you estimate . . . H: Take steroids?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	72.1	1,795	1	NONE: (1)
14.8	13.3	331	2	A FEW: (2)
4.2	3.8	93	3	SOME: (3)
0.2	0.2	4	4	MOST: (4)
0.7	0.6	15	5	ALL:(5)
	10.1	250	-9	MISSING
100.0	100.0	2,489	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 653-654

V6591 066D20A: #X GHB/LAST12MO

Item Number: 31050

Question Number(s): 6D20A Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you... A. taken GHB ("liquid G," "grievous bodily harm")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	88.9	2,213	1	0 OCCAS:(1)
0.5	0.4	11	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS: (7)
	10.1	250	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 655-656

V6592 066D20B:#X KETAMINE/12M

Item Number: 31060

Question Number(s): 6D20B During the LAST 12 MONTHS, on how many occasions (if any) have you... B. taken ketamine ("special K," "super K")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	88.4	2,199	1	0 OCCAS:(1)
0.9	0.8	19	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	10.2	255	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 657-658

V6593 066D20C:#X SMK BIDI/12M

Item Number: 31070

Question Number(s): 6D20C During the LAST 12 MONTHS, on how many occasions (if any) have you... C. smoked bidis (or

beedies) which are small brown cigarettes from India

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	87.6	2,180	1	0 OCCAS:(1)
1.1	1.0	25	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.4	0.3	8	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	10.4	258	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 659-660

V6594 066D20D: #X SMK KRETK/12M

Item Number: 31150

Question Number(s): 6D20D During the LAST 12 MONTHS, on how many occasions (if any) have you... D. smoked kreteks

(clove cigarettes)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
		IA	VALUE	ПАВЕЦ
VALID	\mathtt{ALL}			
93.8	83.8	2,086	1	0 OCCAS:(1)
2.6	2.3	58	2	1-2X:(2)
1.4	1.2	31	3	3-5X:(3)
0.9	0.8	20	4	6-9X:(4)
0.4	0.3	8	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.6	0.5	13	7	40+OCCAS: (7)
	10.6	265	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 661-662

V6595 066D20E:#X ANDRO/12MO

Item Number: 31160

Question Number(s): 6D20E During the LAST 12 MONTHS, on how many occasions (if any) have you... E. taken "andro" (androstenedione, non-prescription steroid)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	88.8	2,209	1	0 OCCAS:(1)
0.4	0.3	8	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS:(7)
	10.4	259	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 663-664

V6596 066D20F:#X CREATINE/12MO

Item Number: 31170

Question Number(s): 6D20F During the LAST 12 MONTHS, on how many occasions (if any) have you... F. taken creatine (amino acid used to build muscles)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	82.4	2,050	1	0 OCCAS:(1)
2.0	1.8	44	2	1-2X:(2)
1.6	1.4	36	3	3-5X:(3)
1.1	0.9	24	4	6-9X:(4)
1.1	0.9	23	5	10-19X:(5)
0.8	0.7	17	6	20-39X:(6)
1.5	1.3	33	7	40+OCCAS:(7)
	10.5	261	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 665-666

V6597 066D20G:#X RITALIN/12MO

Item Number: 31180

Question Number(s): 6D20G During the LAST 12 MONTHS, on how many occasions (if any) have you... G. taken ritalin

(without a doctor's orders)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	85.3	2,122	1	0 OCCAS:(1)
2.4	2.1	53	2	1-2X:(2)
1.0	0.9	22	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.7	0.6	16	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	10.4	258	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 667-668

V6600 066D20H: #X OXYCONTN/12MO

Item Number: 31310

Question Number(s): 6D20H During the LAST 12 MONTHS, on how many occasions (if any) have you... H: taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.3	85.4	2,125	1	0 OCCAS:(1)
2.1	1.9	46	2	1-2X:(2)
1.0	0.9	23	3	3-5X:(3)
0.7	0.6	16	4	6-9X:(4)
0.5	0.4	10	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	10.4	259	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 669-670

V6601 066D20I:#X VICODIN/12MO

Item Number: 31320

Question Number(s): 6D20I During the LAST 12 MONTHS, on how many occasions (if any) have you... I: taken Vicodin

(without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	80.3	1,999	1	0 OCCAS:(1)
4.9	4.4	109	2	1-2X:(2)
1.8	1.6	41	3	3-5X:(3)
1.2	1.1	27	4	6-9X:(4)
1.3	1.1	28	5	10-19X:(5)
0.6	0.5	14	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	10.5	261	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 671-672

V6602 066D20J:#X ROHYPNL/12MO

Item Number: 29785

Question Number(s): 6D20J During the LAST 12 MONTHS, on how many occasions (if any) have you... J: taken Rohypnol ("rophies," "roofies")

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	88.1	2,192	1	0 OCCAS:(1)
0.6	0.6	14	2	1-2X:(2)
0.3	0.3	8	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	1	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	10.7	266	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 673-674

V6615 066D20K:#X COUGHMED/12MO

Item Number: 31670

Question Number(s): 6D20K During the LAST 12 MONTHS, on how many occasions (if any) have you... K. taken a non-prescription cough or cold medicine (robos, DXM, etc.) to get high

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	83.8	2,085	1	0 OCCAS:(1)
3.0	2.7	66	2	1-2X:(2)
1.6	1.5	36	3	3-5X:(3)
0.9	0.8	21	4	6-9X:(4)
0.3	0.3	8	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	10.5	262	-9	MISSING

100.0 100.0 2,489 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 675-676

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at http://www.monitoringthefuture.org/pubs.html.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83

^{*} The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.