

ICPSR 36408

**Monitoring the Future: A
Continuing Study of American
Youth (12th-Grade Survey), 2015**

Form 2 Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2015

Lloyd D. Johnston

University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley

University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg

University of Michigan. Institute for Social Research. Survey Research Center

Richard A. Miech

University of Michigan. Institute for Social Research. Survey Research Center

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36408/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2015 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, John Schulenberg, and Richard A. Miech, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort—between 9 and 20 percent—though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency, tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions that drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

- regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
 - C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
 - D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
 - E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
 - F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
 - G. RELIGION. Religious affiliation, practices, and views.
 - H. POLITICS. Political affiliation, activities, and views.
 - I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
 - J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
 - K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
 - L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
 - M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
 - N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
 - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
 - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
 - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable ARCHIVE_WT (previously V5) as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2015 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ASCII text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	173	363	13,730
2	Form 1	619	1,254	2,299
3	Form 2	329	674	2,292
4	Form 3	361	738	2,278
5	Form 4	271	557	2,280
6	Form 5	318	652	2,293
7	Form 6	327	670	2,288

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (ARCHIVE_WT) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9>All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNRR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 36408

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2015

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 2 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2015	-	2292	100.0 %
	Total	2,292	100%

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

V3: 156:FORM ID

Value	Label	Unweighted Frequency	%
2	-	2292	100.0 %
	Total	2,292	100%

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

RESPONDENT_ID: R'S ID-SERIAL

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 10-14 (width: 5; decimal: 0)

Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 15-29 (width: 15; decimal: 13)

Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	449	19.6 %
2	NORTH CENTRL:(2)	490	21.4 %
3	SOUTH:(3)	939	41.0 %
4	WEST:(4)	414	18.1 %
	Total	2,292	100%

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	NOT:(0)	1567	68.4 %
1	LARGE MSA:(1)	725	31.6 %
	Total	2,292	100%

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT:(0)	437	19.1 %
1	MSA:(1)	1855	80.9 %
	Total	2,292	100%

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

V2208: 15A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	317	13.8 %
2	PRTY HPY:(2)	1357	59.2 %
3	VRY HPY:(3)	474	20.7 %
Missing Data			
-9	MISSING:(-9)	144	6.3 %
Total		2,292	100%

Based upon 2,148 valid cases out of 2,292 total cases.

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2209: 15A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.

How often do you do each of the following?

A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	58	2.5 %
2	FEW /YR:(2)	94	4.1 %
3	1-2 /MO:(3)	175	7.6 %
4	1 /WK:(4)	733	32.0 %
5	NR DAILY:(5)	1221	53.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	11	0.5 %
Total		2,292	100%

Based upon 2,281 valid cases out of 2,292 total cases.

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2210: 15A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following?

B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	67	2.9 %
2	FEW /YR:(2)	1163	50.7 %
3	1-2 /MO:(3)	929	40.5 %
4	1 /WK:(4)	103	4.5 %
5	NR DAILY:(5)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	12	0.5 %
Total		2,292	100%

Based upon 2,280 valid cases out of 2,292 total cases.

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2432: 15A02C:DALY MUSIC CNCRT

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1074	46.9 %
2	FEW /YR:(2)	1041	45.4 %
3	1-2 /MO:(3)	115	5.0 %
4	1 /WK:(4)	26	1.1 %
5	NR DAILY:(5)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	22	1.0 %
Total		2,292	100%

Based upon 2,270 valid cases out of 2,292 total cases.

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2212: 15A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	400	17.5 %
2	FEW /YR:(2)	223	9.7 %
3	1-2 /MO:(3)	380	16.6 %
4	1 /WK:(4)	633	27.6 %
5	NR DAILY:(5)	641	28.0 %
Missing Data			
-9	MISSING:(-9)	15	0.7 %
Total		2,292	100%

Based upon 2,277 valid cases out of 2,292 total cases.

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2213: 15A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	501	21.9 %
2	FEW /YR:(2)	956	41.7 %
3	1-2 /MO:(3)	485	21.2 %
4	1 /WK:(4)	251	11.0 %
5	NR DAILY:(5)	80	3.5 %
Missing Data			
-9	MISSING:(-9)	19	0.8 %
Total		2,292	100%

Based upon 2,273 valid cases out of 2,292 total cases.

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2214: 15A02F:DALY PLA MSC,SNG

Item Number: 05870

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	955	41.7 %
2	FEW /YR:(2)	225	9.8 %
3	1-2 /MO:(3)	138	6.0 %
4	1 /WK:(4)	223	9.7 %
5	NR DAILY:(5)	732	31.9 %
Missing Data			
-9	MISSING:(-9)	19	0.8 %
Total		2,292	100%

Based upon 2,273 valid cases out of 2,292 total cases.

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2215: 15A02G:DALY CREAT WRTNG

Item Number: 05880

How often do you do each of the following?

G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1058	46.2 %
2	FEW /YR:(2)	513	22.4 %
3	1-2 /MO:(3)	363	15.8 %
4	1 /WK:(4)	207	9.0 %
5	NR DAILY:(5)	128	5.6 %
Missing Data			
-9	MISSING:(-9)	23	1.0 %
Total		2,292	100%

Based upon 2,269 valid cases out of 2,292 total cases.

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2216: 15A02H:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	216	9.4 %
2	FEW /YR:(2)	233	10.2 %
3	1-2 /MO:(3)	292	12.7 %
4	1 /WK:(4)	548	23.9 %
5	NR DAILY:(5)	985	43.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	2,292	100%

Based upon 2,274 valid cases out of 2,292 total cases.

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2217: 15A02I:DALY ART/CRAFTS

Item Number: 05900

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	743	32.4 %
2	FEW /YR:(2)	569	24.8 %
3	1-2 /MO:(3)	403	17.6 %
4	1 /WK:(4)	290	12.7 %
5	NR DAILY:(5)	261	11.4 %
	Missing Data		
-9	MISSING:(-9)	26	1.1 %
	Total	2,292	100%

Based upon 2,266 valid cases out of 2,292 total cases.

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2218: 15A02J:DALY WRK HSE,CAR

Item Number: 05910

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	184	8.0 %
2	FEW /YR:(2)	296	12.9 %
3	1-2 /MO:(3)	538	23.5 %
4	1 /WK:(4)	747	32.6 %
5	NR DAILY:(5)	511	22.3 %
Missing Data			
-9	MISSING:(-9)	16	0.7 %
Total		2,292	100%

Based upon 2,276 valid cases out of 2,292 total cases.

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2219: 15A02K:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following?

K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	45	2.0 %
2	FEW /YR:(2)	112	4.9 %
3	1-2 /MO:(3)	367	16.0 %
4	1 /WK:(4)	982	42.8 %
5	NR DAILY:(5)	767	33.5 %
Missing Data			
-9	MISSING:(-9)	19	0.8 %
Total		2,292	100%

Based upon 2,273 valid cases out of 2,292 total cases.

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2521: 15A02L:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following?

L: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	106	4.6 %
2	FEW /YR:(2)	606	26.4 %
3	1-2 /MO:(3)	1111	48.5 %
4	1 /WK:(4)	387	16.9 %
5	NR DAILY:(5)	60	2.6 %
Missing Data			
-9	MISSING:(-9)	22	1.0 %
Total		2,292	100%

Based upon 2,270 valid cases out of 2,292 total cases.

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2221: 15A02M:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?

M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	101	4.4 %
2	FEW /YR:(2)	112	4.9 %
3	1-2 /MO:(3)	237	10.3 %
4	1 /WK:(4)	586	25.6 %
5	NR DAILY:(5)	1238	54.0 %
Missing Data			
-9	MISSING:(-9)	18	0.8 %
Total		2,292	100%

Based upon 2,274 valid cases out of 2,292 total cases.

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2222: 15A02N:DALY READ BK,MAG

Item Number: 05950

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	358	15.6 %
2	FEW /YR:(2)	413	18.0 %
3	1-2 /MO:(3)	585	25.5 %
4	1 /WK:(4)	550	24.0 %
5	NR DAILY:(5)	365	15.9 %
Missing Data			
-9	MISSING:(-9)	21	0.9 %
Total		2,292	100%

Based upon 2,271 valid cases out of 2,292 total cases.

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2223: 15A02O:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1596	69.6 %
2	FEW /YR:(2)	298	13.0 %
3	1-2 /MO:(3)	233	10.2 %
4	1 /WK:(4)	109	4.8 %
5	NR DAILY:(5)	40	1.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	16	0.7 %
	Total	2,292	100%

Based upon 2,276 valid cases out of 2,292 total cases.

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2224: 15A02P:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following?

P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	305	13.3 %
2	FEW /YR:(2)	717	31.3 %
3	1-2 /MO:(3)	752	32.8 %
4	1 /WK:(4)	423	18.5 %
5	NR DAILY:(5)	73	3.2 %
	Missing Data		
-9	MISSING:(-9)	22	1.0 %
	Total	2,292	100%

Based upon 2,270 valid cases out of 2,292 total cases.

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2533: 15A02Q:DALY WEB FACEBK

Item Number: 29625

How often do you do each of the following?

Q: Visit social networking Web sites like Facebook, Twitter, Instagram, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	71	3.1 %
2	FEW /YR:(2)	44	1.9 %
3	1-2 /MO:(3)	90	3.9 %
4	1 /WK:(4)	211	9.2 %
5	NR DAILY:(5)	1861	81.2 %
Missing Data			
-9	MISSING:(-9)	15	0.7 %
Total		2,292	100%

Based upon 2,277 valid cases out of 2,292 total cases.

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2225: 15A03A:US 2 MUCH PROFIT

Item Number: 05990

How much do you agree or disagree with each of the following statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	109	4.8 %
2	MOST DIS:(2)	147	6.4 %
3	NEITHER:(3)	450	19.6 %
4	MOST AGR:(4)	909	39.7 %
5	AGREE:(5)	639	27.9 %
Missing Data			
-9	MISSING:(-9)	38	1.7 %
Total		2,292	100%

Based upon 2,254 valid cases out of 2,292 total cases.

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2226: 15A03B:2MUCH CNCRN MTRL

Item Number: 06000

How much do you agree or disagree with each of the following statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	46	2.0 %
2	MOST DIS:(2)	91	4.0 %
3	NEITHER:(3)	250	10.9 %
4	MOST AGR:(4)	788	34.4 %
5	AGREE:(5)	1084	47.3 %
Missing Data			
-9	MISSING:(-9)	33	1.4 %
Total		2,292	100%

Based upon 2,259 valid cases out of 2,292 total cases.

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2227: 15A03C:ENCOURG PPL BUY>

Item Number: 06010

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	208	9.1 %
2	MOST DIS:(2)	386	16.8 %
3	NEITHER:(3)	973	42.5 %
4	MOST AGR:(4)	483	21.1 %
5	AGREE:(5)	196	8.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	46	2.0 %
Total		2,292	100%

Based upon 2,246 valid cases out of 2,292 total cases.

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2228: 15A03D:-WRNG ADVERTISNG

Item Number: 06020

How much do you agree or disagree with each of the following statements?

D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	368	16.1 %
2	MOST DIS:(2)	466	20.3 %
3	NEITHER:(3)	657	28.7 %
4	MOST AGR:(4)	480	20.9 %
5	AGREE:(5)	289	12.6 %
Missing Data			
-9	MISSING:(-9)	32	1.4 %
Total		2,292	100%

Based upon 2,260 valid cases out of 2,292 total cases.

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2229: 15A03E:MOR SHORTGS FUTR

Item Number: 06030

How much do you agree or disagree with each of the following statements?

E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	168	7.3 %
2	MOST DIS:(2)	222	9.7 %
3	NEITHER:(3)	637	27.8 %
4	MOST AGR:(4)	653	28.5 %
5	AGREE:(5)	579	25.3 %
Missing Data			
-9	MISSING:(-9)	33	1.4 %
Total		2,292	100%

Based upon 2,259 valid cases out of 2,292 total cases.

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2468: 15A04A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	143	6.2 %
2	SLIGHT:(2)	49	2.1 %
3	MOD RISK:(3)	227	9.9 %
4	GRT RISK:(4)	1765	77.0 %
5	CANT SAY:(5)	75	3.3 %
Missing Data			
-9	MISSING:(-9)	33	1.4 %
Total		2,292	100%

Based upon 2,259 valid cases out of 2,292 total cases.

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2469: 15A04B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1043	45.5 %
2	SLIGHT:(2)	618	27.0 %
3	MOD RISK:(3)	259	11.3 %
4	GRT RISK:(4)	247	10.8 %
5	CANT SAY:(5)	95	4.1 %
Missing Data			
-9	MISSING:(-9)	30	1.3 %
Total		2,292	100%

Based upon 2,262 valid cases out of 2,292 total cases.

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2470: 15A04C:RSK OF MJ OCSNLY

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	700	30.5 %
2	SLIGHT:(2)	591	25.8 %
3	MOD RISK:(3)	496	21.6 %
4	GRT RISK:(4)	375	16.4 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	95	4.1 %
	Missing Data		
-9	MISSING:(-9)	35	1.5 %
	Total	2,292	100%

Based upon 2,257 valid cases out of 2,292 total cases.

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2471: 15A04D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	424	18.5 %
2	SLIGHT:(2)	482	21.0 %
3	MOD RISK:(3)	481	21.0 %
4	GRT RISK:(4)	778	33.9 %
5	CANT SAY:(5)	94	4.1 %
	Missing Data		
-9	MISSING:(-9)	33	1.4 %
	Total	2,292	100%

Based upon 2,259 valid cases out of 2,292 total cases.

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2539: 15A04E:RSK SALVIA 1-2X

Item number: 32650

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

E. . . Try Salvia once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	211	9.2 %
2	SLIGHT:(2)	169	7.4 %
3	MOD RISK:(3)	165	7.2 %
4	GRT RISK:(4)	284	12.4 %
5	CANT SAY:(5)	1418	61.9 %
Missing Data			
-9	MISSING:(-9)	45	2.0 %
Total		2,292	100%

Based upon 2,247 valid cases out of 2,292 total cases.

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2540: 15A04F:RSK SALVIA OCC

Item Number: 32760

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Try Salvia occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	165	7.2 %
2	SLIGHT:(2)	85	3.7 %
3	MOD RISK:(3)	183	8.0 %
4	GRT RISK:(4)	388	16.9 %
5	CANT SAY:(5)	1419	61.9 %
Missing Data			
-9	MISSING:(-9)	52	2.3 %
Total		2,292	100%

Based upon 2,240 valid cases out of 2,292 total cases.

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2541: 15A04G:RSK SYNTHETIC MJ 1-2X

Item Number: 32770

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try "synthetic marijuana" ("K2", "Spice") once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	220	9.6 %
2	SLIGHT:(2)	308	13.4 %
3	MOD RISK:(3)	391	17.1 %
4	GRT RISK:(4)	724	31.6 %
5	CANT SAY:(5)	615	26.8 %
Missing Data			
-9	MISSING:(-9)	34	1.5 %
Total		2,292	100%

Based upon 2,258 valid cases out of 2,292 total cases.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2542: 15A04H:RSK SYNTHETIC MJ OCC

Item Number: 32780

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take "synthetic marijuana" ("K2", "Spice") occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	179	7.8 %
2	SLIGHT:(2)	180	7.9 %
3	MOD RISK:(3)	385	16.8 %
4	GRT RISK:(4)	897	39.1 %
5	CANT SAY:(5)	612	26.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	39	1.7 %
	Total	2,292	100%

Based upon 2,253 valid cases out of 2,292 total cases.

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2543: 15A04I:RSK BATH SALTS 1-2X

Item Number: 32790

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I. . . . Try "bath salts" (synthetic stimulants) once or twice to get high?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	153	6.7 %
2	SLIGHT:(2)	107	4.7 %
3	MOD RISK:(3)	283	12.3 %
4	GRT RISK:(4)	1279	55.8 %
5	CANT SAY:(5)	436	19.0 %
	Missing Data		
-9	MISSING:(-9)	34	1.5 %
	Total	2,292	100%

Based upon 2,258 valid cases out of 2,292 total cases.

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2544: 15A04J:RSK BATH SALTS OCC

Item Number: 32800

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J. . . . Try "bath salts" (synthetic stimulants) occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	141	6.2 %
2	SLIGHT:(2)	33	1.4 %
3	MOD RISK:(3)	161	7.0 %
4	GRT RISK:(4)	1487	64.9 %
5	CANT SAY:(5)	431	18.8 %
Missing Data			
-9	MISSING:(-9)	39	1.7 %
Total		2,292	100%

Based upon 2,253 valid cases out of 2,292 total cases.

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2545: 152A04K:RSK E-CIG REG

Item Number: 33670

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Use electronic cigarettes (e-cigarettes) regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	540	23.6 %
2	SLIGHT:(2)	701	30.6 %
3	MOD RISK:(3)	505	22.0 %
4	GRT RISK:(4)	338	14.7 %
5	CANT SAY:(5)	172	7.5 %
Missing Data			
-9	MISSING:(-9)	36	1.6 %
Total		2,292	100%

Based upon 2,256 valid cases out of 2,292 total cases.

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2238: 15A05 :DFNTLY PRFR MATE

Item Number: 06120

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

Value	Label	Unweighted Frequency	%
1	DEF NO:(1)	20	0.9 %
2	PROB NO:(2)	76	3.3 %
3	NOT SURE:(3)	291	12.7 %
4	PROB YES:(4)	542	23.6 %
5	DEF YES:(5)	1319	57.5 %
Missing Data			
-9	MISSING:(-9)	44	1.9 %
Total		2,292	100%

Based upon 2,248 valid cases out of 2,292 total cases.

Location: 101-102 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2239: 15A06 :THINK WILL MARRY

Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married"
8="Am already married"

Value	Label	Unweighted Frequency	%
1	NOT MAR:(1)	94	4.1 %
2	NO IDEA:(2)	396	17.3 %
3	MARRIED:(3)	1670	72.9 %
8	ALREADY MAR:(8)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	123	5.4 %
Total		2,292	100%

Based upon 2,169 valid cases out of 2,292 total cases.

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2240: 15A07A:LIKLY STAY MARRD

Item Number: 06140

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	23	1.0 %
2	FAIRLY UNL:(2)	27	1.2 %
3	UNCERTN:(3)	279	12.2 %
4	FAIRLY LK:(4)	528	23.0 %
5	VRY LIKELY:(5)	1312	57.2 %
Missing Data			
-9	MISSING:(-9)	123	5.4 %
Total		2,292	100%

Based upon 2,169 valid cases out of 2,292 total cases.

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2241: 15A07B:LIKLY HAVE KIDS

Item Number: 06150

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	96	4.2 %
2	FAIRLY UNLK:(2)	85	3.7 %

Value	Label	Unweighted Frequency	%
3	UNCERTN:(3)	272	11.9 %
4	FAIRLY LK:(4)	407	17.8 %
5	VRY LIKELY:(5)	1288	56.2 %
8	ALRDY HAVE:(8)	38	1.7 %
Missing Data			
-9	MISSING:(-9)	106	4.6 %
Total		2,292	100%

Based upon 2,186 valid cases out of 2,292 total cases.

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2259: 15A08 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	299	13.0 %
2	VRY LITTLE:(2)	446	19.5 %
3	SOME:(3)	990	43.2 %
4	A LOT:(4)	348	15.2 %
5	VRY GRT:(5)	163	7.1 %
Missing Data			
-9	MISSING:(-9)	46	2.0 %
Total		2,292	100%

Based upon 2,246 valid cases out of 2,292 total cases.

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2260: 15A09 :GOVT PPL -DSHNST

Item Number: 06340

Do you think some of the people running the government are

crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are"
 3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

Value	Label	Unweighted Frequency	%
1	MOST:(1)	622	27.1 %
2	QUITE:(2)	816	35.6 %
3	SOME:(3)	721	31.5 %
4	HARDLY:(4)	59	2.6 %
5	NONE:(5)	23	1.0 %
Missing Data			
-9	MISSING:(-9)	51	2.2 %
Total		2,292	100%

Based upon 2,241 valid cases out of 2,292 total cases.

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2261: 15A10 :GOVT DSNT WASTE\$

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

Value	Label	Unweighted Frequency	%
1	NEARLY ALL:(1)	324	14.1 %
2	A LOT:(2)	1000	43.6 %
3	SOME:(3)	773	33.7 %
4	A LITTLE:(4)	117	5.1 %
5	NO WASTE:(5)	30	1.3 %
Missing Data			
-9	MISSING:(-9)	48	2.1 %
Total		2,292	100%

Based upon 2,244 valid cases out of 2,292 total cases.

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2262: 15A11 :NEVER TRUST GOVT

Item Number: 06360

How much of the time do you think you can trust the government in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	61	2.7 %
2	OFTEN:(2)	479	20.9 %
3	SOMETIMES:(3)	1055	46.0 %
4	SELDOM:(4)	469	20.5 %
5	NEVER:(5)	174	7.6 %
Missing Data			
-9	MISSING:(-9)	54	2.4 %
Total		2,292	100%

Based upon 2,238 valid cases out of 2,292 total cases.

Location: 115-116 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2263: 15A12 :GVT PPL DK DOING

Item Number: 06370

Do you feel that the people running the government are smart people who usually know what they are doing?

1="They almost always know what they are doing" 2="They usually know what they are doing" 3="They sometimes know what they are doing" 4="They seldom know what they are doing" 5="They never know what they are doing"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	191	8.3 %
2	USUALLY:(2)	805	35.1 %
3	SOMETIMES:(3)	859	37.5 %
4	SELDOM:(4)	264	11.5 %
5	NEVER:(5)	117	5.1 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	56	2.4 %
Total		2,292	100%

Based upon 2,236 valid cases out of 2,292 total cases.

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2264: 15A13 :GOVT RUN FOR PPL

Item Number: 06380

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

Value	Label	Unweighted Frequency	%
1	NR ALWYS FEW:(1)	404	17.6 %
2	USUALLY FEW:(2)	650	28.4 %
3	SOME BOTH:(3)	948	41.4 %
4	USUALLY ALL:(4)	171	7.5 %
5	NR ALWYS ALL:(5)	56	2.4 %
Missing Data			
-9	MISSING:(-9)	63	2.7 %
Total		2,292	100%

Based upon 2,229 valid cases out of 2,292 total cases.

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2265: 15A14A:DO OR PLN VOTE

Item Number: 06390

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably

will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	204	8.9 %
2	DK:(2)	320	14.0 %
3	PROB WILL:(3)	1598	69.7 %
4	ALRDY DONE:(4)	118	5.1 %
	Missing Data		
-9	MISSING:(-9)	52	2.3 %
	Total	2,292	100%

Based upon 2,240 valid cases out of 2,292 total cases.

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2266: 15A14B:DO OR PLN WRITE

Item Number: 06400

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1021	44.5 %
2	DK:(2)	848	37.0 %
3	PROB WILL:(3)	245	10.7 %
4	ALRDY DONE:(4)	127	5.5 %
	Missing Data		
-9	MISSING:(-9)	51	2.2 %
	Total	2,292	100%

Based upon 2,241 valid cases out of 2,292 total cases.

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2267: 15A14C:DO OR PLN GIVE \$

Item Number: 06410

Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1164	50.8 %
2	DK:(2)	756	33.0 %
3	PROB WILL:(3)	273	11.9 %
4	ALRDY DONE:(4)	42	1.8 %
Missing Data			
-9	MISSING:(-9)	57	2.5 %
Total		2,292	100%

Based upon 2,235 valid cases out of 2,292 total cases.

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2268: 15A14D:DO OR PLN WK CPG

Item Number: 06420

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1423	62.1 %
2	DK:(2)	597	26.0 %
3	PROB WILL:(3)	156	6.8 %
4	ALRDY DONE:(4)	54	2.4 %
Missing Data			
-9	MISSING:(-9)	62	2.7 %
Total		2,292	100%

Based upon 2,230 valid cases out of 2,292 total cases.

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2269: 15A14E:DO OR PLN DEMNST

Item Number: 06430

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1058	46.2 %
2	DK:(2)	815	35.6 %
3	PROB WILL:(3)	316	13.8 %
4	ALRDY DONE:(4)	51	2.2 %
Missing Data			
-9	MISSING:(-9)	52	2.3 %
Total		2,292	100%

Based upon 2,240 valid cases out of 2,292 total cases.

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2270: 15A14F:DO OR PLN BOYCOT

Item Number: 06440

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	961	41.9 %
2	DK:(2)	832	36.3 %
3	PROB WILL:(3)	326	14.2 %
4	ALRDY DONE:(4)	116	5.1 %
Missing Data			
-9	MISSING:(-9)	57	2.5 %
Total		2,292	100%

Based upon 2,235 valid cases out of 2,292 total cases.

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2271: 15A15A:US SHD DISARM

Item Number: 06450

How much do you agree or disagree with each of the following statements?

A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	530	23.1 %
2	MOST DIS:(2)	298	13.0 %
3	NEITHER:(3)	1020	44.5 %
4	MOST AGR:(4)	233	10.2 %
5	AGREE:(5)	120	5.2 %
Missing Data			
-9	MISSING:(-9)	91	4.0 %
Total		2,292	100%

Based upon 2,201 valid cases out of 2,292 total cases.

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2272: 15A15B:US GO WAR FR OTH

Item Number: 05690

How much do you agree or disagree with each of the following statements?

B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	328	14.3 %
2	MOST DIS:(2)	393	17.1 %
3	NEITHER:(3)	581	25.3 %
4	MOST AGR:(4)	611	26.7 %
5	AGREE:(5)	303	13.2 %
Missing Data			
-9	MISSING:(-9)	76	3.3 %
Total		2,292	100%

Based upon 2,216 valid cases out of 2,292 total cases.

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2273: 15A15C:US WAR PRTCT ECN

Item Number: 06460

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	213	9.3 %
2	MOST DIS:(2)	273	11.9 %
3	NEITHER:(3)	689	30.1 %
4	MOST AGR:(4)	609	26.6 %
5	AGREE:(5)	426	18.6 %
Missing Data			
-9	MISSING:(-9)	82	3.6 %
Total		2,292	100%

Based upon 2,210 valid cases out of 2,292 total cases.

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2274: 15A15D:US ONLY WAR DFNS

Item Number: 06470

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	167	7.3 %
2	MOST DIS:(2)	236	10.3 %
3	NEITHER:(3)	433	18.9 %
4	MOST AGR:(4)	677	29.5 %
5	AGREE:(5)	703	30.7 %
Missing Data			
-9	MISSING:(-9)	76	3.3 %
Total		2,292	100%

Based upon 2,216 valid cases out of 2,292 total cases.

Location: 139-140 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2275: 15A15E:-US MIL PWR>USSR

Item Number: 06480

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	623	27.2 %
2	MOST DIS:(2)	431	18.8 %
3	NEITHER:(3)	778	33.9 %
4	MOST AGR:(4)	211	9.2 %
5	AGREE:(5)	160	7.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	89	3.9 %
Total		2,292	100%

Based upon 2,203 valid cases out of 2,292 total cases.

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2276: 15A15F:US NEED>PWR OTHS

Item Number: 06490

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	220	9.6 %
2	MOST DIS:(2)	237	10.3 %
3	NEITHER:(3)	841	36.7 %
4	MOST AGR:(4)	407	17.8 %
5	AGREE:(5)	508	22.2 %
Missing Data			
-9	MISSING:(-9)	79	3.4 %
Total		2,292	100%

Based upon 2,213 valid cases out of 2,292 total cases.

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2277: 15A15G:US FRN PLCY NRRW

Item Number: 06500

How much do you agree or disagree with each of the following statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	93	4.1 %
2	MOST DIS:(2)	118	5.1 %
3	NEITHER:(3)	1145	50.0 %
4	MOST AGR:(4)	559	24.4 %
5	AGREE:(5)	287	12.5 %
Missing Data			
-9	MISSING:(-9)	90	3.9 %
Total		2,292	100%

Based upon 2,202 valid cases out of 2,292 total cases.

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2279: 15A16A:FRQ FIGHT PARNTS

Item Number: 06520

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	308	13.4 %
2	ONCE:(2)	221	9.6 %
3	TWICE:(3)	278	12.1 %
4	3-4TIMES:(4)	400	17.5 %
5	5+ TIMES:(5)	624	27.2 %
Missing Data			
-9	MISSING:(-9)	461	20.1 %
Total		2,292	100%

Based upon 1,831 valid cases out of 2,292 total cases.

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2280: 15A16B:FRQ HIT SUPRVISR

Item Number: 06530

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2173	94.8 %
2	ONCE:(2)	25	1.1 %
3	TWICE:(3)	19	0.8 %
4	3-4TIMES:(4)	8	0.3 %
5	5+ TIMES:(5)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	57	2.5 %
Total		2,292	100%

Based upon 2,235 valid cases out of 2,292 total cases.

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2281: 15A16C:FRQ FGT WRK/SCHL

Item Number: 06540

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2010	87.7 %
2	ONCE:(2)	134	5.8 %
3	TWICE:(3)	44	1.9 %

Value	Label	Unweighted Frequency	%
4	3-4TIMES:(4)	33	1.4 %
5	5+ TIMES:(5)	16	0.7 %
	Missing Data		
-9	MISSING:(-9)	55	2.4 %
	Total	2,292	100%

Based upon 2,237 valid cases out of 2,292 total cases.

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2282: 15A16D:FRQ GANG FIGHT

Item Number: 06550

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1935	84.4 %
2	ONCE:(2)	163	7.1 %
3	TWICE:(3)	65	2.8 %
4	3-4TIMES:(4)	36	1.6 %
5	5+ TIMES:(5)	38	1.7 %
	Missing Data		
-9	MISSING:(-9)	55	2.4 %
	Total	2,292	100%

Based upon 2,237 valid cases out of 2,292 total cases.

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2283: 15A16E:FRQ HURT SM1 BAD

Item Number: 06560

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a

doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2022	88.2 %
2	ONCE:(2)	119	5.2 %
3	TWICE:(3)	38	1.7 %
4	3-4TIMES:(4)	26	1.1 %
5	5+ TIMES:(5)	24	1.0 %
Missing Data			
-9	MISSING:(-9)	63	2.7 %
Total		2,292	100%

Based upon 2,229 valid cases out of 2,292 total cases.

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2284: 15A16F:FRQ THREAT WEAPN

Item Number: 06570

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club) to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2180	95.1 %
2	ONCE:(2)	19	0.8 %
3	TWICE:(3)	20	0.9 %
4	3-4TIMES:(4)	5	0.2 %
5	5+ TIMES:(5)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	58	2.5 %
Total		2,292	100%

Based upon 2,234 valid cases out of 2,292 total cases.

Location: 157-158 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2285: 15A16G:FRQ STEAL <\$50

Item Number: 06580

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1788	78.0 %
2	ONCE:(2)	198	8.6 %
3	TWICE:(3)	108	4.7 %
4	3-4TIMES:(4)	56	2.4 %
5	5+ TIMES:(5)	83	3.6 %
Missing Data			
-9	MISSING:(-9)	59	2.6 %
Total		2,292	100%

Based upon 2,233 valid cases out of 2,292 total cases.

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2286: 15A16H:FRQ STEAL >\$50

Item Number: 06590

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2075	90.5 %
2	ONCE:(2)	59	2.6 %
3	TWICE:(3)	40	1.7 %
4	3-4TIMES:(4)	21	0.9 %

Value	Label	Unweighted Frequency	%
5	5+ TIMES:(5)	34	1.5 %
	Missing Data		
-9	MISSING:(-9)	63	2.7 %
	Total	2,292	100%

Based upon 2,229 valid cases out of 2,292 total cases.

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2287: 15A16I:FRQ SHOPLIFT

Item Number: 06600

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1786	77.9 %
2	ONCE:(2)	202	8.8 %
3	TWICE:(3)	98	4.3 %
4	3-4TIMES:(4)	58	2.5 %
5	5+ TIMES:(5)	87	3.8 %
	Missing Data		
-9	MISSING:(-9)	61	2.7 %
	Total	2,292	100%

Based upon 2,231 valid cases out of 2,292 total cases.

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2288: 15A16J:FRQ CAR THEFT

Item Number: 06610

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or

More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2145	93.6 %
2	ONCE:(2)	47	2.1 %
3	TWICE:(3)	20	0.9 %
4	3-4TIMES:(4)	4	0.2 %
5	5+ TIMES:(5)	16	0.7 %
Missing Data			
-9	MISSING:(-9)	60	2.6 %
Total		2,292	100%

Based upon 2,232 valid cases out of 2,292 total cases.

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2289: 15A16K:FRQ STEAL CAR PT

Item Number: 06620

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2153	93.9 %
2	ONCE:(2)	36	1.6 %
3	TWICE:(3)	18	0.8 %
4	3-4TIMES:(4)	11	0.5 %
5	5+ TIMES:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	67	2.9 %
Total		2,292	100%

Based upon 2,225 valid cases out of 2,292 total cases.

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2290: 15A16L:FRQ TRESPAS BLDG

Item Number: 06630

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1811	79.0 %
2	ONCE:(2)	177	7.7 %
3	TWICE:(3)	111	4.8 %
4	3-4TIMES:(4)	76	3.3 %
5	5+ TIMES:(5)	55	2.4 %
Missing Data			
-9	MISSING:(-9)	62	2.7 %
Total		2,292	100%

Based upon 2,230 valid cases out of 2,292 total cases.

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2291: 15A16M:FRQ ARSON

Item Number: 06640

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2167	94.5 %
2	ONCE:(2)	21	0.9 %
3	TWICE:(3)	16	0.7 %
4	3-4TIMES:(4)	12	0.5 %
5	5+ TIMES:(5)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	61	2.7 %
Total		2,292	100%

Based upon 2,231 valid cases out of 2,292 total cases.

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2292: 15A16N:FRQ DMG SCH PPTY

Item Number: 06650

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2062	90.0 %
2	ONCE:(2)	86	3.8 %
3	TWICE:(3)	49	2.1 %
4	3-4TIMES:(4)	10	0.4 %
5	5+ TIMES:(5)	24	1.0 %
	Missing Data		
-9	MISSING:(-9)	61	2.7 %
	Total	2,292	100%

Based upon 2,231 valid cases out of 2,292 total cases.

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2293: 15A16O:FRQ DMG WK PRPTY

Item Number: 06660

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2166	94.5 %
2	ONCE:(2)	33	1.4 %
3	TWICE:(3)	16	0.7 %

Value	Label	Unweighted Frequency	%
4	3-4TIMES:(4)	9	0.4 %
5	5+ TIMES:(5)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	59	2.6 %
	Total	2,292	100%

Based upon 2,233 valid cases out of 2,292 total cases.

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2508: 15A16P:ARRSTD/TKN 2 POL

Item number: 25880

During the LAST 12 MONTHS, how often have you . . .

P: . . . Been arrested and taken to a police station?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2112	92.1 %
2	ONCE:(2)	69	3.0 %
3	TWICE:(3)	23	1.0 %
4	3-4TIMES:(4)	14	0.6 %
5	5+ TIMES:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	64	2.8 %
	Total	2,292	100%

Based upon 2,228 valid cases out of 2,292 total cases.

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2295: 15A17A:SM1 ROB YRS <\$50

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . . Has something of yours (worth under \$50) been

stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1399	61.0 %
2	ONCE:(2)	472	20.6 %
3	TWICE:(3)	199	8.7 %
4	3-4TIMES:(4)	99	4.3 %
5	5+ TIMES:(5)	45	2.0 %
Missing Data			
-9	MISSING:(-9)	78	3.4 %
Total		2,292	100%

Based upon 2,214 valid cases out of 2,292 total cases.

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2296: 15A17B:SM1 ROB YRS >\$50

Item Number: 06690

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1644	71.7 %
2	ONCE:(2)	357	15.6 %
3	TWICE:(3)	123	5.4 %
4	3-4TIMES:(4)	54	2.4 %
5	5+ TIMES:(5)	31	1.4 %
Missing Data			
-9	MISSING:(-9)	83	3.6 %
Total		2,292	100%

Based upon 2,209 valid cases out of 2,292 total cases.

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2297: 15A17C:SM1 DMG YR PRPTY

Item Number: 06700

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property
(your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1656	72.3 %
2	ONCE:(2)	330	14.4 %
3	TWICE:(3)	147	6.4 %
4	3-4TIMES:(4)	49	2.1 %
5	5+ TIMES:(5)	27	1.2 %
Missing Data			
-9	MISSING:(-9)	83	3.6 %
Total		2,292	100%

Based upon 2,209 valid cases out of 2,292 total cases.

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2298: 15A17D:SM1 INJR U W/WPN

Item Number: 06710

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a
knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2103	91.8 %
2	ONCE:(2)	60	2.6 %
3	TWICE:(3)	29	1.3 %
4	3-4TIMES:(4)	11	0.5 %

Value	Label	Unweighted Frequency	%
5	5+ TIMES:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	79	3.4 %
	Total	2,292	100%

Based upon 2,213 valid cases out of 2,292 total cases.

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2299: 15A17E:SM1 THRTN U W/WP

Item Number: 06720

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1889	82.4 %
2	ONCE:(2)	162	7.1 %
3	TWICE:(3)	80	3.5 %
4	3-4TIMES:(4)	42	1.8 %
5	5+ TIMES:(5)	33	1.4 %
	Missing Data		
-9	MISSING:(-9)	86	3.8 %
	Total	2,292	100%

Based upon 2,206 valid cases out of 2,292 total cases.

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2300: 15A17F:SM1 INJR YU -WPN

Item Number: 06730

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1896	82.7 %
2	ONCE:(2)	154	6.7 %
3	TWICE:(3)	77	3.4 %
4	3-4TIMES:(4)	43	1.9 %
5	5+ TIMES:(5)	37	1.6 %
Missing Data			
-9	MISSING:(-9)	85	3.7 %
Total		2,292	100%

Based upon 2,207 valid cases out of 2,292 total cases.

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2301: 15A17G:SM1 THRT U W/INJ

Item Number: 06740

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1735	75.7 %
2	ONCE:(2)	199	8.7 %
3	TWICE:(3)	112	4.9 %
4	3-4TIMES:(4)	71	3.1 %
5	5+ TIMES:(5)	90	3.9 %
Missing Data			
-9	MISSING:(-9)	85	3.7 %
Total		2,292	100%

Based upon 2,207 valid cases out of 2,292 total cases.

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2302: 15A18A:EASY GT MARIJUANA

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	200	8.7 %
2	VRY DIFF:(2)	92	4.0 %
3	FRLY DIF:(3)	154	6.7 %
4	FRLY EAS:(4)	531	23.2 %
5	VRY EASY:(5)	1225	53.4 %
Missing Data			
-9	MISSING:(-9)	90	3.9 %
Total		2,292	100%

Based upon 2,202 valid cases out of 2,292 total cases.

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2303: 15A18B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	585	25.5 %
2	VRY DIFF:(2)	409	17.8 %
3	FRLY DIF:(3)	618	27.0 %
4	FRLY EAS:(4)	371	16.2 %
5	VRY EASY:(5)	194	8.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	115	5.0 %
	Total	2,292	100%

Based upon 2,177 valid cases out of 2,292 total cases.

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2304: 15A18C:EASY GT PSYDELIC

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	558	24.3 %
2	VRV DIFF:(2)	385	16.8 %
3	FRLY DIF:(3)	543	23.7 %
4	FRLY EAS:(4)	453	19.8 %
5	VRV EASY:(5)	247	10.8 %
	Missing Data		
-9	MISSING:(-9)	106	4.6 %
	Total	2,292	100%

Based upon 2,186 valid cases out of 2,292 total cases.

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2305: 15A18D:EASY GT AMPHTMNS

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	535	23.3 %
2	VRY DIFF:(2)	325	14.2 %
3	FRLY DIF:(3)	420	18.3 %
4	FRLY EAS:(4)	443	19.3 %
5	VRY EASY:(5)	458	20.0 %
Missing Data			
-9	MISSING:(-9)	111	4.8 %
Total		2,292	100%

Based upon 2,181 valid cases out of 2,292 total cases.

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2522: 15A18E:EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	655	28.6 %
2	VRY DIFF:(2)	465	20.3 %
3	FRLY DIF:(3)	511	22.3 %
4	FRLY EAS:(4)	297	13.0 %
5	VRY EASY:(5)	250	10.9 %
Missing Data			
-9	MISSING:(-9)	114	5.0 %
Total		2,292	100%

Based upon 2,178 valid cases out of 2,292 total cases.

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2307: 15A18F:EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	842	36.7 %
2	VRY DIFF:(2)	544	23.7 %
3	FRLY DIF:(3)	455	19.9 %
4	FRLY EAS:(4)	187	8.2 %
5	VRY EASY:(5)	149	6.5 %
Missing Data			
-9	MISSING:(-9)	115	5.0 %
Total		2,292	100%

Based upon 2,177 valid cases out of 2,292 total cases.

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2308: 15A18G:EASY GT COCAINE

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	669	29.2 %
2	VRY DIFF:(2)	462	20.2 %
3	FRLY DIF:(3)	424	18.5 %
4	FRLY EAS:(4)	357	15.6 %
5	VRY EASY:(5)	276	12.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	104	4.5 %
	Total	2,292	100%

Based upon 2,188 valid cases out of 2,292 total cases.

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2309: 15A18H:EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	833	36.3 %
2	VRY DIFF:(2)	518	22.6 %
3	FRLY DIF:(3)	388	16.9 %
4	FRLY EAS:(4)	256	11.2 %
5	VRY EASY:(5)	186	8.1 %
	Missing Data		
-9	MISSING:(-9)	111	4.8 %
	Total	2,292	100%

Based upon 2,181 valid cases out of 2,292 total cases.

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2310: 15A18I:EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

I: Some other narcotic (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly

Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	568	24.8 %
2	VRY DIFF:(2)	353	15.4 %
3	FRLY DIF:(3)	426	18.6 %
4	FRLY EAS:(4)	414	18.1 %
5	VRY EASY:(5)	421	18.4 %
Missing Data			
-9	MISSING:(-9)	110	4.8 %
Total		2,292	100%

Based upon 2,182 valid cases out of 2,292 total cases.

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2101: 15B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1478	64.5 %
2	1-2X:(2)	400	17.5 %
3	OCCASONLY:(3)	169	7.4 %
4	REG PAST:(4)	80	3.5 %
5	REG NOW:(5)	70	3.1 %
Missing Data			
-9	MISSING:(-9)	95	4.1 %
Total		2,292	100%

Based upon 2,197 valid cases out of 2,292 total cases.

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2102: 15B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1965	85.7 %
2	<1 CIG/D:(2)	115	5.0 %
3	1-5/DAY:(3)	75	3.3 %
4	1/2 PK:(4)	27	1.2 %
5	1 PK:(5)	9	0.4 %
6	1 1/2 PK:(6)	2	0.1 %
7	2+ PKS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	97	4.2 %
Total		2,292	100%

Based upon 2,195 valid cases out of 2,292 total cases.

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2103: 15B03:EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	781	34.1 %
2	YES:(2)	1355	59.1 %
Missing Data			
-9	MISSING:(-9)	156	6.8 %
Total		2,292	100%

Based upon 2,136 valid cases out of 2,292 total cases.

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2104: 15B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	781	34.1 %
2	1-2X:(2)	189	8.2 %
3	3-5X:(3)	230	10.0 %
4	6-9X:(4)	203	8.9 %
5	10-19X:(5)	230	10.0 %
6	20-39X:(6)	169	7.4 %
7	40+OCCAS:(7)	309	13.5 %
Missing Data			
-9	MISSING:(-9)	181	7.9 %
Total		2,292	100%

Based upon 2,111 valid cases out of 2,292 total cases.

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2105: 15B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	877	38.3 %
2	1-2X:(2)	362	15.8 %
3	3-5X:(3)	253	11.0 %
4	6-9X:(4)	208	9.1 %
5	10-19X:(5)	177	7.7 %
6	20-39X:(6)	115	5.0 %
7	40+OCCAS:(7)	109	4.8 %
Missing Data			
-9	MISSING:(-9)	191	8.3 %
Total		2,292	100%

Based upon 2,101 valid cases out of 2,292 total cases.

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2106: 15B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1346	58.7 %
2	1-2X:(2)	380	16.6 %
3	3-5X:(3)	166	7.2 %
4	6-9X:(4)	103	4.5 %
5	10-19X:(5)	52	2.3 %
6	20-39X:(6)	19	0.8 %
7	40+OCCAS:(7)	25	1.1 %
Missing Data			
-9	MISSING:(-9)	201	8.8 %
Total		2,292	100%

Based upon 2,091 valid cases out of 2,292 total cases.

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2107: 15B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions"
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	357	15.6 %
2	FEW OCC:(2)	394	17.2 %
3	HALF OCC:(3)	193	8.4 %
4	MOST OCC:(4)	258	11.3 %
5	NRLY ALL:(5)	152	6.6 %
Missing Data			
-9	MISSING:(-9)	938	40.9 %
Total		2,292	100%

Based upon 1,354 valid cases out of 2,292 total cases.

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2108: 15B06:5+DRK ROW/LST 2WK

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1680	73.3 %
2	ONCE:(2)	157	6.8 %
3	TWICE:(3)	106	4.6 %

Value	Label	Unweighted Frequency	%
4	3-5X:(4)	99	4.3 %
5	6-9X:(5)	23	1.0 %
6	10+ TIME:(6)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	210	9.2 %
	Total	2,292	100%

Based upon 2,082 valid cases out of 2,292 total cases.

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2115: 15B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1177	51.4 %
2	1-2X:(2)	236	10.3 %
3	3-5X:(3)	138	6.0 %
4	6-9X:(4)	97	4.2 %
5	10-19X:(5)	115	5.0 %
6	20-39X:(6)	96	4.2 %
7	40+OCCAS:(7)	306	13.4 %
	Missing Data		
-9	MISSING:(-9)	127	5.5 %
	Total	2,292	100%

Based upon 2,165 valid cases out of 2,292 total cases.

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2116: 15B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1382	60.3 %
2	1-2X:(2)	227	9.9 %
3	3-5X:(3)	120	5.2 %
4	6-9X:(4)	75	3.3 %
5	10-19X:(5)	106	4.6 %
6	20-39X:(6)	73	3.2 %
7	40+OCCAS:(7)	176	7.7 %
Missing Data			
-9	MISSING:(-9)	133	5.8 %
Total		2,292	100%

Based upon 2,159 valid cases out of 2,292 total cases.

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2117: 15B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1692	73.8 %
2	1-2X:(2)	173	7.5 %
3	3-5X:(3)	64	2.8 %
4	6-9X:(4)	62	2.7 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	40	1.7 %
6	20-39X:(6)	42	1.8 %
7	40+OCCAS:(7)	85	3.7 %
	Missing Data		
-9	MISSING:(-9)	134	5.8 %
	Total	2,292	100%

Based upon 2,158 valid cases out of 2,292 total cases.

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2118: 15B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2091	91.2 %
2	1-2X:(2)	53	2.3 %
3	3-5X:(3)	15	0.7 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	111	4.8 %
	Total	2,292	100%

Based upon 2,181 valid cases out of 2,292 total cases.

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2119: 15B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD
("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2120	92.5 %
2	1-2X:(2)	31	1.4 %
3	3-5X:(3)	16	0.7 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	111	4.8 %
Total		2,292	100%

Based upon 2,181 valid cases out of 2,292 total cases.

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2120: 15B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2154	94.0 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	111	4.8 %
	Total	2,292	100%

Based upon 2,181 valid cases out of 2,292 total cases.

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2121: 15B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2092	91.3 %
2	1-2X:(2)	56	2.4 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	10	0.4 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	109	4.8 %
	Total	2,292	100%

Based upon 2,183 valid cases out of 2,292 total cases.

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2122: 15B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2131	93.0 %
2	1-2X:(2)	29	1.3 %
3	3-5X:(3)	10	0.4 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	109	4.8 %
Total		2,292	100%

Based upon 2,183 valid cases out of 2,292 total cases.

Location: 241-242 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2123: 15B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2161	94.3 %
2	1-2X:(2)	11	0.5 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	110	4.8 %
Total		2,292	100%

Based upon 2,182 valid cases out of 2,292 total cases.

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2124: 15B10A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2082	90.8 %
2	1-2X:(2)	49	2.1 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	10	0.4 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	116	5.1 %
Total		2,292	100%

Based upon 2,176 valid cases out of 2,292 total cases.

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2125: 15B10B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2117	92.4 %
2	1-2X:(2)	32	1.4 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	116	5.1 %
Total		2,292	100%

Based upon 2,176 valid cases out of 2,292 total cases.

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2126: 15B10C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2152	93.9 %
2	1-2X:(2)	10	0.4 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	118	5.1 %
Total		2,292	100%

Based upon 2,174 valid cases out of 2,292 total cases.

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2127: 15B11A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-aware pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1920	83.8 %
2	1-2X:(2)	108	4.7 %
3	3-5X:(3)	47	2.1 %
4	6-9X:(4)	24	1.0 %
5	10-19X:(5)	29	1.3 %
6	20-39X:(6)	19	0.8 %
7	40+OCCAS:(7)	26	1.1 %
Missing Data			
-9	MISSING:(-9)	119	5.2 %

Value	Label	Unweighted Frequency	%
Total		2,292	100%

Based upon 2,173 valid cases out of 2,292 total cases.

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2128: 15B11B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1996	87.1 %
2	1-2X:(2)	90	3.9 %
3	3-5X:(3)	29	1.3 %
4	6-9X:(4)	20	0.9 %
5	10-19X:(5)	17	0.7 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	119	5.2 %
Total		2,292	100%

Based upon 2,173 valid cases out of 2,292 total cases.

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2129: 15B11C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2103	91.8 %
2	1-2X:(2)	37	1.6 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	122	5.3 %
Total		2,292	100%

Based upon 2,170 valid cases out of 2,292 total cases.

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2045: 15B12A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled
the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2151	93.8 %
2	1-2X:(2)	11	0.5 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	4	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	117	5.1 %
Total		2,292	100%

Based upon 2,175 valid cases out of 2,292 total cases.

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2046: 15B12B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2165	94.5 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	116	5.1 %
Total		2,292	100%

Based upon 2,176 valid cases out of 2,292 total cases.

Location: 259-260 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2047: 15B12C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2169	94.6 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	116	5.1 %
Total		2,292	100%

Based upon 2,176 valid cases out of 2,292 total cases.

Location: 261-262 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2133: 15B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2049	89.4 %
2	1-2X:(2)	45	2.0 %
3	3-5X:(3)	21	0.9 %
4	6-9X:(4)	20	0.9 %
5	10-19X:(5)	21	0.9 %
6	20-39X:(6)	9	0.4 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	119	5.2 %
	Total	2,292	100%

Based upon 2,173 valid cases out of 2,292 total cases.

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2134: 15B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2089	91.1 %
2	1-2X:(2)	37	1.6 %
3	3-5X:(3)	18	0.8 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	118	5.1 %
	Total	2,292	100%

Based upon 2,174 valid cases out of 2,292 total cases.

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2135: 15B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2133	93.1 %
2	1-2X:(2)	24	1.0 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	117	5.1 %
Total		2,292	100%

Based upon 2,175 valid cases out of 2,292 total cases.

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2136: 15B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2029	88.5 %
2	1-2X:(2)	66	2.9 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	31	1.4 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	9	0.4 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	125	5.5 %
Total		2,292	100%

Based upon 2,167 valid cases out of 2,292 total cases.

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2137: 15B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2075	90.5 %
2	1-2X:(2)	50	2.2 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	11	0.5 %
5	10-19X:(5)	9	0.4 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	120	5.2 %
Total		2,292	100%

Based upon 2,172 valid cases out of 2,292 total cases.

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2138: 15B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2125	92.7 %
2	1-2X:(2)	26	1.1 %
3	3-5X:(3)	8	0.3 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	124	5.4 %
Total		2,292	100%

Based upon 2,168 valid cases out of 2,292 total cases.

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2510: 15B15A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2155	94.0 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	124	5.4 %
Total		2,292	100%

Based upon 2,168 valid cases out of 2,292 total cases.

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2511: 15B15B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2161	94.3 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	123	5.4 %
Total		2,292	100%

Based upon 2,169 valid cases out of 2,292 total cases.

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2512: 15B15C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2164	94.4 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	124	5.4 %
Total		2,292	100%

Based upon 2,168 valid cases out of 2,292 total cases.

Location: 279-280 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2513: 15B16A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2181	95.2 %
2	1-2X:(2)	4	0.2 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	95	4.1 %
Total		2,292	100%

Based upon 2,197 valid cases out of 2,292 total cases.

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2514: 15B16B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2189	95.5 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	93	4.1 %
Total		2,292	100%

Based upon 2,199 valid cases out of 2,292 total cases.

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2515: 15B16C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2191	95.6 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	96	4.2 %
Total		2,292	100%

Based upon 2,196 valid cases out of 2,292 total cases.

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2139: 152R* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2195	95.8 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	76	3.3 %
Total		2,292	100%

Based upon 2,216 valid cases out of 2,292 total cases.

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2140: 152R* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2203	96.1 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	75	3.3 %

Value	Label	Unweighted Frequency	%
Total		2,292	100%

Based upon 2,217 valid cases out of 2,292 total cases.

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2141: 152R* :#X H/LAST30DA

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2208	96.3 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	77	3.4 %
Total		2,292	100%

Based upon 2,215 valid cases out of 2,292 total cases.

Location: 291-292 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2142: 15B17A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2033	88.7 %
2	1-2X:(2)	70	3.1 %
3	3-5X:(3)	32	1.4 %
4	6-9X:(4)	15	0.7 %
5	10-19X:(5)	18	0.8 %
6	20-39X:(6)	10	0.4 %
7	40+OCCAS:(7)	17	0.7 %
Missing Data			
-9	MISSING:(-9)	97	4.2 %
Total		2,292	100%

Based upon 2,195 valid cases out of 2,292 total cases.

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2143: 15B17B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2094	91.4 %
2	1-2X:(2)	44	1.9 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	23	1.0 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	14	0.6 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	98	4.3 %
Total		2,292	100%

Based upon 2,194 valid cases out of 2,292 total cases.

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2144: 15B17C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2152	93.9 %
2	1-2X:(2)	24	1.0 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	97	4.2 %
Total		2,292	100%

Based upon 2,195 valid cases out of 2,292 total cases.

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2145: 15B18A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2066	90.1 %
2	1-2X:(2)	73	3.2 %
3	3-5X:(3)	22	1.0 %
4	6-9X:(4)	8	0.3 %
5	10-19X:(5)	5	0.2 %
6	20-39X:(6)	8	0.3 %
7	40+OCCAS:(7)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	103	4.5 %
Total		2,292	100%

Based upon 2,189 valid cases out of 2,292 total cases.

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2146: 15B18B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2142	93.5 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	29	1.3 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	103	4.5 %
Total		2,292	100%

Based upon 2,189 valid cases out of 2,292 total cases.

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2147: 15B18C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2170	94.7 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	104	4.5 %
Total		2,292	100%

Based upon 2,188 valid cases out of 2,292 total cases.

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2551: 15B19:USED E-VAP EVER

Item Number: 33830

Electronic vaporizers make a mist that is inhaled and have the feel of cigarette smoking. Examples include e-cigarettes and e-pens.

Have you ever used an electronic vaporizer such as an e-cigarette?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1303	56.8 %
2	1-2X:(2)	398	17.4 %
3	OCCASONLY:(3)	276	12.0 %
4	REG PAST:(4)	81	3.5 %
5	REG NOW:(5)	88	3.8 %
Missing Data			
-9	MISSING:(-9)	146	6.4 %
Total		2,292	100%

Based upon 2,146 valid cases out of 2,292 total cases.

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2552: 15B20:#X E-VAP/LAST 30 DAYS

Item Number: 33840

During the LAST 30 DAYS, on how many days (if any) have you used an electronic vaporizer such as an e-cigarette?

1="None" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1777	77.5 %
2	1-2 DAYS:(2)	159	6.9 %
3	3-5 DAYS:(3)	77	3.4 %
4	6-9 DAYS:(4)	37	1.6 %
5	10-19 DAYS:(5)	37	1.6 %
6	20-30 DAYS:(6)	59	2.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	146	6.4 %
Total		2,292	100%

Based upon 2,146 valid cases out of 2,292 total cases.

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2553: 15B21A:E-VAP QUIT REG CIG

Item Number: 33850

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

A.To help me quit regular cigarettes

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	750	32.7 %
1	MARKED:(1)	77	3.4 %
	Missing Data		
-9	MISSING:(-9)	1465	63.9 %
Total		2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2554: 15B21B:E-VAP REG CIG NOT PERMIT

Item Number: 33860

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

B.Because regular cigarette use is not permitted

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	781	34.1 %
1	MARKED:(1)	46	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	1465	63.9 %
	Total	2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2555: 15B21C:E-VAP EXPERIMENT

Item Number: 33870

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

C. To experiment--to see what it's like

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	412	18.0 %
1	MARKED:(1)	415	18.1 %
	Missing Data		
-9	MISSING:(-9)	1465	63.9 %
	Total	2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2556: 15B21D:E-VAP RELAX

Item Number: 33880

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

D.To relax or relieve tension

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	653	28.5 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	174	7.6 %
	Missing Data		
-9	MISSING:(-9)	1465	63.9 %
	Total	2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2557: 15B21E:E-VAP GET HIGH

Item Number: 33890

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

E.To feel good or get high

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	771	33.6 %
1	MARKED:(1)	56	2.4 %
	Missing Data		
-9	MISSING:(-9)	1465	63.9 %
	Total	2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2558: 15B21F:E-VAP LOOKS COOL

Item Number: 33900

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

F.Because it looks cool

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	722	31.5 %
1	MARKED:(1)	105	4.6 %
Missing Data			
-9	MISSING:(-9)	1465	63.9 %
Total		2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2559: 15B21G:E-VAP GOOD TM FRNDS

Item Number: 33910

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

G.To have a good time with my friends

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	654	28.5 %
1	MARKED:(1)	173	7.5 %
Missing Data			
-9	MISSING:(-9)	1465	63.9 %
Total		2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2560: 15B21H:E-VAP BOREDOM

Item Number: 33920

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

H.Because of boredom, nothing else to do

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	645	28.1 %
1	MARKED:(1)	182	7.9 %
	Missing Data		
-9	MISSING:(-9)	1465	63.9 %
	Total	2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2561: 15B21I:E-VAP TASTES GOOD

Item Number: 33930

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

I.Because it tastes good

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	546	23.8 %
1	MARKED:(1)	281	12.3 %
	Missing Data		
-9	MISSING:(-9)	1465	63.9 %
	Total	2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2562: 15B21J:E-VAP I AM HOOKED

Item Number: 33940

What have been the most important reasons for your using an electronic vaporizer such as an e-cigarette? (Mark all that apply.)

J.Because I am "hooked"--I have to have it

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	817	35.6 %
1	MARKED:(1)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	1465	63.9 %
Total		2,292	100%

Based upon 827 valid cases out of 2,292 total cases.

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2563: 15B22:LAST E-VAP MIST

Item Number: 33950

The LAST TIME you used an electronic vaporizer such as an e-cigarette, what was in the mist you inhaled?

1="Nicotine" 2="Marijuana or hash oil" 3="Just flavoring" 4="Other" 8="Don't know"

Value	Label	Unweighted Frequency	%
1	NICOTINE:(1)	170	7.4 %
2	MARJ OR HASH OIL:(2)	60	2.6 %
3	JUST FLAVORING:(3)	530	23.1 %
4	OTHER:(4)	9	0.4 %
8	DONT KNOW:(8)	55	2.4 %
Missing Data			
-9	MISSING:(-9)	1468	64.0 %
Total		2,292	100%

Based upon 824 valid cases out of 2,292 total cases.

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

RESPONDENT_AGE: 152C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"
 (item 00010), 2) Q. C02 "In what month were you born?"
 (item 00020), and 3) date of questionnaire administration
 as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	< 18 YRS:(1)	960	41.9 %
2	18+ YRS:(2)	1245	54.3 %
	Missing Data		
-9	MISSING:(-9)	87	3.8 %
	Total	2,292	100%

Based upon 2,205 valid cases out of 2,292 total cases.

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2150: 15C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	967	42.2 %
2	FEMALE:(2)	1105	48.2 %
	Missing Data		
-9	MISSING:(-9)	220	9.6 %
	Total	2,292	100%

Based upon 2,072 valid cases out of 2,292 total cases.

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2151: 152C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)
 Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"
 3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	348	15.2 %
2	WHITE:(2)	1151	50.2 %
3	HISPANIC:(3)	382	16.7 %
	Missing Data		
-9	MISSING:(-9)	411	17.9 %
	Total	2,292	100%

Based upon 1,881 valid cases out of 2,292 total cases.

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2152: 15C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	254	11.1 %
1	A FARM:(1)	80	3.5 %
2	COUNTRY:(2)	233	10.2 %
3	SM CITY:(3)	607	26.5 %
4	MED CITY:(4)	294	12.8 %
5	SUB MED:(5)	251	11.0 %
6	LGE CITY:(6)	213	9.3 %
7	SUB LGE:(7)	143	6.2 %
8	V-LGE CITY:(8)	115	5.0 %
9	SUB V-LGE:(9)	102	4.5 %
	Total	2,292	100%

Based upon 2,292 valid cases out of 2,292 total cases.

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2153: 15C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	86	3.8 %
2	ENGAGED:(2)	79	3.4 %
3	SEP/DIV:(3)	42	1.8 %
4	SINGLE:(4)	1995	87.0 %
Missing Data			
-9	MISSING:(-9)	90	3.9 %
Total		2,292	100%

Based upon 2,202 valid cases out of 2,292 total cases.

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2155: 15C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	695	30.3 %
1	MARKED:(1)	1497	65.3 %
Missing Data			
-9	MISSING:(-9)	100	4.4 %
Total		2,292	100%

Based upon 2,192 valid cases out of 2,292 total cases.

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2156: 15C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	254	11.1 %
1	MARKED:(1)	1938	84.6 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	2,292	100%

Based upon 2,192 valid cases out of 2,292 total cases.

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2157: 15C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"

"My child(ren)," "Other relative(s)," "Non-relative(s),"

"I live alone" -- have been deleted for reasons of

confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	688	30.0 %
1	MARKED:(1)	1504	65.6 %
	Missing Data		
-9	MISSING:(-9)	100	4.4 %
	Total	2,292	100%

Based upon 2,192 valid cases out of 2,292 total cases.

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V49: 152C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	137	6.0 %
1	ONE:(1)	564	24.6 %
2	TWO:(2)	606	26.4 %
3	THREE+:(3-4)	889	38.8 %
	Missing Data		
-9	MISSING:(-9)	96	4.2 %
	Total	2,292	100%

Based upon 2,196 valid cases out of 2,292 total cases.

Location: 347-348 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2163: 15C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"

7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	114	5.0 %
2	SOME HS:(2)	259	11.3 %
3	HS GRAD:(3)	540	23.6 %
4	SOME CLG:(4)	325	14.2 %
5	CLG GRAD:(5)	464	20.2 %
6	GRAD SCH:(6)	256	11.2 %
7	DK:(7)	234	10.2 %
Missing Data			
-9	MISSING:(-9)	100	4.4 %
Total		2,292	100%

Based upon 2,192 valid cases out of 2,292 total cases.

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2164: 15C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"

3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college"

7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	116	5.1 %
2	SOME HS:(2)	158	6.9 %
3	HS GRAD:(3)	483	21.1 %
4	SOME CLG:(4)	377	16.4 %
5	CLG GRAD:(5)	639	27.9 %
6	GRAD SCH:(6)	299	13.0 %
7	DK:(7)	120	5.2 %
Missing Data			
-9	MISSING:(-9)	100	4.4 %
Total		2,292	100%

Based upon 2,192 valid cases out of 2,292 total cases.

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2165: 15C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	316	13.8 %
2	YES/SOME:(2)	392	17.1 %
3	YES/MOST:(3)	362	15.8 %
4	YES/NRLY ALL:(4)	1124	49.0 %
	Missing Data		
-9	MISSING:(-9)	98	4.3 %
	Total	2,292	100%

Based upon 2,194 valid cases out of 2,292 total cases.

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2166: 15C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	212	9.2 %
2	MILD GOP:(2)	234	10.2 %
3	MILD DEM:(3)	263	11.5 %
4	STRG DEM:(4)	188	8.2 %
5	INDEPNNDT:(5)	258	11.3 %
6	NO PREF:(6)	311	13.6 %
7	OTHER:(7)	39	1.7 %

Value	Label	Unweighted Frequency	%
8	DK/HVNT DECID:(8)	587	25.6 %
	Missing Data		
-9	MISSING:(-9)	200	8.7 %
	Total	2,292	100%

Based upon 2,092 valid cases out of 2,292 total cases.

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2167: 15C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the
above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	111	4.8 %
2	CONSERV:(2)	232	10.1 %
3	MODERATE:(3)	497	21.7 %
4	LIBERAL:(4)	298	13.0 %
5	VRY LIB:(5)	105	4.6 %
6	RADICAL:(6)	35	1.5 %
8	NONE/DK:(8)	896	39.1 %
	Missing Data		
-9	MISSING:(-9)	118	5.1 %
	Total	2,292	100%

Based upon 2,174 valid cases out of 2,292 total cases.

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2169: 15C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a
week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	387	16.9 %
2	RARELY:(2)	599	26.1 %
3	1-2X/MO:(3)	294	12.8 %
4	1/WK OR+:(4)	511	22.3 %
	Missing Data		
-9	MISSING:(-9)	501	21.9 %
	Total	2,292	100%

Based upon 1,791 valid cases out of 2,292 total cases.

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2170: 15C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	409	17.8 %
2	LITL IMP:(2)	416	18.2 %
3	PRTY IMP:(3)	411	17.9 %
4	VERY IMP:(4)	552	24.1 %
	Missing Data		
-9	MISSING:(-9)	504	22.0 %
	Total	2,292	100%

Based upon 1,788 valid cases out of 2,292 total cases.

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2171: 15C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"
6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2137	93.2 %
2	JUL-JAN:(2)	41	1.8 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	99	4.3 %
Total		2,292	100%

Based upon 2,193 valid cases out of 2,292 total cases.

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2172: 15C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1182	51.6 %
2	GENERAL:(2)	721	31.5 %
3	VOC-TECH:(3)	57	2.5 %
4	OTH/DK:(4)	219	9.6 %
Missing Data			
-9	MISSING:(-9)	113	4.9 %
Total		2,292	100%

Based upon 2,179 valid cases out of 2,292 total cases.

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2173: 15C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	44	1.9 %
2	BELOW AVG:(2)	57	2.5 %
3	SLIGHT BELOW:(3)	96	4.2 %
4	AVERAGE:(4)	707	30.8 %
5	SLIGHT ABOVE:(5)	530	23.1 %
6	ABOVE AVG:(6)	594	25.9 %
7	FAR ABOVE:(7)	147	6.4 %
Missing Data			
-9	MISSING:(-9)	117	5.1 %
Total		2,292	100%

Based upon 2,175 valid cases out of 2,292 total cases.

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2174: 15C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	44	1.9 %
2	BELOW AVG:(2)	30	1.3 %
3	SLIGHT BELOW:(3)	101	4.4 %
4	AVERAGE:(4)	658	28.7 %
5	SLIGHT ABOVE:(5)	544	23.7 %
6	ABOVE AVG:(6)	592	25.8 %

Value	Label	Unweighted Frequency	%
7	FAR ABOVE:(7)	205	8.9 %
	Missing Data		
-9	MISSING:(-9)	118	5.1 %
	Total	2,292	100%

Based upon 2,174 valid cases out of 2,292 total cases.

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2175: 15C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1174	51.2 %
2	1 DAY:(2)	387	16.9 %
3	2 DAYS:(3)	265	11.6 %
4	3 DAYS:(4)	148	6.5 %
5	4-5 DAYS:(5)	100	4.4 %
6	6-10 DA:(6)	42	1.8 %
7	11+ DAYS:(7)	26	1.1 %
	Missing Data		
-9	MISSING:(-9)	150	6.5 %
	Total	2,292	100%

Based upon 2,142 valid cases out of 2,292 total cases.

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2176: 15C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1458	63.6 %
2	1 DAY:(2)	275	12.0 %
3	2 DAYS:(3)	151	6.6 %
4	3 DAYS:(4)	78	3.4 %
5	4-5 DAYS:(5)	79	3.4 %
6	6-10 DA:(6)	34	1.5 %
7	11+ DAYS:(7)	27	1.2 %
Missing Data			
-9	MISSING:(-9)	190	8.3 %
Total		2,292	100%

Based upon 2,102 valid cases out of 2,292 total cases.

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2177: 15C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1150	50.2 %
2	1 DAY:(2)	403	17.6 %
3	2 DAYS:(3)	226	9.9 %
4	3 DAYS:(4)	137	6.0 %
5	4-5 DAYS:(5)	120	5.2 %
6	6-10 DA:(6)	46	2.0 %
7	11+ DAYS:(7)	33	1.4 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	177	7.7 %
Total		2,292	100%

Based upon 2,115 valid cases out of 2,292 total cases.

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2178: 15C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1571	68.5 %
2	1-2:(2)	363	15.8 %
3	3-5:(3)	147	6.4 %
4	6-10:(4)	57	2.5 %
5	11-20:(5)	25	1.1 %
6	21+:(6)	28	1.2 %
Missing Data			
-9	MISSING:(-9)	101	4.4 %
Total		2,292	100%

Based upon 2,191 valid cases out of 2,292 total cases.

Location: 377-378 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2179: 15C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	30	1.3 %
2	C-:(2)	29	1.3 %
3	C:(3)	91	4.0 %
4	C+:(4)	157	6.8 %
5	B-:(5)	215	9.4 %
6	B:(6)	353	15.4 %
7	B+:(7)	456	19.9 %
8	A-:(8)	422	18.4 %
9	A:(9)	417	18.2 %
Missing Data			
-9	MISSING:(-9)	122	5.3 %
Total		2,292	100%

Based upon 2,170 valid cases out of 2,292 total cases.

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2180: 15C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1204	52.5 %
2	PRB WONT:(2)	447	19.5 %
3	PRB WILL:(3)	275	12.0 %
4	DEF WILL:(4)	135	5.9 %
Missing Data			
-9	MISSING:(-9)	231	10.1 %
Total		2,292	100%

Based upon 2,061 valid cases out of 2,292 total cases.

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2181: 15C21B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1380	60.2 %
2	PRB WONT:(2)	437	19.1 %
3	PRB WILL:(3)	164	7.2 %
4	DEF WILL:(4)	90	3.9 %
Missing Data			
-9	MISSING:(-9)	221	9.6 %
Total		2,292	100%

Based upon 2,071 valid cases out of 2,292 total cases.

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2182: 15C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	742	32.4 %
2	PRB WONT:(2)	342	14.9 %
3	PRB WILL:(3)	490	21.4 %
4	DEF WILL:(4)	488	21.3 %
Missing Data			
-9	MISSING:(-9)	230	10.0 %

Value	Label	Unweighted Frequency	%
Total		2,292	100%

Based upon 2,062 valid cases out of 2,292 total cases.

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2183: 15C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	165	7.2 %
2	PRB WONT:(2)	151	6.6 %
3	PRB WILL:(3)	464	20.2 %
4	DEF WILL:(4)	1351	58.9 %
Missing Data			
-9	MISSING:(-9)	161	7.0 %
Total		2,292	100%

Based upon 2,131 valid cases out of 2,292 total cases.

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2184: 15C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	345	15.1 %
2	PRB WONT:(2)	494	21.6 %
3	PRB WILL:(3)	708	30.9 %
4	DEF WILL:(4)	532	23.2 %
Missing Data			
-9	MISSING:(-9)	213	9.3 %
Total		2,292	100%

Based upon 2,079 valid cases out of 2,292 total cases.

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2185: 15C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1845	80.5 %
1	MARKED:(1)	289	12.6 %
Missing Data			
-9	MISSING:(-9)	158	6.9 %
Total		2,292	100%

Based upon 2,134 valid cases out of 2,292 total cases.

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2186: 15C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1826	79.7 %
1	MARKED:(1)	308	13.4 %
	Missing Data		
-9	MISSING:(-9)	158	6.9 %
	Total	2,292	100%

Based upon 2,134 valid cases out of 2,292 total cases.

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2187: 15C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1525	66.5 %
1	MARKED:(1)	609	26.6 %
	Missing Data		
-9	MISSING:(-9)	158	6.9 %
	Total	2,292	100%

Based upon 2,134 valid cases out of 2,292 total cases.

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2188: 15C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	454	19.8 %
1	MARKED:(1)	1680	73.3 %
	Missing Data		
-9	MISSING:(-9)	158	6.9 %
	Total	2,292	100%

Based upon 2,134 valid cases out of 2,292 total cases.

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2189: 15C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	945	41.2 %
1	MARKED:(1)	1189	51.9 %
	Missing Data		
-9	MISSING:(-9)	158	6.9 %
	Total	2,292	100%

Based upon 2,134 valid cases out of 2,292 total cases.

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2190: 15C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2001	87.3 %
1	MARKED:(1)	133	5.8 %
	Missing Data		
-9	MISSING:(-9)	158	6.9 %
	Total	2,292	100%

Based upon 2,134 valid cases out of 2,292 total cases.

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2191: 15C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	837	36.5 %
2	5 OR <:(2)	189	8.2 %
3	6-10 HRS:(3)	197	8.6 %
4	11-15 HR:(4)	210	9.2 %
5	16-20 HR:(5)	220	9.6 %
6	21-25 HR:(6)	207	9.0 %
7	26-30 HR:(7)	155	6.8 %
8	30+ HRS:(8)	138	6.0 %
	Missing Data		
-9	MISSING:(-9)	139	6.1 %
	Total	2,292	100%

Based upon 2,153 valid cases out of 2,292 total cases.

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2192: 15C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	885	38.6 %
2	\$1-5:(2)	22	1.0 %
3	\$6-10:(3)	69	3.0 %
4	\$11-20:(4)	45	2.0 %
5	\$21-35:(5)	62	2.7 %
6	\$36-50:(6)	87	3.8 %
7	\$51-75:(7)	114	5.0 %
8	\$76-125:(8)	268	11.7 %
9	\$126-175:(9)	235	10.3 %
10	\$176+:(10)	340	14.8 %
Missing Data			
-9	MISSING:(-9)	165	7.2 %
Total		2,292	100%

Based upon 2,127 valid cases out of 2,292 total cases.

Location: 405-406 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2193: 15C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	975	42.5 %
2	\$1-5:(2)	92	4.0 %

Value	Label	Unweighted Frequency	%
3	\$6-10:(3)	140	6.1 %
4	\$11-20:(4)	276	12.0 %
5	\$21-35:(5)	201	8.8 %
6	\$36-50:(6)	154	6.7 %
7	\$51-75:(7)	74	3.2 %
8	\$76-125:(8)	47	2.1 %
9	\$126-175:(9)	26	1.1 %
10	\$176+:(10)	70	3.1 %
Missing Data			
-9	MISSING:(-9)	237	10.3 %
Total		2,292	100%

Based upon 2,055 valid cases out of 2,292 total cases.

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2194: 15C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"

6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	405	17.7 %
2	ONE:(2)	396	17.3 %
3	TWO:(3)	566	24.7 %
4	THREE:(4)	420	18.3 %
5	4-5:(5)	232	10.1 %
6	6-7:(6)	126	5.5 %
Missing Data			
-9	MISSING:(-9)	147	6.4 %
Total		2,292	100%

Based upon 2,145 valid cases out of 2,292 total cases.

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2195: 15C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"
4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	908	39.6 %
2	ONCE/MO:(2)	325	14.2 %
3	2-3X MO:(3)	302	13.2 %
4	ONCE WK:(4)	292	12.7 %
5	2-3X WK:(5)	222	9.7 %
6	3+ WEEK:(6)	87	3.8 %
Missing Data			
-9	MISSING:(-9)	156	6.8 %
Total		2,292	100%

Based upon 2,136 valid cases out of 2,292 total cases.

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2196: 15C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	501	21.9 %
2	1-10 MI:(2)	230	10.0 %
3	11-50:(3)	525	22.9 %
4	51-100:(4)	433	18.9 %
5	101-200:(5)	268	11.7 %
6	> 200:(6)	186	8.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	149	6.5 %
	Total	2,292	100%

Based upon 2,143 valid cases out of 2,292 total cases.

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2197: 15C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1754	76.5 %
1	ONCE:(1)	221	9.6 %
2	TWICE:(2)	87	3.8 %
3	3 TIMES:(3)	43	1.9 %
4	4+ TIMES:(4)	13	0.6 %
	Missing Data		
-9	MISSING:(-9)	174	7.6 %
	Total	2,292	100%

Based upon 2,118 valid cases out of 2,292 total cases.

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2198: 15C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	338	14.7 %
1	ONE:(1)	11	0.5 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	1939	84.6 %
Total		2,292	100%

Based upon 353 valid cases out of 2,292 total cases.

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2199: 15C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you
were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	334	14.6 %
1	ONE:(1)	15	0.7 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	1937	84.5 %
Total		2,292	100%

Based upon 355 valid cases out of 2,292 total cases.

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2200: 15C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	346	15.1 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	1943	84.8 %
	Total	2,292	100%

Based upon 349 valid cases out of 2,292 total cases.

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2201: 15C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1778	77.6 %
1	ONCE:(1)	268	11.7 %
2	TWICE:(2)	47	2.1 %
3	3 TIMES:(3)	17	0.7 %
4	4+ TIMES:(4)	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	181	7.9 %
Total		2,292	100%

Based upon 2,111 valid cases out of 2,292 total cases.

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2202: 15C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	316	13.8 %
1	ONE:(1)	8	0.3 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	1967	85.8 %
Total		2,292	100%

Based upon 325 valid cases out of 2,292 total cases.

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2203: 15C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	317	13.8 %
1	ONE:(1)	8	0.3 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	1965	85.7 %
Total		2,292	100%

Based upon 327 valid cases out of 2,292 total cases.

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2204: 15C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	316	13.8 %
1	ONE:(1)	4	0.2 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	1971	86.0 %
Total		2,292	100%

Based upon 321 valid cases out of 2,292 total cases.

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2500: 15D01A:4WKS ALC@SCHOOL

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2049	89.4 %
2	1 DAY:(2)	40	1.7 %
3	2 DAYS:(3)	23	1.0 %
4	3-5 DAYS:(4)	13	0.6 %
5	6-9 DAYS:(5)	2	0.1 %
6	10+ DAYS:(6)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	155	6.8 %
Total		2,292	100%

Based upon 2,137 valid cases out of 2,292 total cases.

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2501: 15D01B:4WKS MJ/OTD@SCHL

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1934	84.4 %
2	1 DAY:(2)	65	2.8 %
3	2 DAYS:(3)	39	1.7 %
4	3-5 DAYS:(4)	39	1.7 %
5	6-9 DAYS:(5)	19	0.8 %
6	10+ DAYS:(6)	42	1.8 %
Missing Data			
-9	MISSING:(-9)	154	6.7 %

Value	Label	Unweighted Frequency	%
Total		2,292	100%

Based upon 2,138 valid cases out of 2,292 total cases.

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2502: 15D01C:4WKS TOBACCO@SCH

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2032	88.7 %
2	1 DAY:(2)	22	1.0 %
3	2 DAYS:(3)	19	0.8 %
4	3-5 DAYS:(4)	13	0.6 %
5	6-9 DAYS:(5)	8	0.3 %
6	10+ DAYS:(6)	37	1.6 %
Missing Data			
-9	MISSING:(-9)	161	7.0 %
Total		2,292	100%

Based upon 2,131 valid cases out of 2,292 total cases.

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2503: 15D01D:4WKS WEAPON@SCHL

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"

6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2060	89.9 %
2	1 DAY:(2)	19	0.8 %
3	2 DAYS:(3)	12	0.5 %
4	3-5 DAYS:(4)	8	0.3 %
5	6-9 DAYS:(5)	1	0.0 %
6	10+ DAYS:(6)	28	1.2 %
Missing Data			
-9	MISSING:(-9)	164	7.2 %
Total		2,292	100%

Based upon 2,128 valid cases out of 2,292 total cases.

Location: 437-438 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2504: 15D02A:#X TCHR INTRUPT

Item Number: 25730

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	513	22.4 %
2	< 1/WK:(2)	516	22.5 %
3	1-2X/WK:(3)	477	20.8 %
4	3-5X/WK:(4)	321	14.0 %
5	6-9X/WK:(5)	157	6.8 %
6	10-19X/W:(6)	71	3.1 %
7	20+: (7)	76	3.3 %
Missing Data			
-9	MISSING:(-9)	161	7.0 %
Total		2,292	100%

Based upon 2,131 valid cases out of 2,292 total cases.

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2505: 15D02B:#X MISBHVR INT U

Item Number: 25740

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	869	37.9 %
2	< 1/WK:(2)	416	18.2 %
3	1-2X/WK:(3)	382	16.7 %
4	3-5X/WK:(4)	232	10.1 %
5	6-9X/WK:(5)	101	4.4 %
6	10-19X/W:(6)	55	2.4 %
7	20+:(7)	67	2.9 %
Missing Data			
-9	MISSING:(-9)	170	7.4 %
Total		2,292	100%

Based upon 2,122 valid cases out of 2,292 total cases.

Location: 441-442 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2506: 15D02C:#X U UNEXCSD LAT

Item Number: 25750

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun) without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1144	49.9 %
2	< 1/WK:(2)	492	21.5 %
3	1-2X/WK:(3)	259	11.3 %
4	3-5X/WK:(4)	133	5.8 %
5	6-9X/WK:(5)	47	2.1 %
6	10-19X/W:(6)	14	0.6 %
7	20+:(7)	34	1.5 %
Missing Data			
-9	MISSING:(-9)	169	7.4 %
Total		2,292	100%

Based upon 2,123 valid cases out of 2,292 total cases.

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2507: 15D03 :SCHL RULES FAIR

Item Number: 25760

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	230	10.0 %
2	NO MSTLY:(2)	272	11.9 %
3	DK:(3)	254	11.1 %
4	YES MSTL:(4)	992	43.3 %
5	YES:(5)	381	16.6 %
Missing Data			
-9	MISSING:(-9)	163	7.1 %
Total		2,292	100%

Based upon 2,129 valid cases out of 2,292 total cases.

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2311: 15D04 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	86	3.8 %
2	QUITE:(2)	148	6.5 %
3	SOME DIS:(3)	159	6.9 %
4	NEITHER:(4)	266	11.6 %
5	SOME SAT:(5)	454	19.8 %
6	QUITE:(6)	768	33.5 %
7	COMPLETE:(7)	246	10.7 %
Missing Data			
-9	MISSING:(-9)	165	7.2 %
Total		2,292	100%

Based upon 2,127 valid cases out of 2,292 total cases.

Location: 447-448 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2312: 15D05A:HOW GD AS SPOUSE

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	46	2.0 %
2	NOT GOOD:(2)	47	2.1 %
3	FAIR GOOD:(3)	168	7.3 %
4	GOOD:(4)	598	26.1 %
5	VRY GOOD:(5)	1183	51.6 %
8	DK:(8)	90	3.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	160	7.0 %
	Total	2,292	100%

Based upon 2,132 valid cases out of 2,292 total cases.

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2313: 15D05B:HOW GD AS PARENT

Item Number: 06860

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	65	2.8 %
2	NOT GOOD:(2)	58	2.5 %
3	FAIR GOOD:(3)	202	8.8 %
4	GOOD:(4)	531	23.2 %
5	VRY GOOD:(5)	1162	50.7 %
8	DK:(8)	0	0.0 %
	Missing Data		
-9	MISSING:(-9)	274	12.0 %
	Total	2,292	100%

Based upon 2,018 valid cases out of 2,292 total cases.

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2314: 15D05C:HOW GD AS WORKER

Item Number: 06870

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very

Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	28	1.2 %
2	NOT GOOD:(2)	14	0.6 %
3	FAIR GOOD:(3)	93	4.1 %
4	GOOD:(4)	550	24.0 %
5	VRY GOOD:(5)	1394	60.8 %
8	DK:(8)	47	2.1 %
Missing Data			
-9	MISSING:(-9)	166	7.2 %
Total		2,292	100%

Based upon 2,126 valid cases out of 2,292 total cases.

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2328: 15D06A:2MCH COMPTN SCTY

Item Number: 07010

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	220	9.6 %
2	MOST DIS:(2)	219	9.6 %
3	NEITHER:(3)	408	17.8 %
4	MOST AGR:(4)	662	28.9 %
5	AGREE:(5)	577	25.2 %
Missing Data			
-9	MISSING:(-9)	206	9.0 %
Total		2,292	100%

Based upon 2,086 valid cases out of 2,292 total cases.

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2329: 15D06B:2MANY YNG SLOPPY

Item Number: 07020

How much do you agree or disagree with each of the following statements?

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	230	10.0 %
2	MOST DIS:(2)	374	16.3 %
3	NEITHER:(3)	588	25.7 %
4	MOST AGR:(4)	601	26.2 %
5	AGREE:(5)	296	12.9 %
Missing Data			
-9	MISSING:(-9)	203	8.9 %
Total		2,292	100%

Based upon 2,089 valid cases out of 2,292 total cases.

Location: 457-458 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V2331: 15D06C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following statements?

D: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	75	3.3 %
2	MOST DIS:(2)	52	2.3 %
3	NEITHER:(3)	284	12.4 %
4	MOST AGR:(4)	650	28.4 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	1020	44.5 %
	Missing Data		
-9	MISSING:(-9)	211	9.2 %
	Total	2,292	100%

Based upon 2,081 valid cases out of 2,292 total cases.

Location: 459-460 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2332: 15D06D:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

E: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	285	12.4 %
2	MOST DIS:(2)	288	12.6 %
3	NEITHER:(3)	640	27.9 %
4	MOST AGR:(4)	570	24.9 %
5	AGREE:(5)	296	12.9 %
	Missing Data		
-9	MISSING:(-9)	213	9.3 %
	Total	2,292	100%

Based upon 2,079 valid cases out of 2,292 total cases.

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2333: 15D06E:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

F: I like to test myself every now and then by doing

something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	304	13.3 %
2	MOST DIS:(2)	266	11.6 %
3	NEITHER:(3)	554	24.2 %
4	MOST AGR:(4)	633	27.6 %
5	AGREE:(5)	313	13.7 %
Missing Data			
-9	MISSING:(-9)	222	9.7 %
Total		2,292	100%

Based upon 2,070 valid cases out of 2,292 total cases.

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2433: 15D06F:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	128	5.6 %
2	MOST DIS:(2)	174	7.6 %
3	NEITHER:(3)	344	15.0 %
4	MOST AGR:(4)	744	32.5 %
5	AGREE:(5)	679	29.6 %
Missing Data			
-9	MISSING:(-9)	223	9.7 %
Total		2,292	100%

Based upon 2,069 valid cases out of 2,292 total cases.

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2434: 15D06G:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	117	5.1 %
2	MOST DIS:(2)	136	5.9 %
3	NEITHER:(3)	354	15.4 %
4	MOST AGR:(4)	644	28.1 %
5	AGREE:(5)	821	35.8 %
Missing Data			
-9	MISSING:(-9)	220	9.6 %
Total		2,292	100%

Based upon 2,072 valid cases out of 2,292 total cases.

Location: 467-468 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2435: 15D06H:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	70	3.1 %
2	MOST DIS:(2)	93	4.1 %
3	NEITHER:(3)	293	12.8 %

Value	Label	Unweighted Frequency	%
4	MOST AGR:(4)	779	34.0 %
5	AGREE:(5)	834	36.4 %
	Missing Data		
-9	MISSING:(-9)	223	9.7 %
	Total	2,292	100%

Based upon 2,069 valid cases out of 2,292 total cases.

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2436: 15D06I:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	142	6.2 %
2	MOST DIS:(2)	137	6.0 %
3	NEITHER:(3)	323	14.1 %
4	MOST AGR:(4)	693	30.2 %
5	AGREE:(5)	775	33.8 %
	Missing Data		
-9	MISSING:(-9)	222	9.7 %
	Total	2,292	100%

Based upon 2,070 valid cases out of 2,292 total cases.

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2437: 15D06J:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	732	31.9 %
2	MOST DIS:(2)	537	23.4 %
3	NEITHER:(3)	392	17.1 %
4	MOST AGR:(4)	262	11.4 %
5	AGREE:(5)	147	6.4 %
Missing Data			
-9	MISSING:(-9)	222	9.7 %
Total		2,292	100%

Based upon 2,070 valid cases out of 2,292 total cases.

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2438: 15D06K:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	714	31.2 %
2	MOST DIS:(2)	404	17.6 %
3	NEITHER:(3)	372	16.2 %
4	MOST AGR:(4)	354	15.4 %
5	AGREE:(5)	219	9.6 %
Missing Data			
-9	MISSING:(-9)	229	10.0 %
Total		2,292	100%

Based upon 2,063 valid cases out of 2,292 total cases.

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2439: 15D06L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	819	35.7 %
2	MOST DIS:(2)	443	19.3 %
3	NEITHER:(3)	416	18.2 %
4	MOST AGR:(4)	241	10.5 %
5	AGREE:(5)	149	6.5 %
Missing Data			
-9	MISSING:(-9)	224	9.8 %
Total		2,292	100%

Based upon 2,068 valid cases out of 2,292 total cases.

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2440: 15D06M:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	1027	44.8 %
2	MOST DIS:(2)	368	16.1 %
3	NEITHER:(3)	354	15.4 %
4	MOST AGR:(4)	165	7.2 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	148	6.5 %
	Missing Data		
-9	MISSING:(-9)	230	10.0 %
	Total	2,292	100%

Based upon 2,062 valid cases out of 2,292 total cases.

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2334: 15D07A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	815	35.6 %
2	A FEW:(2)	757	33.0 %
3	SOME:(3)	370	16.1 %
4	MOST:(4)	101	4.4 %
5	ALL:(5)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	227	9.9 %
	Total	2,292	100%

Based upon 2,065 valid cases out of 2,292 total cases.

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2335: 15D07B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	463	20.2 %
2	A FEW:(2)	583	25.4 %
3	SOME:(3)	486	21.2 %
4	MOST:(4)	424	18.5 %
5	ALL:(5)	111	4.8 %
Missing Data			
-9	MISSING:(-9)	225	9.8 %
Total		2,292	100%

Based upon 2,067 valid cases out of 2,292 total cases.

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2336: 15D07C:ALL FRD TAKE LSD

Item Number: 07090

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1656	72.3 %
2	A FEW:(2)	273	11.9 %
3	SOME:(3)	94	4.1 %
4	MOST:(4)	21	0.9 %
5	ALL:(5)	12	0.5 %
Missing Data			
-9	MISSING:(-9)	236	10.3 %
Total		2,292	100%

Based upon 2,056 valid cases out of 2,292 total cases.

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2337: 15D07D:ALL FRD TK PSYDL

Item Number: 07100

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1596	69.6 %
2	A FEW:(2)	327	14.3 %
3	SOME:(3)	98	4.3 %
4	MOST:(4)	23	1.0 %
5	ALL:(5)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	233	10.2 %
Total		2,292	100%

Based upon 2,059 valid cases out of 2,292 total cases.

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2338: 15D07E:ALL FRD TK AMPH

Item Number: 07110

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, speed, Adderall, Ritalin, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1553	67.8 %
2	A FEW:(2)	310	13.5 %
3	SOME:(3)	139	6.1 %
4	MOST:(4)	41	1.8 %
5	ALL:(5)	15	0.7 %
Missing Data			
-9	MISSING:(-9)	234	10.2 %
Total		2,292	100%

Based upon 2,058 valid cases out of 2,292 total cases.

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2523: 15D07F:ALL FRD TK SED/B

Item Number: 07135

How many of your friends would you estimate . . .

F: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1754	76.5 %
2	A FEW:(2)	204	8.9 %
3	SOME:(3)	67	2.9 %
4	MOST:(4)	16	0.7 %
5	ALL:(5)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	240	10.5 %
Total		2,292	100%

Based upon 2,052 valid cases out of 2,292 total cases.

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2341: 15D07G:ALL FRD TK TRNQL

Item Number: 07140

How many of your friends would you estimate . . .

G: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1817	79.3 %
2	A FEW:(2)	149	6.5 %
3	SOME:(3)	57	2.5 %
4	MOST:(4)	16	0.7 %
5	ALL:(5)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	239	10.4 %

Value	Label	Unweighted Frequency	%
	Total	2,292	100%

Based upon 2,053 valid cases out of 2,292 total cases.

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2342: 15D07H:ALL FRD TK COKE

Item Number: 07150

How many of your friends would you estimate . . .

H: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1693	73.9 %
2	A FEW:(2)	272	11.9 %
3	SOME:(3)	64	2.8 %
4	MOST:(4)	17	0.7 %
5	ALL:(5)	10	0.4 %
	Missing Data		
-9	MISSING:(-9)	236	10.3 %
	Total	2,292	100%

Based upon 2,056 valid cases out of 2,292 total cases.

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2343: 15D07I:ALL FRD TK HERON

Item Number: 07160

How many of your friends would you estimate . . .

I: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1901	82.9 %

Value	Label	Unweighted Frequency	%
2	A FEW:(2)	101	4.4 %
3	SOME:(3)	31	1.4 %
4	MOST:(4)	4	0.2 %
5	ALL:(5)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	246	10.7 %
Total		2,292	100%

Based upon 2,046 valid cases out of 2,292 total cases.

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2344: 15D07J:ALL FRD TK NARC

Item Number: 07170

How many of your friends would you estimate . . .

J: . . . Take other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1643	71.7 %
2	A FEW:(2)	279	12.2 %
3	SOME:(3)	95	4.1 %
4	MOST:(4)	24	1.0 %
5	ALL:(5)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	242	10.6 %
Total		2,292	100%

Based upon 2,050 valid cases out of 2,292 total cases.

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2345: 15D07K:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

K: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1853	80.8 %
2	A FEW:(2)	129	5.6 %
3	SOME:(3)	40	1.7 %
4	MOST:(4)	9	0.4 %
5	ALL:(5)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	251	11.0 %
Total		2,292	100%

Based upon 2,041 valid cases out of 2,292 total cases.

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2346: 15D07L:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . .

L: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	490	21.4 %
2	A FEW:(2)	296	12.9 %
3	SOME:(3)	386	16.8 %
4	MOST:(4)	599	26.1 %
5	ALL:(5)	280	12.2 %
Missing Data			
-9	MISSING:(-9)	241	10.5 %
Total		2,292	100%

Based upon 2,051 valid cases out of 2,292 total cases.

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2347: 15D07M:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . .

M: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	829	36.2 %
2	A FEW:(2)	515	22.5 %
3	SOME:(3)	385	16.8 %
4	MOST:(4)	233	10.2 %
5	ALL:(5)	87	3.8 %
Missing Data			
-9	MISSING:(-9)	243	10.6 %
Total		2,292	100%

Based upon 2,049 valid cases out of 2,292 total cases.

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2451: 15D07N:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

N: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1847	80.6 %
2	A FEW:(2)	148	6.5 %
3	SOME:(3)	36	1.6 %
4	MOST:(4)	7	0.3 %
5	ALL:(5)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	243	10.6 %
Total		2,292	100%

Based upon 2,049 valid cases out of 2,292 total cases.

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2452: 15E01A:RSK COK PWDR 1-2

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	178	7.8 %
2	SLIGHT:(2)	310	13.5 %
3	MOD RISK:(3)	448	19.5 %
4	GRT RISK:(4)	1002	43.7 %
5	CANT SAY:(5)	96	4.2 %
Missing Data			
-9	MISSING:(-9)	258	11.3 %
Total		2,292	100%

Based upon 2,034 valid cases out of 2,292 total cases.

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2453: 15E01B:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	148	6.5 %
2	SLIGHT:(2)	102	4.5 %

Value	Label	Unweighted Frequency	%
3	MOD RISK:(3)	417	18.2 %
4	GRT RISK:(4)	1271	55.5 %
5	CANT SAY:(5)	96	4.2 %
	Missing Data		
-9	MISSING:(-9)	258	11.3 %
	Total	2,292	100%

Based upon 2,034 valid cases out of 2,292 total cases.

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2454: 15E01C:RSK COK PWDR REG

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	144	6.3 %
2	SLIGHT:(2)	33	1.4 %
3	MOD RISK:(3)	143	6.2 %
4	GRT RISK:(4)	1618	70.6 %
5	CANT SAY:(5)	97	4.2 %
	Missing Data		
-9	MISSING:(-9)	257	11.2 %
	Total	2,292	100%

Based upon 2,035 valid cases out of 2,292 total cases.

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2455: 15E01D:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	173	7.5 %
2	SLIGHT:(2)	252	11.0 %
3	MOD RISK:(3)	407	17.8 %
4	GRT RISK:(4)	1096	47.8 %
5	CANT SAY:(5)	103	4.5 %
Missing Data			
-9	MISSING:(-9)	261	11.4 %
Total		2,292	100%

Based upon 2,031 valid cases out of 2,292 total cases.

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2456: 15E01E:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	134	5.8 %
2	SLIGHT:(2)	71	3.1 %
3	MOD RISK:(3)	346	15.1 %
4	GRT RISK:(4)	1369	59.7 %
5	CANT SAY:(5)	108	4.7 %
Missing Data			
-9	MISSING:(-9)	264	11.5 %
Total		2,292	100%

Based upon 2,028 valid cases out of 2,292 total cases.

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2457: 15E01F:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	140	6.1 %
2	SLIGHT:(2)	25	1.1 %
3	MOD RISK:(3)	125	5.5 %
4	GRT RISK:(4)	1630	71.1 %
5	CANT SAY:(5)	106	4.6 %
Missing Data			
-9	MISSING:(-9)	266	11.6 %
Total		2,292	100%

Based upon 2,026 valid cases out of 2,292 total cases.

Location: 519-520 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2534: 15E01G:RSK NARC 1-2X

Item number: 32600

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

G: . . . Try any narcotic other than heroin (codeine,
Vicodin, OxyContin, Percocet, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	196	8.6 %
2	SLIGHT:(2)	315	13.7 %
3	MOD RISK:(3)	453	19.8 %

Value	Label	Unweighted Frequency	%
4	GRT RISK:(4)	904	39.4 %
5	CANT SAY:(5)	162	7.1 %
	Missing Data		
-9	MISSING:(-9)	262	11.4 %
	Total	2,292	100%

Based upon 2,030 valid cases out of 2,292 total cases.

Location: 521-522 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2535: 15E01H:RSK NARC OCCAS

Item number: 32610

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

H: . . . Take any narcotic other than heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	142	6.2 %
2	SLIGHT:(2)	114	5.0 %
3	MOD RISK:(3)	441	19.2 %
4	GRT RISK:(4)	1174	51.2 %
5	CANT SAY:(5)	153	6.7 %
	Missing Data		
-9	MISSING:(-9)	268	11.7 %
	Total	2,292	100%

Based upon 2,024 valid cases out of 2,292 total cases.

Location: 523-524 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2536: 15E01I:RSK NARC REGLY

Item number: 32620

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

I: . . . Take any narcotic other than heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	143	6.2 %
2	SLIGHT:(2)	50	2.2 %
3	MOD RISK:(3)	204	8.9 %
4	GRT RISK:(4)	1474	64.3 %
5	CANT SAY:(5)	156	6.8 %
Missing Data			
-9	MISSING:(-9)	265	11.6 %
Total		2,292	100%

Based upon 2,027 valid cases out of 2,292 total cases.

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2537: 15E01J:RSK ADDERALL 1-2X

Item number: 32630

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

J: . . . Try Adderall once or twice without a doctor's orders?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	343	15.0 %
2	SLIGHT:(2)	465	20.3 %
3	MOD RISK:(3)	332	14.5 %
4	GRT RISK:(4)	685	29.9 %
5	CANT SAY:(5)	203	8.9 %
Missing Data			
-9	MISSING:(-9)	264	11.5 %
Total		2,292	100%

Based upon 2,028 valid cases out of 2,292 total cases.

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2538: 15E01K:RSK ADDERALL OCC

Item number: 32640

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

K: . . . Take Adderall occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	228	9.9 %
2	SLIGHT:(2)	291	12.7 %
3	MOD RISK:(3)	472	20.6 %
4	GRT RISK:(4)	830	36.2 %
5	CANT SAY:(5)	206	9.0 %
Missing Data			
-9	MISSING:(-9)	265	11.6 %
Total		2,292	100%

Based upon 2,027 valid cases out of 2,292 total cases.

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2458: 15E01L:RSK PCP 1-2X

Item Number: 12415

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	155	6.8 %
2	SLIGHT:(2)	140	6.1 %
3	MOD RISK:(3)	289	12.6 %
4	GRT RISK:(4)	1104	48.2 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	335	14.6 %
	Missing Data		
-9	MISSING:(-9)	269	11.7 %
	Total	2,292	100%

Based upon 2,023 valid cases out of 2,292 total cases.

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2476: 15E01M:RSK ICE 1-2X

Item Number: 24420

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	150	6.5 %
2	SLIGHT:(2)	75	3.3 %
3	MOD RISK:(3)	230	10.0 %
4	GRT RISK:(4)	1403	61.2 %
5	CANT SAY:(5)	164	7.2 %
	Missing Data		
-9	MISSING:(-9)	270	11.8 %
	Total	2,292	100%

Based upon 2,022 valid cases out of 2,292 total cases.

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2459: 15E02A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack"
cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1984	86.6 %
2	1-2X:(2)	22	1.0 %
3	3-5X:(3)	5	0.2 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	10	0.4 %
Missing Data			
-9	MISSING:(-9)	266	11.6 %
Total		2,292	100%

Based upon 2,026 valid cases out of 2,292 total cases.

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2460: 15E02B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack"
cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2003	87.4 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	8	0.3 %
Missing Data			
-9	MISSING:(-9)	266	11.6 %

Value	Label	Unweighted Frequency	%
Total		2,292	100%

Based upon 2,026 valid cases out of 2,292 total cases.

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2461: 15E02C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2007	87.6 %
2	1-2X:(2)	5	0.2 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	268	11.7 %
Total		2,292	100%

Based upon 2,024 valid cases out of 2,292 total cases.

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2493: 15E03A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1979	86.3 %
2	1-2X:(2)	27	1.2 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	264	11.5 %
Total		2,292	100%

Based upon 2,028 valid cases out of 2,292 total cases.

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2494: 15E03B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on
your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1998	87.2 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	2	0.1 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	8	0.3 %
	Missing Data		
-9	MISSING:(-9)	262	11.4 %
	Total	2,292	100%

Based upon 2,030 valid cases out of 2,292 total cases.

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2495: 15E03C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2008	87.6 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	6	0.3 %
	Missing Data		
-9	MISSING:(-9)	263	11.5 %
	Total	2,292	100%

Based upon 2,029 valid cases out of 2,292 total cases.

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2496: 15E04A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?
(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	26	1.1 %
1	MARKED:(1)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2255	98.4 %
	Total	2,292	100%

Based upon 37 valid cases out of 2,292 total cases.

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2497: 15E04B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?
(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	15	0.7 %
1	MARKED:(1)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	2255	98.4 %
	Total	2,292	100%

Based upon 37 valid cases out of 2,292 total cases.

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2516: 15E04C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	31	1.4 %
1	MARKED:(1)	1985	86.6 %
	Missing Data		
-9	MISSING:(-9)	276	12.0 %
	Total	2,292	100%

Based upon 2,016 valid cases out of 2,292 total cases.

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2546: 152E05A:#X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many occasions (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1684	73.5 %
2	1-2 DAYS:(2)	168	7.3 %
3	3-5 DAYS:(3)	61	2.7 %
4	6-9 DAYS:(4)	34	1.5 %
5	10-19 DAYS:(5)	28	1.2 %
6	20-30 DAYS:(6)	57	2.5 %
	Missing Data		
-9	MISSING:(-9)	260	11.3 %
	Total	2,292	100%

Based upon 2,032 valid cases out of 2,292 total cases.

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2547: 152E05B:#X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
 5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1880	82.0 %
2	1-2 DAYS:(2)	98	4.3 %
3	3-5 DAYS:(3)	25	1.1 %
4	6-9 DAYS:(4)	13	0.6 %
5	10-19 DAYS:(5)	2	0.1 %
6	20-30 DAYS:(6)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	265	11.6 %
Total		2,292	100%

Based upon 2,027 valid cases out of 2,292 total cases.

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2548: 152E05C:#X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
 5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1814	79.1 %
2	1-2 DAYS:(2)	115	5.0 %
3	3-5 DAYS:(3)	41	1.8 %
4	6-9 DAYS:(4)	27	1.2 %
5	10-19 DAYS:(5)	10	0.4 %
6	20-30 DAYS:(6)	21	0.9 %
Missing Data			
-9	MISSING:(-9)	264	11.5 %
Total		2,292	100%

Based upon 2,028 valid cases out of 2,292 total cases.

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2549: 152E05D:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1879	82.0 %
2	1-2 DAYS:(2)	71	3.1 %
3	3-5 DAYS:(3)	25	1.1 %
4	6-9 DAYS:(4)	17	0.7 %
5	10-19 DAYS:(5)	12	0.5 %
6	20-30 DAYS:(6)	16	0.7 %
Missing Data			
-9	MISSING:(-9)	272	11.9 %
Total		2,292	100%

Based upon 2,020 valid cases out of 2,292 total cases.

Location: 559-560 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2550: 152E05E:#X SYNTH MJ/30DAY

Item Number: 33750

During the LAST 30 DAYS, on how many occasions (if any) have you taken "synthetic marijuana" ("K2," "Spice") to get high?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1968	85.9 %
2	1-2 DAYS:(2)	25	1.1 %
3	3-5 DAYS:(3)	5	0.2 %

Value	Label	Unweighted Frequency	%
4	6-9 DAYS:(4)	10	0.4 %
5	10-19 DAYS:(5)	1	0.0 %
6	20-30 DAYS:(6)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	272	11.9 %
	Total	2,292	100%

Based upon 2,020 valid cases out of 2,292 total cases.

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2462: 15E06A:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	6	0.3 %
2	GRADE 7:(2)	2	0.1 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	10	0.4 %
5	GRADE 10:(5)	5	0.2 %
6	GRADE 11:(6)	6	0.3 %
7	GRADE 12:(7)	4	0.2 %
8	NEVER:(8)	1914	83.5 %
	Missing Data		
-9	MISSING:(-9)	342	14.9 %
	Total	2,292	100%

Based upon 1,950 valid cases out of 2,292 total cases.

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2463: 15E06B:GR 1ST TR OT COK

Item Number: 05662

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	4	0.2 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	3	0.1 %
4	GRADE 9:(4)	8	0.3 %
5	GRADE 10:(5)	10	0.4 %
6	GRADE 11:(6)	18	0.8 %
7	GRADE 12:(7)	11	0.5 %
8	NEVER:(8)	1888	82.4 %
Missing Data			
-9	MISSING:(-9)	349	15.2 %
Total		2,292	100%

Based upon 1,943 valid cases out of 2,292 total cases.

Location: 565-566 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2477: 15E06C:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things?

C: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	3	0.1 %

Value	Label	Unweighted Frequency	%
5	GRADE 10:(5)	1	0.0 %
6	GRADE 11:(6)	2	0.1 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1949	85.0 %
Missing Data			
-9	MISSING:(-9)	329	14.4 %
Total		2,292	100%

Based upon 1,963 valid cases out of 2,292 total cases.

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2498: 15E06D:GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

D: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	9	0.4 %
2	GRADE 7:(2)	1	0.0 %
3	GRADE 8:(3)	0	0.0 %
4	GRADE 9:(4)	3	0.1 %
5	GRADE 10:(5)	8	0.3 %
6	GRADE 11:(6)	5	0.2 %
7	GRADE 12:(7)	10	0.4 %
8	NEVER:(8)	1910	83.3 %
Missing Data			
-9	MISSING:(-9)	346	15.1 %
Total		2,292	100%

Based upon 1,946 valid cases out of 2,292 total cases.

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2464: 15E07A:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	738	32.2 %
2	VRY DIFF:(2)	432	18.8 %
3	FRLY DIF:(3)	410	17.9 %
4	FRLY EAS:(4)	272	11.9 %
5	VRY EASY:(5)	145	6.3 %
Missing Data			
-9	MISSING:(-9)	295	12.9 %
Total		2,292	100%

Based upon 1,997 valid cases out of 2,292 total cases.

Location: 571-572 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2465: 15E07B:EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	709	30.9 %
2	VRY DIFF:(2)	404	17.6 %
3	FRLY DIF:(3)	391	17.1 %
4	FRLY EAS:(4)	312	13.6 %
5	VRY EASY:(5)	171	7.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	305	13.3 %
	Total	2,292	100%

Based upon 1,987 valid cases out of 2,292 total cases.

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2466: 15E07C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	869	37.9 %
2	VRY DIFF:(2)	477	20.8 %
3	FRLY DIF:(3)	385	16.8 %
4	FRLY EAS:(4)	156	6.8 %
5	VRY EASY:(5)	101	4.4 %
	Missing Data		
-9	MISSING:(-9)	304	13.3 %
	Total	2,292	100%

Based upon 1,988 valid cases out of 2,292 total cases.

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2478: 15E07D:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly

Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	890	38.8 %
2	VRY DIFF:(2)	487	21.2 %
3	FRLY DIF:(3)	338	14.7 %
4	FRLY EAS:(4)	166	7.2 %
5	VRY EASY:(5)	111	4.8 %
8	CANT SAY:(8)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	300	13.1 %
Total		2,292	100%

Based upon 1,992 valid cases out of 2,292 total cases.

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2499: 15E07E:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	725	31.6 %
2	VRY DIFF:(2)	404	17.6 %
3	FRLY DIF:(3)	400	17.5 %
4	FRLY EAS:(4)	282	12.3 %
5	VRY EASY:(5)	170	7.4 %
8	CANT SAY:(8)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	311	13.6 %
Total		2,292	100%

Based upon 1,981 valid cases out of 2,292 total cases.

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2479: 15E08A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	400	17.5 %
2	DISAPPRV:(2)	796	34.7 %
3	STRG DIS:(3)	795	34.7 %
Missing Data			
-9	MISSING:(-9)	301	13.1 %
Total		2,292	100%

Based upon 1,991 valid cases out of 2,292 total cases.

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2480: 15E08B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1145	50.0 %
2	DISAPPRV:(2)	499	21.8 %
3	STRG DIS:(3)	346	15.1 %
Missing Data			
-9	MISSING:(-9)	302	13.2 %
Total		2,292	100%

Based upon 1,990 valid cases out of 2,292 total cases.

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2481: 15E08C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	974	42.5 %
2	DISAPPRV:(2)	545	23.8 %
3	STRG DIS:(3)	468	20.4 %
	Missing Data		
-9	MISSING:(-9)	305	13.3 %
	Total	2,292	100%

Based upon 1,987 valid cases out of 2,292 total cases.

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2482: 15E08D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	691	30.1 %
2	DISAPPRV:(2)	626	27.3 %
3	STRG DIS:(3)	670	29.2 %
	Missing Data		
-9	MISSING:(-9)	305	13.3 %

Value	Label	Unweighted Frequency	%
Total		2,292	100%

Based upon 1,987 valid cases out of 2,292 total cases.

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2483: 15E08E:DAP COK PWD 1-2T

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	280	12.2 %
2	DISAPPRV:(2)	586	25.6 %
3	STRG DIS:(3)	1118	48.8 %
	Missing Data		
-9	MISSING:(-9)	308	13.4 %
Total		2,292	100%

Based upon 1,984 valid cases out of 2,292 total cases.

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2484: 15E08F:DAP COK PWDR OCC

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	188	8.2 %
2	DISAPPRV:(2)	472	20.6 %

Value	Label	Unweighted Frequency	%
3	STRG DIS:(3)	1318	57.5 %
	Missing Data		
-9	MISSING:(-9)	314	13.7 %
	Total	2,292	100%

Based upon 1,978 valid cases out of 2,292 total cases.

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2485: 15E08G:DAP COK PWDR REG

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	167	7.3 %
2	DISAPPRV:(2)	378	16.5 %
3	STRG DIS:(3)	1438	62.7 %
	Missing Data		
-9	MISSING:(-9)	309	13.5 %
	Total	2,292	100%

Based upon 1,983 valid cases out of 2,292 total cases.

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2486: 15E08H:DAP TRY CRK 1-2T

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	208	9.1 %
2	DISAPPRV:(2)	504	22.0 %
3	STRG DIS:(3)	1272	55.5 %
	Missing Data		
-9	MISSING:(-9)	308	13.4 %
	Total	2,292	100%

Based upon 1,984 valid cases out of 2,292 total cases.

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2487: 15E08I:DAP CRACK OCC

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	167	7.3 %
2	DISAPPRV:(2)	404	17.6 %
3	STRG DIS:(3)	1412	61.6 %
	Missing Data		
-9	MISSING:(-9)	309	13.5 %
	Total	2,292	100%

Based upon 1,983 valid cases out of 2,292 total cases.

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2488: 15E08J:DAP CRACK REG

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	161	7.0 %
2	DISAPPRV:(2)	344	15.0 %
3	STRG DIS:(3)	1470	64.1 %
	Missing Data		
-9	MISSING:(-9)	317	13.8 %
	Total	2,292	100%

Based upon 1,975 valid cases out of 2,292 total cases.

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2489: 15E08K:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1324	57.8 %
2	DISAPPRV:(2)	349	15.2 %
3	STRG DIS:(3)	309	13.5 %
	Missing Data		
-9	MISSING:(-9)	310	13.5 %
	Total	2,292	100%

Based upon 1,982 valid cases out of 2,292 total cases.

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2490: 15E08L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	600	26.2 %
2	DISAPPRV:(2)	810	35.3 %
3	STRG DIS:(3)	572	25.0 %
Missing Data			
-9	MISSING:(-9)	310	13.5 %
Total		2,292	100%

Based upon 1,982 valid cases out of 2,292 total cases.

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2491: 15E08M:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	262	11.4 %
2	DISAPPRV:(2)	633	27.6 %
3	STRG DIS:(3)	1091	47.6 %
Missing Data			
-9	MISSING:(-9)	306	13.4 %
Total		2,292	100%

Based upon 1,986 valid cases out of 2,292 total cases.

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2492: 15E08N:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	585	25.5 %
2	DISAPPRV:(2)	568	24.8 %
3	STRG DIS:(3)	824	36.0 %
	Missing Data		
-9	MISSING:(-9)	315	13.7 %
	Total	2,292	100%

Based upon 1,977 valid cases out of 2,292 total cases.

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2428: 15E09A:FAVOR MLTY DRAFT

Item Number: 21060

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"

2="Mostly oppose" 1="Strongly oppose"

Value	Label	Unweighted Frequency	%
1	STRG OPPOS:(1)	485	21.2 %
2	MST OPPOS:(2)	335	14.6 %
3	NO OP/MXD:(3)	891	38.9 %
4	MOST FAVR:(4)	150	6.5 %
5	STRG FAVR:(5)	114	5.0 %
	Missing Data		
-9	MISSING:(-9)	317	13.8 %
	Total	2,292	100%

Based upon 1,975 valid cases out of 2,292 total cases.

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2429: 15E09B:DRAFT INCL WOMEN

Item Number: 21070

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	460	20.1 %
2	UNCERTN:(2)	714	31.2 %
3	YES:(3)	869	37.9 %
	Missing Data		
-9	MISSING:(-9)	249	10.9 %
	Total	2,292	100%

Based upon 2,043 valid cases out of 2,292 total cases.

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2371: 15E10 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot"

3="I like school some" 2="I don't like school very much"

1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	231	10.1 %
2	DONT LIKE VM:(2)	378	16.5 %
3	LIKE SOME:(3)	857	37.4 %
4	LIKE QUITEBIT:(4)	373	16.3 %
5	LIKE VRYMCH:(5)	204	8.9 %
	Missing Data		
-9	MISSING:(-9)	249	10.9 %
	Total	2,292	100%

Based upon 2,043 valid cases out of 2,292 total cases.

Location: 613-614 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2372: 15E11 :HRS/WK SPND HMWK

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	285	12.4 %
2	1-4 HRS:(2)	874	38.1 %
3	5-9 HRS:(3)	409	17.8 %
4	10-14HRS:(4)	226	9.9 %
5	15-19HRS:(5)	107	4.7 %
6	20-24HRS:(6)	66	2.9 %
7	25+ HRS:(7)	72	3.1 %
Missing Data			
-9	MISSING:(-9)	253	11.0 %
Total		2,292	100%

Based upon 2,039 valid cases out of 2,292 total cases.

Location: 615-616 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2445: 15E12A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1576	68.8 %
2	SLIGHT:(2)	166	7.2 %

Value	Label	Unweighted Frequency	%
3	MODERATE:(3)	100	4.4 %
4	CONSDRBL:(4)	48	2.1 %
5	GRT EXT:(5)	118	5.1 %
	Missing Data		
-9	MISSING:(-9)	284	12.4 %
	Total	2,292	100%

Based upon 2,008 valid cases out of 2,292 total cases.

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2446: 15E12B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1234	53.8 %
2	SLIGHT:(2)	179	7.8 %
3	MODERATE:(3)	164	7.2 %
4	CONSDRBL:(4)	105	4.6 %
5	GRT EXT:(5)	329	14.4 %
	Missing Data		
-9	MISSING:(-9)	281	12.3 %
	Total	2,292	100%

Based upon 2,011 valid cases out of 2,292 total cases.

Location: 619-620 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2447: 15E12C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	899	39.2 %
2	SLIGHT:(2)	154	6.7 %
3	MODERATE:(3)	186	8.1 %
4	CONSDRBL:(4)	157	6.8 %
5	GRT EXT:(5)	614	26.8 %
Missing Data			
-9	MISSING:(-9)	282	12.3 %
Total		2,292	100%

Based upon 2,010 valid cases out of 2,292 total cases.

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2448: 15E12D:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	695	30.3 %
2	SLIGHT:(2)	284	12.4 %
3	MODERATE:(3)	311	13.6 %
4	CONSDRBL:(4)	263	11.5 %
5	GRT EXT:(5)	445	19.4 %
Missing Data			
-9	MISSING:(-9)	294	12.8 %
Total		2,292	100%

Based upon 1,998 valid cases out of 2,292 total cases.

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2373: 15E13A:PRCL INFL SCL RN

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	359	15.7 %
2	SOME:(2)	255	11.1 %
3	MODERATE:(3)	353	15.4 %
4	CONSDRBL:(4)	426	18.6 %
5	GREAT:(5)	614	26.8 %
Missing Data			
-9	MISSING:(-9)	285	12.4 %
Total		2,292	100%

Based upon 2,007 valid cases out of 2,292 total cases.

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2374: 15E13B:TCHR INFL SCL RN

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	252	11.0 %
2	SOME:(2)	401	17.5 %

Value	Label	Unweighted Frequency	%
3	MODERATE:(3)	562	24.5 %
4	CONSDRBL:(4)	467	20.4 %
5	GREAT:(5)	327	14.3 %
	Missing Data		
-9	MISSING:(-9)	283	12.3 %
	Total	2,292	100%

Based upon 2,009 valid cases out of 2,292 total cases.

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2375: 15E13C:STDS INFL SCL RN

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	572	25.0 %
2	SOME:(2)	464	20.2 %
3	MODERATE:(3)	397	17.3 %
4	CONSDRBL:(4)	255	11.1 %
5	GREAT:(5)	321	14.0 %
	Missing Data		
-9	MISSING:(-9)	283	12.3 %
	Total	2,292	100%

Based upon 2,009 valid cases out of 2,292 total cases.

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2376: 15E13D:PRTS INFL SCL RN

Item Number: 07680

In general, how much say or influence do you feel each of

the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	599	26.1 %
2	SOME:(2)	559	24.4 %
3	MODERATE:(3)	399	17.4 %
4	CONSDRBL:(4)	241	10.5 %
5	GREAT:(5)	203	8.9 %
Missing Data			
-9	MISSING:(-9)	291	12.7 %
Total		2,292	100%

Based upon 2,001 valid cases out of 2,292 total cases.

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2377: 15E14 :HAD DRUG EDUCATN

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	587	25.6 %
2	WISH HAD:(2)	77	3.4 %
3	YES:(3)	1231	53.7 %
Missing Data			
-9	MISSING:(-9)	397	17.3 %
Total		2,292	100%

Based upon 1,895 valid cases out of 2,292 total cases.

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2378: 15E15 :DG ED,>DG INTRST

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

Value	Label	Unweighted Frequency	%
1	LESS INTERST:(1)	645	28.1 %
2	NO CHNGE:(2)	539	23.5 %
3	MORE INTERST:(3)	52	2.3 %
	Missing Data		
-9	MISSING:(-9)	1056	46.1 %
	Total	2,292	100%

Based upon 1,236 valid cases out of 2,292 total cases.

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2379: 15E16A:DG ED,SPC COURSE

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	828	36.1 %
1	MARKED:(1)	373	16.3 %
	Missing Data		
-9	MISSING:(-9)	1091	47.6 %
	Total	2,292	100%

Based upon 1,201 valid cases out of 2,292 total cases.

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2380: 15E16B:DG ED,IN REG CRS

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	428	18.7 %
1	MARKED:(1)	773	33.7 %
	Missing Data		
-9	MISSING:(-9)	1091	47.6 %
	Total	2,292	100%

Based upon 1,201 valid cases out of 2,292 total cases.

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2381: 15E16C:DG ED,NT REG CRS

Item Number: 07870

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	853	37.2 %
1	MARKED:(1)	348	15.2 %
	Missing Data		
-9	MISSING:(-9)	1091	47.6 %
	Total	2,292	100%

Based upon 1,201 valid cases out of 2,292 total cases.

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2382: 15E16D:DG ED,SPC DISCUS

Item Number: 07880

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	977	42.6 %
1	MARKED:(1)	224	9.8 %
Missing Data			
-9	MISSING:(-9)	1091	47.6 %
Total		2,292	100%

Based upon 1,201 valid cases out of 2,292 total cases.

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2383: 15E17 :DG ED,GRT VALUE

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"

4="Great value"

Value	Label	Unweighted Frequency	%
1	NO VALUE:(1)	305	13.3 %
2	SOME:(2)	461	20.1 %
3	CNSIDRBL:(3)	270	11.8 %
4	GT VALUE:(4)	177	7.7 %
Missing Data			
-9	MISSING:(-9)	1079	47.1 %
Total		2,292	100%

Based upon 1,213 valid cases out of 2,292 total cases.

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2441: 15E18A:#X/2W DRIVE+ALCL

Item Number: 01811

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1849	80.7 %
2	ONCE:(2)	66	2.9 %
3	TWICE:(3)	36	1.6 %
4	3-5X:(4)	13	0.6 %
5	6-9X:(5)	10	0.4 %
6	10+ TIME:(6)	12	0.5 %
	Missing Data		
-9	MISSING:(-9)	306	13.4 %
	Total	2,292	100%

Based upon 1,986 valid cases out of 2,292 total cases.

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2442: 15E18B:#X/2W DRIVE+5DRK

Item Number: 01812

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1896	82.7 %
2	ONCE:(2)	32	1.4 %
3	TWICE:(3)	22	1.0 %
4	3-5X:(4)	15	0.7 %

Value	Label	Unweighted Frequency	%
5	6-9X:(5)	8	0.3 %
6	10+ TIME:(6)	7	0.3 %
	Missing Data		
-9	MISSING:(-9)	312	13.6 %
	Total	2,292	100%

Based upon 1,980 valid cases out of 2,292 total cases.

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2517: 15E18C:#X/2W DRIVE+MJ

Item Number: 01813

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1751	76.4 %
2	ONCE:(2)	71	3.1 %
3	TWICE:(3)	41	1.8 %
4	3-5X:(4)	47	2.1 %
5	6-9X:(5)	16	0.7 %
6	10+ TIME:(6)	50	2.2 %
	Missing Data		
-9	MISSING:(-9)	316	13.8 %
	Total	2,292	100%

Based upon 1,976 valid cases out of 2,292 total cases.

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2518: 15E18D:#X/2W DRIVE+OTDG

Item Number: 01814

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1925	84.0 %
2	ONCE:(2)	19	0.8 %
3	TWICE:(3)	8	0.3 %
4	3-5X:(4)	3	0.1 %
5	6-9X:(5)	1	0.0 %
6	10+ TIME:(6)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	325	14.2 %
Total		2,292	100%

Based upon 1,967 valid cases out of 2,292 total cases.

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2443: 15E19A:#X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1760	76.8 %
2	ONCE:(2)	113	4.9 %
3	TWICE:(3)	52	2.3 %
4	3-5X:(4)	35	1.5 %
5	6-9X:(5)	7	0.3 %
6	10+ TIME:(6)	20	0.9 %
Missing Data			
-9	MISSING:(-9)	305	13.3 %
Total		2,292	100%

Based upon 1,987 valid cases out of 2,292 total cases.

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2444: 15E19B:#X/2W RIDE+5DRK

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1859	81.1 %
2	ONCE:(2)	44	1.9 %
3	TWICE:(3)	39	1.7 %
4	3-5X:(4)	19	0.8 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	17	0.7 %
	Missing Data		
-9	MISSING:(-9)	311	13.6 %
	Total	2,292	100%

Based upon 1,981 valid cases out of 2,292 total cases.

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2519: 15E19C:#X/2W RIDE+MJ

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1640	71.6 %

Value	Label	Unweighted Frequency	%
2	ONCE:(2)	126	5.5 %
3	TWICE:(3)	62	2.7 %
4	3-5X:(4)	72	3.1 %
5	6-9X:(5)	21	0.9 %
6	10+ TIME:(6)	56	2.4 %
Missing Data			
-9	MISSING:(-9)	315	13.7 %
Total		2,292	100%

Based upon 1,977 valid cases out of 2,292 total cases.

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2520: 15E19D:#X/2W RIDE+OTDG

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1901	82.9 %
2	ONCE:(2)	25	1.1 %
3	TWICE:(3)	11	0.5 %
4	3-5X:(4)	9	0.4 %
5	6-9X:(5)	2	0.1 %
6	10+ TIME:(6)	14	0.6 %
Missing Data			
-9	MISSING:(-9)	330	14.4 %
Total		2,292	100%

Based upon 1,962 valid cases out of 2,292 total cases.

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2414: 15E20A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	175	7.6 %
2	SELDOM:(2)	380	16.6 %
3	SOMETIMES:(3)	490	21.4 %
4	MST DAYS:(4)	250	10.9 %
5	NR EV DA:(5)	223	9.7 %
6	EVERYDAY:(6)	478	20.9 %
Missing Data			
-9	MISSING:(-9)	296	12.9 %
Total		2,292	100%

Based upon 1,996 valid cases out of 2,292 total cases.

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2415: 15E20B:OFTN EAT GN VEG

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	135	5.9 %
2	SELDOM:(2)	180	7.9 %
3	SOMETIMES:(3)	486	21.2 %
4	MST DAYS:(4)	486	21.2 %
5	NR EV DA:(5)	342	14.9 %
6	EVERYDAY:(6)	364	15.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	299	13.0 %
Total		2,292	100%

Based upon 1,993 valid cases out of 2,292 total cases.

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2416: 15E20C:OFTN EAT FRUIT

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	84	3.7 %
2	SELDOM:(2)	96	4.2 %
3	SOMETIMES:(3)	356	15.5 %
4	MST DAYS:(4)	535	23.3 %
5	NR EV DA:(5)	430	18.8 %
6	EVERYDAY:(6)	486	21.2 %
	Missing Data		
-9	MISSING:(-9)	305	13.3 %
Total		2,292	100%

Based upon 1,987 valid cases out of 2,292 total cases.

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2417: 15E20D:OFTN EXERCISE

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics, or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly

every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	177	7.7 %
2	SELDOM:(2)	298	13.0 %
3	SOMETIMES:(3)	478	20.9 %
4	MST DAYS:(4)	301	13.1 %
5	NR EV DA:(5)	269	11.7 %
6	EVERYDAY:(6)	413	18.0 %
Missing Data			
-9	MISSING:(-9)	356	15.5 %
Total		2,292	100%

Based upon 1,936 valid cases out of 2,292 total cases.

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2418: 15E20E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	164	7.2 %
2	SELDOM:(2)	372	16.2 %
3	SOMETIMES:(3)	471	20.5 %
4	MST DAYS:(4)	425	18.5 %
5	NR EV DA:(5)	287	12.5 %
6	EVERYDAY:(6)	265	11.6 %
Missing Data			
-9	MISSING:(-9)	308	13.4 %
Total		2,292	100%

Based upon 1,984 valid cases out of 2,292 total cases.

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2419: 15E20F:OFTN SLEEP <SHLD

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	171	7.5 %
2	SELDOM:(2)	228	9.9 %
3	SOMETIMES:(3)	468	20.4 %
4	MST DAYS:(4)	346	15.1 %
5	NR EV DA:(5)	332	14.5 %
6	EVERYDAY:(6)	431	18.8 %
Missing Data			
-9	MISSING:(-9)	316	13.8 %
Total		2,292	100%

Based upon 1,976 valid cases out of 2,292 total cases.

Location: 673-674 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83
2012	107	20	127	14,343	83
2013	106	20	126	13,180	82
2014	105	17	122	13,015	82
2015	101	20	120	13,730	83

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.