

ICPSR 36263

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2014

Lloyd D. Johnston

University of Michigan. Institute for Social Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social Research. Survey Research Center

Patrick M. O'Malley

University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg

University of Michigan. Institute for Social Research. Survey Research Center

Richard A. Miech

University of Michigan. Institute for Social Research. Survey Research Center

Form 2 Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36263/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2014 is conducted by the University of Michigan's Institute for Social Research and receives its core funding under grants from the National Institute on Drug Abuse. (The responsible investigators are: Lloyd D. Johnston, principal investigator; Jerald G. Bachman, Patrick M. O'Malley, John Schulenberg, and Richard A. Miech, co-principal investigators.) The research project is unusually comprehensive in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort—between 9 and 20 percent—though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency, tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions that drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate only very small decreases in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationally representative sample of high school seniors in public and private schools is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 350 seniors may be included in the data collection. In schools with fewer than 350 seniors, we attempt to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. A sampling weight is assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and

examination of drug prevalence data from the "matched half-samples" showed that the half samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A local SRC representative is assigned to work with the school to set a mutually agreeable date for the survey and to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents. Parental consent involves, at a minimum, the school mailing a letter describing the study and a copy of the student flyer to the parents. The letter provides parents with an easy way to decline their child's participation, if they so wish. Active consent procedures are used when the school or district requires them.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward.

Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automated scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer file at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the [cross-time index](#) of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others

- regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
 - C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities including computer use, preferences regarding occupational characteristics and type of work setting.
 - D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
 - E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
 - F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
 - G. RELIGION. Religious affiliation, practices, and views.
 - H. POLITICS. Political affiliation, activities, and views.
 - I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
 - J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
 - K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
 - L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
 - M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
 - N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
 - O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
 - P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.
 - Q. OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility, boredom.
 - R. BACKGROUND. Demographic and family background characteristics, living arrangements.
 - S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.
 - T. HEALTH. Health habits, somatic symptoms, illness, medical treatment.
-
-

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples.

About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors attending private or public schools throughout the 48 contiguous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate

are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all 12th graders sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire, either on their own or because their parents refused consent. However, SRC representatives in the field estimate this proportion to be only about two percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study, but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 3 – 4 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of

schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The [annual volumes](#) from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- each of which constitutes approximately 8-15 percent of each year's sample -- are represented by perhaps as few as 200 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the [annual volumes](#) for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial

comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to under represent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and descriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

Frequency and percentage distributions displayed in codebooks produced after 2007 are unweighted, rather than weighted by variable ARCHIVE_WT (previously V5) as they had been in previous years. This change was made to simplify both the production of the codebooks and their interpretation by the analyst.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2014 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ASCII text file.

part #	form	# of variables	Logical record length	Unweighted n
1	Core	169	355	13,015
2	Form 1	633	1,282	2,181
3	Form 2	328	672	2,170
4	Form 3	361	738	2,169
5	Form 4	271	558	2,150
6	Form 5	317	650	2,157
7	Form 6	327	670	2,188

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

For reasons of confidentiality, the weight variable (ARCHIVE_WT) was altered from its original version to a modified version prior to public distribution of the data. THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND THOSE FROM WEIGHTED ANALYSES OF THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01. R'S BIRTH YEAR C02. R'S BIRTH MONTH C04A-I, R'S RACE (9 categories) C07A-B. # OLDER BR/SR, # YOUNGER BR/SR C07Ca,e-i. R'S HSHLD (other than mother/father/sibling) C13A. R'S RELGS PRFNC
Form 1	D19. CURRENT HEIGHT D20. CURRENT WEIGHT
Form 2	2A19P. ARRSTD&TKN 2 POL
Form 5	5A21. CURRENT HEIGHT 5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9>All Other Codes, multiple responses, and missing data on Q. C04.

From 2006 on, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 1, 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK

1=No, 2=Yes

A11. NEED SUMMER SCHL

1=No, 2=Yes

A12. EVER SUSPENDED

1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT 4A15B GD LIV TG BF MRG 4A15C 1 PRTNRR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND 5A18J FULLR LVS IF MRY 5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK 6A08B #X PRNT HLP HMWK 6A08C #X PRNT GV CHORE 6A08D #X PRNT LIMIT TV 6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING

The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question for the user. To help improve the clarity of subsequent questions within the series this additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

ICPSR 36263

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2014

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Form 2 Data

CASEID: CASE IDENTIFICATION NUMBER

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

V1: YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2014	-	2170	100.0 %
	Total	2,170	100%

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 5-8 (width: 4; decimal: 0)

Variable Type: numeric

V3: 146:FORM ID

Value	Label	Unweighted Frequency	%
2	-	2170	100.0 %
	Total	2,170	100%

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

RESPONDENT_ID: R'S ID-SERIAL

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 10-14 (width: 5; decimal: 0)

Variable Type: numeric

ARCHIVE_WT: ARCHIVE WEIGHT

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 15-29 (width: 15; decimal: 13)

Variable Type: numeric

V13: SCH REG-4 CAT

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=North Central 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	451	20.8 %
2	NORTH CENTRL:(2)	529	24.4 %
3	SOUTH:(3)	754	34.7 %
4	WEST:(4)	436	20.1 %
	Total	2,170	100%

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

V16: LARGE MSA = 1/NOT = 0

Component variable, along with V17, for a standardized 3-category measure of population density. Population density is largest ("Large MSA") when V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is 0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Else" 1="Large MSA"

Value	Label	Unweighted Frequency	%
0	NOT:(0)	1503	69.3 %
1	LARGE MSA:(1)	667	30.7 %
	Total	2,170	100%

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

V17: SMSA/NON SMSA = 0

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NOT:(0)	455	21.0 %
1	MSA:(1)	1715	79.0 %
	Total	2,170	100%

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

V2208: 142A01 :VRY HPY THS DAYS

Item Number: 01190

Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

Value	Label	Unweighted Frequency	%
1	NT HAPPY:(1)	290	13.4 %
2	PRTY HPY:(2)	1306	60.2 %
3	VRY HPY:(3)	463	21.3 %
	Missing Data		
-9	MISSING:(-9)	111	5.1 %
	Total	2,170	100%

Based upon 2,059 valid cases out of 2,170 total cases.

Location: 33-34 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2209: 142A02A:DALY WATCH TV

Item Number: 05820

The next questions ask about the kinds of things you might do.

How often do you do each of the following?

A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	46	2.1 %
2	FEW /YR:(2)	70	3.2 %
3	1-2 /MO:(3)	145	6.7 %
4	1 /WK:(4)	646	29.8 %
5	NR DAILY:(5)	1249	57.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	14	0.6 %
Total		2,170	100%

Based upon 2,156 valid cases out of 2,170 total cases.

Location: 35-36 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2210: 142A02B:DALY GO TO MOVIE

Item Number: 05830

How often do you do each of the following?

B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	85	3.9 %
2	FEW /YR:(2)	1059	48.8 %
3	1-2 /MO:(3)	921	42.4 %
4	1 /WK:(4)	82	3.8 %
5	NR DAILY:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	16	0.7 %
Total		2,170	100%

Based upon 2,154 valid cases out of 2,170 total cases.

Location: 37-38 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2432: 142A02C:DALY MUSIC CNCRT

Item Number: 05846

How often do you do each of the following?

C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	953	43.9 %
2	FEW /YR:(2)	1065	49.1 %
3	1-2 /MO:(3)	104	4.8 %
4	1 /WK:(4)	19	0.9 %
5	NR DAILY:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	22	1.0 %
Total		2,170	100%

Based upon 2,148 valid cases out of 2,170 total cases.

Location: 39-40 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2212: 142A02D:DALY RIDE FORFUN

Item Number: 05850

How often do you do each of the following?

D: Ride around in a car (or motorcycle) just for fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	379	17.5 %
2	FEW /YR:(2)	236	10.9 %
3	1-2 /MO:(3)	405	18.7 %
4	1 /WK:(4)	575	26.5 %
5	NR DAILY:(5)	559	25.8 %
Missing Data			
-9	MISSING:(-9)	16	0.7 %
Total		2,170	100%

Based upon 2,154 valid cases out of 2,170 total cases.

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2213: 142A02E:DALY CMNTY AFFRS

Item Number: 05860

How often do you do each of the following?

E: Participate in community affairs or volunteer work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	501	23.1 %
2	FEW /YR:(2)	831	38.3 %
3	1-2 /MO:(3)	490	22.6 %
4	1 /WK:(4)	253	11.7 %
5	NR DAILY:(5)	78	3.6 %
Missing Data			
-9	MISSING:(-9)	17	0.8 %
Total		2,170	100%

Based upon 2,153 valid cases out of 2,170 total cases.

Location: 43-44 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2214: 142A02F:DALY PLA MSC,SNG

Item Number: 05870

How often do you do each of the following?

F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	941	43.4 %
2	FEW /YR:(2)	186	8.6 %
3	1-2 /MO:(3)	103	4.7 %
4	1 /WK:(4)	219	10.1 %
5	NR DAILY:(5)	706	32.5 %
Missing Data			
-9	MISSING:(-9)	15	0.7 %
Total		2,170	100%

Based upon 2,155 valid cases out of 2,170 total cases.

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2215: 142A02G:DALY CREAT WRTNG

Item Number: 05880

How often do you do each of the following?

G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	953	43.9 %
2	FEW /YR:(2)	518	23.9 %
3	1-2 /MO:(3)	313	14.4 %
4	1 /WK:(4)	216	10.0 %
5	NR DAILY:(5)	148	6.8 %
Missing Data			
-9	MISSING:(-9)	22	1.0 %
Total		2,170	100%

Based upon 2,148 valid cases out of 2,170 total cases.

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2216: 142A02H:DALY ACTV SPORTS

Item Number: 05890

How often do you do each of the following?

H: Actively participate in sports, athletics or exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	241	11.1 %
2	FEW /YR:(2)	193	8.9 %
3	1-2 /MO:(3)	248	11.4 %
4	1 /WK:(4)	481	22.2 %
5	NR DAILY:(5)	993	45.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	14	0.6 %
	Total	2,170	100%

Based upon 2,156 valid cases out of 2,170 total cases.

Location: 49-50 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2217: 142A02I:DALY ART/CRAFTS

Item Number: 05900

How often do you do each of the following?

I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	708	32.6 %
2	FEW /YR:(2)	502	23.1 %
3	1-2 /MO:(3)	386	17.8 %
4	1 /WK:(4)	245	11.3 %
5	NR DAILY:(5)	298	13.7 %
	Missing Data		
-9	MISSING:(-9)	31	1.4 %
	Total	2,170	100%

Based upon 2,139 valid cases out of 2,170 total cases.

Location: 51-52 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2218: 142A02J:DALY WRK HSE,CAR

Item Number: 05910

How often do you do each of the following?

J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	171	7.9 %
2	FEW /YR:(2)	217	10.0 %
3	1-2 /MO:(3)	514	23.7 %
4	1 /WK:(4)	750	34.6 %
5	NR DAILY:(5)	503	23.2 %
Missing Data			
-9	MISSING:(-9)	15	0.7 %
Total		2,170	100%

Based upon 2,155 valid cases out of 2,170 total cases.

Location: 53-54 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2219: 142A02K:DALY VIST W/FRDS

Item Number: 05920

How often do you do each of the following?

K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	44	2.0 %
2	FEW /YR:(2)	88	4.1 %
3	1-2 /MO:(3)	349	16.1 %
4	1 /WK:(4)	972	44.8 %
5	NR DAILY:(5)	698	32.2 %
Missing Data			
-9	MISSING:(-9)	19	0.9 %
Total		2,170	100%

Based upon 2,151 valid cases out of 2,170 total cases.

Location: 55-56 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2521: 142A02L:DALY GO TO MALL

Item Number: 05935

How often do you do each of the following?

L: Go to a shopping mall

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	99	4.6 %
2	FEW /YR:(2)	579	26.7 %
3	1-2 /MO:(3)	1067	49.2 %
4	1 /WK:(4)	346	15.9 %
5	NR DAILY:(5)	57	2.6 %
Missing Data			
-9	MISSING:(-9)	22	1.0 %
Total		2,170	100%

Based upon 2,148 valid cases out of 2,170 total cases.

Location: 57-58 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2221: 142A02M:DALY ALONE LEISR

Item Number: 05940

How often do you do each of the following?

M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	109	5.0 %
2	FEW /YR:(2)	102	4.7 %
3	1-2 /MO:(3)	211	9.7 %
4	1 /WK:(4)	599	27.6 %
5	NR DAILY:(5)	1131	52.1 %
Missing Data			
-9	MISSING:(-9)	18	0.8 %
Total		2,170	100%

Based upon 2,152 valid cases out of 2,170 total cases.

Location: 59-60 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2222: 142A02N:DALY READ BK,MAG

Item Number: 05950

How often do you do each of the following?

N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	314	14.5 %
2	FEW /YR:(2)	324	14.9 %
3	1-2 /MO:(3)	574	26.5 %
4	1 /WK:(4)	562	25.9 %
5	NR DAILY:(5)	379	17.5 %
Missing Data			
-9	MISSING:(-9)	17	0.8 %
Total		2,170	100%

Based upon 2,153 valid cases out of 2,170 total cases.

Location: 61-62 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2223: 142A02O:DALY GO TO BARS

Item Number: 05960

How often do you do each of the following?

O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1506	69.4 %
2	FEW /YR:(2)	294	13.5 %
3	1-2 /MO:(3)	210	9.7 %
4	1 /WK:(4)	94	4.3 %
5	NR DAILY:(5)	43	2.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	23	1.1 %
	Total	2,170	100%

Based upon 2,147 valid cases out of 2,170 total cases.

Location: 63-64 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2224: 142A02P:DALY GO TO PARTY

Item Number: 05970

How often do you do each of the following?

P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	291	13.4 %
2	FEW /YR:(2)	651	30.0 %
3	1-2 /MO:(3)	700	32.3 %
4	1 /WK:(4)	438	20.2 %
5	NR DAILY:(5)	74	3.4 %
	Missing Data		
-9	MISSING:(-9)	16	0.7 %
	Total	2,170	100%

Based upon 2,154 valid cases out of 2,170 total cases.

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2533: 142A02Q:DALY WEB FACEBK

Item Number: 29625

How often do you do each of the following?

Q: Visit social networking Web sites like Facebook, Twitter, Instagram, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	100	4.6 %
2	FEW /YR:(2)	42	1.9 %
3	1-2 /MO:(3)	71	3.3 %
4	1 /WK:(4)	206	9.5 %
5	NR DAILY:(5)	1738	80.1 %
Missing Data			
-9	MISSING:(-9)	13	0.6 %
Total		2,170	100%

Based upon 2,157 valid cases out of 2,170 total cases.

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2225: 142A03A:US 2 MUCH PROFIT

Item Number: 05990

How much do you agree or disagree with each of the following statements?

A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	78	3.6 %
2	MOST DIS:(2)	126	5.8 %
3	NEITHER:(3)	461	21.2 %
4	MOST AGR:(4)	881	40.6 %
5	AGREE:(5)	597	27.5 %
Missing Data			
-9	MISSING:(-9)	27	1.2 %
Total		2,170	100%

Based upon 2,143 valid cases out of 2,170 total cases.

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2226: 142A03B:2MUCH CNCRN MTRL

Item Number: 06000

How much do you agree or disagree with each of the following statements?

B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	36	1.7 %
2	MOST DIS:(2)	59	2.7 %
3	NEITHER:(3)	242	11.2 %
4	MOST AGR:(4)	757	34.9 %
5	AGREE:(5)	1054	48.6 %
Missing Data			
-9	MISSING:(-9)	22	1.0 %
Total		2,170	100%

Based upon 2,148 valid cases out of 2,170 total cases.

Location: 71-72 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2227: 142A03C:ENCOURG PPL BUY>

Item Number: 06010

How much do you agree or disagree with each of the following statements?

C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	216	10.0 %
2	MOST DIS:(2)	399	18.4 %
3	NEITHER:(3)	880	40.6 %
4	MOST AGR:(4)	465	21.4 %
5	AGREE:(5)	177	8.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	33	1.5 %
Total		2,170	100%

Based upon 2,137 valid cases out of 2,170 total cases.

Location: 73-74 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2228: 142A03D:-WRNG ADVERTISNG

Item Number: 06020

How much do you agree or disagree with each of the following statements?

D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	386	17.8 %
2	MOST DIS:(2)	472	21.8 %
3	NEITHER:(3)	580	26.7 %
4	MOST AGR:(4)	429	19.8 %
5	AGREE:(5)	277	12.8 %
Missing Data			
-9	MISSING:(-9)	26	1.2 %
Total		2,170	100%

Based upon 2,144 valid cases out of 2,170 total cases.

Location: 75-76 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2229: 142A03E:MOR SHORTGS FUTR

Item Number: 06030

How much do you agree or disagree with each of the following statements?

E: There will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	139	6.4 %
2	MOST DIS:(2)	205	9.4 %
3	NEITHER:(3)	566	26.1 %
4	MOST AGR:(4)	627	28.9 %
5	AGREE:(5)	605	27.9 %
Missing Data			
-9	MISSING:(-9)	28	1.3 %
Total		2,170	100%

Based upon 2,142 valid cases out of 2,170 total cases.

Location: 77-78 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2468: 142A04A:RSK OF CIG1+PK/D

Item Number: 12360

The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . .

A: . . . Smoke one or more packs of cigarettes per day?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	99	4.6 %
2	SLIGHT:(2)	62	2.9 %
3	MOD RISK:(3)	223	10.3 %
4	GRT RISK:(4)	1721	79.3 %
5	CANT SAY:(5)	46	2.1 %
Missing Data			
-9	MISSING:(-9)	19	0.9 %
Total		2,170	100%

Based upon 2,151 valid cases out of 2,170 total cases.

Location: 79-80 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2469: 142A04B:RSK OF MJ 1-2 X

Item Number: 12370

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Try marijuana once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	1007	46.4 %
2	SLIGHT:(2)	556	25.6 %
3	MOD RISK:(3)	256	11.8 %
4	GRT RISK:(4)	264	12.2 %
5	CANT SAY:(5)	68	3.1 %
Missing Data			
-9	MISSING:(-9)	19	0.9 %
Total		2,170	100%

Based upon 2,151 valid cases out of 2,170 total cases.

Location: 81-82 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2470: 142A04C:RSK OF MJ OCSNL

Item Number: 12380

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Smoke marijuana occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	637	29.4 %
2	SLIGHT:(2)	618	28.5 %
3	MOD RISK:(3)	444	20.5 %
4	GRT RISK:(4)	383	17.6 %

Value	Label	Unweighted Frequency	%
5	CANT SAY:(5)	70	3.2 %
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	2,170	100%

Based upon 2,152 valid cases out of 2,170 total cases.

Location: 83-84 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2471: 142A04D:RSK OF MJ REGLY

Item Number: 12390

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Smoke marijuana regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	376	17.3 %
2	SLIGHT:(2)	440	20.3 %
3	MOD RISK:(3)	506	23.3 %
4	GRT RISK:(4)	761	35.1 %
5	CANT SAY:(5)	69	3.2 %
	Missing Data		
-9	MISSING:(-9)	18	0.8 %
	Total	2,170	100%

Based upon 2,152 valid cases out of 2,170 total cases.

Location: 85-86 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2539: 142A04E:RSK SALVIA 1-2X

Item number: 32650

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

E. . . Try Salvia once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	202	9.3 %
2	SLIGHT:(2)	194	8.9 %
3	MOD RISK:(3)	223	10.3 %
4	GRT RISK:(4)	285	13.1 %
5	CANT SAY:(5)	1236	57.0 %
Missing Data			
-9	MISSING:(-9)	30	1.4 %
Total		2,170	100%

Based upon 2,140 valid cases out of 2,170 total cases.

Location: 87-88 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2540: 142A04F:RSK SALVIA OCC

Item Number: 32760

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Try Salvia occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	124	5.7 %
2	SLIGHT:(2)	144	6.6 %
3	MOD RISK:(3)	216	10.0 %
4	GRT RISK:(4)	419	19.3 %
5	CANT SAY:(5)	1234	56.9 %
Missing Data			
-9	MISSING:(-9)	33	1.5 %
Total		2,170	100%

Based upon 2,137 valid cases out of 2,170 total cases.

Location: 89-90 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2541: 142A04G:RSK SYNTHETIC MJ 1-2X

Item Number: 32770

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

G: . . . Try "synthetic marijuana" ("K2", "Spice") once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	179	8.2 %
2	SLIGHT:(2)	329	15.2 %
3	MOD RISK:(3)	409	18.8 %
4	GRT RISK:(4)	657	30.3 %
5	CANT SAY:(5)	576	26.5 %
Missing Data			
-9	MISSING:(-9)	20	0.9 %
Total		2,170	100%

Based upon 2,150 valid cases out of 2,170 total cases.

Location: 91-92 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2542: 142A04H:RSK SYNTHETIC MJ OCC

Item Number: 32780

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

H: . . . Take "synthetic marijuana" ("K2", "Spice") occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	147	6.8 %
2	SLIGHT:(2)	193	8.9 %
3	MOD RISK:(3)	413	19.0 %
4	GRT RISK:(4)	821	37.8 %
5	CANT SAY:(5)	569	26.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	27	1.2 %
	Total	2,170	100%

Based upon 2,143 valid cases out of 2,170 total cases.

Location: 93-94 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2543: 142A04I:RSK BATH SALTS 1-2X

Item Number: 32790

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

I. . . . Try "bath salts" (synthetic stimulants) once or twice to get high?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	110	5.1 %
2	SLIGHT:(2)	103	4.7 %
3	MOD RISK:(3)	309	14.2 %
4	GRT RISK:(4)	1242	57.2 %
5	CANT SAY:(5)	380	17.5 %
	Missing Data		
-9	MISSING:(-9)	26	1.2 %
	Total	2,170	100%

Based upon 2,144 valid cases out of 2,170 total cases.

Location: 95-96 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2544: 142A04J:RSK BATH SALTS OCC

Item Number: 32800

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

J. . . . Try "bath salts" (synthetic stimulants) occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	103	4.7 %
2	SLIGHT:(2)	44	2.0 %
3	MOD RISK:(3)	153	7.1 %
4	GRT RISK:(4)	1472	67.8 %
5	CANT SAY:(5)	374	17.2 %
Missing Data			
-9	MISSING:(-9)	24	1.1 %
Total		2,170	100%

Based upon 2,146 valid cases out of 2,170 total cases.

Location: 97-98 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2545: 142A04K:RSK E-CIG REG

Item Number: 33670

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

K: . . . Use electronic cigarettes (e-cigarettes) regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	511	23.5 %
2	SLIGHT:(2)	748	34.5 %
3	MOD RISK:(3)	463	21.3 %
4	GRT RISK:(4)	285	13.1 %
5	CANT SAY:(5)	140	6.5 %
Missing Data			
-9	MISSING:(-9)	23	1.1 %
Total		2,170	100%

Based upon 2,147 valid cases out of 2,170 total cases.

Location: 99-100 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2238: 142A05 :DFNTLY PRFR MATE

Item Number: 06120

Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

Value	Label	Unweighted Frequency	%
1	DEF NO:(1)	15	0.7 %
2	PROB NO:(2)	55	2.5 %
3	NOT SURE:(3)	258	11.9 %
4	PROB YES:(4)	555	25.6 %
5	DEF YES:(5)	1262	58.2 %
Missing Data			
-9	MISSING:(-9)	25	1.2 %
Total		2,170	100%

Based upon 2,145 valid cases out of 2,170 total cases.

Location: 101-102 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2239: 142A06 :THINK WILL MARRY

Item Number: 06130

Which do you think you are most likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married"
8="Am already married"

Value	Label	Unweighted Frequency	%
1	NOT MAR:(1)	96	4.4 %
2	NO IDEA:(2)	327	15.1 %
3	MARRIED:(3)	1632	75.2 %
8	ALREADY MAR:(8)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	109	5.0 %
Total		2,170	100%

Based upon 2,061 valid cases out of 2,170 total cases.

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2240: 142A07A:LIKLY STAY MARRD

Item Number: 06140

If you did get married (or are married) . . .

A: . . . How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	14	0.6 %
2	FAIRLY UNL:(2)	36	1.7 %
3	UNCERTN:(3)	250	11.5 %
4	FAIRLY LK:(4)	506	23.3 %
5	VRY LIKELY:(5)	1236	57.0 %
Missing Data			
-9	MISSING:(-9)	128	5.9 %
Total		2,170	100%

Based upon 2,042 valid cases out of 2,170 total cases.

Location: 105-106 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2241: 142A07B:LIKLY HAVE KIDS

Item Number: 06150

If you did get married (or are married) . . .

B: . . . How likely is it that you would want to have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

Value	Label	Unweighted Frequency	%
1	VRY UNLKLY:(1)	70	3.2 %
2	FAIRLY UNLK:(2)	57	2.6 %

Value	Label	Unweighted Frequency	%
3	UNCERTN:(3)	236	10.9 %
4	FAIRLY LK:(4)	417	19.2 %
5	VRY LIKELY:(5)	1235	56.9 %
8	ALRDY HAVE:(8)	35	1.6 %
Missing Data			
-9	MISSING:(-9)	120	5.5 %
Total		2,170	100%

Based upon 2,050 valid cases out of 2,170 total cases.

Location: 107-108 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2242: 142A08A:-CHL,HB WK1.,W = 0

Item Number: 06160

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	719	33.1 %
2	SOMEWHAT:(2)	781	36.0 %
3	ACCEPTBL:(3)	528	24.3 %
4	DESIRBL:(4)	103	4.7 %
Missing Data			
-9	MISSING:(-9)	39	1.8 %
Total		2,170	100%

Based upon 2,131 valid cases out of 2,170 total cases.

Location: 109-110 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2243: 142A08B:-CHL,HB WK1.,W.5

Item Number: 06170

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"
 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	129	5.9 %
2	SOMEWHAT:(2)	580	26.7 %
3	ACCEPTBL:(3)	1193	55.0 %
4	DESIRBL:(4)	227	10.5 %
Missing Data			
-9	MISSING:(-9)	41	1.9 %
Total		2,170	100%

Based upon 2,129 valid cases out of 2,170 total cases.

Location: 111-112 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2244: 142A08C:-CHL,HB/WF WK 1.

Item Number: 06180

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"
 3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	182	8.4 %
2	SOMEWHAT:(2)	300	13.8 %
3	ACCEPTBL:(3)	991	45.7 %
4	DESIRBL:(4)	655	30.2 %
Missing Data			
-9	MISSING:(-9)	42	1.9 %
Total		2,170	100%

Based upon 2,128 valid cases out of 2,170 total cases.

Location: 113-114 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2245: 142A08D:-CHL,HB/WF WK .5

Item Number: 06190

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	434	20.0 %
2	SOMEWHAT:(2)	772	35.6 %
3	ACCEPTBL:(3)	650	30.0 %
4	DESIRBL:(4)	248	11.4 %
Missing Data			
-9	MISSING:(-9)	66	3.0 %
Total		2,170	100%

Based upon 2,104 valid cases out of 2,170 total cases.

Location: 115-116 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2246: 142A08E:-CHL,W WK 1.,H.5

Item Number: 06200

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	696	32.1 %
2	SOMEWHAT:(2)	762	35.1 %
3	ACCEPTBL:(3)	593	27.3 %
4	DESIRBL:(4)	77	3.5 %
Missing Data			
-9	MISSING:(-9)	42	1.9 %

Value	Label	Unweighted Frequency	%
Total		2,170	100%

Based upon 2,128 valid cases out of 2,170 total cases.

Location: 117-118 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2247: 142A08F:-CHL,W WK 1.,H = 0

Item Number: 06210

Imagine you are married and have no children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	1488	68.6 %
2	SOMEWHAT:(2)	354	16.3 %
3	ACCEPTBL:(3)	221	10.2 %
4	DESIRBL:(4)	66	3.0 %
	Missing Data		
-9	MISSING:(-9)	41	1.9 %
Total		2,170	100%

Based upon 2,129 valid cases out of 2,170 total cases.

Location: 119-120 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2248: 142A09A:PSCH,HB WK1.,W = 0

Item Number: 06220

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	353	16.3 %
2	SOMEWHAT:(2)	569	26.2 %
3	ACCEPTBL:(3)	820	37.8 %
4	DESIRBL:(4)	383	17.6 %
	Missing Data		
-9	MISSING:(-9)	45	2.1 %
	Total	2,170	100%

Based upon 2,125 valid cases out of 2,170 total cases.

Location: 121-122 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2249: 142A09B:PSCH,HB WK1.,W.5

Item Number: 06230

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	104	4.8 %
2	SOMEWHAT:(2)	515	23.7 %
3	ACCEPTBL:(3)	1160	53.5 %
4	DESIRBL:(4)	348	16.0 %
	Missing Data		
-9	MISSING:(-9)	43	2.0 %
	Total	2,170	100%

Based upon 2,127 valid cases out of 2,170 total cases.

Location: 123-124 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2250: 142A09C:PSCH,HB/WF WK 1.

Item Number: 06240

Imagine you are married and have one or more pre-school

children. How would you feel about each of the following working arrangements?

C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	719	33.1 %
2	SOMEWHAT:(2)	584	26.9 %
3	ACCEPTBL:(3)	536	24.7 %
4	DESIRBL:(4)	281	12.9 %
	Missing Data		
-9	MISSING:(-9)	50	2.3 %
	Total	2,170	100%

Based upon 2,120 valid cases out of 2,170 total cases.

Location: 125-126 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2251: 142A09D:PSCH,HB/WF WK .5

Item Number: 06250

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	479	22.1 %
2	SOMEWHAT:(2)	771	35.5 %
3	ACCEPTBL:(3)	666	30.7 %
4	DESIRBL:(4)	202	9.3 %
	Missing Data		
-9	MISSING:(-9)	52	2.4 %
	Total	2,170	100%

Based upon 2,118 valid cases out of 2,170 total cases.

Location: 127-128 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2252: 142A09E:PSCH,WF WK1.,H.5

Item Number: 06260

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	657	30.3 %
2	SOMEWHAT:(2)	781	36.0 %
3	ACCEPTBL:(3)	584	26.9 %
4	DESIRBL:(4)	98	4.5 %
Missing Data			
-9	MISSING:(-9)	50	2.3 %
Total		2,170	100%

Based upon 2,120 valid cases out of 2,170 total cases.

Location: 129-130 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2253: 142A09F:PSCH,WF WK1.,H = 0

Item Number: 06270

Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements?

F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"

3="Acceptable" 4="Desirable"

Value	Label	Unweighted Frequency	%
1	NOT@ALL:(1)	1157	53.3 %
2	SOMEWHAT:(2)	429	19.8 %
3	ACCEPTBL:(3)	423	19.5 %

Value	Label	Unweighted Frequency	%
4	DESIRBL:(4)	113	5.2 %
	Missing Data		
-9	MISSING:(-9)	48	2.2 %
	Total	2,170	100%

Based upon 2,122 valid cases out of 2,170 total cases.

Location: 131-132 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2259: 142A10 :INTEREST IN GOVT

Item Number: 06330

Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

Value	Label	Unweighted Frequency	%
1	NO INTRST:(1)	284	13.1 %
2	VRY LITTLE:(2)	460	21.2 %
3	SOME:(3)	924	42.6 %
4	A LOT:(4)	321	14.8 %
5	VRY GRT:(5)	150	6.9 %
	Missing Data		
-9	MISSING:(-9)	31	1.4 %
	Total	2,170	100%

Based upon 2,139 valid cases out of 2,170 total cases.

Location: 133-134 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2260: 142A11 :GOVT PPL -DSHNST

Item Number: 06340

Do you think some of the people running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are" 3="Some are" 4="Hardly any are" 5="None at all are crooked or

dishonest"

Value	Label	Unweighted Frequency	%
1	MOST:(1)	663	30.6 %
2	QUITE:(2)	768	35.4 %
3	SOME:(3)	644	29.7 %
4	HARDLY:(4)	43	2.0 %
5	NONE:(5)	18	0.8 %
Missing Data			
-9	MISSING:(-9)	34	1.6 %
Total		2,170	100%

Based upon 2,136 valid cases out of 2,170 total cases.

Location: 135-136 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2261: 142A12 :GOVT DSNT WASTE\$

Item Number: 06350

Do you think the government wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

Value	Label	Unweighted Frequency	%
1	NEARLY ALL:(1)	330	15.2 %
2	A LOT:(2)	1005	46.3 %
3	SOME:(3)	669	30.8 %
4	A LITTLE:(4)	103	4.7 %
5	NO WASTE:(5)	21	1.0 %
Missing Data			
-9	MISSING:(-9)	42	1.9 %
Total		2,170	100%

Based upon 2,128 valid cases out of 2,170 total cases.

Location: 137-138 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2262: 142A13 :NEVER TRUST GOVT

Item Number: 06360

How much of the time do you think you can trust the government
in Washington to do what is right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	66	3.0 %
2	OFTEN:(2)	414	19.1 %
3	SOMETIMES:(3)	990	45.6 %
4	SELDOM:(4)	495	22.8 %
5	NEVER:(5)	169	7.8 %
Missing Data			
-9	MISSING:(-9)	36	1.7 %
Total		2,170	100%

Based upon 2,134 valid cases out of 2,170 total cases.

Location: 139-140 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2263: 142A14 :GVT PPL DK DOING

Item Number: 06370

Do you feel that the people running the government are smart
people who usually know what they are doing?

1="They almost always know what they are doing" 2="They
usually know what they are doing" 3="They sometimes know
what they are doing" 4="They seldom know what they are
doing" 5="They never know what they are doing"

Value	Label	Unweighted Frequency	%
1	ALM ALWYS:(1)	188	8.7 %
2	USUALLY:(2)	732	33.7 %
3	SOMETIMES:(3)	842	38.8 %
4	SELDOM:(4)	273	12.6 %
5	NEVER:(5)	98	4.5 %
Missing Data			
-9	MISSING:(-9)	37	1.7 %
Total		2,170	100%

Based upon 2,133 valid cases out of 2,170 total cases.

Location: 141-142 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2264: 142A15 :GOVT RUN FOR PPL

Item Number: 06380

Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

Value	Label	Unweighted Frequency	%
1	NR ALWYS FEW:(1)	415	19.1 %
2	USUALLY FEW:(2)	626	28.8 %
3	SOME BOTH:(3)	889	41.0 %
4	USUALLY ALL:(4)	159	7.3 %
5	NR ALWYS ALL:(5)	43	2.0 %
Missing Data			
-9	MISSING:(-9)	38	1.8 %
Total		2,170	100%

Based upon 2,132 valid cases out of 2,170 total cases.

Location: 143-144 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2265: 142A16A:DO OR PLN VOTE

Item Number: 06390

Have you ever done, or do you plan to do, the following things?

A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	157	7.2 %

Value	Label	Unweighted Frequency	%
2	DK:(2)	256	11.8 %
3	PROB WILL:(3)	1633	75.3 %
4	ALRDY DONE:(4)	89	4.1 %
Missing Data			
-9	MISSING:(-9)	35	1.6 %
Total		2,170	100%

Based upon 2,135 valid cases out of 2,170 total cases.

Location: 145-146 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2266: 142A16B:DO OR PLN WRITE

Item Number: 06400

Have you ever done, or do you plan to do, the following things?

B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	951	43.8 %
2	DK:(2)	841	38.8 %
3	PROB WILL:(3)	207	9.5 %
4	ALRDY DONE:(4)	131	6.0 %
Missing Data			
-9	MISSING:(-9)	40	1.8 %
Total		2,170	100%

Based upon 2,130 valid cases out of 2,170 total cases.

Location: 147-148 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2267: 142A16C:DO OR PLN GIVE \$

Item Number: 06410

Have you ever done, or do you plan to do, the following things?

C: Give money to a political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1117	51.5 %
2	DK:(2)	720	33.2 %
3	PROB WILL:(3)	265	12.2 %
4	ALRDY DONE:(4)	28	1.3 %
Missing Data			
-9	MISSING:(-9)	40	1.8 %
Total		2,170	100%

Based upon 2,130 valid cases out of 2,170 total cases.

Location: 149-150 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2268: 142A16D:DO OR PLN WK CPG

Item Number: 06420

Have you ever done, or do you plan to do, the following things?

D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1408	64.9 %
2	DK:(2)	532	24.5 %
3	PROB WILL:(3)	143	6.6 %
4	ALRDY DONE:(4)	40	1.8 %
Missing Data			
-9	MISSING:(-9)	47	2.2 %
Total		2,170	100%

Based upon 2,123 valid cases out of 2,170 total cases.

Location: 151-152 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2269: 142A16E:DO OR PLN DEMNST

Item Number: 06430

Have you ever done, or do you plan to do, the following things?

E: Participate in a lawful demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	1023	47.1 %
2	DK:(2)	798	36.8 %
3	PROB WILL:(3)	265	12.2 %
4	ALRDY DONE:(4)	41	1.9 %
Missing Data			
-9	MISSING:(-9)	43	2.0 %
Total		2,170	100%

Based upon 2,127 valid cases out of 2,170 total cases.

Location: 153-154 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2270: 142A16F:DO OR PLN BOYCOT

Item Number: 06440

Have you ever done, or do you plan to do, the following things?

F: Boycott certain products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

Value	Label	Unweighted Frequency	%
1	PROB WONT:(1)	918	42.3 %
2	DK:(2)	801	36.9 %
3	PROB WILL:(3)	288	13.3 %
4	ALRDY DONE:(4)	119	5.5 %
Missing Data			
-9	MISSING:(-9)	44	2.0 %
Total		2,170	100%

Based upon 2,126 valid cases out of 2,170 total cases.

Location: 155-156 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2271: 142A17A:US SHD DISARM

Item Number: 06450

How much do you agree or disagree with each of the following statements?

A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	609	28.1 %
2	MOST DIS:(2)	270	12.4 %
3	NEITHER:(3)	890	41.0 %
4	MOST AGR:(4)	217	10.0 %
5	AGREE:(5)	102	4.7 %
Missing Data			
-9	MISSING:(-9)	82	3.8 %
Total		2,170	100%

Based upon 2,088 valid cases out of 2,170 total cases.

Location: 157-158 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V2272: 142A17B:US GO WAR FR OTH

Item Number: 05690

How much do you agree or disagree with each of the following statements?

B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	306	14.1 %
2	MOST DIS:(2)	419	19.3 %
3	NEITHER:(3)	548	25.3 %
4	MOST AGR:(4)	599	27.6 %

Value	Label	Unweighted Frequency	%
5	AGREE:(5)	241	11.1 %
	Missing Data		
-9	MISSING:(-9)	57	2.6 %
	Total	2,170	100%

Based upon 2,113 valid cases out of 2,170 total cases.

Location: 159-160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2273: 142A17C:US WAR PRTCT ECN

Item Number: 06460

How much do you agree or disagree with each of the following statements?

C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	200	9.2 %
2	MOST DIS:(2)	245	11.3 %
3	NEITHER:(3)	626	28.8 %
4	MOST AGR:(4)	660	30.4 %
5	AGREE:(5)	375	17.3 %
	Missing Data		
-9	MISSING:(-9)	64	2.9 %
	Total	2,170	100%

Based upon 2,106 valid cases out of 2,170 total cases.

Location: 161-162 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2274: 142A17D:US ONLY WAR DFNS

Item Number: 06470

How much do you agree or disagree with each of the following statements?

D: The only good reason for the U.S. to go to war is to

defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	122	5.6 %
2	MOST DIS:(2)	195	9.0 %
3	NEITHER:(3)	423	19.5 %
4	MOST AGR:(4)	677	31.2 %
5	AGREE:(5)	697	32.1 %
Missing Data			
-9	MISSING:(-9)	56	2.6 %
Total		2,170	100%

Based upon 2,114 valid cases out of 2,170 total cases.

Location: 163-164 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2275: 142A17E:-US MIL PWR>USSR

Item Number: 06480

How much do you agree or disagree with each of the following statements?

E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
 5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	630	29.0 %
2	MOST DIS:(2)	422	19.4 %
3	NEITHER:(3)	713	32.9 %
4	MOST AGR:(4)	190	8.8 %
5	AGREE:(5)	150	6.9 %
Missing Data			
-9	MISSING:(-9)	65	3.0 %
Total		2,170	100%

Based upon 2,105 valid cases out of 2,170 total cases.

Location: 165-166 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2276: 142A17F:US NEED>PWR OTHS

Item Number: 06490

How much do you agree or disagree with each of the following statements?

F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	216	10.0 %
2	MOST DIS:(2)	231	10.6 %
3	NEITHER:(3)	774	35.7 %
4	MOST AGR:(4)	420	19.4 %
5	AGREE:(5)	471	21.7 %
Missing Data			
-9	MISSING:(-9)	58	2.7 %
Total		2,170	100%

Based upon 2,112 valid cases out of 2,170 total cases.

Location: 167-168 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2277: 142A17G:US FRN PLCY NRRW

Item Number: 06500

How much do you agree or disagree with each of the following statements?

G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	82	3.8 %
2	MOST DIS:(2)	103	4.7 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	1118	51.5 %
4	MOST AGR:(4)	525	24.2 %
5	AGREE:(5)	267	12.3 %
Missing Data			
-9	MISSING:(-9)	75	3.5 %
Total		2,170	100%

Based upon 2,095 valid cases out of 2,170 total cases.

Location: 169-170 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2279: 142A18A:FRQ FIGHT PARNTS

Item Number: 06520

This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . .

A: . . . Argued or had a fight with either of your parents?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

[Data from the Western Region intentionally obliterated.]

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	256	11.8 %
2	ONCE:(2)	204	9.4 %
3	TWICE:(3)	260	12.0 %
4	3-4TIMES:(4)	408	18.8 %
5	5+ TIMES:(5)	570	26.3 %
Missing Data			
-9	MISSING:(-9)	472	21.8 %
Total		2,170	100%

Based upon 1,698 valid cases out of 2,170 total cases.

Location: 171-172 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2280: 142A18B:FRQ HIT SUPRVISR

Item Number: 06530

During the LAST 12 MONTHS, how often have you . . .

B: . . . Hit an instructor or supervisor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2074	95.6 %
2	ONCE:(2)	31	1.4 %
3	TWICE:(3)	14	0.6 %
4	3-4TIMES:(4)	6	0.3 %
5	5+ TIMES:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	38	1.8 %
Total		2,170	100%

Based upon 2,132 valid cases out of 2,170 total cases.

Location: 173-174 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2281: 142A18C:FRQ FGT WRK/SCHL

Item Number: 06540

During the LAST 12 MONTHS, how often have you . . .

C: . . . Gotten into a serious fight in school or at work?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1925	88.7 %
2	ONCE:(2)	120	5.5 %
3	TWICE:(3)	45	2.1 %
4	3-4TIMES:(4)	24	1.1 %
5	5+ TIMES:(5)	16	0.7 %
Missing Data			
-9	MISSING:(-9)	40	1.8 %

Value	Label	Unweighted Frequency	%
Total		2,170	100%

Based upon 2,130 valid cases out of 2,170 total cases.

Location: 175-176 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2282: 142A18D:FRQ GANG FIGHT

Item Number: 06550

During the LAST 12 MONTHS, how often have you . . .

D: . . . Taken part in a fight where a group of your friends were against another group?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1845	85.0 %
2	ONCE:(2)	162	7.5 %
3	TWICE:(3)	62	2.9 %
4	3-4TIMES:(4)	42	1.9 %
5	5+ TIMES:(5)	17	0.8 %
Missing Data			
-9	MISSING:(-9)	42	1.9 %
Total		2,170	100%

Based upon 2,128 valid cases out of 2,170 total cases.

Location: 177-178 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2283: 142A18E:FRQ HURT SM1 BAD

Item Number: 06560

During the LAST 12 MONTHS, how often have you . . .

E: . . . Hurt someone badly enough to need bandages or a doctor?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1955	90.1 %
2	ONCE:(2)	91	4.2 %
3	TWICE:(3)	44	2.0 %
4	3-4TIMES:(4)	22	1.0 %
5	5+ TIMES:(5)	17	0.8 %
Missing Data			
-9	MISSING:(-9)	41	1.9 %
Total		2,170	100%

Based upon 2,129 valid cases out of 2,170 total cases.

Location: 179-180 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2284: 142A18F:FRQ THREAT WEAPN

Item Number: 06570

During the LAST 12 MONTHS, how often have you . . .

F: . . . Used a knife or gun or some other thing (like a club) to get something from a person?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2078	95.8 %
2	ONCE:(2)	23	1.1 %
3	TWICE:(3)	16	0.7 %
4	3-4TIMES:(4)	5	0.2 %
5	5+ TIMES:(5)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	40	1.8 %
Total		2,170	100%

Based upon 2,130 valid cases out of 2,170 total cases.

Location: 181-182 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2285: 142A18G:FRQ STEAL <\$50

Item Number: 06580

During the LAST 12 MONTHS, how often have you . . .

G: . . . Taken something not belonging to you worth under \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1686	77.7 %
2	ONCE:(2)	197	9.1 %
3	TWICE:(3)	110	5.1 %
4	3-4TIMES:(4)	70	3.2 %
5	5+ TIMES:(5)	63	2.9 %
Missing Data			
-9	MISSING:(-9)	44	2.0 %
Total		2,170	100%

Based upon 2,126 valid cases out of 2,170 total cases.

Location: 183-184 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2286: 142A18H:FRQ STEAL >\$50

Item Number: 06590

During the LAST 12 MONTHS, how often have you . . .

H: . . . Taken something not belonging to you worth over \$50?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1979	91.2 %
2	ONCE:(2)	73	3.4 %
3	TWICE:(3)	31	1.4 %
4	3-4TIMES:(4)	25	1.2 %
5	5+ TIMES:(5)	20	0.9 %
Missing Data			
-9	MISSING:(-9)	42	1.9 %
Total		2,170	100%

Based upon 2,128 valid cases out of 2,170 total cases.

Location: 185-186 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2287: 142A18I:FRQ SHOPLIFT

Item Number: 06600

During the LAST 12 MONTHS, how often have you . . .

I: . . . Taken something from a store without paying for it?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1677	77.3 %
2	ONCE:(2)	191	8.8 %
3	TWICE:(3)	96	4.4 %
4	3-4TIMES:(4)	79	3.6 %
5	5+ TIMES:(5)	83	3.8 %
	Missing Data		
-9	MISSING:(-9)	44	2.0 %
	Total	2,170	100%

Based upon 2,126 valid cases out of 2,170 total cases.

Location: 187-188 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2288: 142A18J:FRQ CAR THEFT

Item Number: 06610

During the LAST 12 MONTHS, how often have you . . .

J: . . . Taken a car that didn't belong to someone in your family without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2044	94.2 %
2	ONCE:(2)	40	1.8 %

Value	Label	Unweighted Frequency	%
3	TWICE:(3)	22	1.0 %
4	3-4TIMES:(4)	6	0.3 %
5	5+ TIMES:(5)	14	0.6 %
	Missing Data		
-9	MISSING:(-9)	44	2.0 %
	Total	2,170	100%

Based upon 2,126 valid cases out of 2,170 total cases.

Location: 189-190 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2289: 142A18K:FRQ STEAL CAR PT

Item Number: 06620

During the LAST 12 MONTHS, how often have you . . .

K: . . . Taken part of a car without permission of the owner?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2068	95.3 %
2	ONCE:(2)	28	1.3 %
3	TWICE:(3)	13	0.6 %
4	3-4TIMES:(4)	3	0.1 %
5	5+ TIMES:(5)	12	0.6 %
	Missing Data		
-9	MISSING:(-9)	46	2.1 %
	Total	2,170	100%

Based upon 2,124 valid cases out of 2,170 total cases.

Location: 191-192 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2290: 142A18L:FRQ TRESPAS BLDG

Item Number: 06630

During the LAST 12 MONTHS, how often have you . . .

L: . . . Gone into some house or building when you weren't

supposed to be there?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1653	76.2 %
2	ONCE:(2)	198	9.1 %
3	TWICE:(3)	133	6.1 %
4	3-4TIMES:(4)	75	3.5 %
5	5+ TIMES:(5)	65	3.0 %
Missing Data			
-9	MISSING:(-9)	46	2.1 %
Total		2,170	100%

Based upon 2,124 valid cases out of 2,170 total cases.

Location: 193-194 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2291: 142A18M:FRQ ARSON

Item Number: 06640

During the LAST 12 MONTHS, how often have you . . .

M: . . . Set fire to someone's property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2086	96.1 %
2	ONCE:(2)	21	1.0 %
3	TWICE:(3)	7	0.3 %
4	3-4TIMES:(4)	3	0.1 %
5	5+ TIMES:(5)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	45	2.1 %
Total		2,170	100%

Based upon 2,125 valid cases out of 2,170 total cases.

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2292: 142A18N:FRQ DMG SCH PPTY

Item Number: 06650

During the LAST 12 MONTHS, how often have you . . .

N: . . . Damaged school property on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1990	91.7 %
2	ONCE:(2)	62	2.9 %
3	TWICE:(3)	36	1.7 %
4	3-4TIMES:(4)	10	0.5 %
5	5+ TIMES:(5)	24	1.1 %
Missing Data			
-9	MISSING:(-9)	48	2.2 %
Total		2,170	100%

Based upon 2,122 valid cases out of 2,170 total cases.

Location: 197-198 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2293: 142A18O:FRQ DMG WK PRPTY

Item Number: 06660

During the LAST 12 MONTHS, how often have you . . .

O: . . . Damaged property at work on purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2079	95.8 %
2	ONCE:(2)	21	1.0 %
3	TWICE:(3)	9	0.4 %
4	3-4TIMES:(4)	5	0.2 %
5	5+ TIMES:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	49	2.3 %

Value	Label	Unweighted Frequency	%
Total		2,170	100%

Based upon 2,121 valid cases out of 2,170 total cases.

Location: 199-200 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2508: 142A18P:ARRSTD/TKN 2 POL

Item number: 25880

During the LAST 12 MONTHS, how often have you . . .

P: . . . Been arrested and taken to a police station?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2001	92.2 %
2	ONCE:(2)	77	3.5 %
3	TWICE:(3)	16	0.7 %
4	3-4TIMES:(4)	13	0.6 %
5	5+ TIMES:(5)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	52	2.4 %
Total		2,170	100%

Based upon 2,118 valid cases out of 2,170 total cases.

Location: 201-202 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2295: 142A19A:SM1 ROB YRS <\$50

Item Number: 06680

The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . .

A. . . . Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1366	62.9 %
2	ONCE:(2)	443	20.4 %
3	TWICE:(3)	185	8.5 %
4	3-4TIMES:(4)	75	3.5 %
5	5+ TIMES:(5)	40	1.8 %
Missing Data			
-9	MISSING:(-9)	61	2.8 %
Total		2,170	100%

Based upon 2,109 valid cases out of 2,170 total cases.

Location: 203-204 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2296: 142A19B:SM1 ROB YRS >\$50

Item Number: 06690

During the LAST 12 MONTHS, how often . . .

B: . . . Has something of yours (worth over \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1585	73.0 %
2	ONCE:(2)	356	16.4 %
3	TWICE:(3)	112	5.2 %
4	3-4TIMES:(4)	39	1.8 %
5	5+ TIMES:(5)	18	0.8 %
Missing Data			
-9	MISSING:(-9)	60	2.8 %
Total		2,170	100%

Based upon 2,110 valid cases out of 2,170 total cases.

Location: 205-206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2297: 142A19C:SM1 DMG YR PRPTY

Item Number: 06700

During the LAST 12 MONTHS, how often . . .

C: . . . Has someone deliberately damaged your property
(your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1650	76.0 %
2	ONCE:(2)	285	13.1 %
3	TWICE:(3)	100	4.6 %
4	3-4TIMES:(4)	52	2.4 %
5	5+ TIMES:(5)	21	1.0 %
Missing Data			
-9	MISSING:(-9)	62	2.9 %
Total		2,170	100%

Based upon 2,108 valid cases out of 2,170 total cases.

Location: 207-208 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2298: 142A19D:SM1 INJR U W/WPN

Item Number: 06710

During the LAST 12 MONTHS, how often . . .

D: . . . Has someone injured you with a weapon (like a
knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or
More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	2021	93.1 %
2	ONCE:(2)	52	2.4 %
3	TWICE:(3)	20	0.9 %
4	3-4TIMES:(4)	6	0.3 %
5	5+ TIMES:(5)	11	0.5 %
Missing Data			
-9	MISSING:(-9)	60	2.8 %
Total		2,170	100%

Based upon 2,110 valid cases out of 2,170 total cases.

Location: 209-210 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2299: 142A19E:SM1 THRTN U W/WP

Item Number: 06720

During the LAST 12 MONTHS, how often . . .

E: . . . Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1829	84.3 %
2	ONCE:(2)	161	7.4 %
3	TWICE:(3)	51	2.4 %
4	3-4TIMES:(4)	32	1.5 %
5	5+ TIMES:(5)	35	1.6 %
Missing Data			
-9	MISSING:(-9)	62	2.9 %
Total		2,170	100%

Based upon 2,108 valid cases out of 2,170 total cases.

Location: 211-212 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2300: 142A19F:SM1 INJR YU -WPN

Item Number: 06730

During the LAST 12 MONTHS, how often . . .

F: . . . Has someone injured you on purpose without using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1817	83.7 %
2	ONCE:(2)	124	5.7 %

Value	Label	Unweighted Frequency	%
3	TWICE:(3)	92	4.2 %
4	3-4TIMES:(4)	36	1.7 %
5	5+ TIMES:(5)	39	1.8 %
	Missing Data		
-9	MISSING:(-9)	62	2.9 %
	Total	2,170	100%

Based upon 2,108 valid cases out of 2,170 total cases.

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2301: 142A19G:SM1 THRT U W/INJ

Item Number: 06740

During the LAST 12 MONTHS, how often . . .

G: . . . Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1685	77.6 %
2	ONCE:(2)	185	8.5 %
3	TWICE:(3)	85	3.9 %
4	3-4TIMES:(4)	51	2.4 %
5	5+ TIMES:(5)	103	4.7 %
	Missing Data		
-9	MISSING:(-9)	61	2.8 %
	Total	2,170	100%

Based upon 2,109 valid cases out of 2,170 total cases.

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2302: 142A20A:EASY GT MARIJUAN

Item Number: 06750

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	171	7.9 %
2	VRY DIFF:(2)	74	3.4 %
3	FRLY DIF:(3)	114	5.3 %
4	FRLY EAS:(4)	553	25.5 %
5	VRY EASY:(5)	1192	54.9 %
Missing Data			
-9	MISSING:(-9)	66	3.0 %
Total		2,170	100%

Based upon 2,104 valid cases out of 2,170 total cases.

Location: 217-218 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2303: 142A20B:EASY GT LSD

Item Number: 06760

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	490	22.6 %
2	VRY DIFF:(2)	444	20.5 %
3	FRLY DIF:(3)	597	27.5 %
4	FRLY EAS:(4)	382	17.6 %
5	VRY EASY:(5)	167	7.7 %
Missing Data			
-9	MISSING:(-9)	90	4.1 %
Total		2,170	100%

Based upon 2,080 valid cases out of 2,170 total cases.

Location: 219-220 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2304: 142A20C:EASY GT PSYDELIC

Item Number: 06770

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	473	21.8 %
2	VRY DIFF:(2)	362	16.7 %
3	FRLY DIF:(3)	543	25.0 %
4	FRLY EAS:(4)	470	21.7 %
5	VRY EASY:(5)	241	11.1 %
Missing Data			
-9	MISSING:(-9)	81	3.7 %
Total		2,170	100%

Based upon 2,089 valid cases out of 2,170 total cases.

Location: 221-222 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2305: 142A20D:EASY GT AMPHTMNS

Item Number: 06780

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

D: Amphetamines (uppers, speed, Adderall, Ritalin, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	459	21.2 %
2	VRY DIFF:(2)	304	14.0 %
3	FRLY DIF:(3)	378	17.4 %

Value	Label	Unweighted Frequency	%
4	FRLY EAS:(4)	497	22.9 %
5	VRY EASY:(5)	448	20.6 %
	Missing Data		
-9	MISSING:(-9)	84	3.9 %
	Total	2,170	100%

Based upon 2,086 valid cases out of 2,170 total cases.

Location: 223-224 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2522: 142A20E:EASY GT SED/BARB

Item Number: 06795

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	573	26.4 %
2	VRY DIFF:(2)	449	20.7 %
3	FRLY DIF:(3)	487	22.4 %
4	FRLY EAS:(4)	353	16.3 %
5	VRY EASY:(5)	209	9.6 %
	Missing Data		
-9	MISSING:(-9)	99	4.6 %
	Total	2,170	100%

Based upon 2,071 valid cases out of 2,170 total cases.

Location: 225-226 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2307: 142A20F:EASY GT TRANQLIZ

Item Number: 06800

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	766	35.3 %
2	VRY DIFF:(2)	564	26.0 %
3	FRLY DIF:(3)	430	19.8 %
4	FRLY EAS:(4)	189	8.7 %
5	VRY EASY:(5)	124	5.7 %
Missing Data			
-9	MISSING:(-9)	97	4.5 %
Total		2,170	100%

Based upon 2,073 valid cases out of 2,170 total cases.

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2308: 142A20G:EASY GT COCAINE

Item Number: 06810

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	604	27.8 %
2	VRY DIFF:(2)	453	20.9 %
3	FRLY DIF:(3)	441	20.3 %
4	FRLY EAS:(4)	359	16.5 %
5	VRY EASY:(5)	233	10.7 %
Missing Data			
-9	MISSING:(-9)	80	3.7 %
Total		2,170	100%

Based upon 2,090 valid cases out of 2,170 total cases.

Location: 229-230 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2309: 142A20H:EASY GT HEROIN

Item Number: 06820

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	729	33.6 %
2	VRY DIFF:(2)	534	24.6 %
3	FRLY DIF:(3)	410	18.9 %
4	FRLY EAS:(4)	254	11.7 %
5	VRY EASY:(5)	160	7.4 %
Missing Data			
-9	MISSING:(-9)	83	3.8 %
Total		2,170	100%

Based upon 2,087 valid cases out of 2,170 total cases.

Location: 231-232 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2310: 142A20I:EASY GT NARCOTIC

Item Number: 06830

How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some?

I: Some other narcotic (codeine, Vicodin, OxyContin, Percocet, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	481	22.2 %
2	VRY DIFF:(2)	313	14.4 %
3	FRLY DIF:(3)	412	19.0 %
4	FRLY EAS:(4)	425	19.6 %

Value	Label	Unweighted Frequency	%
5	VRY EASY:(5)	445	20.5 %
	Missing Data		
-9	MISSING:(-9)	94	4.3 %
	Total	2,170	100%

Based upon 2,076 valid cases out of 2,170 total cases.

Location: 233-234 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2101: 142B01 :EVR SMK CIG,REGL

Item Number: 00760

The following questions are about cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1387	63.9 %
2	1-2X:(2)	342	15.8 %
3	OCCASONLY:(3)	210	9.7 %
4	REG PAST:(4)	70	3.2 %
5	REG NOW:(5)	108	5.0 %
	Missing Data		
-9	MISSING:(-9)	53	2.4 %
	Total	2,170	100%

Based upon 2,117 valid cases out of 2,170 total cases.

Location: 235-236 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2102: 142B02 :#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day"

5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NT DAILY:(1)	1837	84.7 %
2	<1 CIG/D:(2)	134	6.2 %
3	1-5/DAY:(3)	80	3.7 %
4	1/2 PK:(4)	35	1.6 %
5	1 PK:(5)	15	0.7 %
6	1 1/2 PK:(6)	5	0.2 %
7	2+ PKS:(7)	6	0.3 %
Missing Data			
-9	MISSING:(-9)	58	2.7 %
Total		2,170	100%

Based upon 2,112 valid cases out of 2,170 total cases.

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2103: 142B03:EVER DRINK

Item Number: 00790

Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips?

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	641	29.5 %
2	YES:(2)	1427	65.8 %
Missing Data			
-9	MISSING:(-9)	102	4.7 %
Total		2,170	100%

Based upon 2,068 valid cases out of 2,170 total cases.

Location: 239-240 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2104: 142B04A:#X ALC/LIF SIPS

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	642	29.6 %
2	1-2X:(2)	182	8.4 %
3	3-5X:(3)	253	11.7 %
4	6-9X:(4)	202	9.3 %
5	10-19X:(5)	248	11.4 %
6	20-39X:(6)	189	8.7 %
7	40+OCCAS:(7)	323	14.9 %
Missing Data			
-9	MISSING:(-9)	131	6.0 %
Total		2,170	100%

Based upon 2,039 valid cases out of 2,170 total cases.

Location: 241-242 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2105: 142B04B:#X ALC/ANN SIPS

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	736	33.9 %
2	1-2X:(2)	372	17.1 %
3	3-5X:(3)	296	13.6 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	198	9.1 %
5	10-19X:(5)	206	9.5 %
6	20-39X:(6)	127	5.9 %
7	40+OCCAS:(7)	102	4.7 %
	Missing Data		
-9	MISSING:(-9)	133	6.1 %
	Total	2,170	100%

Based upon 2,037 valid cases out of 2,170 total cases.

Location: 243-244 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2106: 142B04C:#X ALC/30D SIPS

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1223	56.4 %
2	1-2X:(2)	441	20.3 %
3	3-5X:(3)	197	9.1 %
4	6-9X:(4)	92	4.2 %
5	10-19X:(5)	38	1.8 %
6	20-39X:(6)	19	0.9 %
7	40+OCCAS:(7)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	142	6.5 %
	Total	2,170	100%

Based upon 2,028 valid cases out of 2,170 total cases.

Location: 245-246 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2107: 142B05 :#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty drunk or high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions"
5="On nearly all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	383	17.6 %
2	FEW OCC:(2)	393	18.1 %
3	HALF OCC:(3)	208	9.6 %
4	MOST OCC:(4)	269	12.4 %
5	NRLY ALL:(5)	181	8.3 %
Missing Data			
-9	MISSING:(-9)	736	33.9 %
Total		2,170	100%

Based upon 1,434 valid cases out of 2,170 total cases.

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2108: 142B06:5+DRK ROW/LST 2W

Item Number: 00850

Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above]
2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1558	71.8 %
2	ONCE:(2)	192	8.8 %
3	TWICE:(3)	131	6.0 %
4	3-5X:(4)	84	3.9 %
5	6-9X:(5)	18	0.8 %

Value	Label	Unweighted Frequency	%
6	10+ TIME:(6)	19	0.9 %
	Missing Data		
-9	MISSING:(-9)	168	7.7 %
	Total	2,170	100%

Based upon 2,002 valid cases out of 2,170 total cases.

Location: 249-250 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2115: 142B07A:#XMJ+HS/LIFETIME

Item Number: 00860

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1122	51.7 %
2	1-2X:(2)	197	9.1 %
3	3-5X:(3)	140	6.5 %
4	6-9X:(4)	104	4.8 %
5	10-19X:(5)	113	5.2 %
6	20-39X:(6)	92	4.2 %
7	40+OCCAS:(7)	312	14.4 %
	Missing Data		
-9	MISSING:(-9)	90	4.1 %
	Total	2,170	100%

Based upon 2,080 valid cases out of 2,170 total cases.

Location: 251-252 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2116: 142B07B:#XMJ+HS/LAST12MO

Item Number: 00870

On how many occasions (if any) have you used marijuana (weed,

pot) or hashish (hash, hash oil) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1319	60.8 %
2	1-2X:(2)	180	8.3 %
3	3-5X:(3)	152	7.0 %
4	6-9X:(4)	90	4.1 %
5	10-19X:(5)	87	4.0 %
6	20-39X:(6)	61	2.8 %
7	40+OCCAS:(7)	187	8.6 %
Missing Data			
-9	MISSING:(-9)	94	4.3 %
Total		2,170	100%

Based upon 2,076 valid cases out of 2,170 total cases.

Location: 253-254 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2117: 142B07C:#XMJ+HS/LAST30DA

Item Number: 00880

On how many occasions (if any) have you used marijuana (weed,
pot) or hashish (hash, hash oil) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1594	73.5 %
2	1-2X:(2)	174	8.0 %
3	3-5X:(3)	72	3.3 %
4	6-9X:(4)	50	2.3 %
5	10-19X:(5)	60	2.8 %
6	20-39X:(6)	55	2.5 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	66	3.0 %
	Missing Data		
-9	MISSING:(-9)	99	4.6 %
	Total	2,170	100%

Based upon 2,071 valid cases out of 2,170 total cases.

Location: 255-256 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2118: 142B08A:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD
("acid") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2019	93.0 %
2	1-2X:(2)	59	2.7 %
3	3-5X:(3)	14	0.6 %
4	6-9X:(4)	8	0.4 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	65	3.0 %
	Total	2,170	100%

Based upon 2,105 valid cases out of 2,170 total cases.

Location: 257-258 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2119: 142B08B:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD

("acid") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2051	94.5 %
2	1-2X:(2)	43	2.0 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	64	2.9 %
Total		2,170	100%

Based upon 2,106 valid cases out of 2,170 total cases.

Location: 259-260 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2120: 142B08C:#X LSD/LAST 30DA

Item Number: 00910

On how many occasions (if any) have you used LSD
("acid") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2083	96.0 %
2	1-2X:(2)	19	0.9 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	65	3.0 %
	Total	2,170	100%

Based upon 2,105 valid cases out of 2,170 total cases.

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2121: 142B09A:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1991	91.8 %
2	1-2X:(2)	76	3.5 %
3	3-5X:(3)	24	1.1 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	64	2.9 %
	Total	2,170	100%

Based upon 2,106 valid cases out of 2,170 total cases.

Location: 263-264 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2122: 142B09B:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2036	93.8 %
2	1-2X:(2)	50	2.3 %
3	3-5X:(3)	10	0.5 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	66	3.0 %
Total		2,170	100%

Based upon 2,104 valid cases out of 2,170 total cases.

Location: 265-266 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2123: 142B09C:#X PSYD/LAST30DA

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP) . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2081	95.9 %
2	1-2X:(2)	15	0.7 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	1	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	66	3.0 %
	Total	2,170	100%

Based upon 2,104 valid cases out of 2,170 total cases.

Location: 267-268 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2124: 142B10A:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2002	92.3 %
2	1-2X:(2)	56	2.6 %
3	3-5X:(3)	17	0.8 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	5	0.2 %
7	40+OCCAS:(7)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	69	3.2 %
	Total	2,170	100%

Based upon 2,101 valid cases out of 2,170 total cases.

Location: 269-270 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2125: 142B10B:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

B: . . . during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2050	94.5 %
2	1-2X:(2)	30	1.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	67	3.1 %
Total		2,170	100%

Based upon 2,103 valid cases out of 2,170 total cases.

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2126: 142B10C:#X COKE/LAST30DA

Item Number: 00970

On how many occasions (if any) have you taken cocaine
(sometimes called "coke", "crack", "rock") . . .

C: . . . during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2085	96.1 %
2	1-2X:(2)	9	0.4 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	0	0.0 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.1 %
	Missing Data		
-9	MISSING:(-9)	66	3.0 %
	Total	2,170	100%

Based upon 2,104 valid cases out of 2,170 total cases.

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2127: 142B11A:#X AMPH/LIFETIME

Item Number: 00980

Amphetamines and other stimulant drugs are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills or stay-aware pills. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1800	82.9 %
2	1-2X:(2)	108	5.0 %
3	3-5X:(3)	61	2.8 %
4	6-9X:(4)	37	1.7 %
5	10-19X:(5)	40	1.8 %
6	20-39X:(6)	15	0.7 %
7	40+OCCAS:(7)	40	1.8 %
	Missing Data		
-9	MISSING:(-9)	69	3.2 %
	Total	2,170	100%

Based upon 2,101 valid cases out of 2,170 total cases.

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2128: 142B11B:#X AMPH/LAST12MO

Item Number: 00990

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1901	87.6 %
2	1-2X:(2)	89	4.1 %
3	3-5X:(3)	41	1.9 %
4	6-9X:(4)	24	1.1 %
5	10-19X:(5)	21	1.0 %
6	20-39X:(6)	10	0.5 %
7	40+OCCAS:(7)	13	0.6 %
Missing Data			
-9	MISSING:(-9)	71	3.3 %
Total		2,170	100%

Based upon 2,099 valid cases out of 2,170 total cases.

Location: 277-278 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2129: 142B11C:#X AMPH/LAST30DA

Item Number: 01000

On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2007	92.5 %
2	1-2X:(2)	45	2.1 %
3	3-5X:(3)	24	1.1 %
4	6-9X:(4)	7	0.3 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	73	3.4 %
Total		2,170	100%

Based upon 2,097 valid cases out of 2,170 total cases.

Location: 279-280 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2045: 142B12A:#X ICE/LIFETIME

Item Number: 24380

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2068	95.3 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	68	3.1 %
Total		2,170	100%

Based upon 2,102 valid cases out of 2,170 total cases.

Location: 281-282 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2046: 142B12B:#X ICE/LAST12MO

Item Number: 24390

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2081	95.9 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	68	3.1 %
Total		2,170	100%

Based upon 2,102 valid cases out of 2,170 total cases.

Location: 283-284 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2047: 142B12C:#X ICE/LAST30DA

Item Number: 24400

On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ("ice") . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2088	96.2 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	68	3.1 %
Total		2,170	100%

Based upon 2,102 valid cases out of 2,170 total cases.

Location: 285-286 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2133: 142B13A:#X SED/BARB/LIFE

Item Number: 01042

Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1968	90.7 %
2	1-2X:(2)	70	3.2 %
3	3-5X:(3)	32	1.5 %
4	6-9X:(4)	14	0.6 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	67	3.1 %
Total		2,170	100%

Based upon 2,103 valid cases out of 2,170 total cases.

Location: 287-288 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2134: 142B13B:#X SED/BARB/12MO

Item Number: 01052

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2025	93.3 %
2	1-2X:(2)	46	2.1 %
3	3-5X:(3)	13	0.6 %
4	6-9X:(4)	5	0.2 %
5	10-19X:(5)	7	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	69	3.2 %
Total		2,170	100%

Based upon 2,101 valid cases out of 2,170 total cases.

Location: 289-290 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2135: 142B13C:#X SED/BARB/30DA

Item Number: 01062

On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or

More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2067	95.3 %
2	1-2X:(2)	17	0.8 %
3	3-5X:(3)	9	0.4 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	68	3.1 %
Total		2,170	100%

Based upon 2,102 valid cases out of 2,170 total cases.

Location: 291-292 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2136: 142B14A:#X TRQL/LIFETIME

Item Number: 01070

Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles.

Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1948	89.8 %
2	1-2X:(2)	76	3.5 %
3	3-5X:(3)	20	0.9 %
4	6-9X:(4)	23	1.1 %
5	10-19X:(5)	21	1.0 %
6	20-39X:(6)	7	0.3 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	70	3.2 %
Total		2,170	100%

Based upon 2,100 valid cases out of 2,170 total cases.

Location: 293-294 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2137: 142B14B:#X TRQL/LAST12MO

Item Number: 01080

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2014	92.8 %
2	1-2X:(2)	44	2.0 %
3	3-5X:(3)	20	0.9 %
4	6-9X:(4)	13	0.6 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	3	0.1 %
Missing Data			
-9	MISSING:(-9)	68	3.1 %
Total		2,170	100%

Based upon 2,102 valid cases out of 2,170 total cases.

Location: 295-296 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2138: 142B14C:#X TRQL/LAST30DA

Item Number: 01090

On how many occasions (if any) have you taken tranquilizers
on your own--that is, without a doctor telling you to take
them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2064	95.1 %
2	1-2X:(2)	22	1.0 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	3	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	68	3.1 %
Total		2,170	100%

Based upon 2,102 valid cases out of 2,170 total cases.

Location: 297-298 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2510: 142B15A:#X H LIF USE NDL

Item Number: 29630

On how many occasions (if any) have you taken heroin using
a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2084	96.0 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	71	3.3 %
	Total	2,170	100%

Based upon 2,099 valid cases out of 2,170 total cases.

Location: 299-300 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2511: 142B15B:#X H 12M USE NDL

Item Number: 29640

On how many occasions (if any) have you taken heroin using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2089	96.3 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	72	3.3 %
	Total	2,170	100%

Based upon 2,098 valid cases out of 2,170 total cases.

Location: 301-302 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2512: 142B15C:#X H 30D USE NDL

Item Number: 29650

On how many occasions (if any) have you taken heroin using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2094	96.5 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	71	3.3 %
Total		2,170	100%

Based upon 2,099 valid cases out of 2,170 total cases.

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2513: 142B16A:#X H LIF W/O NDL

Item Number: 29660

On how many occasions (if any) have you taken heroin WITHOUT
using a needle . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2064	95.1 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	2	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	92	4.2 %
	Total	2,170	100%

Based upon 2,078 valid cases out of 2,170 total cases.

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2514: 142B16B:#X H 12M W/O NDL

Item Number: 29670

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2073	95.5 %
2	1-2X:(2)	3	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	91	4.2 %
	Total	2,170	100%

Based upon 2,079 valid cases out of 2,170 total cases.

Location: 307-308 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2515: 142B16C:#X H 30D W/O NDL

Item Number: 29680

On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2075	95.6 %
2	1-2X:(2)	4	0.2 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	90	4.1 %
Total		2,170	100%

Based upon 2,080 valid cases out of 2,170 total cases.

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2139: 142R* :#X H/LIFETIME

Item Number: 01100

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . In your lifetime?" (item 29630)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . In your lifetime?" (item 29660)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2083	96.0 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	8	0.4 %
4	6-9X:(4)	4	0.2 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	66	3.0 %
Total		2,170	100%

Based upon 2,104 valid cases out of 2,170 total cases.

Location: 311-312 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2140: 142R* :#X H/LAST12MO

Item Number: 01110

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 12 months?" (item 29640)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 12 months?" (item 29670)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2093	96.5 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	6	0.3 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	67	3.1 %
Total		2,170	100%

Based upon 2,103 valid cases out of 2,170 total cases.

Location: 313-314 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2141: 142R* :#X H/LAST30DA

Item Number: 01120

Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . .

. . . During the last 30 days?" (item 29650)

and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . .

. . . During the last 30 days?" (item 29680)

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2098	96.7 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	66	3.0 %
Total		2,170	100%

Based upon 2,104 valid cases out of 2,170 total cases.

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2142: 142B17A:#X NARC/LIFETIME

Item Number: 01130

There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1876	86.5 %
2	1-2X:(2)	88	4.1 %
3	3-5X:(3)	45	2.1 %
4	6-9X:(4)	21	1.0 %
5	10-19X:(5)	29	1.3 %
6	20-39X:(6)	11	0.5 %
7	40+OCCAS:(7)	13	0.6 %
Missing Data			
-9	MISSING:(-9)	87	4.0 %
Total		2,170	100%

Based upon 2,083 valid cases out of 2,170 total cases.

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2143: 142B17B:#X NARC/LAST12MO

Item Number: 01140

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1957	90.2 %
2	1-2X:(2)	62	2.9 %
3	3-5X:(3)	34	1.6 %
4	6-9X:(4)	12	0.6 %
5	10-19X:(5)	8	0.4 %
6	20-39X:(6)	2	0.1 %
7	40+OCCAS:(7)	7	0.3 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	88	4.1 %
Total		2,170	100%

Based upon 2,082 valid cases out of 2,170 total cases.

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2144: 142B17C:#X NARC/LAST30DA

Item Number: 01150

On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2038	93.9 %
2	1-2X:(2)	20	0.9 %
3	3-5X:(3)	10	0.5 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	4	0.2 %
6	20-39X:(6)	3	0.1 %
7	40+OCCAS:(7)	2	0.1 %
Missing Data			
-9	MISSING:(-9)	89	4.1 %
Total		2,170	100%

Based upon 2,081 valid cases out of 2,170 total cases.

Location: 321-322 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2145: 142B18A:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1944	89.6 %
2	1-2X:(2)	64	2.9 %
3	3-5X:(3)	30	1.4 %
4	6-9X:(4)	16	0.7 %
5	10-19X:(5)	11	0.5 %
6	20-39X:(6)	4	0.2 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	96	4.4 %
Total		2,170	100%

Based upon 2,074 valid cases out of 2,170 total cases.

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2146: 142B18B:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or
breathed the contents of aerosol spray cans, or inhaled
any other gases or sprays in order to get high . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occurrences" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2034	93.7 %
2	1-2X:(2)	28	1.3 %
3	3-5X:(3)	3	0.1 %
4	6-9X:(4)	6	0.3 %
5	10-19X:(5)	6	0.3 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	91	4.2 %
	Total	2,170	100%

Based upon 2,079 valid cases out of 2,170 total cases.

Location: 325-326 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2147: 142B18C:#X INHL/LAST30DA

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	2054	94.7 %
2	1-2X:(2)	14	0.6 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	4	0.2 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Missing Data		
-9	MISSING:(-9)	95	4.4 %
	Total	2,170	100%

Based upon 2,075 valid cases out of 2,170 total cases.

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

RESPONDENT_AGE: 142C01(R):AGE <>18 DICHOTOMY

Item Number:

Component variables: 1) Q.C01 "In what year were you born?"
(item 00010), 2) Q. C02 "In what month were you born?"
(item 00020), and 3) date of questionnaire administration
as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

Value	Label	Unweighted Frequency	%
1	< 18 YRS:(1)	875	40.3 %
2	18+ YRS:(2)	1225	56.5 %
	Missing Data		
-9	MISSING:(-9)	70	3.2 %
	Total	2,170	100%

Based upon 2,100 valid cases out of 2,170 total cases.

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2150: 142C03 :Rs SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	942	43.4 %
2	FEMALE:(2)	1053	48.5 %
	Missing Data		
-9	MISSING:(-9)	175	8.1 %
	Total	2,170	100%

Based upon 1,995 valid cases out of 2,170 total cases.

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2151: 142C04(R):Rs RACE B/W/H

Item Number:

How do you describe yourself? (Select one or more responses.)
Black or African American; Mexican American or Chicano; Cuban
American; Puerto Rican; Other Hispanic or Latino; Asian
American; White (Caucasian); American Indian or Alaska Native;

Native Hawaiian or Other Pacific Islander.

[Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.]

1="Black or African American" 2="White (Caucasian)"

3="Hispanic" [see above]

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	248	11.4 %
2	WHITE:(2)	1125	51.8 %
3	HISPANIC:(3)	379	17.5 %
	Missing Data		
-9	MISSING:(-9)	418	19.3 %
	Total	2,170	100%

Based upon 1,752 valid cases out of 2,170 total cases.

Location: 333-334 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2152: 142C05 :R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	247	11.4 %
1	A FARM:(1)	74	3.4 %
2	COUNTRY:(2)	227	10.5 %
3	SM CITY:(3)	608	28.0 %
4	MED CITY:(4)	336	15.5 %
5	SUB MED:(5)	222	10.2 %
6	LGE CITY:(6)	192	8.8 %
7	SUB LGE:(7)	108	5.0 %

Value	Label	Unweighted Frequency	%
8	V-LGE CITY:(8)	81	3.7 %
9	SUB V-LGE:(9)	75	3.5 %
Total		2,170	100%

Based upon 2,170 valid cases out of 2,170 total cases.

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2153: 142C06 :R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	83	3.8 %
2	ENGAGED:(2)	70	3.2 %
3	SEP/DIV:(3)	32	1.5 %
4	SINGLE:(4)	1914	88.2 %
	Missing Data		
-9	MISSING:(-9)	71	3.3 %
Total		2,170	100%

Based upon 2,099 valid cases out of 2,170 total cases.

Location: 337-338 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2155: 142C7Cb:Rs HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	577	26.6 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	1515	69.8 %
	Missing Data		
-9	MISSING:(-9)	78	3.6 %
	Total	2,170	100%

Based upon 2,092 valid cases out of 2,170 total cases.

Location: 339-340 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2156: 142C7Cc:Rs HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	235	10.8 %
1	MARKED:(1)	1857	85.6 %
	Missing Data		
-9	MISSING:(-9)	78	3.6 %
	Total	2,170	100%

Based upon 2,092 valid cases out of 2,170 total cases.

Location: 341-342 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2157: 142C7Cd:Rs HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

Other alternatives -- "Grandparent(s)," "My husband/wife,"

"My child(ren)," "Other relative(s)," "Non-relative(s),"

"I live alone" -- have been deleted for reasons of

confidentiality.

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	629	29.0 %
1	MARKED:(1)	1463	67.4 %
	Missing Data		
-9	MISSING:(-9)	78	3.6 %
	Total	2,170	100%

Based upon 2,092 valid cases out of 2,170 total cases.

Location: 343-344 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V49: 142C07(R):# SIBLINGS

Item Number:

Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more"

For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

Value	Label	Unweighted Frequency	%
0	NONE:(0)	129	5.9 %
1	ONE:(1)	566	26.1 %
2	TWO:(2)	576	26.5 %
3	THREE+:(3-4)	821	37.8 %
	Missing Data		
-9	MISSING:(-9)	78	3.6 %
	Total	2,170	100%

Based upon 2,092 valid cases out of 2,170 total cases.

Location: 345-346 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2163: 142C08 :FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	120	5.5 %
2	SOME HS:(2)	233	10.7 %
3	HS GRAD:(3)	545	25.1 %
4	SOME CLG:(4)	325	15.0 %
5	CLG GRAD:(5)	440	20.3 %
6	GRAD SCH:(6)	247	11.4 %
7	DK:(7)	179	8.2 %
Missing Data			
-9	MISSING:(-9)	81	3.7 %
Total		2,170	100%

Based upon 2,089 valid cases out of 2,170 total cases.

Location: 347-348 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2164: 142C09 :MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school"
 3="Completed high school" 4="Some college" 5="Completed college"
 6="Graduate or professional school after college"
 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	88	4.1 %
2	SOME HS:(2)	179	8.2 %
3	HS GRAD:(3)	455	21.0 %

Value	Label	Unweighted Frequency	%
4	SOME CLG:(4)	408	18.8 %
5	CLG GRAD:(5)	584	26.9 %
6	GRAD SCH:(6)	256	11.8 %
7	DK:(7)	118	5.4 %
	Missing Data		
-9	MISSING:(-9)	82	3.8 %
	Total	2,170	100%

Based upon 2,088 valid cases out of 2,170 total cases.

Location: 349-350 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2165: 142C10 :MOTH PD JB R YNG

Item Number: 00330

Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4="Yes, all or nearly all of the time"

Value	Label	Unweighted Frequency	%
1	NO:(1)	290	13.4 %
2	YES/SOME:(2)	388	17.9 %
3	YES/MOST:(3)	378	17.4 %
4	YES/NRLY ALL:(4)	1023	47.1 %
	Missing Data		
-9	MISSING:(-9)	91	4.2 %
	Total	2,170	100%

Based upon 2,079 valid cases out of 2,170 total cases.

Location: 351-352 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2166: 142C11 :Rs POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No"

preference" 7="Other" 8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	224	10.3 %
2	MILD GOP:(2)	251	11.6 %
3	MILD DEM:(3)	263	12.1 %
4	STRG DEM:(4)	180	8.3 %
5	INDEPNNDT:(5)	231	10.6 %
6	NO PREF:(6)	305	14.1 %
7	OTHER:(7)	36	1.7 %
8	DK/HVNT DECID:(8)	525	24.2 %
Missing Data			
-9	MISSING:(-9)	155	7.1 %
Total		2,170	100%

Based upon 2,015 valid cases out of 2,170 total cases.

Location: 353-354 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2167: 142C12 :R POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate"
4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the
above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	99	4.6 %
2	CONSERV:(2)	264	12.2 %
3	MODERATE:(3)	471	21.7 %
4	LIBERAL:(4)	281	12.9 %
5	VRY LIB:(5)	95	4.4 %
6	RADICAL:(6)	37	1.7 %
8	NONE/DK:(8)	824	38.0 %
Missing Data			
-9	MISSING:(-9)	99	4.6 %
Total		2,170	100%

Based upon 2,071 valid cases out of 2,170 total cases.

Location: 355-356 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2169: 142C13B:R ATTND REL SVC

Item Number: 00370

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	362	16.7 %
2	RARELY:(2)	534	24.6 %
3	1-2X/MO:(3)	261	12.0 %
4	1/WK OR+:(4)	496	22.9 %
Missing Data			
-9	MISSING:(-9)	517	23.8 %
Total		2,170	100%

Based upon 1,653 valid cases out of 2,170 total cases.

Location: 357-358 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2170: 142C13C:RLGN IMP Rs LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important"

4="Very important"

Responses from the western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	382	17.6 %
2	LITL IMP:(2)	408	18.8 %
3	PRTY IMP:(3)	411	18.9 %
4	VERY IMP:(4)	448	20.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	521	24.0 %
Total		2,170	100%

Based upon 1,649 valid cases out of 2,170 total cases.

Location: 359-360 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2171: 142C14 :WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January"

6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	2025	93.3 %
2	JUL-JAN:(2)	30	1.4 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	97	4.5 %
Total		2,170	100%

Based upon 2,073 valid cases out of 2,170 total cases.

Location: 361-362 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2172: 142C15 :Rs HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	1084	50.0 %
2	GENERAL:(2)	698	32.2 %

Value	Label	Unweighted Frequency	%
3	VOC-TECH:(3)	70	3.2 %
4	OTH/DK:(4)	202	9.3 %
Missing Data			
-9	MISSING:(-9)	116	5.3 %
Total		2,170	100%

Based upon 2,054 valid cases out of 2,170 total cases.

Location: 363-364 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2173: 142C16 :RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	39	1.8 %
2	BELOW AVG:(2)	43	2.0 %
3	SLIGHT BELOW:(3)	99	4.6 %
4	AVERAGE:(4)	708	32.6 %
5	SLIGHT ABOVE:(5)	511	23.5 %
6	ABOVE AVG:(6)	533	24.6 %
7	FAR ABOVE:(7)	123	5.7 %
Missing Data			
-9	MISSING:(-9)	114	5.3 %
Total		2,170	100%

Based upon 2,056 valid cases out of 2,170 total cases.

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2174: 142C17 :RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others

your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	37	1.7 %
2	BELOW AVG:(2)	35	1.6 %
3	SLIGHT BELOW:(3)	92	4.2 %
4	AVERAGE:(4)	624	28.8 %
5	SLIGHT ABOVE:(5)	523	24.1 %
6	ABOVE AVG:(6)	579	26.7 %
7	FAR ABOVE:(7)	163	7.5 %
Missing Data			
-9	MISSING:(-9)	117	5.4 %
Total		2,170	100%

Based upon 2,053 valid cases out of 2,170 total cases.

Location: 367-368 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2175: 142C18A:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

A: . . . Because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1179	54.3 %
2	1 DAY:(2)	342	15.8 %
3	2 DAYS:(3)	219	10.1 %
4	3 DAYS:(4)	135	6.2 %
5	4-5 DAYS:(5)	98	4.5 %
6	6-10 DA:(6)	31	1.4 %
7	11+ DAYS:(7)	18	0.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	148	6.8 %
Total		2,170	100%

Based upon 2,022 valid cases out of 2,170 total cases.

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2176: 142C18B:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

B: . . . Because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1400	64.5 %
2	1 DAY:(2)	293	13.5 %
3	2 DAYS:(3)	126	5.8 %
4	3 DAYS:(4)	79	3.6 %
5	4-5 DAYS:(5)	61	2.8 %
6	6-10 DA:(6)	19	0.9 %
7	11+ DAYS:(7)	22	1.0 %
	Missing Data		
-9	MISSING:(-9)	170	7.8 %
Total		2,170	100%

Based upon 2,000 valid cases out of 2,170 total cases.

Location: 371-372 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2177: 142C18C:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed . . .

C: . . . For other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1137	52.4 %
2	1 DAY:(2)	370	17.1 %
3	2 DAYS:(3)	241	11.1 %
4	3 DAYS:(4)	138	6.4 %
5	4-5 DAYS:(5)	72	3.3 %
6	6-10 DA:(6)	34	1.6 %
7	11+ DAYS:(7)	26	1.2 %
Missing Data			
-9	MISSING:(-9)	152	7.0 %
Total		2,170	100%

Based upon 2,018 valid cases out of 2,170 total cases.

Location: 373-374 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2178: 142C19 :#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times"
5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1497	69.0 %
2	1-2:(2)	355	16.4 %
3	3-5:(3)	119	5.5 %
4	6-10:(4)	48	2.2 %
5	11-20:(5)	18	0.8 %
6	21+:(6)	19	0.9 %
Missing Data			
-9	MISSING:(-9)	114	5.3 %
Total		2,170	100%

Based upon 2,056 valid cases out of 2,170 total cases.

Location: 375-376 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2179: 142C20 :R HS GRADE/D = 1

Item Number: 00470

Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)"
5="B- (80-82)" 4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)"
1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	27	1.2 %
2	C-:(2)	43	2.0 %
3	C:(3)	84	3.9 %
4	C+:(4)	148	6.8 %
5	B-:(5)	218	10.0 %
6	B:(6)	400	18.4 %
7	B+:(7)	366	16.9 %
8	A-:(8)	385	17.7 %
9	A:(9)	374	17.2 %
Missing Data			
-9	MISSING:(-9)	125	5.8 %
Total		2,170	100%

Based upon 2,045 valid cases out of 2,170 total cases.

Location: 377-378 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2180: 142C21A:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

A: Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1134	52.3 %

Value	Label	Unweighted Frequency	%
2	PRB WONT:(2)	461	21.2 %
3	PRB WILL:(3)	227	10.5 %
4	DEF WILL:(4)	133	6.1 %
Missing Data			
-9	MISSING:(-9)	215	9.9 %
Total		2,170	100%

Based upon 1,955 valid cases out of 2,170 total cases.

Location: 379-380 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2181: 142C21B:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"

4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1290	59.4 %
2	PRB WONT:(2)	396	18.2 %
3	PRB WILL:(3)	181	8.3 %
4	DEF WILL:(4)	99	4.6 %
Missing Data			
-9	MISSING:(-9)	204	9.4 %
Total		2,170	100%

Based upon 1,966 valid cases out of 2,170 total cases.

Location: 381-382 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2182: 142C21C:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

C: Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	687	31.7 %
2	PRB WONT:(2)	382	17.6 %
3	PRB WILL:(3)	438	20.2 %
4	DEF WILL:(4)	443	20.4 %
Missing Data			
-9	MISSING:(-9)	220	10.1 %
Total		2,170	100%

Based upon 1,950 valid cases out of 2,170 total cases.

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2183: 142C21D:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

D: Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	139	6.4 %
2	PRB WONT:(2)	151	7.0 %
3	PRB WILL:(3)	449	20.7 %
4	DEF WILL:(4)	1262	58.2 %
Missing Data			
-9	MISSING:(-9)	169	7.8 %
Total		2,170	100%

Based upon 2,001 valid cases out of 2,170 total cases.

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2184: 142C21E:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will"
4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	332	15.3 %
2	PRB WONT:(2)	485	22.4 %
3	PRB WILL:(3)	648	29.9 %
4	DEF WILL:(4)	496	22.9 %
Missing Data			
-9	MISSING:(-9)	209	9.6 %
Total		2,170	100%

Based upon 1,961 valid cases out of 2,170 total cases.

Location: 387-388 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2185: 142C22A:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1728	79.6 %
1	MARKED:(1)	283	13.0 %
Missing Data			
-9	MISSING:(-9)	159	7.3 %
Total		2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 389-390 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2186: 142C22B:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1689	77.8 %
1	MARKED:(1)	322	14.8 %
	Missing Data		
-9	MISSING:(-9)	159	7.3 %
	Total	2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 391-392 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2187: 142C22C:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1448	66.7 %
1	MARKED:(1)	563	25.9 %
	Missing Data		
-9	MISSING:(-9)	159	7.3 %
	Total	2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2188: 142C22D:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	405	18.7 %
1	MARKED:(1)	1606	74.0 %
	Missing Data		
-9	MISSING:(-9)	159	7.3 %
	Total	2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2189: 142C22E:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	869	40.0 %
1	MARKED:(1)	1142	52.6 %
	Missing Data		
-9	MISSING:(-9)	159	7.3 %
	Total	2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 397-398 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2190: 142C22F:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.)

F. None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1896	87.4 %
1	MARKED:(1)	115	5.3 %
	Missing Data		
-9	MISSING:(-9)	159	7.3 %
	Total	2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 399-400 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2191: 142C23 :HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	851	39.2 %
2	5 OR <:(2)	187	8.6 %
3	6-10 HRS:(3)	210	9.7 %
4	11-15 HR:(4)	183	8.4 %
5	16-20 HR:(5)	199	9.2 %

Value	Label	Unweighted Frequency	%
6	21-25 HR:(6)	149	6.9 %
7	26-30 HR:(7)	115	5.3 %
8	30+ HRS:(8)	131	6.0 %
	Missing Data		
-9	MISSING:(-9)	145	6.7 %
	Total	2,170	100%

Based upon 2,025 valid cases out of 2,170 total cases.

Location: 401-402 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2192: 142C24A:R\$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money did you get from . . .

A: . . . A job or other work?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	914	42.1 %
2	\$1-5:(2)	13	0.6 %
3	\$6-10:(3)	47	2.2 %
4	\$11-20:(4)	42	1.9 %
5	\$21-35:(5)	62	2.9 %
6	\$36-50:(6)	102	4.7 %
7	\$51-75:(7)	109	5.0 %
8	\$76-125:(8)	283	13.0 %
9	\$126-175:(9)	206	9.5 %
10	\$176+:(10)	218	10.0 %
	Missing Data		
-9	MISSING:(-9)	174	8.0 %
	Total	2,170	100%

Based upon 1,996 valid cases out of 2,170 total cases.

Location: 403-404 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2193: 142C24B:R\$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money did you get from . . .

B: . . . Other sources (allowances, etc.)?

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5="\$21-35" 6="\$36-50"
7="\$51-75" 8="\$76-125" 9="\$126-175" 10="\$176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	912	42.0 %
2	\$1-5:(2)	100	4.6 %
3	\$6-10:(3)	132	6.1 %
4	\$11-20:(4)	268	12.4 %
5	\$21-35:(5)	181	8.3 %
6	\$36-50:(6)	138	6.4 %
7	\$51-75:(7)	77	3.5 %
8	\$76-125:(8)	58	2.7 %
9	\$126-175:(9)	18	0.8 %
10	\$176+:(10)	66	3.0 %
Missing Data			
-9	MISSING:(-9)	220	10.1 %
Total		2,170	100%

Based upon 1,950 valid cases out of 2,170 total cases.

Location: 405-406 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2194: 142C25 :#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out
for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five"
6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	343	15.8 %
2	ONE:(2)	358	16.5 %

Value	Label	Unweighted Frequency	%
3	TWO:(3)	560	25.8 %
4	THREE:(4)	400	18.4 %
5	4-5:(5)	245	11.3 %
6	6-7:(6)	113	5.2 %
	Missing Data		
-9	MISSING:(-9)	151	7.0 %
	Total	2,170	100%

Based upon 2,019 valid cases out of 2,170 total cases.

Location: 407-408 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2195: 142C26 :#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month"

4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	812	37.4 %
2	ONCE/MO:(2)	341	15.7 %
3	2-3X MO:(3)	265	12.2 %
4	ONCE WK:(4)	277	12.8 %
5	2-3X WK:(5)	209	9.6 %
6	3+ WEEK:(6)	78	3.6 %
	Missing Data		
-9	MISSING:(-9)	188	8.7 %
	Total	2,170	100%

Based upon 1,982 valid cases out of 2,170 total cases.

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2196: 142C27 :DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	483	22.3 %
2	1-10 MI:(2)	218	10.0 %
3	11-50:(3)	525	24.2 %
4	51-100:(4)	403	18.6 %
5	101-200:(5)	243	11.2 %
6	> 200:(6)	148	6.8 %
Missing Data			
-9	MISSING:(-9)	150	6.9 %
Total		2,170	100%

Based upon 2,020 valid cases out of 2,170 total cases.

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2197: 142C28 :#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times"
4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1630	75.1 %
1	ONCE:(1)	227	10.5 %
2	TWICE:(2)	85	3.9 %
3	3 TIMES:(3)	32	1.5 %
4	4+ TIMES:(4)	26	1.2 %
Missing Data			
-9	MISSING:(-9)	170	7.8 %
Total		2,170	100%

Based upon 2,000 valid cases out of 2,170 total cases.

Location: 413-414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2198: 142C29A:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	343	15.8 %
1	ONE:(1)	11	0.5 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	1813	83.5 %
Total		2,170	100%

Based upon 357 valid cases out of 2,170 total cases.

Location: 415-416 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2199: 142C29B:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	334	15.4 %
1	ONE:(1)	15	0.7 %

Value	Label	Unweighted Frequency	%
2	TWO:(2)	4	0.2 %
3	THREE+:(3-4)	4	0.2 %
	Missing Data		
-9	MISSING:(-9)	1813	83.5 %
	Total	2,170	100%

Based upon 357 valid cases out of 2,170 total cases.

Location: 417-418 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2200: 142C29C:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	349	16.1 %
1	ONE:(1)	3	0.1 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	2	0.1 %
	Missing Data		
-9	MISSING:(-9)	1815	83.6 %
	Total	2,170	100%

Based upon 355 valid cases out of 2,170 total cases.

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2201: 142C30 :#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12

MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" 1="One" 2="Two" 3="Three" 4="Four or more"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1642	75.7 %
1	ONCE:(1)	271	12.5 %
2	TWICE:(2)	49	2.3 %
3	3 TIMES:(3)	10	0.5 %
4	4+ TIMES:(4)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	193	8.9 %
Total		2,170	100%

Based upon 1,977 valid cases out of 2,170 total cases.

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2202: 142C31A:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were . . .

A: . . . Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	324	14.9 %
1	ONE:(1)	6	0.3 %
2	TWO:(2)	1	0.0 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	1838	84.7 %
Total		2,170	100%

Based upon 332 valid cases out of 2,170 total cases.

Location: 423-424 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2203: 142C31B:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were . . .

B: . . . Smoking marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	324	14.9 %
1	ONE:(1)	5	0.2 %
2	TWO:(2)	3	0.1 %
3	THREE+:(3-4)	1	0.0 %
Missing Data			
-9	MISSING:(-9)	1837	84.7 %
Total		2,170	100%

Based upon 333 valid cases out of 2,170 total cases.

Location: 425-426 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2204: 142C31C:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were . . .

C: . . . Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	328	15.1 %
1	ONE:(1)	0	0.0 %
2	TWO:(2)	2	0.1 %
3	THREE+:(3-4)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	1840	84.8 %

Value	Label	Unweighted Frequency	%
Total		2,170	100%

Based upon 330 valid cases out of 2,170 total cases.

Location: 427-428 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2500: 142D01A:4WKS ALC@SCHOOL

Item Number: 25690

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

A: . . . Under the influence of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1933	89.1 %
2	1 DAY:(2)	40	1.8 %
3	2 DAYS:(3)	22	1.0 %
4	3-5 DAYS:(4)	12	0.6 %
5	6-9 DAYS:(5)	0	0.0 %
6	10+ DAYS:(6)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	154	7.1 %
Total		2,170	100%

Based upon 2,016 valid cases out of 2,170 total cases.

Location: 429-430 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2501: 142D01B:4WKS MJ/OTD@SCHL

Item Number: 25700

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

B: . . . Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"

6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1812	83.5 %
2	1 DAY:(2)	62	2.9 %
3	2 DAYS:(3)	36	1.7 %
4	3-5 DAYS:(4)	41	1.9 %
5	6-9 DAYS:(5)	17	0.8 %
6	10+ DAYS:(6)	43	2.0 %
Missing Data			
-9	MISSING:(-9)	159	7.3 %
Total		2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 431-432 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2502: 142D01C:4WKS TOBACCO@SCH

Item Number: 25710

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

C: . . . Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1907	87.9 %
2	1 DAY:(2)	23	1.1 %
3	2 DAYS:(3)	18	0.8 %
4	3-5 DAYS:(4)	16	0.7 %
5	6-9 DAYS:(5)	9	0.4 %
6	10+ DAYS:(6)	40	1.8 %
Missing Data			
-9	MISSING:(-9)	157	7.2 %
Total		2,170	100%

Based upon 2,013 valid cases out of 2,170 total cases.

Location: 433-434 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2503: 142D01D:4WKS WEAPON@SCHL

Item Number: 25720

During the LAST FOUR WEEKS, on how many days (if any) were you . . .

D: . . . Carrying a weapon such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days"
6="10 or more days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1950	89.9 %
2	1 DAY:(2)	15	0.7 %
3	2 DAYS:(3)	12	0.6 %
4	3-5 DAYS:(4)	6	0.3 %
5	6-9 DAYS:(5)	1	0.0 %
6	10+ DAYS:(6)	27	1.2 %
Missing Data			
-9	MISSING:(-9)	159	7.3 %
Total		2,170	100%

Based upon 2,011 valid cases out of 2,170 total cases.

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2504: 142D02A:#X TCHR INTRUPT

Item Number: 25730

During an average school week, about how many times . . .

A: . . . Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	442	20.4 %

Value	Label	Unweighted Frequency	%
2	< 1/WK:(2)	507	23.4 %
3	1-2X/WK:(3)	489	22.5 %
4	3-5X/WK:(4)	309	14.2 %
5	6-9X/WK:(5)	130	6.0 %
6	10-19X/W:(6)	57	2.6 %
7	20+:(7)	75	3.5 %
Missing Data			
-9	MISSING:(-9)	161	7.4 %
Total		2,170	100%

Based upon 2,009 valid cases out of 2,170 total cases.

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2505: 142D02B:#X MISBHVR INT U

Item Number: 25740

During an average school week, about how many times . . .

B: . . . Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	791	36.5 %
2	< 1/WK:(2)	442	20.4 %
3	1-2X/WK:(3)	337	15.5 %
4	3-5X/WK:(4)	225	10.4 %
5	6-9X/WK:(5)	95	4.4 %
6	10-19X/W:(6)	39	1.8 %
7	20+:(7)	76	3.5 %
Missing Data			
-9	MISSING:(-9)	165	7.6 %
Total		2,170	100%

Based upon 2,005 valid cases out of 2,170 total cases.

Location: 439-440 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2506: 142D02C:#X U UNEXCSD LAT

Item Number: 25750

During an average school week, about how many times . . .

C: . . . Do you come to class late (after class has begun) without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week"
7="20 or more"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	1075	49.5 %
2	< 1/WK:(2)	523	24.1 %
3	1-2X/WK:(3)	247	11.4 %
4	3-5X/WK:(4)	105	4.8 %
5	6-9X/WK:(5)	26	1.2 %
6	10-19X/W:(6)	9	0.4 %
7	20+:(7)	17	0.8 %
Missing Data			
-9	MISSING:(-9)	168	7.7 %
Total		2,170	100%

Based upon 2,002 valid cases out of 2,170 total cases.

Location: 441-442 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2507: 142D03 :SCHL RULES FAIR

Item Number: 25760

Do you feel that the rules about student behavior in your school are generally fair and reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	188	8.7 %
2	NO MSTLY:(2)	275	12.7 %
3	DK:(3)	199	9.2 %
4	YES MSTL:(4)	911	42.0 %

Value	Label	Unweighted Frequency	%
5	YES:(5)	433	20.0 %
	Missing Data		
-9	MISSING:(-9)	164	7.6 %
	Total	2,170	100%

Based upon 2,006 valid cases out of 2,170 total cases.

Location: 443-444 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2311: 142D04 :CMP SATFD W/LIFE

Item Number: 06840

How satisfied are you with your life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

Value	Label	Unweighted Frequency	%
1	COMP DIS:(1)	74	3.4 %
2	QUITE:(2)	144	6.6 %
3	SOME DIS:(3)	161	7.4 %
4	NEITHER:(4)	267	12.3 %
5	SOME DIS:(5)	409	18.8 %
6	QUITE:(6)	718	33.1 %
7	COMPLETE:(7)	228	10.5 %
	Missing Data		
-9	MISSING:(-9)	169	7.8 %
	Total	2,170	100%

Based upon 2,001 valid cases out of 2,170 total cases.

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2312: 142D05A:HOW GD AS SPOUSE

Item Number: 06850

These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . .

A: . . . As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	46	2.1 %
2	NOT GOOD:(2)	40	1.8 %
3	FAIR GOOD:(3)	159	7.3 %
4	GOOD:(4)	543	25.0 %
5	VRY GOOD:(5)	1124	51.8 %
8	DK:(8)	89	4.1 %
Missing Data			
-9	MISSING:(-9)	169	7.8 %
Total		2,170	100%

Based upon 2,001 valid cases out of 2,170 total cases.

Location: 447-448 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V2313: 142D05B:HOW GD AS PARENT

Item Number: 06860

How good do you think you would be . . .

B: . . . As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	55	2.5 %
2	NOT GOOD:(2)	37	1.7 %
3	FAIR GOOD:(3)	177	8.2 %
4	GOOD:(4)	528	24.3 %
5	VRY GOOD:(5)	1091	50.3 %
8	DK:(8)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	282	13.0 %
Total		2,170	100%

Based upon 1,888 valid cases out of 2,170 total cases.

Location: 449-450 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2314: 142D05C:HOW GD AS WORKER

Item Number: 06870

How good do you think you would be . . .

C: . . . As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

Value	Label	Unweighted Frequency	%
1	POOR:(1)	25	1.2 %
2	NOT GOOD:(2)	15	0.7 %
3	FAIR GOOD:(3)	88	4.1 %
4	GOOD:(4)	526	24.2 %
5	VRY GOOD:(5)	1296	59.7 %
8	DK:(8)	39	1.8 %
Missing Data			
-9	MISSING:(-9)	181	8.3 %
Total		2,170	100%

Based upon 1,989 valid cases out of 2,170 total cases.

Location: 451-452 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2328: 142D06A:2MCH COMPTN SCTY

Item Number: 07010

How much do you agree or disagree with each of the following statements?

A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	182	8.4 %
2	MOST DIS:(2)	205	9.4 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	426	19.6 %
4	MOST AGR:(4)	650	30.0 %
5	AGREE:(5)	494	22.8 %
	Missing Data		
-9	MISSING:(-9)	213	9.8 %
	Total	2,170	100%

Based upon 1,957 valid cases out of 2,170 total cases.

Location: 453-454 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2329: 142D06B:2MANY YNG SLOPPY

Item Number: 07020

How much do you agree or disagree with each of the following statements?

B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	176	8.1 %
2	MOST DIS:(2)	322	14.8 %
3	NEITHER:(3)	568	26.2 %
4	MOST AGR:(4)	531	24.5 %
5	AGREE:(5)	356	16.4 %
	Missing Data		
-9	MISSING:(-9)	217	10.0 %
	Total	2,170	100%

Based upon 1,953 valid cases out of 2,170 total cases.

Location: 455-456 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2331: 142D06C:SHD DO OWN THING

Item Number: 07040

How much do you agree or disagree with each of the following

statements?

D: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	50	2.3 %
2	MOST DIS:(2)	35	1.6 %
3	NEITHER:(3)	268	12.4 %
4	MOST AGR:(4)	677	31.2 %
5	AGREE:(5)	916	42.2 %
Missing Data			
-9	MISSING:(-9)	224	10.3 %
Total		2,170	100%

Based upon 1,946 valid cases out of 2,170 total cases.

Location: 457-458 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2332: 142D06D:KICK DO DANGR TH

Item Number: 07050

How much do you agree or disagree with each of the following statements?

E: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	252	11.6 %
2	MOST DIS:(2)	254	11.7 %
3	NEITHER:(3)	603	27.8 %
4	MOST AGR:(4)	562	25.9 %
5	AGREE:(5)	275	12.7 %
Missing Data			
-9	MISSING:(-9)	224	10.3 %
Total		2,170	100%

Based upon 1,946 valid cases out of 2,170 total cases.

Location: 459-460 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2333: 142D06E:LIKE RISK SOME X

Item Number: 07060

How much do you agree or disagree with each of the following statements?

F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	279	12.9 %
2	MOST DIS:(2)	247	11.4 %
3	NEITHER:(3)	501	23.1 %
4	MOST AGR:(4)	632	29.1 %
5	AGREE:(5)	283	13.0 %
Missing Data			
-9	MISSING:(-9)	228	10.5 %
Total		2,170	100%

Based upon 1,942 valid cases out of 2,170 total cases.

Location: 461-462 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2433: 142D06F:POS ATT TWD SELF

Item Number: 12550

How much do you agree or disagree with each of the following statements?

G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	125	5.8 %

Value	Label	Unweighted Frequency	%
2	MOST DIS:(2)	146	6.7 %
3	NEITHER:(3)	325	15.0 %
4	MOST AGR:(4)	698	32.2 %
5	AGREE:(5)	645	29.7 %
Missing Data			
-9	MISSING:(-9)	231	10.6 %
Total		2,170	100%

Based upon 1,939 valid cases out of 2,170 total cases.

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2434: 142D06G:AM PRSN OF WORTH

Item Number: 12570

How much do you agree or disagree with each of the following statements?

H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	112	5.2 %
2	MOST DIS:(2)	121	5.6 %
3	NEITHER:(3)	321	14.8 %
4	MOST AGR:(4)	641	29.5 %
5	AGREE:(5)	744	34.3 %
Missing Data			
-9	MISSING:(-9)	231	10.6 %
Total		2,170	100%

Based upon 1,939 valid cases out of 2,170 total cases.

Location: 465-466 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2435: 142D06H:DO WELL AS OTHRS

Item Number: 12580

How much do you agree or disagree with each of the following statements?

I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	63	2.9 %
2	MOST DIS:(2)	73	3.4 %
3	NEITHER:(3)	295	13.6 %
4	MOST AGR:(4)	744	34.3 %
5	AGREE:(5)	763	35.2 %
Missing Data			
-9	MISSING:(-9)	232	10.7 %
Total		2,170	100%

Based upon 1,938 valid cases out of 2,170 total cases.

Location: 467-468 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of Missing Values: -9

V2436: 142D06I:SATISFD W MYSELF

Item Number: 12620

How much do you agree or disagree with each of the following statements?

J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	115	5.3 %
2	MOST DIS:(2)	148	6.8 %
3	NEITHER:(3)	296	13.6 %
4	MOST AGR:(4)	645	29.7 %
5	AGREE:(5)	729	33.6 %
Missing Data			
-9	MISSING:(-9)	237	10.9 %
Total		2,170	100%

Based upon 1,933 valid cases out of 2,170 total cases.

Location: 469-470 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2437: 142D06J:-MUCH TO B PROUD

Item Number: 12660

How much do you agree or disagree with each of the following statements?

K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	675	31.1 %
2	MOST DIS:(2)	519	23.9 %
3	NEITHER:(3)	370	17.1 %
4	MOST AGR:(4)	238	11.0 %
5	AGREE:(5)	130	6.0 %
Missing Data			
-9	MISSING:(-9)	238	11.0 %
Total		2,170	100%

Based upon 1,932 valid cases out of 2,170 total cases.

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2438: 142D06K:I AM NO GOOD

Item Number: 12680

How much do you agree or disagree with each of the following statements?

L: Sometimes I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	682	31.4 %
2	MOST DIS:(2)	358	16.5 %

Value	Label	Unweighted Frequency	%
3	NEITHER:(3)	354	16.3 %
4	MOST AGR:(4)	330	15.2 %
5	AGREE:(5)	212	9.8 %
	Missing Data		
-9	MISSING:(-9)	234	10.8 %
	Total	2,170	100%

Based upon 1,936 valid cases out of 2,170 total cases.

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2439: 142D06L:I DO WRONG THING

Item Number: 12720

How much do you agree or disagree with each of the following statements?

M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"

5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	763	35.2 %
2	MOST DIS:(2)	409	18.8 %
3	NEITHER:(3)	385	17.7 %
4	MOST AGR:(4)	242	11.2 %
5	AGREE:(5)	134	6.2 %
	Missing Data		
-9	MISSING:(-9)	237	10.9 %
	Total	2,170	100%

Based upon 1,933 valid cases out of 2,170 total cases.

Location: 475-476 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2440: 142D06M:MY LIFE NT USEFL

Item Number: 12750

How much do you agree or disagree with each of the following statements?

N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree"
5="Agree"

Value	Label	Unweighted Frequency	%
1	DISAGREE:(1)	962	44.3 %
2	MOST DIS:(2)	345	15.9 %
3	NEITHER:(3)	342	15.8 %
4	MOST AGR:(4)	160	7.4 %
5	AGREE:(5)	119	5.5 %
Missing Data			
-9	MISSING:(-9)	242	11.2 %
Total		2,170	100%

Based upon 1,928 valid cases out of 2,170 total cases.

Location: 477-478 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2334: 142D07A:ALL FRD SMK CIGS

Item Number: 07070

How many of your friends would you estimate . . .

A: . . . Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	637	29.4 %
2	A FEW:(2)	778	35.9 %
3	SOME:(3)	377	17.4 %
4	MOST:(4)	126	5.8 %
5	ALL:(5)	24	1.1 %
Missing Data			
-9	MISSING:(-9)	228	10.5 %
Total		2,170	100%

Based upon 1,942 valid cases out of 2,170 total cases.

Location: 479-480 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2335: 142D07B:ALL FRD SMK MARJ

Item Number: 07080

How many of your friends would you estimate . . .

B: . . . Smoke marijuana (pot, weed) or hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	373	17.2 %
2	A FEW:(2)	589	27.1 %
3	SOME:(3)	495	22.8 %
4	MOST:(4)	396	18.2 %
5	ALL:(5)	87	4.0 %
Missing Data			
-9	MISSING:(-9)	230	10.6 %
Total		2,170	100%

Based upon 1,940 valid cases out of 2,170 total cases.

Location: 481-482 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2336: 142D07C:ALL FRD TAKE LSD

Item Number: 07090

How many of your friends would you estimate . . .

C: . . . Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1552	71.5 %
2	A FEW:(2)	273	12.6 %
3	SOME:(3)	86	4.0 %
4	MOST:(4)	15	0.7 %
5	ALL:(5)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	236	10.9 %
Total		2,170	100%

Based upon 1,934 valid cases out of 2,170 total cases.

Location: 483-484 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2337: 142D07D:ALL FRD TK PSYDL

Item Number: 07100

How many of your friends would you estimate . . .

D: . . . Take other hallucinogens (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1476	68.0 %
2	A FEW:(2)	336	15.5 %
3	SOME:(3)	95	4.4 %
4	MOST:(4)	24	1.1 %
5	ALL:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	232	10.7 %
Total		2,170	100%

Based upon 1,938 valid cases out of 2,170 total cases.

Location: 485-486 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2338: 142D07E:ALL FRD TK AMPH

Item Number: 07110

How many of your friends would you estimate . . .

E: . . . Take amphetamines (uppers, speed, Adderall, Ritalin, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1421	65.5 %
2	A FEW:(2)	325	15.0 %
3	SOME:(3)	140	6.5 %

Value	Label	Unweighted Frequency	%
4	MOST:(4)	39	1.8 %
5	ALL:(5)	12	0.6 %
	Missing Data		
-9	MISSING:(-9)	233	10.7 %
	Total	2,170	100%

Based upon 1,937 valid cases out of 2,170 total cases.

Location: 487-488 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2523: 142D07F:ALL FRD TK SED/B

Item Number: 07135

How many of your friends would you estimate . . .

F: . . . Take sedatives/barbiturates (downers)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1643	75.7 %
2	A FEW:(2)	210	9.7 %
3	SOME:(3)	65	3.0 %
4	MOST:(4)	10	0.5 %
5	ALL:(5)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	233	10.7 %
	Total	2,170	100%

Based upon 1,937 valid cases out of 2,170 total cases.

Location: 489-490 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2341: 142D07G:ALL FRD TK TRNQL

Item Number: 07140

How many of your friends would you estimate . . .

G: . . . Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1722	79.4 %
2	A FEW:(2)	142	6.5 %
3	SOME:(3)	47	2.2 %
4	MOST:(4)	12	0.6 %
5	ALL:(5)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	239	11.0 %
Total		2,170	100%

Based upon 1,931 valid cases out of 2,170 total cases.

Location: 491-492 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2342: 142D07H:ALL FRD TK COKE

Item Number: 07150

How many of your friends would you estimate . . .

H: . . . Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1589	73.2 %
2	A FEW:(2)	271	12.5 %
3	SOME:(3)	58	2.7 %
4	MOST:(4)	5	0.2 %
5	ALL:(5)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	239	11.0 %
Total		2,170	100%

Based upon 1,931 valid cases out of 2,170 total cases.

Location: 493-494 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2343: 142D07I:ALL FRD TK HERON

Item Number: 07160

How many of your friends would you estimate . . .

I: . . . Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1779	82.0 %
2	A FEW:(2)	122	5.6 %
3	SOME:(3)	20	0.9 %
4	MOST:(4)	3	0.1 %
5	ALL:(5)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	241	11.1 %
Total		2,170	100%

Based upon 1,929 valid cases out of 2,170 total cases.

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2344: 142D07J:ALL FRD TK NARC

Item Number: 07170

How many of your friends would you estimate . . .

J: . . . Take other narcotics (codeine, Vicodin, OxyContin, Percocet, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1491	68.7 %
2	A FEW:(2)	291	13.4 %
3	SOME:(3)	111	5.1 %
4	MOST:(4)	17	0.8 %
5	ALL:(5)	12	0.6 %
Missing Data			
-9	MISSING:(-9)	248	11.4 %
Total		2,170	100%

Based upon 1,922 valid cases out of 2,170 total cases.

Location: 497-498 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2345: 142D07K:ALL FRD TK INHL

Item Number: 07180

How many of your friends would you estimate . . .

K: . . . Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1732	79.8 %
2	A FEW:(2)	140	6.5 %
3	SOME:(3)	34	1.6 %
4	MOST:(4)	6	0.3 %
5	ALL:(5)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	251	11.6 %
Total		2,170	100%

Based upon 1,919 valid cases out of 2,170 total cases.

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2346: 142D07L:ALL FRD DRK ALCL

Item Number: 07190

How many of your friends would you estimate . . .

L: . . . Drink alcoholic beverages (liquor, beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	373	17.2 %
2	A FEW:(2)	255	11.8 %
3	SOME:(3)	386	17.8 %
4	MOST:(4)	634	29.2 %

Value	Label	Unweighted Frequency	%
5	ALL:(5)	269	12.4 %
	Missing Data		
-9	MISSING:(-9)	253	11.7 %
	Total	2,170	100%

Based upon 1,917 valid cases out of 2,170 total cases.

Location: 501-502 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2347: 142D07M:ALL FRD GT DRUNK

Item Number: 07200

How many of your friends would you estimate . . .

M: . . . Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	677	31.2 %
2	A FEW:(2)	508	23.4 %
3	SOME:(3)	410	18.9 %
4	MOST:(4)	252	11.6 %
5	ALL:(5)	79	3.6 %
	Missing Data		
-9	MISSING:(-9)	244	11.2 %
	Total	2,170	100%

Based upon 1,926 valid cases out of 2,170 total cases.

Location: 503-504 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2451: 142D07N:# FRNDS TK CRACK

Item Number: 07151

How many of your friends would you estimate . . .

N: . . . Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1743	80.3 %
2	A FEW:(2)	134	6.2 %
3	SOME:(3)	36	1.7 %
4	MOST:(4)	5	0.2 %
5	ALL:(5)	9	0.4 %
Missing Data			
-9	MISSING:(-9)	243	11.2 %
Total		2,170	100%

Based upon 1,927 valid cases out of 2,170 total cases.

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2452: 142E01A:RSK COK PWDR 1-2

Item Number: 12501

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

A: . . . Try cocaine in powder form once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	135	6.2 %
2	SLIGHT:(2)	275	12.7 %
3	MOD RISK:(3)	457	21.1 %
4	GRT RISK:(4)	945	43.5 %
5	CANT SAY:(5)	99	4.6 %
Missing Data			
-9	MISSING:(-9)	259	11.9 %
Total		2,170	100%

Based upon 1,911 valid cases out of 2,170 total cases.

Location: 507-508 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2453: 142E01B:RSK COK PWDR OCC

Item Number: 12502

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

B: . . . Take cocaine powder occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	102	4.7 %
2	SLIGHT:(2)	90	4.1 %
3	MOD RISK:(3)	381	17.6 %
4	GRT RISK:(4)	1236	57.0 %
5	CANT SAY:(5)	100	4.6 %
Missing Data			
-9	MISSING:(-9)	261	12.0 %
Total		2,170	100%

Based upon 1,909 valid cases out of 2,170 total cases.

Location: 509-510 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2454: 142E01C:RSK COK PWDR REG

Item Number: 12503

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

C: . . . Take cocaine powder regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	92	4.2 %
2	SLIGHT:(2)	38	1.8 %
3	MOD RISK:(3)	120	5.5 %
4	GRT RISK:(4)	1551	71.5 %
5	CANT SAY:(5)	102	4.7 %
Missing Data			
-9	MISSING:(-9)	267	12.3 %
Total		2,170	100%

Based upon 1,903 valid cases out of 2,170 total cases.

Location: 511-512 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2455: 142E01D:RSK CRACK 1-2X

Item Number: 12504

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

D: . . . Try "crack" cocaine once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	111	5.1 %
2	SLIGHT:(2)	246	11.3 %
3	MOD RISK:(3)	404	18.6 %
4	GRT RISK:(4)	1041	48.0 %
5	CANT SAY:(5)	103	4.7 %
Missing Data			
-9	MISSING:(-9)	265	12.2 %
Total		2,170	100%

Based upon 1,905 valid cases out of 2,170 total cases.

Location: 513-514 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2456: 142E01E:RSK CRACK OCC

Item Number: 12505

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

E: . . . Take "crack" cocaine occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	99	4.6 %
2	SLIGHT:(2)	55	2.5 %

Value	Label	Unweighted Frequency	%
3	MOD RISK:(3)	345	15.9 %
4	GRT RISK:(4)	1298	59.8 %
5	CANT SAY:(5)	103	4.7 %
	Missing Data		
-9	MISSING:(-9)	270	12.4 %
	Total	2,170	100%

Based upon 1,900 valid cases out of 2,170 total cases.

Location: 515-516 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2457: 142E01F:RSK CRACK REG

Item Number: 12506

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

F: . . . Take "crack" cocaine regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	96	4.4 %
2	SLIGHT:(2)	30	1.4 %
3	MOD RISK:(3)	98	4.5 %
4	GRT RISK:(4)	1571	72.4 %
5	CANT SAY:(5)	104	4.8 %
	Missing Data		
-9	MISSING:(-9)	271	12.5 %
	Total	2,170	100%

Based upon 1,899 valid cases out of 2,170 total cases.

Location: 517-518 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2534: 142E01G:RSK NARC 1-2X

Item number: 32600

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

G: . . . Try any narcotic other than heroin (codeine, Vicodin, OxyContin, Percocet, etc.) once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	139	6.4 %
2	SLIGHT:(2)	337	15.5 %
3	MOD RISK:(3)	459	21.2 %
4	GRT RISK:(4)	809	37.3 %
5	CANT SAY:(5)	155	7.1 %
Missing Data			
-9	MISSING:(-9)	271	12.5 %
Total		2,170	100%

Based upon 1,899 valid cases out of 2,170 total cases.

Location: 519-520 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2535: 142E01H:RSK NARC OCCAS

Item number: 32610

How much do you think people risk harming themselves (physically or in other ways) if they . . .

H: . . . Take any narcotic other than heroin occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	107	4.9 %
2	SLIGHT:(2)	98	4.5 %
3	MOD RISK:(3)	450	20.7 %
4	GRT RISK:(4)	1090	50.2 %
5	CANT SAY:(5)	147	6.8 %
Missing Data			
-9	MISSING:(-9)	278	12.8 %
Total		2,170	100%

Based upon 1,892 valid cases out of 2,170 total cases.

Location: 521-522 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2536: 142E01I:RSK NARC REGLY

Item number: 32620

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

I: . . . Take any narcotic other than heroin regularly?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	98	4.5 %
2	SLIGHT:(2)	42	1.9 %
3	MOD RISK:(3)	229	10.6 %
4	GRT RISK:(4)	1375	63.4 %
5	CANT SAY:(5)	151	7.0 %
Missing Data			
-9	MISSING:(-9)	275	12.7 %
Total		2,170	100%

Based upon 1,895 valid cases out of 2,170 total cases.

Location: 523-524 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2537: 142E01J:RSK ADDERALL 1-2X

Item number: 32630

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

J: . . . Try Adderall once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	285	13.1 %
2	SLIGHT:(2)	434	20.0 %
3	MOD RISK:(3)	356	16.4 %

Value	Label	Unweighted Frequency	%
4	GRT RISK:(4)	614	28.3 %
5	CANT SAY:(5)	205	9.4 %
	Missing Data		
-9	MISSING:(-9)	276	12.7 %
	Total	2,170	100%

Based upon 1,894 valid cases out of 2,170 total cases.

Location: 525-526 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2538: 142E01K:RSK ADDERALL OCC

Item number: 32640

How much do you think people risk harming themselves
(physically or in other ways) if they . . .

K: . . . Take Adderall occasionally?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"

5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	168	7.7 %
2	SLIGHT:(2)	270	12.4 %
3	MOD RISK:(3)	480	22.1 %
4	GRT RISK:(4)	769	35.4 %
5	CANT SAY:(5)	208	9.6 %
	Missing Data		
-9	MISSING:(-9)	275	12.7 %
	Total	2,170	100%

Based upon 1,895 valid cases out of 2,170 total cases.

Location: 527-528 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2458: 142E01L:RSK PCP 1-2X

Item Number: 12415

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

L: . . . Try PCP once or twice?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	109	5.0 %
2	SLIGHT:(2)	146	6.7 %
3	MOD RISK:(3)	300	13.8 %
4	GRT RISK:(4)	1019	47.0 %
5	CANT SAY:(5)	315	14.5 %
Missing Data			
-9	MISSING:(-9)	281	12.9 %
Total		2,170	100%

Based upon 1,889 valid cases out of 2,170 total cases.

Location: 529-530 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2476: 142E01M:RSK ICE 1-2X

Item Number: 24420

How much do you think people risk harming themselves
(physically or in other ways), if they . . .

M: . . . Try crystal meth ("ice")?

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk"
5="Can't Say, Drug Unfamiliar"

Value	Label	Unweighted Frequency	%
1	NO RISK:(1)	112	5.2 %
2	SLIGHT:(2)	74	3.4 %
3	MOD RISK:(3)	225	10.4 %
4	GRT RISK:(4)	1323	61.0 %
5	CANT SAY:(5)	155	7.1 %
Missing Data			
-9	MISSING:(-9)	281	12.9 %
Total		2,170	100%

Based upon 1,889 valid cases out of 2,170 total cases.

Location: 531-532 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2459: 142E02A:#X CRACK/LIFETIM

Item Number: 22260

On how many occasions (if any) have you used "crack" cocaine . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1875	86.4 %
2	1-2X:(2)	16	0.7 %
3	3-5X:(3)	7	0.3 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	264	12.2 %
Total		2,170	100%

Based upon 1,906 valid cases out of 2,170 total cases.

Location: 533-534 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2460: 142E02B:#X CRACK/LAST12M

Item Number: 22270

On how many occasions (if any) have you used "crack" cocaine . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1892	87.2 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	263	12.1 %
Total		2,170	100%

Based upon 1,907 valid cases out of 2,170 total cases.

Location: 535-536 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2461: 142E02C:#X CRACK/LAST30D

Item Number: 22280

On how many occasions (if any) have you used "crack" cocaine . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1898	87.5 %
2	1-2X:(2)	2	0.1 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.2 %
Missing Data			
-9	MISSING:(-9)	264	12.2 %
Total		2,170	100%

Based upon 1,906 valid cases out of 2,170 total cases.

Location: 537-538 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2493: 142E03A:#X STRD/LIFETIME

Item Number: 22690

Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1873	86.3 %
2	1-2X:(2)	7	0.3 %
3	3-5X:(3)	4	0.2 %
4	6-9X:(4)	3	0.1 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	276	12.7 %
Total		2,170	100%

Based upon 1,894 valid cases out of 2,170 total cases.

Location: 539-540 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2494: 142E03B:#X STRD/LAST12MO

Item Number: 22700

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1878	86.5 %
2	1-2X:(2)	12	0.6 %
3	3-5X:(3)	2	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	273	12.6 %
Total		2,170	100%

Based upon 1,897 valid cases out of 2,170 total cases.

Location: 541-542 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2495: 142E03C:#X STRD/LAST30DA

Item Number: 22710

On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them . . .

C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	O OCCAS:(1)	1886	86.9 %
2	1-2X:(2)	8	0.4 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.2 %
Missing Data			
-9	MISSING:(-9)	271	12.5 %
Total		2,170	100%

Based upon 1,899 valid cases out of 2,170 total cases.

Location: 543-544 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2496: 142E04A:MTHD STRD-INJECT

Item Number: 23790

What methods have you used for taking steroids on your own?

(Mark all that apply.)

A. Injection

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	23	1.1 %
1	MARKED:(1)	5	0.2 %
	Missing Data		
-9	MISSING:(-9)	2142	98.7 %
	Total	2,170	100%

Based upon 28 valid cases out of 2,170 total cases.

Location: 545-546 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2497: 142E04B:MTHD STRD-MOUTH

Item Number: 23800

What methods have you used for taking steroids on your own?

(Mark all that apply.)

B. By mouth

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	17	0.8 %
1	MARKED:(1)	11	0.5 %
	Missing Data		
-9	MISSING:(-9)	2142	98.7 %
	Total	2,170	100%

Based upon 28 valid cases out of 2,170 total cases.

Location: 547-548 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2516: 142E04C:HVNT USED STRDS

Item Number: 30940

What methods have you used for taking steroids on your own?

C. Haven't used steroids

0="UNMARKED" 1="MARKED [Includes respondents who reported nonuse on preceding prevalence question]"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	14	0.6 %
1	MARKED:(1)	1887	87.0 %
	Missing Data		
-9	MISSING:(-9)	269	12.4 %
	Total	2,170	100%

Based upon 1,901 valid cases out of 2,170 total cases.

Location: 549-550 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2546: 142E05A:#X E-CIG/30DAY

Item Number: 33710

During the LAST 30 DAYS, on how many occasions (if any) have you used electronic cigarettes (e-cigarettes)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1564	72.1 %
2	1-2 DAYS:(2)	168	7.7 %
3	3-5 DAYS:(3)	60	2.8 %
4	6-9 DAYS:(4)	33	1.5 %
5	10-19 DAYS:(5)	32	1.5 %
6	20-30 DAYS:(6)	47	2.2 %
	Missing Data		
-9	MISSING:(-9)	266	12.3 %
	Total	2,170	100%

Based upon 1,904 valid cases out of 2,170 total cases.

Location: 551-552 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2547: 142E05B:#X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many occasions (if any) have you smoked large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1775	81.8 %
2	1-2 DAYS:(2)	81	3.7 %
3	3-5 DAYS:(3)	18	0.8 %
4	6-9 DAYS:(4)	7	0.3 %
5	10-19 DAYS:(5)	8	0.4 %
6	20-30 DAYS:(6)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	273	12.6 %
Total		2,170	100%

Based upon 1,897 valid cases out of 2,170 total cases.

Location: 553-554 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2548: 142E05C:#X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many occasions (if any) have you smoked flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1660	76.5 %
2	1-2 DAYS:(2)	148	6.8 %
3	3-5 DAYS:(3)	45	2.1 %

Value	Label	Unweighted Frequency	%
4	6-9 DAYS:(4)	15	0.7 %
5	10-19 DAYS:(5)	14	0.6 %
6	20-30 DAYS:(6)	18	0.8 %
	Missing Data		
-9	MISSING:(-9)	270	12.4 %
	Total	2,170	100%

Based upon 1,900 valid cases out of 2,170 total cases.

Location: 555-556 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2549: 142E05D:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many occasions (if any) have you smoked regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"

5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1765	81.3 %
2	1-2 DAYS:(2)	70	3.2 %
3	3-5 DAYS:(3)	24	1.1 %
4	6-9 DAYS:(4)	12	0.6 %
5	10-19 DAYS:(5)	9	0.4 %
6	20-30 DAYS:(6)	15	0.7 %
	Missing Data		
-9	MISSING:(-9)	275	12.7 %
	Total	2,170	100%

Based upon 1,895 valid cases out of 2,170 total cases.

Location: 557-558 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2550: 142E05E:#X SYNTH MJ/30DAY

Item Number: 33750

During the LAST 30 DAYS, on how many occasions (if any) have you taken "synthetic marijuana" ("K2," "Spice") to get high?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days"
 5="10-19 days" 6="20-30 days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	1837	84.7 %
2	1-2 DAYS:(2)	35	1.6 %
3	3-5 DAYS:(3)	4	0.2 %
4	6-9 DAYS:(4)	6	0.3 %
5	10-19 DAYS:(5)	4	0.2 %
6	20-30 DAYS:(6)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	277	12.8 %
Total		2,170	100%

Based upon 1,893 valid cases out of 2,170 total cases.

Location: 559-560 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2462: 142E06A:GR 1ST TRY CRACK

Item Number: 05661

When (if ever) did you FIRST do each of the following things?

A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
 (Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	5	0.2 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	4	0.2 %
4	GRADE 9:(4)	5	0.2 %
5	GRADE 10:(5)	4	0.2 %
6	GRADE 11:(6)	6	0.3 %
7	GRADE 12:(7)	4	0.2 %
8	NEVER:(8)	1817	83.7 %
Missing Data			
-9	MISSING:(-9)	325	15.0 %
Total		2,170	100%

Based upon 1,845 valid cases out of 2,170 total cases.

Location: 561-562 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2463: 142E06B:GR 1ST TR OT COK

Item Number: 05662

When (if ever) did you FIRST do each of the following things?

B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	3	0.1 %
2	GRADE 7:(2)	3	0.1 %
3	GRADE 8:(3)	5	0.2 %
4	GRADE 9:(4)	7	0.3 %
5	GRADE 10:(5)	14	0.6 %
6	GRADE 11:(6)	12	0.6 %
7	GRADE 12:(7)	14	0.6 %
8	NEVER:(8)	1776	81.8 %
Missing Data			
-9	MISSING:(-9)	336	15.5 %
Total		2,170	100%

Based upon 1,834 valid cases out of 2,170 total cases.

Location: 563-564 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2477: 142E06C:GR 1ST TRY ICE

Item Number: 24430

When (if ever) did you FIRST do each of the following things?

C: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11

(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	1	0.0 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	1	0.0 %
4	GRADE 9:(4)	3	0.1 %
5	GRADE 10:(5)	7	0.3 %
6	GRADE 11:(6)	4	0.2 %
7	GRADE 12:(7)	3	0.1 %
8	NEVER:(8)	1819	83.8 %
Missing Data			
-9	MISSING:(-9)	332	15.3 %
Total		2,170	100%

Based upon 1,838 valid cases out of 2,170 total cases.

Location: 565-566 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2498: 142E06D:GR 1ST TRY STRDS

Item Number: 23810

When (if ever) did you FIRST do each of the following things?

D: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"

4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

Value	Label	Unweighted Frequency	%
1	GRADE 6:(1)	2	0.1 %
2	GRADE 7:(2)	0	0.0 %
3	GRADE 8:(3)	2	0.1 %
4	GRADE 9:(4)	1	0.0 %
5	GRADE 10:(5)	2	0.1 %
6	GRADE 11:(6)	3	0.1 %
7	GRADE 12:(7)	4	0.2 %
8	NEVER:(8)	1815	83.6 %
Missing Data			
-9	MISSING:(-9)	341	15.7 %
Total		2,170	100%

Based upon 1,829 valid cases out of 2,170 total cases.

Location: 567-568 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2464: 142E07A:EASY GT CRACK

Item Number: 06811

How difficult do you think it would be for you to get each of the following, if you wanted some?

A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	646	29.8 %
2	VRY DIFF:(2)	433	20.0 %
3	FRLY DIF:(3)	414	19.1 %
4	FRLY EAS:(4)	267	12.3 %
5	VRY EASY:(5)	115	5.3 %
Missing Data			
-9	MISSING:(-9)	295	13.6 %
Total		2,170	100%

Based upon 1,875 valid cases out of 2,170 total cases.

Location: 569-570 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2465: 142E07B:EASY GT COK PWDR

Item Number: 06812

How difficult do you think it would be for you to get each of the following, if you wanted some?

B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	620	28.6 %
2	VRY DIFF:(2)	422	19.4 %

Value	Label	Unweighted Frequency	%
3	FRLY DIF:(3)	407	18.8 %
4	FRLY EAS:(4)	293	13.5 %
5	VRY EASY:(5)	132	6.1 %
	Missing Data		
-9	MISSING:(-9)	296	13.6 %
	Total	2,170	100%

Based upon 1,874 valid cases out of 2,170 total cases.

Location: 571-572 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2466: 142E07C:EASY GT PCP

Item Number: 06771

How difficult do you think it would be for you to get each of the following, if you wanted some?

C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	754	34.7 %
2	VRY DIFF:(2)	492	22.7 %
3	FRLY DIF:(3)	402	18.5 %
4	FRLY EAS:(4)	146	6.7 %
5	VRY EASY:(5)	75	3.5 %
	Missing Data		
-9	MISSING:(-9)	301	13.9 %
	Total	2,170	100%

Based upon 1,869 valid cases out of 2,170 total cases.

Location: 573-574 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2478: 142E07D:EASY GT ICE

Item Number: 24410

How difficult do you think it would be for you to get each of the following, if you wanted some?

D: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	771	35.5 %
2	VRY DIFF:(2)	510	23.5 %
3	FRLY DIF:(3)	332	15.3 %
4	FRLY EAS:(4)	168	7.7 %
5	VRY EASY:(5)	88	4.1 %
8	CANT SAY:(8)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	301	13.9 %
Total		2,170	100%

Based upon 1,869 valid cases out of 2,170 total cases.

Location: 575-576 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2499: 142E07E:EASY GT STEROIDS

Item Number: 23060

How difficult do you think it would be for you to get each of the following, if you wanted some?

E: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

Value	Label	Unweighted Frequency	%
1	PROB IMP:(1)	645	29.7 %
2	VRY DIFF:(2)	411	18.9 %
3	FRLY DIF:(3)	392	18.1 %
4	FRLY EAS:(4)	279	12.9 %
5	VRY EASY:(5)	141	6.5 %
8	CANT SAY:(8)	0	0.0 %
Missing Data			
-9	MISSING:(-9)	302	13.9 %
Total		2,170	100%

Based upon 1,868 valid cases out of 2,170 total cases.

Location: 577-578 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2479: 142E08A:DAP SMK 1PCK CIG

Item Number: 08560

Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following?

A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	398	18.3 %
2	DISAPPRV:(2)	769	35.4 %
3	STRG DIS:(3)	712	32.8 %
Missing Data			
-9	MISSING:(-9)	291	13.4 %
Total		2,170	100%

Based upon 1,879 valid cases out of 2,170 total cases.

Location: 579-580 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2480: 142E08B:DAP TRY MRJ 1-2T

Item Number: 08570

Do YOU disapprove of people (who are 18 or older) doing each of the following?

B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1065	49.1 %
2	DISAPPRV:(2)	466	21.5 %
3	STRG DIS:(3)	342	15.8 %
Missing Data			

Value	Label	Unweighted Frequency	%
-9	MISSING:(-9)	297	13.7 %
Total		2,170	100%

Based upon 1,873 valid cases out of 2,170 total cases.

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2481: 142E08C:DAP SMK MRJ OCCS

Item Number: 08580

Do YOU disapprove of people (who are 18 or older) doing each of the following?

C: Smoking marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	890	41.0 %
2	DISAPPRV:(2)	533	24.6 %
3	STRG DIS:(3)	447	20.6 %
	Missing Data		
-9	MISSING:(-9)	300	13.8 %
Total		2,170	100%

Based upon 1,870 valid cases out of 2,170 total cases.

Location: 583-584 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2482: 142E08D:DAP SMK MRJ REGL

Item Number: 08590

Do YOU disapprove of people (who are 18 or older) doing each of the following?

D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	626	28.8 %

Value	Label	Unweighted Frequency	%
2	DISAPPRV:(2)	598	27.6 %
3	STRG DIS:(3)	636	29.3 %
	Missing Data		
-9	MISSING:(-9)	310	14.3 %
	Total	2,170	100%

Based upon 1,860 valid cases out of 2,170 total cases.

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2483: 142E08E:DAP COK PWD 1-2T

Item Number: 23630

Do YOU disapprove of people (who are 18 or older) doing each of the following?

E: Trying cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	266	12.3 %
2	DISAPPRV:(2)	521	24.0 %
3	STRG DIS:(3)	1074	49.5 %
	Missing Data		
-9	MISSING:(-9)	309	14.2 %
	Total	2,170	100%

Based upon 1,861 valid cases out of 2,170 total cases.

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2484: 142E08F:DAP COK PWDR OCC

Item Number: 23640

Do YOU disapprove of people (who are 18 or older) doing each of the following?

F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	181	8.3 %
2	DISAPPRV:(2)	438	20.2 %
3	STRG DIS:(3)	1246	57.4 %
	Missing Data		
-9	MISSING:(-9)	305	14.1 %
	Total	2,170	100%

Based upon 1,865 valid cases out of 2,170 total cases.

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2485: 142E08G:DAP COK PWDR REG

Item Number: 23650

Do YOU disapprove of people (who are 18 or older) doing each of the following?

G: Taking cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	155	7.1 %
2	DISAPPRV:(2)	322	14.8 %
3	STRG DIS:(3)	1388	64.0 %
	Missing Data		
-9	MISSING:(-9)	305	14.1 %
	Total	2,170	100%

Based upon 1,865 valid cases out of 2,170 total cases.

Location: 591-592 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2486: 142E08H:DAP TRY CRK 1-2T

Item Number: 23660

Do YOU disapprove of people (who are 18 or older) doing each of the following?

H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	199	9.2 %
2	DISAPPRV:(2)	465	21.4 %
3	STRG DIS:(3)	1198	55.2 %
	Missing Data		
-9	MISSING:(-9)	308	14.2 %
	Total	2,170	100%

Based upon 1,862 valid cases out of 2,170 total cases.

Location: 593-594 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2487: 142E08I:DAP CRACK OCC

Item Number: 23670

Do YOU disapprove of people (who are 18 or older) doing each of the following?

I: Taking "crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	151	7.0 %
2	DISAPPRV:(2)	388	17.9 %
3	STRG DIS:(3)	1324	61.0 %
	Missing Data		
-9	MISSING:(-9)	307	14.1 %
	Total	2,170	100%

Based upon 1,863 valid cases out of 2,170 total cases.

Location: 595-596 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2488: 142E08J:DAP CRACK REG

Item Number: 23680

Do YOU disapprove of people (who are 18 or older) doing each of the following?

J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	141	6.5 %
2	DISAPPRV:(2)	303	14.0 %
3	STRG DIS:(3)	1414	65.2 %
	Missing Data		
-9	MISSING:(-9)	312	14.4 %
	Total	2,170	100%

Based upon 1,858 valid cases out of 2,170 total cases.

Location: 597-598 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2489: 142E08K:DAP TRY DRK ALCL

Item Number: 08710

Do YOU disapprove of people (who are 18 or older) doing each of the following?

K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	1302	60.0 %
2	DISAPPRV:(2)	296	13.6 %
3	STRG DIS:(3)	262	12.1 %
	Missing Data		
-9	MISSING:(-9)	310	14.3 %
	Total	2,170	100%

Based upon 1,860 valid cases out of 2,170 total cases.

Location: 599-600 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2490: 142E08L:DAP 1-2 DRK/DAY

Item Number: 08720

Do YOU disapprove of people (who are 18 or older) doing each of the following?

L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	561	25.9 %
2	DISAPPRV:(2)	758	34.9 %
3	STRG DIS:(3)	541	24.9 %
	Missing Data		
-9	MISSING:(-9)	310	14.3 %
	Total	2,170	100%

Based upon 1,860 valid cases out of 2,170 total cases.

Location: 601-602 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2491: 142E08M:DAP 4-5 DRK/DAY

Item Number: 08730

Do YOU disapprove of people (who are 18 or older) doing each of the following?

M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	253	11.7 %
2	DISAPPRV:(2)	568	26.2 %
3	STRG DIS:(3)	1039	47.9 %
	Missing Data		
-9	MISSING:(-9)	310	14.3 %
	Total	2,170	100%

Based upon 1,860 valid cases out of 2,170 total cases.

Location: 603-604 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2492: 142E08N:DAP 5+ DRK WKNDS

Item Number: 08740

Do YOU disapprove of people (who are 18 or older) doing each of the following?

N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

Value	Label	Unweighted Frequency	%
1	DNT DISP:(1)	550	25.3 %
2	DISAPPRV:(2)	555	25.6 %
3	STRG DIS:(3)	746	34.4 %
Missing Data			
-9	MISSING:(-9)	319	14.7 %
Total		2,170	100%

Based upon 1,851 valid cases out of 2,170 total cases.

Location: 605-606 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2428: 142E09A:FAVOR MLTY DRAFT

Item Number: 21060

The next two questions are about military service. Do you favor or oppose a military draft at the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed"

2="Mostly oppose" 1="Strongly oppose"

Value	Label	Unweighted Frequency	%
1	STRG OPPOS:(1)	450	20.7 %
2	MST OPPOS:(2)	320	14.7 %
3	NO OP/MXD:(3)	845	38.9 %
4	MOST FAVR:(4)	120	5.5 %
5	STRG FAVR:(5)	120	5.5 %
Missing Data			
-9	MISSING:(-9)	315	14.5 %
Total		2,170	100%

Based upon 1,855 valid cases out of 2,170 total cases.

Location: 607-608 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2429: 142E09B:DRAFT INCL WOMEN

Item Number: 21070

Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

Value	Label	Unweighted Frequency	%
1	NO:(1)	455	21.0 %
2	UNCERTN:(2)	671	30.9 %
3	YES:(3)	792	36.5 %
Missing Data			
-9	MISSING:(-9)	252	11.6 %
Total		2,170	100%

Based upon 1,918 valid cases out of 2,170 total cases.

Location: 609-610 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2371: 142E10 :R LIKES SCHOOL

Item Number: 07630

The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot"

3="I like school some" 2="I don't like school very much"

1="I don't like school at all"

Value	Label	Unweighted Frequency	%
1	DONT LIKE@A:(1)	190	8.8 %
2	DONT LIKE VM:(2)	359	16.5 %
3	LIKE SOME:(3)	839	38.7 %
4	LIKE QUITEBIT:(4)	341	15.7 %
5	LIKE VRYMCH:(5)	189	8.7 %
Missing Data			
-9	MISSING:(-9)	252	11.6 %
Total		2,170	100%

Based upon 1,918 valid cases out of 2,170 total cases.

Location: 611-612 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2372: 142E11 :HRS/WK SPND HMWK

Item Number: 07640

About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	212	9.8 %
2	1-4 HRS:(2)	877	40.4 %
3	5-9 HRS:(3)	388	17.9 %
4	10-14HRS:(4)	197	9.1 %
5	15-19HRS:(5)	92	4.2 %
6	20-24HRS:(6)	72	3.3 %
7	25+ HRS:(7)	70	3.2 %
Missing Data			
-9	MISSING:(-9)	262	12.1 %
Total		2,170	100%

Based upon 1,908 valid cases out of 2,170 total cases.

Location: 613-614 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2445: 142E12A:SCH ACTV-PBLCTNS

Item Number: 22170

To what extent have you participated in the following school activities during this school year?

A: School newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1491	68.7 %

Value	Label	Unweighted Frequency	%
2	SLIGHT:(2)	170	7.8 %
3	MODERATE:(3)	72	3.3 %
4	CONSDRBL:(4)	38	1.8 %
5	GRT EXT:(5)	121	5.6 %
	Missing Data		
-9	MISSING:(-9)	278	12.8 %
	Total	2,170	100%

Based upon 1,892 valid cases out of 2,170 total cases.

Location: 615-616 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2446: 142E12B:SCH ACTV-PRF ART

Item Number: 22180

To what extent have you participated in the following school activities during this school year?

B: Music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"

5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	1222	56.3 %
2	SLIGHT:(2)	168	7.7 %
3	MODERATE:(3)	115	5.3 %
4	CONSDRBL:(4)	95	4.4 %
5	GRT EXT:(5)	287	13.2 %
	Missing Data		
-9	MISSING:(-9)	283	13.0 %
	Total	2,170	100%

Based upon 1,887 valid cases out of 2,170 total cases.

Location: 617-618 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2447: 142E12C:SCH ACTV-ATHLTCS

Item Number: 22190

To what extent have you participated in the following school activities during this school year?

C: Athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	859	39.6 %
2	SLIGHT:(2)	144	6.6 %
3	MODERATE:(3)	164	7.6 %
4	CONSDRBL:(4)	152	7.0 %
5	GRT EXT:(5)	578	26.6 %
Missing Data			
-9	MISSING:(-9)	273	12.6 %
Total		2,170	100%

Based upon 1,897 valid cases out of 2,170 total cases.

Location: 619-620 (*width:* 2; *decimal:* 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2448: 142E12D:SCH ACTV-OTH ACT

Item Number: 22200

To what extent have you participated in the following school activities during this school year?

D: Other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable"
5="Great"

Value	Label	Unweighted Frequency	%
1	NOT @ALL:(1)	713	32.9 %
2	SLIGHT:(2)	248	11.4 %
3	MODERATE:(3)	296	13.6 %
4	CONSDRBL:(4)	247	11.4 %
5	GRT EXT:(5)	387	17.8 %
Missing Data			
-9	MISSING:(-9)	279	12.9 %
Total		2,170	100%

Based upon 1,891 valid cases out of 2,170 total cases.

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2373: 142E13A:PRCL INFL SCL RN

Item Number: 07650

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	315	14.5 %
2	SOME:(2)	258	11.9 %
3	MODERATE:(3)	326	15.0 %
4	CONSDRBL:(4)	414	19.1 %
5	GREAT:(5)	572	26.4 %
Missing Data			
-9	MISSING:(-9)	285	13.1 %
Total		2,170	100%

Based upon 1,885 valid cases out of 2,170 total cases.

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2374: 142E13B:TCHR INFL SCL RN

Item Number: 07660

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	207	9.5 %
2	SOME:(2)	348	16.0 %
3	MODERATE:(3)	575	26.5 %
4	CONSDRBL:(4)	458	21.1 %
5	GREAT:(5)	288	13.3 %
Missing Data			
-9	MISSING:(-9)	294	13.5 %
Total		2,170	100%

Based upon 1,876 valid cases out of 2,170 total cases.

Location: 625-626 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2375: 142E13C:STDS INFL SCL RN

Item Number: 07670

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	512	23.6 %
2	SOME:(2)	417	19.2 %
3	MODERATE:(3)	395	18.2 %
4	CONSDRBL:(4)	272	12.5 %
5	GREAT:(5)	281	12.9 %
Missing Data			
-9	MISSING:(-9)	293	13.5 %
Total		2,170	100%

Based upon 1,877 valid cases out of 2,170 total cases.

Location: 627-628 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2376: 142E13D:PRTS INFL SCL RN

Item Number: 07680

In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN?

D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

Value	Label	Unweighted Frequency	%
1	LITTLE/NO:(1)	538	24.8 %
2	SOME:(2)	512	23.6 %
3	MODERATE:(3)	385	17.7 %
4	CONSDRBL:(4)	249	11.5 %
5	GREAT:(5)	191	8.8 %
Missing Data			
-9	MISSING:(-9)	295	13.6 %
Total		2,170	100%

Based upon 1,875 valid cases out of 2,170 total cases.

Location: 629-630 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2377: 142E14 :HAD DRUG EDUCATN

Item Number: 07690

Have you had any drug education courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO QUESTION 20" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	493	22.7 %
2	WISH HAD:(2)	61	2.8 %
3	YES:(3)	1221	56.3 %
Missing Data			
-9	MISSING:(-9)	395	18.2 %
Total		2,170	100%

Based upon 1,775 valid cases out of 2,170 total cases.

Location: 631-632 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2378: 142E15 :DG ED,>DG INTRST

Item Number: 07840

Would you say that the information about drugs that you received in school classes or programs has . . . ?

1="Made you less interested in trying drugs" 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

Value	Label	Unweighted Frequency	%
1	LESS INTERST:(1)	632	29.1 %
2	NO CHNGE:(2)	540	24.9 %
3	MORE INTERST:(3)	40	1.8 %
	Missing Data		
-9	MISSING:(-9)	958	44.1 %
	Total	2,170	100%

Based upon 1,212 valid cases out of 2,170 total cases.

Location: 633-634 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2379: 142E16A:DG ED,SPC COURSE

Item Number: 07850

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

A. A special course about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	845	38.9 %
1	MARKED:(1)	343	15.8 %
	Missing Data		
-9	MISSING:(-9)	982	45.3 %
	Total	2,170	100%

Based upon 1,188 valid cases out of 2,170 total cases.

Location: 635-636 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2380: 142E16B:DG ED,IN REG CRS

Item Number: 07860

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	440	20.3 %
1	MARKED:(1)	748	34.5 %
	Missing Data		
-9	MISSING:(-9)	982	45.3 %
	Total	2,170	100%

Based upon 1,188 valid cases out of 2,170 total cases.

Location: 637-638 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2381: 142E16C:DG ED,NT REG CRS

Item Number: 07870

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	826	38.1 %
1	MARKED:(1)	362	16.7 %
	Missing Data		
-9	MISSING:(-9)	982	45.3 %
	Total	2,170	100%

Based upon 1,188 valid cases out of 2,170 total cases.

Location: 639-640 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2382: 142E16D:DG ED,SPC DISCUS

Item Number: 07880

How many of the following drug education experiences have you had in high school? (Mark all that apply.)

D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	979	45.1 %
1	MARKED:(1)	209	9.6 %
	Missing Data		
-9	MISSING:(-9)	982	45.3 %
	Total	2,170	100%

Based upon 1,188 valid cases out of 2,170 total cases.

Location: 641-642 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2383: 142E17 :DG ED,GRT VALUE

Item Number: 07890

Overall, how valuable were the experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value"

4="Great value"

Value	Label	Unweighted Frequency	%
1	NO VALUE:(1)	314	14.5 %
2	SOME:(2)	462	21.3 %
3	CNSIDRBL:(3)	269	12.4 %
4	GT VALUE:(4)	152	7.0 %
	Missing Data		
-9	MISSING:(-9)	973	44.8 %
	Total	2,170	100%

Based upon 1,197 valid cases out of 2,170 total cases.

Location: 643-644 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2441: 142E18A:#X/2W DRIVE+ALCL

Item Number: 01811

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

A: . . . drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1741	80.2 %
2	ONCE:(2)	78	3.6 %
3	TWICE:(3)	28	1.3 %
4	3-5X:(4)	11	0.5 %
5	6-9X:(5)	6	0.3 %
6	10+ TIME:(6)	9	0.4 %
	Missing Data		
-9	MISSING:(-9)	297	13.7 %
	Total	2,170	100%

Based upon 1,873 valid cases out of 2,170 total cases.

Location: 645-646 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2442: 142E18B:#X/2W DRIVE+5DRK

Item Number: 01812

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

B: . . . having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1801	83.0 %

Value	Label	Unweighted Frequency	%
2	ONCE:(2)	28	1.3 %
3	TWICE:(3)	20	0.9 %
4	3-5X:(4)	10	0.5 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	10	0.5 %
Missing Data			
-9	MISSING:(-9)	298	13.7 %
Total		2,170	100%

Based upon 1,872 valid cases out of 2,170 total cases.

Location: 647-648 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2517: 142E18C:#X/2W DRIVE+MJ

Item Number: 01813

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

C. . . . smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1652	76.1 %
2	ONCE:(2)	65	3.0 %
3	TWICE:(3)	50	2.3 %
4	3-5X:(4)	38	1.8 %
5	6-9X:(5)	18	0.8 %
6	10+ TIME:(6)	42	1.9 %
Missing Data			
-9	MISSING:(-9)	305	14.1 %
Total		2,170	100%

Based upon 1,865 valid cases out of 2,170 total cases.

Location: 649-650 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2518: 142E18D:#X/2W DRIVE+OTDG

Item Number: 01814

During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . .

D. . . . using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1826	84.1 %
2	ONCE:(2)	11	0.5 %
3	TWICE:(3)	5	0.2 %
4	3-5X:(4)	8	0.4 %
5	6-9X:(5)	3	0.1 %
6	10+ TIME:(6)	8	0.4 %
Missing Data			
-9	MISSING:(-9)	309	14.2 %
Total		2,170	100%

Based upon 1,861 valid cases out of 2,170 total cases.

Location: 651-652 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2443: 142E19A:#X/2W RIDE+ALCL

Item Number: 01815

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

A: . . . when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1640	75.6 %
2	ONCE:(2)	128	5.9 %
3	TWICE:(3)	55	2.5 %
4	3-5X:(4)	23	1.1 %
5	6-9X:(5)	8	0.4 %
6	10+ TIME:(6)	15	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-9	MISSING:(-9)	301	13.9 %
	Total	2,170	100%

Based upon 1,869 valid cases out of 2,170 total cases.

Location: 653-654 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2444: 142E19B:#X/2W RIDE+5DRK

Item Number: 01816

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

B: . . . when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1782	82.1 %
2	ONCE:(2)	45	2.1 %
3	TWICE:(3)	16	0.7 %
4	3-5X:(4)	7	0.3 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	8	0.4 %
	Missing Data		
-9	MISSING:(-9)	308	14.2 %
	Total	2,170	100%

Based upon 1,862 valid cases out of 2,170 total cases.

Location: 655-656 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2519: 142E19C:#X/2W RIDE+MJ

Item Number: 01817

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

C. . . . when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1545	71.2 %
2	ONCE:(2)	126	5.8 %
3	TWICE:(3)	83	3.8 %
4	3-5X:(4)	49	2.3 %
5	6-9X:(5)	17	0.8 %
6	10+ TIME:(6)	41	1.9 %
Missing Data			
-9	MISSING:(-9)	309	14.2 %
Total		2,170	100%

Based upon 1,861 valid cases out of 2,170 total cases.

Location: 657-658 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2520: 142E19D:#X/2W RIDE+OTDG

Item Number: 01818

During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . .

D. . . . when the driver had been using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1816	83.7 %
2	ONCE:(2)	11	0.5 %
3	TWICE:(3)	11	0.5 %
4	3-5X:(4)	4	0.2 %
5	6-9X:(5)	4	0.2 %
6	10+ TIME:(6)	7	0.3 %
Missing Data			
-9	MISSING:(-9)	317	14.6 %
Total		2,170	100%

Based upon 1,853 valid cases out of 2,170 total cases.

Location: 659-660 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2414: 142E20A:OFTN EAT BRKFST

Item Number: 20740

How often do you . . .

A: . . . Eat breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	171	7.9 %
2	SELDOM:(2)	343	15.8 %
3	SOMETIMES:(3)	435	20.0 %
4	MST DAYS:(4)	260	12.0 %
5	NR EV DA:(5)	207	9.5 %
6	EVERYDAY:(6)	465	21.4 %
Missing Data			
-9	MISSING:(-9)	289	13.3 %
Total		2,170	100%

Based upon 1,881 valid cases out of 2,170 total cases.

Location: 661-662 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2415: 142E20B:OFTN EAT GN VEG

Item Number: 20750

How often do you . . .

B: . . . Eat at least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	130	6.0 %
2	SELDOM:(2)	170	7.8 %
3	SOMETIMES:(3)	424	19.5 %
4	MST DAYS:(4)	485	22.4 %

Value	Label	Unweighted Frequency	%
5	NR EV DA:(5)	323	14.9 %
6	EVERYDAY:(6)	341	15.7 %
	Missing Data		
-9	MISSING:(-9)	297	13.7 %
	Total	2,170	100%

Based upon 1,873 valid cases out of 2,170 total cases.

Location: 663-664 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2416: 142E20C:OFTN EAT FRUIT

Item Number: 20760

How often do you . . .

C: . . . Eat at least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	73	3.4 %
2	SELDOM:(2)	102	4.7 %
3	SOMETIMES:(3)	363	16.7 %
4	MST DAYS:(4)	476	21.9 %
5	NR EV DA:(5)	386	17.8 %
6	EVERYDAY:(6)	468	21.6 %
	Missing Data		
-9	MISSING:(-9)	302	13.9 %
	Total	2,170	100%

Based upon 1,868 valid cases out of 2,170 total cases.

Location: 665-666 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2417: 142E20D:OFTN EXERCISE

Item Number: 20770

How often do you . . .

D: . . . Exercise vigorously (jogging, swimming, calisthenics,

or any other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	162	7.5 %
2	SELDOM:(2)	297	13.7 %
3	SOMETIMES:(3)	380	17.5 %
4	MST DAYS:(4)	298	13.7 %
5	NR EV DA:(5)	270	12.4 %
6	EVERYDAY:(6)	422	19.4 %
Missing Data			
-9	MISSING:(-9)	341	15.7 %
Total		2,170	100%

Based upon 1,829 valid cases out of 2,170 total cases.

Location: 667-668 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -9

V2418: 142E20E:OFTN 7HRS SLEEP

Item Number: 20780

How often do you . . .

E: . . . Get at least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	122	5.6 %
2	SELDOM:(2)	336	15.5 %
3	SOMETIMES:(3)	483	22.3 %
4	MST DAYS:(4)	415	19.1 %
5	NR EV DA:(5)	276	12.7 %
6	EVERYDAY:(6)	240	11.1 %
Missing Data			
-9	MISSING:(-9)	298	13.7 %
Total		2,170	100%

Based upon 1,872 valid cases out of 2,170 total cases.

Location: 669-670 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

V2419: 142E20F:OFTN SLEEP <SHLD

Item Number: 20790

How often do you . . .

F: . . . Get less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	152	7.0 %
2	SELDOM:(2)	220	10.1 %
3	SOMETIMES:(3)	439	20.2 %
4	MST DAYS:(4)	334	15.4 %
5	NR EV DA:(5)	340	15.7 %
6	EVERYDAY:(6)	387	17.8 %
Missing Data			
-9	MISSING:(-9)	298	13.7 %
Total		2,170	100%

Based upon 1,872 valid cases out of 2,170 total cases.

Location: 671-672 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -9

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future [Publications](#) web page.

Publications are divided into the following categories:

- Monographs
- Reference Volumes
- Books
- Journal Articles
- Chapters
- Research Reports
- Occasional Papers
- Congressional Testimony
- Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83

	<u>Number of Public Schools</u>	<u>Number of Private Schools</u>	<u>Total Number of Schools</u>	<u>Total Number of Students</u>	<u>Student Response Rate*</u>
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83
2007	111	21	132	15,132	81
2008	103	17	120	14,577	79
2009	106	19	125	14,268	82
2010	104	22	126	15,127	85
2011	110	19	129	14,855	83
2012	107	20	127	14,343	83
2013	106	20	126	13,180	82
2014	105	17	122	13,015	82

* The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.