ICPSR 20022

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2006

Lloyd D. Johnston
University of Michigan. Institute for Social
Research. Survey Research Center

Jerald G. Bachman

University of Michigan. Institute for Social
Research. Survey Research Center

Patrick M. O'Malley University of Michigan. Institute for Social Research. Survey Research Center

John E. Schulenberg
University of Michigan. Institute for Social
Research. Survey Research Center

Form 2 Data Codebook

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

TABLE OF CONTENTS

INTRODUCTION	3
DATA COLLECTION DESCRIPTION	3
DATA COLLECTION PROCEDURES	
SAMPLING INFORMATION	4
STAGE 1: GEOGRAPHIC AREAS	
STAGE 2: SCHOOLS	
STAGE 3: STUDENTS	4
SCHOOL RECRUITING PROCEDURES.	5
ADVANCE CONTACT WITH TEACHERS AND STUDENTS	5
QUESTIONNAIRE ADMINISTRATION	
PROCEDURES FOR PROTECTING CONFIDENTIALITY	6
CONTENT AREAS AND QUESTIONNAIRE DESIGN	7
MEASUREMENT CONTENT AREAS	7
REPRESENTATIVENESS AND VALIDITY	
SCHOOL PARTICIPATION.	8
STUDENT PARTICIPATION	
VALIDITY OF SELF-REPORT DATA.	
ACCURACY OF THE SAMPLE	
CONSISTENCY AND THE MEASUREMENT OF TRENDS	
INTERPRETING RACIAL DIFFERENCES	
DIFFERENTIAL REPRESENTATION.	
DIFFERENTIAL RESPONSE TENDENCIES	
COVARIANCE WITH OTHER FACTORS	
WEIGHTING INFORMATION	
FILE STRUCTURE	
CODEBOOK INFORMATION	
ICPSR PROCESSING INFORMATION	16
FREQUENCIES	20
APPENDICES	328
APPENDIX A: PUBLICATIONS	329
APPENDIX B: SAMPLE SIZE AND STUDENT RESPONSE RATES	330

INTRODUCTION

DATA COLLECTION DESCRIPTION

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2006, which is conducted by the University of Michigan's Institute for Social Research and receives its core funding from the National Institute on Drug Abuse, is an unusually comprehensive research project in several respects: surveys are conducted annually on an ongoing basis; the samples are large and nationally representative; and the subject matter is very broad, encompassing some 1400 variables per year.

The Monitoring the Future Project is designed to explore changes in many important values, behaviors, and lifestyle orientations of contemporary American youth. Two general types of tasks may be distinguished. The first is to provide a systematic and accurate "description" of the youth population of interest in a given year, and to quantify the direction and rate of the changes taking place among them over time. The second task, more analytic than descriptive, involves the "explanation" of the relationships and trends observed to exist.

DATA COLLECTION PROCEDURES

The basic research design involves annual data collections from high school seniors during the spring of each year, beginning with the class of 1975. Each data collection takes place in approximately 130 public and private high schools selected to provide an accurate cross-section of high school seniors throughout the United States.

One limitation in the design is that it does not include in the target population those young men and women who drop out of high school before graduation (or before the last few months of the senior year, to be more precise). This excludes a relatively small proportion of each age cohort -- between 15 and 20 percent -- though not an unimportant segment, since certain behaviors, such as illicit drug use and delinquency tend to be higher than average in this group. However, the addition of a representative sample of dropouts would increase the cost of the present research enormously, because of their dispersion and generally higher level of resistance to being located and interviewed.

For the purposes of estimating characteristics of the entire age group, the omission of high school dropouts does introduce certain biases; however, their small proportion sets outer limits on the bias. For the purposes of estimating "changes" from one cohort of high school seniors to another, the omission of dropouts represents a problem only if different cohorts have considerably different proportions who drop out. There is no reason to expect dramatic changes in those rates for the foreseeable future, and recently published government statistics indicate a great deal of stability in dropout rates since 1970.

Some may use this high school data to draw conclusions about changes for the entire age group. While the investigators do not encourage such extrapolation, they suspect that the conclusions reached often would be valid, since over 80 percent of the age group is in the surveyed segment of the population and changes among those not in school are likely to parallel the changes among those who are.

SAMPLING INFORMATION

The procedure for securing a nationwide sample of high school seniors is a multi-stage one. Stage 1 is the selection of particular geographic areas, Stage 2 is the selection of one or more high schools in each area, and Stage 3 is the selection of seniors within each high school.

STAGE 1: GEOGRAPHIC AREAS. The geographic areas used in this study are the primary sampling units (PSUs) developed by the Sampling Section of the Survey Research Center for use in the Center's nationwide interview studies. Because these same PSUs are used for personal interview studies by the Survey Research Center (SRC), local field representatives can be assigned to administer the data collections in practically all schools.

STAGE 2: SCHOOLS. In the major metropolitan areas more than one high school is often included in the sampling design; in most other sampling areas a single high school is sampled. In all cases, the selections of high schools are made such that the probability of drawing a school is proportionate to the size of its senior class. The larger the senior class (according to recent records), the higher the selection probability assigned to the high school. When a sampled school is unwilling to participate, a replacement school as similar to it as possible is selected from the same geographic area.

STAGE 3: STUDENTS. Within each selected school, up to about 400 seniors may be included in the data collection. In schools with fewer than 400 seniors, the usual procedure is to include all of them in the data collection. In larger schools, a subset of seniors is selected either by randomly sampling classrooms or by some other random method that is convenient for the school and judged to be unbiased. Sample weights are assigned to each respondent so as to take account of variations in the sizes of samples from one school to another, as well as the (smaller) variations in selection probabilities occurring at the earlier stages of sampling. For a table of the sample size and student response rates see Appendix B.

One other important feature of the base-year sampling procedure should be noted here. All schools (except for half of the initial 1975 sample) are asked to participate in two data collections, thereby permitting replacement of half of the total sample of schools each year. One motivation for requesting that schools participate for two years is administrative efficiency; it is a costly and time-consuming procedure to secure the cooperation of schools, and a two- year period of participation cuts down that effort substantially. Another important advantage is that whenever an appreciable shift in scores from one graduating class to the next is observed, it is possible to check whether the shift might be attributable to some differences in the newly sampled schools. This is done simply by repeating the analysis using only the 60 or so schools which participated both years. Thus far, the half-sample approach has worked quite well and examination of drug prevalence data from the "matched half-samples" showed that the half

samples of repeat schools yielded drug prevalence trends which were virtually identical to trends based on all schools.

SCHOOL RECRUITING PROCEDURES. Early during the fall semester an initial contact is made with each sampled school. First, a letter is sent to the principal describing the study and requesting permission to survey seniors. The letter is followed by a telephone call from a project staff member, who attempts to deal with any questions or problems and (when necessary) makes arrangements to contact and seek permission from other school district officials. Basically the same procedures are followed for schools asked to participate for the second year.

Once the school's agreement to participate is obtained, arrangements are made by phone for administering the questionnaires. A specific date for the survey is mutually agreed upon and a local SRC representative is assigned to carry out the administration.

ADVANCE CONTACT WITH TEACHERS AND STUDENTS. The local SRC representative is instructed to visit the school two weeks ahead of the actual date of administration. This visit serves as an occasion to meet the teachers whose classes will be affected and to provide them with a brochure describing the study, a brief set of guidelines about the questionnaire administration, and a supply of flyers to be distributed to the students a week to 10 days in advance of the questionnaire administration. The guidelines to the teachers include a suggested announcement to students at the time the flyers are distributed.

From the students' standpoint, the first information about the study usually consists of the teacher's announcement and the short descriptive flyer. In announcing the study, the teachers are asked to stress that the questionnaires used in the survey are not tests, and that there are no right or wrong answers. The flyer tells the students that they will be invited to participate in the study, points out that their participation is strictly voluntary, and stresses confidentiality (including a reference to the fact that the Monitoring the Future project has a special government grant of confidentiality which allows their answers to be protected). The flyer also serves as an informative document which the students can show to their parents.

QUESTIONNAIRE ADMINISTRATION. The questionnaire administration in each school is carried out by the local SRC representatives and their assistants, following standardized procedures detailed in a project instruction manual. The questionnaires are administered in classrooms during normal class periods whenever possible, although circumstances in some schools require the use of larger group administrations. Teachers are not asked to do anything more than introduce the SRC staff members and (in most cases) remain in the classroom to help guarantee an orderly atmosphere for the survey. Teachers are urged to avoid walking around the room, so that students may feel free to write their answers without fear of being observed.

The actual process of completing the questionnaires is quite straightforward. Respondents are given sharpened pencils and asked to use them because the questionnaires are designed for automatic scanning. Most respondents can finish within a 45 minute class period; for those who cannot, an effort is made to provide a few minutes of additional time.

PROCEDURES FOR PROTECTING CONFIDENTIALITY. In any study that relies on voluntary reporting of drug use or other illegal acts, it is essential to develop procedures which guarantee the confidentiality of such reports. It is also desirable that these procedures be described adequately to respondents so that they are comfortable about providing honest answers.

The first information given to students about the survey consists of a descriptive flyer stressing the confidentiality and voluntary participation. This theme is repeated at the start of the questionnaire administration. Each participating student is instructed to read the message on the cover of the questionnaire, which stresses the importance and value of the study, notes that answers will be kept strictly confidential, states that the study is completely voluntary, and tells the student "If there is any question you or your parents would find objectionable for any reason, just leave it blank." The instructions then point out that in a few months a summary of nationwide results will be mailed to all participants and also that a follow-up questionnaire will be sent to some students after a year. The cover message explains that these are the reasons for asking that name and address be written on a special form which will be removed from the questionnaire and handed in separately. The message also points out that the two different code numbers (one on the questionnaire and one on the tear-out form) cannot be matched except by a special computer tape at the University of Michigan.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations have been made in the original dataset to prepare it for public release; these alterations are described later in the section "Processing Information."

CONTENT AREAS AND QUESTIONNAIRE DESIGN

Drug use and related attitudes are the topics which receive the most extensive coverage in the Monitoring the Future project; but the questionnaires also deal with a wide range of other subject areas, including attitudes about government, social institutions, race relations, changing roles for women, educational aspirations, occupational aims, and marital and family plans, as well as a variety of background and demographic factors.

The following table shows the subject area codes and definitions which are used in the <u>cross-time index</u> of base year grade 12 questionnaire items provided separately in this archive.

MEASUREMENT CONTENT AREAS

- A. DRUGS. Drug use and related attitudes and beliefs, drug availability and exposure, surrounding conditions and social meaning of drug use. Views of significant others regarding drugs.
- B. EDUCATION. Educational lifestyle, values, experiences, and environments
- C. WORK AND LEISURE. Vocational values, meaning of work and leisure, work and leisure activities, preferences regarding occupational characteristics and type of work setting.
- D. SEX ROLES AND FAMILY. Values, attitudes, and expectations about marriage, family structure, sex roles, and sex discrimination.
- E. POPULATION CONCERNS. Values and attitudes about overpopulation and birth control.
- F. CONSERVATION, MATERIALISM, EQUITY, ETC. Values, attitudes, and expectations related to conservation, pollution, materialism, equity, and the sharing of resources. Preferences regarding type of dwelling and urbanicity.
- G. RELIGION. Religious affiliation, practices, and views.
- H. POLITICS. Political affiliation, activities, and views.
- I. SOCIAL CHANGE. Values, attitudes, and expectations about social change.
- J. SOCIAL PROBLEMS. Concern with various social problems facing the nation and the world.
- K. MAJOR SOCIAL INSTITUTIONS. Confidence in and commitment to various major social institutions (business, unions, branches of government, press, organized religion, military, etc.).
- L. MILITARY. Views about the armed services and the use of military force. Personal plans for military service.
- M. INTERPERSONAL RELATIONSHIPS. Qualitative and quantitative characteristics of cross-age and peer relationships. Interpersonal conflict.
- N. RACE RELATIONS. Attitudes toward and experiences with other racial groups.
- O. CONCERN FOR OTHERS. Concern for others; voluntary and charitable activities.
- P. HAPPINESS. Happiness and life satisfaction, overall and in specific life domains.

- Q OTHER PERSONALITY VARIABLES. Attitudes about self (including self-esteem), locus of control, loneliness, risk-taking, trust in others, importance placed on various life goals, counterculture orientation, hostility.
- R. BACKGROUND. Demographic and family background characteristics, living arrangements.
- S. DEVIANT BEHAVIOR AND VICTIMIZATION. Delinquent behaviors, driving violations and accidents (including those under the influence of drugs), victimization experiences.

Τ.	HEALTH.	Health habits.	somatic symptoms,	medical treatment.
----	---------	----------------	-------------------	--------------------

Given this breadth of content, the study is not presented to respondents as a "drug use study," nor do they tend to view it as such.

Because many questions are needed to cover all of these topic areas, much of the questionnaire content is divided into different questionnaire forms which are distributed to participants in an ordered sequence. (Five forms were used in 1975-88; a sixth form was added in 1989.) This sequence produces five or six virtually identical subsamples. About one-third of each questionnaire form consists of key or "core" variables which are common to all forms. All demographic variables and some measures of drug use are included in this "core" set of measures. This use of the full sample for drug and demographic measures provides a more accurate estimation on these dimensions and also makes it possible to link them statistically to all the other measures which are included in a single form only.

REPRESENTATIVENESS AND VALIDITY

The samples for this study are intended to be representative of high school seniors throughout the 48 coterminous states. We have already discussed the fact that this definition of the sample excludes one important portion of the age cohort: those who have dropped out of high school before nearing the end of the senior year. But given the aim of representing high school seniors, it will now be useful to consider the extent to which the obtained samples of schools and students are likely to be representative of all seniors and the degree to which the data obtained are likely to be valid.

It is possible to distinguish at least four ways in which survey data of this sort might fall short of being fully representative. First, some sampled schools refuse to participate, which could introduce some bias. Second, the failure to obtain questionnaire data from 100 percent of the students sampled in participating schools would also introduce bias. Third, the answers provided by participating students are open to both conscious and unconscious distortions which could reduce validity. Finally, limitations in sample size and/or design could place limits on the accuracy of estimates.

SCHOOL PARTICIPATION. As noted in the description of the sampling design, schools are invited to participate in the study for a two-year period. For each school that declines to participate - an occurrence which happens, on average, a little over one-third of the time -- a similar school (in terms of size, geographic area, urbanicity, etc.) is recruited as a replacement

for that "slot". Since the study's inception, either an original school or a replacement school has been obtained for between 95% to 99% of the sample units, or "slots". With very few exceptions, each school which has participated for one data collection has agreed to participate for a second. The selection of replacement schools almost entirely removes problems of bias in region, urbanicity, and the like that might result from certain schools refusing to participate. Other potential biases are more subtle, however. For example, if it turned out that most schools with "drug problems" refused to participate, that would seriously bias the drug estimates derived from the sample. And if any other single factor were dominant in most refusals, that also might suggest a source of serious bias. In fact, however, the reasons for schools' refusals to participate are varied and largely a function of happenstance events of the particular year. Thus, the investigators feel fairly confident that school refusals have not seriously biased the surveys.

STUDENT PARTICIPATION. Completed questionnaires are obtained from three-fourths to four-fifths of all students sampled. The single most important reason that students are missed is that they are absent from class at the time of data collection, and in most cases it is not workable to schedule a special follow-up data collection for them. Students with fairly high rates of absenteeism also report above-average rates of drug use; therefore, there is some degree of bias introduced by missing the absentees. That bias could be corrected through the use of special weighting; however, this course was not chosen because the bias in estimates (in drug use, where the potential effect was hypothesized to be largest) was determined to be quite small and because the necessary weighting procedures would have introduced undesirable complications. In addition to absenteeism, student nonparticipation occurs because of schedule conflicts with school trips and other activities which tend to be more frequent than usual during the final months of the senior year. Of course, some students refuse to complete or turn in a questionnaire. However, SRC representatives in the field estimate this proportion to be only about one percent.

VALIDITY OF SELF-REPORT DATA. Survey measures of delinquency and of drug use depend upon respondents reporting what are, in many cases, illegal acts. Thus, a critical question is whether such self-reports are likely to be valid. Like most studies dealing with these areas, the present study does not include direct, objective validation of the present measures; however, the considerable amount of inferential evidence which exists strongly suggest that the self-report questions produce largely valid data. A number of factors have given the investigators reasonable confidence about the validity of the responses to what are presumably among the most sensitive questions in the study: a low non-response rate on the drug questions; a large proportion admitting to some illicit drug use; the consistency of findings across several years of the present study; strong evidence of construct validity (based on relationships observed between variables); a close match between these data and the findings from other studies using other methods; and the findings from several methodological studies which have used objective validation methods.

As for others of the measures, a few have a long and venerable history -- as scholars of the relevant literature will recognize -- though some of these measures have been modified to fit the present questionnaire format. Many questions, however, have been developed specifically for this project through a process of question writing, pilot testing, pretesting, and question revision or elimination. Some have already been included in other publications from the study,

but many have not; therefore, there exists little empirical evidence of their validity and reliability.

ACCURACY OF THE SAMPLE. A sample survey never can provide the same level of accuracy as would be obtained if the entire target population were to participate in the survey -- in the case of the present study, about 2.5-3.0 million seniors per year. But perfect accuracy of this sort would be extremely expensive and certainly not worthwhile considering the fact that a high level of accuracy can be provided by a carefully designed probability sample. The accuracy of the sample in this study is affected both by the size of the student sample and by the number of schools in which they were clustered. For the purposes of this introduction, it is sufficient to note that virtually all estimates based on the total sample have confidence intervals of +/- 1.5 percentage points or smaller - sometimes considerably smaller. This means that, had the project been able to invite all schools and all seniors in the 48 contiguous states to participate, the results from such a massive survey would be within an estimated 1.5 percentage points from the present sample findings 95 times out of 100. This is a quite high level of accuracy, and one that permits the detection of fairly small trends from one year to the next.

Because of the complex sampling design, standard means of assessing confidence intervals are not appropriate. The annual volumes from the project can provide information which allow the analyst to determine the confidence intervals around means and percentages for both the total sample and various subgroups. They also provide tables and guidelines for testing the statistical significance of differences between subgroups, and the significance of year-to-year changes.

CONSISTENCY AND THE MEASUREMENT OF TRENDS. One other point is worth noting in a discussion of the validity of the findings. The Monitoring the Future project is, by intention, a study designed to be sensitive to changes from one time to another. Accordingly, the measures and procedures have been standardized and applied consistently across each data collection. To the extent that any biases remain because of limits in school and/or student participation, and to the extent that there are distortions (lack of validity) in the responses of some students, it seems very likely that such problems will exist in much the same way from one year to the next. In other words, biases in the survey estimates should tend to be consistent from one year to another, which means that the measurement of trends should be affected very little by such biases.

INTERPRETING RACIAL DIFFERENCES. Until 2005, ethnic identification was provided for the two largest racial/ethnic subgroups in the population -- those who identified themselves as white or Caucasian and those who identified themselves as black or African American. Identification was not given for the other ethnic categories (Native Americans, Asian Americans, Mexican Americans, Puerto Rican Americans, or other Latin Americans) since each of these groups comprised a small proportion of the sample in any given year, which means that their small Ns (in combination with their clustered groupings in a limited number of schools) would yield estimates which would be too unreliable. Because of increases in the number of those who identify themselves as one of the Hispanic groups, we now include identification for this category.

However, the analyst should bear in mind that African Americans and Hispanics -- who constitute approximately 8-12 percent of each year's sample -- are represented by only 200 to 300 respondents per year on any single questionnaire form. Further, because our sample is a stratified clustered sample, it yields less accuracy than would be yielded by a pure random sample of equal size (see Appendix B of the annual volumes for details). Therefore, because of the limited number of cases, the margin of sampling error around any statistic describing African Americans or Hispanics is larger than for most other subgroups.

There exists, however, a way to determine the replicability of any finding involving racial comparisons. Since most questions are repeated from year to year, one can readily establish the degree to which a finding is replicated by looking at the results in prior and subsequent years. Given the relatively small Ns for minority groups, the analyst is urged to seek such replication before putting much faith in the reliability of any particular racial comparison.

There are factors in addition to reliability, however, which could be misleading in the interpretation of racial differences. Given the social importance which has been placed on various racial differences reported in the social science literature, the investigators would like to caution the analyst to consider the various factors which could account for differences. These factors fall into three categories: differential representation in the sample, differential response tendencies, and the confounding of race with a number of other background and demographic characteristics. The following discussion is based on analyses that were conducted prior to 2005, when identifiers for Hispanics were not included, so the discussion is specific to African Americans. However, the points made, particularly those about differential representation and confounding of race/ethnicity with other background and demographic characteristics, would be relevant to Hispanics, as well.

DIFFERENTIAL REPRESENTATION. Census data characterizing American young people in the approximate age range of those in this sample show somewhat lower proportions of African Americans than whites remain in school through the end of the twelfth grade. Therefore, a slightly different segment of the African American population than of the white population resides in the target population of high school seniors. Further, the samples appear to underrepresent slightly those African American males who, according to census figures, are in high school at the twelfth grade level. Identified African American males comprise about 6 percent of the sample, whereas census data suggest that they should comprise around 7 percent. Therefore it appears that more African American males are lost from the target population than white males or females of either race. This may be due to generally poorer attendance rates on the part of some African American males and/or an unwillingness on the part of some to participate in data collections of this sort.

In sum, a smaller segment of the African American population than of the white population of high school age is represented by the data contained here. Insofar as any characteristic is associated with being a school dropout or absentee, it is likely to be somewhat disproportionately underrepresented among African Americans in the sample.

DIFFERENTIAL RESPONSE TENDENCIES. In examining the full range of variables, racial differences in response tendencies have been noted. First, the tendency to state agreement

in response to agree-disagree questions is generally somewhat greater among African Americans than among whites. For example, African Americans tend to agree more with the positively worded items in the index of self-esteem, but they also tend to agree more with the negatively worded items. As it happens, that particular index has an equal number of positively and negatively worded items, so that any overall "agreement bias" should be self-canceling when the index score is computed. However, group differences in agreement bias are likely to affect results on questions employing the agree-disagree format. Fortunately, most of the questions are not of that type.

There has also been observed a somewhat greater than average tendency for African American respondents to select extreme answer categories on attitudinal scales. For example, even if the same proportion of African Americans as whites felt positively (or negatively) about some subject, fewer of the whites are likely to say they feel very positively (or negatively). The analyst should be aware that differences in responses to particular questions may be related to these more general tendencies.

A somewhat separate issue in response tendency is a respondent's willingness to answer particular questions. The missing data rate may reflect willingness to answer particular questions. If a particular question or set of questions has a missing data rate higher than is true for the prior or subsequent questions, then presumably more respondents than usual were unwilling (or perhaps unable) to answer it. Such an exaggerated missing data rate exists for African American males on the set of questions dealing with the respondent's own use of illicit drugs. Clearly a respondent's willingness to be candid on such questions depends on his or her trust of the research process and of the researchers themselves. The exaggerated missing data rates for African American males in these sections may reflect, at least in part, less trust. The analyst is advised to check for exceptional levels of missing data when making comparisons on any variable in which candor is likely to be reduced by lower system trust. One bit of additional evidence related to trust in the research process is that higher proportions of African Americans than whites reported that if they had used marijuana or heroin they would not have been willing to report it in the survey.

COVARIANCE WITH OTHER FACTORS. Some characteristics such as race are highly confounded (correlated) with other variables -- variables which may in fact explain some observed racial differences. Put another way, at the aggregate level we might observe a considerable racial difference on some characteristic, but once we control for some background characteristic such as socio-economic level or region of the country -- that is, once we compare the African American respondents with whites who come from similar backgrounds -- there may be no racial difference at all.

Race is correlated with important background and demographic variables. A higher proportion of African Americans live in the South and a higher proportion grew up in families with the mother and/or father absent, and more had mothers who worked while they were growing up. A substantially higher proportion of African Americans are Baptists, and African Americans tend to attribute more importance to religion than do whites. A higher proportion of African American respondents have children, and on the average they are slightly older than the

white sample. As was mentioned earlier African American males are more underrepresented in our sample than African American females.

These differences in background, demographic, and ascriptive characteristics are noted because, in any attempt to understand why a racial difference exists, one would want to be able to examine the role of these covarying characteristics.

WEIGHTING INFORMATION

The codebook frequencies have been weighted using variable V5.

FILE STRUCTURE

MONITORING THE FUTURE: A CONTINUING STUDY OF AMERICAN YOUTH, 2006 is available from ICPSR as seven logical record length datasets. Each dataset consists of SAS, SPSS, and Stata setup files containing all technical information for each variable in the corresponding datafile, and the datafile itself. The data are sorted by case. The datasets are organized by the form number (questionnaire version) used. For each part, the data are also available from ICPSR in the following formats: SAS transport (CPORT) file, SPSS system file, and Stata system file, with SAS and Stata supplemental syntax files, and a tab-delimited ascii text file.

part #	form	# of variables	Logical record length	unweighted n
1	Core	185	382	14,814
2	Form 1	618	1,249	2,475
3	Form 2	332	675	2,460
4	Form 3	357	726	2,456
5	Form 4	270	554	2,461
6	Form 5	327	665	2,479
7	Form 6	332	676	2,483

The SAS, SPSS, and Stata setup files give the format and other information for each variable in the data file. See the section "Codebook Information" for further details. The data file is constructed with a single logical record for each case.

CODEBOOK INFORMATION

The codebook is arranged by question numbers which do not coincide with the variable numbers.

The example below is a reproduction of information appearing in the machine-readable codebook for a typical variable. The numbers in brackets do not appear but are references to the descriptions which follow this example.

[1] V1134 [2] 991A13 KIND OF PAID JOB

[3] Item Number: 25160

[4] Al3: Which ONE of the job categories below comes closest to the kind of work you have done for pay on your current (or most recent) job? (If more than one kind of work, choose the one where you worked the most hours. Do not include work around the house.)

[5]	[6]	[7]	[8]	[9]
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	14.9	854	1	NO WORK
16.2	15.4	882	2	LAWN WK
1.4	1.3	75	3	FASTFOOD
1.0	0.9	54	4	WAITER
1.6	1.5	87	5	OTH REST
2.0	1.9	108	6	PAPER RT
35.4	33.7	1,934	7	BABYSIT
4.4	4.2	241	8	FARM WK
2.1	2.0	115	9	SALES WK
1.3	1.2	69	10	OFFICE
3.7	3.5	202	11	ODD JOBS
15.3	14.6	838	12	OTHER
	4.9	284	-9	MISSING
[10]	[11]	[1	.2]	
100.0	100.0	5,745	cases	(Wtd)

- [13] Data type: numeric
- [14] Decimals: 0
- [15] Missing-data codes: -9
- [16] Columns: 98-99

- [1] Indicates the variable number. A variable number is assigned to each variable in the data collection.
- [2] Indicates the abbreviated variable name used to identify the variable for the user.
- [3] The item number, a unique 5-digit reference number assigned to each question which remains consistent across questionnaires.
- [4] This is the full text (question) supplied by the investigator to describe this (section of) variable(s). The question text and the numbers and letters that may appear at the beginning reflect the original wording of the questionnaire item.
- [5] Indicates the weighted percentage distribution of each code value for this variable excluding cases where the value is missing.
- [6] Indicates the weighted percentage distribution of each code value for this variable including cases where the value is missing.
- [7] Indicates the weighted frequency of occurrence of each code value for this variable.
- [8] Indicates the code values occurring in the data for this variable.
- [9] Indicates the textual definitions of the codes for this variable
- [10] Indicates the total of the valid case percentages (100%).
- [11] Indicates the total of all case percentages (100%).
- [12] Indicates the number of cases (weighted) for this variable (including the missing cases).
- [13] Indicates the variable type. NUMERIC variables contain numbers only, including numbers in E-notation, a decimal point or a minus sign. CHARACTER variables can be any special characters: underscores (_), pound signs (#), and ampersands (&).
- [14] Indicates the number of decimal places in the variable.
- [15] Indicates the code values of missing data. In this example, code values equal to -9 are missing data (MD Codes: -9). Some analysis software packages require that certain types of data which the user desires to be excluded from analysis be designated as "MISSING DATA," e.g., inappropriate, unascertained, unascertainable, or ambiguous data categories. Although these codes are defined as missing data categories, this does not mean that the user should not or cannot use them in a substantive role if so desired.
- [16] Indicates starting and ending column locations of this variable. In this example, the variable named "991A13 KIND OF PAID JOB" begins in the 98th and ends in the 99th column within the record.

ICPSR PROCESSING INFORMATION

The data collection was processed according to the standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were recoded to missing data values. Consistency checks were performed.

NOTE: THE "cases(Wtd)" IN THE CODEBOOK INCLUDES MISSING DATA ON THE QUESTION INVOLVED.

The N sizes and the percentage distributions are the result of using a weight variable, V5. For reasons of confidentiality, this variable was altered from its original version to a modified version prior to public distribution of the data; THIS RESULTS IN SLIGHT DISCREPANCIES BETWEEN THE PERCENTAGES AND N SIZES IN THE ANNUAL ISR VOLUMES AND IN THE PUBLIC USE DATASETS. Typically, the variation is less than 1%.

In order to protect the confidentiality of responses and the identity of respondents, a number of alterations and omissions have been made in the original dataset to prepare it for public release. Three variables have been included to describe the respondent's general environment without identifying school or state. These are (1) region (Northeast, North Central, South, and West), (2) whether or not the school is located in a Metropolitan Statistical Area (MSA), and (3) whether or not the school is located in a Large MSA. Some questions have been eliminated altogether; others are collapsed to mask groups which are very small. The following table lists the question numbers and names of the variables which have been excluded from each twelfth grade dataset.

OMITTED VARIABLES:

All datasets	C01	R'S BIRTH YEAR
ATT UATASETS		NO DINTH LEAN

C02. R'S BIRTH MONTH

C07A-B. # OLDER BR/SR, # YOUNGER BR/SR

C07Ca,e-i. R'S HSHLD (other than mother/father/sibling)

C13A. R'S RELGS PRFNC

Form 1 D19. CURRENT HEIGHT

D20. CURRENT WEIGHT

Form 2 2A19P. ARRSTD&TKN 2 POL Form 5 5A21. CURRENT HEIGHT

5A22. CURRENT WEIGHT

RECODED VARIABLES:

Core dataset and Part C section of individual forms

AGE <> 18 DICHOTOMY

1=younger than 18 years old,

2=18 years old or more

-9=missing data on birth year, or birth month if it is required

Derived from Q.C01 (Birth Year), and, if needed, Q.C02 (Birth Month), and the month that the questionnaire was administered. If the birth year value indicates that the respondent is 18, then the month of administration is compared to the month of birth. If the questionnaire was given before the month of birth, or if both were the same month, then the respondent is determined to be younger than 18.

C04. R'S RACE B/W/H -- changed in 2005 from the B/W dichotomy

1=BLACK 2=WHITE 3=HISPANIC, -9=All Other Codes, multiple responses, and missing data on Q. C04.

For 2006, each of the questionnaire forms contains the new version of the race question which was introduced on half of the forms in 2005. The new version lists several different response options and prompts the respondents to select all that apply to them. In cases where a respondent selected options which fell into more than one of the three recoded categories (Black, White, Hispanic), the value for the recoded variable was deleted and defined as missing.

C07A. R'S # SIBLINGS

Responses to questions C07A-B were combined and bracketed before original data were deleted (see above)

0=None, 1=1 sibling, 2=2 siblings, 3=3 or more siblings

C07Cb-d. R'S HSHLD FATHER, MOTHER, SIBLING

0=marked, 1=not marked, -9=none of the three items marked

C29a-c. # TCKTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

C31a-c. # ACDTS AFT [DRNK, MARJ, OTDG]

0=None, 1=One, 2=Two, 3=Three or More

Core dataset (Part B)

*B10a-c: #X COKE [LIFETIME, LAST12MO, LAST30DA]

Data from forms 3, 4, and 6 are combined responses to separate questions concerning "crack" and "cocaine in any other form".

*B15a-c: #X "H" [LIFETIME, LAST12MO, LAST30DA]

Data from forms 2, 5, and 6 are combined responses to separate questions concerning heroin "using a needle" and heroin "WITHOUT using a needle".

Form 6

A10. EVER HELD BACK 1=No, 2=Yes

A11. NEED SUMMER SCHL 1=No, 2=Yes

A12. EVER SUSPENDED 1=No, 2=Yes

MISSING DATA FOR WESTERN REGION:

To ensure confidentiality of both respondents and their respective schools, some variables values from Schools in the Western region were changed to missing data (coded -9):

All datasets	C13B R'ATTND REL SVC
	C13C RLGN IMP R'S LF
Form 2	2A19A FRQ FIGHT PARNTS
Form 4	4A15A FEW GD MAR, ? IT
	4A15B GD LIV TG BF MRG
	4A15C 1 PRTNR=RSTRCTVE
Form 5	5A18I FAM BUYS THG -ND
	5A18J FULLR LVS IF MRY
	5A18N HSB MAK IMP DCSN
Form 6	6A08A #X PRNT CHK HMWK
	6A08B #X PRNT HLP HMWK
	6A08C #X PRNT GV CHORE
	6A08D #X PRNT LIMIT TV
	6A08E #X PRNT LMT OUT

QUESTIONNAIRE FORM 1 PROCESSING: The form 1 questionnaire contains many more specific drug related questions in Part B than do the other questionnaire forms. In the form 1 dataset, copies of the "core" or common drug prevalence variables are created and then processed so that their data will be comparable to that of the other forms. Data from the core versions are then copied to the grade 12 core dataset; the form 1 dataset retains both versions. The primary difference between the copies is that, for the core versions, nonuse is inferred from the respondents' adherence to the skip instructions (the other forms do not include the same instructions).

REVISED QUESTION TEXT FOR THE CORE DATASET

For the core dataset only, additional text was added to particular questions that were part of a series. The initial question in the series contains text not repeated on subsequent questions within that series. This additional text is meant to clarify and provide detail about the question to the respondent. To help improve the clarity of subsequent questions within the series this

additional text has been repeated on each question. This repeating text is identical to what was stated on the questionnaire for the first question in that series. It has been designated by being placed into {braces} to be distinguishable from text that actually appeared in the questionnaire. No modifications were made to the question text for any of the other parts.

FREQUENCIES

FILE

CASEID

CASE IDENTIFICATION NUMBER

2,458 cases (Wtd) (Range of valid codes: 1-2460)

Data type: numeric Columns: 1-4

V1

YEAR OF ADMIN (4-DIGITS)

Item Number:

Question Number(s):

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,458 2006 ---- 100.0 100.0 2,458 cases (Wtd)

Data type: numeric

Columns: 5-8

V3

062 :FORM ID

Item Number:

Question Number(s):

PCT PCT N VALUE LABEL VALID ALL 100.0 100.0 2,458 2 ---- 100.0 100.0 2,458 cases (Wtd)

Data type: numeric Columns: 9-10

 $\nabla 4$ 062 :R'S ID-SERIAL #

Item Number:

Question Number(s):

2,458 cases (Wtd) (Range of valid codes: 20001-22460)

Data type: numeric Columns: 11-15

V5 SAMPLING WEIGHT

Item Number:

Question Number(s):

2,458 cases (Wtd) (Range of valid codes: 0.1813-4.7288)

Data type: numeric Decimals: 4 Columns: 16-21

V13 062 :SCHL RGN-4 CAT

Item Number:

Question Number(s): Region of the country, based on Census categories, in which respondent's school is located. 1=Northeast 2=North Central 3=South

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	17.9	441	1	NE:(1)
24.7	24.7	607	2	NC:(2)
36.2	36.2	889	3	S:(3)
21.2	21.2	521	4	W:(4)
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Columns: 22-23

V16 062 :SELF-REP/NOT = 0

Item Number:

Question Number(s): Self-representing Metropolitan Statistical Area: one of the 24 largest Metropolitan Statistical Areas (MSAs) as defined for the US Census. 0=Not Self-Representing MSA 1=Self-Representing MSA

Data type: numeric Columns: 24-25

V17 062 :SMSA/NON-SMSA = 0

Item Number:

Question Number(s): SMSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Known as "Standard Metropolitan Statistical Area" in the 1970 census.) 0=Not MSA 1=MSA

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	23.1	568	0	Non-MSA:(0)
76.9	76.9	1,890	1	MSA:(1)
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Columns: 26-27

V2208 062A01 :VRY HPY THS DAYS

Item Number: 01190

Question Number(s): 2A01 Taking all things together, how would you say things are these days--would you say you're very happy, pretty happy, or not too happy these days?

3="Very happy" 2="Pretty happy" 1="Not too happy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.8	265	1	NT HAPPY:(1)
66.3	62.8	1,544	2	PRTY HPY:(2)
22.3	21.2	520	3	VRY HPY:(3)
	5.2	128	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 28-29

V2209 062A02A:DALY WATCH TV

Item Number: 05820

Question Number(s): 2A02A The next questions ask about the kinds of things you might do. How often do you do each of the following? A: Watch TV

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	20	1	NEVER: (1)
1.9	1.9	48	2	FEW /YR:(2)
4.8	4.8	117	3	1-2 / MO: (3)
25.9	25.7	632	4	1 /WK:(4)
66.6	66.2	1,627	5	NR DAILY:(5)
	0.6	14	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 30-31

V2210 062A02B:DALY GO TO MOVIE

Item Number: 05830

Question Number(s): 2A02B How often do you do each of the

following? B: Go to movies

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	45	1	NEVER: (1)
36.5	36.4	894	2	FEW /YR:(2)
53.9	53.7	1,320	3	1-2 / MO: (3)
7.2	7.2	177	4	1 /WK:(4)
0.5	0.5	11	5	NR DAILY:(5)
	0.4	11	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 32-33

V2432 062A02C:DALY MUSIC CNCRT

Item Number: 05846

Question Number(s): 2A02C How often do you do each of the

following? C: Go to music concerts

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	38.6	948	1	NEVER: (1)
51.8	51.3	1,262	2	FEW /YR:(2)
7.5	7.5	183	3	1-2 / MO: (3)
1.4	1.4	35	4	1 /WK:(4)
0.3	0.3	7	5	NR DAILY:(5)
	0.9	22	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 34-35

V2212 062A02D:DALY RIDE FORFUN

Item Number: 05850

Question Number(s): 2A02D How often do you do each of the following? D: Ride around in a car (or motorcycle) just for

fun

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.8	290	1	NEVER: (1)
10.9	10.9	267	2	FEW /YR:(2)
15.3	15.2	373	3	1-2 / MO:(3)
28.3	28.2	692	4	1 /WK:(4)
33.6	33.4	822	5	NR DAILY:(5)
	0.6	14	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 36-37

V2213 062A02E:DALY CMNTY AFFRS

Item Number: 05860

Question Number(s): 2A02E How often do you do each of the following? E: Participate in community affairs or volunteer

work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	26.0	639	1	NEVER: (1)
41.2	40.9	1,006	2	FEW /YR:(2)
19.2	19.1	468	3	1-2 / MO:(3)
10.8	10.7	264	4	1 /WK:(4)
2.7	2.7	67	5	NR DAILY:(5)
	0.5	13	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 38-39

V2214 062A02F:DALY PLA MSC,SNG

Item Number: 05870

Question Number(s): 2A02F How often do you do each of the

following? F: Play a musical instrument or sing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	40.2	988	1	NEVER: (1)
9.6	9.5	233	2	FEW /YR:(2)
4.8	4.8	118	3	1-2 / MO: (3)
10.1	10.0	247	4	1 /WK:(4)
35.0	34.8	855	5	NR DAILY:(5)
	0.7	17	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 40-41

V2215 062A02G:DALY CREAT WRTNG

Item Number: 05880

Question Number(s): 2A02G How often do you do each of the

following? G: Do creative writing

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	38.3	941	1	NEVER: (1)
24.3	24.1	594	2	FEW /YR:(2)
19.1	19.0	466	3	1-2 / MO: (3)
10.8	10.7	264	4	1 /WK:(4)
7.3	7.2	178	5	NR DAILY:(5)
	0.6	16	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 42-43

V2216 062A02H:DALY ACTV SPORTS

Item Number: 05890

Question Number(s): 2A02H How often do you do each of the following? H: Actively participate in sports, athletics or

exercising

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	222	1	NEVER: (1)
10.7	10.7	262	2	FEW /YR:(2)
12.9	12.8	315	3	1-2 / MO: (3)
25.4	25.3	622	4	1 /WK:(4)
41.8	41.6	1,022	5	NR DAILY: (5)
	0.6	15	-9	MISSING
100 0	100 0	2 4 5 0	/	T.T = ~ 1 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 44-45

V2217 062A02I:DALY ART/CRAFTS

Item Number: 05900

Question Number(s): 2A02I How often do you do each of the

following? I: Do art or craft work

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	28.2	694	1	NEVER: (1)
25.0	24.8	610	2	FEW /YR:(2)
19.5	19.4	476	3	1-2 / MO: (3)
13.5	13.4	329	4	1 /WK:(4)
13.6	13.5	332	5	NR DAILY:(5)
	0.7	16	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 46-47

V2218 062A02J:DALY WRK HSE,CAR

Item Number: 05910

Question Number(s): 2A02J How often do you do each of the following? J: Work around the house, yard, garden, car, etc.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	137	1	NEVER: (1)
9.8	9.7	239	2	FEW /YR:(2)
22.3	22.2	546	3	1-2 / MO: (3)
36.7	36.5	896	4	1 /WK:(4)
25.6	25.5	626	5	NR DAILY:(5)
	0.6	14	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 48-49

V2219 062A02K:DALY VIST W/FRDS

Item Number: 05920

Question Number(s): 2A02K How often do you do each of the

following? K: Get together with friends informally

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	28	1	NEVER: (1)
3.7	3.7	91	2	FEW /YR:(2)
11.0	10.9	269	3	1-2 / MO: (3)
39.9	39.5	972	4	1 /WK:(4)
44.2	43.9	1,079	5	NR DAILY:(5)
	0.8	20	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 50-51

V2521 062A02L:DALY GO TO MALL

Item Number: 05935

Question Number(s): 2A02L How often do you do each of the

following? L: Go to a shopping mall.

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	78	1	NEVER: (1)
20.2	20.0	492	2	FEW /YR:(2)
50.4	50.1	1,230	3	1-2 / MO: (3)
23.0	22.9	562	4	1 /WK:(4)
3.2	3.2	78	5	NR DAILY:(5)
	0.8	18	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 52-53

V2221 062A02M:DALY ALONE LEISR

Item Number: 05940

Question Number(s): 2A02M How often do you do each of the following? M: Spend at least an hour of leisure time alone

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	155	1	NEVER: (1)
5.1	5.0	123	2	FEW /YR:(2)
13.2	13.0	321	3	1-2 / MO: (3)
31.5	31.2	767	4	1 /WK:(4)
43.9	43.6	1,071	5	NR DAILY:(5)
	0.9	21	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 54-55

V2222 062A02N:DALY READ BK, MAG

Item Number: 05950

Question Number(s): 2A02N How often do you do each of the

following? N: Read books, magazines, or newspapers

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	137	1	NEVER: (1)
8.1	8.1	198	2	FEW /YR:(2)
20.4	20.2	498	3	1-2 / MO: (3)
32.8	32.6	801	4	1 /WK:(4)
33.1	32.9	810	5	NR DAILY:(5)
	0.6	15	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 56-57

V2223 062A02O:DALY GO TO BARS

Item Number: 05960

Question Number(s): 2A020 How often do you do each of the

following? O: Go to taverns, bars or nightclubs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	54.2	1,333	1	NEVER: (1)
20.4	20.3	498	2	FEW /YR:(2)
15.8	15.7	386	3	1-2 / MO: (3)
6.8	6.8	167	4	1 /WK:(4)
2.4	2.4	59	5	NR DAILY:(5)
	0.6	15	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 58-59

V2224 062A02P:DALY GO TO PARTY

Item Number: 05970

Question Number(s): 2A02P How often do you do each of the

following? P: Go to parties or other social affairs

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	213	1	NEVER: (1)
23.6	23.4	575	2	FEW /YR:(2)
32.9	32.7	805	3	1-2 / MO: (3)
30.3	30.1	741	4	1 /WK:(4)
4.5	4.4	109	5	NR DAILY:(5)
	0.6	15	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 60-61

V2509 062A02Q:DALY GO VID ARC

Item Number: 29620

Question Number(s): 2A02Q How often do you do each of the

following? Q: Go to video arcades

5="Almost every day" 4="At least once a week" 3="Once or twice a month" 2="A few times a year" 1="Never" $\frac{1}{2}$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.6	62.2	1,530	1	NEVER: (1)
27.5	27.4	673	2	FEW /YR:(2)
6.8	6.7	165	3	1-2/MO:(3)
2.0	2.0	50	4	1 /WK:(4)
1.1	1.1	26	5	NR DAILY:(5)
	0.5	14	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 62-63

V2225 062A03A:US 2 MUCH PROFIT

Item Number: 05990

Question Number(s): 2A03A How much do you agree or disagree with each of the following statements? A: In the United States, we put too much emphasis on making profits and not enough on human well-being

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.1	101	1	DISAGREE: (1)
7.8	7.8	191	2	MOST DIS:(2)
22.1	21.9	538	3	NEITHER:(3)
42.9	42.5	1,044	4	MOST AGR: (4)
23.1	22.8	562	5	AGREE: (5)
	1.0	24	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 64-65

V2226 062A03B:2MUCH CNCRN MTRL

Item Number: 06000

Question Number(s): 2A03B How much do you agree or disagree with each of the following statements? B: People are too much concerned with material things these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	64	1	DISAGREE:(1)
4.5	4.5	111	2	MOST DIS:(2)
8.7	8.7	213	3	NEITHER:(3)
37.4	37.1	912	4	MOST AGR: (4)
46.7	46.3	1,137	5	AGREE: (5)
	0.9	22	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 66-67

V2227 062A03C:ENCOURG PPL BUY>

Item Number: 06010

Question Number(s): 2A03C How much do you agree or disagree with each of the following statements? C: Since it helps the economy to grow, people should be encouraged to buy more

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.1	273	1	DISAGREE: (1)
22.5	22.2	546	2	MOST DIS:(2)
38.6	38.1	937	3	NEITHER: (3)
20.6	20.3	500	4	MOST AGR: (4)
7.0	6.9	169	5	AGREE: (5)
	1.3	32	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 68-69

V2228 062A03D:-WRNG ADVERTISNG

Item Number: 06020

Question Number(s): 2A03D How much do you agree or disagree with each of the following statements? D: There is nothing wrong with advertising that gets people to buy things they don't really need

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	17.9	440	1	DISAGREE: (1)
23.2	22.9	564	2	MOST DIS:(2)
23.9	23.7	582	3	NEITHER:(3)
19.5	19.3	475	4	MOST AGR: (4)
15.2	15.0	369	5	AGREE: (5)
	1.2	28	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 70-71

V2229 062A03E:MOR SHORTGS FUTR

Item Number: 06030

Question Number(s): 2A03E How much do you agree or disagree with each of the following statements? E: will probably be more shortages in the future, so Americans will have to learn how to be happy with fewer "things"

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.1	199	1	DISAGREE: (1)
11.8	11.7	287	2	MOST DIS:(2)
26.0	25.7	631	3	NEITHER:(3)
28.7	28.4	697	4	MOST AGR: (4)
25.4	25.2	618	5	AGREE: (5)
	1.1	26	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 72-73

V2468 062A04A:RSK OF CIG1+PK/D

Item Number: 12360

Question Number(s): 2A04A The next questions ask for your opinions on the effects of using certain drugs and other substances. How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Smoke one or more packs of cigarettes per day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	64	1	NO RISK:(1)
3.6	3.5	87	2	SLIGHT:(2)
14.5	14.4	353	3	MOD RISK:(3)
76.8	76.1	1,872	4	GRT RISK:(4)
2.5	2.5	61	5	CANT SAY: (5)
	0.9	21	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 74-75

V2469 062A04B:RSK OF MJ 1-2 X

Item Number: 12370

Question Number(s): 2A04B How much do you think people risk harming themselves (physically or in other ways), if

they . . . B: Try marijuana once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	30.8	758	1	NO RISK:(1)
33.4	33.1	813	2	SLIGHT:(2)
16.8	16.7	410	3	MOD RISK:(3)
14.6	14.5	356	4	GRT RISK:(4)
4.0	4.0	97	5	CANT SAY: (5)
	1.0	24	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 76-77

V2470 062A04C:RSK OF MJ OCSNLY

Item Number: 12380

Question Number(s): 2A04C How much do you think people risk harming themselves (physically or in other ways), if

they . . . C: Smoke marijuana occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	12.4	305	1	NO RISK:(1)
23.8	23.6	579	2	SLIGHT:(2)
32.2	31.8	782	3	MOD RISK:(3)
27.2	26.8	660	4	GRT RISK:(4)
4.3	4.2	104	5	CANT SAY: (5)
	1.1	28	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 78-79

V2471 062A04D:RSK OF MJ REGLY

Item Number: 12390

Question Number(s): 2A04D How much do you think people risk harming themselves (physically or in other ways), if

they . . . D: Smoke marijuana regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.3	155	1	NO RISK:(1)
10.5	10.3	254	2	SLIGHT:(2)
20.4	20.0	493	3	MOD RISK:(3)
58.5	57.6	1,416	4	<pre>GRT RISK:(4)</pre>
4.2	4.1	102	5	CANT SAY: (5)
	1.6	40	-9	MISSING
100 0	100 0	2 450	a2a2a	/ W+d)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 80-81

V2472 062A04E:RSK OF 1-2 DRINK

Item Number: 12510

Question Number(s): 2A04E How much do you think people risk harming themselves (physically or in other ways), if they . . . E: Try one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	41.1	1,009	1	NO RISK:(1)
36.8	36.4	895	2	SLIGHT:(2)
12.4	12.2	301	3	MOD RISK:(3)
7.3	7.2	178	4	GRT RISK:(4)
2.0	2.0	48	5	CANT SAY: (5)
	1.1	26	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 82-83

V2473 062A04F:RSK OF 1-2 DR/DA

Item Number: 12520

Question Number(s): 2A04F How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Take one or two drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.4	208	1	NO RISK:(1)
22.3	22.1	542	2	SLIGHT:(2)
36.3	35.9	882	3	MOD RISK:(3)
30.4	30.0	738	4	GRT RISK:(4)
2.4	2.4	58	5	CANT SAY: (5)
	1.2	29	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 84-85

V2474 062A04G:RSK OF 4-5 DR/DA

Item Number: 12530

Question Number(s): 2A04G How much do you think people risk harming themselves (physically or in other ways), if they . . . G: Take four or five drinks nearly every day

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.2	104	1	NO RISK:(1)
5.3	5.3	129	2	SLIGHT:(2)
17.0	16.8	414	3	MOD RISK:(3)
70.7	70.0	1,721	4	GRT RISK:(4)
2.7	2.6	65	5	CANT SAY: (5)
	1.0	25	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

_ . . .

Data type: numeric Missing-data code: -9

Columns: 86-87

V2475 062A04H:RSK OF 5+DR/WKND

Item Number: 12540

Question Number(s): 2A04H How much do you think people risk harming themselves (physically or in other ways), if they. . . H: Have five or more drinks once or twice each weekend

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.0	173	1	NO RISK:(1)
13.4	13.3	326	2	SLIGHT:(2)
28.1	27.8	684	3	MOD RISK:(3)
48.9	48.4	1,190	4	GRT RISK:(4)
2.5	2.5	61	5	CANT SAY: (5)
	1.0	25	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 88-89

V2238 062A05 :DFNTLY PRFR MATE

Item Number: 06120

Question Number(s): 2A05 Do you think that you would prefer having a mate for most of your life, or would you prefer not having a mate?

5="Definitely prefer to have a mate" 4="Probably prefer to have a mate" 3="Not sure" 2="Probably prefer not to have a mate" 1="Definitely prefer not to have a mate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	DEF NOT: (1)
2.2	2.2	54	2	PROB NOT: (2)
9.2	9.1	224	3	NOT SURE: (3)
22.7	22.6	555	4	PROBABLY: (4)
65.5	65.0	1,597	5	DEFINTLY: (5)
	0.8	19	-9	MISSING
100 0	1000	0 4 5 0	,	TT. 7\

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 90-91

V2239 062A06 :THINK WILL MARRY

Item Number: 06130

Question Number(s): 2A06 Which do you think you are most

likely to choose in the long run?

3="Getting married" 2="I have no idea" 1="Not getting married" 8="Am already married"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.7	92	1	NT MARRY:(1)
15.2	14.6	360	2	NO IDEA:(2)
80.7	77.8	1,912	3	MARRY: (3)
0.2	0.2	5	8	MARRIED:(8)
	3.6	89	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 92-93

V2240 062A07A:LIKLY STAY MARRD

Item Number: 06140

Question Number(s): 2A07A If you did get married (or are married) . . . A: How likely do you think it is that you would stay married to the same person for life?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	22	1	V UNLKLY: (1)
1.4	1.3	31	2	FRLY UNL:(2)
13.7	12.7	312	3	UNCERTN: (3)
25.8	23.9	587	4	FRLY LIK: (4)
58.2	54.0	1,326	5	VY LIKLY:(5)
	7.3	179	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 94-95

V2241 062A07B:LIKLY HAVE KIDS

Item Number: 06150

Question Number(s): 2A07B If you did get married (or are married) . . . B: How likely is it that you would want to

have children?

5="Very likely" 4="Fairly likely" 3="Uncertain" 2="Fairly unlikely" 1="Very unlikely" 8="Already have child(ren)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.0	73	1	V UNLKLY: (1)
3.3	3.1	77	2	FRLY UNL:(2)
11.5	10.8	266	3	UNCERTN: (3)
19.0	17.9	439	4	FRLY LIK:(4)
61.6	57.8	1,422	5	VY LIKLY:(5)
1.4	1.3	32	8	HAVE KID: (8)
	6.0	149	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 96-97

V2242 062A08A:-CHL,HB WK1.,W=0

Item Number: 06160

Question Number(s): 2A08A Imagine you are married and have no children. How would you feel about each of the following working arrangements? A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.2	817	1	NT ACCEP:(1)
33.1	32.6	802	2	SM ACCEP:(2)
26.6	26.2	644	3	ACCEPTBL:(3)
6.6	6.5	159	4	DESIRABL:(4)
	1.4	35	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 98-99

V2243 062A08B:-CHL,HB WK1.,W.5

Item Number: 06170

Question Number(s): 2A08B Imagine you are married and have no children. How would you feel about each of the following working arrangements? B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	129	1	NT ACCEP:(1)
26.0	25.7	631	2	SM ACCEP:(2)
57.1	56.4	1,386	3	ACCEPTBL:(3)
11.5	11.4	280	4	DESIRABL:(4)
	1.3	31	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 100-101

V2244 062A08C:-CHL, HB&WF WK 1.

Item Number: 06180

Question Number(s): 2A08C Imagine you are married and have no children. How would you feel about each of the following working arrangements? C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.2	227	1	NT ACCEP:(1)
15.3	15.0	369	2	SM ACCEP:(2)
49.5	48.5	1,192	3	ACCEPTBL: (3)
25.7	25.2	619	4	DESIRABL:(4)
	2.1	51	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 102-103

V2245 062A08D:-CHL, HB&WF WK .5

Item Number: 06190

Question Number(s): 2A08D Imagine you are married and have no children. How would you feel about each of the following working arrangements? D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	24.8	610	1	NT ACCEP:(1)
35.0	34.1	839	2	SM ACCEP:(2)
28.5	27.9	685	3	ACCEPTBL:(3)
11.1	10.8	266	4	DESIRABL:(4)
	2.3	57	-9	MISSING
1000	1000	0 450	,	7\

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 104-105

V2246 062A08E:-CHL,W WK 1.,H.5

Item Number: 06200

Question Number(s): 2A08E Imagine you are married and have no children. How would you feel about each of the following working arrangements? E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	38.1	936	1	NT ACCEP:(1)
32.9	32.3	795	2	SM ACCEP:(2)
24.6	24.2	596	3	ACCEPTBL:(3)
3.8	3.7	91	4	DESIRABL:(4)
	1.6	41	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 106-107

V2247 062A08F:-CHL,W WK 1.,H=0

Item Number: 06210

Question Number(s): 2A08F Imagine you are married and have no children. How would you feel about each of the following working arrangements? F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	72.6	1,785	1	NT ACCEP:(1)
14.3	14.0	345	2	SM ACCEP:(2)
8.3	8.1	200	3	ACCEPTBL:(3)
3.5	3.4	84	4	DESIRABL:(4)
	1.8	44	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 108-109

V2248 062A09A:PSCH,HB WK1.,W=0

Item Number: 06220

Question Number(s): 2A09A Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? A: Husband works full-time, wife doesn't work

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	14.0	344	1	NT ACCEP:(1)
24.1	23.7	583	2	SM ACCEP:(2)
38.1	37.5	922	3	ACCEPTBL:(3)
23.6	23.3	572	4	DESIRABL:(4)
	1.5	37	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 110-111

V2249 062A09B:PSCH,HB WK1.,W.5

Item Number: 06230

Question Number(s): 2A09B Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? B: Husband works full-time, wife works about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	124	1	NT ACCEP:(1)
26.3	25.9	637	2	SM ACCEP:(2)
53.1	52.3	1,286	3	ACCEPTBL:(3)
15.5	15.3	375	4	DESIRABL:(4)
	1.4	35	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 112-113

V2250 062A09C:PSCH,HB&WF WK 1.

Item Number: 06240

Question Number(s): 2A09C Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? C: Both work full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	42.6	1,047	1	NT ACCEP:(1)
26.3	25.8	635	2	SM ACCEP:(2)
21.3	20.9	514	3	ACCEPTBL:(3)
9.2	9.0	222	4	DESIRABL:(4)
	1.6	40	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 114-115

V2251 062A09D:PSCH,HB&WF WK .5

Item Number: 06250

Question Number(s): 2A09D Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? D: Both work about half-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	25.8	633	1	NT ACCEP:(1)
36.0	35.3	867	2	SM ACCEP:(2)
29.0	28.4	699	3	ACCEPTBL:(3)
8.8	8.6	211	4	DESIRABL:(4)
	1.9	47	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 116-117

V2252 062A09E:PSCH,WF WK1.,H.5

Item Number: 06260

Question Number(s): 2A09E Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? E: Husband works about half-time, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	N	VALUE	LABEL
ALL			
39.6	973	1	NT ACCEP:(1)
33.0	812	2	SM ACCEP:(2)
22.2	547	3	ACCEPTBL:(3)
3.5	85	4	DESIRABL: (4)
1.7	41	-9	MISSING
100.0	2,458	cases	(Wtd)
	ALL 39.6 33.0 22.2 3.5 1.7	ALL 39.6 973 33.0 812 22.2 547 3.5 85 1.7 41	ALL 39.6 973 1 33.0 812 2 22.2 547 3 3.5 85 4 1.7 41 -9

Data type: numeric Missing-data code: -9

Columns: 118-119

V2253 062A09F:PSCH,WF WK1.,H=0

Item Number: 06270

Question Number(s): 2A09F Imagine you are married and have one or more pre-school children. How would you feel about each of the following working arrangements? F: Husband doesn't work, wife works full-time

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	59.9	1,473	1	NT ACCEP:(1)
18.3	18.0	442	2	SM ACCEP:(2)
14.9	14.6	359	3	ACCEPTBL:(3)
5.8	5.7	141	4	DESIRABL:(4)
	1.7	43	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 120-121

V2254 062A10A:H WK,W -WK,W CCR

Item Number: 06280

Question Number(s): 2A10A Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? A: Wife does all child care

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	31.9	785	1	NT ACCEP:(1)
29.8	29.3	720	2	SM ACCEP:(2)
26.4	26.0	638	3	ACCEPTBL:(3)
11.3	11.1	274	4	DESIRABL:(4)
	1.7	42	-9	MISSING
100.0	100.0	2,458	cases ((Wtd)

Data type: numeric Missing-data code: -9

Columns: 122-123

V2255 062A10B:H WK,W -WK,W>CCR

Item Number: 06290

Question Number(s): 2A10B Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? B: Wife does most of it

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.7	287	1	NT ACCEP:(1)
31.5	31.0	762	2	SM ACCEP:(2)
43.5	42.8	1,052	3	ACCEPTBL:(3)
13.2	13.0	318	4	DESIRABL:(4)
	1.6	39	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 124-125

V2256 062A10C:H WK,W -WK,=CHCR

Item Number: 06300

Question Number(s): 2A10C Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? C: Both do it equally

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	80	1	NT ACCEP:(1)
13.5	13.3	326	2	SM ACCEP:(2)
38.9	38.2	938	3	ACCEPTBL:(3)
44.3	43.5	1,070	4	DESIRABL:(4)
	1.8	44	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 126-127

V2257 062A10D:H WK,W -WK,H>CCR

Item Number: 06310

Question Number(s): 2A10D Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? D: Husband does most of it

1="Not at all acceptable" 2="Somewhat acceptable" 3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	37.9	932	1	NT ACCEP:(1)
43.4	42.7	1,049	2	SM ACCEP:(2)
16.0	15.7	387	3	ACCEPTBL:(3)
2.1	2.1	52	4	DESIRABL:(4)
	1.6	39	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 128-129

V2258 062A10E:H WK,W -WK,H CCR

Item Number: 06320

Question Number(s): 2A10E Imagine you are married and have one or more pre-school children. Imagine also that the husband is working full-time and the wife does not have a job outside the home. How would you feel about each of these arrangements for the day-to-day care of the child(ren)? E: Husband does all of it

1="Not at all acceptable" 2="Somewhat acceptable"
3="Acceptable" 4="Desirable"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	74.4	1,829	1	NT ACCEP:(1)
15.9	15.6	384	2	SM ACCEP:(2)
6.0	5.9	144	3	ACCEPTBL:(3)
2.5	2.4	60	4	DESIRABL:(4)
	1.7	41	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 130-131

V2259 062A11 :INTEREST IN GOVT

Item Number: 06330

Question Number(s): 2All Some people think about what's going on in government very often, and others are not that interested. How much of an interest do you take in government and current events?

1="No interest at all" 2="Very little interest" 3="Some interest" 4="A lot of interest" 5="A very great interest"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.6	211	1	NO INTRS:(1)
20.3	20.1	493	2	LIT INTR:(2)
44.5	43.9	1,078	3	SOM INTR:(3)
18.4	18.1	446	4	LOT INTR: (4)
8.1	8.0	196	5	VGRT INT:(5)
	1.4	33	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 132-133

V2260 062A12 :GOVT PPL -DSHNST

Item Number: 06340

Question Number(s): 2A12 Do you think some of the people

running the government are crooked or dishonest?

1="Most of them are crooked or dishonest" 2="Quite a few are" 3="Some are" 4="Hardly any are" 5="None at all are crooked or dishonest"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	21.2	522	1	MOST CRK:(1)
34.9	34.5	847	2	QT A FEW: (2)
38.5	37.9	933	3	SOME: (3)
4.4	4.3	106	4	HDLY ANY: (4)
0.7	0.7	18	5	NONE@ALL:(5)
	1.3	32	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 134-135

V2261 062A13 :GOVT DSNT WASTE\$

Item Number: 06350

Question Number(s): 2A13 Do you think the government

wastes much of the money we pay in taxes?

1="Nearly all tax money is wasted" 2="A lot of tax money is wasted" 3="Some tax money is wasted" 4="A little tax money is wasted" 5="No tax money is wasted"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.1	272	1	NRLY ALL:(1)
45.4	44.6	1,095	2	A LOT:(2)
34.5	33.9	834	3	SOME: (3)
7.5	7.4	181	4	A LITTLE:(4)
1.3	1.3	32	5	NO WASTE: (5)
	1.8	44	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 136-137

V2262 062A14 :NEVER TRUST GOVT

Item Number: 06360

Question Number(s): 2A14 How much of the time do you think you can trust the government in Washington to do what is

right?

1="Almost always" 2="Often" 3="Sometimes" 4="Seldom" 5="Never"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	131	1	ALWYS TR:(1)
29.7	29.3	719	2	OFTEN: (2)
44.0	43.3	1,064	3	SOMETIME: (3)
15.7	15.4	379	4	SELDOM: (4)
5.2	5.1	126	5	NEVER: (5)
	1.6	39	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 138-139

V2263 062A15 :GVT PPL DK DOING

Item Number: 06370

Question Number(s): 2A15 Do you feel that the people running the government are smart people who usually know what they are doing?

1="They almost always know what they are doing" 2="They usually know what they are doing "3="They sometimes know what they are doing" 4="They seldom know what they are doing" 5="They never know what they are doing"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.6	211	1	ALWYS KN:(1)
44.5	43.7	1,075	2	USUALLY: (2)
34.4	33.8	831	3	SOMETIME: (3)
9.4	9.3	228	4	SELDOM: (4)
3.0	2.9	72	5	NEVER: (5)
	1.7	42	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 140-141

V2264 062A16 :GOVT RUN FOR PPL

Item Number: 06380

Question Number(s): 2A16 Would you say the government is pretty much run for a few big interests looking out for themselves, or is it run for the benefit of all the people?

1="Nearly always run for a few big interests" 2="Usually run for a few big interests" 3="Run some for the big interests, some for the people" 4="Usually run for the benefit of all the people" 5="Nearly always run for the benefit of all the people"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.5	307	1	ALWS FEW: (1)
25.0	24.5	601	2	USLY FEW: (2)
46.2	45.2	1,112	3	SOME: (3)
13.3	13.1	321	4	USLY ALL: (4)
2.8	2.7	67	5	ALWS ALL:(5)
	2.0	50	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 142-143

V2265 062A17A:DO OR PLN VOTE

Item Number: 06390

Question Number(s): 2A17A Have you ever done, or do you plan to do, the following things? A: Vote in a public election

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.8	141	1	PRB WONT:(1)
9.1	8.9	220	2	DK: (2)
78.9	77.9	1,915	3	PRB WILL:(3)
6.2	6.1	150	4	HAV DONE: (4)
	1.3	32	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 144-145

V2266 062A17B:DO OR PLN WRITE

Item Number: 06400

Question Number(s): 2A17B Have you ever done, or do you plan to do, the following things? B: Write to public officials

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.5	824	1	PRB WONT:(1)
44.4	43.7	1,075	2	DK:(2)
12.4	12.2	301	3	PRB WILL:(3)
9.2	9.1	224	4	HAV DONE: (4)
	1.4	35	-9	MISSING
100 0	100 0	2 4 5 0	aaaa	/ ┗ + ₩ /

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 146-147

V2267 062A17C:DO OR PLN GIVE \$

Item Number: 06410

Question Number(s): 2A17C Have you ever done, or do you plan to do, the following things? C: Give money to a

political candidate or cause

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	44.1	1,083	1	PRB WONT:(1)
38.8	38.2	939	2	DK:(2)
14.4	14.2	349	3	PRB WILL:(3)
2.0	2.0	49	4	HAV DONE: (4)
	1.5	38	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 148-149

V2268 062A17D:DO OR PLN WK CPG

Item Number: 06420

Question Number(s): 2A17D Have you ever done, or do you plan to do, the following things? D: Work in a political campaign

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	59.8	1,471	1	PRB WONT:(1)
28.5	28.0	688	2	DK:(2)
7.1	7.0	171	3	PRB WILL:(3)
3.6	3.5	86	4	HAV DONE: (4)
	1.7	42	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 150-151

V2269 062A17E:DO OR PLN DEMNST

Item Number: 06430

Question Number(s): 2A17E Have you ever done, or do you plan to do, the following things? E: Participate in a lawful

demonstration

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	41.3	1,016	1	PRB WONT:(1)
39.2	38.5	947	2	DK:(2)
14.7	14.4	354	3	PRB WILL:(3)
4.1	4.0	99	4	HAV DONE: (4)
	1.7	42	-9	MISSING
100 0	100 0	2 4 5 0	aaaa	/ tu+ -3 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 152-153

V2270 062A17F:DO OR PLN BOYCOT

Item Number: 06440

Question Number(s): 2A17F Have you ever done, or do you plan to do, the following things? F: Boycott certain

products or stores

1="I probably won't do this" 2="I don't know" 3="I probably will do this" 4="I have already done this"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	36.6	901	1	PRB WONT:(1)
38.7	38.0	935	2	DK:(2)
15.1	14.9	366	3	PRB WILL:(3)
8.9	8.8	215	4	HAV DONE: (4)
	1.7	42	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 154-155

V2271 062A18A:US SHD DISARM

Item Number: 06450

Question Number(s): 2A18A How much do you agree or disagree with each of the following statements? A: The U.S. should begin a gradual program of disarming whether other countries do or not

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	27.7	682	1	DISAGREE: (1)
16.7	16.3	400	2	MOST DIS:(2)
37.0	36.0	886	3	NEITHER:(3)
12.6	12.2	301	4	MOST AGR: (4)
5.2	5.0	124	5	AGREE: (5)
	2.6	65	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 156-157

V2272 062A18B:US GO WAR FR OTH

Item Number: 05690

Question Number(s): 2A18B How much do you agree or disagree with each of the following statements? B: There may be times when the U.S. should go to war to protect the rights of other countries

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	11.2	275	1	DISAGREE: (1)
18.3	17.9	439	2	MOST DIS:(2)
21.6	21.1	518	3	NEITHER:(3)
31.5	30.8	757	4	MOST AGR: (4)
17.2	16.8	412	5	AGREE: (5)
	2.3	56	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 158-159

V2273 062A18C:US WAR PRTCT ECN

Item Number: 06460

Question Number(s): 2A18C How much do you agree or disagree with each of the following statements? C: The U.S. should be willing to go to war to protect its own economic interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.3	204	1	DISAGREE: (1)
14.3	13.9	343	2	MOST DIS:(2)
23.6	23.1	567	3	NEITHER:(3)
31.8	31.1	764	4	MOST AGR: (4)
21.8	21.2	522	5	AGREE: (5)
	2.4	59	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 160-161

V2274 062A18D:US ONLY WAR DFNS

Item Number: 06470

Question Number(s): 2A18D How much do you agree or disagree with each of the following statements? D: The only good reason for the U.S. to go to war is to defend against an attack on our own country

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.5	184	1	DISAGREE: (1)
13.5	13.2	324	2	MOST DIS:(2)
18.1	17.7	434	3	NEITHER:(3)
31.2	30.5	751	4	MOST AGR: (4)
29.6	28.9	711	5	AGREE: (5)
	2.2	53	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 162-163

V2275 062A18E:-US MIL PWR>USSR

Item Number: 06480

Question Number(s): 2A18E How much do you agree or disagree with each of the following statements? E: The U.S. does not need to have greater military power than Russia

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	24.5	601	1	DISAGREE: (1)
20.1	19.6	481	2	MOST DIS:(2)
35.5	34.5	849	3	NEITHER:(3)
11.3	11.0	270	4	MOST AGR: (4)
8.0	7.8	191	5	AGREE: (5)
	2.7	65	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 164-165

V2276 062A18F:US NEED>PWR OTHS

Item Number: 06490

Question Number(s): 2A18F How much do you agree or disagree with each of the following statements? F: The U.S. ought to have much more military power than any other nation in the world

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.3	230	1	DISAGREE: (1)
13.0	12.7	312	2	MOST DIS:(2)
33.6	32.8	806	3	NEITHER:(3)
18.9	18.5	455	4	MOST AGR: (4)
24.9	24.4	599	5	AGREE: (5)
	2.3	56	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 166-167

V2277 062A18G:US FRN PLCY NRRW

Item Number: 06500

Question Number(s): 2A18G How much do you agree or disagree with each of the following statements? G: Our present foreign policy is based on our own narrow economic and power interests

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
PCI	PCI	IN	VALUE	LABEL
VALID	\mathtt{ALL}			
4.9	4.8	117	1	DISAGREE:(1)
7.8	7.6	186	2	MOST DIS:(2)
48.4	47.1	1,159	3	NEITHER:(3)
23.9	23.3	573	4	MOST AGR: (4)
15.0	14.6	359	5	AGREE: (5)
	2.6	64	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 168-169

V2279 062A19A:FRQ FIGHT PARNTS

Item Number: 06520

Question Number(s): 2A19A This section deals with activities which may be against the rules or against the law. We hope you will answer all of these questions. However, if you find a question which you cannot answer honestly, we would prefer that you leave it blank. Remember, your answers will never be connected with your name. During the LAST 12 MONTHS, how often have you . . . A: Argued or had a fight with either of your parents

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" [Data from the Western Region intentionally obliterated.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	9.1	224	1	NOT @ALL:(1)
10.5	8.1	198	2	ONCE: (2)
14.1	10.9	267	3	TWICE:(3)
25.6	19.7	484	4	3-4TIMES:(4)
38.0	29.3	720	5	5+ TIMES:(5)
	23.0	565	-9	MISSING
100 0	100 0	0 450	/	T.T.L7 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 170-171

V2280 062A19B:FRQ HIT SUPRVISR

Item Number: 06530

Question Number(s): 2A19B During the LAST 12 MONTHS, how often have you . . . B: Hit an instructor or supervisor

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	94.9	2,332	1	NOT @ALL:(1)
1.3	1.3	32	2	ONCE: (2)
0.8	0.8	20	3	TWICE:(3)
0.3	0.3	8	4	3-4TIMES:(4)
0.4	0.4	9	5	5+ TIMES:(5)
	2.3	57	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 172-173

V2281 062A19C:FRQ FGT WRK/SCHL

Item Number: 06540

Question Number(s): 2A19C During the LAST 12 MONTHS, how often have you . . . C: Gotten into a serious fight in

school or at work

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	86.1	2,117	1	NOT @ALL:(1)
7.2	7.0	172	2	ONCE: (2)
2.4	2.3	58	3	TWICE:(3)
1.3	1.2	30	4	3-4TIMES: (4)
1.0	0.9	23	5	5+ TIMES:(5)
	2.4	58	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 174-175

V2282 062A19D:FRQ GANG FIGHT

Item Number: 06550

Question Number(s): 2A19D During the LAST 12 MONTHS, how often have you . . . D: Taken part in a fight where a

group of your friends were against another group

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	80.1	1,968	1	NOT @ALL:(1)
9.6	9.3	230	2	ONCE: (2)
4.8	4.7	115	3	TWICE:(3)
1.7	1.7	42	4	3-4TIMES:(4)
1.8	1.8	44	5	5+ TIMES:(5)
	2.4	60	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 176-177

V2283 062A19E:FRQ HURT SM1 BAD

Item Number: 06560

Question Number(s): 2A19E During the LAST 12 MONTHS, how often have you . . . E: Hurt someone badly enough to need bandages or a doctor

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	86.6	2,129	1	NOT @ALL:(1)
6.4	6.3	155	2	ONCE: (2)
2.1	2.1	51	3	TWICE:(3)
1.4	1.4	34	4	3-4TIMES: (4)
1.2	1.2	29	5	5+ TIMES:(5)
	2.5	61	-9	MISSING
100 0	100 0	2 4 5 0	/	7.74 - 21 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 178-179

V2284 062A19F:FRQ THREAT WEAPN

Item Number: 06570

Question Number(s): 2A19F During the LAST 12 MONTHS, how oftern have you . . . F: Used a knife or gun or some other

thing (like \bar{a} club) to get something from a person

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	94.0	2,310	1	NOT @ALL:(1)
1.7	1.6	40	2	ONCE: (2)
1.1	1.0	25	3	TWICE:(3)
0.3	0.3	8	4	3-4TIMES: (4)
0.6	0.6	14	5	5+ TIMES:(5)
	2.5	61	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 180-181

V2285 062A19G:FRQ STEAL <\$50

Item Number: 06580

Question Number(s): 2A19G During the LAST 12 MONTHS, how often have you . . . G: Taken something not belonging to

you worth under \$50

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	70.4	1,730	1	NOT @ALL:(1)
12.5	12.2	299	2	ONCE: (2)
6.3	6.1	151	3	TWICE:(3)
3.7	3.6	89	4	3-4TIMES:(4)
5.2	5.0	124	5	5+ TIMES:(5)
	2.7	66	-9	MISSING
100 0	100 0	2 450	anana /	' TuT ← ⊿ \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 182-183

V2286 062A19H:FRQ STEAL >\$50

Item Number: 06590

Question Number(s): 2A19H During the LAST 12 MONTHS, how often have you . . . H: Taken something not belonging to

you worth over \$50

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	87.3	2,145	1	NOT @ALL:(1)
5.5	5.3	131	2	ONCE: (2)
1.8	1.8	43	3	TWICE:(3)
1.1	1.1	27	4	3-4TIMES:(4)
2.0	2.0	49	5	5+ TIMES:(5)
	2.5	62	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 184-185

V2287 062A19I:FRQ SHOPLIFT

Item Number: 06600

without paying for it

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	72.3	1,776	1	NOT @ALL:(1)
10.7	10.4	256	2	ONCE: (2)
5.7	5.5	136	3	TWICE:(3)
4.0	3.9	95	4	3-4TIMES:(4)
5.3	5.2	128	5	5+ TIMES:(5)
	2.7	67	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 186-187

V2288 062A19J:FRQ CAR THEFT

Item Number: 06610

Question Number(s): 2A19J During the LAST 12 MONTHS, how often have you . . . J: Taken a car that didn't belong to someone in your family without permission of the owner

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	92.3	2,268	1	NOT @ALL:(1)
3.1	3.0	74	2	ONCE: (2)
1.1	1.1	28	3	TWICE:(3)
0.5	0.5	11	4	3-4TIMES: (4)
0.6	0.6	15	5	5+ TIMES:(5)
	2.5	62	-9	MISSING
4000	1000	0 4 5 0	,	7\

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 188-189

V2289 062A19K:FRQ STEAL CAR PT

Item Number: 06620

Question Number(s): 2A19K During the LAST 12 MONTHS, how often have you . . . K: Taken part of a car without

permission of the owner

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	93.3	2,294	1	NOT @ALL:(1)
2.5	2.4	60	2	ONCE: (2)
0.9	0.9	22	3	TWICE:(3)
0.4	0.4	10	4	3-4TIMES: (4)
0.5	0.5	13	5	5+ TIMES:(5)
	2.4	59	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 190-191

V2290 062A19L:FRQ TRESPAS BLDG

Item Number: 06630

Question Number(s): 2A19L During the LAST 12 MONTHS, how often have you . . . L: Gone into some house or building

when you weren't supposed to be there

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	73.1	1,798	1	NOT @ALL:(1)
11.8	11.5	284	2	ONCE: (2)
7.2	7.0	172	3	TWICE:(3)
3.1	3.1	75	4	3-4TIMES: (4)
2.8	2.7	67	5	5+ TIMES:(5)
	2.5	62	-9	MISSING
100 0	100 0	2 4 5 0	anana /	/ 5. + m

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 192-193

V2291 062A19M:FRQ ARSON

Item Number: 06640

Question Number(s): 2A19M During the LAST 12 MONTHS, how often have you . . . M: Set fire to someone's property on

purpose

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	94.6	2,325	1	NOT @ALL:(1)
1.5	1.4	35	2	ONCE: (2)
0.9	0.9	21	3	TWICE:(3)
0.4	0.4	10	4	3-4TIMES:(4)
0.4	0.3	8	5	5+ TIMES:(5)
	2.4	58	-9	MISSING
4000	4000		,	

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 194-195

V2292 062A19N:FRQ DMG SCH PPTY

Item Number: 06650

Question Number(s): 2A19N During the LAST 12 MONTHS, how often have you . . . N: Damaged school property on

purpose?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	85.5	2,101	1	NOT @ALL:(1)
5.9	5.7	141	2	ONCE: (2)
3.6	3.5	87	3	TWICE:(3)
1.2	1.2	29	4	3-4TIMES:(4)
1.3	1.3	31	5	5+ TIMES:(5)
	2.8	70	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 196-197

V2293 062A19O:FRQ DMG WK PRPTY

Item Number: 06660

Question Number(s): 2A190 During the LAST 12 MONTHS, how often have you . . . O: Damaged property at work on

purpose

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	92.1	2,263	1	NOT @ALL:(1)
2.7	2.6	65	2	ONCE: (2)
1.3	1.3	32	3	TWICE:(3)
0.6	0.6	15	4	3-4TIMES: (4)
0.9	0.9	22	5	5+ TIMES:(5)
	2.5	62	-9	MISSING
	4000			

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 198-199

V2295 062A20A:SM1 ROB YRS <\$50

Item Number: 06680

Question Number(s): 2A20A The next questions are about some things which may have happened TO YOU. During the LAST 12 MONTHS, how often . . . A. Has something of yours (worth under \$50) been stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	55.9	1,374	1	NOT @ALL:(1)
26.3	25.6	630	2	ONCE: (2)
9.2	9.0	220	3	TWICE:(3)
5.0	4.9	120	4	3-4TIMES: (4)
2.0	1.9	47	5	5+ TIMES:(5)
	2.7	67	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 200-201

V2296 062A20B:SM1 ROB YRS >\$50

Item Number: 06690

Question Number(s): 2A20B During the LAST 12 MONTHS, how often . . . B: Has something of yours (worth over \$50) been

stolen?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	71.9	1,768	1	NOT @ALL:(1)
18.1	17.6	433	2	ONCE: (2)
5.1	4.9	121	3	TWICE:(3)
2.0	2.0	49	4	3-4TIMES: (4)
0.7	0.7	17	5	5+ TIMES:(5)
	2.8	69	-9	MISSING
4000	4000			

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 202-203

V2297 062A20C:SM1 DMG YR PRPTY

Item Number: 06700

Question Number(s): 2A20C During the LAST 12 MONTHS, how

often . . . C: Has someone deliberately damaged your

property (your car, clothing, etc.)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	66.8	1,643	1	NOT @ALL:(1)
18.3	17.8	437	2	ONCE: (2)
8.8	8.6	211	3	TWICE:(3)
3.3	3.2	79	4	3-4TIMES: (4)
0.9	0.8	20	5	5+ TIMES:(5)
	2.8	68	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 204-205

V2298 062A20D:SM1 INJR U W/WPN

Item Number: 06710

Question Number(s): 2A20D During the LAST 12 MONTHS, how often . . . D: Has someone injured you with a weapon (like a

knife, gun, or club)?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	92.9	2,285	1	NOT @ALL:(1)
2.9	2.8	69	2	ONCE: (2)
0.9	0.8	21	3	TWICE:(3)
0.4	0.4	10	4	3-4TIMES:(4)
0.2	0.2	6	5	5+ TIMES:(5)
	2.8	68	-9	MISSING
100 0	100 0	2 450	anana /	W+4 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 206-207

V2299 062A20E:SM1 THRTN U W/WP

Item Number: 06720

Question Number(s): 2A20E During the LAST 12 MONTHS, how often . . . E: Has someone threatened you with a weapon, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	80.6	1,981	1	NOT @ALL:(1)
9.9	9.6	236	2	ONCE: (2)
3.5	3.4	82	3	TWICE:(3)
2.0	2.0	49	4	3-4TIMES:(4)
1.7	1.6	39	5	5+ TIMES:(5)
	2.9	70	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 208-209

V2300 062A20F:SM1 INJR YU -WPN

Item Number: 06730

Question Number(s): 2A20F During the LAST 12 MONTHS, how often . . . F: Has someone injured you on purpose without

using a weapon?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times" $\,$

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	81.8	2,010	1	NOT @ALL:(1)
8.1	7.9	194	2	ONCE: (2)
4.4	4.3	106	3	TWICE:(3)
2.2	2.1	52	4	3-4TIMES: (4)
1.0	1.0	24	5	5+ TIMES:(5)
	2.9	71	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 210-211

V2301 062A20G:SM1 THRT U W/INJ

Item Number: 06740

Question Number(s): 2A20G During the LAST 12 MONTHS, how often . . . G: Has an unarmed person threatened you with injury, but not actually injured you?

1="Not At All" 2="Once" 3="Twice" 4="3 or 4 Times" 5="5 or More Times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	71.7	1,763	1	NOT @ALL:(1)
11.5	11.1	274	2	ONCE: (2)
4.9	4.7	116	3	TWICE:(3)
4.0	3.9	96	4	3-4TIMES: (4)
5.8	5.6	138	5	5+ TIMES:(5)
	2.9	71	-9	MISSING
100 0	100 0	2 459	anana	(b+w)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 212-213

V2302 062A21A:EASY GT MARIJUAN

Item Number: 06750

Question Number(s): 2A21A How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? A: Marijuana (pot, weed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.4	133	1	PROB IMP:(1)
4.2	4.1	101	2	VRY DIFF:(2)
5.1	5.0	123	3	<pre>FRLY DIF:(3)</pre>
26.3	25.5	627	4	FRLY EAS: (4)
58.8	57.1	1,403	5	VRY EASY: (5)
	2.9	72	-9	MISSING
100.0	100.0	2.458	cases (Wtd)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 214-215

V2303 062A21B:EASY GT LSD

Item Number: 06760

Question Number(s): 2A21B How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? B: LSD

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	20.1	493	1	PROB IMP:(1)
20.5	19.5	480	2	VRY DIFF:(2)
29.5	28.1	692	3	<pre>FRLY DIF:(3)</pre>
21.0	20.1	493	4	FRLY EAS: (4)
8.0	7.6	187	5	VRY EASY: (5)
	4.6	113	-9	MISSING
100 0	100 0	2 4 5 0	anana /	rπ+ a \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 216-217

V2304 062A21C:EASY GT PSYDELIC

Item Number: 06770

Question Number(s): 2A21C How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? C: Some other hallucinogen (mescaline, peyote, "shrooms" or psilocybin, PCP, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	16.6	407	1	PROB IMP:(1)
15.4	14.7	362	2	VRY DIFF:(2)
23.3	22.3	548	3	<pre>FRLY DIF:(3)</pre>
28.1	26.9	662	4	FRLY EAS: (4)
16.0	15.4	378	5	VRY EASY: (5)
	4.2	102	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 218-219

V2305 062A21D:EASY GT AMPHTMNS

Item Number: 06780

Question Number(s): 2A21D How difficult do you think it would be for you to get each of the following types of drugs, if you wanted some? D: Amphetamines (uppers, pep pills,

bennies, speed)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	14.6	360	1	PROB IMP:(1)
12.6	12.1	298	2	VRY DIFF:(2)
19.1	18.4	451	3	<pre>FRLY DIF:(3)</pre>
29.7	28.5	699	4	FRLY EAS: (4)
23.3	22.4	549	5	VRY EASY: (5)
	4.1	101	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 220-221

V2522 062A21E:EASY GT SED/BARB

Item Number: 06795

Question Number(s): 2A21E How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? E: Sedatives/barbiturates (downers)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	16.6	409	1	PROB IMP:(1)
16.8	16.0	394	2	VRY DIFF:(2)
21.8	20.7	510	3	<pre>FRLY DIF:(3)</pre>
24.8	23.6	580	4	FRLY EAS: (4)
19.1	18.2	446	5	VRY EASY: (5)
	4.9	120	-9	MISSING
1000	1000	0 4 5 0	,	7\

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 222-223

V2307 062A21F:EASY GT TRANQLIZ

Item Number: 06800

Question Number(s): 2A21F How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? F: Tranquilizers

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	24.2	596	1	PROB IMP:(1)
25.0	23.9	587	2	<pre>VRY DIFF:(2)</pre>
25.3	24.2	594	3	<pre>FRLY DIF:(3)</pre>
15.0	14.3	352	4	FRLY EAS: (4)
9.5	9.0	222	5	VRY EASY: (5)
	4.3	107	-9	MISSING
100 0	100 0	2 4 5 0	anana /	W+ ₩ \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 224-225

V2308 062A21G:EASY GT COCAINE

Item Number: 06810

Question Number(s): 2A21G How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? G: Cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.0	393	1	PROB IMP:(1)
16.6	16.0	393	2	VRY DIFF:(2)
19.9	19.1	471	3	<pre>FRLY DIF:(3)</pre>
26.1	25.1	617	4	FRLY EAS: (4)
20.8	20.1	493	5	VRY EASY: (5)
	3.8	92	-9	MISSING
100 0	100 0	2 450	a2a0a	/ M+ A)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 226-227

V2309 062A21H:EASY GT HEROIN

Item Number: 06820

Question Number(s): 2A21H How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? H: Heroin

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult "4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	23.0	567	1	PROB IMP:(1)
22.8	21.9	538	2	VRY DIFF:(2)
25.7	24.7	607	3	<pre>FRLY DIF:(3)</pre>
16.5	15.9	390	4	FRLY EAS: (4)
11.1	10.6	261	5	VRY EASY: (5)
	3.9	96	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 228-229

V2310 062A21I:EASY GT NARCOTIC

Item Number: 06830

Question Number(s): 2A21I How difficult do you think it would be for you to get each of the following types of drugs,

if you wanted some? I: Some other narcotic (methadone,

opium, codeine, etc.)

1="Probably Impossible" 2="Very Difficult" 3="Fairly
Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	19.7	483	1	PROB IMP:(1)
17.6	16.8	412	2	VRY DIFF:(2)
22.0	21.0	517	3	<pre>FRLY DIF:(3)</pre>
21.6	20.6	507	4	FRLY EAS: (4)
18.2	17.4	428	5	VRY EASY: (5)
	4.5	111	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 230-231

V2101 062B01 :EVR SMK CIG, REGL

Item Number: 00760

Question Number(s): 2B01 The following questions are about

cigarette smoking. Have you ever smoked cigarettes?

1="Never--GO TO QUESTION 3" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	51.1	1,256	1	NEVER: (1)
20.3	19.7	485	2	1-2X:(2)
12.6	12.2	301	3	OCCASNLY: (3)
5.0	4.9	119	4	REG PAST:(4)
9.6	9.3	228	5	REG NOW: (5)
	2.8	68	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 232-233

V2102 062B02 :#CIGS SMKD/30DAY

Item Number: 00780

Question Number(s): 2B02 How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [includes respondents who marked "1" on question B01] 2="Less than one cigarette per day" 3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day" 6="About one and one-half packs per day" 7="Two packs or more per day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	76.3	1,875	1	NONE: (1)
9.7	9.4	232	2	<1 CIG/D:(2)
6.1	5.9	146	3	1-5/DAY:(3)
3.3	3.2	80	4	1/2PK/D:(4)
1.8	1.7	43	5	1 PK/DA:(5)
0.2	0.2	5	6	1.5 PK/D:(6)
0.3	0.3	8	7	2+ PKS/D:(7)
	2.9	70	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 234-235

V2103 062B03:EVER DRINK

Item Number: 00790

Question Number(s): 2B03 Next, we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol. Have you ever had any alcoholic beverage to drink--more than just a few sips

1="No--GO TO THE TOP OF NEXT COLUMN" 2="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	27.2	669	1	NO:(1)
71.3	67.7	1,663	2	YES:(2)
	5.1	126	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 236-237

V2104 062B04A: #X ALC/LIF SIPS

Item Number: 00810

Question Number(s): 2B04A On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips . . . A: . . . in your lifetime?

1="0 Occasions" [includes respondents who said "No" to header question] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	27.2	669	1	0 OCCAS:(1)
7.3	6.9	169	2	1-2X:(2)
10.7	10.1	247	3	3-5X:(3)
9.2	8.6	212	4	6-9X:(4)
10.9	10.3	252	5	10-19X:(5)
10.7	10.0	246	6	20-39X:(6)
22.3	21.0	517	7	40+OCCAS: (7)
	5.9	146	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 238-239

V2105 062B04B:#X ALC/ANN SIPS

Item Number: 00820

Question Number(s): 2B04B On how many occasions (if any) have you had alcoholic beverages to drink--more than just a

few sips . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	31.6	776	1	0 OCCAS:(1)
15.0	14.0	345	2	1-2X:(2)
13.6	12.8	315	3	3-5X:(3)
8.7	8.2	202	4	6-9X:(4)
12.7	11.9	293	5	10-19X:(5)
7.5	7.0	172	6	20-39X:(6)
8.8	8.3	203	7	40+OCCAS: (7)
	6.2	153	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 240-241

V2106 062B04C:#X ALC/30D SIPS

Item Number: 00830

Question Number(s): 2B04C On how many occasions (if any) have you had alcoholic beverages to drink--more than just a

few sips . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	49.7	1,222	1	0 OCCAS:(1)
20.6	19.3	474	2	1-2X:(2)
11.4	10.7	264	3	3-5X:(3)
7.3	6.8	168	4	6-9X:(4)
4.5	4.2	104	5	10-19X:(5)
1.7	1.6	38	6	20-39X:(6)
1.5	1.4	35	7	40+OCCAS: (7)
	6.3	154	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 242-243

V2107 062B05 :#X DRK ENF FL HI

Item Number: 00840

Question Number(s): 2B05 On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about half of the occasions" 4="On most of the occasions" 5="On nearly all of the occasions"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	15.7	386	1	NONE: (1)
26.4	17.9	441	2	FEW: (2)
14.5	9.8	242	3	HALF:(3)
21.9	14.9	365	4	MOST: (4)
14.1	9.6	236	5	NRLY ALL: (5)
	32.1	789	-9	MISSING
100 0	100 0	2 459	andod (W+♂)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 244-245

V2108 062B06:5+DRK ROW/LST 2W

Item Number: 00850

Question Number(s): 2B06 Think back over the LAST TWO WEEKS. How many times have you had five or more drinks in a row? (A "drink" is a bottle of beer, a glass of wine, a wine cooler, a shot glass of liquor, a mixed drink, etc.)

1="None" [includes respondents who indicated nonuse above] 2="Once" 3="Twice" 4="3 to 5 times" 5="6 to 9 times" 6="10 or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	65.7	1,615	1	NONE: (1)
10.2	9.4	231	2	ONCE: (2)
8.0	7.4	181	3	TWICE:(3)
6.7	6.2	153	4	3-5X:(4)
2.2	2.0	49	5	6-9X:(5)
1.7	1.5	37	6	10+ TIME:(6)
	7.8	191	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 246-247

V2115 062B07A: #XMJ+HS/LIFETIME

Item Number: 00860

Question Number(s): 2B07A On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	55.4	1,361	1	0 OCCAS:(1)
10.8	10.4	256	2	1-2X:(2)
6.8	6.5	161	3	3-5X:(3)
3.6	3.5	86	4	6-9X:(4)
4.3	4.1	101	5	10-19X:(5)
3.7	3.6	89	6	20-39X:(6)
13.5	13.1	321	7	40+OCCAS:(7)
	3.4	85	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 248-249

V2116 062B07B:#XMJ+HS/LAST12MO

Item Number: 00870

Question Number(s): 2B07B On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)...B: ... during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	66.4	1,633	1	0 OCCAS:(1)
9.7	9.4	231	2	1-2X:(2)
4.8	4.6	114	3	3-5X:(3)
2.8	2.7	66	4	6-9X:(4)
3.9	3.8	92	5	10-19X:(5)
2.9	2.8	69	6	20-39X:(6)
6.9	6.7	165	7	40+OCCAS:(7)
	3.6	88	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 250-251

V2117 062B07C: #XMJ+HS/LAST30DA

Item Number: 00880

Question Number(s): 2B07C On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	79.1	1,944	1	0 OCCAS:(1)
6.8	6.6	161	2	1-2X:(2)
2.3	2.2	55	3	3-5X:(3)
2.0	2.0	48	4	6-9X:(4)
2.2	2.1	52	5	10-19X:(5)
2.1	2.0	49	6	20-39X:(6)
2.5	2.4	60	7	40+OCCAS:(7)
	3.6	89	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 252-253

V2118 062B08A:#X LSD/LIFETIME

Item Number: 00890

Question Number(s): 2B08A On how many occasions (if any) have you used LSD ("acid"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	93.8	2,305	1	0 OCCAS:(1)
2.0	1.9	47	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.4	0.4	10	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.3	0.2	6	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	3.1	77	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 254-255

V2119 062B08B:#X LSD/LAST 12MO

Item Number: 00900

Question Number(s): 2B08B On how many occasions (if any) have you used LSD ("acid"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.4	2,344	1	0 OCCAS:(1)
1.0	1.0	24	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.1	75	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 256-257

V2120 062B08C:#X LSD/LAST 30DA

Item Number: 00910

Question Number(s): 2B08C On how many occasions (if any) have you used LSD ("acid"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.4	96.3	2,368	1	0 OCCAS:(1)
0.5	0.5	11	2	1-2X:(2)
0.1	0.1	1	3	3-5X:(3)
0.0	0.0	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.1	76	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 258-259

V2121 062B09A: #X PSYD/LIFETIME

Item Number: 00920

2B09A On how many occasions (if any) Question Number(s): have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	89.4	2,199	1	0 OCCAS:(1)
4.4	4.2	104	2	1-2X:(2)
1.5	1.5	37	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
0.4	0.4	9	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.3	0.2	6	7	40+OCCAS:(7)
	3.1	77	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 260-261

V2122 062B09B:#X PSYD/LAST12MO

Item Number: 00930

Question Number(s): 2B09B On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP)...B: ... during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	92.5	2,275	1	0 OCCAS:(1)
3.3	3.2	79	2	1-2X:(2)
0.9	0.9	22	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.1	75	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 262-263

V2123 062B09C:#X PSYD/LAST30DA

Item Number: 00940

Question Number(s): 2B09C On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	96.0	2,359	1	0 OCCAS:(1)
0.8	0.8	20	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS: (7)
	3.1	76	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 264-265

V2124 062B10A:#X COKE/LIFETIME

Item Number: 00950

Question Number(s): 2B10A On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack",

"rock"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	88.6	2,178	1	0 OCCAS:(1)
3.7	3.5	87	2	1-2X:(2)
1.1	1.1	27	3	3-5X:(3)
0.5	0.5	13	4	6-9X:(4)
1.4	1.4	34	5	10-19X:(5)
0.9	0.8	20	6	20-39X:(6)
0.9	0.9	22	7	40+OCCAS:(7)
	3.2	78	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 266-267

V2125 062B10B:#X COKE/LAST12MO

Item Number: 00960

Question Number(s): 2B10B On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack",

"rock"). . . B: . . .during last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	91.1	2,238	1	0 OCCAS:(1)
2.5	2.4	59	2	1-2X:(2)
1.0	1.0	24	3	3-5X:(3)
0.7	0.7	17	4	6-9X:(4)
1.0	1.0	24	5	10-19X:(5)
0.4	0.3	8	6	20-39X:(6)
0.4	0.4	9	7	40+OCCAS:(7)
	3.2	77	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 268-269

V2126 062B10C:#X COKE/LAST30DA

Item Number: 00970

Question Number(s): 2B10C On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack",

"rock"). . . C: . . .during last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.3	2,319	1	0 OCCAS:(1)
1.4	1.4	33	2	1-2X:(2)
0.5	0.5	13	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.2	0.2	5	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.2	78	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 270-271

V2127 062B11A: #X AMPH/LIFETIME

Item Number: 00980

Question Number(s): 2B11A Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim(R)) or stay-awake pills (like No-Doz(R)), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	82.9	2,038	1	0 OCCAS:(1)
5.8	5.6	139	2	1-2X:(2)
3.3	3.2	79	3	3-5X:(3)
1.5	1.5	36	4	6-9X:(4)
1.6	1.6	38	5	10-19X:(5)
1.2	1.2	28	6	20-39X:(6)
1.5	1.5	37	7	40+OCCAS: (7)
	2.6	63	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 272-273

V2128 062B11B:#X AMPH/LAST12MO

Item Number: 00990

Question Number(s): 2B11B On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	88.6	2,178	1	0 OCCAS:(1)
4.3	4.2	104	2	1-2X:(2)
1.7	1.6	40	3	3-5X:(3)
1.3	1.3	32	4	6-9X:(4)
0.8	0.8	19	5	10-19X:(5)
0.3	0.3	7	6	20-39X:(6)
0.7	0.6	16	7	40+OCCAS:(7)
	2.5	63	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 274-275

V2129 062B11C:#X AMPH/LAST30DA

Item Number: 01000

Question Number(s): 2B11C On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	94.0	2,310	1	0 OCCAS:(1)
2.1	2.0	50	2	1-2X:(2)
0.6	0.6	14	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	2.6	64	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 276-277

V2130 062B12A:#X ICE/LIFETIME

Item Number: 24380

Question Number(s): 2B12A On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth

("ice"). . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	93.8	2,306	1	0 OCCAS:(1)
2.3	2.3	56	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.2	0.2	6	5	10-19X:(5)
0.4	0.4	9	6	20-39X:(6)
0.3	0.3	8	7	40+OCCAS:(7)
	2.5	61	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 278-279

V2131 062B12B:#X ICE/LAST12MO

Item Number: 24390

Question Number(s): 2B12B On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth

("ice"). . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	95.6	2,350	1	0 OCCAS:(1)
1.2	1.2	29	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.6	63	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 280-281

V2132 062B12C:#X ICE/LAST30DA

Item Number: 24400

Question Number(s): 2B12C On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth

("ice"). . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	96.7	2,377	1	0 OCCAS:(1)
0.5	0.4	11	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.2	4	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	2.6	64	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 282-283

V2133 062B13A:#X SED/BARB/LIFE

Item Number: 01042

Question Number(s): 2B13A Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	86.2	2,120	1	0 OCCAS:(1)
4.6	4.5	111	2	1-2X:(2)
2.4	2.3	57	3	3-5X:(3)
1.1	1.1	26	4	6-9X:(4)
1.3	1.3	31	5	10-19X:(5)
0.6	0.6	15	6	20-39X:(6)
1.3	1.2	31	7	40+OCCAS:(7)
	2.8	68	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 284-285

V2134 062B13B:#X SED/BARB/12MO

Item Number: 01052

Question Number(s): 2B13B On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	90.0	2,213	1	0 OCCAS:(1)
3.4	3.3	81	2	1-2X:(2)
1.6	1.6	39	3	3-5X:(3)
0.8	0.8	19	4	6-9X:(4)
0.7	0.7	17	5	10-19X:(5)
0.7	0.6	16	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	2.8	69	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 286-287

V2135 062B13C:#X SED/BARB/30DA

Item Number: 01062

Question Number(s): 2B13C On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them. . . $\ensuremath{\text{C:}}$. . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	94.1	2,313	1	0 OCCAS:(1)
1.7	1.7	41	2	1-2X:(2)
0.8	0.8	19	3	3-5X:(3)
0.3	0.3	8	4	6-9X:(4)
0.4	0.3	9	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	0	7	40+OCCAS:(7)
	2.8	69	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 288-289

V2136 062B14A:#X TRQL/LIFETIME

Item Number: 01070

Question Number(s): 2B14A Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	87.7	2,155	1	0 OCCAS:(1)
4.1	4.0	99	2	1-2X:(2)
2.2	2.1	51	3	3-5X:(3)
0.9	0.8	20	4	6-9X:(4)
1.2	1.2	28	5	10-19X:(5)
0.6	0.6	14	6	20-39X:(6)
0.9	0.9	22	7	40+OCCAS:(7)
	2.8	68	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 290-291

V2137 062B14B:#X TRQL/LAST12MO

Item Number: 01080

Question Number(s): 2B14B On how many occasions (if any) have you taken tranquilizers on your own--that is, without a 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	90.7	2,230	1	0 OCCAS:(1)
3.7	3.6	89	2	1-2X:(2)
1.1	1.1	27	3	3-5X:(3)
0.6	0.6	14	4	6-9X:(4)
0.7	0.7	17	5	10-19X:(5)
0.3	0.3	8	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS: (7)
	2.8	68	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 292-293

V2138 062B14C:#X TRQL/LAST30DA

Item Number: 01090

Question Number(s): 2B14C On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	94.9	2,333	1	0 OCCAS:(1)
1.2	1.2	28	2	1-2X:(2)
0.6	0.5	13	3	3-5X:(3)
0.2	0.2	6	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	2.8	69	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 294-295

V2510 062B15A:#X H LIF USE NDL

Item Number: 29630

Question Number(s): 2B15A On how many occasions (if any) have you taken heroin using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	96.0	2,360	1	0 OCCAS:(1)
0.5	0.5	12	2	1-2X:(2)
0.0	0.0	1	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	3.1	76	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 296-297

V2511 062B15B:#X H 12M USE NDL

Item Number: 29640

Question Number(s): 2B15B On how many occasions (if any) have you taken heroin using a needle . . . B: . . . during

the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.5	2,372	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.1	75	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 298-299

V2512 062B15C:#X H 30D USE NDL

Item Number: 29650

Question Number(s): 2B15C On how many occasions (if any) have you taken heroin using a needle . . . C: . . . during

the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	96.6	2,376	1	0 OCCAS:(1)
0.1	0.1	2	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	3.1	76	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 300-301

V2513 062B16A: #X H LIF W/O NDL

Item Number: 29660

Question Number(s): 2B16A On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	95.2	2,340	1	0 OCCAS:(1)
1.2	1.2	29	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.1	0.1	1	7	40+OCCAS:(7)
	3.2	80	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 302-303

V2514 062B16B:#X H 12M W/O NDL

Item Number: 29670

Question Number(s): 2B16B On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.3	95.9	2,358	1	0 OCCAS:(1)
0.5	0.5	11	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.4	84	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 304-305

V2515 062B16C:#X H 30D W/O NDL

Item Number: 29680

Question Number(s): 2B16C On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	96.4	2,369	1	0 OCCAS:(1)
0.0	0.0	1	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.4	85	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 306-307 V2139 062R* :#X "H"/LIFETIME

Item Number: 01100

Question Number(s): 2B16X Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . In your lifetime?" (item 29630) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . In your lifetime?" (item 29660).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	95.4	2,346	1	0 OCCAS:(1)
1.2	1.2	28	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS: (7)
	2.6	65	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 308-309

V2140 062R* :#X "H"/LAST12MO

Item Number: 01110

Question Number(s): 2B16Y Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 12 months?" (item 29640) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 12 months?" (item 29670).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	96.6	2,374	1	0 OCCAS:(1)
0.4	0.4	9	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.1	0.1	2	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	2.6	65	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 310-311 V2141 062R* :#X "H"/LAST30DA

Item Number: 01120

Question Number(s): 2B16Z Component questions for "any heroin" measure: "On how many occasions (if any) have you taken heroin using a needle . . . During the last 30 days?" $\,$ (item 29650) and "On how many occasions (if any) have you taken heroin WITHOUT using a needle . . . During the last 30 days?" (item 29680).

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.7	97.0	2,385	1	0 OCCAS:(1)
0.0	0.0	1	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.1	0.1	1	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.1	0.1	2	7	40+OCCAS:(7)
	2.7	66	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 312-313

V2142 062B17A:#X NARC/LIFETIME

Item Number: 01130

Question Number(s): 2B17A There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own—that is, without a doctor telling you to take them . . . A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	82.7	2,033	1	0 OCCAS:(1)
5.3	5.2	127	2	1-2X:(2)
2.5	2.4	59	3	3-5X:(3)
1.6	1.6	38	4	6-9X:(4)
1.7	1.6	39	5	10-19X:(5)
1.1	1.1	27	6	20-39X:(6)
2.1	2.0	50	7	40+OCCAS:(7)
	3.5	85	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 314-315

V2143 062B17B:#X NARC/LAST12MO

Item Number: 01140

Question Number(s): 2B17B On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	86.9	2,135	1	0 OCCAS:(1)
3.7	3.6	89	2	1-2X:(2)
2.5	2.4	59	3	3-5X:(3)
1.5	1.4	35	4	6-9X:(4)
1.0	0.9	23	5	10-19X:(5)
0.5	0.5	12	6	20-39X:(6)
0.8	0.8	19	7	40+OCCAS: (7)
	3.5	86	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 316-317

V2144 062B17C:#X NARC/LAST30DA

Item Number: 01150

Question Number(s): 2B17C On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them . . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	92.8	2,282	1	0 OCCAS:(1)
2.1	2.0	49	2	1-2X:(2)
0.9	0.9	22	3	3-5X:(3)
0.4	0.4	9	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.1	0.1	3	6	20-39X:(6)
0.1	0.1	3	7	40+OCCAS: (7)
	3.5	86	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 318-319

V2145 062B18A:#X INHL/LIFETIME

Item Number: 01160

Question Number(s): 2B18A On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	85.0	2,088	1	0 OCCAS:(1)
6.0	5.8	143	2	1-2X:(2)
2.0	1.9	47	3	3-5X:(3)
1.6	1.5	37	4	6-9X:(4)
1.3	1.3	31	5	10-19X:(5)
0.2	0.2	6	6	20-39X:(6)
0.8	0.7	18	7	40+OCCAS:(7)
	3.6	89	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 320-321

V2146 062B18B:#X INHL/LAST12MO

Item Number: 01170

Question Number(s): 2B18B On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	91.4	2,247	1	0 OCCAS:(1)
2.6	2.5	61	2	1-2X:(2)
0.9	0.9	22	3	3-5X:(3)
0.9	0.8	21	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.1	0.1	2	6	20-39X:(6)
0.3	0.3	7	7	40+OCCAS:(7)
	3.7	92	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 322-323

V2147 062B18C:#X INHL/LAST30DA

Item Number: 01180

Question Number(s): 2B18C On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	94.8	2,330	1	0 OCCAS:(1)
0.9	0.9	22	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.3	0.3	7	4	6-9X:(4)
0.0	0.0	1	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.0	0.0	1	7	40+OCCAS:(7)
	3.7	91	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 324-325

V2148 062(R) :AGE <>18 DICHOTOMY

Item Number:

Question Number(s): 2C01-2 Component variables: 1) Q. C01 "In what year were you born?" (item 00010), 2) Q. C02 "In what month were you born?" (item 00020), and 3)date of questionnaire administration as recorded by interviewer.

1="younger than 18 years of age" 2="18 years of age or older"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	43.6	1,072	1	< 18:(1)
55.1	53.4	1,313	2	18+:(2)
	3.0	73	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 326-327

V2150

062C03 :R'S SEX

Item Number: 00030

Question Number(s): 2C03 What is your sex?

1="Male" 2="Female"

```
PCT PCT N VALUE LABEL
VALID ALL
48.2 45.0 1,107 1 MALE:(1)
51.8 48.5 1,191 2 FEMALE:(2)
6.5 159 -9 MISSING
---- ---- ----
100.0 100.0 2,458 cases (Wtd)
```

Data type: numeric Missing-data code: -9 Columns: 328-329 V2151

062C04(R):R'S RACE B/W/H

Item Number:

Question Number(s): 2C04 How do you describe yourself?
Recoded from the following: Q. C04 (00041-00049): "How do you describe yourself? (Select one or more responses.) A. Black or African American; B. Mexican American or Chicano; C. Cuban American; D. Puerto Rican; E. Other Hispanic or Latino; F. Asian American; G. White (Caucasian); H. American Indian or Alaska Native; I. Native Hawaiian or Other Pacific Islander."

1="Black or African American", 2="White (Caucasian)", 3=Hispanic ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic..."). All other responses, including those which fell into more than one of three recoded categories (Black, White, Hispanic), were deleted.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	11.0	271	1	BLACK: (1)
72.7	62.0	1,523	2	WHITE: (2)
14.4	12.3	302	3	HISPANIC: (3)
	14.7	362	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 330-331

V2152 062C05 :R SPD >TIM R-URB

Item Number: 00050

Question Number(s): 2C05 Where did you grow up mostly?

1="On a farm" 2="In the country, not on a farm" 3="In a small city or town (under 50,000 people)" 4="In a medium-sized city (50,000-100,000)" 5="In a suburb of a medium-sized city" 6="In a large city (100,000-500,000)" 7="In a suburb of a large city" 8="In a very large city (over 500,000)" 9="In a suburb of a very large city" 0="Can't say; mixed" and nonresponse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.3	253	0	DK/MIXED:(0)
4.4	4.4	109	1	FARM:(1)
12.3	12.3	303	2	COUNTRY: (2)
25.4	25.4	624	3	SML TOWN: (3)
11.2	11.2	275	4	MED CITY: (4)
9.9	9.9	244	5	SUBURB 4:(5)
9.1	9.1	224	6	LRG CITY:(6)
7.3	7.3	179	7	SUBURB 6:(7)
5.0	5.0	122	8	VRYLG CY:(8)
5.1	5.1	126	9	SUBURB 8:(9)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 332-333

V2153 062C06 :R NOT MARRIED

Item Number: 00060

Question Number(s): 2C06 What is your present marital

status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	64	1	MARRIED:(1)
6.0	5.8	143	2	ENGAGED: (2)
1.1	1.0	26	3	SEP/DIV:(3)
90.2	87.7	2,155	4	SINGLE:(4)
	2.8	70	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 334-335

V49 06C07R:# SIBLINGS

Item Number:

Question Number(s): 2C07A-B Component questions: "How many brothers and sisters do you have? (Include stepbrothers and sisters and half-brothers and sisters) a) Older brothers and sisters" (item 00075); "b) Younger brothers and sisters" (item 00076).

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more". For this dataset, responses to the two questions are added and bracketed so that 3 is the highest category, meaning "Three or more younger or older brothers or sisters".

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.4	133	0	
29.6	28.7	704	1	
26.6	25.8	634	2	
38.2	37.1	911	3	3 OR MORE
	3.1	76	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 336-337

V2155 062C07Cb(R):R'S HSHLD FATHER

Item Number: 00090

Question Number(s): 2C07Cb Which of the following people live in the same household with you? (Mark all that apply.)

B. Father (or male guardian)

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL 0 NT MARKD:(0)
1 MARKED: VALID ALL27.1 26.3 646 70.8 1,740 72.9 2.9 71 -9 MISSING 100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 338-339

V2156

062C07Cc(R):R'S HSHLD MOTHER

Item Number: 00100

Question Number(s): 2C07Cc Which of the following people live in the same household with you? (Mark all that apply.) C. Mother (or female guardian)

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL 10.9 10.6 259 0 NT MARKD:(0) 89.1 86.5 2,127 1 MARKED: (1) 2.9 71 -9 MISSING 100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 340-341

V2157 062C07Cd(R):R'S HSHLD BR/SR

Item Number: 00110

Question Number(s): 2C07Cd Which of the following people live in the same household with you? (Mark all that apply.)

D. Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED" Other alternatives -"Grandparent(s)," "My husband/wife," "My child(ren)," "Other
relative(s)," "Non-relative(s)," "I live alone" -- have been
deleted for reasons of confidentiality.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	32.9	809	0	NT MARKD:(0)
66.1	64.2	1,578	1	MARKED: (1)
	2.9	71	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 342-343

V2163 062C08 :FATHR EDUC LEVEL

Item Number: 00310

Question Number(s): 2C08 The next three questions ask about your parents. If you were raised mostly by foster parents, stepparents, or others, answer for them. For example, if you have both a stepfather and a natural father, answer for the one that was the most important in raising you. What is the highest level of schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	73	1	GRDE SCH:(1)
12.4	12.0	296	2	SOME HS:(2)
26.5	25.7	631	3	HS GRAD: (3)
15.3	14.8	363	4	SOME CLG:(4)
21.3	20.7	508	5	CLG GRAD: (5)
14.8	14.3	353	6	GRAD SCH: (6)
6.6	6.4	158	7	DK:(7)
	3.1	77	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 344-345

V2164 062C09 :MOTHR EDUC LEVEL

Item Number: 00320

Question Number(s): 2C09 What is the highest level of

schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	66	1	GRDE SCH:(1)
9.1	8.8	217	2	SOME HS:(2)
25.5	24.7	608	3	HS GRAD: (3)
20.3	19.7	484	4	SOME CLG:(4)
26.6	25.7	632	5	CLG GRAD: (5)
11.6	11.2	275	6	GRAD SCH:(6)
4.1	4.0	99	7	DK: (7)
	3.2	78	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 346-347

V2165 062C10 :MOTH PD JB R YNG

Item Number: 00330

Question Number(s): 2C10 Did your mother have a paid job (half-time or more) during the time you were growing up?

1="No" 2="Yes, some of the time when I was growing up" 3="Yes, most of the time" 4= "Yes, all or nearly all of the time"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.3	327	1	NO:(1)
20.8	20.2	495	2	SOMETIME: (2)
19.2	18.5	456	3	MOSTTIME: (3)
46.2	44.7	1,098	4	ALL TIME: (4)
	3.3	82	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 348-349

V2166 062C11 :R'S POLTL PRFNC

Item Number: 00340

Question Number(s): 2C11 How would you describe your

political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat" 4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other" 8="Don't know, haven't decided"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.5	258	1	STRG GOP:(1)
13.6	12.5	307	2	MILD GOP:(2)
13.6	12.4	306	3	MILD DEM:(3)
10.3	9.4	231	4	STRG DEM: (4)
8.7	8.0	196	5	<pre>INDEPNDT:(5)</pre>
14.5	13.3	328	6	NO PREF: (6)
1.7	1.5	37	7	OTHER: (7)
26.2	24.0	591	8	DK:(8)
	8.3	205	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 350-351

V2167 062C12 :R'POL BLF RADCL

Item Number: 00350

Question Number(s): 2C12 How would you describe your

political beliefs?

1="Very conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very Liberal" 6="Radical" 8="None of the above, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.9	121	1	VRY CONS:(1)
13.6	13.0	320	2	CONSERV: (2)
25.6	24.5	602	3	MODERATE: (3)
15.3	14.7	361	4	LIBERAL: (4)
4.9	4.7	115	5	VRY LIB:(5)
2.0	1.9	47	6	RADICAL:(6)
33.5	32.1	788	8	NONE/DK:(8)
	4.2	104	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 352-353

V2169 062C13B:R'ATTND REL SVC

Item Number: 00370

Question Number(s): 2C13B How often do you attend

religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more". Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	13.4	330	1	NEVER: (1)
33.4	25.5	627	2	RARELY:(2)
15.3	11.7	288	3	1-2X/MO:(3)
33.8	25.8	635	4	1/WK OR+:(4)
	23.5	578	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 354-355

V2170 062C13C:RLGN IMP R'S LF

Item Number: 00380

Question Number(s): 2C13C How important is religion in

your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important". Responses from the western region intentionally obliterated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	12.6	309	1	NOT IMPT:(1)
25.2	19.2	472	2	LITL IMP:(2)
26.9	20.5	504	3	PRTY IMP:(3)
31.5	24.0	590	4	VERY IMP: (4)
	23.7	582	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 356-357

V2171 062C14 :WHEN R XPCT GRAD

Item Number: 00390

Question Number(s): 2C14 When are you most likely to

graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	95.0	2,335	1	BY JUNE: (1)
1.2	1.2	28	2	JULY-JAN:(2)
0.0	0.0	0	3	AFT JAN:(3)
0.5	0.5	12	6	WONT: (6)
	3.4	83	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 358-359

V2172

062C15 :R'S HS PROGRAM

Item Number: 00400

Question Number(s): 2C15 Which of the following best

describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	50.4	1,238	1	CLG PREP:(1)
30.8	29.6	728	2	GENERAL: (2)
7.9	7.5	185	3	VOC-TECH: (3)
8.9	8.5	209	4	OTH/DK:(4)
	4.0	98	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

100.0 100.0 2,150 dages (mea

Data type: numeric Missing-data code: -9 Columns: 360-361

V2173 062C16 :RT SF SCH AB>AVG

Item Number: 00410

Question Number(s): 2C16 Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	32	1	FAR BLOW: (1)
2.6	2.5	61	2	BELOW AV: (2)
5.9	5.6	138	3	SL BELOW: (3)
33.3	31.9	784	4	AVERAGE: (4)
22.8	21.8	537	5	SL ABOVE:(5)
26.9	25.7	633	6	ABOVE AV: (6)
7.1	6.8	168	7	FAR ABOV: (7)
	4.3	106	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 362-363

V2174 062C17 :RT SF INTELL>AVG

Item Number: 00420

Question Number(s): 2C17 How intelligent do you think you

are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average" 4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far Above Average"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	29	1	FAR BLOW: (1)
2.1	2.0	49	2	BELOW AV: (2)
4.4	4.2	103	3	SL BELOW:(3)
32.3	30.9	760	4	AVERAGE: (4)
23.9	22.9	564	5	SL ABOVE: (5)
28.5	27.3	671	6	ABOVE AV: (6)
7.7	7.3	181	7	FAR ABOV: (7)
	4.2	103	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 364-365

V2175 062C18A: #DA/4W SC MS ILL

Item Number: 00430

Question Number(s): 2C18A During the LAST FOUR WEEKS, how many whole days of school have you missed . . . A: Because of illness

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	50.0	1,229	1	NONE: (1)
19.8	18.8	461	2	1 DAY:(2)
12.1	11.4	281	3	2 DAYS:(3)
7.4	7.0	172	4	3 DAYS:(4)
5.0	4.7	116	5	4-5 DAYS:(5)
1.7	1.6	40	6	6-10 DA:(6)
1.2	1.1	27	7	11+ DAYS:(7)
	5.3	131	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 366-367

V2176 062C18B:#DA/4W SC MS CUT

Item Number: 00440

Question Number(s): 2C18B During the LAST FOUR WEEKS, how many whole days of school have you missed. . B: Because you skipped or "cut"

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	62.2	1,530	1	NONE: (1)
15.7	14.7	361	2	1 DAY:(2)
7.1	6.6	163	3	2 DAYS:(3)
4.7	4.5	109	4	3 DAYS:(4)
3.5	3.3	81	5	4-5 DAYS:(5)
1.3	1.2	30	6	6-10 DA:(6)
1.4	1.3	32	7	11+ DAYS:(7)
	6.2	153	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 368-369

V2177 062C18C:#DA/4W SC MS OTH

Item Number: 00450

Question Number(s): 2C18C During the LAST FOUR WEEKS, how many whole days of school have you missed . . . C: For other reasons

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	50.8	1,248	1	NONE: (1)
21.4	20.1	495	2	1 DAY:(2)
10.9	10.3	252	3	2 DAYS:(3)
6.9	6.5	159	4	3 DAYS:(4)
4.7	4.4	108	5	4-5 DAYS:(5)
1.3	1.2	30	6	6-10 DA:(6)
1.1	1.0	24	7	11+ DAYS:(7)
	5.7	141	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 370-371

V2178 062C19 :#DA/4W SKP CLASS

Item Number: 00460

Question Number(s): 2C19 During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	62.9	1,547	1	NONE: (1)
21.7	20.8	511	2	1-2:(2)
7.9	7.6	186	3	3-5:(3)
2.6	2.5	60	4	6-10:(4)
1.2	1.1	27	5	11-20:(5)
0.9	0.9	21	6	21+:(6)
	4.3	105	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 372-373

V2179 062C20 :R HS GRADE/D=1

Item Number: 00470

Question Number(s): 2C20 Which of the following best describes your average grade so far in high school?

9="A (93-100)" 8="A- (90-92) 7="B+ (87-89)" 6="B (83-86)" 5="B-(80-82)" 4="C+(77-79)" 3="C(73-76)" 2="C-(70-72)"1="D (69 or below)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	32	1	D:(1)
3.1	2.9	72	2	C-:(2)
5.0	4.8	117	3	C:(3)
9.7	9.2	227	4	C+:(4)
11.7	11.1	274	5	B-:(5)
16.8	15.9	392	6	B:(6)
18.3	17.4	428	7	B+:(7)
16.3	15.5	381	8	A-:(8)
17.7	16.8	414	9	A:(9)
	5.0	122	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 374-375

V2180 062C21A:R WL DO VOC/TEC

Item Number: 00480

Question Number(s): 2C21A How likely is it that you will do each of the following things after high school? A: Attend

a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will" \tt

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	50.2	1,235	1	DEF WONT: (1)
24.6	22.6	556	2	PRB WONT:(2)
14.4	13.2	324	3	PRB WILL:(3)
6.4	5.9	144	4	DEF WILL: (4)
	8.1	198	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 376-377

V2181 062C21B:R WL DO ARMD FC

Item Number: 00490

Question Number(s): 2C21B How likely is it that you will do each of the following things? B: Serve in the armed forces

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	65.9	1,621	1	DEF WONT:(1)
18.1	16.7	410	2	PRB WONT:(2)
6.3	5.8	142	3	PRB WILL:(3)
4.0	3.7	90	4	DEF WILL: (4)
	7.9	194	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 378-379

V2182 062C21C:R WL DO 2YR CLG

Item Number: 00500

Question Number(s): 2C21C How likely is it that you will

do each of the following things after high school? C:

Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	34.6	850	1	DEF WONT: (1)
19.4	17.9	439	2	PRB WONT: (2)
23.5	21.6	531	3	PRB WILL:(3)
19.6	18.1	444	4	DEF WILL: (4)
	7.9	194	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 380-381

V2183 062C21D:R WL DO 4YR CLG

Item Number: 00510

Question Number(s): 2C21D How likely is it that you will

do each of the following things after high school? D:

Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.3	178	1	DEF WONT: (1)
10.2	9.5	234	2	PRB WONT:(2)
22.7	21.2	520	3	PRB WILL:(3)
59.2	55.1	1,354	4	DEF WILL: (4)
	7.0	171	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 382-383

V2184 062C21E:R WL DO GRD/PRF

Item Number: 00520

Question Number(s): 2C21E How likely is it that you will do each of the following things after high school? E: Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	16.6	409	1	DEF WONT: (1)
28.6	26.3	647	2	PRB WONT: (2)
32.2	29.6	727	3	PRB WILL:(3)
21.1	19.4	478	4	DEF WILL: (4)
	8.0	198	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 384-385

V2185

062C22A:R WNTDO VOC/TEC

Item Number: 00530

Question Number(s): 2C22A Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) A. Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	78.9	1,941	0	NT MARKD:(0)
16.5	15.6	384	1	MARKED: (1)
	5.4	133	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 386-387

V2186 062C22B:R WNTDO ARMD FC

Item Number: 00540

Question Number(s): 2C22B Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) B. Serve in the armed forces

0="UNMARKED" 1="MARKED"

PCT N VALUE LABEL PCT VALID ALL82.1 2,018 0 NT MARKD:(0) 86.8 13.2 12.5 307 1 MARKED: (1) 5.4 133 -9 MISSING ----- -----100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 388-389

V2187

062C22C:R WNTDO 2YR CLG

Item Number: 00550

Question Number(s): 2C22C Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) C. Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL73.1 69.2 1,701 0 NT MARKD: (0) 26.9 25.4 624 1 MARKED: (1) 5.4 133 -9 MISSING _____ 100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 390-391

V2188 062C22D:R WNTDO 4YR CLG

Item Number: 00560

Question Number(s): 2C22D Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) D. Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	20.0	493	0	NT MARKD:(0)
78.8	74.5	1,832	1	MARKED: (1)
	5.4	133	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 392-393

V2189

062C22E:R WNTDO GRD/PRF

Item Number: 00570

Question Number(s): 2C22E Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) E. Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 394-395

V2190 062C22F:R WNTDO NONE

Item Number: 00580

Question Number(s): 2C22F Suppose you could do just what you'd like and nothing stood in your way. How many of the following things would you WANT to do? (Mark all that apply.) F. None of the above

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	90.3	2,219	0	NT MARKD:(0)
4.6	4.3	106	1	MARKED: (1)
	5.4	133	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 396-397

V2191 062C23 :HRS/W WRK SCHYR

Item Number: 00590

Question Number(s): 2C23 On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	27.6	679	1	NONE: (1)
9.6	9.1	223	2	5 OR <:(2)
9.9	9.4	231	3	6-10 HRS:(3)
9.9	9.4	230	4	11-15 HR:(4)
13.3	12.6	310	5	16-20 HR:(5)
12.1	11.5	282	6	21-25 HR:(6)
7.9	7.5	183	7	26-30 HR:(7)
8.0	7.6	187	8	30+ HRS:(8)
	5.4	132	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 398-399

V2192 062C24A:R\$/AVG WEEK JOB

Item Number: 00600

Question Number(s): 2C24A During an average week, how much

money did you get from. . . A: A job or other work

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	31.4	772	1	NONE: (1)
1.2	1.1	27	2	\$1-5:(2)
3.2	3.0	74	3	\$6-10:(3)
2.4	2.2	55	4	\$11-20:(4)
3.0	2.8	69	5	\$21-35:(5)
5.5	5.1	125	6	\$36-50:(6)
8.8	8.2	201	7	\$51-75:(7)
18.0	16.7	412	8	\$76-125:(8)
24.3	22.7	558	9	\$126+:(9)
	6.8	167	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 400-401

V2193 062C24B:R\$/AVG WEEK OTH

Item Number: 00610

Question Number(s): 2C24B During an average week, how much money did you get from. . . B: Other sources (allowances, etc.)

1="None" 2="\$1-5" 3="\$6-10" 4="\$11-20" 5=\$21-35" 6="\$36-50" 7="\$51-75" 8="\$76-125" 9="\$126+"

PCT VALID	PCT ALL	N	VALUE	LABEL
37.8	34.6	851	1	NONE:(1)
5.7	5.2	127	2	\$1-5:(2)
8.7	7.9	195	3	\$6-10:(3)
16.3	14.9	366	4	\$11-20:(4)
11.5	10.6	259	5	\$21-35:(5)
7.0	6.4	157	6	\$36-50:(6)
4.1	3.7	92	7	\$51-75:(7)
4.2	3.9	95	8	\$76-125:(8)
4.8	4.4	109	9	\$126+:(9)
	8.4	207	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 402-403

V2194 062C25 :#X/AV WK GO OUT

Item Number: 00620

Question Number(s): 2C25 During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.0	269	1	< 1:(1)
15.0	14.2	349	2	ONE:(2)
27.5	25.9	638	3	TWO:(3)
23.4	22.1	542	4	THREE: (4)
15.2	14.4	353	5	4-5:(5)
7.3	6.9	170	6	6-7:(6)
	5.6	137	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 404-405

V2195 062C26 :#X DATE 3+/WK

Item Number: 00630

Question Number(s): 2C26 On the average, how often do you go out with a date (or your spouse, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	25.8	635	1	NEVER: (1)
19.5	18.4	452	2	1/MO OR<:(2)
16.3	15.3	377	3	2-3/MO:(3)
16.3	15.4	379	4	1/WK:(4)
13.2	12.4	305	5	2-3/WK:(5)
7.3	6.9	170	6	3+/WK:(6)
	5.8	142	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 406-407

V2196 062C27 :DRIVE>200 MI/WK

Item Number: 00640

Question Number(s): 2C27 During an average week, how much

do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="100 to 200 miles" 6="More than 200 miles"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	15.7	386	1	NONE: (1)
7.8	7.4	181	2	1-10 MI:(2)
25.2	23.8	586	3	11-50:(3)
23.0	21.7	533	4	51-100:(4)
15.9	15.0	370	5	101-200:(5)
11.4	10.8	266	6	> 200:(6)
	5.5	136	-9	MISSING
100 0	100 0	2 4 5 0	anana /	\ L + L1

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 408-409

V2197 062C28 :#X/12MO R TCKTD

Item Number: 00650

Question Number(s): 2C28 Within the LAST 12 MONTHS, how many times, if any, have you received a ticket (OR been stopped and warned) for moving violations, such as speeding, running a stop light, or improper passing?

0="None--GO TO QUESTION 30" 1="Once" 2="Twice" 3="Three times" 4= "Four or more times"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	68.3	1,679	0	NONE: (0)
16.4	15.4	378	1	ONE:(1)
6.8	6.4	158	2	TWO:(2)
2.0	1.9	46	3	THREE: (3)
1.9	1.8	44	4	4+:(4)
	6.2	154	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 410-411

V2198 062C29AR#TCKTS AFT DRNK

Item Number: 00660

Question Number(s): 2C29A How many of these tickets or warnings occurred after you were . . . A: Drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	23.6	579	0	None:(0)
5.1	1.3	32	1	One:(1)
0.9	0.2	5	2	Two: (2)
0.3	0.1	2	3	3-4 or +: (3-4)
	74.8	1,840	-9	MISSING
100.0	100.0	2.458	cases	(Wtd)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 412-413

V2199 062C29BR#TCKTS AFT MARJ

Item Number: 00670

Question Number(s): 2C29B How many of these tickets or warnings occurred after you were . . . B: Smoking marijuana

or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	23.9	587	0	None:(0)
4.3	1.1	26	1	One:(1)
0.4	0.1	2	2	Two: (2)
0.4	0.1	3	3	3-4 or +: (3-4)
	74.8	1,839	-9	MISSING
100 0	100 0	2.458	cases	(Wtd)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 414-415

V2200 062C29CR#TCKTS AFT OTDG

Item Number: 00680

Question Number(s): 2C29C How many of these tickets or warnings occurred after you were . . . C: Using other

illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.1	24.8	610	0	None:(0)
0.6	0.1	3	1	One:(1)
0.0	0.0	0	2	Two: (2)
0.3	0.1	2	3	3-4 or +: (3-4)
	75.0	1,843	-9	MISSING
100 0	100 0	2 458	Cageg	(b+w)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 416-417

V2201 062C30 :#ACCIDNTS/12 MO

Item Number: 00690

Question Number(s): 2C30 We are interested in any accidents which occurred while you were driving a car, truck, or motorcycle. ("Accidents" means a collision involving property damage or personal injury--not bumps or scratches in parking lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None--GO TO QUESTION 32" l="One" 2="Two" 3="Three" 4="Four or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	71.7	1,762	0	NONE: (0)
18.1	16.9	415	1	ONE:(1)
3.8	3.6	88	2	TWO:(2)
0.9	0.8	20	3	THREE: (3)
0.5	0.5	12	4	4+:(4)
	6.6	162	-9	MISSING
			,	7.

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 418-419

V2202 062C31AR#ACDTS AFT DRNK

Item Number: 00700

Question Number(s): 2C31A How many of these accidents occurred after you were . . . A: Drinking alcoholic

beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	20.4	502	0	None:(0)
3.5	0.8	19	1	One:(1)
0.6	0.1	3	2	Two:(2)
0.8	0.2	4	3	3-4 or +: (3-4)
	78.5	1,930	-9	MISSING
100 0	100 0	2 4 5 0	aaaa	/ ₩+ ♂ \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 420-421

V2203 062C31BR#ACDTS AFT MARJ

Item Number: 00710

Question Number(s): 2C31B How many of these accidents occurred after you were . . . B: Smoking marijuana or

hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	20.8	511	0	None:(0)
3.1	0.7	16	1	One:(1)
0.1	0.0	0	2	Two: (2)
0.5	0.1	3	3	3-4 or +: (3-4)
	78.4	1,928	-9	MISSING
100 0	100.0	2.458	cases	(M+d)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 422-423

V2204 062C31CR#ACDTS AFT OTDG

Item Number: 00720

Question Number(s): 2C31C How many of these accidents occurred after you were . . . C: Using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more". Codes 3 and 4 are combined in this dataset.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	21.0	517	0	None:(0)
0.8	0.2	4	1	One:(1)
0.4	0.1	2	2	2 Two:(2)
0.5	0.1	3	3	3-4 or +: (3-4)
	78.6	1,932	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 424-425

V2500 062D01A:4WKS ALC@SCHOOL

Item Number: 25690

Question Number(s): 2D01A During the LAST FOUR WEEKS, on

of alcohol while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	88.5	2,176	1	NONE: (1)
3.0	2.8	69	2	1 DAY:(2)
1.3	1.2	29	3	2 DAYS:(3)
1.2	1.1	27	4	3-5 DAYS:(4)
0.3	0.3	8	5	6-9 DAYS:(5)
0.4	0.3	8	6	10+ DAYS:(6)
	5.7	141	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 426-427

V2501 062D01B:4WKS MJ/OTD@SCHL

Item Number: 25700

Question Number(s): 2D01B During the LAST FOUR WEEKS, on how many days (if any) were you . . . B: Under the influence of marijuana or some other illegal drug while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	85.1	2,092	1	NONE: (1)
3.1	2.9	72	2	1 DAY:(2)
2.0	1.9	46	3	2 DAYS:(3)
1.8	1.7	42	4	3-5 DAYS:(4)
1.0	0.9	22	5	6-9 DAYS:(5)
1.8	1.7	42	6	10+ DAYS:(6)
	5.7	141	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 428-429

V2502 062D01C:4WKS TOBACCO@SCH

Item Number: 25710

Question Number(s): 2D01C During the LAST FOUR WEEKS, on how many days (if any) were you . . . C: Smoking cigarettes or using chewing tobacco while you were at school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	86.3	2,121	1	NONE: (1)
2.0	1.9	46	2	1 DAY:(2)
1.4	1.3	32	3	2 DAYS:(3)
1.2	1.2	28	4	3-5 DAYS:(4)
0.8	0.8	19	5	6-9 DAYS:(5)
3.1	3.0	73	6	10+ DAYS:(6)
	5.7	139	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 430-431

V2503 062D01D:4WKS WEAPON@SCHL

Item Number: 25720

Question Number(s): 2D01D During the LAST FOUR WEEKS, on how many days (if any) were you . . . D: Carrying a weapon

such as a gun, knife, or club to school?

1="None" 2="One day" 3="Two days" 4="3-5 days" 5="6-9 days" 6="10 or more days"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	90.5	2,224	1	NONE: (1)
1.0	0.9	23	2	1 DAY:(2)
0.4	0.4	9	3	2 DAYS:(3)
0.5	0.5	12	4	3-5 DAYS:(4)
0.0	0.0	0	5	6-9 DAYS:(5)
1.9	1.8	45	6	10+ DAYS:(6)
	5.9	145	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 432-433

V2504 062D02A:#X TCHR INTRUPT

Item Number: 25730

Question Number(s): 2D02A During an average school week, about how many times . . . A: Do your teachers interrupt the class to deal with student misbehavior or goofing off?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	13.0	320	1	NEVER: (1)
23.0	21.6	532	2	<1/WK:(2)
24.5	23.1	568	3	1-2X/WK:(3)
19.7	18.6	458	4	3-5X/WK:(4)
9.1	8.6	210	5	6-9X/WK:(5)
4.9	4.6	113	6	10-19X/W:(6)
5.0	4.7	116	7	20+X/WK:(7)
	5.7	141	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 434-435

V2505 062D02B:#X MISBHVR INT U

Item Number: 25740

Question Number(s): 2D02B During an average school week, about how many times . . . B: Does misbehavior or goofing off by other students in your class interfere with your own learning?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	35.5	873	1	NEVER: (1)
21.2	19.9	489	2	<1/WK:(2)
17.5	16.4	403	3	1-2X/WK:(3)
12.0	11.3	277	4	3-5X/WK:(4)
5.0	4.7	115	5	6-9X/WK:(5)
2.8	2.6	64	6	10-19X/W:(6)
3.8	3.5	87	7	20+X/WK:(7)
	6.1	150	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 436-437

V2506 062D02C:#X U UNEXCSD LAT

Item Number: 25750

Question Number(s): 2D02C During an average school week, about how many times . . . C: Do you come to class late (after class has begun) without an approved excuse?

1="Never" 2="Less than once a week" 3="1-2 times a week" 4="3-5 times a week" 5="6-9 times a week" 6="10-19 times a week" 7="20 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	40.7	1,001	1	NEVER: (1)
29.7	27.8	684	2	<1/WK:(2)
14.0	13.1	322	3	1-2X/WK:(3)
8.1	7.6	187	4	3-5X/WK:(4)
2.2	2.0	50	5	6-9X/WK:(5)
1.0	0.9	22	6	10-19X/W:(6)
1.7	1.6	39	7	20+X/WK:(7)
	6.2	153	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 438-439

V2507 062D03 :SCHL RULES FAIR

Item Number: 25760

Question Number(s): 2D03 Do you feel that the rules about

student behavior in your school are generally fair and

reasonable?

5="Yes" 4="Yes, mostly" 3="Don't know, can't say" 2="No, mostly" 1="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.0	222	1	NO:(1)
16.1	15.2	373	2	NO MSTLY:(2)
11.9	11.2	275	3	DK:(3)
44.6	41.9	1,031	4	YESMSTLY: (4)
17.9	16.8	414	5	YES: (5)
	5.9	145	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 440-441

V2311 062D04 :CMP SATFD W/LIFE

Item Number: 06840

Question Number(s): 2D04 How satisfied are you with your

life as a whole these days?

1="Completely dissatisfied" 2="Quite dissatisfied" 3="Somewhat dissatisfied" 4="Neither, or mixed feelings" 5="Somewhat satisfied" 6="Quite satisfied" 7="Completely satisfied"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.7	66	1	COMP DIS:(1)
7.4	6.9	171	2	QUITE DS:(2)
8.0	7.5	185	3	SMWT DIS:(3)
10.1	9.5	233	4	NEITHER: (4)
21.6	20.2	496	5	SMWT SAT: (5)
37.3	34.9	857	6	QUITE ST:(6)
12.7	11.9	292	7	COMP SAT: (7)
	6.4	158	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 442-443

V2312 062D05A:HOW GD AS SPOUSE

Item Number: 06850

Question Number(s): 2D05A These next questions ask you to guess how well you might do in several different situations. How good do you think you would be . . . A: As a husband or wife?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	33	1	POOR:(1)
1.8	1.7	41	2	NOT GOOD: (2)
7.6	7.1	175	3	FRLY GD:(3)
31.2	29.1	716	4	GOOD: (4)
53.7	50.0	1,230	5	VRY GOOD: (5)
4.2	3.9	96	8	DK:(8)
	6.8	167	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 444-445

V2313 062D05B:HOW GD AS PARENT

Item Number: 06860

Question Number(s): 2D05B How good do you think you would

be . . . B: As a parent?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	45	1	POOR: (1)
2.2	2.1	51	2	NOT GOOD: (2)
9.6	8.9	220	3	FRLY GD:(3)
29.1	27.2	668	4	GOOD: (4)
51.6	48.1	1,183	5	VRY GOOD: (5)
5.5	5.1	125	8	DK:(8)
	6.8	167	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 446-447

V2314 062D05C:HOW GD AS WORKER

Item Number: 06870

Question Number(s): 2D05C How good do you think you would

be . . . C: As a worker on a job?

1="Poor" 2="Not So Good" 3="Fairly Good" 4="Good" 5="Very Good" 8="Don't Know"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	17	1	POOR: (1)
0.7	0.7	17	2	NOT GOOD: (2)
4.2	3.9	97	3	<pre>FRLY GD:(3)</pre>
28.7	26.7	656	4	GOOD: (4)
64.5	60.1	1,478	5	VRY GOOD: (5)
1.1	1.0	25	8	DK:(8)
	6.9	169	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 448-449

V2328 062D06A:2MCH COMPTN SCTY

Item Number: 07010

Question Number(s): 2D06A How much do you agree or disagree with each of the following statements? A: There is too much competition in this society

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.4	206	1	DISAGREE:(1)
11.1	10.2	252	2	MOST DIS:(2)
24.6	22.7	557	3	NEITHER: (3)
34.8	32.1	790	4	MOST AGR: (4)
20.5	18.9	465	5	AGREE: (5)
	7.7	188	-9	MISSING
100 0	100 0	2 459	angog /	W+♂)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 450-451

V2329 062D06B:2MANY YNG SLOPPY

Item Number: 07020

Question Number(s): 2D06B How much do you agree or disagree with each of the following statements? B: Too many young people are sloppy about their grooming and clothing, and just don't care how they look

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL		V11202	
10.7	9.8	242	1	DISAGREE: (1)
20.3	18.7	460	2	MOST DIS:(2)
29.9	27.6	679	3	NEITHER: (3)
26.3	24.3	597	4	MOST AGR: (4)
12.9	11.9	293	5	AGREE: (5)
	7.6	186	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 452-453

V2330 062D06C:2MUCH HARD ROCK

Item Number: 07030

Question Number(s): 2D06C How much do you agree or disagree with each of the following statements? C: There is too much hard rock music on the radio these days

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	35.3	868	1	DISAGREE: (1)
20.4	18.8	461	2	MOST DIS:(2)
29.2	26.9	662	3	NEITHER:(3)
6.9	6.4	157	4	MOST AGR: (4)
5.1	4.7	116	5	AGREE:(5)
	7.9	193	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 454-455

V2331 062D06D:SHD DO OWN THING

Item Number: 07040

Question Number(s): 2D06D How much do you agree or disagree with each of the following statements? D: People should do their own thing, even if other people think it's strange

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.3	56	1	DISAGREE:(1)
3.6	3.3	81	2	MOST DIS:(2)
13.7	12.6	310	3	NEITHER: (3)
36.0	33.2	816	4	MOST AGR: (4)
44.3	40.8	1,003	5	AGREE: (5)
	7.8	192	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 456-457

V2332 062D06E:KICK DO DANGR TH

Item Number: 07050

Question Number(s): 2D06E How much do you agree or disagree with each of the following statements? E: I get a real kick out of doing things that are a little dangerous

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.0	295	1	DISAGREE: (1)
12.9	11.9	291	2	MOST DIS:(2)
30.4	28.0	689	3	NEITHER: (3)
29.7	27.3	672	4	MOST AGR: (4)
14.1	13.0	320	5	AGREE: (5)
	7.8	192	-9	MISSING
100 0	100 0	2 450	anana /	W+4 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 458-459

V2333 062D06F:LIKE RISK SOME X

Item Number: 07060

Question Number(s): 2D06F How much do you agree or disagree with each of the following statements? F: I like to test myself every now and then by doing something a little risky

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	11.9	292	1	DISAGREE: (1)
11.5	10.6	260	2	MOST DIS:(2)
25.3	23.3	572	3	NEITHER:(3)
33.9	31.1	765	4	MOST AGR: (4)
16.3	15.0	369	5	AGREE: (5)
	8.1	199	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 460-461

V2433 062D06G:POS ATT TWD SELF

Item Number: 12550

Question Number(s): 2D06G How much do you agree or disagree with each of the following statements? G: I take a positive attitude toward myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.2	79	1	DISAGREE: (1)
7.7	7.1	175	2	MOST DIS:(2)
18.0	16.5	406	3	NEITHER: (3)
37.2	34.1	839	4	MOST AGR: (4)
33.5	30.7	756	5	AGREE: (5)
	8.3	204	-9	MISSING
1000	1000	0 450	,	1\

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 462-463

V2434 062D06H:AM PRSN OF WORTH

Item Number: 12570

Question Number(s): 2D06H How much do you agree or disagree with each of the following statements? H: I feel I am a person of worth, on an equal plane with others

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.8	69	1	DISAGREE: (1)
4.5	4.1	102	2	MOST DIS:(2)
17.3	15.9	390	3	NEITHER:(3)
33.8	31.1	765	4	MOST AGR: (4)
41.3	38.0	934	5	AGREE: (5)
	8.0	198	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 464-465

V2435 062D06I:DO WELL AS OTHRS

Item Number: 12580

Question Number(s): 2D06I How much do you agree or disagree with each of the following statements? I: I am able to do things as well as most other people

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.4	34	1	DISAGREE: (1)
3.3	3.0	74	2	MOST DIS:(2)
12.1	11.2	274	3	NEITHER: (3)
38.7	35.6	875	4	MOST AGR: (4)
44.5	40.9	1,006	5	AGREE: (5)
	7.9	194	-9	MISSING
100 0	100 0	0 450		T.T.L7 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 466-467

V2436 062D06J:SATISFD W MYSELF

Item Number: 12620

Question Number(s): 2D06J How much do you agree or disagree with each of the following statements? J: On the whole, I'm satisfied with myself

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.0	75	1	DISAGREE: (1)
6.3	5.8	143	2	MOST DIS:(2)
15.0	13.8	339	3	NEITHER:(3)
35.0	32.1	790	4	MOST AGR: (4)
40.3	37.0	909	5	AGREE: (5)
	8.2	202	-9	MISSING
1000	4000		,	

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 468-469

V2437 062D06K:-MUCH TO B PROUD

Item Number: 12660

Question Number(s): 2D06K How much do you agree or disagree with each of the following statements? K: I feel I do not have much to be proud of

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	33.9	833	1	DISAGREE: (1)
29.8	27.3	670	2	MOST DIS:(2)
17.6	16.2	397	3	NEITHER:(3)
10.2	9.3	229	4	MOST AGR: (4)
5.4	5.0	122	5	AGREE: (5)
	8.4	207	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 470-471

V2438 062D06L:I AM NO GOOD

Item Number: 12680

Question Number(s): 2D06L How much do you agree or disagree with each of the following statements? L: Sometimes

I think that I am no good at all

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	35.7	878	1	DISAGREE: (1)
20.7	19.0	467	2	MOST DIS:(2)
18.2	16.6	409	3	NEITHER: (3)
14.6	13.4	329	4	MOST AGR: (4)
7.6	6.9	170	5	AGREE: (5)
	8.3	205	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 472-473

V2439 062D06M:I DO WRONG THING

Item Number: 12720

Question Number(s): 2D06M How much do you agree or diagree with each of the following statements? M: I feel that I can't do anything right

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	40.8	1,003	1	DISAGREE: (1)
23.8	21.8	535	2	MOST DIS:(2)
17.3	15.9	391	3	NEITHER: (3)
10.4	9.6	235	4	MOST AGR: (4)
4.0	3.6	89	5	AGREE: (5)
	8.3	205	-9	MISSING
	4000		,	

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 474-475

V2440 062D06N:MY LIFE NT USEFL

Item Number: 12750

Question Number(s): 2D06N How much do you agree or diagree with each of the following statements? N: I feel that my life is not very useful

1="Disagree" 2="Mostly Disagree" 3="Neither" 4="Mostly Agree" 5="Agree"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	49.6	1,220	1	DISAGREE: (1)
19.3	17.7	435	2	MOST DIS:(2)
15.2	14.0	343	3	NEITHER: (3)
7.9	7.3	179	4	MOST AGR: (4)
3.4	3.1	77	5	AGREE: (5)
	8.3	204	-9	MISSING
	4000		,	

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 476-477

V2334 062D07A:ALL FRD SMK CIGS

Item Number: 07070

Question Number(s): 2D07A How many of your friends would

you estimate . . . A: Smoke cigarettes?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	17.2	424	1	NONE: (1)
39.4	36.2	890	2	A FEW: (2)
26.2	24.1	591	3	SOME:(3)
14.1	12.9	318	4	MOST:(4)
1.6	1.5	37	5	ALL:(5)
	8.1	198	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 478-479

V2335 062D07B:ALL FRD SMK MARJ

Item Number: 07080

Question Number(s): 2D07B How many of your friends would

you estimate . . . B: Smoke marijuana (pot, weed) or

hashish?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	21.6	530	1	NONE: (1)
33.2	30.5	750	2	A FEW: (2)
23.5	21.6	531	3	SOME: (3)
17.1	15.7	386	4	MOST: (4)
2.7	2.4	60	5	ALL:(5)
	8.2	201	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 480-481

V2336 062D07C:ALL FRD TAKE LSD

Item Number: 07090

Question Number(s): 2D07C How many of your friends would

you estimate . . . C: Take LSD?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	74.0	1,819	1	NONE: (1)
14.7	13.5	331	2	A FEW: (2)
3.5	3.2	79	3	SOME: (3)
0.6	0.5	13	4	MOST: (4)
0.2	0.2	5	5	ALL:(5)
	8.6	212	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 482-483

V2337 062D07D:ALL FRD TK PSYDL

Item Number: 07100

Question Number(s): 2D07D How many of your friends would you estimate . . . D: Take other hallucinogens (mescaline,

peyote, "shrooms" or psilocybin, PCP, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	63.6	1,563	1	NONE: (1)
22.8	20.8	511	2	A FEW: (2)
5.9	5.4	133	3	SOME: (3)
1.4	1.2	31	4	MOST: (4)
0.3	0.3	7	5	ALL:(5)
	8.7	213	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 484-485

V2338 062D07E:ALL FRD TK AMPH

Item Number: 07110

Question Number(s): 2D07E How many of your friends would you estimate . . . E: Take amphetamines (uppers, pep pills,

bennies, speed)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	64.6	1,588	1	NONE: (1)
20.2	18.5	454	2	A FEW: (2)
7.0	6.4	157	3	SOME: (3)
1.5	1.4	33	4	MOST: (4)
0.5	0.4	11	5	ALL:(5)
	8.7	215	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 486-487

V2339 062D07F:ALL FRD TK QUALD

Item Number: 07120

Question Number(s): 2D07F How many of your friends would you estimate . . . F: Take quaaludes (quads, methaqualone)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.5	79.0	1,941	1	NONE: (1)
9.4	8.6	211	2	A FEW: (2)
2.9	2.6	64	3	SOME: (3)
0.9	0.8	20	4	MOST:(4)
0.4	0.3	8	5	ALL:(5)
	8.7	213	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 488-489

V2523

062D07G:ALL FRD TK SED/B

Item Number: 07135

Question Number(s): 2D07G How many of your friends would you estimate . . . G: Take sedatives/barbiturates (downers)?

)

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	70.4	1,730	1	NONE: (1)
16.2	14.8	363	2	A FEW: (2
5.0	4.6	112	3	SOME:(3)
1.0	0.9	22	4	MOST:(4)
0.3	0.3	6	5	ALL:(5)
	9.2	226	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 490-491

V2341 062D07H:ALL FRD TK TRNQL

Item Number: 07140

Question Number(s): 2D07H How many of your friends would

you estimate . . . H: Take tranquilizers?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	76.9	1,890	1	NONE: (1)
10.0	9.1	224	2	A FEW: (2)
4.2	3.8	93	3	SOME: (3)
0.8	0.7	18	4	MOST: (4)
0.3	0.3	7	5	ALL:(5)
	9.2	226	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 492-493

V2342

062D07I:ALL FRD TK COKE

Item Number: 07150

Question Number(s): 2D07I How many of your friends would

you estimate . . . I: Take cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	63.3	1,557	1	NONE: (1)
20.9	18.9	466	2	A FEW: (2)
7.5	6.8	167	3	SOME: (3)
1.5	1.4	34	4	MOST:(4)
0.3	0.3	8	5	ALL:(5)
	9.2	227	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 494-495

V2343 062D07J:ALL FRD TK HERON

Item Number: 07160

Question Number(s): 2D07J How many of your friends would

you estimate. . . J: Take heroin?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	78.6	1,933	1	NONE: (1)
10.1	9.1	224	2	A FEW: (2)
2.0	1.8	44	3	SOME: (3)
0.5	0.4	10	4	MOST: (4)
0.3	0.3	7	5	ALL:(5)
	9.8	241	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 496-497

V2344 062D07K:ALL FRD TK NARC

Item Number: 07170

Question Number(s): 2D07K How many of your friends would you estimate . . . K: Take other narcotics (methadone, opium, codeine, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	69.8	1,717	1	NONE: (1)
16.1	14.6	360	2	A FEW: (2)
5.2	4.7	115	3	SOME:(3)
1.3	1.1	28	4	MOST: (4)
0.5	0.5	12	5	ALL:(5)
	9.2	227	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 498-499

V2345 062D07L:ALL FRD TK INHL

Item Number: 07180

Question Number(s): 2D07L How many of your friends would you estimate . . . L: Use inhalants (sniff glue, aerosols, laughing gas, etc.)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	73.5	1,807	1	NONE: (1)
14.3	12.9	317	2	A FEW: (2)
3.4	3.1	75	3	SOME: (3)
0.7	0.6	15	4	MOST: (4)
0.5	0.4	10	5	ALL:(5)
	9.5	234	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 500-501

V2346 062D07M:ALL FRD DRK ALCL

Item Number: 07190

Question Number(s): 2D07M How many of your friends would you estimate . . . M: Drink alcoholic beverages (liquor,

beer, wine)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	12.7	313	1	NONE: (1)
14.0	12.7	313	2	A FEW: (2)
19.3	17.6	431	3	SOME: (3)
36.2	32.9	810	4	MOST: (4)
16.5	15.0	369	5	ALL:(5)
	9.0	222	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 502-503

V2347 062D07N:ALL FRD GT DRUNK

Item Number: 07200

Question Number(s): 2D07N How many of your friends would

you estimate . . . N: Get drunk at least once a week?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	20.6	507	1	NONE: (1)
25.3	23.0	564	2	A FEW: (2)
24.2	22.0	540	3	SOME: (3)
20.8	18.9	466	4	MOST: (4)
7.0	6.4	157	5	ALL:(5)
	9.1	224	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 504-505

V2451 062E01A:# FRNDS TK CRACK

Item Number: 07151

Question Number(s): 2E01A Lately there has been some attention paid to certain drugs, including "crack" (cocaine in chunks or rocks). How many of your friends would you estimate . . . A: Take "crack" cocaine?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	69.9	1,718	1	NONE: (1)
18.1	16.4	403	2	A FEW: (2)
3.8	3.4	84	3	SOME: (3)
0.8	0.7	18	4	MOST: (4)
0.2	0.2	5	5	ALL:(5)
	9.4	231	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 506-507

V2401 062E01B:# FRNDS TAKE PCP

Item Number: 07201

Question Number(s): 2E01B How many of your friends would

you estimate . . . B: Take PCP (angel dust)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	80.8	1,986	1	NONE: (1)
8.8	8.0	196	2	A FEW: (2)
1.5	1.4	33	3	SOME: (3)
0.2	0.2	5	4	MOST:(4)
0.2	0.2	5	5	ALL:(5)
	9.5	233	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 508-509

V2402 062E01C:# FRNDS TK PPRS

Item Number: 07202

Question Number(s): 2E01C How many of your friends would you estimate . . . C: Take amyl or butyl nitrites (poppers,

snappers, Locker Room, Vaporole, Rush, Kick, Bullet)?

1="None" 2="A Few" 3="Some" 4="Most" 5="All"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	83.0	2,041	1	NONE: (1)
6.2	5.6	139	2	A FEW: (2)
1.5	1.4	34	3	SOME: (3)
0.3	0.2	6	4	MOST:(4)
0.2	0.2	4	5	ALL:(5)
	9.5	235	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 510-511

V2452 062E02A:RSK COK PWDR 1-2

Item Number: 12501

Question Number(s): 2E02A How much do you think people risk harming themselves (physically or in other ways), if they . . . A: Try cocaine in powder form once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	8.2	200	1	NO RISK:(1)
16.6	14.9	367	2	SLIGHT:(2)
24.1	21.7	534	3	MOD RISK:(3)
45.3	40.8	1,003	4	<pre>GRT RISK:(4)</pre>
4.9	4.4	109	5	CANT SAY: (5)
	9.9	244	-9	MISSING
100 0	100 0	2 450	aaaaa	/ M+M \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 512-513

V2453 062E02B:RSK COK PWDR OCC

Item Number: 12502

Question Number(s): 2E02B How much do you think people risk harming themselves (physically or in other ways), if they . . . B: Take cocaine powder occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	4.9	120	1	NO RISK:(1)
5.7	5.1	126	2	SLIGHT:(2)
21.9	19.7	484	3	MOD RISK:(3)
62.1	55.7	1,370	4	GRT RISK:(4)
4.8	4.3	107	5	CANT SAY: (5)
	10.3	252	-9	MISSING
100 0	100 0	2 458	cases (W+d)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 514-515

V2454 062E02C:RSK COK PWDR REG

Item Number: 12503

Question Number(s): 2E02C How much do you think people risk harming themselves (physically or in other ways) if they . . . C: Take cocaine powder regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.7	116	1	NO RISK:(1)
1.5	1.4	34	2	SLIGHT:(2)
5.8	5.2	129	3	MOD RISK:(3)
82.4	73.8	1,815	4	GRT RISK:(4)
5.0	4.5	110	5	CANT SAY: (5)
	10.3	254	-9	MISSING
100 0	100 0	2 458	Cacac	(L+M)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 516-517

V2455 062E02D:RSK CRACK 1-2X

Item Number: 12504

Question Number(s): 2E02D How much do you think people risk harming themselves (physically or in other ways), if they . . . D: Try "crack" cocaine once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	6.7	165	1	NO RISK:(1)
16.6	14.9	366	2	SLIGHT:(2)
23.1	20.7	508	3	MOD RISK:(3)
47.6	42.7	1,049	4	GRT RISK:(4)
5.2	4.7	116	5	CANT SAY: (5)
	10.3	254	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 518-519

V2456 062E02E:RSK CRACK OCC

Item Number: 12505

Question Number(s): 2E02E How much do you think people risk harming themselves (physically or in other ways), if they. . . E: Take "crack" cocaine occasionally

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	4.9	119	1	NO RISK:(1)
3.5	3.1	77	2	SLIGHT:(2)
20.8	18.7	459	3	MOD RISK:(3)
64.9	58.3	1,434	4	GRT RISK:(4)
5.4	4.8	119	5	CANT SAY: (5)
	10.2	250	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 520-521

V2457 062E02F:RSK CRACK REG

Item Number: 12506

Question Number(s): 2E02F How much do you think people risk harming themselves (physically or in other ways), if they . . . F: Take "crack" cocaine regularly

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.5	112	1	NO RISK:(1)
1.5	1.3	33	2	SLIGHT:(2)
5.1	4.6	112	3	MOD RISK:(3)
83.1	74.3	1,826	4	GRT RISK:(4)
5.2	4.7	115	5	CANT SAY: (5)
	10.6	260	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 522-523

V2458 062E02G:RSK PCP 1-2X

Item Number: 12415

Question Number(s): 2E02G How much do you think people risk harming themselves (physically or in other ways) if they . . . G: Try PCP once or twice

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	6.5	161	1	NO RISK:(1)
13.7	12.3	302	2	SLIGHT:(2)
22.2	19.9	489	3	MOD RISK:(3)
46.7	41.8	1,028	4	GRT RISK: (4)
10.0	9.0	220	5	CANT SAY: (5)
	10.5	259	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 524-525

V2476 062E02H:RSK ICE 1-2X

Item Number: 24420

Question Number(s): 2E02H How much do you think people risk harming themselves (physically or in other ways) if they . . . H: Try crystal meth ("ice")

1="No Risk" 2="Slight Risk" 3="Moderate Risk" 4="Great Risk" 5="Can't Say, Drug Unfamiliar"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	5.8	142	1	NO RISK:(1)
8.6	7.6	188	2	SLIGHT:(2)
18.2	16.3	400	3	MOD RISK:(3)
58.9	52.6	1,293	4	GRT RISK:(4)
7.8	7.0	171	5	CANT SAY: (5)
	10.7	264	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 526-527

V2459 062E03A:#X CRACK/LIFETIM

Item Number: 22260

Question Number(s): 2E03A On how many occasions (if any) have you used "crack" cocaine? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	86.3	2,121	1	0 OCCAS:(1)
2.1	1.9	46	2	1-2X:(2)
0.5	0.4	11	3	3-5X:(3)
0.2	0.2	5	4	6-9X:(4)
0.2	0.2	5	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.7	0.6	15	7	40+OCCAS: (7)
	10.4	254	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 528-529

V2460 062E03B:#X CRACK/LAST12M

Item Number: 22270

Question Number(s): 2E03B On how many occasions (if any) have you used "crack" cocaine? B: . . . during the last 12

months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	87.9	2,161	1	0 OCCAS:(1)
0.9	0.8	19	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.2	0.1	3	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS:(7)
	10.4	254	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 530-531

V2461 062E03C:#X CRACK/LAST30D

Item Number: 22280

Question Number(s): 2E03C On how many occasions (if any) have you used "crack" cocaine? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	88.8	2,182	1	0 OCCAS:(1)
0.4	0.4	9	2	1-2X:(2)
0.2	0.2	4	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.1	0.1	3	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	10.4	254	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 532-533

V2403 062E04A:#X PCP/LIFETIME

Item Number: 01181

Question Number(s): 2E04A On how many occasions (if any)

have you used PCP? A: . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	87.6	2,152	1	0 OCCAS:(1)
1.5	1.3	33	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.2	0.1	4	4	6-9X:(4)
0.2	0.2	4	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.2	4	7	40+OCCAS:(7)
	10.5	258	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 534-535

V2404 062E04B:#X PCP/LAST12MO

Item Number: 01182

Question Number(s): 2E04B On how many occasions (if any) have you used PCP? B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	88.9	2,185	1	0 OCCAS:(1)
0.2	0.2	5	2	1-2X:(2)
0.2	0.2	5	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS:(7)
	10.4	257	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 536-537

V2405 062E04C:#X PCP/LAST30DA

Item Number: 01183

Question Number(s): 2E04C On how many occasions (if any)

have you used PCP? C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	89.1	2,190	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.1	0.1	3	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS:(7)
	10.5	258	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 538-539

V2406 062E05A:#X PPRS/LIFETIME

Item Number: 01184

Question Number(s): 2E05A On how many occasions (if any) have you used amyl or butyl nitrites? A: . . in your

lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	88.1	2,166	1	0 OCCAS:(1)
0.6	0.5	12	2	1-2X:(2)
0.1	0.1	1	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.2	0.1	3	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.2	0.2	5	7	40+OCCAS:(7)
	10.9	267	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 540-541

V2407 062E05B:#X PPRS/LAST12MO

Item Number: 01185

Question Number(s): 2E05B On how many occasions (if any) have you used amyl or butyl nitrites? B: . . . during the

last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9
Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or
More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	88.8	2,182	1	0 OCCAS:(1)
0.1	0.1	3	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS:(7)
	10.7	264	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 542-543

V2408 062E05C:#X PPRS/LAST30DA

Item Number: 01186

Question Number(s): 2E05C On how many occasions (if any) have you used amyl or butyl nitrites? C: . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	89.0	2,187	1	0 OCCAS:(1)
0.2	0.1	3	2	1-2X:(2)
0.0	0.0	0	3	3-5X:(3)
0.0	0.0	0	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.0	0.0	1	6	20-39X:(6)
0.2	0.1	3	7	40+OCCAS:(7)
	10.7	264	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 544-545

V2493 062E06A:#X STRD/LIFETIME

Item Number: 22690

Question Number(s): 2E06A Steroids, or anabolic steroids, are sometimes prescribed by doctors to promote healing from certain types of injuries. Some athletes, and others, have used them to try to increase muscle development. On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . A: . . . in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	86.7	2,132	1	0 OCCAS:(1)
1.4	1.2	30	2	1-2X:(2)
0.3	0.3	7	3	3-5X:(3)
0.3	0.2	6	4	6-9X:(4)
0.3	0.3	7	5	10-19X:(5)
0.2	0.2	4	6	20-39X:(6)
0.8	0.7	17	7	40+OCCAS:(7)
	10.4	256	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 546-547

V2494 062E06B:#X STRD/LAST12MO

Item Number: 22700

Question Number(s): 2E06B On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . B: . . . during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	87.9	2,161	1	0 OCCAS:(1)
0.7	0.6	15	2	1-2X:(2)
0.1	0.1	2	3	3-5X:(3)
0.1	0.1	3	4	6-9X:(4)
0.4	0.3	8	5	10-19X:(5)
0.0	0.0	0	6	20-39X:(6)
0.5	0.4	11	7	40+OCCAS:(7)
	10.5	258	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 548-549

V2495 062E06C:#X STRD/LAST30DA

Item Number: 22710

Question Number(s): 2E06C On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them. . . C: . . . during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	88.4	2,173	1	0 OCCAS:(1)
0.3	0.3	7	2	1-2X:(2)
0.4	0.3	8	3	3-5X:(3)
0.1	0.1	2	4	6-9X:(4)
0.0	0.0	0	5	10-19X:(5)
0.1	0.1	1	6	20-39X:(6)
0.4	0.4	10	7	40+OCCAS: (7)
	10.5	258	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 550-551

V2496 062E07A:MTHD STRD-INJECT

Item Number: 23790

Question Number(s): 2E07A What methods have you used for taking steroids on your own? (Mark all that apply.) A. Injection

0="UNMARKED" 1="MARKED"

PCT PCT N VALUE LABEL VALID ALL 39 22 0 NT MRKED:(0) 63.4 1.6 23 1 MARKED: (1) 36.6 0.9 97.5 2,397 -9 MISSING 100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 552-553

V2497

062E07B:MTHD STRD-MOUTH

Item Number: 23800

Question Number(s): 2E07B What methods have you used for taking steroids on your own? (Mark all that apply.) B. By mouth

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	0.6	14	0	NT MRKED: (0)
77.5	1.9	48	1	MARKED: (1)
	97.5	2,397	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 554-555

V2516 062E07C:HVNT USED STRDS

Item Number: 30940

Question Number(s): 2E07C What methods have you used for taking steroids on your own? C. Haven't used steroids

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.4	59	0	NOT MARKED: (0)
97.3	86.8	2,134	1	MARKED: (1)
	10.8	265	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 556-557

V2462 062E08A:GR 1ST TRY CRACK

Item Number: 05661

Question Number(s): 2E08A When (if ever) did you FIRST do each of the following things? A: Try "crack" cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.2	6	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.2	0.1	3	3	GRADE 8:(3)
0.4	0.4	10	4	GRADE 9:(4)
0.6	0.5	13	5	GRADE 10:(5)
1.0	0.9	22	6	GRADE 11:(6)
1.0	0.9	21	7	GRADE 12:(7)
96.5	84.3	2,073	8	NEVER: (8)
	12.6	310	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 558-559

V2463 062E08B:GR 1ST TR OT COK

Item Number: 05662

Question Number(s): 2E08B When (if ever) did you FIRST do each of the following things? B: Try any other form of cocaine

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.3	0.2	6	1	GRADE	6:(1)
0.1	0.1	1	2	GRADE	7:(2)
0.4	0.3	8	3	GRADE	8:(3)
0.8	0.7	17	4	GRADE	9:(4)
1.2	1.0	25	5	GRADE	10:(5)
1.9	1.6	40	6	GRADE	11:(6)
1.7	1.5	37	7	GRADE	12:(7)
93.8	81.7	2,009	8	NEVER:	(8)
	12.8	315	-9	MISSIN	IG

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 560-561

V2420 062E08C:GR 1ST TRY PCP

Item Number: 05686

Question Number(s): 2E08C When (if ever) did you FIRST do each of the following things? C: Try PCP

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7= "Grade 12 (Senior) "

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.3	0.3	6	3	GRADE 8:(3)
0.3	0.3	7	4	GRADE 9:(4)
0.6	0.5	12	5	GRADE 10:(5)
0.4	0.3	9	6	GRADE 11:(6)
0.2	0.2	5	7	GRADE 12:(7)
98.0	86.4	2,125	8	NEVER: (8)
	11.8	291	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 562-563

V2421 062E08D:GR 1ST TRY PPRS

Item Number: 05687

Question Number(s): 2E08D When (if ever) did you FIRST do each of the following things? D: Try amyl or butyl nitrites

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8"
4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11
(Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	GRADE 6:(1)
0.0	0.0	1	2	GRADE 7:(2)
0.1	0.1	2	3	GRADE 8:(3)
0.3	0.3	7	4	GRADE 9:(4)
0.3	0.2	5	5	GRADE 10:(5)
0.1	0.1	2	6	GRADE 11:(6)
0.1	0.1	3	7	GRADE 12:(7)
99.1	87.2	2,144	8	NEVER: (8)
	12.0	294	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 564-565

V2477 062E08E:GR 1ST TRY ICE

Item Number: 24430

Question Number(s): 2E08E When (if ever) did you FIRST do each of the following things? E: Try crystal meth ("ice")

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior) " 7= "Grade 12 (Senior) "

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.1	0.1	2	3	GRADE 8:(3)
0.5	0.4	10	4	GRADE 9:(4)
0.4	0.3	8	5	GRADE 10:(5)
1.0	0.9	22	6	GRADE 11:(6)
0.4	0.3	8	7	GRADE 12:(7)
97.5	84.9	2,088	8	NEVER: (8)
	12.9	317	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 566-567

V2498 062E08F:GR 1ST TRY STRDS

Item Number: 23810

Question Number(s): 2E08F When (if ever) did you FIRST do each of the following things? F: Try steroids (anabolic steroids)

8="Never" 1="Grade 6 or below" 2="Grade 7" 3="Grade 8" 4="Grade 9 (Freshman)" 5="Grade 10 (Sophomore)" 6="Grade 11 (Junior)" 7="Grade 12 (Senior)"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	GRADE 6:(1)
0.1	0.1	3	2	GRADE 7:(2)
0.1	0.1	2	3	GRADE 8:(3)
0.3	0.3	7	4	GRADE 9:(4)
0.7	0.6	16	5	GRADE 10:(5)
0.5	0.5	11	6	GRADE 11:(6)
0.4	0.3	9	7	GRADE 12:(7)
97.8	85.5	2,101	8	NEVER: (8)
	12.6	309	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 568-569

V2464 062E09A:EASY GT CRACK

Item Number: 06811

Question Number(s): 2E09A How difficult do you think it would be for you to get each of the following, if you wanted

some? A: "Crack" cocaine

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	17.4	428	1	PROB IMP:(1)
17.3	15.2	373	2	VRY DIFF:(2)
23.9	20.9	514	3	<pre>FRLY DIF:(3)</pre>
25.5	22.3	548	4	FRLY EAS: (4)
13.5	11.8	290	5	VRY EASY: (5)
	12.4	304	-9	MISSING
100 0	100 0	2 450	anana /	W+4 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 570-571

V2465 062E09B:EASY GT COK PWDR

Item Number: 06812

Question Number(s): 2E09B How difficult do you think it would be for you to get each of the following, if you wanted

some? B: Cocaine in powder form

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	17.2	424	1	PROB IMP:(1)
16.6	14.5	357	2	<pre>VRY DIFF:(2)</pre>
20.9	18.3	449	3	<pre>FRLY DIF:(3)</pre>
26.0	22.8	560	4	FRLY EAS: (4)
16.7	14.6	360	5	VRY EASY: (5)
	12.6	309	-9	MISSING
100 0	100 0	2.458	cases	(Wtd)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 572-573

V2466 062E09C:EASY GT PCP

Item Number: 06771

Question Number(s): 2E09C How difficult do you think it would be for you to get each of the following, if you wanted

some? C: PCP

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	24.0	591	1	PROB IMP:(1)
23.4	20.3	500	2	VRY DIFF:(2)
25.9	22.5	554	3	<pre>FRLY DIF:(3)</pre>
15.5	13.5	332	4	FRLY EAS: (4)
7.5	6.6	161	5	VRY EASY: (5)
	13.0	321	-9	MISSING
100 0	100 0	2 450	anana /	W+4 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 574-575

V2467 062E09D:EASY GT NITRITES

Item Number: 22350

Question Number(s): 2E09D How difficult do you think it would be for you to get each of the following, if you wanted

some? D: Amyl or butyl nitrites

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	25.3	623	1	PROB IMP:(1)
25.5	22.1	543	2	<pre>VRY DIFF:(2)</pre>
27.1	23.6	579	3	<pre>FRLY DIF:(3)</pre>
12.3	10.7	262	4	FRLY EAS: (4)
5.9	5.1	126	5	VRY EASY: (5)
	13.2	325	-9	MISSING
100 0	100 0	2.458	cases	(Wtd)

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 576-577

V2478 062E09E:EASY GT ICE

Item Number: 24410

Question Number(s): 2E09E How difficult do you think it would be for you to get each of the following, if you wanted

some? E: Crystal meth ("ice")

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	23.4	575	1	PROB IMP:(1)
23.4	20.4	502	2	VRY DIFF:(2)
23.0	20.0	492	3	<pre>FRLY DIF:(3)</pre>
16.9	14.7	362	4	FRLY EAS: (4)
9.8	8.5	209	5	VRY EASY: (5)
	13.0	319	-9	MISSING
100 0	100 0	2 459	angog /	/ L+M

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 578-579

V2499 062E09F:EASY GT STEROIDS

Item Number: 23060

Question Number(s): 2E09F How diffucult do you think it would be for you to get each of the following, if you wanted

some? F: Steroids (anabolic steroids)

1="Probably Impossible" 2="Very Difficult" 3="Fairly Difficult" 4="Fairly Easy" 5="Very Easy"

PCT	N	VALUE	LABEL
ALL			
19.0	468	1	PROB IMP:(1)
13.7	336	2	VRY DIFF:(2)
18.3	451	3	<pre>FRLY DIF:(3)</pre>
22.7	558	4	FRLY EAS: (4)
13.3	327	5	VRY EASY: (5)
13.0	319	-9	MISSING
100.0	2,458	cases (Wtd)
	ALL 19.0 13.7 18.3 22.7 13.3 13.0	ALL 19.0 468 13.7 336 18.3 451 22.7 558 13.3 327 13.0 319	ALL 19.0 468 1 13.7 336 2 18.3 451 3 22.7 558 4 13.3 327 5 13.0 319 -9

Data type: numeric

Missing-data code: -9 Columns: 580-581

V2479 062E10A:DAP SMK 1PCK CIG

Item Number: 08560

Question Number(s): 2E10A Individuals differ in whether or not they disapprove of people doing certain things. Do YOU disapprove of people (who are 18 or older) doing each of the following? A: Smoking one or more packs of cigarettes per day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	22.4	552	1	DONT DIS:(1)
42.2	37.1	912	2	DISAPPRV:(2)
32.3	28.4	697	3	STRG DIS:(3)
	12.1	298	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 582-583

V2480

062E10B:DAP TRY MRJ 1-2T

Item Number: 08570

Question Number(s): 2E10B Do YOU disapprove of people (who are 18 or older) doing each of the following? B: Trying marijuana once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	40.3	991	1	DONT DIS:(1)
29.3	25.8	633	2	DISAPPRV:(2)
24.9	21.9	537	3	STRG DIS:(3)
	12.1	297	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 584-585

V2481 062E10C:DAP SMK MRJ OCCS

Item Number: 08580

Question Number(s): 2E10C Do YOU disapprove of people (who are 18 or older) doing each of the following? C: Smoking

marijuana occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	30.2	743	1	DONT DIS:(1)
31.4	27.6	679	2	DISAPPRV:(2)
34.1	30.0	737	3	STRG DIS:(3)
	12.2	299	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 586-587

V2482

062E10D:DAP SMK MRJ REGL

Item Number: 08590

Question Number(s): 2E10D Do YOU disapprove of people (who are 18 or older) doing each of the following? D: Smoking marijuana regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	19.2	471	1	DONT DIS:(1)
30.5	26.8	658	2	DISAPPRV:(2)
47.7	41.8	1,028	3	STRG DIS:(3)
	12.2	301	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 588-589

V2483 062E10E:DAP COK PWD 1-2T

Item Number: 23630

Question Number(s): 2E10E Do YOU disapprove of people (who are 18 or older) doing each of the following? E: Trying

cocaine in powder form once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	14.2	348	1	DONT DIS:(1)
29.8	26.1	643	2	DISAPPRV:(2)
54.0	47.3	1,164	3	STRG DIS:(3)
	12.3	303	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 590-591

V2484

062E10F:DAP COK PWDR OCC

Item Number: 23640

Question Number(s): 2E10F Do YOU disapprove of people (who are 18 or older) doing each of the following? F: Taking cocaine powder occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	8.6	212	1	DONT DIS:(1)
25.9	22.7	558	2	DISAPPRV:(2)
64.3	56.3	1,385	3	STRG DIS:(3)
	12.4	304	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 592-593

V2485 062E10G:DAP COK PWDR REG

Item Number: 23650

Question Number(s): 2E10G Do YOU disapprove of people (who are 18 or older) doing each of the following? G: Taking

cocaine powder regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.0	149	1	DONT DIS:(1)
20.5	18.0	441	2	DISAPPRV:(2)
72.6	63.7	1,565	3	STRG DIS:(3)
	12.3	303	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 594-595

V2486

062E10H:DAP TRY CRK 1-2T

Item Number: 23660

Question Number(s): 2E10H Do YOU disapprove of people (who are 18 or older) doing each of the following? H: Trying "crack" cocaine once or twice

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.0	246	1	DONT DIS:(1)
28.7	25.1	617	2	DISAPPRV:(2)
59.9	52.5	1,290	3	STRG DIS:(3)
	12.4	305	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 596-597

V2487 062E10I:DAP CRACK OCC

Item Number: 23670

Question Number(s): 2E10I Do YOU disapprove of people (who

are 18 or older) doing each of the following? I: Taking

"crack" cocaine occasionally

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	6.4	158	1	DONT DIS:(1)
22.9	20.1	494	2	DISAPPRV:(2)
69.7	61.1	1,503	3	STRG DIS:(3)
	12.3	303	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 598-599

V2488

062E10J:DAP CRACK REG

Item Number: 23680

Question Number(s): 2E10J Do YOU disapprove of people (who are 18 or older) doing each of the following? J: Taking "crack" cocaine regularly

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	5.5	135	1	DONT DIS:(1)
18.5	16.2	398	2	DISAPPRV:(2)
75.2	65.7	1,615	3	STRG DIS:(3)
	12.6	310	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric

Columns: 600-601

Missing-data code: -9

V2489 062E10K:DAP TRY DRK ALCL

Item Number: 08710

Question Number(s): 2E10K Do YOU disapprove of people (who are 18 or older) doing each of the following? K: Trying one or two drinks of an alcoholic beverage (beer, wine, liquor)

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	59.4	1,461	1	DONT DIS:(1)
17.8	15.6	384	2	DISAPPRV:(2)
14.2	12.4	305	3	STRG DIS:(3)
	12.6	309	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 602-603

V2490

062E10L:DAP 1-2 DRK/DAY

Item Number: 08720

Question Number(s): 2E10L Do YOU disapprove of people (who are 18 or older) doing each of the following? L: Taking one or two drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	28.3	696	1	DONT DIS:(1)
40.5	35.5	873	2	DISAPPRV:(2)
27.2	23.8	585	3	STRG DIS:(3)
	12.4	305	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 604-605

V2491 062E10M:DAP 4-5 DRK/DAY

Item Number: 08730

Question Number(s): 2E10M Do YOU disapprove of people (who are 18 or older) doing each of the following? M: Taking four or five drinks nearly every day

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	12.8	314	1	DONT DIS:(1)
33.0	28.9	709	2	DISAPPRV:(2)
52.4	45.9	1,128	3	STRG DIS:(3)
	12.5	307	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 606-607

V2492

062E10N:DAP 5+ DRK WKNDS

Item Number: 08740

Question Number(s): 2E10N Do YOU disapprove of people (who are 18 or older) doing each of the following? N: Having five or more drinks once or twice each weekend

1="Don't Disapprove" 2="Disapprove" 3="Strongly Disapprove"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	26.8	659	1	DONT DIS:(1)
27.9	24.3	598	2	DISAPPRV:(2)
41.4	36.1	887	3	STRG DIS:(3)
	12.7	313	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 608-609

V2428 062E11A:FAVOR MLTY DRAFT

Item Number: 21060

Question Number(s): 2E11A The next two questions are about military service. Do you favor or oppose a military draft at

the present time?

5="Strongly favor" 4="Mostly favor" 3="No opinion, or mixed" 2="Mostly oppose" 1="Strongly oppose"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	38.7	952	1	STRG OPP:(1)
20.3	17.6	432	2	MOST OPP:(2)
27.3	23.6	581	3	DK/MIXED:(3)
4.6	4.0	97	4	MOST FAV: (4)
3.1	2.7	66	5	STRG FAV: (5)
	13.4	330	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric

Missing-data code: -9 Columns: 610-611

V2429

062E11B:DRAFT INCL WOMEN

Item Number: 21070

Question Number(s): 2E11B Do you think any military draft in the U.S. should include women as well as men?

3="Yes" 2="Uncertain" 1="No"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	31.9	785	1	NO:(1)
32.4	28.9	712	2	UNCERTN: (2)
31.9	28.5	701	3	YES:(3)
	10.6	261	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 612-613

V2371 062E12 :R LIKES SCHOOL

Item Number: 07630

Question Number(s): 2E12 The next questions are about your experiences at school. Some people like school very much. Others don't. How do you feel about going to school?

5="I like school very much" 4="I like school quite a lot" 3="I like school some" 2="I don't like school very much" 1="I don't like school at all"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	7.2	176	1	DLIK@ALL:(1)
17.2	15.4	378	2	DNT LIKE: (2)
45.2	40.3	991	3	LIK SOME:(3)
18.9	16.9	414	4	LIK ALOT: (4)
10.6	9.4	232	5	LIK VMCH:(5)
	10.9	267	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 614-615

V2372 062E13 :HRS/WK SPND HMWK

Item Number: 07640

Question Number(s): 2E13 About how many hours do you spend in an average week on all of your homework including both in school and out of school?

1="0 hours" 2="1-4 hours" 3="5-9 hours" 4="10-14 hours" 5="15-19 hours" 6="20-24 hours" 7="25 or more hours"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	11.0	270	1	0 HOURS:(1)
50.8	45.3	1,114	2	1-4 HRS:(2)
18.2	16.2	399	3	5-9 HRS:(3)
8.9	7.9	195	4	10-14 HR:(4)
3.9	3.4	84	5	15-19 HR:(5)
3.2	2.9	71	6	20-24 HR:(6)
2.7	2.4	59	7	25+ HRS:(7)
	10.9	267	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 616-617

V2445 062E14A:SCH ACTV-PBLCTNS

Item Number: 22170

Question Number(s): 2E14A To what extent have you

participated in the following school activities during this

school year? A: school newspaper or yearbook

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	65.4	1,608	1	NOT @ALL:(1)
9.7	8.5	210	2	SLIGHT:(2)
4.7	4.2	102	3	MODERATE: (3)
3.7	3.3	81	4	CONSDBLE: (4)
7.8	6.9	169	5	GREAT: (5)
	11.7	289	-9	MISSING
100 0	100 0	2 450	aaaaa /	W+4 \

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 618-619

V2446 062E14B:SCH ACTV-PRF ART

Item Number: 22180

Question Number(s): 2E14B To what extent have you

participated in the following school activities during this

school year? B: music or other performing arts

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	52.7	1,297	1	NOT @ALL:(1)
8.8	7.8	191	2	SLIGHT:(2)
7.4	6.6	162	3	MODERATE: (3)
6.3	5.6	138	4	CONSDBLE: (4)
17.9	15.9	391	5	GREAT: (5)
	11.4	280	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 620-621

V2447 062E14C:SCH ACTV-ATHLTCS

Item Number: 22190

Question Number(s): 2E14C To what extent have you

participated in the following school activities during this

school year? C: athletic teams

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	40.8	1,003	1	NOT @ALL:(1)
7.8	6.9	170	2	SLIGHT:(2)
8.8	7.8	191	3	MODERATE: (3)
9.4	8.4	205	4	CONSDBLE: (4)
27.9	24.8	609	5	GREAT: (5)
	11.4	280	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 622-623

V2448 062E14D:SCH ACTV-OTH ACT

Item Number: 22200

Question Number(s): 2E14D To what extent have you participated in the following school activities during this

school year? D: other school clubs or activities

1="Not At All" 2="Slight" 3="Moderate" 4="Considerable" 5="Great"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	29.7	730	1	NOT @ALL:(1)
14.3	12.7	312	2	SLIGHT:(2)
16.9	15.0	368	3	MODERATE: (3)
14.7	13.0	319	4	CONSDBLE: (4)
20.5	18.1	445	5	GREAT: (5)
	11.6	284	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric

Missing-data code: -9

Columns: 624-625

V2373 062E15A:PRCL INFL SCL RN

Item Number: 07650

Question Number(s): 2E15A In general, how much say or influence do you feel each of the following has on HOW YOUR SCHOOL IS RUN? A: The principal

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	15.3	376	1	NO INFLC:(1)
13.0	11.4	281	2	SOME: (2)
16.3	14.4	354	3	MODERATE: (3)
24.8	21.9	537	4	CNSIDRBL: (4)
28.6	25.3	621	5	GRT DEAL:(5)
	11.7	289	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9

Columns: 626-627

V2374 062E15B:TCHR INFL SCL RN

Item Number: 07660

Question Number(s): 2E15B In general, how much say or influence do you feel each of the following has on HOW YOUR

SCHOOL IS RUN? B: The teachers

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	9.4	231	1	NO INFLC:(1)
17.4	15.4	378	2	SOME: (2)
31.1	27.4	674	3	MODERATE: (3)
26.4	23.3	573	4	CNSIDRBL: (4)
14.4	12.7	311	5	GRT DEAL: (5)
	11.8	290	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 628-629

V2375 062E15C:STDS INFL SCL RN

Item Number: 07670

Question Number(s): 2E15C In general, how much say or influence do you feel each of the following has on HOW YOUR

SCHOOL IS RUN? C: The students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	22.7	557	1	NO INFLC:(1)
20.7	18.2	448	2	SOME: (2)
21.4	18.9	464	3	MODERATE: (3)
15.4	13.6	333	4	CNSIDRBL: (4)
16.8	14.8	365	5	GRT DEAL: (5)
	11.8	291	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 630-631

V2376 062E15D:PRTS INFL SCL RN

Item Number: 07680

Question Number(s): 2E15D In general, how much say or influence do you feel each of the following has on HOW YOUR

SCHOOL IS RUN? D: Parents of students

1="Little or No Influence" 2="Some Influence" 3="Moderate Influence" 4="Considerable Influence" 5="A Great Deal of Influence"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	18.5	455	1	NO INFLC:(1)
28.1	24.7	607	2	SOME: (2)
22.9	20.2	496	3	MODERATE: (3)
15.3	13.4	331	4	CNSIDRBL: (4)
12.7	11.2	274	5	GRT DEAL:(5)
	12.0	296	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 632-633

V2377 062E16 :HAD DRUG EDUCATN

Item Number: 07690

Question Number(s): 2E16 Have you had any drug education

courses or lectures in school?

1="No--GO TO QUESTION 20" 2="No, and I wish I had--GO TO

QUESTION 20" 3="Yes"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	20.4	502	1	NO:(1)
2.7	2.3	56	2	WISH HAD: (2)
73.1	61.7	1,517	3	YES:(3)
	15.5	382	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 634-635

V2378

062E17 :DG ED,>DG INTRST

Item Number: 07840

Question Number(s): 2E17 Would you say that the

information about drugs that you received in school classes

or programs has . . .

1="Made you less interested in trying drugs." 2="Not changed your interest in trying drugs" 3="Made you more interested in trying drugs"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	30.3	746	1	<interst:(1)< td=""></interst:(1)<>
47.4	29.2	718	2	NO CHNGE: (2)
3.3	2.0	50	3	>INTERST:(3)
	38.4	945	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9 Columns: 636-637

V2379 062E18A:DG ED,SPC COURSE

Item Number: 07850

Question Number(s): 2E18A How many of the following drug education experiences have you had in high school? (Mark all that apply.) A. A special course about drugs

0="UNMARKED" 1="MARKED"

Data type: numeric Missing-data code: -9 Columns: 638-639

V2380

062E18B:DG ED, IN REG CRS

Item Number: 07860

Question Number(s): 2E18B How many of the following drug education experiences have you had in high school? (Mark all that apply.) B. Films, lectures, or discussions in one of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	21.1	519	0	NT MRKED: (0)
64.8	38.9	956	1	MARKED: (1)
	40.0	983	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 640-641

V2381 062E18C:DG ED,NT REG CRS

Item Number: 07870

Question Number(s): 2E18C How many of the following drug education experiences have you had in high school? (Mark all that apply.) C. Films or lectures, outside of my regular courses

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	41.2	1,013	0	NT MRKED: (0)
31.3	18.8	463	1	MARKED: (1)
	40.0	983	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 642-643

V2382

062E18D:DG ED,SPC DISCUS

Item Number: 07880

Question Number(s): 2E18D How many of the following drug education experiences have you had in high school? (Mark all that apply.) D. Special group discussions about drugs

0="UNMARKED" 1="MARKED"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	47.3	1,163	0	NT MRKED: (0)
21.2	12.7	312	1	MARKED: (1)
	40.0	983	-9	MISSING
100.0	100.0	2,458	cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 644-645

V2383 062E19 :DG ED,GRT VALUE

Item Number: 07890

Question Number(s): 2E19 Overall, how valuable were the

experiences to you?

1="Little or no value" 2="Some value" 3="Considerable value" 4="Great value"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	15.4	379	1	NO VALUE: (1)
41.3	24.9	611	2	SOME: (2)
19.6	11.8	290	3	CNSIDRBL:(3)
13.6	8.2	201	4	GT VALUE: (4)
	39.7	977	-9	MISSING
100.0	100.0	2,458	cases	(Wtd)

Data type: numeric Missing-data code: -9

Columns: 646-647

V2441 062E20A:#X/2W DRIVE+ALCL

Item Number: 01811

Question Number(s): 2E20A During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . . A: drinking alcohol?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	76.3	1,875	1	0 TIMES:(1)
6.3	5.5	135	2	1 TIME:(2)
3.4	2.9	72	3	2 TIMES:(3)
1.8	1.5	38	4	3-5 X:(4)
0.4	0.3	8	5	6-9 X:(5)
0.8	0.7	16	6	=>10 X:(6)
	12.8	314	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 648-649

V2442 062E20B:#X/2W DRIVE+5DRK

Item Number: 01812

Question Number(s): 2E20B During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . . B: having 5 or more drinks in a row?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	79.8	1,963	1	0 TIMES:(1)
3.5	3.1	76	2	1 TIME:(2)
2.1	1.8	44	3	2 TIMES:(3)
1.6	1.4	35	4	3-5 X:(4)
0.3	0.3	7	5	6-9 X:(5)
0.7	0.7	16	6	=>10 X:(6)
	12.9	318	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 650-651

V2517 062E20C:#X/2W DRIVE+MJ

Item Number: 01813

Question Number(s): 2E20C During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . . C. smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	77.6	1,907	1	0 TIMES:(1)
3.7	3.2	79	2	1 TIME:(2)
1.9	1.7	41	3	2 TIMES:(3)
2.1	1.9	46	4	3-5 X: (4)
0.9	0.8	19	5	6-9 X:(5)
2.2	1.9	46	6	=>10 X:(6)
	13.1	321	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 652-653

V2518 062E20D:#X/2W DRIVE+OTDG

Item Number: 01814

Question Number(s): 2E20D During the LAST TWO WEEKS, how many times have you driven a car, truck, or motorcycle after . . . D. using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	84.8	2,084	1	0 TIMES:(1)
0.7	0.6	14	2	1 TIME:(2)
0.5	0.5	11	3	2 TIMES:(3)
0.7	0.6	16	4	3-5 X: (4)
0.1	0.0	1	5	6-9 X:(5)
0.4	0.4	9	6	=>10 X:(6)
	13.1	323	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 654-655

V2443 062E21A:#X/2W RIDE+ALCL

Item Number: 01815

Question Number(s): 2E21A During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . A: when the driver had been drinking?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	70.1	1,723	1	0 TIMES:(1)
9.9	8.7	213	2	1 TIME:(2)
5.0	4.4	108	3	2 TIMES:(3)
2.4	2.1	51	4	3-5 X: (4)
0.6	0.5	12	5	6-9 X:(5)
1.8	1.6	39	6	=>10 X:(6)
	12.7	312	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 656-657

V2444 062E21B:#X/2W RIDE+5DRK

Item Number: 01816

Question Number(s): 2E21B During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . B: when you think the driver had 5 or more drinks?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	78.4	1,928	1	0 TIMES:(1)
4.1	3.6	87	2	1 TIME:(2)
3.0	2.6	63	3	2 TIMES:(3)
1.5	1.3	33	4	3-5 X: (4)
0.4	0.4	9	5	6-9 X:(5)
0.9	0.8	19	6	=>10 X:(6)
	12.9	318	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 658-659

V2519 062E21C:#X/2W RIDE+MJ

Item Number: 01817

Question Number(s): 2E21C During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . C. when the driver had been smoking marijuana?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	71.2	1,751	1	0 TIMES:(1)
7.0	6.1	149	2	1 TIME:(2)
4.1	3.5	87	3	2 TIMES:(3)
3.0	2.6	65	4	3-5 X: (4)
1.4	1.2	29	5	6-9 X:(5)
2.6	2.3	55	6	=>10 X:(6)
	13.1	322	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 660-661

V2520 062E21D:#X/2W RIDE+OTDG

Item Number: 01818

Question Number(s): 2E21D During the LAST TWO WEEKS, how many times (if any) have you been a passenger in a car . . . D. when the driver had been using using other illicit drugs?

1="None" 2="Once" 3="Twice" 4="3-5 times" 5="6-9 times" 6="10 or more"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	83.2	2,044	1	0 TIMES:(1)
1.7	1.5	36	2	1 TIME:(2)
0.9	0.8	20	3	2 TIMES:(3)
0.9	0.7	18	4	3-5 X: (4)
0.1	0.1	3	5	6-9 X:(5)
0.6	0.5	13	6	=>10 X:(6)
	13.2	324	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 662-663

V2414 062E22A:OFTN EAT BRKFST

Item Number: 20740

Question Number(s): 2E22A How often do you . . .A: Eat

breakfast?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	7.9	194	1	NEVER: (1)
23.7	20.6	508	2	SELDOM: (2)
20.2	17.6	433	3	SOMETIME: (3)
13.0	11.3	277	4	MST DAYS: (4)
12.4	10.8	266	5	NR EV DA:(5)
21.6	18.8	463	6	EVERYDAY: (6)
	12.9	317	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 664-665

V2415 062E22B:OFTN EAT GN VEG

Item Number: 20750

Question Number(s): 2E22B How often do you. . . B: Eat at

least some green vegetables?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.5	109	1	NEVER: (1)
11.6	10.1	248	2	SELDOM: (2)
23.7	20.6	507	3	SOMETIME: (3)
25.9	22.5	554	4	MST DAYS: (4)
18.8	16.4	403	5	NR EV DA:(5)
14.9	13.0	320	6	EVERYDAY: (6)
	12.8	315	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 666-667

V2416 062E22C:OFTN EAT FRUIT

Item Number: 20760

Question Number(s): 2E22C How often do you. . . C: Eat at

least some fruit?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.3	55	1	NEVER: (1)
8.5	7.4	182	2	SELDOM: (2)
24.2	21.1	519	3	SOMETIME: (3)
25.4	22.2	545	4	MST DAYS: (4)
19.3	16.8	413	5	NR EV DA:(5)
20.0	17.4	428	6	EVERYDAY: (6)
	12.9	317	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 668-669

V2417 062E22D:OFTN EXERCISE

Item Number: 20770

Question Number(s): 2E22D How often do you. . . D:

Exercise vigorously (jogging, swimming, calisthenics, or any

other active sports)?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	6.3	155	1	NEVER: (1)
17.3	14.9	366	2	SELDOM: (2)
23.7	20.3	500	3	SOMETIME: (3)
18.0	15.4	379	4	MST DAYS: (4)
15.6	13.4	329	5	NR EV DA:(5)
18.1	15.5	382	6	EVERYDAY: (6)
	14.1	347	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 670-671

V2418 062E22E:OFTN 7HRS SLEEP

Item Number: 20780

Question Number(s): 2E22E How often do you. . . E: Get at

least seven hours of sleep?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.6	114	1	NEVER: (1)
18.9	16.4	404	2	SELDOM: (2)
25.6	22.3	547	3	SOMETIME: (3)
21.2	18.5	455	4	MST DAYS: (4)
17.6	15.3	377	5	NR EV DA:(5)
11.4	9.9	244	6	EVERYDAY: (6)
	12.9	318	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 672-673

V2419 062E22F:OFTN SLEEP <SHLD

Item Number: 20790

Question Number(s): 2E22F How often do you. . . F: Get

less sleep than you think you should?

1="Never" 2="Seldom" 3="Sometimes" 4="Most days" 5="Nearly every day" 6="Every day"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	5.7	141	1	NEVER: (1)
11.3	9.8	240	2	SELDOM: (2)
23.5	20.4	500	3	SOMETIME: (3)
18.7	16.2	397	4	MST DAYS:(4)
19.3	16.7	411	5	NR EV DA:(5)
20.6	17.9	440	6	EVERYDAY: (6)
	13.4	328	-9	MISSING

100.0 100.0 2,458 cases (Wtd)

Data type: numeric Missing-data code: -9 Columns: 674-675

APPENDIX

Appendix A: Publications

In previous years, Monitoring the Future Publications were listed as Appendix A to this document.

For a current list of publications referencing Monitoring the Future data, please visit the Monitoring the Future Publications web page at http://www.monitoringthefuture.org/pubs.html.

Publications are divided into the following categories:

Monographs
Reference Volumes
Books
Journal Articles
Chapters
Research Reports
Occasional Papers
Congressional Testimony
Publications by Study Staff

Many of the publications may be accessed electronically via the web site, either in their entirety and/or in abstract form.

Appendix B - Sample Size and Student Response Rates

The three-stage sample procedure described in the introduction yielded the following number of participating schools and students.

	Number of Public Schools	Number of Private Schools	Total Number of Schools	Total Number of Students	Student Response Rate*
1975	111	14	125	15,791	78%
1976	108	15	123	16,678	77
1977	108	16	124	18,436	79
1978	111	20	131	18,924	83
1979	111	20	131	16,662	82
1980	107	20	127	16,524	82
1981	109	19	128	18,267	81
1982	116	21	137	18,348	83
1983	112	22	134	16,947	84
1984	117	17	134	16,499	83
1985	115	17	132	16,502	84
1986	113	16	129	15,713	83
1987	117	18	135	16,843	84
1988	113	19	132	16,795	83
1989	111	22	133	17,142	86
1990	114	23	137	15,676	86
1991	117	19	136	15,483	83
1992	120	18	138	16,251	84
1993	121	18	139	16,763	84
1994	119	20	139	15,929	84
1995	120	24	144	15,876	84
1996	118	21	139	14,824	83
1997	125	21	146	15,963	83
1998	124	20	144	15,780	82
1999	124	19	143	14,056	83
2000	116	18	134	13,286	83
2001	117	17	134	13,304	82
2002	102	18	120	13,544	83
2003	103	19	122	15,200	83
2004	109	19	128	15,222	82
2005	108	21	129	15,378	82
2006	116	20	136	14,814	83

^{*} The student response rate is derived by dividing the attained sample by the target sample (both based on weighted numbers of cases). The target sample is based upon listings provided by schools. Since such listings may fail to take account of recent student attrition, the actual response rate may be slightly underestimated.