ICPSR | INSTITUTE FOR SOCIAL RESEARCH
UNIVERSITY OF MICHIGAN

ICPSR 39172

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2023

Richard A. Miech
University of Michigan. Institute for Social Research. Survey Research Center

Lloyd D. Johnston
University of Michigan. Institute for Social Research. Survey Research Center

Megan E. Patrick
University of Michigan. Institute for Social Research. Survey Research Center

ICPSR Codebook for Core Data

Terms of Use

The [terms of use](https://www.icpsr.umich.edu/web/ICPSR/studies/39172/terms) for this study can be found at:
https://www.icpsr.umich.edu/web/ICPSR/studies/39172/terms

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 39172

Monitoring the Future: A Continuing Study of American Youth (12th-Grade Survey), 2023

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Core Data

RESPONDENT_ID: R'S ID-SERIAL

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	-	-
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

- Mean: 35749.07
- Minimum: 10001.00
- Maximum: 61282.00
- Standard Deviation: 16955.14

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V1: 80001:YEAR OF ADMIN (4-DIGITS)

Value	Label	Unweighted Frequency	%
2023	-	7584	100.0 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Mean: 2023.00
- Median: 2023.00
- Mode: 2023.00
- Minimum: 2023.00
- Maximum: 2023.00
- Standard Deviation: 0.00

Location: 6-9 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V3: 80003:FORM ID

Value	Label	Unweighted Frequency	%
1	FORM 1:(1)	1256	16.6 %

Value	Label	Unweighted Frequency	%
2	FORM 2:(2)	1274	16.8 %
3	FORM 3:(3)	1264	16.7 %
4	FORM 4:(4)	1258	16.6 %
5	FORM 5:(5)	1281	16.9 %
6	FORM 6:(6)	1251	16.5 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 10-11 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V545: 89978:SURVEY MODE: 1=PAPER 2=TABLET 3=WEB

Item Number: 89978

This variable is an indicator of survey mode: paper or tablet or web. This
variable replaces TABLET (89977:RESPONDENT: TABLET=1 PAPER=0) in prior years.

1="PAPER" 2="TABLET" 3="WEB"

Value	Label	Unweighted Frequency	%
1	PAPER:(1)	0	0.0 %
2	TABLET:(2)	0	0.0 %
3	WEB:(3)	7584	100.0 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 12-13 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V548: 90016:MODE OF SURVEY ADMIN

Item Number: 90016

This variable provides information on the mode of survey administration to the students.

4="SYNCHRONOUS" 5="ASYNCHRONOUS" 6="MULTIPLE TYPES"

Value	Label	Unweighted Frequency	%
1	CLASS:(1)	0	0.0 %
2	MASS:(2)	0	0.0 %
3	MULTIPLE MASS:(3)	0	0.0 %
4	SYNCHRONOUS:(4)	6634	87.5 %
5	ASYNCHRONOUS:(5)	199	2.6 %
6	MULTIPLE TYPES:(6)	751	9.9 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 4.00
- Maximum: 6.00

Location: 14-15 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V549: 90017:INSTRUCTION MODE AT ADMIN

Item Number: 90017

Classroom instruction mode at time of survey administration

1 ="All in-person" 2 ="All remote" 3 ="Hybrid"

Value	Label		Unweighted Frequency	%
1	ALL IN-PERSON:(1)		7006	92.4 %
2	ALL REMOTE:(2)		178	2.3 %
3	HYBRID:(3)		400	5.3 %
	Total		**7,584**	**100.0%**

Value	Missing Data		Unweighted Frequency	%
-9	MISSING:(-9)		0	0.0 %
	Total		**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 16-17 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V550: 90021:PROCTOR IN SCHOOL

Item Number: 90018

MTF survey proctor present in the school

1 ="Yes" 0 ="No"

Value	Label		Unweighted Frequency	%
0	NO:(0)		467	6.2 %
1	YES:(1)		7117	93.8 %
	Total		**7,584**	**100.0%**

Value	Missing Data		Unweighted Frequency	%
-9	MISSING:(-9)		0	0.0 %
	Total		**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 18-19 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

RANDOM_GROUP: 90013:RANDOM GROUP: 1=BLUE 2=ORANGE

Item Number: 90013

This variable provides information to differentiate the "blue" and "orange" block questions.

Please see the codebook for details.

1="BLUE" 2="ORANGE"

Value	Label	Unweighted Frequency	%
1	BLUE:(1)	3798	50.1 %
2	ORANGE:(2)	3786	49.9 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 20-21 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

ARCHIVE_WT: ARCHIVE WEIGHT

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	-	-
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

- Mean: 1.000000000000
- Minimum: 0.072305971512
- Maximum: 6.214315691863
- Standard Deviation: 0.786743659289

Location: 22-36 (width: 15; decimal: 12)
Variable Type: numeric

V13: 80013:SCHL RGN-4 CAT

Item Number: 80013

Region of the country, based on Census categories, in which respondent's school is located.

1=Northeast 2=Midwest 3=South 4=West

Value	Label	Unweighted Frequency	%
1	NORTHEAST:(1)	1786	23.5 %
2	MIDWEST:(2)	2108	27.8 %
3	SOUTH:(3)	2912	38.4 %
4	WEST:(4)	778	10.3 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 37-38 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V16: 80016:SELF-REP/NOT=0

Item Number: 80016

Component variable, along with V17, for a standardized 3-category measure
of population density. Population density is largest ("Large MSA") when
V16 is coded 1 and V17 is coded 1, medium-sized ("Other MSA") when V16 is
0 and V17 1, and smallest ("Non-MSA") when both V16 and V17 are coded 0.

0="Non Self-representing" 1="Self-representing"

Value	Label	Unweighted Frequency	%
0	NOT SELF REPRESENTING:(0)	4865	64.1 %

Value	Label	Unweighted Frequency	%
1	SELF REPRESENTING:(1)	2719	35.9 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 39-40 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V17: 80017:SMSA/NON-SMSA=0

Item Number: 80017

MSA: Metropolitan Statistical Area as defined for the US Census, a county or group of contiguous counties (or, in New England, Consolidated Metropolitan Areas) that contain at least one city of 50,000 inhabitants or more. (Formerly referred to as "Standard Metropolitan Statistical Area".)

0=Not MSA 1=MSA

Value	Label	Unweighted Frequency	%
0	NON-MSA:(0)	1645	21.7 %
1	MSA:(1)	5939	78.3 %
	Total	**7,584**	**100.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	0	0.0 %
	Total	**0**	**0.0%**

This variable has 7,584 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 41-42 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

RESPONDENT_AGE: 89848:AGE <>18 DICHOTOMY

Item Number: 00010-00020

Component questions:
1) "In what year were you born?" (item 00010),
2) "In what month were you born?" (item 00020), and
3) Date of questionnaire administration as recorded by interviewer.

1="under 18 years old" 2="18 years of age and over"

Please see the codebook section "MTF Variable Information" for more details on the creation of this variable.

Value	Label	Unweighted Frequency	%
1	UNDER 18:(1)	3072	40.5 %
2	18 OR OLDER:(2)	4125	54.4 %
	Total	**7,197**	**94.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	387	5.1 %
	Total	**387**	**5.1%**

This variable has 7,197 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2150: 00030:R'S SEX

Item Number: 00030

What is your sex?

1="Male" 2="Female" 3="Other" 4="Prefer not to answer"

Value	Label	Unweighted Frequency	%
1	MALE:(1)	3420	45.1 %

Value	Label	Unweighted Frequency	%
2	FEMALE:(2)	3438	45.3 %
3	OTHER:(3)	93	1.2 %
4	PREFER NOT ANSWER:(4)	254	3.3 %
	Total	**7,205**	**95.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	379	5.0 %
	Total	**379**	**5.0%**

This variable has 7,205 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 4.00

Location: 45-46 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2151: 00040:R'S RACE B/W/H

Item Number: 00041-00049

How do you describe yourself?

(Select one or more responses.) Black or African American; Mexican American or Chicano; Cuban American; Puerto Rican; Other Hispanic or Latino; Asian American; White (Caucasian); American Indian or Alaska Native; Native Hawaiian or Other Pacific Islander; Middle Eastern.

Recoded in this dataset so that "Black or African American" = 1, "White (Caucasian)" = 2; Hispanic = 3 ("Mexican..." or "Cuban..." or "Puerto Rican" or "Other Hispanic...").

All other responses, including those of respondents who fell into more than one of the three categories, were deleted.

1="Black or African American" 2="White (Caucasian)" 3="Hispanic [see above]".

Value	Label	Unweighted Frequency	%
1	BLACK:(1)	781	10.3 %
2	WHITE:(2)	3539	46.7 %
3	HISPANIC:(3)	1344	17.7 %
	Total	**5,664**	**74.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1920	25.3 %
	Total	**1,920**	**25.3%**

This variable has 5,664 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 47-48 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2152: 00050:R SPD >TIM R-URB

Item Number: 00050

Where did you grow up mostly?

1="On a farm" 2="In the country" 3="In a small city or town (under 50,000 people)"
4="In a medium-sized city (50,000- 100,000)" 5="In a suburb of a medium-sized city"
6="In a large city (100,000-500,000)" 7="In a suburb of a large city"
8="In a very large city (over 500,000)" 9="In a suburb of a very large city"
0="Can't say; mixed"

Value	Label	Unweighted Frequency	%
0	DK/MIXED:(0)	716	9.4 %
1	A FARM:(1)	280	3.7 %
2	COUNTRY:(2)	671	8.8 %
3	SM CITY:(3)	2131	28.1 %
4	MED CITY:(4)	907	12.0 %
5	SUB MED:(5)	796	10.5 %
6	LGE CITY:(6)	505	6.7 %
7	SUB LGE:(7)	392	5.2 %
8	V-LGE CITY:(8)	502	6.6 %
9	SUB V-LGE:(9)	265	3.5 %
	Total	**7,165**	**94.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	419	5.5 %
	Total	**419**	**5.5%**

This variable has 7,165 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 49-50 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2153: 00060:R NOT MARRIED

Item Number: 00060

What is your present marital status?

1="Married" 2="Engaged" 3="Separated/divorced" 4="Single"

Value	Label	Unweighted Frequency	%
1	MARRIED:(1)	720	9.5 %
2	ENGAGED:(2)	172	2.3 %
3	SEP/DIV:(3)	301	4.0 %
4	SINGLE:(4)	5973	78.8 %
	Total	**7,166**	**94.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	418	5.5 %
	Total	**418**	**5.5%**

This variable has 7,166 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 51-52 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2155: 00090:R'S HSHLD FATHER

Item Number: 00090

Which of the following people live in the same household with you? (Mark all that apply.)

Father (or male guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2023	26.7 %
1	MARKED:(1)	5127	67.6 %
	Total	**7,150**	**94.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	434	5.7 %
	Total	**434**	**5.7%**

This variable has 7,150 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 53-54 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2156: 00100:R'S HSHLD MOTHER

Item Number: 00100

Which of the following people live in the same household with you? (Mark all that apply.)

Mother (or female guardian)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	810	10.7 %
1	MARKED:(1)	6340	83.6 %
	Total	**7,150**	**94.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	434	5.7 %
	Total	**434**	**5.7%**

This variable has 7,150 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

V2157: 00110:R'S HSHLD BR/SR

Item Number: 00110

Which of the following people live in the same household with you? (Mark all that apply.)

Brother(s) and/or sister(s)

0="UNMARKED" 1="MARKED"

[Other alternatives -- "Grandparent(s)," "My husband/wife," "My child(ren),"
"Other relative(s)," "Non-relative(s)," "I live alone" -- have been deleted
for reasons of confidentiality.]

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	2376	31.3 %
1	MARKED:(1)	4774	62.9 %
	Total	**7,150**	**94.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	434	5.7 %
	Total	**434**	**5.7%**

This variable has 7,150 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

V49: 89849:# SIBLINGS

Item Number: 00075-00076

How many brothers and sisters do you have?

(Include stepbrothers and sisters and half-brothers and sisters)
a) Older brothers and sisters [item 00075]
b) Younger brothers and sisters [item 00076]

0="None" 1="One" 2="Two" 3="Three" 4="Four" 5="Five" 6="Six or more".

[For this dataset, responses to the two questions are added and bracketed
so that 3 is the highest category, meaning "Three or more brothers or sisters".]

Value	Label	Unweighted Frequency	%
0	NONE:(0)	533	7.0 %
1	ONE:(1)	1994	26.3 %
2	TWO:(2)	1828	24.1 %
3	THREE+:(3)	2815	37.1 %
	Total	**7,170**	**94.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	414	5.5 %
	Total	**414**	**5.5%**

This variable has 7,170 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 59-60 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2163: 00310:FATHR EDUC LEVEL

Item Number: 00310

The next three questions ask about your parents. If you were raised mostly
by foster parents, stepparents, or others, answer for them. For example,
if you have both a stepfather and a natural father, answer for the one that
was the most important in raising you. What is the highest level of
schooling your father completed?

1="Completed grade school or less" 2="Some high school" 3="Completed
high school" 4="Some college" 5="Completed college" 6="Graduate or
professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	293	3.9 %
2	SOME HS:(2)	737	9.7 %
3	HS GRAD:(3)	1766	23.3 %
4	SOME CLG:(4)	929	12.2 %

Value	Label	Unweighted Frequency	%
5	CLG GRAD:(5)	1578	20.8 %
6	GRAD SCH:(6)	971	12.8 %
7	DK:(7)	858	11.3 %
	Total	**7,132**	**94.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	452	6.0 %
	Total	**452**	**6.0%**

This variable has 7,132 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
• Minimum: 1.00
• Maximum: 7.00

Location: 61-62 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2164: 00320:MOTHR EDUC LEVEL

Item Number: 00320

What is the highest level of schooling your mother completed?

1="Completed grade school or less" 2="Some high school" 3="Completed high school" 4="Some college" 5="Completed college" 6="Graduate or professional school after college" 7="Don't know, or does not apply"

Value	Label	Unweighted Frequency	%
1	GRDE SCH:(1)	221	2.9 %
2	SOME HS:(2)	441	5.8 %
3	HS GRAD:(3)	1300	17.1 %
4	SOME CLG:(4)	1144	15.1 %
5	CLG GRAD:(5)	2223	29.3 %
6	GRAD SCH:(6)	1301	17.2 %
7	DK:(7)	497	6.6 %
	Total	**7,127**	**94.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	457	6.0 %

Value	Missing Data	Unweighted Frequency	%
	Total	**457**	**6.0%**

This variable has 7,127 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 63-64 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2166: 00340:R'S POLTL PRFNC

Item Number: 00340

How would you describe your political preference?

1="Strongly Republican" 2="Mildly Republican" 3="Mildly Democrat"
4="Strongly Democrat" 5="Independent" 6="No preference" 7="Other"
8="Don't know, haven't decided"

Value	Label	Unweighted Frequency	%
1	STRG GOP:(1)	810	10.7 %
2	MILD GOP:(2)	913	12.0 %
3	MILD DEM:(3)	752	9.9 %
4	STRG DEM:(4)	700	9.2 %
5	INDEPNDT:(5)	904	11.9 %
6	NO PREF:(6)	1232	16.2 %
7	OTHER:(7)	194	2.6 %
8	DK/HVNT DECID:(8)	1614	21.3 %
	Total	**7,119**	**93.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	465	6.1 %
	Total	**465**	**6.1%**

This variable has 7,119 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 65-66 (width: 2; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -9

V2167: 00350:R'POL BLF RADCL

Item Number: 00350

How would you describe your political beliefs?

1="Very Conservative" 2="Conservative" 3="Moderate" 4="Liberal" 5="Very
Liberal" 6="Radical" 8="None of the above, or don't know"

Value	Label	Unweighted Frequency	%
1	VRY CONS:(1)	399	5.3 %
2	CONSERV:(2)	926	12.2 %
3	MODERATE:(3)	1213	16.0 %
4	LIBERAL:(4)	1058	14.0 %
5	VRY LIB:(5)	492	6.5 %
6	RADICAL:(6)	188	2.5 %
8	NONE/DK:(8)	2829	37.3 %
	Total	**7,105**	**93.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	479	6.3 %
	Total	**479**	**6.3%**

This variable has 7,105 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 67-68 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2169: 00370:R'ATTND REL SVC

Item Number: 00370

The next three questions are about religion.

How often do you attend religious services?

1="Never" 2="Rarely" 3="Once or twice a month" 4="About once a week or more"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	2026	26.7 %
2	RARELY:(2)	2119	27.9 %
3	1-2X/MO:(3)	883	11.6 %
4	1/WK OR+:(4)	1370	18.1 %
	Total	**6,398**	**84.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1186	15.6 %
	Total	**1,186**	**15.6%**

This variable has 6,398 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 69-70 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2170: 00380:RLGN IMP R'S LF

Item Number: 00380

How important is religion in your life?

1="Not important" 2="A little important" 3="Pretty important" 4="Very important"

Responses from the Western region intentionally obliterated.

Value	Label	Unweighted Frequency	%
1	NOT IMPT:(1)	1981	26.1 %
2	LITL IMP:(2)	1655	21.8 %
3	PRTY IMP:(3)	1487	19.6 %
4	VERY IMP:(4)	1267	16.7 %
	Total	**6,390**	**84.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1194	15.7 %

Value	Missing Data	Unweighted Frequency	%
	Total	**1,194**	**15.7%**

This variable has 6,390 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 71-72 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2171: 00390:WHEN R XPCT GRAD

Item Number: 00390

When are you most likely to graduate from high school?

1="By this June" 2="July to January" 3="After next January" 6="Don't expect to graduate"

Value	Label	Unweighted Frequency	%
1	JUNE:(1)	6985	92.1 %
2	JUL-JAN:(2)	85	1.1 %
3	AFTER JAN:(3)	0	0.0 %
6	DONT EXPCT:(6)	48	0.6 %
	Total	**7,118**	**93.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	466	6.1 %
	Total	**466**	**6.1%**

This variable has 7,118 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 73-74 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2172: 00400:R'S HS PROGRAM

Item Number: 00400

Which of the following best describes your present high school program?

1="Academic or college prep" 2="General" 3="Vocational, technical, or commercial" 4="Other, or don't know"

Value	Label	Unweighted Frequency	%
1	CLG PREP:(1)	3677	48.5 %
2	GENERAL:(2)	2159	28.5 %
3	VOC-TECH:(3)	246	3.2 %
4	OTH/DK:(4)	1016	13.4 %
	Total	**7,098**	**93.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	486	6.4 %
	Total	**486**	**6.4%**

This variable has 7,098 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 75-76 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2173: 00410:RT SF SCH AB>AVG

Item Number: 00410

Compared with others your age throughout the country, how do you rate yourself on school ability?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average"
4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far
Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	69	0.9 %
2	BELOW AVG:(2)	224	3.0 %
3	SLIGHT BELOW:(3)	400	5.3 %
4	AVERAGE:(4)	2193	28.9 %
5	SLIGHT ABOVE:(5)	1870	24.7 %
6	ABOVE AVG:(6)	1812	23.9 %
7	FAR ABOVE:(7)	522	6.9 %

Value	Label	Unweighted Frequency	%
	Total	7,090	93.5%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	494	6.5 %
	Total	494	6.5%

This variable has 7,090 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 77-78 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2174: 00420:RT SF INTELL>AVG

Item Number: 00420

How intelligent do you think you are compared with others your age?

1="Far Below Average" 2="Below Average" 3="Slightly Below Average"
4="Average" 5="Slightly Above Average" 6="Above Average" 7="Far
Above Average"

Value	Label	Unweighted Frequency	%
1	FAR BELOW:(1)	76	1.0 %
2	BELOW AVG:(2)	180	2.4 %
3	SLIGHT BELOW:(3)	415	5.5 %
4	AVERAGE:(4)	2060	27.2 %
5	SLIGHT ABOVE:(5)	2015	26.6 %
6	ABOVE AVG:(6)	1805	23.8 %
7	FAR ABOVE:(7)	536	7.1 %
	Total	7,087	93.4%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	497	6.6 %
	Total	497	6.6%

This variable has 7,087 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 79-80 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2175: 00430:#DA/4W SC MS ILL

Item Number: 00430

During the LAST FOUR WEEKS, how many whole days of school have you missed... ...because of illness?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3789	50.0 %
2	1 DAY:(2)	1075	14.2 %
3	2 DAYS:(3)	789	10.4 %
4	3 DAYS:(4)	491	6.5 %
5	4-5 DAYS:(5)	450	5.9 %
6	6-10 DA:(6)	199	2.6 %
7	11+ DAYS:(7)	114	1.5 %
	Total	**6,907**	**91.1%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	677	8.9 %
	Total	**677**	**8.9%**

This variable has 6,907 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 81-82 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2176: 00440:#DA/4W SC MS CUT

Item Number: 00440

During the LAST FOUR WEEKS, how many whole days of school have you missed... ...because you skipped or "cut"?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	4698	61.9 %
2	1 DAY:(2)	861	11.4 %
3	2 DAYS:(3)	494	6.5 %
4	3 DAYS:(4)	317	4.2 %
5	4-5 DAYS:(5)	207	2.7 %
6	6-10 DA:(6)	74	1.0 %
7	11+ DAYS:(7)	94	1.2 %
	Total	**6,745**	**88.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	839	11.1 %
	Total	**839**	**11.1%**

This variable has 6,745 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 83-84 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2177: 00450:#DA/4W SC MS OTH

Item Number: 00450

During the LAST FOUR WEEKS, how many whole days of school have you missed... ...for other reasons?

1="None" 2="1 Day" 3="2 Days" 4="3 Days" 5="4-5 Days" 6="6-10 Days" 7="11 or More"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	3556	46.9 %
2	1 DAY:(2)	1222	16.1 %
3	2 DAYS:(3)	808	10.7 %

Value	Label	Unweighted Frequency	%
4	3 DAYS:(4)	496	6.5 %
5	4-5 DAYS:(5)	442	5.8 %
6	6-10 DA:(6)	168	2.2 %
7	11+ DAYS:(7)	153	2.0 %
	Total	**6,845**	**90.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	739	9.7 %
	Total	**739**	**9.7%**

This variable has 6,845 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 85-86 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2178: 00460:#DA/4W SKP CLASS

Item Number: 00460

During the LAST FOUR WEEKS, how often have you gone to school, but skipped a class when you weren't supposed to?

1="Not at all" 2="1 or 2 times" 3="3-5 times" 4="6-10 times" 5="11-20 times" 6="More than 20 times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	5399	71.2 %
2	1-2:(2)	954	12.6 %
3	3-5:(3)	383	5.1 %
4	6-10:(4)	142	1.9 %
5	11-20:(5)	78	1.0 %
6	21+:(6)	122	1.6 %
	Total	**7,078**	**93.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	506	6.7 %
	Total	**506**	**6.7%**

This variable has 7,078 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 87-88 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2179: 00470:R HS GRADE/D=1

Item Number: 00470

Which one of the following best describes your average grades in this school year?

9="A (93-100)" 8="A- (90-92)" 7="B+ (87-89)" 6="B (83-86)" 5="B- (80-82)"
4="C+ (77-79)" 3="C (73-76)" 2="C- (70-72)" 1="D (69 or below)"

Value	Label	Unweighted Frequency	%
1	D:(1)	111	1.5 %
2	C-:(2)	123	1.6 %
3	C:(3)	227	3.0 %
4	C+:(4)	370	4.9 %
5	B-:(5)	518	6.8 %
6	B:(6)	834	11.0 %
7	B+:(7)	1153	15.2 %
8	A-:(8)	1633	21.5 %
9	A:(9)	2127	28.0 %
	Total	**7,096**	**93.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	488	6.4 %
	Total	**488**	**6.4%**

This variable has 7,096 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 89-90 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2180: 00480:R WL DO VOC/TEC

Item Number: 00480

How likely is it that you will do each of the following things after high school?

Attend a technical or vocational school

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	4149	54.7 %
2	PRB WONT:(2)	1497	19.7 %
3	PRB WILL:(3)	792	10.4 %
4	DEF WILL:(4)	402	5.3 %
	Total	**6,840**	**90.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	744	9.8 %
	Total	**744**	**9.8%**

This variable has 6,840 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 91-92 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2181: 00490:R WL DO ARMD FC

Item Number: 00490

How likely is it that you will do each of the following things after high school?

Serve in the military (armed forces)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	5078	67.0 %
2	PRB WONT:(2)	1192	15.7 %
3	PRB WILL:(3)	362	4.8 %

Value	Label	Unweighted Frequency	%
4	DEF WILL:(4)	198	2.6 %
	Total	**6,830**	**90.1%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	754	9.9 %
	Total	**754**	**9.9%**

This variable has 6,830 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 93-94 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2182: 00500:R WL DO 2YR CLG

Item Number: 00500

How likely is it that you will do each of the following things after high school?

Graduate from a two-year college program

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	2743	36.2 %
2	PRB WONT:(2)	1284	16.9 %
3	PRB WILL:(3)	1555	20.5 %
4	DEF WILL:(4)	1224	16.1 %
	Total	**6,806**	**89.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	778	10.3 %
	Total	**778**	**10.3%**

This variable has 6,806 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00

• Maximum: 4.00

Location: 95-96 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2183: 00510:R WL DO 4YR CLG

Item Number: 00510

How likely is it that you will do each of the following things after high school?

Graduate from college (four-year program)

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	952	12.6 %
2	PRB WONT:(2)	703	9.3 %
3	PRB WILL:(3)	1724	22.7 %
4	DEF WILL:(4)	3583	47.2 %
	Total	**6,962**	**91.8%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	622	8.2 %
	Total	**622**	**8.2%**

This variable has 6,962 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 4.00

Location: 97-98 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2184: 00520:R WL DO GRD/PRF

Item Number: 00520

How likely is it that you will do each of the following things after high school?

Attend graduate or professional school after college

1="Definitely Won't" 2="Probably Won't" 3="Probably Will" 4="Definitely Will"

Value	Label	Unweighted Frequency	%
1	DEF WONT:(1)	1650	21.8 %
2	PRB WONT:(2)	1906	25.1 %
3	PRB WILL:(3)	2039	26.9 %
4	DEF WILL:(4)	1251	16.5 %
	Total	**6,846**	**90.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	738	9.7 %
	Total	**738**	**9.7%**

This variable has 6,846 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 99-100 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2185: 00530:R WNTDO VOC/TEC

Item Number: 00530

Suppose you could do just what you'd like and nothing stood in your way.
How many of the following things would you WANT to do? (Mark all that apply.)

Attend a technical or vocational school

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	5862	77.3 %
1	MARKED:(1)	1149	15.2 %
	Total	**7,011**	**92.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	573	7.6 %
	Total	**573**	**7.6%**

This variable has 7,011 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 101-102 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2186: 00540:R WNTDO ARMD FC

Item Number: 00540

Suppose you could do just what you'd like and nothing stood in your way.
How many of the following things would you WANT to do? (Mark all that apply.)

Serve in the armed forces

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	6248	82.4 %
1	MARKED:(1)	763	10.1 %
	Total	**7,011**	**92.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	573	7.6 %
	Total	**573**	**7.6%**

This variable has 7,011 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 103-104 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2187: 00550:R WNTDO 2YR CLG

Item Number: 00550

Suppose you could do just what you'd like and nothing stood in your way.
How many of the following things would you WANT to do? (Mark all that apply.)

Graduate from a two-year college program

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	4991	65.8 %
1	MARKED:(1)	2020	26.6 %
	Total	**7,011**	**92.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	573	7.6 %
	Total	**573**	**7.6%**

This variable has 7,011 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
• Minimum: 0.00
• Maximum: 1.00

Location: 105-106 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2188: 00560:R WNTDO 4YR CLG

Item Number: 00560

Suppose you could do just what you'd like and nothing stood in your way.
How many of the following things would you WANT to do? (Mark all that apply.)

Graduate from college (four-year program)

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	1881	24.8 %
1	MARKED:(1)	5130	67.6 %
	Total	**7,011**	**92.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	573	7.6 %
	Total	**573**	**7.6%**

This variable has 7,011 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
• Minimum: 0.00
• Maximum: 1.00

Location: 107-108 (width: 2; decimal: 0)

V2189: 00570:R WNTDO GRD/PRF

Item Number: 00570

Suppose you could do just what you'd like and nothing stood in your way.
How many of the following things would you WANT to do? (Mark all that apply.)

Attend graduate or professional school after college

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	3734	49.2 %
1	MARKED:(1)	3277	43.2 %
	Total	**7,011**	**92.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	573	7.6 %
	Total	**573**	**7.6%**

This variable has 7,011 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
- Minimum: 0.00
- Maximum: 1.00

Location: 109-110 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2190: 00580:R WNTDO NONE

Item Number: 00580

Suppose you could do just what you'd like and nothing stood in your way.
How many of the following things would you WANT to do? (Mark all that apply.)

None of the above

0="UNMARKED" 1="MARKED"

Value	Label	Unweighted Frequency	%
0	NT MARKD:(0)	6269	82.7 %

Value	Label	Unweighted Frequency	%
1	MARKED:(1)	742	9.8 %
	Total	**7,011**	**92.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	573	7.6 %
	Total	**573**	**7.6%**

This variable has 7,011 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2191: 00590:HRS/W WRK SCHYR

Item Number: 00590

On the average over the school year, how many hours per week do you work in a paid or unpaid job?

1="None" 2="5 or less hours" 3="6 to 10 hours" 4="11 to 15 hours" 5="16 to 20 hours" 6="21 to 25 hours" 7="26 to 30 hours" 8="More than 30 hours"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2683	35.4 %
2	5 OR <:(2)	619	8.2 %
3	6-10 HRS:(3)	713	9.4 %
4	11-15 HR:(4)	713	9.4 %
5	16-20 HR:(5)	819	10.8 %
6	21-25 HR:(6)	621	8.2 %
7	26-30 HR:(7)	442	5.8 %
8	30+ HRS:(8)	417	5.5 %
	Total	**7,027**	**92.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	557	7.3 %
	Total	**557**	**7.3%**

This variable has 7,027 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 113-114 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2192: 00600:R$/AVG WEEK JOB

Item Number: 00600

During an average week, how much money do you get from... ...a job or other work?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2885	38.0 %
2	$1-5:(2)	31	0.4 %
3	$6-10:(3)	115	1.5 %
4	$11-20:(4)	637	8.4 %
5	$21-35:(5)	134	1.8 %
6	$36-50:(6)	179	2.4 %
7	$51-75:(7)	273	3.6 %
8	$76-125:(8)	642	8.5 %
9	$126-175:(9)	581	7.7 %
10	$176+:(10)	1467	19.3 %
	Total	**6,944**	**91.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	640	8.4 %
	Total	**640**	**8.4%**

This variable has 6,944 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 115-116 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2193: 00610:R$/AVG WEEK OTH

Item Number: 00610

During an average week, how much money do you get from... ...other sources (allowances, etc.)?

1="None" 2="$1-5" 3="$6-10" 4="$11-20" 5=$21-35" 6="$36-50" 7="$51-75" 8="$76-125" 9="$126-175 10="176+"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	4137	54.5 %
2	$1-5:(2)	198	2.6 %
3	$6-10:(3)	246	3.2 %
4	$11-20:(4)	556	7.3 %
5	$21-35:(5)	384	5.1 %
6	$36-50:(6)	355	4.7 %
7	$51-75:(7)	225	3.0 %
8	$76-125:(8)	246	3.2 %
9	$126-175:(9)	67	0.9 %
10	$176+:(10)	292	3.9 %
	Total	**6,706**	**88.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	878	11.6 %
	Total	**878**	**11.6%**

This variable has 6,706 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 117-118 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2194: 00620:#X/AV WK GO OUT

Item Number: 00620

During a typical week, on how many evenings do you go out for fun and recreation?

1="Less than one" 2="One" 3="Two" 4="Three" 5="Four or Five" 6="Six or Seven"

Value	Label	Unweighted Frequency	%
1	< 1:(1)	1530	20.2 %
2	ONE:(2)	1450	19.1 %
3	TWO:(3)	2002	26.4 %
4	THREE:(4)	1255	16.5 %
5	4-5:(5)	576	7.6 %
6	6-7:(6)	219	2.9 %
	Total	**7,032**	**92.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	552	7.3 %
	Total	**552**	**7.3%**

This variable has 7,032 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 119-120 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2195: 00630:#X DATE 3+/WK

Item Number: 00630

On the average, how often do you go out with a date (or your spouse/partner, if you are married)?

1="Never" 2="Once a month or less" 3="2 or 3 times a month" 4="Once a week" 5="2 or 3 times a week" 6="Over 3 times a week"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	3816	50.3 %
2	ONCE/MO:(2)	826	10.9 %
3	2-3X MO:(3)	877	11.6 %
4	ONCE WK:(4)	676	8.9 %
5	2-3X WK:(5)	573	7.6 %
6	3+ WEEK:(6)	234	3.1 %
	Total	**7,002**	**92.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	582	7.7 %
	Total	**582**	**7.7%**

This variable has 7,002 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2196: 00640:DRIVE>200 MI/WK

Item Number: 00640

During an average week, how much do you usually drive a car, truck, or motorcycle?

1="Not at all" 2="1 to 10 miles" 3="11 to 50 miles" 4="51 to 100 miles" 5="101 to 200 miles" 6="More than 200 miles"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1900	25.1 %
2	1-10 MI:(2)	621	8.2 %
3	11-50:(3)	1508	19.9 %
4	51-100:(4)	1487	19.6 %
5	101-200:(5)	850	11.2 %
6	> 200:(6)	635	8.4 %
	Total	**7,001**	**92.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	583	7.7 %
	Total	**583**	**7.7%**

This variable has 7,001 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 123-124 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2197: 00650:#X/12MO R TCKTD

Item Number: 00650

Within the LAST 12 MONTHS, how many times, if any, have you received a
ticket (OR been stopped and warned) for moving violations, such as
speeding, running a stop light, or improper passing?

0="None" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	5947	78.4 %
1	ONCE:(1)	672	8.9 %
2	TWICE:(2)	217	2.9 %
3	3 TIMES:(3)	89	1.2 %
4	4+ TIMES:(4)	60	0.8 %
	Total	**6,985**	**92.1%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	599	7.9 %
	Total	**599**	**7.9%**

This variable has 6,985 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
- Minimum: 0.00
- Maximum: 4.00

Location: 125-126 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2198: 00660:#TCKTS AFT DRNK

Item Number: 00660

How many of these tickets or warnings occurred after you were... ...drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1018	13.4 %

Value	Label	Unweighted Frequency	%
1	ONE:(1)	10	0.1 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	3	0.0 %
	Total	**1,031**	**13.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6553	86.4 %
	Total	**6,553**	**86.4%**

This variable has 1,031 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 127-128 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2199: 00670:#TCKTS AFT MARJ

Item Number: 00670

How many of these tickets or warnings occurred after you were... ...using marijuana?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1004	13.2 %
1	ONE:(1)	20	0.3 %
2	TWO:(2)	2	0.0 %
3	THREE+:(3)	5	0.1 %
	Total	**1,031**	**13.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6553	86.4 %
	Total	**6,553**	**86.4%**

This variable has 1,031 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 129-130 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2200: 00680:#TCKTS AFT OTDG

Item Number: 00680

How many of these tickets or warnings occurred after you were... ...using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1022	13.5 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	2	0.0 %
	Total	**1,025**	**13.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6559	86.5 %
	Total	**6,559**	**86.5%**

This variable has 1,025 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 131-132 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2201: 00690:#ACCIDNTS/12 MO

Item Number: 00690

We are interested in any accidents which occurred while you were driving a
car, truck, or motorcycle. ("Accidents" means a collision involving
property damage or personal injury--not bumps or scratches in parking

lots.) During the LAST 12 MONTHS, how many accidents have you had while you were driving (whether or not you were responsible)?

0="None" 1="Once" 2="Twice" 3="Three times" 4="Four or more times"

Value	Label	Unweighted Frequency	%
0	NONE:(0)	5859	77.3 %
1	ONCE:(1)	893	11.8 %
2	TWICE:(2)	168	2.2 %
3	3 TIMES:(3)	41	0.5 %
4	4+ TIMES:(4)	32	0.4 %
	Total	**6,993**	**92.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	591	7.8 %
	Total	**591**	**7.8%**

This variable has 6,993 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 133-134 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2202: 00700:#ACDTS AFT DRNK

Item Number: 00700

How many of these accidents occurred after you were... ...drinking alcoholic beverages?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1114	14.7 %
1	ONE:(1)	12	0.2 %
2	TWO:(2)	0	0.0 %
3	THREE+:(3)	2	0.0 %
	Total	**1,128**	**14.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6456	85.1 %
	Total	**6,456**	**85.1%**

This variable has 1,128 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 135-136 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2203: 00710:#ACDTS AFT MARJ

Item Number: 00710

How many of these accidents occurred after you were... ...using marijuana or hashish?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1106	14.6 %
1	ONE:(1)	15	0.2 %
2	TWO:(2)	3	0.0 %
3	THREE+:(3)	2	0.0 %
	Total	**1,126**	**14.8%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6458	85.2 %
	Total	**6,458**	**85.2%**

This variable has 1,126 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 137-138 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2204: 00720:#ACDTS AFT OTDG

Item Number: 00720

How many of these accidents occurred after you were... ...using other illegal drugs?

0="None" 1="One" 2="Two" 3="Three" 4="Four or more"

Codes 3 and 4 are combined in this dataset.

Value	Label	Unweighted Frequency	%
0	NONE:(0)	1122	14.8 %
1	ONE:(1)	1	0.0 %
2	TWO:(2)	2	0.0 %
3	THREE+:(3)	2	0.0 %
	Total	**1,127**	**14.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6457	85.1 %
	Total	**6,457**	**85.1%**

This variable has 1,127 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 139-140 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2205: 00730:R'S BRANCH SERV

Item Number: 00730

If you have not entered military service, and do not expect to enter, GO TO PART D.

What is, or will be, your branch of service?

1="Army" 2="Navy" 3="Marine Corps" 4="Air Force" 5="Coast Guard" 6="Uncertain"

Value	Label	Unweighted Frequency	%
1	ARMY:(1)	42	0.6 %
2	NAVY:(2)	15	0.2 %
3	MARINES:(3)	22	0.3 %
4	AIR FORCE:(4)	28	0.4 %

Value	Label	Unweighted Frequency	%
5	COAST GUARD:(5)	3	0.0 %
6	UNCERTN:(6)	15	0.2 %
	Total	**125**	**1.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	7459	98.4 %
	Total	**7,459**	**98.4%**

This variable has 125 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 6.00

Location: 141-142 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2206: 00740:R XPCTS B OFFCR

Item Number: 00740

Do you expect to be an officer?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	32	0.4 %
2	UNCERTN:(2)	56	0.7 %
3	YES:(3)	36	0.5 %
	Total	**124**	**1.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	7460	98.4 %
	Total	**7,460**	**98.4%**

This variable has 124 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 143-144 (width: 2; decimal: 0)
Variable Type: numeric

V2207: 00750:R XPCTS MLTR CR

Item Number: 00750

Do you expect to have a career in the Armed Forces?

1="No" 2="Uncertain" 3="Yes"

Value	Label	Unweighted Frequency	%
1	NO:(1)	19	0.3 %
2	UNCERTN:(2)	49	0.6 %
3	YES:(3)	55	0.7 %
	Total	**123**	**1.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	7461	98.4 %
	Total	**7,461**	**98.4%**

This variable has 123 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 145-146 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2101: 00760:EVR SMK CIG,REGL

Item Number: 00760

Have you ever smoked cigarettes?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	6133	80.9 %
2	1-2X:(2)	819	10.8 %
3	OCCASNLY:(3)	257	3.4 %
4	REG PAST:(4)	86	1.1 %

Value	Label	Unweighted Frequency	%
5	REG NOW:(5)	29	0.4 %
	Total	**7,324**	**96.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	260	3.4 %
	Total	**260**	**3.4%**

This variable has 7,324 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 147-148 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2102: 00780:#CIGS SMKD/30DAY

Item Number: 00780

How frequently have you smoked cigarettes during the past 30 days?

1="Not at all" [Includes respondents who marked category 1 on Q.B01] 2="Less than one cigarette per day"
3="One to five cigarettes per day" 4="About one-half pack per day" 5="About one pack per day"
6="About one and one-half packs per day" 7="Two packs or more per day"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL:(1)	7090	93.5 %
2	<1 CIG/D:(2)	180	2.4 %
3	1-5/DAY:(3)	26	0.3 %
4	1/2 PK:(4)	8	0.1 %
5	1 PK:(5)	7	0.1 %
6	1 1/2 PK:(6)	9	0.1 %
7	2+ PKS:(7)	12	0.2 %
	Total	**7,332**	**96.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	252	3.3 %
	Total	**252**	**3.3%**

This variable has 7,332 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 149-150 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2547: 33720:#X LRG CIGAR/30DAY

Item Number: 33720

During the LAST 30 DAYS, on how many days (if any) have you used... ...large cigars?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	2263	29.8 %
2	1-2 DAYS:(2)	44	0.6 %
3	3-5 DAYS:(3)	7	0.1 %
4	6-9 DAYS:(4)	2	0.0 %
5	10-19 DAYS:(5)	1	0.0 %
6	20-30 DAYS:(6)	3	0.0 %
	Total	**2,320**	**30.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5264	69.4 %
	Total	**5,264**	**69.4%**

This variable has 2,320 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 151-152 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2548: 33730:#X FLVD SML CIGAR/30DAY

Item Number: 33730

During the LAST 30 DAYS, on how many days (if any) have you used... ...flavored little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	2258	29.8 %
2	1-2 DAYS:(2)	29	0.4 %
3	3-5 DAYS:(3)	12	0.2 %
4	6-9 DAYS:(4)	3	0.0 %
5	10-19 DAYS:(5)	6	0.1 %
6	20-30 DAYS:(6)	9	0.1 %
	Total	**2,317**	**30.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5267	69.4 %
	Total	**5,267**	**69.4%**

This variable has 2,317 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 153-154 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2549: 33740:#X REG SML CIGAR/30DAY

Item Number: 33740

During the LAST 30 DAYS, on how many days (if any) have you used... ...regular little cigars or cigarillos?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	2264	29.9 %
2	1-2 DAYS:(2)	23	0.3 %
3	3-5 DAYS:(3)	7	0.1 %
4	6-9 DAYS:(4)	5	0.1 %
5	10-19 DAYS:(5)	2	0.0 %
6	20-30 DAYS:(6)	11	0.1 %
	Total	**2,312**	**30.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5272	69.5 %
	Total	**5,272**	**69.5%**

This variable has 2,312 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 155-156 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2564: 34050:#X TOB HOOKAH/30DAY

Item Number: 34050

During the LAST 30 DAYS, on how many days (if any) have you used... ...tobacco using a hookah (water pipe)?

1="None" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2280	30.1 %
2	1-2 DAYS:(2)	19	0.3 %
3	3-5 DAYS:(3)	4	0.1 %
4	6-9 DAYS:(4)	3	0.0 %
5	10-19 DAYS:(5)	2	0.0 %
6	20-30 DAYS:(6)	5	0.1 %
	Total	**2,313**	**30.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5271	69.5 %
	Total	**5,271**	**69.5%**

This variable has 2,313 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 157-158 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2576: 34390:# DAYS SMKLESS/30DAY

Item Number: 34390

During the LAST 30 DAYS, on how many days (if any) have you used... ...
smokeless tobacco (chewing tobacco, snuff, plug, dipping tobacco, snus)?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2270	29.9 %
2	1-2 DAYS:(2)	20	0.3 %
3	3-5 DAYS:(3)	7	0.1 %
4	6-9 DAYS:(4)	7	0.1 %
5	10-19 DAYS:(5)	4	0.1 %
6	20-30 DAYS:(6)	9	0.1 %
	Total	**2,317**	**30.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5267	69.4 %
	Total	**5,267**	**69.4%**

This variable has 2,317 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 6.00

Location: 159-160 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7960: 39000:#X NIC GUMMIES/30DAY

Item Number: 39000

During the LAST 30 DAYS, on how many days (if any) have you used... ...nicotine gummies?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2295	30.3 %
2	1-2 DAYS:(2)	6	0.1 %
3	3-5 DAYS:(3)	4	0.1 %

Value	Label	Unweighted Frequency	%
4	6-9 DAYS:(4)	1	0.0 %
5	10-19 DAYS:(5)	3	0.0 %
6	20-30 DAYS:(6)	5	0.1 %
	Total	**2,314**	**30.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5270	69.5 %
	Total	**5,270**	**69.5%**

This variable has 2,314 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 161-162 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7961: 38990:#X NIC CANDY/30DAY

Item Number: 38990

During the LAST 30 DAYS, on how many days (if any) have you used... ...nicotine hard candy or nicotine mints?

1="None" 2="1-2 days" 3="3-5 days" 4="6-9 days" 5="10-19 days" 6="20-30 Days"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	2299	30.3 %
2	1-2 DAYS:(2)	5	0.1 %
3	3-5 DAYS:(3)	5	0.1 %
4	6-9 DAYS:(4)	1	0.0 %
5	10-19 DAYS:(5)	2	0.0 %
6	20-30 DAYS:(6)	4	0.1 %
	Total	**2,316**	**30.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5268	69.5 %
	Total	**5,268**	**69.5%**

This variable has 2,316 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 163-164 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7962: 39010:NIC POUCH

Item Number: 39010

Have you ever seen or heard of nicotine pouches before now?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	957	12.6 %
2	NO:(2)	1372	18.1 %
	Total	**2,329**	**30.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5255	69.3 %
	Total	**5,255**	**69.3%**

This variable has 2,329 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 165-166 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7963: 39020:NIC POUCH EVER

Item Number: 39020

Have you ever used nicotine pouches, even one or two times?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	132	1.7 %

Value	Label	Unweighted Frequency	%
2	NO:(2)	2197	29.0 %
	Total	**2,329**	**30.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5255	69.3 %
	Total	**5,255**	**69.3%**

This variable has 2,329 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 167-168 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7964: 39030:#X NIC POUCH/LIFETIME

Item Number: 39030

On how many occasions have you used nicotine pouches... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2213	29.2 %
2	1-2X:(2)	53	0.7 %
3	3-5X:(3)	21	0.3 %
4	6-9X:(4)	12	0.2 %
5	10-19X:(5)	8	0.1 %
6	20-39X:(6)	8	0.1 %
7	40+OCCAS:(7)	13	0.2 %
	Total	**2,328**	**30.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5256	69.3 %
	Total	**5,256**	**69.3%**

This variable has 2,328 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 169-170 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7965: 39040:#X NIC POUCH/LAST12MO

Item Number: 39040

On how many occasions have you used nicotine pouches... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2232	29.4 %
2	1-2X:(2)	49	0.6 %
3	3-5X:(3)	14	0.2 %
4	6-9X:(4)	11	0.1 %
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	9	0.1 %
7	40+OCCAS:(7)	7	0.1 %
	Total	**2,328**	**30.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5256	69.3 %
	Total	**5,256**	**69.3%**

This variable has 2,328 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 171-172 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7966: 39050:#X NIC POUCH/LAST30DA

Item Number: 39050

On how many occasions have you used nicotine pouches... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2272	30.0 %
2	1-2X:(2)	27	0.4 %
3	3-5X:(3)	14	0.2 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.0 %
	Total	**2,327**	**30.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5257	69.3 %
	Total	**5,257**	**69.3%**

This variable has 2,327 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 173-174 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2103: 00790:EVER DRINK

Item Number: 00790

Next we want to ask you about drinking alcoholic beverages, including beer, wine, liquor, and any other beverage that contains alcohol.

Have you ever had any alcoholic beverage to drink-more than just a few sips?

1 ="No" 2="Yes"

Note: This question was dropped from the 2022 surveys (forms 2-6) and added back in 2023 to forms 2-6. This question never appears on form 1.

Value	Label	Unweighted Frequency	%
1	NO:(1)	2735	36.1 %
2	YES:(2)	3245	42.8 %
	Total	**5,980**	**78.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1604	21.1 %
	Total	**1,604**	**21.1%**

This variable has 5,980 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-176 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2104: 00810:#X DRNK/LIFETIME

Item Number: 00810

On how many occasions (if any) have you had alcoholic beverages to drink-- more than just a few sips... ...in your lifetime?

[Above this item in form 1 reads "The next questions are about ALCOHOLIC BEVERAGES, including beer, wine, liquor, and any other beverage that contains alcohol."]

1="0 Occasions" [Includes respondents who report non-use on item QB03] 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3199	42.2 %
2	1-2X:(2)	731	9.6 %
3	3-5X:(3)	795	10.5 %
4	6-9X:(4)	595	7.8 %
5	10-19X:(5)	634	8.4 %
6	20-39X:(6)	477	6.3 %
7	40+OCCAS:(7)	687	9.1 %
	Total	**7,118**	**93.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	466	6.1 %
	Total	**466**	**6.1%**

This variable has 7,118 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 177-178 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2105: 00820:#X DRNK/LAST12MO

Item Number: 00820

On how many occasions (if any) have you had alcoholic beverages to
drink--more than just a few sips... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3653	48.2 %
2	1-2X:(2)	1159	15.3 %
3	3-5X:(3)	777	10.2 %
4	6-9X:(4)	533	7.0 %
5	10-19X:(5)	469	6.2 %
6	20-39X:(6)	274	3.6 %
7	40+OCCAS:(7)	221	2.9 %
	Total	**7,086**	**93.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	498	6.6 %
	Total	**498**	**6.6%**

This variable has 7,086 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 179-180 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2106: 00830:#X DRNK/LAST30DAY

Item Number: 00830

On how many occasions (if any) have you had alcoholic beverages to
drink--more than just a few sips... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5149	67.9 %
2	1-2X:(2)	1161	15.3 %
3	3-5X:(3)	421	5.6 %
4	6-9X:(4)	193	2.5 %
5	10-19X:(5)	91	1.2 %
6	20-39X:(6)	30	0.4 %
7	40+OCCAS:(7)	44	0.6 %
	Total	**7,089**	**93.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	495	6.5 %
	Total	**495**	**6.5%**

This variable has 7,089 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 181-182 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7942: 39060:DAILY USE ALC/30DAY

Item Number: 39060

On how many DAYS during the LAST 30 DAYS have you used alcohol?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	5257	69.3 %
2	1-2 DAYS:(2)	987	13.0 %
3	3-5 DAYS:(3)	473	6.2 %
4	6-9 DAYS:(4)	234	3.1 %

Value	Label	Unweighted Frequency	%
5	10-19 DAYS:(5)	94	1.2 %
6	20-29 DAYS:(6)	19	0.3 %
7	30 DAYS:(7)	22	0.3 %
	Total	**7,086**	**93.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	498	6.6 %
	Total	**498**	**6.6%**

This variable has 7,086 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 183-184 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2107: 00840:#X DRK ENF FL HI

Item Number: 00840

On the occasions that you drink alcoholic beverages, how often do you drink enough to feel pretty high?

1="On none of the occasions" 2="On few of the occasions" 3="On about
half of the occasions" 4="On most of the occasions" 5="On nearly
all of the occasions"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	1107	14.6 %
2	FEW OCC:(2)	924	12.2 %
3	HALF OCC:(3)	401	5.3 %
4	MOST OCC:(4)	468	6.2 %
5	NRLY ALL:(5)	331	4.4 %
	Total	**3,231**	**42.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	4353	57.4 %
	Total	**4,353**	**57.4%**

This variable has 3,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 185-186 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2108: 00850:5+DRK ROW/LST 2W

Item Number: 00850

The following questions ask about how much you have to drink on the
occasions when you drink alcoholic beverages. For these questions,
one "drink" means any of the following:
12 fl oz of regular beer
8-9 fl oz of malt liquor
5 fl oz of wine
1.5 fl oz shot of distilled spirits (gin, rum, tequila, vodka, whiskey, etc.)
Think back over the LAST TWO WEEKS. How many times have you had five
or more drinks in a row?

[Worded slightly differently in form 1; see form 1 codebook.]

1="None" [Includes respondents who previously reported non-use] 2="Once" 3="Twice" 4="Three to five times"
5="Six to nine times" 6="Ten or more times"

Value	Label	Unweighted Frequency	%
1	NONE:(1)	6173	81.4 %
2	ONCE:(2)	397	5.2 %
3	TWICE:(3)	249	3.3 %
4	3-5X:(4)	162	2.1 %
5	6-9X:(5)	14	0.2 %
6	10+ TIME:(6)	23	0.3 %
	Total	**7,018**	**92.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	566	7.5 %
	Total	**566**	**7.5%**

This variable has 7,018 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 187-188 (width: 2; decimal: 0)
Variable Type: numeric

V2020: 25020:#XDRUNK/LIFETIME

Item Number: 25020

On how many occasions (if any) have you been drunk or very high from
drinking alcoholic beverages... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1400	18.5 %
2	1-2X:(2)	256	3.4 %
3	3-5X:(3)	152	2.0 %
4	6-9X:(4)	99	1.3 %
5	10-19X:(5)	92	1.2 %
6	20-39X:(6)	76	1.0 %
7	40+OCCAS:(7)	82	1.1 %
	Total	**2,157**	**28.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5427	71.6 %
	Total	**5,427**	**71.6%**

This variable has 2,157 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 189-190 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2021: 25030:#XDRUNK/LAST12MO

Item Number: 25030

On how many occasions (if any) have you been drunk or very high from
drinking alcoholic beverages... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1546	20.4 %
2	1-2X:(2)	265	3.5 %
3	3-5X:(3)	132	1.7 %
4	6-9X:(4)	71	0.9 %
5	10-19X:(5)	68	0.9 %
6	20-39X:(6)	34	0.4 %
7	40+OCCAS:(7)	34	0.4 %
	Total	**2,150**	**28.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5434	71.7 %
	Total	**5,434**	**71.7%**

This variable has 2,150 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 191-192 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2022: 25040:#XDRUNK/LAST30DAY

Item Number: 25040

On how many occasions (if any) have you been drunk or very high from
drinking alcoholic beverages... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1826	24.1 %
2	1-2X:(2)	201	2.7 %
3	3-5X:(3)	68	0.9 %
4	6-9X:(4)	29	0.4 %
5	10-19X:(5)	15	0.2 %
6	20-39X:(6)	5	0.1 %
7	40+OCCAS:(7)	7	0.1 %

Value	Label	Unweighted Frequency	%
	Total	2,151	28.4%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5433	71.6 %
	Total	5,433	71.6%

This variable has 2,151 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 193-194 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2009: 32690:#X ALCL+CAFFN/12MO

Item Number: 32690

Lately there has been some attention paid to certain drugs. During the LAST 12 MONTHS, on how many occasions (if any) have you... ...had an alcoholic beverage containing caffeine (like Four Loko or Joose)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1886	24.9 %
2	1-2X:(2)	143	1.9 %
3	3-5X:(3)	59	0.8 %
4	6-9X:(4)	29	0.4 %
5	10-19X:(5)	23	0.3 %
6	20-39X:(6)	13	0.2 %
7	40+OCCAS:(7)	7	0.1 %
	Total	2,160	28.5%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5424	71.5 %
	Total	5,424	71.5%

This variable has 2,160 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 195-196 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7957: 38960:#X CBD/LIFETIME

Item Number: 38960

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD... ...in your lifetime?

1="0 Occasions"
2="1-2 Occasions"
3="3-5 Occasions"
4="6-9 Occasions"
5="10-19 Occasions"
6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2746	36.2 %
2	1-2X:(2)	276	3.6 %
3	3-5X:(3)	170	2.2 %
4	6-9X:(4)	86	1.1 %
5	10-19X:(5)	96	1.3 %
6	20-39X:(6)	54	0.7 %
7	40+OCCAS:(7)	181	2.4 %
	Total	**3,609**	**47.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3975	52.4 %
	Total	**3,975**	**52.4%**

This variable has 3,609 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 197-198 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7958: 38970:#X CBD/LAST12MO

Item Number: 38970

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD... ...during the last 12 months?

1="0 Occasions"
2="1-2 Occasions"
3="3-5 Occasions"
4="6-9 Occasions"
5="10-19 Occasions"
6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2990	39.4 %
2	1-2X:(2)	238	3.1 %
3	3-5X:(3)	114	1.5 %
4	6-9X:(4)	56	0.7 %
5	10-19X:(5)	61	0.8 %
6	20-39X:(6)	43	0.6 %
7	40+OCCAS:(7)	98	1.3 %
	Total	**3,600**	**47.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3984	52.5 %
	Total	**3,984**	**52.5%**

This variable has 3,600 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 199-200 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7959: 38980:#X CBD/LAST30DA

Item Number: 38980

CBD, or cannabidiol, is a compound produced by the cannabis plant. Use of

CBD does not cause the "high" associated with marijuana. On how many occasions (if any) have you used CBD... ...during the last 30 days?

1="0 Occasions"
2="1-2 Occasions"
3="3-5 Occasions"
4="6-9 Occasions"
5="10-19 Occasions"
6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3262	43.0 %
2	1-2X:(2)	144	1.9 %
3	3-5X:(3)	48	0.6 %
4	6-9X:(4)	36	0.5 %
5	10-19X:(5)	25	0.3 %
6	20-39X:(6)	33	0.4 %
7	40+OCCAS:(7)	53	0.7 %
	Total	**3,601**	**47.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3983	52.5 %
	Total	**3,983**	**52.5%**

This variable has 3,601 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 201-202 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2115: 00860:#XMJ+HS/LIFETIME

Item Number: 00860

Form 1: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...in your lifetime?

NOTE: In 2023 for form 1: the individual question about lifetime marijuana use replaces the two separate questions about lifetime marijuana use (V2112 02070:#X MARJ/LIFETIME) and lifetime hashish use (V2109 02040:#X HASH/LIFETIME). Please see the codebook for details.

Form 3: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...in your lifetime?

Form 5: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...in your lifetime?

Forms 2, 4, and 6: The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	4486	59.2 %
2	1-2X:(2)	642	8.5 %
3	3-5X:(3)	401	5.3 %
4	6-9X:(4)	239	3.2 %
5	10-19X:(5)	270	3.6 %
6	20-39X:(6)	242	3.2 %
7	40+OCCAS:(7)	876	11.6 %
	Total	**7,156**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	428	5.6 %
	Total	**428**	**5.6%**

This variable has 7,156 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 203-204 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2116: 00870:#XMJ+HS/LAST12MO

Item Number: 00870

Form 1: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 12 months?

NOTE: In 2023 for form 1: the individual question about 12-month marijuana use replaces the two separate questions about 12-month marijuana use (V2113 02080:#X MARJ/LAST12MO) and 12-month hashish use (V2110 02050:#X

HASH/LAST12MO). Please see the codebook for details.

Form 3: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 12 months?

Form 5: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 12 months?

Forms 2, 4, and 6: The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5004	66.0 %
2	1-2X:(2)	631	8.3 %
3	3-5X:(3)	304	4.0 %
4	6-9X:(4)	204	2.7 %
5	10-19X:(5)	229	3.0 %
6	20-39X:(6)	177	2.3 %
7	40+OCCAS:(7)	593	7.8 %
	Total	**7,142**	**94.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	442	5.8 %
	Total	**442**	**5.8%**

This variable has 7,142 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
- Minimum: 1.00
- Maximum: 7.00

Location: 205-206 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2117: 00880:#XMJ+HS/LAST30DAY

Item Number: 00880

Form 1: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 30 days?

NOTE: In 2023 for form 1: the individual question about 30-day marijuana

use replaces the two separate questions about 30-day marijuana use (V2114 02090:#X MARJ/LAST30DAY) and 30-day hashish use (V2111 02060:#X HASH/LAST30day). Please see the codebook for details.

Form 3: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 30 days?

Form 5: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 30 days?

Forms 2, 4, and 6: The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5788	76.3 %
2	1-2X:(2)	432	5.7 %
3	3-5X:(3)	176	2.3 %
4	6-9X:(4)	141	1.9 %
5	10-19X:(5)	159	2.1 %
6	20-39X:(6)	151	2.0 %
7	40+OCCAS:(7)	297	3.9 %
	Total	**7,144**	**94.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	440	5.8 %
	Total	**440**	**5.8%**

This variable has 7,144 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 207-208 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7943: 39070:DAILY USE MJ/30DAY

Item Number: 39070

On how many DAYS during the LAST 30 DAYS have you used marijuana?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	5856	77.2 %
2	1-2 DAYS:(2)	357	4.7 %
3	3-5 DAYS:(3)	191	2.5 %
4	6-9 DAYS:(4)	138	1.8 %
5	10-19 DAYS:(5)	195	2.6 %
6	20-29 DAYS:(6)	141	1.9 %
7	30 DAYS:(7)	264	3.5 %
	Total	**7,142**	**94.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	442	5.8 %
	Total	**442**	**5.8%**

This variable has 7,142 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 209-210 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2927: 33980:#X HASH/OIL/12MO

Item number: 33980

During the LAST 12 MONTHS, on how many occasions (if any) have you
used hash oil ("dabs," "honey oil," "budder," "shatter")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2011	26.5 %
2	1-2X:(2)	50	0.7 %
3	3-5X:(3)	30	0.4 %
4	6-9X:(4)	12	0.2 %
5	10-19X:(5)	24	0.3 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	19	0.3 %
	Total	2,153	28.4%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5431	71.6 %
	Total	5,431	71.6%

This variable has 2,153 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 211-212 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2118: 00890:#X LSD/LIFETIME

Item Number: 00890

On how many occasions (if any) have you used LSD ("acid")... ...in your lifetime?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5843	77.0 %
2	1-2X:(2)	110	1.5 %
3	3-5X:(3)	51	0.7 %
4	6-9X:(4)	16	0.2 %
5	10-19X:(5)	7	0.1 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	9	0.1 %
	Total	6,043	79.7%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1541	20.3 %

Value	Missing Data	Unweighted Frequency	%
	Total	**1,541**	**20.3%**

This variable has 6,043 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
• Minimum: 1.00
• Maximum: 7.00

Location: 213-214 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2119: 00900:#X LSD/LAST 12MO

Item Number: 00900

On how many occasions (if any) have you used LSD ("acid")... ...during the last 12 months?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5960	78.6 %
2	1-2X:(2)	50	0.7 %
3	3-5X:(3)	18	0.2 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.1 %
	Total	**6,043**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1541	20.3 %
	Total	**1,541**	**20.3%**

This variable has 6,043 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
• Minimum: 1.00
• Maximum: 7.00

Location: 215-216 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2120: 00910:#X LSD/LAST 30DAY

Item Number: 00910

On how many occasions (if any) have you used LSD ("acid")... ...during the last 30 days?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	6015	79.3 %
2	1-2X:(2)	14	0.2 %
3	3-5X:(3)	6	0.1 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	6	0.1 %
	Total	**6,044**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1540	20.3 %
	Total	**1,540**	**20.3%**

This variable has 6,044 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 217-218 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2121: 00920:#X PSYD/LIFETIME

Item Number: 00920

On how many occasions (if any) have you used hallucinogens other than
LSD (like mescaline, peyote, "shrooms" or psilocybin,
PCP)... ...in your lifetime?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5706	75.2 %
2	1-2X:(2)	200	2.6 %
3	3-5X:(3)	71	0.9 %
4	6-9X:(4)	25	0.3 %
5	10-19X:(5)	24	0.3 %
6	20-39X:(6)	11	0.1 %
7	40+OCCAS:(7)	10	0.1 %
	Total	**6,047**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1537	20.3 %
	Total	**1,537**	**20.3%**

This variable has 6,047 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
• Minimum: 1.00
• Maximum: 7.00

Location: 219-220 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2122: 00930:#X PSYD/LAST12MO

Item Number: 00930

On how many occasions (if any) have you used hallucinogens other than
LSD (like mescaline, peyote, "shrooms" or psilocybin,
PCP)... ...during the last 12 months?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5803	76.5 %
2	1-2X:(2)	162	2.1 %
3	3-5X:(3)	43	0.6 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	23	0.3 %
5	10-19X:(5)	8	0.1 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	5	0.1 %
	Total	**6,047**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1537	20.3 %
	Total	**1,537**	**20.3%**

This variable has 6,047 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 221-222 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2123: 00940:#X PSYD/LAST30DAY

Item Number: 00940

On how many occasions (if any) have you used hallucinogens other than
LSD (like mescaline, peyote, "shrooms" or psilocybin,
PCP)... ...during the last 30 days?

[Worded slightly differently in form 1; see form 1 codebook.]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	5958	78.6 %
2	1-2X:(2)	63	0.8 %
3	3-5X:(3)	14	0.2 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.1 %
	Total	**6,048**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1536	20.3 %
	Total	**1,536**	**20.3%**

This variable has 6,048 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

• Maximum: 7.00

Location: 223-224 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2032: 22660:#X MDMA/LIFETIME

Item Number: 22660

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy")...
...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3536	46.6 %
2	1-2X:(2)	46	0.6 %
3	3-5X:(3)	9	0.1 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	8	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Total	**3,606**	**47.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3978	52.5 %
	Total	**3,978**	**52.5%**

This variable has 3,606 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

• Maximum: 7.00

Location: 225-226 (width: 2; decimal: 0)
Variable Type: numeric

V2033: 22670:#X MDMA/LAST12MO

Item Number: 22670

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy")...
...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3575	47.1 %
2	1-2X:(2)	20	0.3 %
3	3-5X:(3)	9	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Total	**3,608**	**47.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3976	52.4 %
	Total	**3,976**	**52.4%**

This variable has 3,608 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 227-228 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2034: 22680:#X MDMA/LAST30DAY

Item Number: 22680

On how many occasions (if any) have you used MDMA ("Molly", "ecstasy")...
...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3592	47.4 %
2	1-2X:(2)	8	0.1 %
3	3-5X:(3)	2	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Total	**3,605**	**47.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3979	52.5 %
	Total	**3,979**	**52.5%**

This variable has 3,605 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 229-230 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2124: 00950:#X COKE/LIFETIME

Item Number: 00950

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock")... ...in your lifetime?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7125	93.9 %
2	1-2X:(2)	50	0.7 %
3	3-5X:(3)	20	0.3 %
4	6-9X:(4)	13	0.2 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	14	0.2 %
	Total	**7,231**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %
	Total	**353**	**4.7%**

This variable has 7,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 231-232 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2125: 00960:#X COKE/LAST12MO

Item Number: 00960

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock")... ...during last 12 months?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7180	94.7 %
2	1-2X:(2)	30	0.4 %
3	3-5X:(3)	6	0.1 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.1 %
	Total	**7,231**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %
	Total	**353**	**4.7%**

This variable has 7,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

• Maximum: 7.00

Location: 233-234 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2126: 00970:#X COKE/LAST30DAY

Item Number: 00970

On how many occasions (if any) have you taken cocaine (sometimes called "coke", "crack", "rock")... ...during last 30 days?

[For questionnaire forms 1, 3, 4, and 6, item is recoded from separate questions about "crack" (items 22260-22280) and other forms of cocaine (items 22320-22340).]

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7203	95.0 %
2	1-2X:(2)	13	0.2 %
3	3-5X:(3)	4	0.1 %
4	6-9X:(4)	3	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	7	0.1 %
	Total	**7,231**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %
	Total	**353**	**4.7%**

This variable has 7,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

- Maximum: 7.00

Location: 235-236 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2459: 22260:#X CRACK/LIFETIME

Item Number: 22260

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack"
(cocaine in chunk or rock form)... ...in your lifetime?

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack"
cocaine... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	6981	92.0 %
2	1-2X:(2)	20	0.3 %
3	3-5X:(3)	14	0.2 %
4	6-9X:(4)	5	0.1 %
5	10-19X:(5)	5	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	15	0.2 %
	Total	**7,041**	**92.8%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	543	7.2 %
	Total	**543**	**7.2%**

This variable has 7,041 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 237-238 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2460: 22270:#X CRACK/LAST12MO

Item Number: 22270

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ...during the last 12 months?

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack" cocaine... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7006	92.4 %
2	1-2X:(2)	17	0.2 %
3	3-5X:(3)	5	0.1 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	10	0.1 %
	Total	**7,043**	**92.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	541	7.1 %
	Total	**541**	**7.1%**

This variable has 7,043 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 239-240 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2461: 22280:#X CRACK/LAST30DAY

Item Number: 22280

[Forms 1, 3, 4, 6:] On how many occasions (if any) have you used "crack" (cocaine in chunk or rock form)... ...during the last 30 days?

[Form 1 has different context and examples: see form 1 codebook.]

[Forms 2, 5:] On how many occasions (if any) have you used "crack"

cocaine... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7017	92.5 %
2	1-2X:(2)	9	0.1 %
3	3-5X:(3)	6	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	10	0.1 %
	Total	**7,043**	**92.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	541	7.1 %
	Total	**541**	**7.1%**

This variable has 7,043 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 241-242 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2042: 22320:#XOTH COKE/LIFE

Item Number: 22320

On how many occasions (if any) have you used cocaine in any other form... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	4739	62.5 %
2	1-2X:(2)	27	0.4 %
3	3-5X:(3)	16	0.2 %
4	6-9X:(4)	5	0.1 %

Value	Label	Unweighted Frequency	%
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.1 %
	Total	**4,795**	**63.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	2789	36.8 %
	Total	**2,789**	**36.8%**

This variable has 4,795 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 243-244 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2043: 22330:#XOTH COKE/12MO

Item Number: 22330

On how many occasions (if any) have you used cocaine in any other form... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	4774	62.9 %
2	1-2X:(2)	11	0.1 %
3	3-5X:(3)	5	0.1 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.0 %
	Total	**4,795**	**63.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	2789	36.8 %

Value	Missing Data	Unweighted Frequency	%
	Total	2,789	36.8%

This variable has 4,795 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 245-246 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2044: 22340:#XOTH COKE/30DAY

Item Number: 22340

On how many occasions (if any) have you used cocaine in any other form... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	4781	63.0 %
2	1-2X:(2)	8	0.1 %
3	3-5X:(3)	3	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	2	0.0 %
	Total	4,795	63.2%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	2789	36.8 %
	Total	2,789	36.8%

This variable has 4,795 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 247-248 (width: 2; decimal: 0)
Variable Type: numeric

V2127: 00980:#X AMPH/LIFETIME

Item Number: 00980

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	6919	91.2 %
2	1-2X:(2)	139	1.8 %
3	3-5X:(3)	55	0.7 %
4	6-9X:(4)	25	0.3 %
5	10-19X:(5)	26	0.3 %
6	20-39X:(6)	12	0.2 %
7	40+OCCAS:(7)	51	0.7 %
	Total	**7,227**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	357	4.7 %
	Total	**357**	**4.7%**

This variable has 7,227 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 249-250 (width: 2; decimal: 0)
Variable Type: numeric

V2128: 00990:#X AMPH/LAST12MO

Item Number: 00990

{Amphetamines are sometimes prescribed by doctors for people who have
trouble paying attention, are hyperactive, have ADHD, or have trouble
staying awake. They are sometimes called uppers, ups, pep pills, and
include drugs like Adderall and Ritalin. Drugstores are not supposed
to sell them without a prescription from a doctor. Amphetamines do NOT
include any nonprescription drugs, such as over-the-counter diet pills
or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as
examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall,
Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take them... ...
during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7083	93.4 %
2	1-2X:(2)	72	0.9 %
3	3-5X:(3)	28	0.4 %
4	6-9X:(4)	16	0.2 %
5	10-19X:(5)	8	0.1 %
6	20-39X:(6)	10	0.1 %
7	40+OCCAS:(7)	14	0.2 %
	Total	**7,231**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %
	Total	**353**	**4.7%**

This variable has 7,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 251-252 (width: 2; decimal: 0)
Variable Type: numeric

V2129: 01000:#X AMPH/LAST30DAY

Item Number: 01000

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Benzedrine, Dexedrine, Methedrine, Ritalin, Adderall, Concerta, Methamphetamine, Meth or Crystal Meth (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ... during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7157	94.4 %
2	1-2X:(2)	40	0.5 %
3	3-5X:(3)	16	0.2 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	7	0.1 %
	Total	**7,231**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %
	Total	**353**	**4.7%**

This variable has 7,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 253-254 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2029: 30800:#X METHAMPH/LIFE

Item Number: 30800

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2387	31.5 %
2	1-2X:(2)	4	0.1 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.1 %
	Total	**2,397**	**31.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5187	68.4 %
	Total	**5,187**	**68.4%**

This variable has 2,397 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 255-256 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2030: 30810:#X METHAMPH/12MO

Item Number: 30810

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2387	31.5 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.0 %
	Total	**2,392**	**31.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5192	68.5 %
	Total	**5,192**	**68.5%**

This variable has 2,392 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 257-258 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2031: 30820:#X METHAMPH/30DAY

Item Number: 30820

On how many occasions (if any) have you used methamphetamine (meth, speed, crank, crystal meth) by any method... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2390	31.5 %
2	1-2X:(2)	1	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	2	0.0 %
	Total	**2,394**	**31.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5190	68.4 %
	Total	**5,190**	**68.4%**

This variable has 2,394 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 259-260 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2909: 31180:#X RITALIN/12MO

Item Number: 31180

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken Ritalin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2203	29.0 %
2	1-2X:(2)	4	0.1 %
3	3-5X:(3)	4	0.1 %
4	6-9X:(4)	3	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Total	**2,215**	**29.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5369	70.8 %

Value	Missing Data	Unweighted Frequency	%
	Total	**5,369**	**70.8%**

This variable has 2,215 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

• Maximum: 7.00

Location: 261-262 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2307: 32450:#X ADDERALL/12MO

Item Number: 32450

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken Adderall (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2184	28.8 %
2	1-2X:(2)	21	0.3 %
3	3-5X:(3)	8	0.1 %
4	6-9X:(4)	5	0.1 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.0 %
	Total	**2,223**	**29.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5361	70.7 %
	Total	**5,361**	**70.7%**

This variable has 2,223 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

• Maximum: 7.00

Location: 263-264 (width: 2; decimal: 0)

V2133: 01040:#X SED/BARB/LIFETIME

Item Number: 01040

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ...in your lifetime?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7012	92.5 %
2	1-2X:(2)	111	1.5 %
3	3-5X:(3)	43	0.6 %
4	6-9X:(4)	14	0.2 %
5	10-19X:(5)	15	0.2 %
6	20-39X:(6)	10	0.1 %
7	40+OCCAS:(7)	24	0.3 %
	Total	**7,229**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	355	4.7 %
	Total	**355**	**4.7%**

This variable has 7,229 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 265-266 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2134: 01050:#X SED/BARB/LAST12MO

Item Number: 01050

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ...during the last 12 months?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7117	93.8 %
2	1-2X:(2)	58	0.8 %
3	3-5X:(3)	23	0.3 %
4	6-9X:(4)	12	0.2 %
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	6	0.1 %
7	40+OCCAS:(7)	8	0.1 %
	Total	**7,230**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	354	4.7 %
	Total	**354**	**4.7%**

This variable has 7,230 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 267-268 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2135: 01060:#X SED/BARB/LAST30DA

Item Number: 01060

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Tuinal, Nembutal, and Seconal. On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ...during the last 30 days?

[Worded slightly differently in questionnaire form 1, and replaced Nembutal

with Ambien, Lunesta, and Sonata as examples; see form 1 codebook.]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7177	94.6 %
2	1-2X:(2)	32	0.4 %
3	3-5X:(3)	8	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	5	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	3	0.0 %
	Total	**7,227**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	357	4.7 %
	Total	**357**	**4.7%**

This variable has 7,227 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 269-270 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2912: 31060:#X KETAMINE/12MO

Item Number: 31060

[Forms 3, 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken ketamine ("special K," "super K")?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2154	28.4 %
2	1-2X:(2)	8	0.1 %

Value	Label	Unweighted Frequency	%
3	3-5X:(3)	3	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	3	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Total	**2,170**	**28.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5414	71.4 %
	Total	**5,414**	**71.4%**

This variable has 2,170 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 271-272 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2136: 01070:#X TRQL/LIFETIME

Item Number: 01070

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ...in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7047	92.9 %
2	1-2X:(2)	108	1.4 %
3	3-5X:(3)	30	0.4 %
4	6-9X:(4)	8	0.1 %
5	10-19X:(5)	18	0.2 %

Value	Label	Unweighted Frequency	%
6	20-39X:(6)	5	0.1 %
7	40+OCCAS:(7)	12	0.2 %
	Total	**7,228**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	356	4.7 %
	Total	**356**	**4.7%**

This variable has 7,228 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 273-274 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2137: 01080:#X TRQL/LAST12MO

Item Number: 01080

{Tranquilizers are sometimes prescribed by doctors to calm people down,
quiet their nerves, or relax their muscles. Librium, Valium, and Xanax
are all tranquilizers. On how many occasions (if any) have you taken
tranquilizers on your own--that is, without a doctor telling you to
take them... ...during the last 12 months?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax,
Ativan, Klonopin to the examples (see form 1 codebook).]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7151	94.3 %
2	1-2X:(2)	38	0.5 %
3	3-5X:(3)	19	0.3 %
4	6-9X:(4)	6	0.1 %
5	10-19X:(5)	4	0.1 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	7	0.1 %
	Total	**7,228**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	356	4.7 %
	Total	**356**	**4.7%**

This variable has 7,228 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 275-276 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2138: 01090:#X TRQL/LAST30DAY

Item Number: 01090

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ...during the last 30 days?

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7201	94.9 %
2	1-2X:(2)	15	0.2 %
3	3-5X:(3)	6	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	5	0.1 %
	Total	**7,229**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	355	4.7 %
	Total	**355**	**4.7%**

This variable has 7,229 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 277-278 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2139: 01100:#X 'H'/LIFETIME

Item Number: 01100

On how many occasions (if any) have you used heroin... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V2510 29630 #X H LIF USE NDL) and without (V2513 29660 #X H LIF W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7213	95.1 %
2	1-2X:(2)	9	0.1 %
3	3-5X:(3)	2	0.0 %
4	6-9X:(4)	2	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.1 %
	Total	**7,233**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	351	4.6 %
	Total	**351**	**4.6%**

This variable has 7,233 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 279-280 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2140: 01110:#X 'H'/LAST 12MO

Item Number: 01110

On how many occasions (if any) have you taken heroin... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V2511 29640 #X H 12M USE NDL) and without (V2514 29670 #X H 12M W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7224	95.3 %
2	1-2X:(2)	3	0.0 %
3	3-5X:(3)	0	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.1 %
	Total	**7,234**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	350	4.6 %
	Total	**350**	**4.6%**

This variable has 7,234 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 281-282 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2141: 01120:#X 'H'/LAST 30DAY

Item Number: 01120

On how many occasions (if any) have you taken heroin... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"

5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V2512 29650 #X H 30D USE NDL) and without (V2515 29680 #X H 30D W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7223	95.2 %
2	1-2X:(2)	3	0.0 %
3	3-5X:(3)	1	0.0 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.1 %
	Total	**7,234**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	350	4.6 %
	Total	**350**	**4.6%**

This variable has 7,234 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 283-284 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2142: 01130:#X NARC/LIFETIME

Item Number: 01130

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ...in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7058	93.1 %
2	1-2X:(2)	78	1.0 %
3	3-5X:(3)	26	0.3 %
4	6-9X:(4)	15	0.2 %
5	10-19X:(5)	14	0.2 %
6	20-39X:(6)	7	0.1 %
7	40+OCCAS:(7)	23	0.3 %
	Total	**7,221**	**95.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	363	4.8 %
	Total	**363**	**4.8%**

This variable has 7,221 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 285-286 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2143: 01140:#X NARC/LAST12MO

Item Number: 01140

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ...in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7148	94.3 %
2	1-2X:(2)	34	0.4 %
3	3-5X:(3)	12	0.2 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	9	0.1 %
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	2	0.0 %
7	40+OCCAS:(7)	10	0.1 %
	Total	**7,221**	**95.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	363	4.8 %
	Total	**363**	**4.8%**

This variable has 7,221 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 287-288 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2144: 01150:#X NARC/LAST30DAY

Item Number: 01150

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ...in your lifetime?

[Questionnaire form 1 worded somewhat differently and adds "Percodan, Ultram" (see form 1 Codebook).]}

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	7186	94.8 %
2	1-2X:(2)	18	0.2 %
3	3-5X:(3)	5	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	2	0.0 %

Value	Label	Unweighted Frequency	%
7	40+OCCAS:(7)	7	0.1 %
	Total	**7,221**	**95.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	363	4.8 %
	Total	**363**	**4.8%**

This variable has 7,221 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 289-290 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2907: 31310:#X OXYCONTN/12MO

Item Number: 31310

[Forms 3 and 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken OxyContin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3312	43.7 %
2	1-2X:(2)	9	0.1 %
3	3-5X:(3)	3	0.0 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	4	0.1 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Total	**3,333**	**43.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	4251	56.1 %

Value	Missing Data	Unweighted Frequency	%
	Total	**4,251**	**56.1%**

This variable has 3,333 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 291-292 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2908: 31320:#X VICODIN/12MO

Item Number: 31320

[Forms 3 and 6: "Lately there has been some attention paid to certain drugs."]

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken Vicodin (without a doctor's orders)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3316	43.7 %
2	1-2X:(2)	5	0.1 %
3	3-5X:(3)	9	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	2	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Total	**3,334**	**44.0%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	4250	56.0 %
	Total	**4,250**	**56.0%**

This variable has 3,334 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 293-294 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2920: 31670:#X COUGHMED/12MO

Item Number: 31670

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken a non-prescription cough or cold medicine (robos, DXM, etc.)
to get high?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2168	28.6 %
2	1-2X:(2)	21	0.3 %
3	3-5X:(3)	16	0.2 %
4	6-9X:(4)	9	0.1 %
5	10-19X:(5)	6	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Total	**2,222**	**29.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5362	70.7 %
	Total	**5,362**	**70.7%**

This variable has 2,222 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 295-296 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2145: 01160:#X INHL/LIFETIME

Item Number: 01160

On how many occasions (if any) have you sniffed glue, or breathed the
contents of aerosol spray cans, or inhaled any other gases or sprays
in order to get high... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3413	45.0 %
2	1-2X:(2)	141	1.9 %
3	3-5X:(3)	32	0.4 %
4	6-9X:(4)	13	0.2 %
5	10-19X:(5)	12	0.2 %
6	20-39X:(6)	10	0.1 %
7	40+OCCAS:(7)	13	0.2 %
	Total	**3,634**	**47.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3950	52.1 %
	Total	**3,950**	**52.1%**

This variable has 3,634 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 297-298 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2146: 01170:#X INHL/LAST12MO

Item Number: 01170

On how many occasions (if any) have you sniffed glue, or breathed the
contents of aerosol spray cans, or inhaled any other gases or sprays
in order to get high... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3566	47.0 %

Value	Label	Unweighted Frequency	%
2	1-2X:(2)	41	0.5 %
3	3-5X:(3)	9	0.1 %
4	6-9X:(4)	7	0.1 %
5	10-19X:(5)	4	0.1 %
6	20-39X:(6)	3	0.0 %
7	40+OCCAS:(7)	4	0.1 %
	Total	**3,634**	**47.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3950	52.1 %
	Total	**3,950**	**52.1%**

This variable has 3,634 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 299-300 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2147: 01180:#X INHL/LAST30DAY

Item Number: 01180

On how many occasions (if any) have you sniffed glue, or breathed the
contents of aerosol spray cans, or inhaled any other gases or sprays
in order to get high... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	3603	47.5 %
2	1-2X:(2)	19	0.3 %
3	3-5X:(3)	4	0.1 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.1 %

Value	Label	Unweighted Frequency	%
	Total	3,635	47.9%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3949	52.1 %
	Total	3,949	52.1%

This variable has 3,635 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
- Minimum: 1.00
- Maximum: 7.00

Location: 301-302 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2493: 22690:#X STRD/LIFETIME

Item Number: 22690

{Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development.} On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2148	28.3 %
2	1-2X:(2)	9	0.1 %
3	3-5X:(3)	6	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	0	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	5	0.1 %
	Total	2,168	28.6%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5416	71.4 %
	Total	5,416	71.4%

This variable has 2,168 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 303-304 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2494: 22700:#X STRD/LAST12MO

Item Number: 22700

{Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development.} On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2157	28.4 %
2	1-2X:(2)	5	0.1 %
3	3-5X:(3)	4	0.1 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	4	0.1 %
	Total	**2,172**	**28.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5412	71.4 %
	Total	**5,412**	**71.4%**

This variable has 2,172 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 305-306 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2495: 22710:#X STRD/LAST30DAY

Item Number: 22710

{Anabolic steroids are prescription drugs sometimes prescribed by doctors to treat certain conditions. Some athletes, and others, have used them to try to increase muscle development.} On how many occasions (if any) have you taken steroids on your own--that is, without a doctor telling you to take them... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	2160	28.5 %
2	1-2X:(2)	4	0.1 %
3	3-5X:(3)	2	0.0 %
4	6-9X:(4)	0	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	4	0.1 %
	Total	**2,171**	**28.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5413	71.4 %
	Total	**5,413**	**71.4%**

This variable has 2,171 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 307-308 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2918: 31160:#X ANDRO/12MO

Item Number: 31160

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken "andro" (androstenedione, non-prescription steroid)?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1149	15.2 %
2	1-2X:(2)	6	0.1 %
3	3-5X:(3)	5	0.1 %
4	6-9X:(4)	1	0.0 %
5	10-19X:(5)	1	0.0 %
6	20-39X:(6)	0	0.0 %
7	40+OCCAS:(7)	3	0.0 %
	Total	**1,165**	**15.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6419	84.6 %
	Total	**6,419**	**84.6%**

This variable has 1,165 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
• Minimum: 1.00
• Maximum: 7.00

Location: 309-310 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2919: 31170:#X CREATINE/12MO

Item Number: 31170

Lately there has been some attention paid to certain drugs.

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...taken creatine (amino acid used to build muscle [form 3: "muscles"])?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions"
5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1937	25.5 %
2	1-2X:(2)	55	0.7 %
3	3-5X:(3)	48	0.6 %

Value	Label	Unweighted Frequency	%
4	6-9X:(4)	27	0.4 %
5	10-19X:(5)	40	0.5 %
6	20-39X:(6)	38	0.5 %
7	40+OCCAS:(7)	81	1.1 %
	Total	**2,226**	**29.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5358	70.6 %
	Total	**5,358**	**70.6%**

This variable has 2,226 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 311-312 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2566: 34230:EVER VAPE

Item Number: 34230

To "vape" is to use a device such as a JUUL, vape-pen, e-cigarette, e-hookah,
or e-vaporizer to inhale a vapor into the lungs. Have you ever vaped?

0="No" 1="Yes"

Value	Label	Unweighted Frequency	%
0	NO:(0)	4449	58.7 %
1	YES:(1)	2789	36.8 %
	Total	**7,238**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	346	4.6 %
	Total	**346**	**4.6%**

This variable has 7,238 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 313-314 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V7780: 35910:VAPED NIC/LIFE

Item Number: 35910

In your LIFETIME how often have you vaped nicotine?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	4592	60.5 %
2	1-2X:(2)	864	11.4 %
3	OCCASNLY:(3)	731	9.6 %
4	REG PAST:(4)	435	5.7 %
5	REG NOW:(5)	612	8.1 %
	Total	**7,234**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	350	4.6 %
-6	NO VAPING:(-6)	0	0.0 %
	Total	**350**	**4.6%**

This variable has 7,234 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 315-316 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7781: 35920:VAPED NIC/12MO

Item Number: 35920

During the LAST 12 MONTHS have you vaped nicotine?

1="Yes" 2="No"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	YES:(1)	1888	24.9 %
2	NO:(2)	5352	70.6 %
	Total	**7,240**	**95.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	344	4.5 %
-6	NO VAPING:(-6)	0	0.0 %
	Total	**344**	**4.5%**

This variable has 7,240 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 317-318 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7782: 35930:VAPED NIC DAYS/30DA

Item Number: 35930

On how many DAYS (if any) during the LAST 30 DAYS have you vaped nicotine?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	5838	77.0 %
2	1-2 DAYS:(2)	318	4.2 %
3	3-5 DAYS:(3)	169	2.2 %
4	6-9 DAYS:(4)	115	1.5 %
5	10-19 DAYS:(5)	178	2.3 %
6	20-29 DAYS:(6)	146	1.9 %
7	30 DAYS:(7)	469	6.2 %
	Total	**7,233**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	351	4.6 %
-6	NO VAPING:(-6)	0	0.0 %
	Total	351	4.6%

This variable has 7,233 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 319-320 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7789: 35940:START VAPE NIC 30DA

Item Number: 35940

Did you first start vaping nicotine in the LAST 30 DAYS?

1="Yes" 2="No"

Value	Label	Unweighted Frequency	%
1	YES:(1)	68	0.9 %
2	NO:(2)	1325	17.5 %
	Total	1,393	18.4%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %
-7	NO NIC VAPING 30 DAYS:(-7)	1389	18.3 %
-6	NO VAPING:(-6)	4449	58.7 %
	Total	6,191	81.6%

This variable has 1,393 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 321-322 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -7 , -6

V7783: 35950:VAPED MJ/LIFE

Item Number: 35950

In your LIFETIME how often have you... ...vaped marijuana?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	5280	69.6 %
2	1-2X:(2)	658	8.7 %
3	OCCASNLY:(3)	648	8.5 %
4	REG PAST:(4)	288	3.8 %
5	REG NOW:(5)	361	4.8 %
	Total	**7,235**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	349	4.6 %
-6	NO VAPING:(-6)	0	0.0 %
	Total	**349**	**4.6%**

This variable has 7,235 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 323-324 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7784: 35960:VAPED MJ/12MO

Item Number: 35960

During the LAST 12 MONTHS have you... ..vaped marijuana?

1="Yes" 2="No"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	YES:(1)	1508	19.9 %

Value	Label	Unweighted Frequency	%
2	NO:(2)	5719	75.4 %
	Total	**7,227**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	357	4.7 %
-6	NO VAPING:(-6)	0	0.0 %
	Total	**357**	**4.7%**

This variable has 7,227 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 325-326 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7785: 35970:VAPED MJ DAYS/30DA

Item Number: 35970

On how many DAYS (if any) during the LAST 30 DAYS have you... ...vaped marijuana?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	6178	81.5 %
2	1-2 DAYS:(2)	324	4.3 %
3	3-5 DAYS:(3)	177	2.3 %
4	6-9 DAYS:(4)	126	1.7 %
5	10-19 DAYS:(5)	162	2.1 %
6	20-29 DAYS:(6)	97	1.3 %
7	30 DAYS:(7)	166	2.2 %
	Total	**7,230**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	354	4.7 %
-6	NO VAPING:(-6)	0	0.0 %

Value	Missing Data	Unweighted Frequency	%
	Total	354	4.7%

This variable has 7,230 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 327-328 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7786: 35980:VAPED FLAV/LIFE

Item Number: 35980

In your LIFETIME how often have you vaped just flavoring?

1="Never" 2="Once or twice" 3="Occasionally but not regularly" 4="Regularly in the past" 5="Regularly now"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	NEVER:(1)	5579	73.6 %
2	1-2X:(2)	829	10.9 %
3	OCCASNLY:(3)	417	5.5 %
4	REG PAST:(4)	212	2.8 %
5	REG NOW:(5)	189	2.5 %
	Total	7,226	95.3%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	358	4.7 %
-6	NO VAPING:(-6)	0	0.0 %
	Total	358	4.7%

This variable has 7,226 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 329-330 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7787: 35990:VAPED FLAV/12MO

Item Number: 35990

During the LAST 12 MONTHS have you vaped just flavoring?

1="Yes" 2="No"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	YES:(1)	889	11.7 %
2	NO:(2)	6337	83.6 %
	Total	**7,226**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	358	4.7 %
-6	NO VAPING:(-6)	0	0.0 %
	Total	**358**	**4.7%**

This variable has 7,226 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
- Minimum: 1.00
- Maximum: 2.00

Location: 331-332 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7788: 36000:VAPED FLAV DAYS/30DA

Item Number: 36000

On how many DAYS (if any) during the LAST 30 DAYS have you vaped just flavoring?

1="0 Days" 2="1-2 Days" 3="3-5 Days" 4="6-9 Days" 5="10-19 Days" 6="20-29 Days" 7="30 Days"

Note: In 2021, this question was added to forms 1 and 2, and is now on all six forms.

Value	Label	Unweighted Frequency	%
1	0 DAYS:(1)	6605	87.1 %
2	1-2 DAYS:(2)	200	2.6 %
3	3-5 DAYS:(3)	116	1.5 %

Value	Label		Unweighted Frequency	%
4	6-9 DAYS:(4)		64	0.8 %
5	10-19 DAYS:(5)		62	0.8 %
6	20-29 DAYS:(6)		45	0.6 %
7	30 DAYS:(7)		134	1.8 %
	Total		**7,226**	**95.3%**

Value	Missing Data		Unweighted Frequency	%
-9	MISSING:(-9)		358	4.7 %
-6	NO VAPING:(-6)		0	0.0 %
	Total		**358**	**4.7%**

This variable has 7,226 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 333-334 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7791: 35551:VAPE BRAND MST OFTN

Item Number: 35551

What is the brand name of the vaping device you use most often?

1="JUUL" 2="SMOK" 4="Vuse" 6="Other [capture write in]" 7="Breeze" 8="Puff Bar"

Value	Label		Unweighted Frequency	%
1	JUUL:(1)		104	1.4 %
2	SMOK:(2)		44	0.6 %
4	Vuse:(4)		210	2.8 %
6	OTHER:(6)		699	9.2 %
7	Breeze:(7)		254	3.3 %
8	Puff Bar:(8)		279	3.7 %
	Total		**1,590**	**21.0%**

Value	Missing Data		Unweighted Frequency	%
-9	MISSING:(-9)		496	6.5 %

Value	Missing Data	Unweighted Frequency	%
-7	NO VAPING 30 DAYS:(-7)	1049	13.8 %
-6	NO VAPING:(-6)	4449	58.7 %
	Total	**5,994**	**79.0%**

This variable has 1,590 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 335-336 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -7 , -6

V7793: 36020:VAPE NIC FLVR MOST OFTN

Item Number: 36020

When you vape nicotine, which type of flavor do you use most often? (Select one flavor that is the best fit.)

1="Sweet (Chocolate, Creme, etc.)" 2="Fruit (Mango, Strawberry, etc.)" 3="Tobacco " 4="Mint " 5="Menthol " 6="Unflavored" 7="Ice-fruit combinations (Blueberry Ice, Banana Ice, etc.)"

Value	Label	Unweighted Frequency	%
1	SWEET:(1)	57	0.8 %
2	FRUIT:(2)	1135	15.0 %
3	TOBACCO:(3)	26	0.3 %
4	MINT:(4)	247	3.3 %
5	MENTHOL:(5)	242	3.2 %
6	UNFLAVORED:(6)	113	1.5 %
7	ICE-FRUIT COMBO:(7)	575	7.6 %
	Total	**2,395**	**31.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	597	7.9 %
-7	NO NIC VAPING:(-7)	143	1.9 %
-6	NO VAPING:(-6)	4449	58.7 %
	Total	**5,189**	**68.4%**

This variable has 2,395 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 337-338 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -7 , -6

V7724: 35590:EVER VAPE OTHR THAN NIC MJ FLAV

Item Number: 35590

Have you ever vaped something other than nicotine, marijuana, or just flavoring?

1="Yes" 2="No" -9="Missing"

Value	Label	Unweighted Frequency	%
1	YES:(1)	83	1.1 %
2	NO:(2)	1631	21.5 %
	Total	**1,714**	**22.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	372	4.9 %
-8	NO JUUL VAPING:(-8)	0	0.0 %
-7	NO VAPING 30 DAYS:(-7)	1049	13.8 %
-6	NO VAPING:(-6)	4449	58.7 %
	Total	**5,870**	**77.4%**

This variable has 1,714 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 339-340 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -8 , -7 , -6

V7884: 38080:VAPE DEVICE SOURCE

Item Number: 38080

The last time you used a vaping device how did you get it?

0="Took from a relative without asking"
1="Given for free by a friend"
2="Given for free by a relative"

3="Bought from a friend"
4="Bought from a relative"
5="At a convenience store (such as 7-Eleven) or a gas station"
6="At a "vape" store"
7="Over the internet"
8="From a person who is known to sell a vaping device to kids (a dealer)"
9="Other"

Value	Label	Unweighted Frequency	%
0	TOOK FRM REL WO ASKING:(0)	66	0.9 %
1	GIVEN FREE BY FRND:(1)	871	11.5 %
2	GIVEN FREE BY REL: (2)	149	2.0 %
3	BOUGHT FRM FRND:(3)	299	3.9 %
4	BOUGHT FRM REL:(4)	49	0.6 %
5	AT CONVENIENCE STOR:(5)	248	3.3 %
6	AT VAPE STOR:(6)	471	6.2 %
7	OVER INTERNET:(7)	30	0.4 %
8	FRM VAPE DVC DEALER:(8)	92	1.2 %
9	OTHER:(9)	356	4.7 %
	Total	**2,631**	**34.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	504	6.6 %
-6	NO VAPING:(-6)	4449	58.7 %
	Total	**4,953**	**65.3%**

This variable has 2,631 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 341-342 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -6

V7887: 38100:VAPE NIC@SCHL PAST 30DAYS

Item Number: 38100

During the last 30 days have you vaped nicotine on school grounds during school hours?

1="Yes" 2="No"

Note: This question was dropped from the 2022 surveys (forms 1, 2, and 3)

and added back in the 2023 surveys (to forms 1, 2, and 3). This question
is not included in forms 4, 5, and 6.

Value	Label	Unweighted Frequency	%
1	YES:(1)	196	2.6 %
2	NO:(2)	452	6.0 %
	Total	**648**	**8.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3976	52.4 %
-7	NO NIC VAPING 30 DAYS:(-7)	703	9.3 %
-6	NO VAPING:(-6)	2257	29.8 %
	Total	**6,936**	**91.5%**

This variable has 648 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 343-344 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9 , -7 , -6

V7931: 38180:HOW ADCTVE VAPE NIC

Item Number: 38180

In your opinion how addictive is... ...vaping nicotine regularly

8="I don't know"
1="Not at all addictive"
2="A little addictive"
3="Somewhat addictive"
4="Very addictive"

Value	Label	Unweighted Frequency	%
1	NOT AT ALL ADDICT:(1)	160	2.1 %
2	A LITTLE ADDICT:(2)	181	2.4 %
3	SOME WHAT ADDICT:(3)	328	4.3 %
4	VERY ADDICT:(4)	1226	16.2 %
8	DK:(8)	519	6.8 %
	Total	**2,414**	**31.8%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5170	68.2 %
	Total	**5,170**	**68.2%**

This variable has 2,414 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

• Maximum: 8.00

Location: 345-346 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2934: 39200:#X DELTA8/12MO

Item Number: 39200

During the LAST 12 MONTHS, on how many occasions (if any) have you... ...taken "delta 8" THC to get high?

1="0 Occasions"
2="1-2 Occasions"
3="3-5 Occasions"
4="6-9 Occasions"
5="10-19 Occasions"
6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1922	25.3 %
2	1-2X:(2)	98	1.3 %
3	3-5X:(3)	66	0.9 %
4	6-9X:(4)	36	0.5 %
5	10-19X:(5)	33	0.4 %
6	20-39X:(6)	23	0.3 %
7	40+OCCAS:(7)	44	0.6 %
	Total	**2,222**	**29.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	5362	70.7 %
	Total	**5,362**	**70.7%**

This variable has 2,222 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00

• Maximum: 7.00

Location: 347-348 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2937: 39220:#X VAPE VTMN OR OIL/12MO

Item Number: 39220

During the LAST 12 MONTHS, on how many occasions (if any) have you...
...vaped vitamins and/or essential oils (such as lavender or lemon),
with NO nicotine or marijuana?

1="0 Occasions"
2="1-2 Occasions"
3="3-5 Occasions"
4="6-9 Occasions"
5="10-19 Occasions"
6="20-39 Occasions"
7="40 or More"

Value	Label	Unweighted Frequency	%
1	0 OCCAS:(1)	1066	14.1 %
2	1-2X:(2)	15	0.2 %
3	3-5X:(3)	12	0.2 %
4	6-9X:(4)	4	0.1 %
5	10-19X:(5)	5	0.1 %
6	20-39X:(6)	1	0.0 %
7	40+OCCAS:(7)	1	0.0 %
	Total	**1,104**	**14.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	6480	85.4 %
	Total	**6,480**	**85.4%**

This variable has 1,104 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 1.00
• Maximum: 7.00

Location: 349-350 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2101D: 00760:EVR SMK CIG,REGL (dichotomous recode)

Have you ever smoked cigarettes?

0="No" 1="Yes"

Note: Original variable V2101 recoded (1 = 0) (2 thru 5 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	6133	80.9 %
1	YES:(1)	1191	15.7 %
	Total	**7,324**	**96.6%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	260	3.4 %
	Total	**260**	**3.4%**

This variable has 7,324 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 351-352 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2102D: 00780:#CIGS SMKD/30DAY (dichotomous recode)

How frequently have you smoked cigarettes during the past 30 days?

0="No" 1="Yes"

Note: Original variable V2102 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7090	93.5 %
1	YES:(1)	242	3.2 %
	Total	**7,332**	**96.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	252	3.3 %
	Total	**252**	**3.3%**

This variable has 7,332 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 353-354 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2104D: 00810:#X DRNK/LIFETIME (dichotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2104 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	3199	42.2 %
1	YES:(1)	3919	51.7 %
	Total	**7,118**	**93.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	466	6.1 %
	Total	**466**	**6.1%**

This variable has 7,118 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 355-356 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2105D: 00820:#X DRNK/LAST12MO (dichotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--more than just a few sips... ...during the last 12 months?

0="No" 1="Yes"

Note: Original variable V2105 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	3653	48.2 %
1	YES:(1)	3433	45.3 %
	Total	**7,086**	**93.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	498	6.6 %
	Total	**498**	**6.6%**

This variable has 7,086 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 357-358 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2106D: 00830:#X DRNK/LAST30DAY (dichotomous recode)

On how many occasions (if any) have you had alcoholic beverages to drink--
more than just a few sips... ...during the last 30 days?

0="No" 1="Yes"

Note: Original variable V2106 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5149	67.9 %
1	YES:(1)	1940	25.6 %
	Total	**7,089**	**93.5%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	495	6.5 %
	Total	**495**	**6.5%**

This variable has 7,089 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 359-360 (width: 2; decimal: 0)
Variable Type: numeric

V2115D: 00860:#XMJ+HS/LIFETIME (dichotomous recode)

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...in your lifetime?

NOTE: In 2023 for form 1: the individual question about lifetime marijuana use replaces the two separate questions about lifetime marijuana use (V2112 02070:#X MARJ/LIFETIME) and lifetime hashish use (V2109 02040:#X HASH/LIFETIME). Please see the codebook for details.

Form 3: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...in your lifetime?

Form 5: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...in your lifetime?

Forms 2, 4, and 6: The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2115 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	4486	59.2 %
1	YES:(1)	2670	35.2 %
	Total	**7,156**	**94.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	428	5.6 %
	Total	**428**	**5.6%**

This variable has 7,156 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 361-362 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2116D: 00870:#XMJ+HS/LAST12MO (dichotomous recode)

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 12 months?

NOTE: In 2023 for form 1: the individual question about 12-month marijuana use replaces the two separate questions about 12-month marijuana use (V2113 02080:#X MARJ/LAST12MO) and 12-month hashish use (V2110 02050:#X HASH/LAST12MO). Please see the codebook for details.

Form 3: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 12 months?

Form 5: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 12 months?

Forms 2, 4, and 6: The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ...during the last 12 months?

0="No" 1="Yes"

Note: Original variable V2116 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5004	66.0 %
1	YES:(1)	2138	28.2 %
	Total	**7,142**	**94.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	442	5.8 %
	Total	**442**	**5.8%**

This variable has 7,142 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 363-364 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2117D: 00880:#XMJ+HS/LAST30DAY (dichotomous recode)

On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 30 days?

NOTE: In 2023 for form 1: the individual question about 30-day marijuana use replaces the two separate questions about 30-day marijuana use (V2114 02090:#X MARJ/LAST30DAY) and 30-day hashish use (V2111 02060:#X

HASH/LAST30day). Please see the codebook for details.

Form 3: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 30 days?

Form 5: On how many occasions (if any) have you used marijuana (weed, pot) or hashish (hash, hash oil)... ...during the last 30 days?

Forms 2, 4, and 6: The next questions are about MARIJUANA or cannabis (sometimes called pot, weed, or hashish). Do not count use of products containing only CBD. On how many occasions (if any) have you used marijuana (smoking, vaping, edibles)... ...during the last 30 days?

0="No" 1="Yes"

Note: Original variable V2117 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5788	76.3 %
1	YES:(1)	1356	17.9 %
	Total	**7,144**	**94.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	440	5.8 %
	Total	**440**	**5.8%**

This variable has 7,144 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 365-366 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2118D: 00890:#X LSD/LIFETIME (dichotomous recode)

On how many occasions (if any) have you used LSD ("acid")... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2118 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5843	77.0 %
1	YES:(1)	200	2.6 %

Value	Label	Unweighted Frequency	%
	Total	6,043	79.7%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1541	20.3 %
	Total	1,541	20.3%

This variable has 6,043 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 367-368 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2119D: 00900:#X LSD/LAST 12MO (dichotomous recode)

On how many occasions (if any) have you used LSD ("acid")... ...during the last 12 months?

0="No" 1="Yes"

Note: Original variable V2119 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5960	78.6 %
1	YES:(1)	83	1.1 %
	Total	6,043	79.7%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1541	20.3 %
	Total	1,541	20.3%

This variable has 6,043 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 369-370 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2120D: 00910:#X LSD/LAST 30DAY (dichotomous recode)

On how many occasions (if any) have you used LSD ("acid")... ...during the last 30 days?

0="No" 1="Yes"

Note: Original variable V2120 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	6015	79.3 %
1	YES:(1)	29	0.4 %
	Total	**6,044**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1540	20.3 %
	Total	**1,540**	**20.3%**

This variable has 6,044 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 371-372 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2121D: 00920:#X PSYD/LIFETIME (dichotomous recode)

On how many occasions (if any) have you used hallucinogens other than
LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP)... ...in your
lifetime?

0="No" 1="Yes"

Note: Original variable V2121 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5706	75.2 %
1	YES:(1)	341	4.5 %
	Total	**6,047**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1537	20.3 %

Value	Missing Data	Unweighted Frequency	%
	Total	1,537	20.3%

This variable has 6,047 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 373-374 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2122D: 00930:#X PSYD/LAST12MO (dichotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP)... ...during the last 12 months?

0="No" 1="Yes"

Note: Original variable V2122 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5803	76.5 %
1	YES:(1)	244	3.2 %
	Total	6,047	79.7%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1537	20.3 %
	Total	1,537	20.3%

This variable has 6,047 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 375-376 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2123D: 00940:#X PSYD/LAST30DAY (dichotomous recode)

On how many occasions (if any) have you used hallucinogens other than LSD (like mescaline, peyote, "shrooms" or psilocybin, PCP)... ...during the last 30 days?

Note: Original variable V2123 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	5958	78.6 %
1	YES:(1)	90	1.2 %
	Total	**6,048**	**79.7%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	1536	20.3 %
	Total	**1,536**	**20.3%**

This variable has 6,048 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 377-378 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2127D: 00980:#X AMPH/LIFETIME (dichotomous recode)

{Amphetamines are sometimes prescribed by doctors for people who have
trouble paying attention, are hyperactive, have ADHD, or have trouble
staying awake. They are sometimes called uppers, ups, pep pills, and
include drugs like Adderall and Ritalin. Drugstores are not supposed
to sell them without a prescription from a doctor. Amphetamines do NOT
include any nonprescription drugs, such as over-the-counter diet pills
or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as
examples: Dexedrine, Ritalin, Adderall, Concerta, Vyvanse,
Methamphetamine. (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2127 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	6919	91.2 %
1	YES:(1)	308	4.1 %

Value	Label	Unweighted Frequency	%
	Total	7,227	95.3%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	357	4.7 %
	Total	357	4.7%

This variable has 7,227 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 379-380 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2128D: 00990:#X AMPH/LAST12MO (dichotomous recode)

{Amphetamines are sometimes prescribed by doctors for people who have
trouble paying attention, are hyperactive, have ADHD, or have trouble
staying awake. They are sometimes called uppers, ups, pep pills, and
include drugs like Adderall and Ritalin. Drugstores are not supposed
to sell them without a prescription from a doctor. Amphetamines do NOT
include any nonprescription drugs, such as over-the-counter diet pills
or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as
examples: Dexedrine, Ritalin, Adderall, Concerta, Vyvanse,
Methamphetamine. (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines
on your own--that is, without a doctor telling you to take
them... ...during the last 12 months?

0="No" 1="Yes"

Note: Original variable V2128 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7083	93.4 %
1	YES:(1)	148	2.0 %
	Total	7,231	95.3%

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %

Value	Missing Data	Unweighted Frequency	%
	Total	**353**	**4.7%**

This variable has 7,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 381-382 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2129D: 01000:#X AMPH/LAST30DAY (dichotomous recode)

{Amphetamines are sometimes prescribed by doctors for people who have trouble paying attention, are hyperactive, have ADHD, or have trouble staying awake. They are sometimes called uppers, ups, pep pills, and include drugs like Adderall and Ritalin. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any nonprescription drugs, such as over-the-counter diet pills or stay-awake pills.

[Questionnaire form 1 worded somewhat differently and also includes as examples: Dexedrine, Ritalin, Adderall, Concerta, Vyvanse, Methamphetamine. (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken amphetamines on your own--that is, without a doctor telling you to take them... ...during the last 30 days?

0="No" 1="Yes"

Note: Original variable V2129 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7157	94.4 %
1	YES:(1)	74	1.0 %
	Total	**7,231**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	353	4.7 %
	Total	**353**	**4.7%**

This variable has 7,231 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00

• Maximum: 1.00

Location: 383-384 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2133D: 01040:#X SED/BARB/LIFETIME (dichotomous recode)

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata.

[Questionnaire form 1 worded somewhat differently and includes Seconal, Lunesta, Dalmane, Restoril, Intermezzo, Halcion, Zolpimist as examples; see form 1 codebook.]}

[All forms]: On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2133 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7012	92.5 %
1	YES:(1)	217	2.9 %
	Total	**7,229**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	355	4.7 %
	Total	**355**	**4.7%**

This variable has 7,229 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 385-386 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2134D: 01050:#X SED/BARB/LAST12MO (dichotomous recode)

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata.

[Questionnaire form 1 worded somewhat differently and includes Seconal, Lunesta, Dalmane, Restoril, Intermezzo, Halcion, Zolpimist as examples; see form 1 codebook.]}

[All forms]: On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them...
...during the last 12 months?

0="No" 1="Yes"

Note: Original variable V2134 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7117	93.8 %
1	YES:(1)	113	1.5 %
	Total	**7,230**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	354	4.7 %
	Total	**354**	**4.7%**

This variable has 7,230 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 387-388 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2135D: 01060:#X SED/BARB/LAST30DA (dichotomous recode)

{Sedatives, including barbiturates, are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs or downers, and include phenobarbital, Ambien, Lunesta, and Sonata.

[Questionnaire form 1 worded somewhat differently and includes Seconal, Lunesta, Dalmane, Restoril, Intermezzo, Halcion, Zolpimist as examples; see form 1 codebook.]}

[All forms]: On how many occasions (if any) have you taken sedatives on your own--that is, without a doctor telling you to take them...
...during the last 30 days?

0="No" 1="Yes"

Note: Original variable V2135 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7177	94.6 %
1	YES:(1)	50	0.7 %
	Total	**7,227**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	357	4.7 %
	Total	**357**	**4.7%**

This variable has 7,227 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 389-390 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2136D: 01070:#X TRQL/LIFETIME (dichotomous recode)

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]}

[All forms]: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2136 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7047	92.9 %
1	YES:(1)	181	2.4 %
	Total	**7,228**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	356	4.7 %
	Total	**356**	**4.7%**

This variable has 7,228 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 391-392 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2137D: 01080:#X TRQL/LAST12MO (dichotomous recode)

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]}

0="No" 1="Yes"

[All forms]: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ...during the last 12 months?

Note: Original variable V2137 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7151	94.3 %
1	YES:(1)	77	1.0 %
	Total	**7,228**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	356	4.7 %
	Total	**356**	**4.7%**

This variable has 7,228 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 393-394 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2138D: 01090:#X TRQL/LAST30DAY (dichotomous recode)

{Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Xanax are all tranquilizers.

[Questionnaire form 1 worded somewhat differently and adds Soma, Serax, Ativan, Klonopin to the examples (see form 1 codebook).]}

0="No" 1="Yes"

[All forms]: On how many occasions (if any) have you taken tranquilizers on your own--that is, without a doctor telling you to take them... ...during the last 30 days?

Note: Original variable V2138 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7201	94.9 %
1	YES:(1)	28	0.4 %
	Total	**7,229**	**95.3%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	355	4.7 %
	Total	**355**	**4.7%**

This variable has 7,229 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 395-396 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2139D: 01100:#X 'H'/LIFETIME (dichotomous recode)

Item Number: 01100

On how many occasions (if any) have you used heroin... ...in your lifetime?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: Original variable V2139 recoded (1=0, 2-7=1) (-9=-9)

In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V2510 29630 #X H LIF USE NDL) and without (V2513 29660 #X H LIF W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
0	NO:(0)	7213	95.1 %
1	YES:(1)	20	0.3 %
	Total	**7,233**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	351	4.6 %
	Total	**351**	**4.6%**

This variable has 7,233 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 397-398 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2140D: 01110:#X 'H'/LAST 12MO (dichotomous recode)

Item Number: 01110

On how many occasions (if any) have you used heroin... ...during the last 12 months?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: Original variable V2140 recoded (1=0, 2-7=1) (-9=-9)

In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V2511 29640 #X H 12M USE NDL) and without (V2514 29670 #X H 12M W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
0	NO:(0)	7224	95.3 %
1	YES:(1)	10	0.1 %
	Total	**7,234**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	350	4.6 %

Value	Missing Data	Unweighted Frequency	%
	Total	**350**	**4.6%**

This variable has 7,234 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 399-400 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2141D: 01120:#X 'H'/LAST 30DAY (dichotomous recode)

Item Number: 01120

On how many occasions (if any) have you used heroin... ...during the last 30 days?

1="0 Occasions" 2="1-2 Occasions" 3="3-5 Occasions" 4="6-9 Occasions" 5="10-19 Occasions" 6="20-39 Occasions" 7="40 or More"

Note: Original variable V2141 recoded (1=0, 2-7=1) (-9=-9)

In 2022, the single question about heroin use replaces the two separate questions about heroin use with (V2512 29650 #X H 30D USE NDL) and without (V2515 29680 #X H 30D W/O NDL) using a needle. Please see the codebook for details.

Value	Label	Unweighted Frequency	%
0	NO:(0)	7223	95.2 %
1	YES:(1)	11	0.1 %
	Total	**7,234**	**95.4%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	350	4.6 %
	Total	**350**	**4.6%**

This variable has 7,234 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 401-402 (width: 2; decimal: 0)
Variable Type: numeric

V2142D: 01130:#X NARC/LIFETIME (dichotomous recode)

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.

[Questionnaire form 1 worded somewhat differently and adds Percodan, Ultram, Morphone, Oxycodone, Tylox, Tramadol, Hydrocodone (Lortab, Lorcet, Norco), MS Contin, Suboxone (see form 1 Codebook).]}

[All forms]: On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2142 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7058	93.1 %
1	YES:(1)	163	2.1 %
	Total	**7,221**	**95.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	363	4.8 %
	Total	**363**	**4.8%**

This variable has 7,221 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 403-404 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2143D: 01140:#X NARC/LAST12MO (dichotomous recode)

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.

[Questionnaire form 1 worded somewhat differently and adds Percodan, Ultram, Morphone, Oxycodone, Tylox, Tramadol, Hydrocodone (Lortab, Lorcet, Norco), MS Contin, Suboxone (see form 1 Codebook).]}

[All forms]: On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ...during the last 12 months?

0="No" 1="Yes"

Note: Original variable V2143 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7148	94.3 %
1	YES:(1)	73	1.0 %
	Total	**7,221**	**95.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	363	4.8 %
	Total	**363**	**4.8%**

This variable has 7,221 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.
- Minimum: 0.00
- Maximum: 1.00

Location: 405-406 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2144D: 01150:#X NARC/LAST30DAY (dichotomous recode)

{There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, Demerol, Vicodin, OxyContin, and Percocet. These are sometimes prescribed by doctors.

[Questionnaire form 1 worded somewhat differently and adds Percodan, Ultram, Morphone, Oxycodone, Tylox, Tramadol, Hydrocodone (Lortab, Lorcet, Norco), MS Contin, Suboxone (see form 1 Codebook).]}

[All forms]: On how many occasions (if any) have you taken narcotics other than heroin on your own--that is, without a doctor telling you to take them... ...during the last 30 days?

0="No" 1="Yes"

Note: Original variable V2144 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	7186	94.8 %

Value	Label	Unweighted Frequency	%
1	YES:(1)	35	0.5 %
	Total	**7,221**	**95.2%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	363	4.8 %
	Total	**363**	**4.8%**

This variable has 7,221 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 407-408 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2145D: 01160:#X INHL/LIFETIME (dichotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high... ...in your lifetime?

0="No" 1="Yes"

Note: Original variable V2145 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	3413	45.0 %
1	YES:(1)	221	2.9 %
	Total	**3,634**	**47.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3950	52.1 %
	Total	**3,950**	**52.1%**

This variable has 3,634 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 409-410 (width: 2; decimal: 0)

V2146D: 01170:#X INHL/LAST12MO (dichotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high... ...during the last 12 months?

Note: Original variable V2146 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	3566	47.0 %
1	YES:(1)	68	0.9 %
	Total	**3,634**	**47.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3950	52.1 %
	Total	**3,950**	**52.1%**

This variable has 3,634 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 411-412 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9

V2147D: 01180:#X INHL/LAST30DAY (dichotomous recode)

On how many occasions (if any) have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any other gases or sprays in order to get high... ...during the last 30 days?

0="No" 1="Yes"

Note: Original variable V2147 recoded (1 = 0) (2 thru 7 = 1) (-9 = -9)

Value	Label	Unweighted Frequency	%
0	NO:(0)	3603	47.5 %
1	YES:(1)	32	0.4 %
	Total	**3,635**	**47.9%**

Value	Missing Data	Unweighted Frequency	%
-9	MISSING:(-9)	3949	52.1 %
	Total	**3,949**	**52.1%**

This variable has 3,635 valid cases out of 7,584 total cases.

Percentages for valid and missing data are based on 7,584 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 413-414 (width: 2; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -9