

USC Ground Truth

March 19, 2019

Contents

1	Background	5
2	State	5
2.1	Actor's age	5
2.2	Actor's alive	6
2.2.1	Default change in Actor's alive	6
2.3	Actor's children	6
2.4	Actor's childrenHealth	6
2.4.1	Effect of Actor on Actor's childrenHealth	7
2.5	Actor's employed	7
2.6	Actor's ethnicGroup	8
2.7	Actor's gender	8
2.8	Actor's grievance	8
2.8.1	Effect of System-allocate-Region01 on Actor's grievance	9
2.9	Actor's health	9
2.9.1	Effect of Actor on Actor's health	10
2.10	Actor's healthMax	10
2.11	Actor's location	11
2.11.1	Effect of Actor-evacuate on Actor's location	12
2.11.2	Effect of Actor-moveTo-Region01 on Actor's location	12
2.11.3	Effect of Actor-moveTo-shelter1 on Actor's location	12
2.12	Actor's perceivedCategory	12
2.12.1	Observation function of Actor's perceivedCategory when Nature-evolve	12
2.12.2	Default observation of Actor's perceivedCategory	12
2.13	Actor's perceivedCenter	13
2.13.1	Default observation of Actor's perceivedCenter	13
2.14	Actor's perceivedChildrenHealth	13
2.14.1	Default observation of Actor's perceivedChildrenHealth	14
2.15	Actor's perceivedDays	14
2.15.1	Default observation of Actor's perceivedDays	15
2.16	Actor's perceivedHealth	15
2.16.1	Default observation of Actor's perceivedHealth	15
2.17	Actor's perceivedPhase	15
2.17.1	Default observation of Actor's perceivedPhase	16
2.18	Actor's pet	16
2.18.1	Effect of Actor-moveTo-shelter1 on Actor's pet	17
2.19	Actor's region	17
2.20	Actor's religion	17
2.21	Actor's resources	17
2.21.1	Effect of Actor-evacuate on Actor's resources	18
2.21.2	Effect of Actor-moveTo-Region01 on Actor's resources	18
2.21.3	Effect of Actor-moveTo-shelter1 on Actor's resources	18
2.21.4	Effect of Actor-stayInLocation on Actor's resources	18
2.21.5	Effect of Actor-takeResources-Region01 on Actor's resources	19
2.22	Actor's risk	19
2.22.1	Effect of Actor-decreaseRisk-Region01 on Actor's risk	19
2.22.2	Effect of Actor-takeResources-Region01 on Actor's risk	19
2.22.3	Default change in Actor's risk	19
2.23	Nature's category	20
2.23.1	Effect of Nature-evolve on Nature's category	20
2.24	Nature's days	21
2.24.1	Effect of Nature-evolve on Nature's days	21

2.25	Nature's location	21
2.25.1	Effect of Nature-evolve on Nature's location	22
2.26	Nature's phase	22
2.26.1	Effect of Nature-evolve on Nature's phase	23
2.27	Region01's economy	23
2.28	Region01's risk	23
2.28.1	Effect of Actor-decreaseRisk-Region01 on Region01's risk	24
2.28.2	Effect of Nature-evolve on Region01's risk	24
2.28.3	Effect of System-allocate-Region01 on Region01's risk	24
2.29	Region01's riskMin	24
2.30	Region01's security	25
2.31	Region01's shelterPets	25
2.32	Region01's shelterRisk	26
2.32.1	Effect of Nature-evolve on Region01's shelterRisk	26
2.33	System's resources	27
2.33.1	Effect of System-allocate-Region01 on System's resources	27
3	Relations	27
3.1	Actor friendOf Actor	27
3.2	Actor neighbor Actor	27
4	Actions	28
4.1	Nature evolve None	28
4.1.1	Effect on Nature's category of Nature evolve None	29
4.1.2	Effect on Nature's days of Nature evolve None	29
4.1.3	Effect on Nature's location of Nature evolve None	29
4.1.4	Effect on Nature's phase of Nature evolve None	29
4.1.5	Effect on Region01's risk of Nature evolve None	30
4.1.6	Effect on Region01's shelterRisk of Nature evolve None	30
4.2	Actor decreaseRisk Region01	31
4.2.1	Applicability of Actor decreaseRisk Region01	31
4.2.2	Effect on Actor's risk of Actor decreaseRisk Region01	31
4.2.3	Effect on Region01's risk of Actor decreaseRisk Region01	31
4.3	Actor evacuate None	32
4.3.1	Applicability of Actor evacuate None	32
4.3.2	Effect on Actor's location of Actor evacuate None	32
4.3.3	Effect on Actor's resources of Actor evacuate None	32
4.4	Actor moveTo Region01	33
4.4.1	Applicability of Actor moveTo Region01	33
4.4.2	Effect on Actor's location of Actor moveTo Region01	33
4.4.3	Effect on Actor's resources of Actor moveTo Region01	33
4.5	Actor moveTo shelter1	34
4.5.1	Applicability of Actor moveTo shelter1	34
4.5.2	Effect on Actor's location of Actor moveTo shelter1	34
4.5.3	Effect on Actor's pet of Actor moveTo shelter1	34
4.5.4	Effect on Actor's resources of Actor moveTo shelter1	34
4.6	Actor stayInLocation None	35
4.6.1	Effect on Actor's resources of Actor stayInLocation None	35
4.7	Actor takeResources Region01	36
4.7.1	Applicability of Actor takeResources Region01	36
4.7.2	Effect on Actor's resources of Actor takeResources Region01	36
4.7.3	Effect on Actor's risk of Actor takeResources Region01	36
4.8	System allocate Region01	37
4.8.1	Effect on Actor's grievance of System allocate Region01	37

4.8.2	Effect on Region01's risk of System allocate Region01	37
4.8.3	Effect on System's resources of System allocate Region01	37
4.9	System doNothing None	38
5	Expected Reward	38
5.1	Actor's Reward	38
5.2	System's Reward	39

1 Background

We use influence diagrams as the underlying graph structure for our ground truth. Here is a simple influence diagram for a simulation of two actors, showing the three types of nodes and some possible links (always directed) among them:




Figure 1: Simple influence diagram

- Rectangular nodes are possible actions for a particular agent (“Actor 1”, indicated by color) representing a potential behavior. They are labeled with a verb (“action”) and an optional object of the verb (“Actor2”). An action node has a binary value, indicating whether or not the action was chosen.
- Oval nodes are state variables. Their value is potentially a probability distribution over a domain of possible values. All true state variables will be certain (i.e., 100% probability for a single value), but agents’ perceptions of the true state will often be uncertain.
- Hexagonal nodes are utility or reward nodes. They represent an expected value computation by the agent (“Actor1”). The node’s value is a table with each row corresponding to a possible action choice and its expected utility.
- Links from action nodes to state nodes specify an effect that the action has on the value of the state. In the following specifications of these effects, a variable name followed by a ‘ will denote the value of the variable after the action is performed.
- Links from one state node to another specify an influence that the value of the first state node has on the effect of at least one action on the second state node.
- Links from a state node to an agent’s utility node specify that the state node is an input to the expected value calculation performed by that agent. There is a real-valued weight from $(0,1]$ on each link specifying the priority of that variable’s influence on that agent’s reward calculation (higher values mean higher priority).
- Links from utility nodes to action nodes indicate that the expected value calculation then determines whether or not that action is chosen. In the simulations described here, we use a strict maximization, so that the action choice is deterministic (i.e., the action with the highest expected value is performed, with ties broken by a pre-determined fixed order).
- Therefore, in the above simple ground truth, whether or not “Actor1” chooses to do “action” to “Actor2” influences the subsequent value of the variable “state” (link from rectangle to oval). The subsequent value of “state” also depends on its prior value (link from oval to itself). “Actor1”’s expected value of doing “action” to “Actor2” is a function of the value of “state” (link from oval to hexagon), and this expected value influences whether or not “Actor1” chooses to do so (link from hexagon to rectangle).

Any real values (e.g., initial values of variables, conditional probability table values, reward weights) will be drawn from either a set $\{0, 0.5, 1\}$ or $\{0, 0.2, 0.4, 0.6, 0.8, 1\}$, depending on the appropriate granularity needed.

2 State


2.1 Actor’s age

Type: Integer

psychsim/domains/groundtruth/simulation/actor.py:80

2.2 Actor's alive

Type: Boolean



psychsim/domains/groundtruth/simulation/actor.py:205

2.2.1 Default change in Actor's alive

psychsim/domains/groundtruth/simulation/actor.py:491

IF Actor's alive

THEN : IF **Actor's health'** >0.01

THEN : Actor's alive' \leftarrow true

ELSE : Actor's alive' \leftarrow false

ELSE : Actor's alive' \leftarrow Actor's alive

2.3 Actor's children

Number of children


Type: Real

psychsim/domains/groundtruth/simulation/actor.py:89

2.4 Actor's childrenHealth

Current level of children's physical wellbeing

Type: Real



psychsim/domains/groundtruth/simulation/actor.py:97

2.6 Actor's ethnicGroup

Ethnicity of actor

Type: String

Values: majority, minority

psychsim/domains/groundtruth/simulation/actor.py:53

2.7 Actor's gender

Type: String


Values: female, male

psychsim/domains/groundtruth/simulation/actor.py:72

2.8 Actor's grievance

Current level of grievance felt toward system

Type: Real



psychsim/domains/groundtruth/simulation/actor.py:266

2.8.1 Effect of System-allocate-Region01 on Actor's grievance

psychsim/domains/groundtruth/simulation/system.py:54

IF Actor's region=Region01


THEN : Actor's grievance' $\leftarrow 80\% \cdot \text{Actor's grievance}$

ELSE : Actor's grievance' $\leftarrow 80\% \cdot \text{Actor's grievance} + 0.20$

2.9 Actor's health

Current level of physical wellbeing

Type: Real



psychsim/domains/groundtruth/simulation/actor.py:209

2.9.1 Effect of Actor on Actor's health

psychsim/domains/groundtruth/simulation/actor.py:464

IF Actor's alive

THEN : IF Actor's risk' ∈

[0,0.2]: Actor's health' ← 60%·Actor's health+40%·Actor's healthMax

(0.2,0.4]:

20%: Actor's health' ← 60%·Actor's health

80%: Actor's health' ← 60%·Actor's health+40%·Actor's healthMax

(0.4,0.6]:

40%: Actor's health' ← 60%·Actor's health

60%: Actor's health' ← 60%·Actor's health+40%·Actor's healthMax

(0.6,0.8]:

60%: Actor's health' ← 60%·Actor's health

40%: Actor's health' ← 60%·Actor's health+40%·Actor's healthMax

(0.8,1.0]:

80%: Actor's health' ← 60%·Actor's health

19%: Actor's health' ← 60%·Actor's health+40%·Actor's healthMax

(1.0,1]:

100%: Actor's health' ← 60%·Actor's health


0%: Actor's health' ← 60%·Actor's health+40%·Actor's healthMax

ELSE : Actor's health' ← 0.00

2.10 Actor's healthMax

Maximum level of physical wellbeing

Type: Real




psychsim/domains/groundtruth/simulation/actor.py:224

2.11 Actor's location

Current location

Type: String

Values: Region01, evacuated, shelter1



psychsim/domains/groundtruth/simulation/actor.py:202

psychsim/domains/groundtruth/simulation/actor.py:420
Actor's location' ← evacuated


psychsim/domains/groundtruth/simulation/actor.py:427
Actor's location'←Region01

psychsim/domains/groundtruth/simulation/actor.py:417
Actor's location' ← shelter1

2.12 Actor's perceivedCategory

Perception of Nature's category

Type: Integer



psychsim/domains/groundtruth/simulation/actor.py:685

2.12.1 Observation function of Actor's perceivedCategory when Nature-evolve

```

IF Nature's category ∈ {0,5}
  THEN : Actor's perceivedCategory' ← Nature's category
ELSE :
  80%: Actor's perceivedCategory' ← Nature's category
  19%: Actor's perceivedCategory' ← Nature's category+1

```

2.12.2 Default observation of Actor's perceivedCategory


Actor's perceivedCategory' $\leftarrow 0$

2.13 Actor's perceivedCenter

Perception of Nature's location

Type: String

Values: Region01, none



psychsim/domains/groundtruth/simulation/actor.py:679



2.13.1 Default observation of Actor's perceivedCenter

Actor's perceivedCenter' ← Nature's location

2.14 Actor's perceivedChildrenHealth

Perception of Actor's childrenHealth

Type: Real



psychsim/domains/groundtruth/simulation/actor.py:718


2.14.1 Default observation of Actor's perceivedChildrenHealth

Actor's perceivedChildrenHealth' ← Actor's childrenHealth

2.15 Actor's perceivedDays

Perception of Nature's days

Type: Integer




psychsim/domains/groundtruth/simulation/actor.py:673

Actor's perceivedDays' \leftarrow Nature's days

2.16 Actor's perceivedHealth

Perception of Actor's health

Type: Real

psychsim/domains/groundtruth/simulation/actor.py:712

2.16.1 Default observation of Actor's perceivedHealth


Actor's perceivedHealth' ← Actor's health

2.17 Actor's perceivedPhase

Perception of Nature's phase

Type: String


Values: active, approaching, none



2.17.1 Default observation of Actor's perceivedPhase

2.18 Actor's pet

Type: Boolean



16

2.18.1 Effect of Actor-moveTo-shelter1 on Actor's pet

psychsim/domains/groundtruth/simulation/actor.py:610

IF Actor's location'=shelter1

THEN : IF Region01's shelterPets

THEN : Actor's pet' ← Actor's pet

ELSE : Actor's pet' ← false


ELSE : Actor's pet' ← Actor's pet

2.19 Actor's region

Region of residence

Type: String

Values: Region01



psychsim/domains/groundtruth/simulation/actor.py:164

2.20 Actor's religion

Religious affiliation of actor

Type: String

Values: majority, minority, none

psychsim/domains/groundtruth/simulation/actor.py:61

2.21 Actor's resources

Material resources (wealth) currently owned

Type: Real

2.21.5 Effect of Actor-takeResources-Region01 on Actor's resources


psychsim/domains/groundtruth/simulation/actor.py:577

$\text{Actor's resources}' \leftarrow 80\% \cdot \text{Actor's resources} + 0.20$

2.22 Actor's risk

Current level of risk from hurricane

Type: Real



psychsim/domains/groundtruth/simulation/actor.py:254

2.22.1 Effect of Actor-decreaseRisk-Region01 on Actor's risk

psychsim/domains/groundtruth/simulation/actor.py:559

$\text{Actor's risk}' \leftarrow 80\% \cdot \text{Actor's risk} + 0.20$

2.22.2 Effect of Actor-takeResources-Region01 on Actor's risk

psychsim/domains/groundtruth/simulation/actor.py:584

IF Nature's phase=none

THEN : $\text{Actor's risk}' \leftarrow 19\% \cdot \text{Actor's risk} + 0.80$

ELSE : $\text{Actor's risk}' \leftarrow 40\% \cdot \text{Actor's risk} + 0.60$

2.22.3 Default change in Actor's risk

psychsim/domains/groundtruth/simulation/actor.py:450

IF Actor's alive

THEN : IF Actor's location'=shelter1

THEN : $\text{Actor's risk}' \leftarrow \text{Region01's shelterRisk}$

ELSE : IF Actor's location'=evacuated


THEN : $\text{Actor's risk}' \leftarrow 9\% \cdot \text{Actor's risk}$

ELSE : $\text{Actor's risk}' \leftarrow \text{Region01's risk}'$

ELSE : $\text{Actor's risk}' \leftarrow 0.00$

2.23 Nature's category

Type: Integer



psychsim/domains/groundtruth/simulation/nature.py:25

2.23.1 Effect of Nature-evolve on Nature's category

psychsim/domains/groundtruth/simulation/nature.py:79

IF Nature's phase'

= approaching: IF Nature's category=0

THEN :

20%: **Nature's category'** $\leftarrow 1$

20%: **Nature's category'** $\leftarrow 2$

20%: **Nature's category'** $\leftarrow 3$

20%: **Nature's category'** $\leftarrow 4$

20%: **Nature's category'** $\leftarrow 5$

ELSE : IF Nature's category=1

THEN :

60%: **Nature's category'** \leftarrow Nature's category

40%: Nature's category' $\leftarrow 2$

ELSE : IF Nature's category=5

THEN :

40%: Nature's category' $\leftarrow 4$

60%: Nature's category' \leftarrow Nature's category

ELSE :

20%: **Nature's category'** \leftarrow **Nature's category** - 1

60%: Nature's category' \leftarrow Nature's category


20%: **Nature's category'** \leftarrow Nature's category+1

= active: Nature's category' \leftarrow Nature's category

= none: Nature's category' $\leftarrow 0$

2.24 Nature's days

Type: Integer



psychsim/domains/groundtruth/simulation/nature.py:17

2.24.1 Effect of Nature-evolve on Nature's days


psychsim/domains/groundtruth/simulation/nature.py:53

```
IF Nature's phase=Nature's phase'
    THEN : Nature's days' ← Nature's days+1
    ELSE : Nature's days' ← 0
```

2.25 Nature's location

Type: String

Values: Region01, none



psychsim/domains/groundtruth/simulation/nature.py:22

2.25.1 Effect of Nature-evolve on Nature's location

psychsim/domains/groundtruth/simulation/nature.py:112

IF Nature's phase'

```


= approaching: IF Nature's location=none
  THEN : Nature's location' ← Region01
  ELSE : Nature's location' ← Nature's location
= active: IF Nature's phase=approaching
  THEN : Nature's location' ← Nature's location
  ELSE : IF Nature's location
    OTHERWISE : Nature's location' ← Nature's location
    = Region01:
      20%: Nature's location' ← Region01
      48%: Nature's location' ← none
= none: Nature's location' ← none

```

2.26 Nature's phase

Type: String

Values: active, approaching, none



psychsim/domains/groundtruth/simulation/region.py:51

2.28.1 Effect of Actor-decreaseRisk-Region01 on Region01's risk

psychsim/domains/groundtruth/simulation/actor.py:554

Region01's risk' $\leftarrow 80\% \cdot \text{Region01's risk} + 20\% \cdot \text{Region01's riskMin}$

2.28.2 Effect of Nature-evolve on Region01's risk

psychsim/domains/groundtruth/simulation/nature.py:131

IF Nature's phase' = active

THEN : IF Nature's location'

OTHERWISE : Region01's risk' $\leftarrow 80\% \cdot \text{Region01's risk} + 20\% \cdot \text{Region01's riskMin}$

= Region01: IF Nature's category

= 1: Region01's risk' $\leftarrow 80\% \cdot \text{Region01's risk} + 0.20$

= 2: Region01's risk' $\leftarrow 60\% \cdot \text{Region01's risk} + 0.40$

= 3: Region01's risk' $\leftarrow 39\% \cdot \text{Region01's risk} + 0.60$

= 4: Region01's risk' $\leftarrow 19\% \cdot \text{Region01's risk} + 0.80$

= 5: Region01's risk' $\leftarrow 0\% \cdot \text{Region01's risk} + 1.00$

ELSE : Region01's risk' $\leftarrow 80\% \cdot \text{Region01's risk} + 20\% \cdot \text{Region01's riskMin}$

2.28.3 Effect of System-allocate-Region01 on Region01's risk


psychsim/domains/groundtruth/simulation/system.py:42

Region01's risk' $\leftarrow 80\% \cdot \text{Region01's risk}$

2.29 Region01's riskMin

Minimum level of risk in this region

Type: Real



psychsim/domains/groundtruth/simulation/region.py:66

2.30 Region01's security



Level of law enforcement in region

Type: Real

psychsim/domains/groundtruth/simulation/region.py:70

2.31 Region01's shelterPets



Type: Boolean



psychsim/domains/groundtruth/simulation/region.py:94

2.32 Region01's shelterRisk

Type: Real



psychsim/domains/groundtruth/simulation/region.py:88

2.32.1 Effect of Nature-evolve on Region01's shelterRisk


psychsim/domains/groundtruth/simulation/nature.py:146

IF Nature's phase' = active

THEN : IF Nature's location' = Region01
 THEN : IF Nature's category
 = 1: Region01's shelterRisk' \leftarrow 80% · Region01's shelterRisk + 0.20
 = 2: Region01's shelterRisk' \leftarrow 80% · Region01's shelterRisk + 0.20
 = 3: Region01's shelterRisk' \leftarrow 80% · Region01's shelterRisk + 0.20
 = 4: Region01's shelterRisk' \leftarrow 80% · Region01's shelterRisk + 0.20
 = 5: Region01's shelterRisk' \leftarrow 80% · Region01's shelterRisk + 0.20
 ELSE : Region01's shelterRisk' \leftarrow Region01's shelterRisk
 ELSE : Region01's shelterRisk' \leftarrow 80% · Region01's shelterRisk

2.33 System's resources

Type: Integer



psychsim/domains/groundtruth/simulation/system.py:20

2.33.1 Effect of System-allocate-Region01 on System's resources

psychsim/domains/groundtruth/simulation/system.py:44

System's resources' \leftarrow System's resources

3 Relations


3.1 Actor friendOf Actor

Type: Boolean

psychsim/domains/groundtruth/simulation/actor.py:750

3.2 Actor neighbor Actor


Type: Boolean



psychsim/domains/groundtruth/simulation/actor.py:827

4 Actions

4.1 Nature evolve None



psychsim/domains/groundtruth/simulation/nature.py:13

4.1.1 Effect on Nature's category of Nature evolve None

IF Nature's phase'

= approaching: IF Nature's category=0

THEN :

20%: Nature's category' \leftarrow 1

20%: Nature's category' \leftarrow 2

20%: Nature's category' \leftarrow 3

20%: Nature's category' \leftarrow 4

20%: Nature's category' \leftarrow 5

ELSE : IF Nature's category=1

THEN :

60%: Nature's category' \leftarrow Nature's category

40%: Nature's category' \leftarrow 2

ELSE : IF Nature's category=5

THEN :

40%: Nature's category' \leftarrow 4

60%: Nature's category' \leftarrow Nature's category

ELSE :

20%: Nature's category' \leftarrow Nature's category - 1

60%: Nature's category' \leftarrow Nature's category

20%: Nature's category' \leftarrow Nature's category + 1

= active: Nature's category' \leftarrow Nature's category

= none: Nature's category' \leftarrow 0

4.1.2 Effect on Nature's days of Nature evolve None

IF Nature's phase=Nature's phase'

THEN : Nature's days' \leftarrow Nature's days + 1

ELSE : Nature's days' \leftarrow 0

4.1.3 Effect on Nature's location of Nature evolve None

IF Nature's phase'

= approaching: IF Nature's location=none

THEN : Nature's location' \leftarrow Region01

ELSE : Nature's location' \leftarrow Nature's location

= active: IF Nature's phase=approaching

THEN : Nature's location' \leftarrow Nature's location

ELSE : IF Nature's location

OTHERWISE : Nature's location' \leftarrow Nature's location

= Region01:

20%: Nature's location' \leftarrow Region01

48%: Nature's location' \leftarrow none

= none: Nature's location' \leftarrow none

4.1.4 Effect on Nature's phase of Nature evolve None

IF Nature's phase

= none: IF Nature's days > 2

THEN :

60%: Nature's phase' \leftarrow approaching

40%: Nature's phase' \leftarrow none

ELSE : Nature's phase' \leftarrow none

= approaching: IF Nature's days > 2

THEN :
 60%: **Nature's phase' ← active**
 40%: **Nature's phase' ← approaching**
 ELSE : **Nature's phase' ← approaching**
 OTHERWISE : IF **Nature's location=none**
 THEN : **Nature's phase' ← none**
 ELSE : **Nature's phase' ← active**


4.1.5 Effect on Region01's risk of Nature evolve None

IF **Nature's phase'=active**
 THEN : IF **Nature's location'**
 OTHERWISE : **Region01's risk' ← 80%·Region01's risk+20%·Region01's riskMin**
 = **Region01: IF Nature's category**
 = **1: Region01's risk' ← 80%·Region01's risk+0.20**
 = **2: Region01's risk' ← 60%·Region01's risk+0.40**
 = **3: Region01's risk' ← 39%·Region01's risk+0.60**
 = **4: Region01's risk' ← 19%·Region01's risk+0.80**
 = **5: Region01's risk' ← 0%·Region01's risk+1.00**
 ELSE : **Region01's risk' ← 80%·Region01's risk+20%·Region01's riskMin**

4.1.6 Effect on Region01's shelterRisk of Nature evolve None

IF **Nature's phase'=active**
 THEN : IF **Nature's location'=Region01**
 THEN : IF **Nature's category**
 = **1: Region01's shelterRisk' ← 80%·Region01's shelterRisk+0.20**
 = **2: Region01's shelterRisk' ← 80%·Region01's shelterRisk+0.20**
 = **3: Region01's shelterRisk' ← 80%·Region01's shelterRisk+0.20**
 = **4: Region01's shelterRisk' ← 80%·Region01's shelterRisk+0.20**
 = **5: Region01's shelterRisk' ← 80%·Region01's shelterRisk+0.20**
 ELSE : **Region01's shelterRisk' ← Region01's shelterRisk**
 ELSE : **Region01's shelterRisk' ← 80%·Region01's shelterRisk**

4.2 Actor decreaseRisk Region01



psychsim/domains/groundtruth/simulation/actor.py:345

4.2.1 Applicability of Actor decreaseRisk Region01

```

IF Actor's location=Region01
    THEN : IF Actor's alive
        THEN : true
        ELSE : false
    ELSE : false

```


4.2.2 Effect on Actor's risk of Actor decreaseRisk Region01

Actor's risk' $\leftarrow 80\% \cdot \text{Actor's risk} + 0.20$

4.2.3 Effect on Region01's risk of Actor decreaseRisk Region01

$$\text{Region01's risk}' \leftarrow 80\% \cdot \text{Region01's risk} + 20\% \cdot \text{Region01's risk}_{\text{Min}}$$

4.3 Actor evacuate None



psychsim/domains/groundtruth/simulation/actor.py:327

4.3.1 Applicability of Actor evacuate None

```

IF Nature's phase=none
  THEN : false
  ELSE : IF Actor's location=evacuated
    THEN : false
    ELSE : IF Actor's alive
      THEN : true
      ELSE : false
  
```

4.3.2 Effect on Actor's location of Actor evacuate None


Actor's location' ← evacuated

4.3.3 Effect on Actor's resources of Actor evacuate None

```

IF Actor's resources>0.40
  THEN : Actor's resources' ← Actor's resources - 0.40
  ELSE : Actor's resources' ← 0.00
  
```


4.4 Actor moveTo Region01



psychsim/domains/groundtruth/simulation/actor.py:334

4.4.1 Applicability of Actor moveTo Region01

```
IF Actor's location={'evacuated', 'shelter1'}
  THEN : true
  ELSE : false
```


4.4.2 Effect on Actor's location of Actor moveTo Region01

```
Actor's location' ← Region01
```

4.4.3 Effect on Actor's resources of Actor moveTo Region01

```
IF Actor's alive
  THEN : IF Actor's employed
    THEN : Actor's resources' ← 60%·Actor's resources+0.40
    ELSE : Actor's resources' ← Actor's resources
  ELSE : Actor's resources' ← Actor's resources
```

4.5 Actor moveTo shelter1



psychsim/domains/groundtruth/simulation/actor.py:317

4.5.1 Applicability of Actor moveTo shelter1

```

IF Nature's phase=none
  THEN : false
  ELSE : IF Actor's alive
    THEN : IF Actor's location=shelter1
      THEN : false
      ELSE : true
    ELSE : false

```

4.5.2 Effect on Actor's location of Actor moveTo shelter1

Actor's location' \leftarrow shelter1

4.5.3 Effect on Actor's pet of Actor moveTo shelter1

```


IF Actor's location' = shelter1
    THEN : IF Region01's shelterPets
        THEN : Actor's pet' ← Actor's pet
        ELSE : Actor's pet' ← false
    ELSE : Actor's pet' ← Actor's pet

```

4.5.4 Effect on Actor's resources of Actor moveTo shelter1

Actor's resources' $\leftarrow 0\% \cdot$ Actor's resources

4.6 Actor stayInLocation None



psychsim/domains/groundtruth/simulation/actor.py:277

4.6.1 Effect on Actor's resources of Actor stayInLocation None

IF Actor's alive

THEN : IF Actor's employed

THEN : IF Actor's location={'Region01', 'evacuated'}


THEN : Actor's resources' $\leftarrow 60\% \cdot \text{Actor's resources} + 0.40$

ELSE : Actor's resources' \leftarrow Actor's resources

ELSE : Actor's resources' \leftarrow Actor's resources

ELSE : Actor's resources' \leftarrow Actor's resources

4.7 Actor takeResources Region01



psychsim/domains/groundtruth/simulation/actor.py:380

4.7.1 Applicability of Actor takeResources Region01

```

IF Actor's location=Region01
  THEN : IF Actor's alive
    THEN : true
    ELSE : false
  ELSE : false

```

4.7.2 Effect on Actor's resources of Actor takeResources Region01

Actor's resources' $\leftarrow 80\% \cdot \text{Actor's resources} + 0.20$


4.7.3 Effect on Actor's risk of Actor takeResources Region01

```

IF Nature's phase=none
  THEN : Actor's risk'  $\leftarrow 19\% \cdot \text{Actor's risk} + 0.80$ 
  ELSE : Actor's risk'  $\leftarrow 40\% \cdot \text{Actor's risk} + 0.60$ 

```

4.8 System allocate Region01



psychsim/domains/groundtruth/simulation/system.py:38

4.8.1 Effect on Actor's grievance of System allocate Region01

IF Actor's region=Region01

THEN : Actor's grievance' $\leftarrow 80\% \cdot \text{Actor's grievance}$

ELSE : Actor's grievance' $\leftarrow 80\% \cdot \text{Actor's grievance} + 0.20$


4.8.2 Effect on Region01's risk of System allocate Region01

Region01's risk' $\leftarrow 80\% \cdot \text{Region01's risk}$

4.8.3 Effect on System's resources of System allocate Region01

System's resources' $\leftarrow \text{System's resources}$


4.9 System doNothing None



psychsim/domains/groundtruth/simulation/system.py:35


5 Expected Reward

5.1 Actor's Reward



$R \leftarrow \text{Actor neighbor Actor} + 20\% \cdot \text{Actor's childrenHealth} + 40\% \cdot \text{Actor's health} + 40\% \cdot \text{Actor's pet} + 20\% \cdot \text{Actor's resources} + -80\% \cdot \text{Region01's risk}$

5.2 System's Reward



$$R \leftarrow -20\% \cdot \text{Actor's grievance} + 60\% \cdot \text{Actor's health}$$