

Typst Compiler Version: 0.13.1, version

Normalization

entry-list-0

```
(
  (
    key: "potato",
    short: "potato",
    long: "long potato",
    plural: "potatoes",
    longplural: "long potatoes",
    description: [Lorem ipsum dolor sit amet.],
  ),
)
```

```
),
(
  key: "potato F",
  short: "potato@F",
  long: "long potato@F",
  longplural: "long potatoes@F",
  description: [This potato should not appear in the
document.],
  group: "F",
),
)
```

entry-list-1

```
(
  (
    key: "potato A",
    short: "potato@A",
    plural: "potatoes@A",
    description: [Lorem ipsum dolor sit amet.],
    group: "A",
  ),
  (
    key: "potato B",
    short: "potato@B",
    long: "long potato@B",
    plural: "potatoes@B",
    longplural: "long potatoes@B",
    description: [Lorem ipsum dolor sit amet.],
    group: "B",
  ),
  (
    key: "hidden potato",
    short: "hiddenpotato",
    group: "show-all test",
    description: sequence(
      [This potato does not appear, unless],
      [ ],
      raw(text: "print-glossary", block: false),
      [ ],
      [is called with],
      [ ],
      raw(text: "show-all: true", block: false),
    ),
  ),
)
```

entry-list-2

```
(
  (
    key: "potato C",
    short: "potato@C",
    long: "long potato@C",
    plural: "potatoes@C",
    longplural: "long potatoes@C",
    description: [Lorem ipsum dolor sit amet.],
    group: "C",
  ),
  (
    key: "potato D",
    short: "potato@D",
    long: "long potato@D",
    plural: "potatoes@D",
    description: [Lorem ipsum dolor sit amet.],
    group: "D",
  ),
  (
    key: "potato E",
    short: "potato@E",
    long: "long potato@E",
    longplural: "long potatoes@E",
    description: [Lorem ipsum dolor sit amet.],
    group: "E",
  ),
)
```

__normalize_entry_list n°0

```
(
  (
    key: "potato",
    short: "potato",
    artshort: "a",
    plural: "potatoes",
    long: "long potato",
    artlong: "a",
    longplural: "long potatoes",
    description: [Lorem ipsum dolor sit amet.],
    group: "",
    sort: "potato",
  ),
)
```

__normalize_entry_list n°1

```
(
  (
    key: "potato A",
    short: "potato@A",
    artshort: "a",
    plural: "potatoes@A",
    long: none,
    artlong: "a",
    longplural: none,
    description: [Lorem ipsum dolor sit amet.],
    group: "A",
    sort: "potato A",
  ),
  (
    key: "potato B",
    short: "potato@B",
    artshort: "a",
    plural: "potatoes@B",
    long: "long potato@B",
    artlong: "a",
    longplural: "long potatoes@B",
    description: [Lorem ipsum dolor sit amet.],
    group: "B",
    sort: "potato B",
  ),
  (
    key: "hidden potato",
    short: "hiddenpotato",
    artshort: "a",
    plural: none,
    long: none,
    artlong: "a",
    longplural: none,
    description: sequence(
      [This potato does not appear, unless],
      [ ],
      raw(text: "print-glossary", block: false),
      [ ],
      [is called with],
      [ ],
      raw(text: "show-all: true", block: false),
    ),
    group: "show-all test",
    sort: "hidden potato",
  ),
)
```

__normalize_entry_list n°2

```
(
  (
    key: "potato C",
    short: "potato@C",
    artshort: "a",
    plural: "potatoes@C",
    long: "long potato@C",
    artlong: "a",
    longplural: "long potatoes@C",
    description: [Lorem ipsum dolor sit amet.],
    group: "C",
    sort: "potato C",
  ),
)
```

```
),
(
  key: "potato D",
  short: "potato@D",
  artshort: "a",
  plural: "potatoes@D",
  long: "long potato@D",
  artlong: "a",
  longplural: none,
  description: [Lorem ipsum dolor sit amet.],
  group: "D",
  sort: "potato D",
),
(
  key: "potato E",
  short: "potato@E",
  artshort: "a",
  plural: none,
  long: "long potato@E",
  artlong: "a",
  longplural: "long potatoes@E",
  description: [Lorem ipsum dolor sit amet.],
  group: "E",
  sort: "potato E",
),
(
  key: "potato F",
  short: "potato@F",
  artshort: "a",
  plural: none,
  long: "long potato@F",
  artlong: "a",
  longplural: "long potatoes@F",
  description: [This potato should not appear in the
document.],
  group: "F",
  sort: "potato F",
),
)
```

User API

ref

@potato: long potato (potato)

@potato:pl: potatoes

gls

First: potato

Display: potato text

Force long: long potato (potato)

1st ref. when long is empty defaults to short: potato@A

Force long when empty defaults to short: (potato@A)

2nd ref.: potato@A

1st ref.: long potato@B (potato@B)

glspl

First: long potatoes@C (potatoes@C)

Force long: long potatoes (potatoes)

Force long when empty defaults to plural: (potatoes@A)

2nd ref.: potatoes@A

1st ref. when long is empty defaults to plural: potatoes@B

1st ref. when longplural is empty: long potato@Ds (potatoes@D)

2nd ref. when longplural is empty: potatoes@D

1st ref. when plural is empty: long potatoes@E (potato@Es)

gls-description

Lorem ipsum dolor sit amet.

gls-key

potato C

gls-short

potato@D

gls-plural

potatoes@A

gls-longplural

long potatoes@B

gls-longplural.with(link: true)

long potatoes@B

gls-description

Lorem ipsum dolor sit amet.

gls-group

D

count-refs

2

count-all-refs

All refs: (

```
( "potato", 6 ),  
( "potato A", 5 ),  
( "potato B", 2 ),  
( "hidden potato", 0 ),  
( "potato C", 1 ),  
( "potato D", 2 ),  
( "potato E", 1 ),  
( "potato F", 0 ),  
( "potato G", 0 ),  
( "potato H", 6 ),
```

```
    ("potato I", 6),  
)
```

Only list 4: (("potato H", 6), ("potato I", 6))

there-are-refs

true: **true**) false: **false**

There are refs to potato A in the document.

test __attribute_is_empty error

test __key_not_found error

#print-glossary.with(show-all: true, disable-back-references: true)

potato – long potato: Lorem ipsum dolor sit amet.

A

potato@A: Lorem ipsum dolor sit amet.

B

potato@B – long potato@B: Lorem ipsum dolor sit amet.

show-all test

hiddenpotato: This potato does not appear, unless print-glossary is called with show-all: true

print-glossary (show-all: false)

C

potato@C – long potato@C: Lorem ipsum dolor sit amet. 3

D

potato@D – long potato@D: Lorem ipsum dolor sit amet. 3, 3

E

potato@E – long potato@E: Lorem ipsum dolor sit amet. 3

G

potato@G – long potato@G: This potato should appear in the document.

Test #print-glossary(none) error

Test only short/long

potato@H: This potato only has a short key.

potato I – long potato@I: This potato only has a long key.

long potato@I (potato I)

potato Is

a potato I

Potato I

Potato Is

A potato I

potato@H

potato@Hs

a potato@H

Potato@H

Potato@Hs

A potato@H

Test neither short nor long error

#default-print-reference.with(show-all: true)

Forcibly print nonreference entry.

potato@F – long potato@F: This potato should not appear in the document.

Test use-key-as-short

potato-use-key-as-short 6

potato-use-key-as-short

capitalization

LASER 6, 6

laser 6, 6

LASER

LASERs

laser

Laser

always-long

1st: long (short)

2nd: long (short)

short – long 6, 6

no reference link

no-link

no-link 6