
Numerical Computing



QASID AHMED ALEEM

COURSE TEACHER: DR. SHAHID QURESHI

BSC(HONOURS)

H-2 (MORNING)

INSTITUTE OF SPACE AND PLANETARY ASTROPHYSICS

UNIVERSITY OF KARACHI

Tasks

Task 1: Bisection Method

Code used:

```
    #include<stdio.h>

2. #include<math.h>

    //Bisection Method
    //Qasid Ahmed Aleem

5. //24 January
6.
7. double fun_c(double f);
8.
9. int main()
10. {
11.
        double a,b,m,fm;
        a=1;
12.
13.
        b=2;
14.
        int x,z;
15.
16.
        printf("how many iterations do you want(at least 40): ");
17.
        scanf("%d",&z);
        printf("\tcounter\t\ta\t\tb\t\tf(a)\t\tf(b)\t\tm\t\t f(m)\n");
18.
19.
        for(x=1;x<=z;x+=1)</pre>
20.
        if (fun_c(a)*fun_c(b)<0)</pre>
21.
22.
23.
            m=(a+b)/2;
24.
25.
            printf("\t%d\t\t%.10f\t%.10f\t%.10f\t%.10f\t%.10f\t%.10f\t%.10f\t",
26.
             x,a,b,fun_c(a),fun_c(b),m,fun_c(m));
27.
28.
            if (fun_c(a)*fun_c(m)<0)</pre>
29.
             {
30.
                 b=m;
31.
             }
32.
            else
33.
             {
34.
                 a=m;
35.
             }
36.
        }
37. }
38. printf("the approximate root is %.18f\n",m);
39. return (0);
40.}
41. double fun_c(double f)
42. {
43.
        return ((pow(f,3)) + f -5); //x^3-x-5
44.}
```

Result:

| how many iterations do | you want(atleas | t 40): 55 | | | | | | | |
|--|-----------------|--------------|---------------|--------------|--------------|---------------|--|--|--|
| counter | a | b | f(a) | f(b) | m | f(m) | | | |
| 1 | 1.0000000000 | 2.0000000000 | -3.0000000000 | 5.0000000000 | 1.5000000000 | -0.1250000000 | | | |
| 2 | 1.5000000000 | 2.0000000000 | -0.1250000000 | 5.0000000000 | 1.7500000000 | 2.1093750000 | | | |
| 3 | 1.5000000000 | 1.7500000000 | -0.1250000000 | 2.1093750000 | 1.6250000000 | 0.9160156250 | | | |
| 4 | 1.5000000000 | 1.6250000000 | -0.1250000000 | 0.9160156250 | 1.5625000000 | 0.3771972656 | | | |
| 5 | 1.5000000000 | 1.5625000000 | -0.1250000000 | 0.3771972656 | 1.5312500000 | 0.1216125488 | | | |
| 6 | 1.5000000000 | 1.5312500000 | -0.1250000000 | 0.1216125488 | 1.5156250000 | -0.0028038025 | | | |
| 7 | 1.5156250000 | 1.5312500000 | -0.0028038025 | 0.1216125488 | 1.5234375000 | 0.0591254234 | | | |
| 8 | 1.5156250000 | | -0.0028038025 | 0.0591254234 | 1.5195312500 | 0.0280912519 | | | |
| 9 | | 1.5234375000 | -0.0028038025 | 0.0280912519 | 1.5175781250 | 0.0126263574 | | | |
| _ | 1.5156250000 | 1.5195312500 | | | | | | | |
| 10 | 1.5156250000 | 1.5175781250 | -0.0028038025 | 0.0126263574 | 1.5166015625 | 0.0049069384 | | | |
| 11 | 1.5156250000 | 1.5166015625 | -0.0028038025 | 0.0049069384 | 1.5161132813 | 0.0010504836 | | | |
| 12 | 1.5156250000 | 1.5161132813 | -0.0028038025 | 0.0010504836 | 1.5158691406 | -0.0008769305 | | | |
| 13 | 1.5158691406 | 1.5161132813 | -0.0008769305 | 0.0010504836 | 1.5159912109 | 0.0000867087 | | | |
| 14 | 1.5158691406 | 1.5159912109 | -0.0008769305 | 0.0000867087 | 1.5159301758 | -0.0003951278 | | | |
| 15 | 1.5159301758 | 1.5159912109 | -0.0003951278 | 0.0000867087 | 1.5159606934 | -0.0001542138 | | | |
| 16 | 1.5159606934 | 1.5159912109 | -0.0001542138 | 0.0000867087 | 1.5159759521 | -0.0000337536 | | | |
| 17 | 1.5159759521 | 1.5159912109 | -0.0000337536 | 0.0000867087 | 1.5159835815 | 0.0000264773 | | | |
| 18 | 1.5159759521 | 1.5159835815 | -0.0000337536 | 0.0000264773 | 1.5159797668 | -0.0000036382 | | | |
| 19 | 1.5159797668 | 1.5159835815 | -0.0000036382 | 0.0000264773 | 1.5159816742 | 0.0000114195 | | | |
| 20 | 1.5159797668 | 1.5159816742 | -0.0000036382 | 0.0000114195 | 1.5159807205 | 0.0000038907 | | | |
| 21 | 1.5159797668 | 1.5159807205 | -0.0000036382 | 0.0000038907 | 1.5159802437 | 0.0000001262 | | | |
| 22 | 1.5159797668 | 1.5159802437 | -0.0000036382 | 0.0000001262 | 1.5159800053 | -0.0000017560 | | | |
| 23 | 1.5159800053 | 1.5159802437 | -0.0000017560 | 0.0000001262 | 1.5159801245 | -0.0000008149 | | | |
| 24 | 1.5159801245 | 1.5159802437 | -0.0000008149 | 0.0000001262 | 1.5159801841 | -0.0000003443 | | | |
| 25 | 1.5159801841 | 1.5159802437 | -0.0000003443 | 0.0000001262 | 1.5159802139 | -0.0000001090 | | | |
| 26 | 1.5159802139 | 1.5159802437 | -0.0000001090 | 0.0000001262 | 1.5159802288 | 0.0000000086 | | | |
| 27 | 1.5159802139 | 1.5159802288 | -0.0000001090 | 0.0000000086 | 1.5159802213 | -0.0000000502 | | | |
| 28 | 1.5159802213 | 1.5159802288 | -0.0000000502 | 0.0000000086 | 1.5159802251 | -0.0000000208 | | | |
| 29 | 1.5159802251 | 1.5159802288 | -0.0000000208 | 0.0000000086 | 1.5159802269 | -0.0000000061 | | | |
| 30 | 1.5159802269 | 1.5159802288 | -0.0000000061 | 0.0000000086 | 1.5159802279 | 0.0000000012 | | | |
| 31 | 1.5159802269 | 1.5159802279 | -0.0000000061 | 0.0000000012 | 1.5159802274 | -0.0000000024 | | | |
| 32 | 1.5159802274 | 1.5159802279 | -0.0000000024 | 0.0000000012 | 1.5159802276 | -0.0000000006 | | | |
| 33 | 1.5159802276 | 1.5159802279 | -0.0000000006 | 0.0000000012 | 1.5159802277 | 0.0000000003 | | | |
| 34 | 1.5159802276 | 1.5159802277 | -0.0000000006 | 0.0000000003 | 1.5159802277 | -0.0000000001 | | | |
| 35 | 1.5159802277 | 1.5159802277 | -0.0000000001 | 0.0000000003 | 1.5159802277 | 0.0000000001 | | | |
| 36 | 1.5159802277 | 1.5159802277 | -0.0000000001 | 0.0000000001 | 1.5159802277 | -0.0000000000 | | | |
| 37 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000001 | 1.5159802277 | 0.0000000000 | | | |
| 38 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 39 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 40 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 41 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 42 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 43 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 44 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 45 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 46 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 47 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 48 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 49 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 50 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 51 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 52 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | 0.0000000000 | | | |
| 53 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 54 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| 55 | 1.5159802277 | 1.5159802277 | -0.0000000000 | 0.0000000000 | 1.5159802277 | -0.0000000000 | | | |
| the approximate root is 1.515980227692820500 | | | | | | | | | |

Task 2: Newton's Method

Code used:

```
#include<stdio.h>
#include<math.h>
//Newton's Method
//Qasid Ahmed Aleem
//24 January
//for x^3 - x -5
double func_f(double f);
double deri f(double f);
double x_func(double f);
int main()
     double x=1.5, xn=0;
     int i,z;
     printf("how many iterations do you want(at least 10): ");
     scanf("%d",&z);
     printf("\tcounter\t X\t f(x)\t f(x)\t x\"\n");
     for(i=0;i<z;i+=1)</pre>
         xn=x_func(x);
         printf("\t%d\t%.10f\t%.10f\t%.10f\t%.10f\t%.10f\n",
         i+1,x,func_f(x),deri_f(x),xn);
         x=xn;
     printf("\nThe approximate root is %.18f",x);
     return 0;
 double func_f(double f)
     return ((pow(f,3)) + f -5); //x^3-x-5
 double deri_f(double f)
     return ((3*pow(f,2))+1); //3x^2+1
 double x_func(double f)
     return f-(func_f(f)/deri_f(f)); //x - f(x)/f'(x)
```

Result:

| how many iterations do you want(atleast 10): 20 | | | | | | | | |
|---|--------------|---------------|--------------|--------------|--|--|--|--|
| counter | X | f(x) | f'(x) | х" | | | | |
| 1 | 1.5000000000 | -0.1250000000 | 7.7500000000 | 1.5161290323 | | | | |
| 2 | 1.5161290323 | 0.0011748515 | 7.8959417274 | 1.5159802404 | | | | |
| 3 | 1.5159802404 | 0.0000001007 | 7.8945882683 | 1.5159802277 | | | | |
| 4 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 5 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 6 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 7 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 8 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 9 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 10 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 11 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 12 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 13 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 14 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 15 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 16 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 17 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 18 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 19 | 1.5159802277 | -0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| 20 | 1.5159802277 | 0.0000000000 | 7.8945881523 | 1.5159802277 | | | | |
| | | | | | | | | |

The approximate root is 1.515980227692820500