

Axios API

JAVASCRIPT



JS

What is Axios

Axios is a popular JavaScript library used for making HTTP requests from a web browser or Node.js.

- Whether you're building a web app or a server-side application, Axios makes it easy to work with APIs and other HTTP services.
- In this post, we'll show you how to get started with Axios, from installation to making basic GET and POST requests and handling errors, using async/await syntax.

Setting Up Axios

To start using Axios, you'll need to install it in your project. You can do this using NPM or a CDN.

Here's an example of how to install Axios using NPM:

```
npm install axios
```

Once you've installed Axios, you can include it in your HTML or JavaScript code.

Here's an example of how to include Axios in your Code:

```
// In HTML  
<script src="https://unpkg.com/axios/dist/axios.min.js"></script>  
  
// OR if you're using a module bundler  
import axios from 'axios';
```

Basic GET Request

let's make a simple GET request to retrieve data from an API using `async/await` syntax.

Here's an example of how to make a GET request with `Axios` using `async/await`:

```
const fetchData = async() => {  
  try {  
    const response = await axios.get('https://example.com/data');  
    console.log(response.data);  
  } catch (error) {  
    console.error(error);  
  }  
}  
  
fetchData();
```

We're using the `async/await` keywords to create an asynchronous function and wait for the response from the API before logging the data to the console.

Basic POST Request

Now, let's make a simple POST request to send data.

Here's an example of how to make a POST request with Axios using async/await:

```
const postData = async() => {  
  try {  
    const response = await axios.post('https://example.com/data', {  
      firstName: 'Imtiyaz',  
      lastName: 'Nandasaniya'  
    });  
    console.log(response.data);  
  } catch (error) {  
    console.error(error);  
  }  
}  
  
postData();
```

The data we're sending is an object with two properties: firstName and lastName.

If the request is successful, the response data will be logged to the console.

Handling Errors

HTTP requests can sometimes fail, for various reasons such as network errors or server-side errors.

It's important to handle these errors gracefully in your code.

Fortunately, Axios provides several options for handling errors and exceptions.

Here's an example of how to handle a 404 error using `async/await`

```
const fetchDataAsync = async() => {  
  try {  
    const response = await axios.get('https://example.com/data');  
    console.log(response.data);  
  } catch (error) {  
    if (error.response.status === 404) {  
      console.error('Data not found');  
    } else {  
      console.error(error);  
    }  
  }  
}  
  
fetchData();
```

- In this example, we're using the `if` statement to check if the `HTTP` response status is `404`, which indicates that the requested data was not found.
- If the status is `404`, we're logging a custom error message to the console.
- If the status is anything else, we're logging the original error message to the console.

Conclusion

- Axios is a powerful JavaScript library that makes it easy to work with HTTP requests in your web apps or Node.js projects.
- Whether you need to make a simple GET request or a more complex POST request, Axios provides an intuitive and flexible API that you can use with async/await syntax to create robust and reliable applications.
- With this introduction to Axios and async/await, you're well on your way to becoming a skilled JavaScript developer.
- As always, I hope you enjoyed the post and learned something new.
- If you have any queries then let me know in the comment box.

**i post about Tech,
Coding and Career**

Follow for more content like this