

## Recitation 2 Solutions

#### [Definitions used today]

- (conditional) factor demand, cost function, Shephard's lemma, Hotelling's lemma
- $\Delta$ -monotone, homogeneous, positive definite matrix, correspondence, upper hemicontinuity (UHC)

## Question 1 [Properties of $\pi^*$ and $s^*$ ] 33 [I.1 Fall 2006 majors]

Suppose that production set Y is closed. Let  $s^*(p)$  denote supply at price level p and by  $\pi^*(p)$  corresponding profit level. Then the following properties hold:

- 1.  $\pi^*$  is homogeneous of deg. 1 in prices p
- 2.  $\pi^*$  is a convex function in prices p
- 3. **correspondence**  $s^*$  is homogeneous of deg. 0
- 4.  $s^*$  is  $\Delta$ -monotone, that is:

$$[s^*(p) - s^*(p')] \cdot [p - p'] \ge 0 \quad \forall p, p'$$

5. Hotelling's Lemma: If  $\pi^*$  is differentiable at p (this holds iff s is single-valued at p), then

$$D\pi^*\left(p\right) = s^*\left(p\right)$$

6. Assuming that  $\pi^*, s^*$  are differentiable at  $p \in \mathbb{R}^n$  prove comparative statics law of supply:

$$\frac{\partial s_i}{\partial p_i}(p) \ge 0$$

7. If Y is compact, then  $\pi^*$  is a continuous function and  $s^*$  is an upper hemicontinuous (UHC) correspondence.

Solution 1 Let Y satisfy nonemptiness, closedness, and free disposal assumptions. Then  $\max_{Y}$  and  $\sup_{Y}$  of continuous functions are equivalent (Weierstrass Theorem aka Extreme Value Theorem)

**Definition 0.1.** Profit maximization at price vector  $p \in \mathbb{R}^L$  is represented by the problem:

$$\sup_{y \in Y} p \cdot y \tag{0.1}$$

**Definition 0.2.** The supply of the firm at p is the optimizing vector of the profit maximization problem. We can write

$$s^*(p) = \arg\max\{p \cdot y : y \in Y\} \tag{0.2}$$

$$s^{*}(p) = \{ y^{*} \in Y : p \cdot y^{*} \ge p \cdot y, \forall y \in Y \}$$
(0.3)

**Definition 0.3.** Function  $g: \mathbb{R}^n \to R$  is **homogeneous of degree k** if  $\forall \lambda \geq 0$ 

$$g(\lambda x) = \lambda^k g(x)$$

*Proof.* Throughout this proof, I will use "sup" as shorthand for

$$\sup_{y \in Y} p \cdot y$$

**Step-1** Let  $p \in \mathbb{R}^{\ell}$  and let  $\lambda \in \mathbb{R}$ . Then

$$\pi^*(\lambda p) = \sup(\lambda p) \cdot y = \sup \lambda(p \cdot y) = \lambda[\sup p \cdot y] = \lambda \pi^*(p).$$

Therefore  $\pi^*$  is homogeneous of degree 1.

**Step-2** Let  $p, p' \in \mathbb{R}^{\ell}$ . Let  $\lambda \in [0, 1]$  and let  $p_{\lambda} = \lambda p + (1 - \lambda)p'$ . Then we have

$$\pi^*(p_{\lambda}) = \sup p_{\lambda} \cdot y$$

$$= \sup(\lambda p + (1 - \lambda)p') \cdot y$$

$$= \sup[\lambda(p \cdot y) + (1 - \lambda)p' \cdot y]$$

$$\leq \sup \lambda(p \cdot y) + \sup(1 - \lambda)(p' \cdot y)$$

$$= \lambda \sup p \cdot y + (1 - \lambda) \sup p' \cdot y$$

$$= \lambda \pi^*(p) + (1 - \lambda)\pi^*(p').$$

Therefore  $\pi^*$  is convex. Warning I didn't consider case when  $\pi(p)$  is : empty, $+\infty$ ,  $-\infty$  or single-valued.

**Step-3** Let  $p \in \mathbb{R}^{\ell}$  and let  $y^* \in s^*(p)$ . Then  $p \cdot y^* \geq p \cdot y$ ,  $\forall y \in Y$ . Let  $\lambda \in \mathbb{R}$ . Then

$$(\lambda p) \cdot y^* = \lambda(p \cdot y^*) \geq \lambda(p \cdot y) = (\lambda p) \cdot y, \ \forall y \in Y,$$

so  $y^* \in s^*(\lambda p)$ . Therefore  $s^*$  is homogeneous of degree 0.

Step-4 We obtain it from step 6 by applying Proposition I.1 from Math appendix I-III.

**Step-5** Let  $f(p, y) = p \cdot y$ . Then  $\pi^*(p) = \max_{y \in Y} f(p, y)$ . Let  $y^*(p) = s^*(p)$ . Then  $\pi^*(p) = f(p, y^*(p))$ , so

$$D\pi^*(p) = D_p f(p, y^*(p)) = D_p f(p, y)|_{y=y^*(p)} + D_y f(p, y^*(p)) D_p y^*(p).$$

But  $D_y f(p, y^*(p)) = 0$  is a FOC of the maximization problem (which we know has a solution since  $s^*$  is single-valued and thus nonempty), so we have

$$D\pi^*(p) = D_p f(p, y)|_{y=y^*(p)}.$$

And  $D_p f(p, y) = y$ , so

$$D\pi^*(p) = y^*(p) = s^*(p).$$

Step-6

Corollary 0.4. If  $\pi^*$  is twice differentiable, then  $D^2\pi^*(p) = Ds^*(p)$ . The substitution matrix  $Ds^*(p)$  is positive semi-definite and symmetric.

Every matrix of second partial derivatives is symmetric, and since  $\pi^*$  is convex,  $D^2\pi^*(p)$  must be positive semi-definite.

This corollary implies the following **comparative statics** property of supply

$$\frac{\partial s_i^*}{\partial p_i} \ge 0 \tag{0.4}$$

Step-7 Remind me to do it during consumer theory!

## Question 2 [Zero profit CRS]

If Y exhibits CRTS, then  $\pi^*(p) = 0$  whenever it is well-defined.

#### Solution 2

*Proof.* The outline of our proof is as follows:

- 1) Show that  $0 \in Y$
- 2) Show that  $\pi_Y^*(p) \geq 0, \forall p$
- 3) Show that  $\pi_Y^*(p) \leq 0, \forall p$  such that  $\pi_Y^*(p) \neq \infty$ .
  - Step 1: Let  $y \in Y$ .  $\xrightarrow{(CRTS)} \lambda y \in Y, \forall \lambda \geq 0$ . In particular,  $\lambda y \in Y$  for  $\lambda = 0$ .  $\Rightarrow \lambda y = 0$ ,  $y = 0 \in Y$ .
  - Step 2: Since  $\pi_Y^*(p) = \sup_{y \in Y} py$ ,  $\pi_Y^*(p) \ge py$ ,  $\forall y \in Y$ .  $\xrightarrow{Step1(0 \in Y)} \pi_Y^*(p) \ge p0 = 0$
  - Step 3: (By contradiction)

Suppose  $\exists p \text{ s.t. } \pi_Y^*(p) \neq \infty.$  and  $\pi_Y^*(p) > 0.$  Recall  $\pi_Y^*(p) = \sup_{y \in Y} py.$ 

Then  $\exists y \in Y \text{ s.t. } 0 < \frac{\pi_Y^*(p)}{2} < py \leq \pi_Y^*(p)$ . If we multiply this inequality by three, we get  $0 < \frac{3}{2}\pi_Y^*(p) < 3py \leq 3\pi_Y^*(p)$  which implies  $\pi_Y^*(p) < \frac{3}{2}\pi_Y^*(p) < 3py \equiv 3 < p, y > = < p, 3y >$ .

However, since  $y \in Y$  and Y has CRTS,  $3y \in Y$ . Hence, we have proved that  $\exists \hat{y} \in Y$  s.t.  $p\hat{y} > \pi_Y^*(p) = \sup_{y \in Y} py$ , which is a contradiction. Thus,  $\pi_Y^*(p) \leq 0$ ,  $\forall p$  such that  $\pi_Y^*(p) \neq \infty$ .

From steps 2 and 3,  $\pi_Y^*(p) \ge 0$  and  $\pi_Y^*(p) \le 0 \Rightarrow \pi_Y^*(p) = 0, \forall p \text{ such that } \pi_Y^*(p) \ne \infty.$ 

# Question 3 [Properties of C and x]

Let  $f: \mathbb{R}^n \to \mathbb{R}$  be a production function that is strictly increasing (continuous) and satisfies f(0) = 0. Let  $C^*(w, z)$  be the (minimum) cost function, where  $w \in \mathbb{R}^n$  is a vector of input prices and z > 0 is an output level. Let  $x^*(w, z)$  be the optimizer of cost minimization problem. Prove following properties:

If  $\alpha = \sup A$  then  $\forall \varepsilon > 0$ ,  $\exists \beta$  s.t.  $\alpha - \varepsilon < \beta < \alpha$ .

- 1.  $C^*$  is homogeneous of degree 1 in factor prices w
- 2.  $C^*$  is a concave function of w
- 3.  $x^*(w,z)$  is homogeneous of degree zero in w.
- 4. x is  $\Delta$ -monotone for fixed z, in following way:

$$[x^*(w,z) - x^*(w',z)] \cdot [w - w'] \le 0 \quad \forall w, w' \gg 0$$

5. Shephard's Lemma If  $C^*$  is differentiable at p (this holds  $\iff x^*$  is single-valued) then

$$D_w C^*(w,z) = x^*(w,z)$$

6. Assuming that  $C^*$ ,  $x^*$  are differentiable at  $w \in \mathbb{R}^n$  prove comparative statics property of factor demand:

$$\frac{\partial x_i}{\partial w_i}(w, z) \le 0$$

- 7. Show that cost function C is a non-decreasing function of output level w, for every z.
- 8. If production function f is concave, then cost function C is a convex function of output level z, for every  $w \gg 0$

#### Solution 3

**Definition 0.5.** The problem of **cost minimization** for a producer with production function  $f: \mathbb{R}^n_+ \to \mathbb{R}_+$  is

$$C^*(w, z) = \inf w \cdot x$$
  
 $s.t. \quad f(x) \ge z$   
 $x > 0$ 

where

- $w = (w_1, \ldots, w_n) \gg 0$  is a vector of input prices.
- $x = (x_1, \ldots, x_n) \ge 0$  is vector of inputs.
- $z \ge 0$  is the single-output produced.
- $Y^f$  satisfies free disposal, closed.

**Definition 0.6.** (conditional) factor demand correspondence (or function, if single-valued) of the firm at (w, z), denoted by

$$x^*(w,z) = \operatorname{argmin}_x \{ w \cdot x : f(x) \ge z \}$$
 (0.5)

is the optimizing vector (minimizer) of the cost minimization problem.

Proof.

**Step-3**  $x^* (\lambda w, z) = \{x^* \in \mathbb{R}^n_+ : \lambda w x^* \le \lambda w x, \forall x \in \mathbb{R}^n_+\} = \{x^* \in \mathbb{R}^n_+ : w x^* \le w x, \forall x \in \mathbb{R}^n_+\} = x^* (w, z)$  This is non-empty because  $Y^f$  is closed.

Step-1

$$c^*(\lambda w, z) = \lambda w \cdot x^*(\lambda w, z) = \xrightarrow{\text{by } 3} = \lambda w \cdot x^*(w, z) = \lambda c^*(w, z)$$

**Step-2** From support functions.  $C * (\cdot, z) = \inf_{x \in V(z)} wz$  is the support function of V(z). Since it is the inf (and not the sup as in the profit maximization problem), the support function is concave (and not convex, like the profit function).

Step-4 We obtain it from step 6 by applying Proposition I.1 from Math appendix I-III. Other proof:

$$x(w,z) - x(w',z)[w - w'] = [wx(w,z) - wx(w',z)] + [w'x(w',z) - w'x(w,z)] \le 0 + 0 \le 0$$

**Step-5 Shephard's Lemma** - we will see it again in consumer theory (derivative of expenditure function is Hicksian (compensated)[comes from min expenditures] demand over prices. The cost function is **nondecreasing** in factor prices Differentiate for  $f(w, y) = w \cdot y$ :

$$C^* (w, z) \equiv w \cdot x^* (w, z) \tag{0.6}$$

$$D_w C^*(w,z) = D_w f(w,x^*(w,z)) = D_w f(w,y)|_{y=x^*(w,z)} + D_z f(w,y^*(w,z)) D_w x^*(w,z).$$

And  $D_w f(w, y) = y$ , so

$$D_w C^*(w, z) = y^*(w, z) = x^*(w, z).$$

Step-6

Corollary 0.7. If  $C^*$  is twice-differentiable with respect to prices, then  $D_w^2 C^*(w, z) = D_w x^*(w, z)$ . The matrix  $D_w x^*$  is negative semi-definite and symmetric.

Corollary 0.7 implies the following comparative statics property of factor demand:

$$\frac{\partial x_i^*}{\partial w_i} \le 0 \tag{0.7}$$

The matrix  $D_w x^*$  is singular. This is so because  $D_w x^* (w, z) w = 0$  as follows from Theorem 1.7.1 part 3 and Euler's Theorem (see MWG, Appendix).

**Step-7** To show that C(w, z) is non decreasing in w take any  $w_1, w_2, w_1 \ge w_2$  and x s.t.  $f(x) \ge z$ , we have  $wx_1 \ge wx_2$ . Now following inequalities holds:

$$w_1 \cdot x \ge w_1 x(w_1, z) \ge w_2 x(w_1, z) \ge w_2 x(w_2, z)$$

where first is optimality of  $x(w_1, z)$ , second comes from  $wx_1 \ge w_{x2}$ , third again from optimality of  $x(w_2, z)$  WARNING: look longer at last inequality

Step-8 Take  $z_1 \neq z_2$ 

$$\forall x_1 \ge 0 \quad f(x_1) \ge z_1$$

$$\forall x_2 \ge 0 \quad f(x_2) \ge z_2$$

f is concave so  $\forall \lambda \in [0, 1]$ 

$$f(\lambda x_1 + (1 - \lambda)x_2) \ge \lambda f(x_1) + (1 - \lambda)f(x_2) \ge \lambda z_1 + (1 - \lambda)z_2$$

$$C^*(w, \lambda x_1 + (1 - \lambda)x_2) \le w \cdot (\lambda x_1 + (1 - \lambda)x_2) = \lambda(wx_1) + (1 - \lambda)(wx_2)$$

Since  $x_1, x_2$  are taken arbitrary in particular take  $x_1 = x^*(w, z_1)$  and  $x_2 = x^*(w, z_2)$  and we can take min on RHS and we hence we obtain

$$C^*(w, \lambda x_1 + (1 - \lambda)x_2) \le \lambda C(w, x_1) + (1 - \lambda)C(w, x_2)$$

### Question 4 [Aggregation]

Consider two closed production sets  $Y_1, Y_2 \subseteq \mathbb{R}^L$  such that  $0 \in Y_1$  and  $0 \in Y_2$ . Let  $\pi_1^*$  and  $\pi_2^*$  denote the profit functions associated with  $Y_1$  and  $Y_2$ . Let  $\pi^*$  be the profit functions associated with Y.

- 1. Let  $Y = Y_1 + Y_2$  be the (algebraic) sum of the two production sets. Prove that  $\pi_1(p) + \pi_2(p) = \pi(p)$  for every  $p \in \mathbb{R}^L$
- 2. Prove that  $Y_1 \subseteq Y_2$  if and only if  $\pi_1(p) \leq \pi_2(p)$
- 3. Let  $Y = \operatorname{co}\{Y_1, Y_2\}$  be the convex hull of the two production sets (that is, the set of all convex combinations of elements of  $Y_1$  and  $Y_2$ ). Prove that  $\pi(p) = \max\{\pi_1(p), \pi_2(p)\}$  for every  $p \in \mathbb{R}^L$

#### Solution 4

a) Let denote for convenience  $Y_1$  by Y,  $Y_2$  by Y' and Y by Y'' respectively. Take  $y'' \in Y''$ . From the definition of Y'', it exists  $(y, y') \in Y \times Y'$  such that y'' = y + y'.

Thus  $p \cdot y'' = p \cdot y + p \cdot y' \le \pi(p) + \pi'(p)$ .

Taken the supremum on Y'' in the right side of the equality, one gets the inequality  $\pi''(p) \leq \pi(p) + \pi'(p)$ . Conversely if  $\pi(p) = +\infty$ , then there exists a sequence  $(y^{\nu})_{\nu \in \mathbb{N}}$  of Y such that the sequence  $(p \cdot y^{\nu})$  converges to  $+\infty$ . Let y' be any element of Y'.

Then we have  $\lim_{\nu} p \cdot (y^{\nu} + y') = +\infty$  and since  $y^{\nu} + y' \in Y''$  one deduces that  $\pi''(p) = +\infty$ . A symmetric argument shows that the result is identical if  $\pi'(p) = +\infty$  If  $\pi(p)$  and  $\pi'(p)$  are finite, for all  $\varepsilon > 0$ , it exists  $(y, y') \in Y \times Y'$  such that  $p \cdot y \geq \pi(p) - \varepsilon$  and  $p \cdot y' \geq \pi'(p) - \varepsilon$ 

Hence  $p \cdot (y + y') \ge \pi(p) + \pi'(p) - 2\varepsilon$ . since  $y + y' \in Y''$ , one deduces that  $\pi''(p) \ge \pi(p) + \pi'(p) - 2\varepsilon$ . since the inequality holds true for every  $\varepsilon > 0$  one can conclude that  $\pi''(p) \ge \pi(p) + \pi'(p)$ 

Let  $(y, y') \in s(p) \times s'(p)$ . Hence  $p \cdot y = \pi(p)$  and  $p \cdot y' = \pi'(p)$ . So  $p \cdot (y + y') = \pi(p) + \pi'(p) = \pi''(p)$ . since  $y + y' \in Y''$ , this implies that  $y + y' \in s''(p)$ . Conversely let  $y'' \in s''(p)$  and let  $(y, y') \in Y \times Y'$  such that (y, y') = y + y'.

Then,  $p \cdot (y + y') = \pi''(p) = \pi(p) + \pi'(p)$ . since  $p \cdot y \leq \pi(p)$  and  $p \cdot y' \leq \pi'(p)$ , this implies that  $p \cdot y = \pi(p)$  and  $p \cdot y' = \pi'(p)$ . Consequently  $y \in s(p)$  and  $y' \in s(p')$ 

b) 
$$\Rightarrow$$
 
$$\max_{x \in Y_2} px = \max_{x \in Y_1 \cup (Y_2/Y_1)} px = \max\{\max_{x \in Y_1} px, \max_{x \in (Y_2/Y_1)} px\} \ge \max_{x \in Y_1} px$$

Maximum of the function on bigger (in sense of inclusion) set is higher.

 $\Leftarrow$  Suppose not. There exist  $x \in Y_1$  and  $x \notin Y_2$ . Sets  $Y_2$  and  $\{x\}$  are convex, closed and disjoint so we can apply strict separating hyperplane theorem, i.e. there exists  $q, b \in \mathbf{R}^L$ :

$$q \cdot x > b$$
  $x \in Y_1$  and  $b > q \cdot y$   $\forall y \in Y_2$ 

this means that by taking max :  $\pi_1(q) > \pi_2(q)$  which contradicts our notion.

## ${\bf Question} \ 5 \ [{\bf Midterm} \ {\bf 2006}]$

Consider the following supply function of a firm

$$s(p_1, p_2) = \left(-\frac{2p_2}{p_1}, \frac{p_2}{p_1}\right)$$

Show that this supply function can not result from profit maximization on any production set.

#### Solution 5

Consider following choice of prices which gives us formula for supply (2nd good is produced with 1st good as input)

$$p = (1,1)$$
  $p' = (\frac{1}{3}, \frac{1}{6})$   $s(p) = (-2,1)$   $s(p') = (-1, \frac{1}{2})$ 

$$[s^*(p) - s^*(p')] \cdot [p - p'] = (-1, \frac{1}{2}) \cdot (\frac{2}{3}, \frac{5}{6}) = -\frac{2}{3} + \frac{5}{12} = -\frac{3}{12} < 0$$