hello, world

$$\sum_{i=1}^{n} a_{i} = 0$$

$$f(x) = x^{x^{x}}$$

$$G_{R}(D, A) = g(D, A)/H_{A}(D)$$

$$C_{\alpha}(T) = \sum_{t=1}^{|T|} N_{t}H_{t}(T) + \alpha|T|$$

$$H_{t}(T) = -\sum_{k} \frac{N_{tk}}{N_{t}} \log \frac{N_{tk}}{N_{t}}$$

$$C(T) = \sum_{t=1}^{|T|} N_{t}H_{t}(T) = -\sum_{t=1}^{|T|} \sum_{k=1}^{K} N_{tk} \log \frac{N_{tk}}{N_{t}}$$

$$C_{\alpha}(T) = C(T) + \alpha|T|$$

$$Gini(p) = \sum_{k=1}^{K} p_{k}(1 - p_{k}) = 1 - \sum_{k=1}^{K} p_{k}^{2}$$

$$\min_{a < x < b} \{f(x)\}$$

$$f(x) = \sum_{m=1}^{M} c_{m}I(x \in R_{m})$$

$$\sum_{x_{i} \in R_{1}(j,s)} (y_{i} - f(x_{i}))^{2}$$

$$\min_{j,s} [\min_{c_{1}} \sum_{x_{i} \in R_{1}(j,s)} (y_{i} - c_{1})^{2} + \min_{c_{2}} \sum_{x_{i} \in R_{2}(j,s)} (y_{i} - c_{2})^{2}]$$

$$Gini(D, A) = \frac{|D_{1}|}{|D|} Gini(D_{1}) + \frac{|D_{2}|}{|D|} Gini(D_{2})$$