An Examination of Sport Climbing Scoring System

Author 1 *

and Author 2

and Author 3

July 28, 2021

Abstract

The purpose of this paper is to investigate sport climbing, a new sport featured in the 2020 Tokyo Summer Olympics. Simulation. Data Analysis: drop and re-rank, correlation

Keywords: sport climbing, scoring system

^{*}Corresponding author: Name. Email:

1 Introduction (sport climbing, other scoring system, mention rank product)

In 2016, the International Olympic Committee announced the addition of five new sports to the 2020 Summer Olympics in Tokyo, Japan, which would then reschedule for 2021 due to the impact of the COVID-19 global pandemic. The five new features to Tokyo 2020's competitions program include baseball/softball, karate, skateboard, sports climbing, and surfing. One of the new sports, sport climbing, got our attention, specifically because of its unique scoring system and the fact that only one set of medals is awarded for each gender.

Sport climbing at the 2020 Tokyo Olympics consists of three disciplines: speed climbing, bouldering, and lead climbing. Speed climbing takes place on a standardized course and competitors try to reach the top of the course as fast as possible. For Tokyo 2020, speed climbing is being contested in a head-to-head format with ranks determined by how far a competitor advances in the bracket. In bouldering, contestants have a fixed amount of time to complete as many courses as they can. Winners are determined based on who completes the most courses and ties are broken based on who had the fewest attempts. Ties are further broken by the competitor achieved the most "zone holds", which are holds approximately halfway through each course. Finally, in lead climbing, an athlete gets one point for each hold that they reach, so whoever reaches the highest point on the wall is the winner. Each lead climber only gets one attempt and when they fall their attempt is over. These three different climbing disciplines demand different sets of skills and, often, athletes specialize in a single event. However, since only one set of Olympic medals is awarded to sport climbing, rather than choosing only one of these disciplines to include in the Olympics, all three events were chosen to be included as a sort of climbing triathlon.

In the Olympic sport climbing, there are 20 competitors at the start (in both men's and women's). All 20 competitors compete in each of the three events in the qualification round, and their performances in each event are ranked from 1 to 20. A competitors final score is then computed as the product of their ranks in the three events and the lower product is better. Specifically,

$$Score_i = R_i^S \times R_i^B \times R_i^L,$$

where R_i^S , R_i^B , and R_i^L are the ranks of the *i*-th competitor in speed climbing, bouldering, and lead climbing, respectively.

The top 8 finishers in the qualification round advance to the finals where they once again compete in all three events, they are again ranked from 1 to 8, and their final score is the product of these three ranks in the final. Whoever has the lowest product of ranks in the final wins the gold medal. This type of scoring system heavily rewards high finishes and relatively ignores poor finishes. For instance, if climber A finished 1st, 20th, and 20th and climber B finished 10th, 10th, and 10th, climber B would have a score of 1000 whereas climber A would have a much better score of 400, despite finishing last in 2 out of 3 of the events.

Heavily criticized

Other sports scoring methods

2 Data and Methods

2.1 Data Collection

We collected data on major climbing competitions from 2018 to 2020, including the 2020 Continental Championships of Europe, Africa, Oceania, Pan-America; 2019 and 2018 World Championships; 2018 Asian Games; and 2018 Asian Games.

2.2 EDA

3 Results

3.1 Simulations

We conducted a simulation study to examine the rankings and scoring for climbers in both qualification and final rounds. For each round, we performed 10000 simulations, and this was accomplished by randomly assigning the ranks of each event to every participant, with the assumption that the ranks are uniformly distributed. After the completion of the simulations, we calculated the final scores for every simulated round, as well as the final




Figure 1: Distribution of qualification scores

standings for the climbing athletes. This data would then enable us to answer questions about various topics, including the distributions of scores for qualifying and final rounds, and the probabilities of advancing to the finals or winning a medal, given certain conditions.

For the qualification round, a climber is almost guaranteed to make the final round if they win the first event (with a 99.51% chance of advancing) or if they win at least one of the three climbing concentrations (99.48%). On the other hand, finishing last in the first event or in any event would certainly hurt an athlete's chance of finishing in the top 8, as the probabilities of a climber advancing given they finish last in the first and in any event are 0.1830 and 0.1885, respectively. In addition, the average score for qualification positions 1 to 8 are displayed in Table 1. We notice that on average, the minimum score that one should aim for in order to move on to the final round is 435 (for 8th rank).

Regarding the finals, a climber is very likely to earn a medal (finish in the top 3) if

Table 1: Average score for each qualifying rank

qual_rank	avg_adv_score
1	36.02
2	73.61
3	115.40
4	162.23
5	216.00
6	278.16
7	350.33
8	434.59

they win the first event (83.03% chance) or any event (85.01%). In order to obtain a climbing medal, the average score for getting gold, silver, and bronze are 9.6748, 20.4143, and 33.2648, respectively (Table 2).

Table 2: Average score of medalists

final_rank	avg_score
1	9.67
2	20.41
3	33.26
4	50.59
5	74.76
6	110.05
7	164.43
8	265.78

3.2 Data Analysis

3.2.1 Speed climbing vs lead and bouldering

For our analysis on the relationship between the rankings of the events and the final result, we used data from the 2018 Youth Olympics Women's Qualification. Figure 3 is a




Figure 2: Boxplots of scoring distribution for every qualification rank




Figure 3: Kendall's rank correlations - 2018 World Championship, Women's Qualification

scatterplot and correlation matrix between the ranks of the individual events and the final standings, with Kendall's Tau (Kendall Rank Correlation Coefficient) as our measure of ordinal association between the quantities. It is evidently clear that there is a strong and positive correlation between the ranks of bouldering and lead climbing, and as a results, the standings of these two events are highly correlated with the final rankings. On the other hand, the correlation with the final rank is not as strong for speed climbing. Thus, speed climbers are facing a huge disadvantage in this scoring system, compared to those that are specialized in the other two concentrations.

This trend also holds for most of the past competitions.

3.2.2 Drop and re-rank

A single climber excluded changes things drastically, especially order of medalists.




Figure 4: Original rankings and rankings after each rank is dropped

The cases where someone behind you drops out and your ranking changes.

Example from 2018 youth, women's final dropping ranks 3 and 5 change the medalist order