



# Using Subversion with Eclipse for DS-5

Version 1.0

## Non-Confidential

Copyright © 2017 Arm Limited (or its affiliates).  
All rights reserved.

## Issue 01

102711\_0100\_01\_en



## Using Subversion with Eclipse for DS-5

Copyright © 2017 Arm Limited (or its affiliates). All rights reserved.

### Release information

#### Document history

Issue	Date	Confidentiality	Change
0100-01	11 May 2017	Non-Confidential	First release

### Proprietary Notice

This document is protected by copyright and other related rights and the practice or implementation of the information contained in this document may be protected by one or more patents or pending patent applications. No part of this document may be reproduced in any form by any means without the express prior written permission of Arm. No license, express or implied, by estoppel or otherwise to any intellectual property rights is granted by this document unless specifically stated.

Your access to the information in this document is conditional upon your acceptance that you will not use or permit others to use the information for the purposes of determining whether implementations infringe any third party patents.

THIS DOCUMENT IS PROVIDED "AS IS". ARM PROVIDES NO REPRESENTATIONS AND NO WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, SATISFACTORY QUALITY, NON-INFRINGEMENT OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE DOCUMENT. For the avoidance of doubt, Arm makes no representation with respect to, and has undertaken no analysis to identify or understand the scope and content of, patents, copyrights, trade secrets, or other rights.

This document may include technical inaccuracies or typographical errors.

TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL ARM BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF ANY USE OF THIS DOCUMENT, EVEN IF ARM HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This document consists solely of commercial items. You shall be responsible for ensuring that any use, duplication or disclosure of this document complies fully with any relevant export laws and regulations to assure that this document or any portion thereof is not exported, directly

or indirectly, in violation of such export laws. Use of the word “partner” in reference to Arm’s customers is not intended to create or refer to any partnership relationship with any other company. Arm may make changes to this document at any time and without notice.

This document may be translated into other languages for convenience, and you agree that if there is any conflict between the English version of this document and any translation, the terms of the English version of the Agreement shall prevail.

The Arm corporate logo and words marked with ® or ™ are registered trademarks or trademarks of Arm Limited (or its affiliates) in the US and/or elsewhere. All rights reserved. Other brands and names mentioned in this document may be the trademarks of their respective owners. Please follow Arm’s trademark usage guidelines at <https://www.arm.com/company/policies/trademarks>.

Copyright © 2017 Arm Limited (or its affiliates). All rights reserved.

Arm Limited. Company 02557590 registered in England.

110 Fulbourn Road, Cambridge, England CB1 9NJ.

(LES-PRE-20349|version 21.0)

## Confidentiality Status

This document is Non-Confidential. The right to use, copy and disclose this document may be subject to license restrictions in accordance with the terms of the agreement entered into by Arm and the party that Arm delivered this document to.

Unrestricted Access is an Arm internal classification.

## Product Status

The information in this document is Final, that is for a developed product.

## Feedback

Arm® welcomes feedback on this product and its documentation. To provide feedback on the product, create a ticket on <https://support.developer.arm.com>

To provide feedback on the document, fill the following survey: <https://developer.arm.com/documentation-feedback-survey>.

## Inclusive language commitment

Arm values inclusive communities. Arm recognizes that we and our industry have used language that can be offensive. Arm strives to lead the industry and create change.

We believe that this document contains no offensive language. To report offensive language in this document, email [terms@arm.com](mailto:terms@arm.com).

# Contents

- 1. Overview.....6
- 2. Installation.....7
- 3. Configuration.....10
- 4. Using Subclipse.....11

# 1. Overview

A source control system (SCS) allows you to version your source files and share them with other developers. There are many source control systems available, both commercial and open source. This tutorial explains how to integrate the open source subversion (svn) source control system into Eclipse for DS-5. It assumes you are already familiar with the basic concepts of using svn and already have a svn server running in which to host your code.


## 2. Installation

Eclipse for DS-5 does not come with svn integration as standard, but this can be easily added afterwards. There are two popular svn tools for Eclipse available, [Subclipse](#) and [Subversive](#). Both tools provide similar features and are actively maintained, so it is up to you to choose between them. This tutorial uses Subclipse as the example.

First it is necessary to choose the correct version of the Subclipse plug-ins. The two factors to consider are the Eclipse version and the svn version.

You can find your Eclipse version by selecting About Eclipse Platform from the Help menu in Eclipse.

**Figure 2-1: About Eclipse dialog for DS-5**




The svn version is important if you want to share your source checkout both with Eclipse for DS-5 and with other external tools. A common example is if wanting to use the svn tools from a console or shell. If you use mismatched svn tools in the same checkout then the newest tool might upgrade the metadata in your checkout so that it becomes inaccessible to the older tools. For this reason,

check the svn version in any other tools that you are using and ensure that they are all consistent. Use the [Subclipse download page](#) to locate the appropriate Eclipse update site URL for the version of Eclipse and svn that you are using.

### To install the Subclipse plugins


1. Select **Install New Software** from the **Help** menu in **Eclipse**.
2. Click the **Add** button, and enter the update site URL from the Subclipse website into the **Location** field, and provide a suitable Name. Click **OK**.

**Figure 2-2: How to add SVN repo options dialog screenshot**



3. The Install dialog should refresh and list the available Subclipse plug-ins. It is recommended to select all of the available plug-ins, Subclipse and SVNKit. Refer to the Subclipse website for further information on what exactly all of these do.



**Figure 2-3: Eclipse install new software dialog in DS-5**


4. Click **Next** and review the plug-ins to be installed.
5. Click **Next** and review and accept the plug-in license agreements.
6. Click **Finish**. Installation of the plug-ins commences and might take a few minutes to complete.
7. You might receive a warning during installation that the plug-ins are unsigned. Click **OK** to dismiss this warning.
8. At the end of installation you are prompted to restart Eclipse. It is recommended that you select Yes to restart Eclipse. Restarting ensures that the plug-ins are correctly initialized.

### 3. Configuration

Once the Subclipse plug-ins are installed into Eclipse for DS-5 you might need to configure them. To do this:

1. Select **Preferences** from the **Window** menu in Eclipse.
2. Navigate to the **Team > SVN** entry in the left-hand panel and select it.
3. The main preference to review is called SVN interface. This controls whether Subclipse uses built-in svn support (SVNKit) or uses svn tools that you have installed separately on your computer (JavaHL). If you already have svn tools installed on your computer and accessible from the PATH environment variable then it is recommended to choose the JavaHL option as this potentially provides better compatibility between svn and Eclipse. If you do not have separate svn tools then choose SVNKit.

**Figure 3-1: SVN preferences in DS-5**



4. The other Subclipse preferences primarily reflect your personal choices and you are encouraged to review and change them to suit your needs.
5. With all changes made, click **OK** to close the Preferences dialog.

## 4. Using Subclipse

With Subclipse installed and configured you can now use it to manage your source projects. The following provides a summary of the features available:

- **Checkout existing projects from svn:** If you have an existing project in svn you can check it out by selecting **Import** from the **File** menu, and then choosing the **SVN > Checkout projects** from SVN option.
- **Manage svn projects:** Assuming you have a project in Eclipse that is stored in svn, then you can update, review changes, revert changes and check-in from within the IDE. To do this, navigate to your project in the Project Explorer view and right-click on the project, a folder or a file, as appropriate, and use the Team menu to perform any source control operations.
- **Browse svn repositories:** A separate Eclipse perspective is provided to allow browsing an entire svn repository. To do this, select **Open Perspective > Other...** from the **Window** menu, choose the **SVN Repository Exploring** perspective and click **OK**. In the SVN Repositories view you can register svn repositories and browse their contents.

You can find lots more help on the Subclipse website or in the documentation that is installed into Eclipse by the Subclipse plug-ins.