Laboratory 1

- 0. Read carefully and try the Maple commands written in the first 3 pages of the tutorial.
- 1. Evaluate the number using floating point arithmetic: $\frac{1}{2}$; e; $\sqrt{3}$; π ; $\sin(0.1)$
- 2. Assign the following expression to a variable and then expand it:
- a) $(x^2 + 2 \cdot x 1)^3 \cdot (x^2 2)$ b) $(x + n)^5$. Unassign the used variables.
- 3. Factorize: x^8 -1
- 4. Add the following rational expressions by applying the simplify command: $\frac{2 \cdot x^2}{x^3 1} + \frac{3 \cdot x}{x^2 1}$
- 5. Simplify the expression: $\sin(x)^2 + \cos(x)^2$
- 6. Evaluate using both subs and eval the expression $e^x + \ln(x)$ in x=1. Use first ?subs and ?eval
- 7. Solve: a) the equation $x^2 4 \cdot x + 3 = 0$ where x is the unknown;
- b) the equation $x^2 \cdot y + 2 \cdot y x = 0$ where x is a parameter and y is the unknown;
- c) the equation $x^2 \cdot y + 2 \cdot y x = 0$ where y is a parameter and x is the unknown;
- d) the equation $x \cos(x) = 0$ where x is the unknown;
- e) the equation $x^5 3 \cdot x^3 1 = 0$ where x is the unknown; f) the system of two equations 4x + 3y = 10, 3x y = 1 where x and y are the unknowns.
- 8. Assign to a variable f the function (not the expression) $f: R \to R$, $f(x) = e^x \sin(x)$. Evaluate f(0), f(-1), f'(0), f'(1). Calculate the first and second order derivatives of f (using both D and diff) and a primitive of f. Evaluate $\int_{-1}^{1} f(x) dx$. Unassign f. Write the commands together with your comments in your notebook.
- 9. Assign to a variable g the expression $e^x \sin(x)$. Evaluate this expression in x = 0. Compute its first order derivative and then evaluate it in x = 0. Find a primitive. Evaluate $\int_{0}^{1} g \, dx$. Using unapply assign to a variable f the second order derivative of g. Evaluate f(0). Write the commands together with your comments in your notebook.
- 10. Find $\lim_{x \to 0} \frac{\sin(x)}{x}$ and $\lim_{x \to \pi} \frac{\cos(x) + 1}{x \pi}$.
- 11. First plot the graph of $f(x) = \sin(x)$ in your notebook. Then plot it using Maple, in each of the intervals: $[0, 2 \cdot \pi]$, $[-4\pi, 4 \cdot \pi]$, [-100, 100], $(-\infty, \infty)$. Write your comments in your notebook.
- 12. First plot the graph of $f(x) = \frac{1}{x}$ in your notebook. Then plot it using Maple, in intervals at your choice. Write your comments in your notebook.

- 13. Plot the planar curve of parametric equations $x=2-t^2$, $y=t-t^3$, $t \in [-2, 2]$.
- 14. First plot in your notebook the planar curve of parametric equations $x = \cos(t)$, $y = \sin(t)$ in each of the intervals: $\left[0, \frac{\pi}{6}\right]$, $\left[0, \frac{\pi}{2}\right]$, $\left[0, \frac{\pi}{2}\right]$, $\left[0, \frac{3 \cdot \pi}{2}\right]$, $\left[0, 2 \cdot \pi\right]$, $\left[0, 4 \cdot \pi\right]$. Then do the same using Maple. Write your comments in your notebook.
- 15. Plot the planar curves of parametric equations a) $x = 2 \cdot \cos\left(\frac{t}{3}\right)$, $y = 2 \cdot \sin\left(\frac{t}{3}\right)$
- b) $x = \cos(4 \cdot t)$, $y = \sin(4 \cdot t)$ in different intervals at your choice. Write your comments in your notebook.
- 16. Write in your notebook the implicit equations of a circle centered in (9,10), an ellipse and a parabola. Then plot at leats a circle, an ellipse and a parabola.
- 17. Plot the planar curves of implicit equations a) $x^2 2 \cdot x \cdot y y^2 = 1$ b) $y^3 + y^2 5 \cdot y x^2 = -4$. You have to choose properly a rectangle where to see the curve.
- 18. First draw in your notebook the graph of the function $H(x, y) = x^2 + y^2$. Then plot it in 3d using Maple. For the variable (x,y) choose a rectangle centered at (0,0). What remarkable planar curves are the level curves of H? Write your comments in your notebook.