Module 8 Lecture - Bivariate Correlation

Research Methods in Psychology

Quinton Quagliano, M.S., C.S.P

Department of Psychology

Table of Contents

1 Chapter Overview **2**
1.1 Learning Objectives . . . 2
1.2 Chapter Overview . . . 2

2 Bivariate Correlation **3**
2.1 Overview . . . 3
2.2 Association Between Two Continuous Variables . . . 3
2.3 Association Between Categorical and Continuous Variables . . . 4
2.4 Fully Correlation Design . . . 6

3 Critical Association Claims **7**
3.1 Construct Validity . . . 7
3.2 Statistical Validity . . . 7
3.2.1 Effect Size . . . 7
3.2.2 Precision . . . 8
3.2.3 Replication . . . 8
3.2.4 Outliers . . . 9
3.2.5 Restriction of Range . . . 9
3.2.6 Curvilinear Relationships . . . 10
3.3 Internal Validity . . . 11
3.4 External Validity . . . 13

4 Key Points **13**
4.1 Key Points . . . 13

1 Chapter Overview

1.1 Learning Objectives

- Explain that measured variables - not any particular statistic - make a study correlational.
- Interrogate the construct validity and statistical validity (and, of lower priority, external validity) of an association claim.
- Explain why a correlational study can support an association claim, but not a causal claim.
- Be able to understand the defining characteristics of a correlational, bivariate research design
- Be able to use appropriate vocabulary and logic used in describing and assessing bivariate designs

1.2 Chapter Overview

- Moving forward, much of the content will be about applying chapters 1 - 7 to different research _____. Make sure you review vocab from the first half of class, as it will often come back in these upcoming lectures.
- "Bivariate" $\longrightarrow$ means _____ variables
- Two, **measured** variables $\longrightarrow$ likely an _____ claim being made
- *Review:* Remember the vocabulary we should expect with associative claims between
  - Example: _____, "associated with", "correlated with", etc.

📢 Discuss: Any other examples of vocab normally used with associative claims?

2 Bivariate Correlation

2.1 Overview

- *Review:* Recall that there are three possible association / _____ descriptions between two variables:
  - Positive
  - Negative
  - _____/no relationship
- Also recall that these are descriptors for _____ or straight-line relationships - we'll discuss how curvilinear relationships are a bit more complicated later today

2.2 Association Between Two Continuous Variables

- Example:
  - Two self-report measurements continuous outcome are strongly, positively correlated with one another
  - *Review:* what type of validity is this possibly associated with?

Discuss: What statistic do we use for association between two continuous variables, and what value would indicate a strong, positive relationship?

- *Review:* When using correlation between two continuous variables, _____ are the most appropriate graphing method



2.3 Association Between Categorical and Continuous Variables

- The prior example shows how to work with continuous variables, what about when we have one _____/discrete and one continuous variable?
- One option: A sort of _____ scatterplot by the categorical variable



Discuss: What do you think is the direction and strength of relationship here?

- In most cases, we will probably prefer other _____ to graphical display information when we have categorical and continuous variables, as the split scatterplot can be somewhat confusing or difficult to interpret.
- Another option: A _____ graph

Discuss: What do you all think those small, black bars mean? What sorts of helpful information could they tell us about differences between the groups?

2.4 Fully Correlation Design

- A _____ design is one that results from all relevant variables being measured, *not* based on what scale of measurement was used, statistic, or graph.
- The designs that we discuss are largely defined by whether variables are measured or manipulated *and* the _____ we hypothesize between the variables (i.e., what claim we are attempting to make)

3 Critical Association Claims

3.1 Construct Validity

- *Review:* construct validity is all about the _____ reliability and validity of the tools we use to measure a phenomenon.
  - 3 reliabilities: test-retest, _____, and internal
  - 5 validities: _____, content, criterion, convergent, divergent/discriminant
- Use the terms and suggestions from chapters 5 and 6 to _____ this!
- Example: One of the items on one of my measures may not be measuring the same constructs as the others due to questionable use of the word "not" in the item.

Discuss: How would we identify an item not well correlated with other items of the same construct (hint: what statistics and what measurement validity type)? What vocabulary do we use to describe this problem presented by 'not' in the question?

3.2 Statistical Validity

- Statistical validity has multiple components to be looking for:

3.2.1 Effect Size

- Effect size is all about the *magnitude* of the results we found, it is not the same as _____.
- Assessing r correlation _____ effect
  - General guideline for behavioral sciences: 0.10 (weak), 0.20 (moderate), 0.30 (powerful), >0.40 (very powerful)

- We may also use _____
  - This refers to the amount of _____ that one variable accounts for in another
- Low effect size $\rightarrow$ possible _____ or non-meaningful effect
- High effect size $\rightarrow$ possible meaningful/_____ effect
- Example: My continuous variables x and y have an r = 0.50 and r^2 = 0.25
  - This would be considered a very strong or powerful effect

3.2.2 Precision

- *Review from stats class:* What do we call the intervals in which 95% of estimates will fall? _____ intervals
- Common _____: CI 95%:[Low-end Estimate, High-end Estimate]
- Larger sample size $\rightarrow$ usually _____ confidence intervals
- More precision = "better", more _____ estimate
- Example: For an r statistic of 0.30, I have CI 95%:[0.28, 0.32], this shows a precise estimate with _____ confidence intervals

3.2.3 Replication

- A question we should ask: has this association been shown before in the _____?
- We may _____ the study and measurements again on a new group and see if we get a similar value
- *Review:* This is a good use case for literature _____ and meta-analysis articles, as they can compile different studies investigating the same association. Remember, we are looking for the _____ of evidence in favor of a claim.

Discuss: What have you all heard about replication in science in your other classes?

3.2.4 Outliers

Discuss: Based on what you all know from previous classes, what is the definition of an outlier?

- An outlier, especially one _____ on both variables, can greatly sway the relationship of two variables.
- However, we should not simply _____ out outliers because they are inconvenient findings.
  - Instead, we may consider **robust/non-parametric** _____ that can work around them as is
- Depending on who you ask, any value 3 or 4 standard deviations away from the mean would be considered an outlier.

3.2.5 Restriction of Range

- This is when we do not have points across the full number of _____ levels on one or both of our variables





- Example: the possible scores on the test are 0 - 100, but all students only got between 70 and 85 $\longrightarrow$ this is restriction of range problem.

3.2.6 Curvilinear Relationships

- r assumes a _____ relationship between the two variables, but this is not true of all relationships in reality



3.3 Internal Validity

- For association claims, we do not need to be concerned with meeting standards of internal validity, because a correlative design cannot explore _____ relationships.

Discuss: What research design can investigate a causal relationship

- *Review:* What is the common phrase we use to describe the relationship between correlation and causation?
  - Correlation does not _____ causation
  - Put simply, association alone does not tell us one "caused" the other!
- *Review:* What were the 3 causation criteria to establish a causal claim?
  - Covariance
  - _____ Precedence - **directionality problem**
  - Internal validity - **third-variable problem**

1. *Covariance:* Do the results show that the variables are correlated?



2. *Temporal precedence* (directionality problem): Does the method establish which variable came first in time?



(If we cannot tell which came first, we cannot infer causation.)

3. *Internal validity* (third-variable problem): Is there a C variable that is associated with both A and B, independently?



(If there is a plausible third variable, we cannot infer causation.)

- Example: I am measuring the relationship between exercise and feeling of self-worth, both _____ as continuous
  - High, positive correlation between the two - can I say exercise causes higher self-worth? _____!
  - Say energy level is correlated with both exercise and feeling of self-worth, then what really is the cause?
  - What is the so-called *third-variable* here? _____ level

3.4 External Validity

📢 Discuss: What matters more for 'good', representative sampling: size of sample or methodology?

- Bad external validity does not necessarily _____ a claim, but just limits its generalizability
- Example: I use quota sampling to gather my participants, and find an r = 0.60 relationship between the variables
  - What direction and strength of relationship is this? _____ and _____.
  - Is this a biased or unbiased sample? _____! As it is non-probabilistic
- _____ are some third variable that plays a partial role in the relationship between two variable
  - These may result in a broader, more complicated theory around certain constructs
  - But most psychological constructs are complex!

4 Key Points

4.1 Key Points

- Bivariate, correlational designs are those that focus on the relationship between two measured variables, i.e., investigating an association claim
- Assessing a study using this design is a function of (mostly) external, statistical, and construct validity. Internal validity doesn't really apply, as we are missing the critical criteria necessary for a causal claim.
- We have several ways to graphically and statistically represent the relationship between two variables, but we also have several considerations such as effect size and precision of our estimate.

- We began to discuss some of the nuance in assessing internal validity, we'll return to this as we creep closer to experiments!

The instructor-provided glossary may not include all terms worth memorizing, make sure you consider using the vocabulary list in you book and your own judgment to make sure you have all relevant terms