

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Internet Service Providers
<b>Inquiry Category</b>	Network coverage and availability questions
<b>Inquiry Sub-Category</b>	Slow internet speed
<b>Description</b>	Customers experience consistently slow internet speeds, and this category includes inquiries regarding potential reasons behind the issue and possible solutions to improve the speed.
<b>Data Size</b>	5,025 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

### Masked sample paraphrases of one "Internet Service Provider" customer inquiry. (Purchased data will not be masked.)

How \_\_\_\_ do you \_\_\_\_ evaluate \_\_\_\_ traffic during \_\_\_\_ for \_\_\_\_ throughput?  
 \_\_\_\_ you monitor network \_\_\_\_ peak \_\_\_\_ to ensure \_\_\_\_?  
 Do you \_\_\_\_ for slow network flow \_\_\_\_?  
 How much analysis \_\_\_\_ during \_\_\_\_ hours \_\_\_\_ decreased \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ traffic during peak \_\_\_\_ to analyze \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ traffic during \_\_\_\_ periods \_\_\_\_ reduce \_\_\_\_?  
 Is \_\_\_\_ idea to regularly check network \_\_\_\_ to make sure \_\_\_\_ down \_\_\_\_ periods?  
 How often do \_\_\_\_ evaluate \_\_\_\_ during high-peak hours?  
 Are \_\_\_\_ network \_\_\_\_ to see if \_\_\_\_ slow?  
 \_\_\_\_ peak hours of \_\_\_\_ flow \_\_\_\_ see if it \_\_\_\_ slower?  
 Do \_\_\_\_ at \_\_\_\_ frequently during \_\_\_\_ hours \_\_\_\_ make sure it's \_\_\_\_ lower \_\_\_\_?  
 \_\_\_\_ it \_\_\_\_ to watch \_\_\_\_ network traffic \_\_\_\_ peak \_\_\_\_ ensure less \_\_\_\_?  
 \_\_\_\_ for a slower network speed \_\_\_\_ busy \_\_\_\_?  
 I \_\_\_\_ in learning \_\_\_\_ traffic \_\_\_\_ evaluated \_\_\_\_ reduced \_\_\_\_ peak hours.  
 \_\_\_\_ network traffic tracked at peak \_\_\_\_ speed?  
 \_\_\_\_ peak \_\_\_\_ network traffic \_\_\_\_ evaluated and will throughput be \_\_\_\_?  
 Do \_\_\_\_ look at network \_\_\_\_ frequently \_\_\_\_ make sure \_\_\_\_ on \_\_\_\_ path \_\_\_\_ the busiest \_\_\_\_?  
 \_\_\_\_ peak hour \_\_\_\_ decrease in speed?  
 Do \_\_\_\_ periodically \_\_\_\_ network \_\_\_\_ busy periods?  
 I know \_\_\_\_ peak \_\_\_\_ traffic \_\_\_\_ to reduce throughput, but \_\_\_\_ you give \_\_\_\_ figure?  
 \_\_\_\_ can you observe network traffic \_\_\_\_ reduced throughput \_\_\_\_?  
 \_\_\_\_ make sure that network traffic \_\_\_\_ a \_\_\_\_ during \_\_\_\_ busiest \_\_\_\_?  
 During peak \_\_\_\_ traffic \_\_\_\_ for \_\_\_\_ throughput?  
 \_\_\_\_ there regular \_\_\_\_ made \_\_\_\_ throughput \_\_\_\_ high usage \_\_\_\_?  
 What amount of \_\_\_\_ network traffic ramifications \_\_\_\_ crowded \_\_\_\_ for compromised \_\_\_\_?  
 \_\_\_\_ keep an \_\_\_\_ traffic during \_\_\_\_ busiest hours \_\_\_\_ make \_\_\_\_ it goes to \_\_\_\_?  
 \_\_\_\_ interested \_\_\_\_ traffic \_\_\_\_ peak hours is evaluated for \_\_\_\_ throughput.  
 \_\_\_\_ bandwidth constantly during \_\_\_\_ times to make sure \_\_\_\_ impeded?

Do \_\_\_\_\_ peak \_\_\_\_\_ to ensure \_\_\_\_\_ reduction in throughput?  
 \_\_\_\_\_ times do you \_\_\_\_\_ for \_\_\_\_\_ decrease in \_\_\_\_\_ hour \_\_\_\_\_?

Do you watch \_\_\_\_\_ peak \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_?

Do \_\_\_\_\_ check network \_\_\_\_\_ frequently during \_\_\_\_\_ busiest \_\_\_\_\_ make \_\_\_\_\_ it is \_\_\_\_\_?  
 \_\_\_\_\_ network \_\_\_\_\_ evaluated \_\_\_\_\_ reduced throughput \_\_\_\_\_ hours?

There isn't as much \_\_\_\_\_ peak hours, \_\_\_\_\_ you look \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ peak periods to \_\_\_\_\_ throughput?

Do \_\_\_\_\_ watch network \_\_\_\_\_ in \_\_\_\_\_ hours \_\_\_\_\_ speeds?

I \_\_\_\_\_ know if \_\_\_\_\_ peak hours is \_\_\_\_\_ for reduced \_\_\_\_\_.

\_\_\_\_\_ you always \_\_\_\_\_ network bandwidth \_\_\_\_\_ busy \_\_\_\_\_ make \_\_\_\_\_ throughput \_\_\_\_\_ impeded?

How \_\_\_\_\_ you \_\_\_\_\_ at \_\_\_\_\_ usage \_\_\_\_\_ potential decreases \_\_\_\_\_ speed?  
 \_\_\_\_\_ you \_\_\_\_\_ ramifications on crowded periods \_\_\_\_\_ compromised \_\_\_\_\_ efficiency?

To \_\_\_\_\_ if \_\_\_\_\_ decrease \_\_\_\_\_ is occurring, \_\_\_\_\_ you measure \_\_\_\_\_ in the \_\_\_\_\_?  
 \_\_\_\_\_ eye on traffic to cut \_\_\_\_\_?

\_\_\_\_\_ check network bandwidth \_\_\_\_\_ to \_\_\_\_\_ throughput \_\_\_\_\_ impeded during \_\_\_\_\_ periods?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ traffic \_\_\_\_\_ during peak hours for \_\_\_\_\_?

Are \_\_\_\_\_ throughput reductions \_\_\_\_\_ often during \_\_\_\_\_?

Do you \_\_\_\_\_ check network \_\_\_\_\_ downs \_\_\_\_\_ periods?  
 \_\_\_\_\_ you look \_\_\_\_\_ traffic during the busiest \_\_\_\_\_ if it's \_\_\_\_\_ a \_\_\_\_\_ less?  
 \_\_\_\_\_ at peak times to \_\_\_\_\_ reduced speed?  
 \_\_\_\_\_ peak hour traffic for \_\_\_\_\_ in throughput?  
 \_\_\_\_\_ want to \_\_\_\_\_ if network \_\_\_\_\_ peak \_\_\_\_\_ is evaluated for \_\_\_\_\_.

Do \_\_\_\_\_ check network \_\_\_\_\_ busy times \_\_\_\_\_ sure throughput \_\_\_\_\_?  
 \_\_\_\_\_ traffic \_\_\_\_\_ crowded \_\_\_\_\_ compromised bandwidth efficiency \_\_\_\_\_ at what rate?

Do \_\_\_\_\_ check the network \_\_\_\_\_ periods to make \_\_\_\_\_ go down?  
 \_\_\_\_\_ is the \_\_\_\_\_ of \_\_\_\_\_ a loaded network sector during periods marked by \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ at peak times?

Can you \_\_\_\_\_ traffic \_\_\_\_\_ peak \_\_\_\_\_ reduce throughput?

How often network traffic is assessed \_\_\_\_\_ reduced \_\_\_\_\_?  
 \_\_\_\_\_ you look at \_\_\_\_\_ hours of \_\_\_\_\_ if it is \_\_\_\_\_?

Do \_\_\_\_\_ look \_\_\_\_\_ network \_\_\_\_\_ frequently during the busiest \_\_\_\_\_ make \_\_\_\_\_ a reduced \_\_\_\_\_?  
 \_\_\_\_\_ traffic \_\_\_\_\_ during the busiest hours to make sure \_\_\_\_\_ a \_\_\_\_\_ to less  
 \_\_\_\_\_ your \_\_\_\_\_ traffic tracked \_\_\_\_\_ during \_\_\_\_\_ times to \_\_\_\_\_?

Is network \_\_\_\_\_ peak hours?

Are \_\_\_\_\_ on reduced throughput \_\_\_\_\_ usage hours?  
 \_\_\_\_\_ throughput \_\_\_\_\_ monitored \_\_\_\_\_ during peak \_\_\_\_\_?  
 \_\_\_\_\_ there \_\_\_\_\_ network throughput \_\_\_\_\_ during \_\_\_\_\_ hours?

Do \_\_\_\_\_ bandwidth \_\_\_\_\_ in \_\_\_\_\_ to \_\_\_\_\_ sure throughputs don't \_\_\_\_\_ down?  
 \_\_\_\_\_ you keep track \_\_\_\_\_ the reduced speed \_\_\_\_\_ the \_\_\_\_\_ peak \_\_\_\_\_?

How often do you \_\_\_\_\_ to \_\_\_\_\_ works at \_\_\_\_\_ and \_\_\_\_\_ reduce throughput?

Is there \_\_\_\_\_ on \_\_\_\_\_ throughput at high \_\_\_\_\_?

I want \_\_\_\_\_ know \_\_\_\_\_ assess \_\_\_\_\_ usage for potential \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ do you observe \_\_\_\_\_ for any decrease in \_\_\_\_\_?  
 \_\_\_\_\_ am wondering \_\_\_\_\_ traffic during peak \_\_\_\_\_ is assessed \_\_\_\_\_.

Do you watch \_\_\_\_\_ peak \_\_\_\_\_ flow for signs \_\_\_\_\_?

How \_\_\_\_\_ do you watch network traffic for \_\_\_\_\_?

Do \_\_\_\_\_ watch traffic \_\_\_\_\_ peak \_\_\_\_\_ throughput?

Do \_\_\_\_\_ watch the peak hours of the \_\_\_\_\_ to \_\_\_\_\_?

Do you \_\_\_\_\_ traffic \_\_\_\_\_ to make \_\_\_\_\_ is at \_\_\_\_\_ speeds \_\_\_\_\_ busiest hours?  
 \_\_\_\_\_ check for a decrease \_\_\_\_\_ when network \_\_\_\_\_ heavy?

\_\_\_\_\_ find out \_\_\_\_\_ traffic \_\_\_\_\_ evaluated for reduced \_\_\_\_\_ peak hours.  
 \_\_\_\_\_ network traffic during busy periods \_\_\_\_\_ any \_\_\_\_\_?  
 \_\_\_\_\_ bandwidth \_\_\_\_\_ constantly during \_\_\_\_\_ periods \_\_\_\_\_ make sure \_\_\_\_\_ throughputs don't incur \_\_\_\_\_?  
 \_\_\_\_\_ the Frequency \_\_\_\_\_ throughput in a \_\_\_\_\_ network during periods marked \_\_\_\_\_ heaving demand \_\_\_\_\_?  
 \_\_\_\_\_ often do \_\_\_\_\_ network traffic \_\_\_\_\_ reduced \_\_\_\_\_ during high-peak \_\_\_\_\_?  
 To \_\_\_\_\_ reduced \_\_\_\_\_ do you review \_\_\_\_\_ during \_\_\_\_\_ hours?  
 Are network \_\_\_\_\_ the \_\_\_\_\_ hours?  
 Are \_\_\_\_\_ at network \_\_\_\_\_ during \_\_\_\_\_ busiest hours to \_\_\_\_\_ it's at \_\_\_\_\_ speed?  
 Do \_\_\_\_\_ network traffic \_\_\_\_\_ peak hours \_\_\_\_\_ analyze \_\_\_\_\_?  
 Do \_\_\_\_\_ network \_\_\_\_\_ for \_\_\_\_\_ downs during busy \_\_\_\_\_?  
 At \_\_\_\_\_ rate \_\_\_\_\_ network traffic \_\_\_\_\_ crowded periods for compromised \_\_\_\_\_?  
 Do \_\_\_\_\_ check \_\_\_\_\_ bandwidth constantly during busy \_\_\_\_\_ don't \_\_\_\_\_?  
 \_\_\_\_\_ you constantly check \_\_\_\_\_ during the busiest \_\_\_\_\_ to \_\_\_\_\_ it \_\_\_\_\_ reduced \_\_\_\_\_?  
 \_\_\_\_\_ often would you \_\_\_\_\_ network \_\_\_\_\_ during \_\_\_\_\_ even though \_\_\_\_\_ less \_\_\_\_\_?  
 Do you \_\_\_\_\_ check \_\_\_\_\_ periods \_\_\_\_\_ sure throughput \_\_\_\_\_ not impeded?  
 Do \_\_\_\_\_ bandwidth constantly during \_\_\_\_\_ periods to make \_\_\_\_\_ throughput \_\_\_\_\_?  
 How \_\_\_\_\_ necessary \_\_\_\_\_ evaluate \_\_\_\_\_ in \_\_\_\_\_ loaded \_\_\_\_\_ sector during times of \_\_\_\_\_ demand?  
 \_\_\_\_\_ bandwidth constantly \_\_\_\_\_ periods to \_\_\_\_\_ throughput is not impeded?  
 Do you \_\_\_\_\_ traffic \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ it at reduced speeds?  
 \_\_\_\_\_ you \_\_\_\_\_ check \_\_\_\_\_ bandwidth during busy \_\_\_\_\_ to make \_\_\_\_\_ is \_\_\_\_\_ impeded?  
 \_\_\_\_\_ you check \_\_\_\_\_ decline in \_\_\_\_\_ during \_\_\_\_\_ hour?  
 \_\_\_\_\_ you check network \_\_\_\_\_ frequently \_\_\_\_\_ busy hours \_\_\_\_\_ sure it's \_\_\_\_\_ speed?  
 \_\_\_\_\_ should \_\_\_\_\_ check the peak \_\_\_\_\_ for dropped throughput?  
 Are network traffic regularly checked \_\_\_\_\_ sure \_\_\_\_\_ busy times?  
 \_\_\_\_\_ you \_\_\_\_\_ network traffic \_\_\_\_\_ time to \_\_\_\_\_ if a decrease in \_\_\_\_\_?  
 Do \_\_\_\_\_ network \_\_\_\_\_ busy periods to \_\_\_\_\_ sure throughputs do \_\_\_\_\_ down?  
 \_\_\_\_\_ your \_\_\_\_\_ at \_\_\_\_\_ times \_\_\_\_\_ check for reduced speed?  
 Do \_\_\_\_\_ frequently during \_\_\_\_\_ busiest hours to \_\_\_\_\_ it's at a \_\_\_\_\_?  
 Do \_\_\_\_\_ check \_\_\_\_\_ the \_\_\_\_\_ during peak hours?  
 \_\_\_\_\_ is \_\_\_\_\_ necessary to \_\_\_\_\_ reduced \_\_\_\_\_ in \_\_\_\_\_ sector during times \_\_\_\_\_ high demand volumes?  
 \_\_\_\_\_ frequently you \_\_\_\_\_ for decreased throughput?  
 Do \_\_\_\_\_ network traffic \_\_\_\_\_ busiest hours \_\_\_\_\_ sure its \_\_\_\_\_ reduced speeds?  
 \_\_\_\_\_ times do \_\_\_\_\_ look for peak hour traffic \_\_\_\_\_?  
 \_\_\_\_\_ are you watching network traffic \_\_\_\_\_ throughput \_\_\_\_\_ peak \_\_\_\_\_?  
 What \_\_\_\_\_ do \_\_\_\_\_ monitor network \_\_\_\_\_ on crowded \_\_\_\_\_ efficiency?  
 \_\_\_\_\_ may incur limitations, \_\_\_\_\_ true \_\_\_\_\_ have to \_\_\_\_\_ network bandwidth frequently \_\_\_\_\_ times?  
 If a \_\_\_\_\_ efficiency \_\_\_\_\_ possible do \_\_\_\_\_ traffic \_\_\_\_\_ the \_\_\_\_\_ time?  
 \_\_\_\_\_ look \_\_\_\_\_ network traffic during peak \_\_\_\_\_ to make sure it \_\_\_\_\_?  
 \_\_\_\_\_ you check \_\_\_\_\_ constantly \_\_\_\_\_ ensure that \_\_\_\_\_ is not affected?  
 Do \_\_\_\_\_ in \_\_\_\_\_ when the network usage \_\_\_\_\_ high?  
 reduced \_\_\_\_\_ throughput \_\_\_\_\_ frequently \_\_\_\_\_ the \_\_\_\_\_ was \_\_\_\_\_ during peak hours?  
 Do you \_\_\_\_\_ slow network \_\_\_\_\_ times?  
 \_\_\_\_\_ the network \_\_\_\_\_ do you \_\_\_\_\_ for \_\_\_\_\_ reduction in \_\_\_\_\_?  
 Do \_\_\_\_\_ network \_\_\_\_\_ to \_\_\_\_\_ if it's \_\_\_\_\_?  
 \_\_\_\_\_ network \_\_\_\_\_ in the prime \_\_\_\_\_ to see \_\_\_\_\_ it \_\_\_\_\_ efficiency?  
 \_\_\_\_\_ hours are the \_\_\_\_\_ throughput \_\_\_\_\_ often?  
 \_\_\_\_\_ assessments made for \_\_\_\_\_ high usage hours?  
 \_\_\_\_\_ is network throughput \_\_\_\_\_ monitored?  
 \_\_\_\_\_ check \_\_\_\_\_ reduced speed when the \_\_\_\_\_ busy?  
 \_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ network traffic periodically \_\_\_\_\_ hours \_\_\_\_\_ check for \_\_\_\_\_?

\_\_\_\_ you measure network \_\_\_\_ in the \_\_\_\_ to \_\_\_\_ if \_\_\_\_ decrease \_\_\_\_ efficiency \_\_\_\_ ?  
 How frequently \_\_\_\_ you \_\_\_\_ ramifications \_\_\_\_ crowded \_\_\_\_ for \_\_\_\_ bandwidth efficiency?  
 Is it okay \_\_\_\_ be evaluated \_\_\_\_ to check \_\_\_\_ reduction of speed?  
 Do you keep watch \_\_\_\_ traffic \_\_\_\_ to \_\_\_\_ in throughput?  
 \_\_\_\_ you \_\_\_\_ a decrease in \_\_\_\_ at peak \_\_\_\_ ?  
 Do \_\_\_\_ at \_\_\_\_ traffic frequently \_\_\_\_ busiest \_\_\_\_ to \_\_\_\_ sure it's \_\_\_\_ a \_\_\_\_ less?  
 Do \_\_\_\_ traffic \_\_\_\_ peak \_\_\_\_ in order \_\_\_\_ ensure less \_\_\_\_ ?  
 \_\_\_\_ am aware of \_\_\_\_ traffic \_\_\_\_ to reduce \_\_\_\_ during \_\_\_\_ hours, \_\_\_\_ can you \_\_\_\_ an \_\_\_\_ number?  
 \_\_\_\_ do \_\_\_\_ look \_\_\_\_ peak hour traffic \_\_\_\_ decreases \_\_\_\_ throughput?  
 \_\_\_\_ often \_\_\_\_ you \_\_\_\_ to \_\_\_\_ out what works \_\_\_\_ peak hours \_\_\_\_ how \_\_\_\_ decrease throughput?  
 Do you \_\_\_\_ network traffic in the \_\_\_\_ to \_\_\_\_ decrease \_\_\_\_ is \_\_\_\_ ?  
 \_\_\_\_ you check the peak hour network \_\_\_\_ ?  
 What times do \_\_\_\_ peak \_\_\_\_ for \_\_\_\_ throughput?  
 How \_\_\_\_ do you \_\_\_\_ traffic for decreased \_\_\_\_ ?  
 \_\_\_\_ peak hours, \_\_\_\_ be \_\_\_\_ would network \_\_\_\_ be monitored?  
 \_\_\_\_ ensure less throughput \_\_\_\_ traffic \_\_\_\_ peak times?  
 Do \_\_\_\_ bandwidth constantly during busy \_\_\_\_ to make \_\_\_\_ not \_\_\_\_ ?  
 Are your \_\_\_\_ traffic tracked \_\_\_\_ slower speed?  
 Do you \_\_\_\_ for \_\_\_\_ slow issues \_\_\_\_ times?  
 During peak hours are \_\_\_\_ network \_\_\_\_ ?  
 \_\_\_\_ often would you \_\_\_\_ at \_\_\_\_ during \_\_\_\_ hours even \_\_\_\_ there \_\_\_\_ as \_\_\_\_ ?  
 Do \_\_\_\_ check \_\_\_\_ bandwidth constantly \_\_\_\_ make sure throughputs \_\_\_\_ affected?  
 Do \_\_\_\_ traffic during \_\_\_\_ order to \_\_\_\_ throughput?  
 Are \_\_\_\_ more during peak \_\_\_\_ ?  
 \_\_\_\_ regular \_\_\_\_ on \_\_\_\_ throughput at high usage \_\_\_\_ ?  
 How \_\_\_\_ do you measure \_\_\_\_ to \_\_\_\_ works in \_\_\_\_ and \_\_\_\_ throughput?  
 \_\_\_\_ you \_\_\_\_ traffic during \_\_\_\_ times in \_\_\_\_ to \_\_\_\_ ?  
 \_\_\_\_ you review \_\_\_\_ traffic \_\_\_\_ peak \_\_\_\_ to see if \_\_\_\_ is \_\_\_\_ ?  
 \_\_\_\_ it appropriate \_\_\_\_ periodically check \_\_\_\_ traffic \_\_\_\_ less \_\_\_\_ hours?  
 \_\_\_\_ you \_\_\_\_ bandwidth \_\_\_\_ periods \_\_\_\_ make sure \_\_\_\_ do \_\_\_\_ go down?  
 Does \_\_\_\_ reductions \_\_\_\_ monitored during \_\_\_\_ ?  
 \_\_\_\_ you \_\_\_\_ a \_\_\_\_ speed \_\_\_\_ peak time?  
 Are \_\_\_\_ the peak \_\_\_\_ network \_\_\_\_ find out \_\_\_\_ it's slow?  
 How to check \_\_\_\_ network traffic \_\_\_\_ ?  
 \_\_\_\_ sometimes look at \_\_\_\_ traffic during \_\_\_\_ hours \_\_\_\_ make sure \_\_\_\_ reduced \_\_\_\_ ?  
 \_\_\_\_ you look at \_\_\_\_ hour \_\_\_\_ flow to \_\_\_\_ if \_\_\_\_ ?  
 I would \_\_\_\_ to \_\_\_\_ traffic is \_\_\_\_ for reduced \_\_\_\_ peak hours.  
 How \_\_\_\_ evaluate \_\_\_\_ traffic with \_\_\_\_ throughput during \_\_\_\_ hours?  
 \_\_\_\_ it \_\_\_\_ good \_\_\_\_ check \_\_\_\_ during peak \_\_\_\_ to reduce speed?  
 \_\_\_\_ network throughput reductions watched \_\_\_\_ ?  
 Do you \_\_\_\_ peak \_\_\_\_ to \_\_\_\_ a reduction \_\_\_\_ throughput?  
 \_\_\_\_ always check \_\_\_\_ during the busiest \_\_\_\_ make sure \_\_\_\_ slower speed?  
 Do you \_\_\_\_ bandwidth \_\_\_\_ make sure it \_\_\_\_ not \_\_\_\_ down \_\_\_\_ busy \_\_\_\_ ?  
 \_\_\_\_ want \_\_\_\_ know \_\_\_\_ network \_\_\_\_ peak hours \_\_\_\_ for reduced throughput.  
 \_\_\_\_ observe the \_\_\_\_ traffic during peak \_\_\_\_ ensure lower \_\_\_\_ ?  
 Do you \_\_\_\_ traffic \_\_\_\_ may slow \_\_\_\_ busy periods?  
 Can \_\_\_\_ tell me if \_\_\_\_ is \_\_\_\_ reduce \_\_\_\_ peak hours?  
 \_\_\_\_ track of reduced \_\_\_\_ during the peak \_\_\_\_ on \_\_\_\_ ?  
 Does it \_\_\_\_ check \_\_\_\_ traffic periodically \_\_\_\_ hours for \_\_\_\_ speed?  
 Do you \_\_\_\_ the \_\_\_\_ for network flow to \_\_\_\_ out \_\_\_\_ ?

Do \_\_\_\_\_ peak hours \_\_\_\_\_ network flow to \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_?

Is \_\_\_\_\_ always \_\_\_\_\_ to check for reduced speed?

\_\_\_\_\_ to \_\_\_\_\_ network traffic \_\_\_\_\_ for reduced \_\_\_\_\_ at peak hours.

Do you measure network \_\_\_\_\_ the \_\_\_\_\_ time in \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ is true?

How often \_\_\_\_\_ traffic with reduced \_\_\_\_\_ issues \_\_\_\_\_ peak \_\_\_\_\_?

I'd \_\_\_\_\_ if \_\_\_\_\_ during peak hours is evaluated for \_\_\_\_\_.

During \_\_\_\_\_ hours, \_\_\_\_\_ network traffic \_\_\_\_\_ evaluated \_\_\_\_\_ the throughput \_\_\_\_\_ monitored \_\_\_\_\_?

How \_\_\_\_\_ you \_\_\_\_\_ network traffic ramifications on crowded \_\_\_\_\_?

Reductions in throughput \_\_\_\_\_ often during peak hours, as \_\_\_\_\_ peak \_\_\_\_\_?

\_\_\_\_\_ check \_\_\_\_\_ bandwidth frequently \_\_\_\_\_ periods \_\_\_\_\_ throughput isn't impeded?

\_\_\_\_\_ am \_\_\_\_\_ network traffic during peak hours \_\_\_\_\_ reduced \_\_\_\_\_.

\_\_\_\_\_ tracked regularly at peak \_\_\_\_\_ to check \_\_\_\_\_ speeds?

Do \_\_\_\_\_ at peak time \_\_\_\_\_ order to \_\_\_\_\_ speed?

\_\_\_\_\_ you \_\_\_\_\_ during peak \_\_\_\_\_ to ensure less \_\_\_\_\_?

\_\_\_\_\_ you look at \_\_\_\_\_ traffic frequently \_\_\_\_\_ busiest \_\_\_\_\_ to make \_\_\_\_\_ stays on \_\_\_\_\_ less?

\_\_\_\_\_ often \_\_\_\_\_ you observe \_\_\_\_\_ traffic for \_\_\_\_\_ during peak \_\_\_\_\_?

Do you \_\_\_\_\_ decrease in speed \_\_\_\_\_ network \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ network \_\_\_\_\_ at \_\_\_\_\_ times to check \_\_\_\_\_ reduced \_\_\_\_\_?

Are your \_\_\_\_\_ traffic \_\_\_\_\_ times \_\_\_\_\_ you \_\_\_\_\_ check for \_\_\_\_\_ speed?

How \_\_\_\_\_ necessary \_\_\_\_\_ examine \_\_\_\_\_ in \_\_\_\_\_ network sector during times of high \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ on the peak hours of \_\_\_\_\_ to \_\_\_\_\_ if it's \_\_\_\_\_?

I want \_\_\_\_\_ network \_\_\_\_\_ is assessed \_\_\_\_\_ throughput at \_\_\_\_\_ hours.

\_\_\_\_\_ check \_\_\_\_\_ during \_\_\_\_\_ to make sure it \_\_\_\_\_ at a reduced speed?

Do you \_\_\_\_\_ network \_\_\_\_\_ frequently \_\_\_\_\_ the busiest \_\_\_\_\_ to \_\_\_\_\_ speeds?

Do you \_\_\_\_\_ for traffic \_\_\_\_\_ peak periods \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ often \_\_\_\_\_ if Network \_\_\_\_\_ been evaluated \_\_\_\_\_ peak hours?

How frequently \_\_\_\_\_ you assess network \_\_\_\_\_ prime time to \_\_\_\_\_?

To analyze reduced \_\_\_\_\_ incidence state, \_\_\_\_\_ network \_\_\_\_\_ peak hours?

During \_\_\_\_\_ hours, \_\_\_\_\_ often \_\_\_\_\_ you evaluate network \_\_\_\_\_ reduced \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ during busy \_\_\_\_\_ to ensure \_\_\_\_\_ throughput is \_\_\_\_\_ impeded?

\_\_\_\_\_ as \_\_\_\_\_ Network traffic was evaluated during \_\_\_\_\_ hours?

I want \_\_\_\_\_ know \_\_\_\_\_ evaluated for reduced \_\_\_\_\_ in \_\_\_\_\_ hours.

How often \_\_\_\_\_ you check network traffic \_\_\_\_\_ there \_\_\_\_\_ throughput?

\_\_\_\_\_ check network \_\_\_\_\_ on a \_\_\_\_\_ during busy \_\_\_\_\_?

Do \_\_\_\_\_ network traffic at \_\_\_\_\_ times \_\_\_\_\_ throughput \_\_\_\_\_ reduced?

\_\_\_\_\_ it \_\_\_\_\_ to \_\_\_\_\_ network \_\_\_\_\_ periodically during \_\_\_\_\_ hours to check \_\_\_\_\_ speed?

\_\_\_\_\_ look at network \_\_\_\_\_ hours \_\_\_\_\_ make \_\_\_\_\_ at a reduced speed?

What \_\_\_\_\_ Frequency \_\_\_\_\_ Examination \_\_\_\_\_ throughput in a loaded \_\_\_\_\_ sector \_\_\_\_\_ times \_\_\_\_\_ demand volumes?

Do you \_\_\_\_\_ network traffic \_\_\_\_\_ slow \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ on your network during peak \_\_\_\_\_?

\_\_\_\_\_ watch \_\_\_\_\_ peak hours \_\_\_\_\_ flow \_\_\_\_\_ if it's slow?

Is \_\_\_\_\_ evaluate \_\_\_\_\_ periodically during peak hours to \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ much do \_\_\_\_\_ monitor \_\_\_\_\_ traffic \_\_\_\_\_ during crowded \_\_\_\_\_ for \_\_\_\_\_ efficiency?

\_\_\_\_\_ the peak \_\_\_\_\_ traffic \_\_\_\_\_ decreased \_\_\_\_\_.

Do you watch for \_\_\_\_\_ peak \_\_\_\_\_ reduce \_\_\_\_\_?

Are \_\_\_\_\_ looking at network traffic \_\_\_\_\_ the busiest hours to \_\_\_\_\_ speeds?

\_\_\_\_\_ take place during high-volume intervals \_\_\_\_\_ assess \_\_\_\_\_ data \_\_\_\_\_ occurs?

\_\_\_\_\_ you \_\_\_\_\_ network \_\_\_\_\_ during prime \_\_\_\_\_ to see if there is \_\_\_\_\_ efficiency?

Is \_\_\_\_\_ traffic tracked \_\_\_\_\_ to ensure reduced speed?

\_\_\_\_\_ peak times is \_\_\_\_\_ monitoring \_\_\_\_\_ to \_\_\_\_\_ speed?

To \_\_\_\_ if a \_\_\_\_ efficiency is true, do you measure \_\_\_\_?

\_\_\_\_ in throughput \_\_\_\_ network traffic has been evaluated during \_\_\_\_.

I \_\_\_\_ to know if \_\_\_\_ for \_\_\_\_ during peak hours.

Do you \_\_\_\_ traffic \_\_\_\_ busiest \_\_\_\_ to \_\_\_\_ sure \_\_\_\_ a reduced speed?

How often \_\_\_\_ you \_\_\_\_ peak-hour \_\_\_\_ usage for potential \_\_\_\_?

\_\_\_\_ measure \_\_\_\_ the prime time to \_\_\_\_ if \_\_\_\_ going down?

\_\_\_\_ times do \_\_\_\_ watch \_\_\_\_ peak hour network \_\_\_\_ of decreased throughput?

Reductions in throughput \_\_\_\_ as \_\_\_\_ traffic \_\_\_\_ been \_\_\_\_ during \_\_\_\_ hours?

\_\_\_\_ you \_\_\_\_ track \_\_\_\_ speed \_\_\_\_ network traffic during the peak \_\_\_\_?

\_\_\_\_ network traffic at peak \_\_\_\_ to check \_\_\_\_?

Are your \_\_\_\_ traffic \_\_\_\_ regularly \_\_\_\_ peak \_\_\_\_ check \_\_\_\_ speeds?

If \_\_\_\_ a decrease \_\_\_\_ efficiency do \_\_\_\_ measure \_\_\_\_ traffic \_\_\_\_ the \_\_\_\_?

Do \_\_\_\_ check \_\_\_\_ bandwidth constantly during busy \_\_\_\_ to \_\_\_\_ not \_\_\_\_?

Do \_\_\_\_ check network \_\_\_\_ during busy hours \_\_\_\_ sure \_\_\_\_ incur limits?

\_\_\_\_ look at \_\_\_\_ peak hours if there \_\_\_\_ as \_\_\_\_ throughput?

\_\_\_\_ you check \_\_\_\_ a decrease \_\_\_\_ network \_\_\_\_ during \_\_\_\_?

\_\_\_\_ you keep track of \_\_\_\_ network \_\_\_\_ the \_\_\_\_ hours?

How often \_\_\_\_ to \_\_\_\_ reduced \_\_\_\_ in \_\_\_\_ loaded network sector \_\_\_\_ great demand?

\_\_\_\_ you watch traffic \_\_\_\_ during \_\_\_\_ periods?

Can \_\_\_\_ the network traffic during \_\_\_\_ to \_\_\_\_ a \_\_\_\_?

Do \_\_\_\_ evaluate during peak \_\_\_\_?

\_\_\_\_ you check for \_\_\_\_ reduction in \_\_\_\_ hours?

Do \_\_\_\_ a decrease in speed \_\_\_\_ peak \_\_\_\_?

Do you check network \_\_\_\_ during \_\_\_\_ to \_\_\_\_ throughput \_\_\_\_ disrupted?

I \_\_\_\_ traffic is \_\_\_\_ during peak \_\_\_\_ but can \_\_\_\_ give \_\_\_\_ an exact \_\_\_\_?

What times should \_\_\_\_ peak \_\_\_\_ traffic for \_\_\_\_?

Do \_\_\_\_ for a \_\_\_\_ in \_\_\_\_ during \_\_\_\_ times on \_\_\_\_?

\_\_\_\_ you check \_\_\_\_ downs during busy periods?

At high \_\_\_\_ there \_\_\_\_ on reduced throughput?

\_\_\_\_ you \_\_\_\_ bandwidth \_\_\_\_ during busy \_\_\_\_?

How much do you assess \_\_\_\_ for \_\_\_\_ in \_\_\_\_?

\_\_\_\_ you \_\_\_\_ constantly \_\_\_\_ periods to \_\_\_\_ sure that throughput is \_\_\_\_ hampered?

How \_\_\_\_ you \_\_\_\_ during \_\_\_\_ time \_\_\_\_ possible decrease in efficiency?

Can you \_\_\_\_ traffic during peak \_\_\_\_ ensure \_\_\_\_?

\_\_\_\_ your network traffic monitored \_\_\_\_ at \_\_\_\_ time \_\_\_\_ speed?

\_\_\_\_ your \_\_\_\_ tracked at peak \_\_\_\_ slower speeds?

I am curious \_\_\_\_ traffic during \_\_\_\_ is \_\_\_\_ reduced \_\_\_\_.

Are your \_\_\_\_ tracked on a \_\_\_\_ basis \_\_\_\_ speed?

Do \_\_\_\_ the \_\_\_\_ hours \_\_\_\_ make sure it \_\_\_\_ at reduced speeds?

What \_\_\_\_ rate of \_\_\_\_ for \_\_\_\_ in a \_\_\_\_ network sector during periods \_\_\_\_ high \_\_\_\_?

How \_\_\_\_ you check \_\_\_\_ on crowded periods \_\_\_\_ compromised \_\_\_\_?

\_\_\_\_ you \_\_\_\_ at \_\_\_\_ during \_\_\_\_ ensure it's on a path \_\_\_\_ less?

\_\_\_\_ peak hours, \_\_\_\_ traffic be evaluated \_\_\_\_ the \_\_\_\_ monitored \_\_\_\_ frequently?

Is \_\_\_\_ possible to \_\_\_\_ traffic to make sure it \_\_\_\_ busy \_\_\_\_?

\_\_\_\_ reductions monitored often during \_\_\_\_ hours?

\_\_\_\_ network traffic \_\_\_\_ peak \_\_\_\_ check for slower speeds?

Can you \_\_\_\_ traffic \_\_\_\_ times to \_\_\_\_ throughput?

\_\_\_\_ traffic \_\_\_\_ during peak hours \_\_\_\_ check for less \_\_\_\_?

Is \_\_\_\_ alright \_\_\_\_ network \_\_\_\_ during peak \_\_\_\_ to check \_\_\_\_ speed?

Do \_\_\_\_ track network \_\_\_\_ regularly at \_\_\_\_ time \_\_\_\_ ensure \_\_\_\_?

How often do \_\_\_\_\_ network usage during \_\_\_\_\_ hours \_\_\_\_\_ a \_\_\_\_\_?

\_\_\_\_\_ network traffic for \_\_\_\_\_ throughput.

Do you \_\_\_\_\_ network \_\_\_\_\_ busiest hours to make sure it's \_\_\_\_\_ reduced \_\_\_\_\_?

Are \_\_\_\_\_ throughput reductions \_\_\_\_\_ during \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ investigations during \_\_\_\_\_ if reduced \_\_\_\_\_ transmission occurs?

\_\_\_\_\_ network throughput reductions \_\_\_\_\_ monitored during \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ the \_\_\_\_\_ traffic during peak time \_\_\_\_\_ less throughput?

Do you monitor \_\_\_\_\_ traffic at peak \_\_\_\_\_ reduced \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ network traffic \_\_\_\_\_ for reduced throughput during peak \_\_\_\_\_.

Do you \_\_\_\_\_ check \_\_\_\_\_ bandwidth \_\_\_\_\_ busy periods \_\_\_\_\_ sure \_\_\_\_\_ don't go \_\_\_\_\_?

\_\_\_\_\_ often do you \_\_\_\_\_ and \_\_\_\_\_ network traffic \_\_\_\_\_ reduced throughput \_\_\_\_\_?

I \_\_\_\_\_ like \_\_\_\_\_ know if \_\_\_\_\_ traffic \_\_\_\_\_ is evaluated \_\_\_\_\_ reduced \_\_\_\_\_.

\_\_\_\_\_ network \_\_\_\_\_ tracked at \_\_\_\_\_ to ensure a \_\_\_\_\_ speed?

\_\_\_\_\_ do \_\_\_\_\_ peak-hour network usage \_\_\_\_\_ potential decreases \_\_\_\_\_ speed?

Do \_\_\_\_\_ frequently \_\_\_\_\_ busy \_\_\_\_\_ to ensure throughputs don't go \_\_\_\_\_?

\_\_\_\_\_ watch \_\_\_\_\_ during peak times to \_\_\_\_\_ throughput?

Do \_\_\_\_\_ check \_\_\_\_\_ bandwidth constantly \_\_\_\_\_ busy \_\_\_\_\_ to \_\_\_\_\_ throughput \_\_\_\_\_ impeded?

During peak \_\_\_\_\_ would \_\_\_\_\_ traffic be evaluated \_\_\_\_\_ be \_\_\_\_\_ monitored?

\_\_\_\_\_ you watch \_\_\_\_\_ traffic \_\_\_\_\_ times to \_\_\_\_\_ throughput?

\_\_\_\_\_ you \_\_\_\_\_ network traffic \_\_\_\_\_ peak time \_\_\_\_\_ ensure \_\_\_\_\_ speed?

\_\_\_\_\_ network traffic assessed for \_\_\_\_\_ throughput \_\_\_\_\_ the peak \_\_\_\_\_?

Do you \_\_\_\_\_ network traffic during \_\_\_\_\_ busiest hours to \_\_\_\_\_ a \_\_\_\_\_ speed?

Do \_\_\_\_\_ assessments on \_\_\_\_\_ throughput \_\_\_\_\_ high \_\_\_\_\_ hours?

\_\_\_\_\_ monitored \_\_\_\_\_ during \_\_\_\_\_ as if network traffic \_\_\_\_\_ evaluated?

Is \_\_\_\_\_ possible \_\_\_\_\_ observe network traffic \_\_\_\_\_ times \_\_\_\_\_ lower \_\_\_\_\_?

\_\_\_\_\_ you notice the \_\_\_\_\_ to find out if \_\_\_\_\_ slow?

\_\_\_\_\_ you measure network traffic \_\_\_\_\_ prime \_\_\_\_\_ to find \_\_\_\_\_ if a \_\_\_\_\_ in \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ traffic be \_\_\_\_\_ periodically \_\_\_\_\_ hours to check \_\_\_\_\_ speed?

\_\_\_\_\_ am \_\_\_\_\_ if network \_\_\_\_\_ during peak times \_\_\_\_\_ for \_\_\_\_\_.

\_\_\_\_\_ your \_\_\_\_\_ traffic tracked \_\_\_\_\_ at \_\_\_\_\_ times \_\_\_\_\_ reduce \_\_\_\_\_?

\_\_\_\_\_ during peak \_\_\_\_\_ to reduce throughput?

\_\_\_\_\_ you watch \_\_\_\_\_ for \_\_\_\_\_ times \_\_\_\_\_ reduce \_\_\_\_\_?

How \_\_\_\_\_ would you look \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ is \_\_\_\_\_ throughput?

\_\_\_\_\_ you \_\_\_\_\_ at network traffic \_\_\_\_\_ hours \_\_\_\_\_ make sure it's on \_\_\_\_\_ path \_\_\_\_\_ less?

\_\_\_\_\_ you \_\_\_\_\_ hours \_\_\_\_\_ flow to see \_\_\_\_\_ it's slow?

During \_\_\_\_\_ would throughput \_\_\_\_\_ frequently and would \_\_\_\_\_ be evaluated?

How \_\_\_\_\_ monitor \_\_\_\_\_ appraise \_\_\_\_\_ ramifications \_\_\_\_\_ crowded periods for compromised bandwidth \_\_\_\_\_?

\_\_\_\_\_ often \_\_\_\_\_ you check peak hour \_\_\_\_\_ potential \_\_\_\_\_ speed?

\_\_\_\_\_ watch the \_\_\_\_\_ hours of \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ is slow?

Is \_\_\_\_\_ okay to \_\_\_\_\_ network traffic \_\_\_\_\_ during peak hours \_\_\_\_\_?

\_\_\_\_\_ traffic tracked at peak times to \_\_\_\_\_ it \_\_\_\_\_?

Are \_\_\_\_\_ regularly \_\_\_\_\_ peak times to \_\_\_\_\_ reduced \_\_\_\_\_?

\_\_\_\_\_ look \_\_\_\_\_ network traffic \_\_\_\_\_ during peak \_\_\_\_\_ make \_\_\_\_\_ at reduced speeds?

Is \_\_\_\_\_ network \_\_\_\_\_ monitored \_\_\_\_\_ peak \_\_\_\_\_ to check \_\_\_\_\_ speed?

How frequently \_\_\_\_\_ you assess network \_\_\_\_\_ prime \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ a decrease \_\_\_\_\_?

Can \_\_\_\_\_ watch \_\_\_\_\_ during peak \_\_\_\_\_ and ensure less \_\_\_\_\_?

\_\_\_\_\_ regular assessments \_\_\_\_\_ on reduced throughput \_\_\_\_\_ usage \_\_\_\_\_?

\_\_\_\_\_ look \_\_\_\_\_ network traffic \_\_\_\_\_ the busiest \_\_\_\_\_ is on a path to less?

I'm \_\_\_\_\_ network \_\_\_\_\_ during peak \_\_\_\_\_ is \_\_\_\_\_ reduced throughput.

\_\_\_\_\_ you keeping \_\_\_\_\_ of \_\_\_\_\_ traffic \_\_\_\_\_ to reduce speed?

How often would you \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ as much throughput?

During \_\_\_\_\_ would \_\_\_\_\_ traffic be evaluated \_\_\_\_\_ could throughput \_\_\_\_\_ more \_\_\_\_\_?

Is \_\_\_\_\_ something to check network \_\_\_\_\_ frequently to \_\_\_\_\_ down during \_\_\_\_\_?

\_\_\_\_\_ peak-hour network flow to \_\_\_\_\_ if it is \_\_\_\_\_?

What times \_\_\_\_\_ you \_\_\_\_\_ peak hour traffic \_\_\_\_\_?

\_\_\_\_\_ network throughput \_\_\_\_\_ monitored as the \_\_\_\_\_ was \_\_\_\_\_ during \_\_\_\_\_ hours?

\_\_\_\_\_ you \_\_\_\_\_ frequently \_\_\_\_\_ busiest hours to make sure it's at \_\_\_\_\_?

Do you always check network \_\_\_\_\_ busy \_\_\_\_\_ throughput \_\_\_\_\_ not \_\_\_\_\_?

Do you \_\_\_\_\_ regularly during \_\_\_\_\_ hours to make \_\_\_\_\_ it's at \_\_\_\_\_ reduced \_\_\_\_\_?

Do \_\_\_\_\_ check for a \_\_\_\_\_ in \_\_\_\_\_ peak \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ eye on \_\_\_\_\_ hours of \_\_\_\_\_ flow to \_\_\_\_\_ out if \_\_\_\_\_ slow?

\_\_\_\_\_ throughput reductions \_\_\_\_\_ during peak \_\_\_\_\_?

Are \_\_\_\_\_ traffic tracked \_\_\_\_\_ peak \_\_\_\_\_ to \_\_\_\_\_ reduced \_\_\_\_\_?

Do \_\_\_\_\_ check \_\_\_\_\_ issues \_\_\_\_\_ it down during busy times?

Do you \_\_\_\_\_ check \_\_\_\_\_ reduced speed \_\_\_\_\_ the \_\_\_\_\_ during \_\_\_\_\_?

Do you check \_\_\_\_\_ traffic \_\_\_\_\_ the \_\_\_\_\_ hours \_\_\_\_\_ it is \_\_\_\_\_ path to less?

\_\_\_\_\_ is the Frequency \_\_\_\_\_ evaluating reduced throughput in a \_\_\_\_\_ network sector during \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ your network traffic at \_\_\_\_\_ speed?

\_\_\_\_\_ watch \_\_\_\_\_ a \_\_\_\_\_ during the peak hours?

\_\_\_\_\_ network bandwidth frequently \_\_\_\_\_ to ensure that throughputs \_\_\_\_\_ not \_\_\_\_\_ down?

\_\_\_\_\_ check network \_\_\_\_\_ continuously during \_\_\_\_\_ to make \_\_\_\_\_ throughputs \_\_\_\_\_ not \_\_\_\_\_ down?

I'm curious to know \_\_\_\_\_ network traffic \_\_\_\_\_ reduced \_\_\_\_\_ during \_\_\_\_\_.

\_\_\_\_\_ look at network traffic frequently during the \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ road to \_\_\_\_\_?

Are your \_\_\_\_\_ peak times \_\_\_\_\_ for slower speeds?

Do \_\_\_\_\_ traffic during peak \_\_\_\_\_ reduce throughput?

\_\_\_\_\_ your network \_\_\_\_\_ during peak time to \_\_\_\_\_ speed?

\_\_\_\_\_ times \_\_\_\_\_ you \_\_\_\_\_ peak \_\_\_\_\_ traffic to keep a check \_\_\_\_\_?

Do you \_\_\_\_\_ during \_\_\_\_\_ when \_\_\_\_\_ may be limited?

\_\_\_\_\_ do \_\_\_\_\_ track \_\_\_\_\_ traffic with reduced throughput during \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ the \_\_\_\_\_ bandwidth constantly \_\_\_\_\_ busy \_\_\_\_\_ to ensure that \_\_\_\_\_ limits?

Is \_\_\_\_\_ to \_\_\_\_\_ traffic to \_\_\_\_\_ it \_\_\_\_\_ down during busy periods?

\_\_\_\_\_ you regularly check \_\_\_\_\_ functioning \_\_\_\_\_ busy \_\_\_\_\_?

\_\_\_\_\_ you regularly look \_\_\_\_\_ network traffic \_\_\_\_\_ busiest \_\_\_\_\_ to make sure \_\_\_\_\_ at \_\_\_\_\_?

Are you able \_\_\_\_\_ traffic \_\_\_\_\_ peak \_\_\_\_\_ to \_\_\_\_\_ throughput?

\_\_\_\_\_ traffic \_\_\_\_\_ be \_\_\_\_\_ peak hours for reduced \_\_\_\_\_.

\_\_\_\_\_ you checked peak-hour network \_\_\_\_\_ if it's \_\_\_\_\_?

\_\_\_\_\_ often do \_\_\_\_\_ evaluations during \_\_\_\_\_ for decreased \_\_\_\_\_?

If \_\_\_\_\_ decrease in efficiency, \_\_\_\_\_ network traffic \_\_\_\_\_ the \_\_\_\_\_ time?

\_\_\_\_\_ traffic tracked \_\_\_\_\_ peak times \_\_\_\_\_ if it \_\_\_\_\_ down?

During \_\_\_\_\_ do \_\_\_\_\_ check \_\_\_\_\_ to \_\_\_\_\_ sure that throughputs do \_\_\_\_\_ down?

Are \_\_\_\_\_ network \_\_\_\_\_ tracked \_\_\_\_\_ to ensure \_\_\_\_\_ speeds?

\_\_\_\_\_ for a \_\_\_\_\_ in speed \_\_\_\_\_ peak hour?

How \_\_\_\_\_ you \_\_\_\_\_ traffic during peak hours, \_\_\_\_\_ throughput \_\_\_\_\_ not \_\_\_\_\_ high?

Do \_\_\_\_\_ network bandwidth \_\_\_\_\_ busy \_\_\_\_\_ to \_\_\_\_\_ sure throughput \_\_\_\_\_ disrupted?

\_\_\_\_\_ hours, \_\_\_\_\_ network \_\_\_\_\_ reductions constantly \_\_\_\_\_?

How do you \_\_\_\_\_ peak hour traffic \_\_\_\_\_ a \_\_\_\_\_?

What \_\_\_\_\_ the number of times \_\_\_\_\_ network \_\_\_\_\_ examined \_\_\_\_\_ of high \_\_\_\_\_?

\_\_\_\_\_ decreased \_\_\_\_\_ in \_\_\_\_\_ of your evaluations during peak traffic?

Is \_\_\_\_\_ okay to evaluate \_\_\_\_\_ traffic \_\_\_\_\_ during \_\_\_\_\_ slower speeds?

\_\_\_\_\_ decrease \_\_\_\_\_ possible, do \_\_\_\_\_ network traffic \_\_\_\_\_ the prime time?



Do \_\_\_\_ look at network \_\_\_\_ frequently during \_\_\_\_ hours to \_\_\_\_ it's \_\_\_\_ path \_\_\_\_?

Are you always looking \_\_\_\_ network traffic \_\_\_\_ busiest \_\_\_\_ is at a reduced \_\_\_\_?

\_\_\_\_ look at network traffic during \_\_\_\_ to \_\_\_\_ low \_\_\_\_?

Do \_\_\_\_ at network traffic frequently \_\_\_\_ hours to make \_\_\_\_ on a way \_\_\_\_?

\_\_\_\_ network \_\_\_\_ be \_\_\_\_ and \_\_\_\_ throughput monitored more often?

How \_\_\_\_ peak \_\_\_\_ for decreased throughput in \_\_\_\_?

During \_\_\_\_ hours, would \_\_\_\_ its throughput be \_\_\_\_ more frequently?

Are \_\_\_\_ periods to \_\_\_\_ sure that throughputs \_\_\_\_ not go down?

\_\_\_\_ check network \_\_\_\_ frequently \_\_\_\_ the \_\_\_\_ to make sure \_\_\_\_ at \_\_\_\_ speeds?

\_\_\_\_ hours would \_\_\_\_ traffic \_\_\_\_ the throughput monitored \_\_\_\_ often?

\_\_\_\_ your \_\_\_\_ at peak times to \_\_\_\_ for \_\_\_\_ reduction?

Can \_\_\_\_ ensure less \_\_\_\_ by \_\_\_\_ network \_\_\_\_ during \_\_\_\_ times?

Do \_\_\_\_ look for network \_\_\_\_ frequently \_\_\_\_ the \_\_\_\_ hours \_\_\_\_ sure \_\_\_\_ at \_\_\_\_ speed?

Can you \_\_\_\_ the \_\_\_\_ peak \_\_\_\_ to \_\_\_\_ throughput?

Are you \_\_\_\_ to see \_\_\_\_ it's slow?

\_\_\_\_ traffic was evaluated during peak \_\_\_\_ was often \_\_\_\_?

\_\_\_\_ you check network traffic \_\_\_\_ see what works \_\_\_\_ peak \_\_\_\_ how \_\_\_\_ decrease \_\_\_\_?

\_\_\_\_ you watch traffic \_\_\_\_ the peak \_\_\_\_ reduce \_\_\_\_?

\_\_\_\_ sometimes \_\_\_\_ network \_\_\_\_ during the \_\_\_\_ hours to make sure \_\_\_\_ is \_\_\_\_ reduced \_\_\_\_?

What is \_\_\_\_ examination for evaluating reduced \_\_\_\_ a loaded \_\_\_\_ during \_\_\_\_ high \_\_\_\_?

\_\_\_\_ at network traffic frequently during \_\_\_\_ busiest hours \_\_\_\_ make sure \_\_\_\_ on \_\_\_\_ less?

\_\_\_\_ the peak hours \_\_\_\_ network \_\_\_\_ to \_\_\_\_ if it's \_\_\_\_?

\_\_\_\_ wondering \_\_\_\_ traffic is evaluated during \_\_\_\_ for \_\_\_\_ throughput.

\_\_\_\_ there regular assessment of \_\_\_\_ throughput \_\_\_\_ hours?

I \_\_\_\_ the \_\_\_\_ traffic is assessed \_\_\_\_ reduce \_\_\_\_ during \_\_\_\_ hours, but \_\_\_\_ give me \_\_\_\_?

Do \_\_\_\_ look \_\_\_\_ network traffic frequently \_\_\_\_ busiest hours \_\_\_\_ certain it's \_\_\_\_ a \_\_\_\_ less?

\_\_\_\_ investigations occur during high-volume intervals \_\_\_\_ if \_\_\_\_ is reduced \_\_\_\_?

\_\_\_\_ what \_\_\_\_ do you \_\_\_\_ traffic \_\_\_\_ periods for compromised \_\_\_\_ efficiency?

\_\_\_\_ do \_\_\_\_ look at \_\_\_\_ hour traffic for \_\_\_\_ in \_\_\_\_?

\_\_\_\_ check \_\_\_\_ during busy times \_\_\_\_ sure throughputs \_\_\_\_ go down?

Are \_\_\_\_ check reduced \_\_\_\_ at peak \_\_\_\_?

\_\_\_\_ you check for \_\_\_\_ speed \_\_\_\_ busiest hours?

How \_\_\_\_ detect network traffic that \_\_\_\_ reduced \_\_\_\_ hours?

Is it okay \_\_\_\_ network traffic \_\_\_\_ hours to check \_\_\_\_ speed?

\_\_\_\_ you watch \_\_\_\_ during \_\_\_\_ hours to \_\_\_\_ throughput?

I'm curious \_\_\_\_ if network \_\_\_\_ is \_\_\_\_ reduced throughput during \_\_\_\_.

Are \_\_\_\_ constantly tracked at \_\_\_\_ times to \_\_\_\_ for \_\_\_\_?

Do you ensure less \_\_\_\_ periods by \_\_\_\_?

Do \_\_\_\_ network traffic \_\_\_\_ peak times to \_\_\_\_?

\_\_\_\_ often \_\_\_\_ you check \_\_\_\_ traffic \_\_\_\_ even though \_\_\_\_ not as \_\_\_\_ throughput?

How \_\_\_\_ can \_\_\_\_ reduced throughput during \_\_\_\_?

\_\_\_\_ network \_\_\_\_ monitored at peak times \_\_\_\_ for \_\_\_\_ speeds?

I \_\_\_\_ wondering \_\_\_\_ network traffic \_\_\_\_ peak hours \_\_\_\_ throughput.

Do \_\_\_\_ measure \_\_\_\_ the prime \_\_\_\_ order \_\_\_\_ determine if \_\_\_\_ decrease in efficiency \_\_\_\_ occurring?

I want \_\_\_\_ whether \_\_\_\_ is assessed \_\_\_\_ reduced \_\_\_\_ during \_\_\_\_ hours.

Do \_\_\_\_ check \_\_\_\_ bandwidth continuously during \_\_\_\_ ensure \_\_\_\_ not hampered?

How often \_\_\_\_ you \_\_\_\_ peak hours, even \_\_\_\_ there \_\_\_\_ as much \_\_\_\_?

I \_\_\_\_ curious on whether \_\_\_\_ traffic \_\_\_\_ evaluated for \_\_\_\_ peak \_\_\_\_.

Can you \_\_\_\_ the \_\_\_\_ times to ensure less \_\_\_\_?

\_\_\_\_ checking \_\_\_\_ speed on \_\_\_\_ network \_\_\_\_ peak times?

\_\_\_\_\_ network traffic tracked regularly at \_\_\_\_\_ to \_\_\_\_\_ ?  
 Do \_\_\_\_\_ for \_\_\_\_\_ in speed at peak \_\_\_\_\_  
 \_\_\_\_\_ traffic \_\_\_\_\_ periodically during peak \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ speeds?  
 \_\_\_\_\_ be \_\_\_\_\_ periodically during peak \_\_\_\_\_ check \_\_\_\_\_ reduced speeds?  
 \_\_\_\_\_ you watch \_\_\_\_\_ network traffic \_\_\_\_\_ times \_\_\_\_\_ cut \_\_\_\_\_ throughput?  
 \_\_\_\_\_ in \_\_\_\_\_ often \_\_\_\_\_ if network traffic has \_\_\_\_\_ evaluated during \_\_\_\_\_ hours?  
 Do \_\_\_\_\_ check for a \_\_\_\_\_ in \_\_\_\_\_ busy \_\_\_\_\_ ?  
 \_\_\_\_\_ looking at \_\_\_\_\_ busiest hours to make \_\_\_\_\_ it's at reduced \_\_\_\_\_ ?  
 Do you \_\_\_\_\_ network traffic in the \_\_\_\_\_ time to find \_\_\_\_\_ a \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ the network \_\_\_\_\_ peak times to \_\_\_\_\_ ?  
 \_\_\_\_\_ it okay for network \_\_\_\_\_ evaluated \_\_\_\_\_ during peak \_\_\_\_\_ check \_\_\_\_\_ reduced \_\_\_\_\_ ?  
 \_\_\_\_\_ network traffic during peak hours \_\_\_\_\_ if \_\_\_\_\_ is \_\_\_\_\_ ?  
 Are \_\_\_\_\_ monitored during \_\_\_\_\_ hours?  
 \_\_\_\_\_ curious \_\_\_\_\_ know \_\_\_\_\_ network traffic during peak \_\_\_\_\_ for \_\_\_\_\_ throughput.  
 Do you keep \_\_\_\_\_ eye \_\_\_\_\_ traffic during \_\_\_\_\_ times \_\_\_\_\_ ?  
 \_\_\_\_\_ curious \_\_\_\_\_ network traffic \_\_\_\_\_ evaluated \_\_\_\_\_ throughput during peak \_\_\_\_\_.  
 \_\_\_\_\_ do you \_\_\_\_\_ ramifications on crowded periods \_\_\_\_\_ bandwidth efficiency?  
 \_\_\_\_\_ times do you look \_\_\_\_\_ a decrease \_\_\_\_\_ throughput \_\_\_\_\_ ?  
 What \_\_\_\_\_ do you keep an \_\_\_\_\_ on \_\_\_\_\_ traffic \_\_\_\_\_ determine \_\_\_\_\_ effects \_\_\_\_\_ ?  
 Are \_\_\_\_\_ able \_\_\_\_\_ watch the network \_\_\_\_\_ peak \_\_\_\_\_ reduce \_\_\_\_\_ ?  
 I \_\_\_\_\_ curious \_\_\_\_\_ during \_\_\_\_\_ evaluated for reduced throughput.  
 \_\_\_\_\_ often \_\_\_\_\_ check network traffic in \_\_\_\_\_ time to find \_\_\_\_\_ there \_\_\_\_\_ decrease in \_\_\_\_\_ ?  
 Do \_\_\_\_\_ watch network \_\_\_\_\_ at peak \_\_\_\_\_ check \_\_\_\_\_ ?  
 \_\_\_\_\_ network \_\_\_\_\_ busy periods \_\_\_\_\_ make sure \_\_\_\_\_ throughput is not disrupted?  
 decreased \_\_\_\_\_ monitored often \_\_\_\_\_ ?  
 Do you look at the network traffic \_\_\_\_\_ during the busiest \_\_\_\_\_ ?  
 I know \_\_\_\_\_ network traffic is \_\_\_\_\_ reduce \_\_\_\_\_ peak hours, \_\_\_\_\_ you give \_\_\_\_\_ a \_\_\_\_\_ ?  
 I am aware \_\_\_\_\_ is assessed to \_\_\_\_\_ during peak \_\_\_\_\_ can you give \_\_\_\_\_ a \_\_\_\_\_ ?  
 \_\_\_\_\_ you \_\_\_\_\_ traffic in \_\_\_\_\_ prime time to \_\_\_\_\_ a \_\_\_\_\_ efficiency is \_\_\_\_\_ ?  
 \_\_\_\_\_ monitored \_\_\_\_\_ if Network traffic has \_\_\_\_\_ evaluated \_\_\_\_\_ peak hours?  
 Is \_\_\_\_\_ okay to periodically \_\_\_\_\_ for \_\_\_\_\_ speed \_\_\_\_\_ network \_\_\_\_\_ peak \_\_\_\_\_ ?  
 \_\_\_\_\_ you watch \_\_\_\_\_ traffic \_\_\_\_\_ peak times to \_\_\_\_\_ ?  
 Is it possible \_\_\_\_\_ bandwidth \_\_\_\_\_ periods to make sure \_\_\_\_\_ down?  
 \_\_\_\_\_ watch \_\_\_\_\_ peak \_\_\_\_\_ of \_\_\_\_\_ flow to see if it \_\_\_\_\_.  
 How much do you watch \_\_\_\_\_ appraise \_\_\_\_\_ crowded \_\_\_\_\_ compromised \_\_\_\_\_ ?  
 Is \_\_\_\_\_ to check network traffic \_\_\_\_\_ during peak \_\_\_\_\_ to see \_\_\_\_\_ speed?  
 Do you check \_\_\_\_\_ a \_\_\_\_\_ at \_\_\_\_\_ times?  
 Do \_\_\_\_\_ often \_\_\_\_\_ at network traffic during \_\_\_\_\_ hours \_\_\_\_\_ sure \_\_\_\_\_ at a \_\_\_\_\_ ?  
 Do \_\_\_\_\_ make \_\_\_\_\_ traffic is at \_\_\_\_\_ speeds \_\_\_\_\_ the \_\_\_\_\_ ?  
 Do you \_\_\_\_\_ on network \_\_\_\_\_ on crowded \_\_\_\_\_ for \_\_\_\_\_ bandwidth \_\_\_\_\_ ?  
 \_\_\_\_\_ check network bandwidth continuously \_\_\_\_\_ busy \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ do \_\_\_\_\_ go \_\_\_\_\_ ?  
 \_\_\_\_\_ you checking \_\_\_\_\_ traffic \_\_\_\_\_ that \_\_\_\_\_ down during busy \_\_\_\_\_ ?  
 \_\_\_\_\_ for a decrease \_\_\_\_\_ speed when network usage \_\_\_\_\_ ?  
 During \_\_\_\_\_ network throughput \_\_\_\_\_ continually \_\_\_\_\_ ?  
 How \_\_\_\_\_ you \_\_\_\_\_ peak-hour network \_\_\_\_\_ a decrease in \_\_\_\_\_ ?  
 Are \_\_\_\_\_ looking \_\_\_\_\_ frequently during \_\_\_\_\_ make sure \_\_\_\_\_ at reduced speeds?  
 \_\_\_\_\_ you check \_\_\_\_\_ constantly \_\_\_\_\_ busy \_\_\_\_\_ ensure that throughput \_\_\_\_\_ impacted?  
 Do you check \_\_\_\_\_ for \_\_\_\_\_ slow downs \_\_\_\_\_ ?  
 \_\_\_\_\_ assessments \_\_\_\_\_ reduced throughput at high usage \_\_\_\_\_ ?  
 \_\_\_\_\_ are network \_\_\_\_\_ watched often?

\_\_\_\_\_ tracked at peak time in \_\_\_\_\_ reduce speed?

Network traffic \_\_\_\_\_ slow down \_\_\_\_\_ busy \_\_\_\_\_ do \_\_\_\_\_?

Is it \_\_\_\_\_ to \_\_\_\_\_ constantly during \_\_\_\_\_ periods \_\_\_\_\_ ensure throughputs \_\_\_\_\_ down?

\_\_\_\_\_ always \_\_\_\_\_ network \_\_\_\_\_ to \_\_\_\_\_ sure \_\_\_\_\_ go down \_\_\_\_\_ busy periods?

\_\_\_\_\_ network traffic for \_\_\_\_\_ that might \_\_\_\_\_ down during \_\_\_\_\_ periods?

\_\_\_\_\_ eye on peak \_\_\_\_\_ network traffic to see \_\_\_\_\_ effects \_\_\_\_\_ throughput?

Do you \_\_\_\_\_ network \_\_\_\_\_ prime \_\_\_\_\_ to see \_\_\_\_\_ a \_\_\_\_\_ is occurring?

Is \_\_\_\_\_ network \_\_\_\_\_ at the peak \_\_\_\_\_ to ensure \_\_\_\_\_?

Can you \_\_\_\_\_ an \_\_\_\_\_ during \_\_\_\_\_ times \_\_\_\_\_ reduce throughput?

\_\_\_\_\_ evaluated periodically \_\_\_\_\_ peak hours to check \_\_\_\_\_ speed?

Do \_\_\_\_\_ watch \_\_\_\_\_ the \_\_\_\_\_ to reduce throughput?

\_\_\_\_\_ you monitor network traffic at \_\_\_\_\_ to \_\_\_\_\_ slower \_\_\_\_\_?

Do you \_\_\_\_\_ busy \_\_\_\_\_ make \_\_\_\_\_ throughputs do not go down?

\_\_\_\_\_ look \_\_\_\_\_ network traffic constantly \_\_\_\_\_ the \_\_\_\_\_ hours to \_\_\_\_\_ sure \_\_\_\_\_ is on a \_\_\_\_\_?

\_\_\_\_\_ should network traffic \_\_\_\_\_ decreased throughput?

Do \_\_\_\_\_ at \_\_\_\_\_ traffic \_\_\_\_\_ hours \_\_\_\_\_ make \_\_\_\_\_ it's at a slower \_\_\_\_\_?

Do you \_\_\_\_\_ network \_\_\_\_\_ during the busiest hours \_\_\_\_\_ at \_\_\_\_\_ speeds?

\_\_\_\_\_ are network throughput \_\_\_\_\_ monitored more \_\_\_\_\_?

\_\_\_\_\_ am wondering \_\_\_\_\_ during the peak \_\_\_\_\_ is \_\_\_\_\_ reduced throughput.

Do you \_\_\_\_\_ network traffic \_\_\_\_\_ hours \_\_\_\_\_ if it goes \_\_\_\_\_ less?

\_\_\_\_\_ look \_\_\_\_\_ network traffic \_\_\_\_\_ busiest \_\_\_\_\_ sure it is at a reduced speed?

\_\_\_\_\_ watch the \_\_\_\_\_ of \_\_\_\_\_ to see \_\_\_\_\_ it was slow?

Are you able to watch \_\_\_\_\_ during \_\_\_\_\_ and ensure \_\_\_\_\_?

How often \_\_\_\_\_ you \_\_\_\_\_ network \_\_\_\_\_ with \_\_\_\_\_ peak hours?

\_\_\_\_\_ you watch \_\_\_\_\_ periods to \_\_\_\_\_ less throughput?

During peak hours, network \_\_\_\_\_ assessed \_\_\_\_\_ reduce throughput, \_\_\_\_\_ give \_\_\_\_\_ figure?

What \_\_\_\_\_ at peak \_\_\_\_\_ a decrease in throughput?

Is it possible to observe \_\_\_\_\_ traffic \_\_\_\_\_ less throughput?

What \_\_\_\_\_ you \_\_\_\_\_ peak hour network \_\_\_\_\_ to determine \_\_\_\_\_ of \_\_\_\_\_ throughput?

Can you keep an \_\_\_\_\_ on \_\_\_\_\_ traffic during peak \_\_\_\_\_?

\_\_\_\_\_ your network traffic \_\_\_\_\_ regularly at \_\_\_\_\_ reduced speed?

\_\_\_\_\_ ok \_\_\_\_\_ evaluate \_\_\_\_\_ periodically \_\_\_\_\_ hours \_\_\_\_\_ check for speed reduction?

\_\_\_\_\_ you \_\_\_\_\_ at network traffic \_\_\_\_\_ during the \_\_\_\_\_ to \_\_\_\_\_ gets to \_\_\_\_\_?

\_\_\_\_\_ often \_\_\_\_\_ you \_\_\_\_\_ network traffic \_\_\_\_\_ peak \_\_\_\_\_ even though \_\_\_\_\_ not as much \_\_\_\_\_?

\_\_\_\_\_ your network \_\_\_\_\_ tracked regularly \_\_\_\_\_ ensure \_\_\_\_\_?

\_\_\_\_\_ network bandwidth during busy periods?

Do \_\_\_\_\_ check the network \_\_\_\_\_ during \_\_\_\_\_ periods \_\_\_\_\_ throughputs do not \_\_\_\_\_?

\_\_\_\_\_ traffic tracked frequently at peak \_\_\_\_\_ for reduced \_\_\_\_\_?

\_\_\_\_\_ network bandwidth constantly during \_\_\_\_\_ times \_\_\_\_\_ prevent throughputs from \_\_\_\_\_?

\_\_\_\_\_ do \_\_\_\_\_ see what works during \_\_\_\_\_ hours and to reduce \_\_\_\_\_?

Can \_\_\_\_\_ ensure less \_\_\_\_\_ and watch the \_\_\_\_\_ peak \_\_\_\_\_?

\_\_\_\_\_ of \_\_\_\_\_ on the network during the \_\_\_\_\_ hours?

\_\_\_\_\_ do you use \_\_\_\_\_ to \_\_\_\_\_ what \_\_\_\_\_ peak hours \_\_\_\_\_ how to reduce \_\_\_\_\_?

\_\_\_\_\_ network \_\_\_\_\_ tracked \_\_\_\_\_ time to ensure reduced \_\_\_\_\_?

\_\_\_\_\_ can network \_\_\_\_\_ reductions be monitored?

Do you check \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ speed \_\_\_\_\_?

Do you measure \_\_\_\_\_ to see if there \_\_\_\_\_ decrease in \_\_\_\_\_?

\_\_\_\_\_ times do you look for peak \_\_\_\_\_?

\_\_\_\_\_ you watch traffic during \_\_\_\_\_ reduce \_\_\_\_\_?

Do you keep \_\_\_\_\_ reduced \_\_\_\_\_ network \_\_\_\_\_ the \_\_\_\_\_ hours?

\_\_\_\_\_ often \_\_\_\_\_ you measure \_\_\_\_\_ traffic to \_\_\_\_\_ works \_\_\_\_\_ peak hour \_\_\_\_\_ to reduce \_\_\_\_\_?  
 \_\_\_\_\_ look at \_\_\_\_\_ traffic frequently \_\_\_\_\_ the busiest \_\_\_\_\_ make sure \_\_\_\_\_ is \_\_\_\_\_ reduced speed?  
 \_\_\_\_\_ you \_\_\_\_\_ network use during peak \_\_\_\_\_ potential decreases in \_\_\_\_\_?  
 Do you \_\_\_\_\_ busy times \_\_\_\_\_ make sure \_\_\_\_\_ don't \_\_\_\_\_ down?  
 Do \_\_\_\_\_ watch the traffic during peak \_\_\_\_\_?  
 How often \_\_\_\_\_ network traffic \_\_\_\_\_ peak \_\_\_\_\_ when \_\_\_\_\_ is \_\_\_\_\_ as much \_\_\_\_\_?  
 Is \_\_\_\_\_ a thing to \_\_\_\_\_ check \_\_\_\_\_ to make \_\_\_\_\_ it \_\_\_\_\_ busy periods?  
 \_\_\_\_\_ for a decreased \_\_\_\_\_ peak hours?  
 Do \_\_\_\_\_ check network traffic for \_\_\_\_\_ during \_\_\_\_\_?  
 Do \_\_\_\_\_ reduced \_\_\_\_\_ by watching traffic \_\_\_\_\_ peak?  
 \_\_\_\_\_ a \_\_\_\_\_ in speed at peak time?  
 How \_\_\_\_\_ do you measure \_\_\_\_\_ to see \_\_\_\_\_ hours \_\_\_\_\_ to reduce throughput?  
 \_\_\_\_\_ often do you \_\_\_\_\_ network \_\_\_\_\_ for peak \_\_\_\_\_ and how \_\_\_\_\_?  
 During peak hours, would network traffic be \_\_\_\_\_?  
 How \_\_\_\_\_ can \_\_\_\_\_ network \_\_\_\_\_ for \_\_\_\_\_ throughput during peak \_\_\_\_\_?  
 Do you check \_\_\_\_\_ for \_\_\_\_\_ peak times?  
 \_\_\_\_\_ do \_\_\_\_\_ monitor traffic \_\_\_\_\_ for compromised bandwidth efficiency?  
 \_\_\_\_\_ observe peak \_\_\_\_\_ network \_\_\_\_\_ to determine the effects \_\_\_\_\_ throughput?  
 \_\_\_\_\_ you constantly look \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ sure it \_\_\_\_\_ at reduced speeds?  
 Do \_\_\_\_\_ check \_\_\_\_\_ traffic \_\_\_\_\_ busiest hours \_\_\_\_\_ make sure \_\_\_\_\_ at slower \_\_\_\_\_?  
 \_\_\_\_\_ am curious to \_\_\_\_\_ if network \_\_\_\_\_ during \_\_\_\_\_ evaluated for \_\_\_\_\_.  
 Reduced \_\_\_\_\_ throughput \_\_\_\_\_ monitored \_\_\_\_\_ the \_\_\_\_\_ traffic was evaluated \_\_\_\_\_ hours?  
 Can you \_\_\_\_\_ network \_\_\_\_\_ during peak \_\_\_\_\_ decrease \_\_\_\_\_?  
 \_\_\_\_\_ in \_\_\_\_\_ monitored frequently \_\_\_\_\_ network \_\_\_\_\_ evaluated during peak \_\_\_\_\_  
 At \_\_\_\_\_ times, \_\_\_\_\_ done to check \_\_\_\_\_ speed?  
 \_\_\_\_\_ to know how often you assess \_\_\_\_\_ usage \_\_\_\_\_ decrease in \_\_\_\_\_.  
 Are you \_\_\_\_\_ in speed at peak \_\_\_\_\_?  
 \_\_\_\_\_ often \_\_\_\_\_ at network \_\_\_\_\_ during \_\_\_\_\_ when there isn't \_\_\_\_\_ much throughput?  
 \_\_\_\_\_ traffic tracked \_\_\_\_\_ during peak \_\_\_\_\_ to ensure reduced \_\_\_\_\_?  
 \_\_\_\_\_ look at network traffic \_\_\_\_\_ during \_\_\_\_\_ make sure \_\_\_\_\_ a reduced speed?  
 Is your network traffic \_\_\_\_\_ times \_\_\_\_\_ check \_\_\_\_\_ speed?  
 \_\_\_\_\_ times \_\_\_\_\_ you observe \_\_\_\_\_ traffic for \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ often \_\_\_\_\_ you \_\_\_\_\_ to find out \_\_\_\_\_ works in \_\_\_\_\_ how to cut throughput?  
 Do \_\_\_\_\_ the \_\_\_\_\_ traffic at peak \_\_\_\_\_ for \_\_\_\_\_?  
 In prime \_\_\_\_\_ how \_\_\_\_\_ you assess network \_\_\_\_\_ to \_\_\_\_\_ if \_\_\_\_\_ is a \_\_\_\_\_?  
 During peak \_\_\_\_\_ monitored more often?  
 \_\_\_\_\_ you observe \_\_\_\_\_ during the \_\_\_\_\_ periods to \_\_\_\_\_?  
 Do you \_\_\_\_\_ network traffic \_\_\_\_\_ during \_\_\_\_\_ to \_\_\_\_\_ sure it's \_\_\_\_\_ reduced \_\_\_\_\_?  
 Reducing \_\_\_\_\_ throughput \_\_\_\_\_ frequently \_\_\_\_\_ as \_\_\_\_\_ network traffic \_\_\_\_\_ during \_\_\_\_\_ hours?  
 \_\_\_\_\_ tell \_\_\_\_\_ times \_\_\_\_\_ network traffic is assessed \_\_\_\_\_ throughput?  
 Do you \_\_\_\_\_ at \_\_\_\_\_ traffic frequently during \_\_\_\_\_ at \_\_\_\_\_ slower speed?  
 How \_\_\_\_\_ do \_\_\_\_\_ traffic \_\_\_\_\_ what works \_\_\_\_\_ hours \_\_\_\_\_ how to reduce throughput?  
 I \_\_\_\_\_ know \_\_\_\_\_ network \_\_\_\_\_ for reduced throughput during \_\_\_\_\_ hours.  
 \_\_\_\_\_ you look at network \_\_\_\_\_ the busiest \_\_\_\_\_ make sure \_\_\_\_\_ is \_\_\_\_\_ reduced \_\_\_\_\_?  
 \_\_\_\_\_ network traffic \_\_\_\_\_ peak times to check \_\_\_\_\_ speed?  
 Is \_\_\_\_\_ throughput \_\_\_\_\_ peak hours?  
 Question: \_\_\_\_\_ the Frequency of \_\_\_\_\_ for evaluating \_\_\_\_\_ throughput \_\_\_\_\_ a \_\_\_\_\_ sector during periods of \_\_\_\_\_?  
 \_\_\_\_\_ peak \_\_\_\_\_ network flow to \_\_\_\_\_ if it is \_\_\_\_\_?  
 Do you \_\_\_\_\_ check \_\_\_\_\_ bandwidth \_\_\_\_\_ sure \_\_\_\_\_ down \_\_\_\_\_ busy times?  
 \_\_\_\_\_ would \_\_\_\_\_ monitored more frequently and network traffic \_\_\_\_\_?

\_\_\_\_\_ keep \_\_\_\_\_ eye on traffic \_\_\_\_\_ the peak \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ traffic at peak \_\_\_\_\_ to \_\_\_\_\_ throughput?  
 Do you \_\_\_\_\_ watch \_\_\_\_\_ traffic \_\_\_\_\_ peak \_\_\_\_\_ reduce throughput?  
 Do \_\_\_\_\_ look for \_\_\_\_\_ frequently \_\_\_\_\_ hours to make sure it's \_\_\_\_\_ reduced \_\_\_\_\_?  
 I am \_\_\_\_\_ to know \_\_\_\_\_ traffic during \_\_\_\_\_ hours is \_\_\_\_\_.  
 Do \_\_\_\_\_ traffic \_\_\_\_\_ hours to make sure it's slower?  
 \_\_\_\_\_ your \_\_\_\_\_ regularly during peak \_\_\_\_\_ to ensure \_\_\_\_\_ speed?  
 \_\_\_\_\_ in learning \_\_\_\_\_ network traffic during \_\_\_\_\_ hours \_\_\_\_\_ for reduced \_\_\_\_\_.  
 \_\_\_\_\_ you \_\_\_\_\_ traffic \_\_\_\_\_ peak times to \_\_\_\_\_ for \_\_\_\_\_ speed?  
 \_\_\_\_\_ it \_\_\_\_\_ good \_\_\_\_\_ periodically check for less \_\_\_\_\_ on \_\_\_\_\_ network \_\_\_\_\_ hours?  
 \_\_\_\_\_ able to \_\_\_\_\_ traffic at peak \_\_\_\_\_ to \_\_\_\_\_ speed?  
 Do \_\_\_\_\_ look at \_\_\_\_\_ during the busiest \_\_\_\_\_ make \_\_\_\_\_ that \_\_\_\_\_ on a path \_\_\_\_\_?  
 \_\_\_\_\_ you evaluate \_\_\_\_\_ decreased throughput during \_\_\_\_\_ traffic?  
 \_\_\_\_\_ you \_\_\_\_\_ for a \_\_\_\_\_ speed \_\_\_\_\_ it's busy?  
 Do you watch \_\_\_\_\_ ramifications on \_\_\_\_\_ bandwidth \_\_\_\_\_?  
 How frequently \_\_\_\_\_ you \_\_\_\_\_ reduced \_\_\_\_\_ during \_\_\_\_\_ hours?  
 \_\_\_\_\_ traffic for \_\_\_\_\_ slow it down during busy periods?  
 \_\_\_\_\_ you \_\_\_\_\_ network traffic during prime time to find out if there \_\_\_\_\_?  
 Do \_\_\_\_\_ check traffic during \_\_\_\_\_ less throughput?  
 \_\_\_\_\_ you \_\_\_\_\_ traffic \_\_\_\_\_ during \_\_\_\_\_ hours to \_\_\_\_\_ it's at reduced speeds?  
 \_\_\_\_\_ frequently do you \_\_\_\_\_ peak-hour network usage \_\_\_\_\_ decrease \_\_\_\_\_?  
 How frequently can \_\_\_\_\_ is \_\_\_\_\_ during peak hours?  
 \_\_\_\_\_ am \_\_\_\_\_ about whether \_\_\_\_\_ traffic is \_\_\_\_\_ throughput during peak \_\_\_\_\_.  
 \_\_\_\_\_ it \_\_\_\_\_ to check \_\_\_\_\_ traffic during peak times \_\_\_\_\_ lower \_\_\_\_\_?  
 \_\_\_\_\_ watch \_\_\_\_\_ periods for compromised bandwidth efficiency?  
 Reductions \_\_\_\_\_ throughput monitored frequently \_\_\_\_\_ peak \_\_\_\_\_ as \_\_\_\_\_ Network \_\_\_\_\_ evaluated \_\_\_\_\_ peak \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ network traffic ramifications on \_\_\_\_\_ periods for compromised \_\_\_\_\_?  
 \_\_\_\_\_ regularly \_\_\_\_\_ network traffic \_\_\_\_\_ busiest \_\_\_\_\_ to make \_\_\_\_\_ it's \_\_\_\_\_ slower speed?  
 \_\_\_\_\_ frequently is \_\_\_\_\_ to evaluate reduced \_\_\_\_\_ a loaded \_\_\_\_\_ sector \_\_\_\_\_ heaving demand volumes?  
 \_\_\_\_\_ you keep \_\_\_\_\_ eye \_\_\_\_\_ network \_\_\_\_\_ the \_\_\_\_\_ hours \_\_\_\_\_ make sure it's \_\_\_\_\_ speeds?  
 \_\_\_\_\_ it \_\_\_\_\_ regularly check \_\_\_\_\_ traffic \_\_\_\_\_ make sure \_\_\_\_\_ doesn't \_\_\_\_\_ down during \_\_\_\_\_?  
 Do \_\_\_\_\_ a reduction in speed \_\_\_\_\_ hours?  
 \_\_\_\_\_ it necessary \_\_\_\_\_ reduced throughput in \_\_\_\_\_ loaded \_\_\_\_\_ sector during \_\_\_\_\_ of \_\_\_\_\_ demand volumes?  
 Are \_\_\_\_\_ tracked \_\_\_\_\_ the peak time to \_\_\_\_\_ speed?  
 \_\_\_\_\_ able to watch \_\_\_\_\_ network \_\_\_\_\_ peak times \_\_\_\_\_ lower \_\_\_\_\_?  
 \_\_\_\_\_ much time \_\_\_\_\_ spend \_\_\_\_\_ traffic \_\_\_\_\_ to analyze \_\_\_\_\_ decrease in efficiency?  
 Do \_\_\_\_\_ network traffic \_\_\_\_\_ any issues that may slow \_\_\_\_\_?  
 \_\_\_\_\_ bandwidth constantly \_\_\_\_\_ periods to make sure throughput is \_\_\_\_\_?  
 I want to \_\_\_\_\_ often \_\_\_\_\_ usage for potential \_\_\_\_\_ speed.  
 Do you watch traffic \_\_\_\_\_ peak \_\_\_\_\_ for \_\_\_\_\_?  
 I \_\_\_\_\_ curious about if \_\_\_\_\_ traffic \_\_\_\_\_ evaluated for \_\_\_\_\_ peak \_\_\_\_\_.  
 \_\_\_\_\_ it possible \_\_\_\_\_ monitor \_\_\_\_\_ network \_\_\_\_\_ during \_\_\_\_\_ times to ensure \_\_\_\_\_?  
 How frequently do you \_\_\_\_\_ for \_\_\_\_\_ throughput?  
 \_\_\_\_\_ network traffic \_\_\_\_\_ frequently \_\_\_\_\_ times to \_\_\_\_\_ reduced speeds?  
 \_\_\_\_\_ often network \_\_\_\_\_ for \_\_\_\_\_ during peak hours.  
 Do \_\_\_\_\_ constantly \_\_\_\_\_ network bandwidth during \_\_\_\_\_ times \_\_\_\_\_ sure throughputs do \_\_\_\_\_?  
 Do \_\_\_\_\_ of network flow \_\_\_\_\_ determine \_\_\_\_\_ is slow?  
 Do \_\_\_\_\_ traffic \_\_\_\_\_ the prime \_\_\_\_\_ efficiency is going down?  
 Is \_\_\_\_\_ appropriate to \_\_\_\_\_ network \_\_\_\_\_ during peak \_\_\_\_\_ check for \_\_\_\_\_?  
 \_\_\_\_\_ know \_\_\_\_\_ is assessed to \_\_\_\_\_ throughput in peak hours, \_\_\_\_\_ can \_\_\_\_\_ give me \_\_\_\_\_?

\_\_\_\_\_ you look \_\_\_\_\_ network \_\_\_\_\_ frequently \_\_\_\_\_ busiest \_\_\_\_\_ to make \_\_\_\_\_ it is on \_\_\_\_\_ less?  
 Can \_\_\_\_\_ watch \_\_\_\_\_ during peak times to \_\_\_\_\_ lower \_\_\_\_\_?  
 \_\_\_\_\_ your \_\_\_\_\_ at peak times to check for \_\_\_\_\_?  
 Can \_\_\_\_\_ network traffic \_\_\_\_\_ peak \_\_\_\_\_ to ensure \_\_\_\_\_?  
 Do you \_\_\_\_\_ traffic for slow \_\_\_\_\_ busy \_\_\_\_\_.  
 \_\_\_\_\_ you keep an eye \_\_\_\_\_ the traffic \_\_\_\_\_ to \_\_\_\_\_?  
 \_\_\_\_\_ network throughput \_\_\_\_\_ monitored \_\_\_\_\_ during \_\_\_\_\_ hours?  
 Is it possible to watch \_\_\_\_\_ to ensure \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ traffic during \_\_\_\_\_ times to \_\_\_\_\_ less \_\_\_\_\_?  
 \_\_\_\_\_ you measure network \_\_\_\_\_ prime \_\_\_\_\_ to see \_\_\_\_\_ decreases \_\_\_\_\_ efficiency?  
 \_\_\_\_\_ look \_\_\_\_\_ network traffic \_\_\_\_\_ busiest hours to \_\_\_\_\_ sure it is \_\_\_\_\_ speed?  
 Do \_\_\_\_\_ look at \_\_\_\_\_ traffic \_\_\_\_\_ busiest hours to \_\_\_\_\_ sure \_\_\_\_\_ slower?  
 Do you check \_\_\_\_\_ a \_\_\_\_\_ in \_\_\_\_\_ when \_\_\_\_\_?  
 \_\_\_\_\_ okay \_\_\_\_\_ traffic \_\_\_\_\_ periodically during \_\_\_\_\_ hours \_\_\_\_\_ check for the reduction of speed?  
 \_\_\_\_\_ traffic was evaluated \_\_\_\_\_ peak hours, \_\_\_\_\_ in throughput be \_\_\_\_\_?  
 \_\_\_\_\_ measure network \_\_\_\_\_ prime \_\_\_\_\_ if \_\_\_\_\_ decrease in efficiency is possible?  
 \_\_\_\_\_ make sense to \_\_\_\_\_ network \_\_\_\_\_ periodically \_\_\_\_\_ peak \_\_\_\_\_ to \_\_\_\_\_ for \_\_\_\_\_ speed?  
 How do you \_\_\_\_\_ on crowded periods for \_\_\_\_\_ bandwidth \_\_\_\_\_?  
 \_\_\_\_\_ you look \_\_\_\_\_ network traffic \_\_\_\_\_ busiest \_\_\_\_\_ to make sure it is \_\_\_\_\_ to \_\_\_\_\_?  
 Do \_\_\_\_\_ network traffic \_\_\_\_\_ the \_\_\_\_\_ time to \_\_\_\_\_ the efficiency \_\_\_\_\_ down?  
 Are you constantly looking \_\_\_\_\_ traffic during \_\_\_\_\_ busiest \_\_\_\_\_ to \_\_\_\_\_ at a \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ look \_\_\_\_\_ a decrease in throughput \_\_\_\_\_ peak \_\_\_\_\_?  
 \_\_\_\_\_ Network \_\_\_\_\_ has \_\_\_\_\_ during \_\_\_\_\_ are \_\_\_\_\_ in throughput monitored often?  
 Can you \_\_\_\_\_ network traffic \_\_\_\_\_ for \_\_\_\_\_ throughput?  
 \_\_\_\_\_ hours, are \_\_\_\_\_ reductions \_\_\_\_\_?  
 \_\_\_\_\_ network bandwidth frequently during busy \_\_\_\_\_ sure \_\_\_\_\_ throughputs \_\_\_\_\_ incur limits?  
 How often do you \_\_\_\_\_ network traffic to see \_\_\_\_\_ works \_\_\_\_\_ how \_\_\_\_\_ throughput?  
 \_\_\_\_\_ you monitor and \_\_\_\_\_ traffic \_\_\_\_\_ on \_\_\_\_\_ compromised bandwidth \_\_\_\_\_?  
 Can you ensure lower throughput \_\_\_\_\_ network traffic \_\_\_\_\_?  
 \_\_\_\_\_ bandwidth constantly \_\_\_\_\_ busy periods \_\_\_\_\_ make sure \_\_\_\_\_ is not \_\_\_\_\_?  
 \_\_\_\_\_ look at network traffic during \_\_\_\_\_ busiest \_\_\_\_\_ make sure \_\_\_\_\_ at \_\_\_\_\_?  
 How often \_\_\_\_\_ check network traffic \_\_\_\_\_ check \_\_\_\_\_ a possible \_\_\_\_\_ in \_\_\_\_\_?  
 What is the rate of \_\_\_\_\_ evaluating reduced throughput \_\_\_\_\_ a \_\_\_\_\_ during \_\_\_\_\_?  
 \_\_\_\_\_ you regularly \_\_\_\_\_ at network traffic during \_\_\_\_\_ busiest hours to \_\_\_\_\_ sure it \_\_\_\_\_?  
 Do \_\_\_\_\_ watch the \_\_\_\_\_ hours \_\_\_\_\_ flow in \_\_\_\_\_ to see if \_\_\_\_\_?  
 Do you \_\_\_\_\_ the network \_\_\_\_\_ during peak \_\_\_\_\_ find \_\_\_\_\_ slow?  
 \_\_\_\_\_ your \_\_\_\_\_ monitored at \_\_\_\_\_ times \_\_\_\_\_ ensure \_\_\_\_\_ speed?  
 I'm curious \_\_\_\_\_ whether \_\_\_\_\_ traffic \_\_\_\_\_ hours is \_\_\_\_\_ for reduced \_\_\_\_\_.  
 \_\_\_\_\_ you look \_\_\_\_\_ during \_\_\_\_\_ busiest hours to see \_\_\_\_\_ reduced speeds?  
 Do \_\_\_\_\_ look at the network \_\_\_\_\_ frequently \_\_\_\_\_ busiest hours \_\_\_\_\_ sure it's \_\_\_\_\_ a \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ for \_\_\_\_\_ traffic \_\_\_\_\_ slow down during busy \_\_\_\_\_?  
 Do \_\_\_\_\_ to \_\_\_\_\_ traffic during peak \_\_\_\_\_ to \_\_\_\_\_ speeds?  
 Do \_\_\_\_\_ traffic \_\_\_\_\_ the \_\_\_\_\_ time in order to \_\_\_\_\_ if there \_\_\_\_\_ in efficiency?  
 \_\_\_\_\_ you check \_\_\_\_\_ network bandwidth constantly during \_\_\_\_\_ that throughputs \_\_\_\_\_ limits?  
 \_\_\_\_\_ frequently \_\_\_\_\_ it used to evaluate \_\_\_\_\_ throughput in \_\_\_\_\_ loaded \_\_\_\_\_ of \_\_\_\_\_ demand?  
 Reducing throughput \_\_\_\_\_ peak \_\_\_\_\_?  
 Do \_\_\_\_\_ check \_\_\_\_\_ network \_\_\_\_\_ for \_\_\_\_\_ speed \_\_\_\_\_ hours?  
 \_\_\_\_\_ monitoring network \_\_\_\_\_ at peak \_\_\_\_\_ to \_\_\_\_\_ throughput?  
 \_\_\_\_\_ often \_\_\_\_\_ at \_\_\_\_\_ peak \_\_\_\_\_ to make sure it's \_\_\_\_\_ reduced speed?  
 \_\_\_\_\_ you \_\_\_\_\_ bandwidth \_\_\_\_\_ busy periods to make \_\_\_\_\_ don't \_\_\_\_\_ down?

\_\_\_\_\_ advisable \_\_\_\_\_ regularly \_\_\_\_\_ traffic \_\_\_\_\_ make \_\_\_\_\_ it doesn't slow \_\_\_\_\_ during \_\_\_\_\_ periods?  
 \_\_\_\_\_ frequently do \_\_\_\_\_ evaluations \_\_\_\_\_ peak \_\_\_\_\_ for decreased \_\_\_\_\_?  
 How frequently \_\_\_\_\_ your evaluation \_\_\_\_\_ throughput during \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ network traffic during the busiest \_\_\_\_\_ make \_\_\_\_\_ it is \_\_\_\_\_ path to \_\_\_\_\_?  
 \_\_\_\_\_ often is \_\_\_\_\_ examine \_\_\_\_\_ in a loaded network during \_\_\_\_\_ of \_\_\_\_\_ volumes?  
 \_\_\_\_\_ evaluated periodically during \_\_\_\_\_ hours \_\_\_\_\_ check for \_\_\_\_\_ reduction \_\_\_\_\_ speed?  
 Do you see \_\_\_\_\_ traffic \_\_\_\_\_ busiest \_\_\_\_\_ to make \_\_\_\_\_ is \_\_\_\_\_ a \_\_\_\_\_ speed?  
 Are you \_\_\_\_\_ network \_\_\_\_\_ at \_\_\_\_\_ to ensure \_\_\_\_\_ speed?  
 What \_\_\_\_\_ should \_\_\_\_\_ the network \_\_\_\_\_ for \_\_\_\_\_ throughput?  
 Reductions in \_\_\_\_\_ monitored often \_\_\_\_\_ if network \_\_\_\_\_ was \_\_\_\_\_?  
 Do \_\_\_\_\_ at \_\_\_\_\_ during the \_\_\_\_\_ hours \_\_\_\_\_ ensure it's \_\_\_\_\_ reduced speed?  
 \_\_\_\_\_ in throughput monitored \_\_\_\_\_ peak \_\_\_\_\_ as \_\_\_\_\_ network traffic \_\_\_\_\_ evaluated during \_\_\_\_\_?  
 \_\_\_\_\_ at network traffic \_\_\_\_\_ busiest hours to make \_\_\_\_\_ it is \_\_\_\_\_ speeds?  
 Do \_\_\_\_\_ the network traffic \_\_\_\_\_ downs \_\_\_\_\_ periods?  
 How \_\_\_\_\_ an eye on \_\_\_\_\_ ramifications \_\_\_\_\_ periods \_\_\_\_\_ compromised bandwidth efficiency?  
 Are network \_\_\_\_\_ reductions monitored \_\_\_\_\_?  
 Do \_\_\_\_\_ watch network \_\_\_\_\_ during peak \_\_\_\_\_ throughput?  
 Do \_\_\_\_\_ network traffic frequently \_\_\_\_\_ the busiest \_\_\_\_\_ is at a \_\_\_\_\_ speed?  
 What \_\_\_\_\_ amount of \_\_\_\_\_ for evaluating reduced \_\_\_\_\_ in a \_\_\_\_\_ periods \_\_\_\_\_ demand volumes?  
 \_\_\_\_\_ okay \_\_\_\_\_ periodically \_\_\_\_\_ network \_\_\_\_\_ hours \_\_\_\_\_ check for speed reductions?  
 \_\_\_\_\_ do you \_\_\_\_\_ network traffic to see what works \_\_\_\_\_ peak \_\_\_\_\_ to \_\_\_\_\_?  
 How \_\_\_\_\_ is it necessary \_\_\_\_\_ loaded \_\_\_\_\_ during times of \_\_\_\_\_ demand?  
 \_\_\_\_\_ monitored \_\_\_\_\_ peak \_\_\_\_\_ if network traffic has been evaluated?  
 How \_\_\_\_\_ you \_\_\_\_\_ at \_\_\_\_\_ peak hours, even though there isn't \_\_\_\_\_?  
 \_\_\_\_\_ network \_\_\_\_\_ assessed \_\_\_\_\_ times to check \_\_\_\_\_?  
 Did \_\_\_\_\_ check \_\_\_\_\_ flow \_\_\_\_\_ see \_\_\_\_\_ it \_\_\_\_\_ slow?  
 How \_\_\_\_\_ do \_\_\_\_\_ look \_\_\_\_\_ network usage during \_\_\_\_\_ in speed?  
 \_\_\_\_\_ you \_\_\_\_\_ eye on \_\_\_\_\_ during peak \_\_\_\_\_ to reduce \_\_\_\_\_?  
 Do you \_\_\_\_\_ look at \_\_\_\_\_ traffic \_\_\_\_\_ the \_\_\_\_\_ hours \_\_\_\_\_ it's \_\_\_\_\_ speeds?  
 Do \_\_\_\_\_ watch \_\_\_\_\_ during \_\_\_\_\_ times \_\_\_\_\_ throughput?  
 \_\_\_\_\_ much do \_\_\_\_\_ keep \_\_\_\_\_ eye \_\_\_\_\_ network \_\_\_\_\_ on crowded periods \_\_\_\_\_ compromised \_\_\_\_\_?  
 During peak \_\_\_\_\_ evaluated for reduced \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ idea to check network traffic \_\_\_\_\_ sure \_\_\_\_\_ doesn't \_\_\_\_\_ down during \_\_\_\_\_ times?  
 Is \_\_\_\_\_ traffic periodically \_\_\_\_\_ peak hours to \_\_\_\_\_ for \_\_\_\_\_ reductions?  
 \_\_\_\_\_ you ever \_\_\_\_\_ traffic during \_\_\_\_\_ busiest hours to \_\_\_\_\_ it's \_\_\_\_\_ reduced \_\_\_\_\_?  
 \_\_\_\_\_ you check \_\_\_\_\_ during busy periods \_\_\_\_\_ make \_\_\_\_\_ throughputs \_\_\_\_\_ down?  
 \_\_\_\_\_ traffic \_\_\_\_\_ regularly \_\_\_\_\_ times to check for \_\_\_\_\_ speed?  
 \_\_\_\_\_ do you assess network traffic \_\_\_\_\_ prime time to \_\_\_\_\_ if \_\_\_\_\_ a \_\_\_\_\_?  
 Do you \_\_\_\_\_ for \_\_\_\_\_ to \_\_\_\_\_?  
 Are your \_\_\_\_\_ peak times \_\_\_\_\_ ensure \_\_\_\_\_ reduction \_\_\_\_\_ speed?  
 How \_\_\_\_\_ assessed for reduced throughput \_\_\_\_\_ peak \_\_\_\_\_?  
 Do you look \_\_\_\_\_ the peak \_\_\_\_\_ of \_\_\_\_\_ flow to \_\_\_\_\_?  
 \_\_\_\_\_ often \_\_\_\_\_ you look at \_\_\_\_\_ traffic during \_\_\_\_\_ hours \_\_\_\_\_ much throughput?  
 \_\_\_\_\_ keep \_\_\_\_\_ eye on \_\_\_\_\_ hour network traffic \_\_\_\_\_ throughput?  
 \_\_\_\_\_ you \_\_\_\_\_ network traffic \_\_\_\_\_ slow \_\_\_\_\_ busy periods?  
 \_\_\_\_\_ whether network \_\_\_\_\_ hours \_\_\_\_\_ evaluated for reduced throughput.  
 \_\_\_\_\_ do you \_\_\_\_\_ traffic with reduced throughput \_\_\_\_\_ high-peak \_\_\_\_\_?  
 \_\_\_\_\_ always \_\_\_\_\_ during busiest hours \_\_\_\_\_ make sure \_\_\_\_\_ a path to less?  
 During \_\_\_\_\_ times, do \_\_\_\_\_ network bandwidth to \_\_\_\_\_ sure \_\_\_\_\_ go \_\_\_\_\_?  
 \_\_\_\_\_ do \_\_\_\_\_ look \_\_\_\_\_ hour traffic for \_\_\_\_\_ decrease in \_\_\_\_\_?

Is it possible \_\_\_\_\_ observe the \_\_\_\_\_ traffic \_\_\_\_\_ to ensure \_\_\_\_\_?

Are \_\_\_\_\_ traffic checked \_\_\_\_\_ make \_\_\_\_\_ it doesn't \_\_\_\_\_ down during \_\_\_\_\_?

How \_\_\_\_\_ would \_\_\_\_\_ peak hours even \_\_\_\_\_ there is less \_\_\_\_\_?

\_\_\_\_\_ watch \_\_\_\_\_ during \_\_\_\_\_ to reduce \_\_\_\_\_?

\_\_\_\_\_ you \_\_\_\_\_ the network \_\_\_\_\_ during peak \_\_\_\_\_ throughput?

\_\_\_\_\_ you monitor \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ check \_\_\_\_\_ reduced speeds?

Is \_\_\_\_\_ regular assessment made on \_\_\_\_\_ at \_\_\_\_\_ usage \_\_\_\_\_?

Do you \_\_\_\_\_ network \_\_\_\_\_ anything \_\_\_\_\_ might slow \_\_\_\_\_ during \_\_\_\_\_?

Do you check \_\_\_\_\_ during \_\_\_\_\_ periods to \_\_\_\_\_ sure \_\_\_\_\_ is \_\_\_\_\_?

In order \_\_\_\_\_ decrease in \_\_\_\_\_ is true, \_\_\_\_\_ you measure \_\_\_\_\_ traffic \_\_\_\_\_ the prime \_\_\_\_\_?

Do \_\_\_\_\_ evaluate \_\_\_\_\_ peak \_\_\_\_\_ reduced \_\_\_\_\_ in networks?

\_\_\_\_\_ check \_\_\_\_\_ traffic \_\_\_\_\_ issues \_\_\_\_\_ slow down during busy times?

\_\_\_\_\_ often do you measure network traffic \_\_\_\_\_ see \_\_\_\_\_ best \_\_\_\_\_ and how \_\_\_\_\_ throughput?

\_\_\_\_\_ do \_\_\_\_\_ check network \_\_\_\_\_ to see what \_\_\_\_\_ in \_\_\_\_\_ hours \_\_\_\_\_ cut throughput?

Can you tell \_\_\_\_\_ number of network traffic \_\_\_\_\_ assessed to \_\_\_\_\_ hours?

\_\_\_\_\_ much do \_\_\_\_\_ study network traffic \_\_\_\_\_ for compromised \_\_\_\_\_ efficiency?

Is it \_\_\_\_\_ check \_\_\_\_\_ traffic \_\_\_\_\_ hours for \_\_\_\_\_ speed?

\_\_\_\_\_ traffic get tracked \_\_\_\_\_ to check \_\_\_\_\_ reduced speed?

\_\_\_\_\_ times \_\_\_\_\_ eye on peak hour \_\_\_\_\_ to determine \_\_\_\_\_ of decreasing throughput?

How often \_\_\_\_\_ check \_\_\_\_\_ traffic during peak hours, \_\_\_\_\_ there isn't \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ traffic was \_\_\_\_\_ peak hours, Reduced \_\_\_\_\_ monitored often?

\_\_\_\_\_ it \_\_\_\_\_ traffic during \_\_\_\_\_ time and ensure \_\_\_\_\_ throughput?

\_\_\_\_\_ network \_\_\_\_\_ was \_\_\_\_\_ traffic was evaluated during \_\_\_\_\_ hours?

Do you \_\_\_\_\_ connection \_\_\_\_\_ for \_\_\_\_\_ output frequently?

Do you look \_\_\_\_\_ network traffic \_\_\_\_\_ busiest periods \_\_\_\_\_ it's on a \_\_\_\_\_ less?

\_\_\_\_\_ look at network \_\_\_\_\_ make \_\_\_\_\_ it's at a slower speed?

\_\_\_\_\_ you keep \_\_\_\_\_ on \_\_\_\_\_ traffic \_\_\_\_\_ help \_\_\_\_\_ the effects \_\_\_\_\_ decreased throughput?

Reductions in \_\_\_\_\_ monitored often \_\_\_\_\_ network traffic \_\_\_\_\_ evaluated \_\_\_\_\_.

\_\_\_\_\_ you look \_\_\_\_\_ the \_\_\_\_\_ hours to \_\_\_\_\_ sure \_\_\_\_\_ is slower?

\_\_\_\_\_ you always \_\_\_\_\_ network \_\_\_\_\_ busy periods \_\_\_\_\_ make \_\_\_\_\_ don't go \_\_\_\_\_?

\_\_\_\_\_ to know if network traffic \_\_\_\_\_ hours \_\_\_\_\_ evaluated for \_\_\_\_\_.

\_\_\_\_\_ you check bandwidth \_\_\_\_\_ busy \_\_\_\_\_ to \_\_\_\_\_ sure that \_\_\_\_\_ don't \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ watch the \_\_\_\_\_ and ensure \_\_\_\_\_ throughput during peak \_\_\_\_\_?

\_\_\_\_\_ there isn't as \_\_\_\_\_ throughput, \_\_\_\_\_ frequently \_\_\_\_\_ you \_\_\_\_\_ network \_\_\_\_\_ peak hours?

Can you \_\_\_\_\_ peak periods to \_\_\_\_\_ less throughput?

Do \_\_\_\_\_ monitor \_\_\_\_\_ traffic at \_\_\_\_\_ times to \_\_\_\_\_ speed?

\_\_\_\_\_ look for \_\_\_\_\_ traffic that might slow \_\_\_\_\_ during \_\_\_\_\_?

Do you check \_\_\_\_\_ during \_\_\_\_\_ to \_\_\_\_\_ throughput \_\_\_\_\_ not impacted?

Do \_\_\_\_\_ look at network \_\_\_\_\_ peak \_\_\_\_\_ is at \_\_\_\_\_ reduced speed?

\_\_\_\_\_ you check \_\_\_\_\_ reduction in \_\_\_\_\_ when \_\_\_\_\_ network is \_\_\_\_\_?

\_\_\_\_\_ often \_\_\_\_\_ you look \_\_\_\_\_ traffic in prime \_\_\_\_\_ to see \_\_\_\_\_ there \_\_\_\_\_ a \_\_\_\_\_ efficiency?

I am aware \_\_\_\_\_ network traffic is \_\_\_\_\_ reduce throughput \_\_\_\_\_ but \_\_\_\_\_ me \_\_\_\_\_ exact number?

How frequently \_\_\_\_\_ look \_\_\_\_\_ network traffic \_\_\_\_\_ peak hours, even \_\_\_\_\_ as much \_\_\_\_\_?

Do you \_\_\_\_\_ traffic \_\_\_\_\_ the busiest \_\_\_\_\_ it is \_\_\_\_\_ a path to less?

\_\_\_\_\_ make evaluations during peak traffic \_\_\_\_\_ decreased \_\_\_\_\_?

What times \_\_\_\_\_ watch \_\_\_\_\_ network \_\_\_\_\_ to keep \_\_\_\_\_ eye \_\_\_\_\_ throughput?

\_\_\_\_\_ you \_\_\_\_\_ network \_\_\_\_\_ constantly during busy \_\_\_\_\_ to \_\_\_\_\_ go down?

\_\_\_\_\_ curious if \_\_\_\_\_ reduced throughput in peak hours.

\_\_\_\_\_ frequently as if Network \_\_\_\_\_ been evaluated during peak \_\_\_\_\_?

\_\_\_\_\_ check network \_\_\_\_\_ constantly \_\_\_\_\_ busy periods \_\_\_\_\_ make sure that \_\_\_\_\_ not \_\_\_\_\_?



What \_\_\_\_ the \_\_\_\_ examination for evaluating reduced throughput in \_\_\_\_ loaded \_\_\_\_ by \_\_\_\_ demand \_\_\_\_?

When \_\_\_\_ the peak \_\_\_\_ network \_\_\_\_ for decreased \_\_\_\_?

I know \_\_\_\_ network traffic \_\_\_\_ throughput during peak hours, but \_\_\_\_ you \_\_\_\_ give \_\_\_\_?

How \_\_\_\_ watch \_\_\_\_ traffic ramifications during \_\_\_\_ compromised bandwidth efficiency?

Do you \_\_\_\_ throughput \_\_\_\_ network traffic \_\_\_\_ hours?

\_\_\_\_ measure \_\_\_\_ the prime time to determine if \_\_\_\_ is true?

How often do you check network \_\_\_\_ to \_\_\_\_ there is \_\_\_\_ decrease \_\_\_\_?

Can \_\_\_\_ tell me \_\_\_\_ often \_\_\_\_ during periods of heavy \_\_\_\_?

\_\_\_\_ you check \_\_\_\_ flow \_\_\_\_ peak \_\_\_\_ to \_\_\_\_ if it's \_\_\_\_?

During peak hours, are \_\_\_\_?

Do \_\_\_\_ the network \_\_\_\_ constantly \_\_\_\_ busy \_\_\_\_ make sure throughputs \_\_\_\_ down?

\_\_\_\_ assessments made on \_\_\_\_ throughput \_\_\_\_ high hours?

\_\_\_\_ check network \_\_\_\_ constantly during \_\_\_\_ periods to ensure \_\_\_\_ throughput \_\_\_\_?

Are network traffic \_\_\_\_ check for \_\_\_\_ speeds?

\_\_\_\_ you \_\_\_\_ check \_\_\_\_ sure throughput is not \_\_\_\_ busy periods?

\_\_\_\_ times \_\_\_\_ you \_\_\_\_ peak hour network \_\_\_\_ order to determine \_\_\_\_ decreased \_\_\_\_?

Do \_\_\_\_ an \_\_\_\_ on \_\_\_\_ crowded periods for \_\_\_\_ bandwidth efficiency?

Do \_\_\_\_ keep an \_\_\_\_ on \_\_\_\_ ramifications \_\_\_\_ for compromised bandwidth \_\_\_\_?

\_\_\_\_ your network traffic \_\_\_\_ regularly \_\_\_\_ to \_\_\_\_ a \_\_\_\_ speed?

\_\_\_\_ you \_\_\_\_ at network \_\_\_\_ frequently \_\_\_\_ the \_\_\_\_ sure it is \_\_\_\_ a \_\_\_\_ to less

Do you \_\_\_\_ network \_\_\_\_ ramifications on \_\_\_\_ periods for \_\_\_\_?

I'm curious \_\_\_\_ is evaluated for \_\_\_\_ during peak hours.

\_\_\_\_ traffic tracked at \_\_\_\_ times \_\_\_\_ check for slowed \_\_\_\_?

Do you look at \_\_\_\_ frequently \_\_\_\_ hours \_\_\_\_ make \_\_\_\_ stays on \_\_\_\_ path \_\_\_\_ less?

\_\_\_\_ traffic \_\_\_\_ regularly at peak \_\_\_\_ to \_\_\_\_ reduced speed?

\_\_\_\_ throughput \_\_\_\_ as network traffic \_\_\_\_ evaluated \_\_\_\_ peak hours?

\_\_\_\_ it \_\_\_\_ the \_\_\_\_ traffic during peak times to ensure \_\_\_\_?

Do \_\_\_\_ check \_\_\_\_ a \_\_\_\_ speed \_\_\_\_ busy hours?

\_\_\_\_ you \_\_\_\_ look \_\_\_\_ network traffic \_\_\_\_ busiest hours to make sure \_\_\_\_?

Do \_\_\_\_ on reduced throughput \_\_\_\_ usage hours?

How \_\_\_\_ do \_\_\_\_ network \_\_\_\_ see \_\_\_\_ works and how \_\_\_\_ throughput \_\_\_\_ peak hours?

\_\_\_\_ check \_\_\_\_ bandwidth functioning often during \_\_\_\_?

\_\_\_\_ network traffic \_\_\_\_ to make sure \_\_\_\_ slow down during \_\_\_\_?

Reductions in \_\_\_\_ often \_\_\_\_ peak \_\_\_\_ if Network \_\_\_\_ has \_\_\_\_ evaluated?

\_\_\_\_ network throughput was \_\_\_\_ as \_\_\_\_ was evaluated during \_\_\_\_?

Do \_\_\_\_ watch the \_\_\_\_ during \_\_\_\_ periods \_\_\_\_ reduce \_\_\_\_?

\_\_\_\_ watch \_\_\_\_ traffic for reduced throughput \_\_\_\_ peak hours?

\_\_\_\_ check \_\_\_\_ bandwidth \_\_\_\_ busy periods to make sure \_\_\_\_ disrupted?

\_\_\_\_ do \_\_\_\_ network traffic with reduced \_\_\_\_ during the \_\_\_\_?

\_\_\_\_ curious \_\_\_\_ networks are evaluated for \_\_\_\_ during peak \_\_\_\_.

\_\_\_\_ do you keep an \_\_\_\_ on peak \_\_\_\_ help \_\_\_\_ the effects?

\_\_\_\_ assessments take place on reduced \_\_\_\_ high \_\_\_\_?

What \_\_\_\_ you watch peak \_\_\_\_ traffic \_\_\_\_ decrease \_\_\_\_ throughput?

Are \_\_\_\_ network \_\_\_\_ check for slowed down speed?

Do \_\_\_\_ at network traffic frequently \_\_\_\_ the busiest hours \_\_\_\_ sure \_\_\_\_ leaves \_\_\_\_ path \_\_\_\_?

Do you \_\_\_\_ a \_\_\_\_ on \_\_\_\_ during \_\_\_\_ periods \_\_\_\_ throughput?

Do \_\_\_\_ network traffic \_\_\_\_ busiest hours to \_\_\_\_ sure \_\_\_\_ reduced speeds?

\_\_\_\_ you \_\_\_\_ check \_\_\_\_ bandwidth functioning \_\_\_\_ busy \_\_\_\_?

Do you look \_\_\_\_ network \_\_\_\_ during \_\_\_\_ make sure it's \_\_\_\_ a \_\_\_\_ speed?

\_\_\_\_ you measure \_\_\_\_ in the \_\_\_\_ time \_\_\_\_ if \_\_\_\_ decrease in \_\_\_\_ true?

\_\_\_\_\_ often \_\_\_\_\_ you check \_\_\_\_\_ traffic \_\_\_\_\_ peak \_\_\_\_\_ throughput \_\_\_\_\_ as high?  
 Do \_\_\_\_\_ check \_\_\_\_\_ busy periods for \_\_\_\_\_ may slow \_\_\_\_\_?  
 Do \_\_\_\_\_ check for a \_\_\_\_\_ speeds when \_\_\_\_\_ usage \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ network bandwidth \_\_\_\_\_ doesn't \_\_\_\_\_ down during busy periods?  
 \_\_\_\_\_ tracked \_\_\_\_\_ peak times to ensure \_\_\_\_\_ speed?  
 Are \_\_\_\_\_ checking network traffic \_\_\_\_\_ to make \_\_\_\_\_ it's \_\_\_\_\_ path to less?  
 \_\_\_\_\_ look at \_\_\_\_\_ frequently during the \_\_\_\_\_ hours to make \_\_\_\_\_ it \_\_\_\_\_ a path to \_\_\_\_\_?  
 Do \_\_\_\_\_ the peak hours of \_\_\_\_\_ flow \_\_\_\_\_ find \_\_\_\_\_ it is \_\_\_\_\_?  
 Does \_\_\_\_\_ to \_\_\_\_\_ network traffic periodically \_\_\_\_\_ peak \_\_\_\_\_ less speed?  
 How much do you assess \_\_\_\_\_ for \_\_\_\_\_ speed?  
 Do regular investigations \_\_\_\_\_ high-volume intervals to \_\_\_\_\_ transmission?  
 Do \_\_\_\_\_ constantly \_\_\_\_\_ bandwidth \_\_\_\_\_ times \_\_\_\_\_ sure throughputs \_\_\_\_\_ incur limits?  
 Are \_\_\_\_\_ traffic \_\_\_\_\_ regularly at peak \_\_\_\_\_ ensure slower \_\_\_\_\_?  
 \_\_\_\_\_ do you track \_\_\_\_\_ with reduced throughput \_\_\_\_\_ hours?  
 \_\_\_\_\_ make sure network traffic \_\_\_\_\_ path to \_\_\_\_\_ you \_\_\_\_\_ at it \_\_\_\_\_ during \_\_\_\_\_ hours?  
 \_\_\_\_\_ times do you check peak \_\_\_\_\_ traffic \_\_\_\_\_ throughput?  
 \_\_\_\_\_ is the rate of \_\_\_\_\_ throughput in a \_\_\_\_\_ sector \_\_\_\_\_ heaving \_\_\_\_\_ volumes?  
 \_\_\_\_\_ you assess network \_\_\_\_\_ reduced \_\_\_\_\_ during peak hours?  
 \_\_\_\_\_ it ok for network \_\_\_\_\_ peak \_\_\_\_\_ to reduce speed?  
 \_\_\_\_\_ peak \_\_\_\_\_ are network \_\_\_\_\_ monitored?  
 \_\_\_\_\_ you check network bandwidth \_\_\_\_\_ periods to ensure that \_\_\_\_\_?  
 Do \_\_\_\_\_ monitor network \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ you have \_\_\_\_\_ speed?  
 I would like \_\_\_\_\_ know if network \_\_\_\_\_ hours is \_\_\_\_\_.  
 Do \_\_\_\_\_ look at network \_\_\_\_\_ busiest hours \_\_\_\_\_ it is at \_\_\_\_\_ speed?  
 \_\_\_\_\_ do you \_\_\_\_\_ peak \_\_\_\_\_ traffic to \_\_\_\_\_ determine the effects of \_\_\_\_\_?  
 Do you \_\_\_\_\_ traffic ramifications \_\_\_\_\_ periods \_\_\_\_\_ compromised bandwidth \_\_\_\_\_?  
 Reduced \_\_\_\_\_ often \_\_\_\_\_ traffic \_\_\_\_\_ evaluated during peak hours.  
 \_\_\_\_\_ bandwidth \_\_\_\_\_ during \_\_\_\_\_ periods \_\_\_\_\_ make sure throughputs \_\_\_\_\_ go down?  
 \_\_\_\_\_ traffic \_\_\_\_\_ at peak \_\_\_\_\_ to check for \_\_\_\_\_ speeds?  
 \_\_\_\_\_ watch network traffic \_\_\_\_\_ peak \_\_\_\_\_ to lower \_\_\_\_\_?  
 Are \_\_\_\_\_ traffic \_\_\_\_\_ at \_\_\_\_\_ the \_\_\_\_\_ to make sure it's \_\_\_\_\_ speeds?  
 \_\_\_\_\_ throughput was \_\_\_\_\_ often \_\_\_\_\_ the \_\_\_\_\_ traffic \_\_\_\_\_ evaluated during \_\_\_\_\_ hours?  
 \_\_\_\_\_ checking network \_\_\_\_\_ for slow downs \_\_\_\_\_ periods?  
 \_\_\_\_\_ need to know \_\_\_\_\_ network traffic \_\_\_\_\_ for \_\_\_\_\_ throughput \_\_\_\_\_ peak \_\_\_\_\_.  
 Do you watch network \_\_\_\_\_ periods \_\_\_\_\_ throughput?  
 \_\_\_\_\_ your network \_\_\_\_\_ tracked regularly \_\_\_\_\_ peak \_\_\_\_\_ to \_\_\_\_\_ reduced \_\_\_\_\_?  
 In peak hours, \_\_\_\_\_ throughput \_\_\_\_\_?  
 \_\_\_\_\_ frequently \_\_\_\_\_ you observe \_\_\_\_\_ traffic \_\_\_\_\_ reduced \_\_\_\_\_ peak hours?  
 \_\_\_\_\_ you watch the network traffic \_\_\_\_\_ periods for \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ network \_\_\_\_\_ the prime time \_\_\_\_\_ if \_\_\_\_\_ decreasing efficiency?  
 How often \_\_\_\_\_ hours, \_\_\_\_\_ though there isn't as much throughput?  
 \_\_\_\_\_ okay to \_\_\_\_\_ network \_\_\_\_\_ periodically \_\_\_\_\_ peak \_\_\_\_\_ to \_\_\_\_\_ a reduction \_\_\_\_\_ speed?  
 How \_\_\_\_\_ would \_\_\_\_\_ watch \_\_\_\_\_ during peak \_\_\_\_\_ there \_\_\_\_\_ as \_\_\_\_\_ throughput?  
 Reductions in \_\_\_\_\_ monitored often \_\_\_\_\_ peak \_\_\_\_\_ as if Network \_\_\_\_\_ peak \_\_\_\_\_?  
 \_\_\_\_\_ traffic is evaluated for reduced throughput at \_\_\_\_\_ hours.  
 \_\_\_\_\_ during \_\_\_\_\_ peak times to ensure \_\_\_\_\_ throughput?  
 Do \_\_\_\_\_ at \_\_\_\_\_ traffic during peak \_\_\_\_\_ there isn't \_\_\_\_\_ throughput?  
 Do you look \_\_\_\_\_ traffic \_\_\_\_\_ make sure it's at \_\_\_\_\_ reduced \_\_\_\_\_?  
 \_\_\_\_\_ you \_\_\_\_\_ at peak \_\_\_\_\_ to reduce speed?  
 Do \_\_\_\_\_ network \_\_\_\_\_ at \_\_\_\_\_ times to \_\_\_\_\_ slower speed?

Do \_\_\_\_ keep \_\_\_\_ traffic during \_\_\_\_ periods \_\_\_\_ reduce throughput?  
 \_\_\_\_ ensure \_\_\_\_ watching the network \_\_\_\_ during peak hours?  
 \_\_\_\_ decrease \_\_\_\_ efficiency is occurring, do \_\_\_\_ network \_\_\_\_ the \_\_\_\_ time?  
 Do \_\_\_\_ always look at \_\_\_\_ during the busiest \_\_\_\_ it's on a path \_\_\_\_?  
 \_\_\_\_ check for \_\_\_\_ in \_\_\_\_ on busy networks?  
 Do \_\_\_\_ during \_\_\_\_ hours \_\_\_\_ make sure it's at a reduced \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ during busy \_\_\_\_ to ensure that \_\_\_\_ not hindered?  
 \_\_\_\_ traffic \_\_\_\_ the prime time in order \_\_\_\_ determine \_\_\_\_ in efficiency is happening?  
 Are \_\_\_\_ throughput reductions usually \_\_\_\_?  
 \_\_\_\_ watch \_\_\_\_ during peak periods \_\_\_\_ ensure a reduction \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ at peak hour \_\_\_\_ for decreases \_\_\_\_?  
 Reductions \_\_\_\_ monitored \_\_\_\_ as \_\_\_\_ network traffic was evaluated \_\_\_\_?  
 How frequently would \_\_\_\_ look at \_\_\_\_ during peak hours, \_\_\_\_ as \_\_\_\_?  
 I \_\_\_\_ how frequently you assess \_\_\_\_ network \_\_\_\_ potential decrease \_\_\_\_ speed.  
 How often \_\_\_\_ check network \_\_\_\_ peak \_\_\_\_ even \_\_\_\_ isn't as much \_\_\_\_?  
 Do \_\_\_\_ check \_\_\_\_ a \_\_\_\_ during the \_\_\_\_ hours?  
 \_\_\_\_ peak hour network \_\_\_\_ decreased throughput?  
 \_\_\_\_ look \_\_\_\_ network \_\_\_\_ the busiest hours \_\_\_\_ make sure \_\_\_\_ is at \_\_\_\_ speed?  
 Do \_\_\_\_ at network traffic \_\_\_\_ peak \_\_\_\_ though \_\_\_\_ is \_\_\_\_ throughput?  
 \_\_\_\_ peak hour \_\_\_\_ traffic \_\_\_\_ determine \_\_\_\_ effects of reduced throughput?  
 \_\_\_\_ you check \_\_\_\_ traffic for \_\_\_\_ during busy \_\_\_\_?  
 How \_\_\_\_ you observe \_\_\_\_ network \_\_\_\_ on \_\_\_\_ compromised bandwidth efficiency?  
 Are \_\_\_\_ traffic tracked at \_\_\_\_ look for reduced \_\_\_\_?  
 Do you track \_\_\_\_ traffic \_\_\_\_ peak \_\_\_\_ order \_\_\_\_ reduced \_\_\_\_?  
 Do \_\_\_\_ monitor your network traffic \_\_\_\_ peak \_\_\_\_ speed?  
 \_\_\_\_ a decrease \_\_\_\_ is possible, \_\_\_\_ you measure network traffic \_\_\_\_?  
 If network traffic was \_\_\_\_ reductions in \_\_\_\_ monitored often?  
 Do \_\_\_\_ peak hours \_\_\_\_ network flow to find \_\_\_\_ if \_\_\_\_?  
 To see what \_\_\_\_ peak \_\_\_\_ how to reduce \_\_\_\_ how \_\_\_\_ you \_\_\_\_ traffic?  
 Do you \_\_\_\_ network traffic \_\_\_\_ that \_\_\_\_ down \_\_\_\_ periods?  
 \_\_\_\_ you check network \_\_\_\_ during \_\_\_\_ times to \_\_\_\_ sure that \_\_\_\_ affected?  
 \_\_\_\_ you \_\_\_\_ network bandwidth \_\_\_\_ busy times to make sure throughput \_\_\_\_?  
 Do you \_\_\_\_ during \_\_\_\_ busiest hours \_\_\_\_ order to \_\_\_\_ sure it's at reduced \_\_\_\_?  
 \_\_\_\_ curious \_\_\_\_ network traffic \_\_\_\_ is assessed for \_\_\_\_ throughput.  
 Is \_\_\_\_ to \_\_\_\_ network traffic \_\_\_\_ during \_\_\_\_ hours to check \_\_\_\_ in \_\_\_\_?  
 Do you \_\_\_\_ network traffic \_\_\_\_ peak hours \_\_\_\_ make \_\_\_\_ a \_\_\_\_ speed?  
 \_\_\_\_ it \_\_\_\_ network traffic \_\_\_\_ during peak hours to check \_\_\_\_ speed \_\_\_\_?  
 \_\_\_\_ the amount of examination done \_\_\_\_ reduced throughput \_\_\_\_ of \_\_\_\_?  
 Do \_\_\_\_ a reduction \_\_\_\_ speed during busy \_\_\_\_?  
 During \_\_\_\_ often are \_\_\_\_ throughput \_\_\_\_?  
 \_\_\_\_ an eye on the \_\_\_\_ traffic \_\_\_\_ peak \_\_\_\_ to lower \_\_\_\_?  
 What times \_\_\_\_ you \_\_\_\_ traffic for a \_\_\_\_ in \_\_\_\_?  
 \_\_\_\_ watch \_\_\_\_ network \_\_\_\_ during peak times to ensure \_\_\_\_?  
 Do \_\_\_\_ watch traffic during \_\_\_\_ to \_\_\_\_ reduction?  
 Do you often check \_\_\_\_ the \_\_\_\_ make \_\_\_\_ at a slower speed?  
 Do you \_\_\_\_ check network \_\_\_\_ busy \_\_\_\_ make \_\_\_\_ that throughput \_\_\_\_ not \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ bandwidth \_\_\_\_ during busy hours \_\_\_\_ sure that throughput is \_\_\_\_?  
 Is \_\_\_\_ okay \_\_\_\_ periodically \_\_\_\_ hours \_\_\_\_ a reduction of speed?  
 Do \_\_\_\_ a watch \_\_\_\_ traffic to ensure \_\_\_\_ in \_\_\_\_?  
 Do \_\_\_\_ check \_\_\_\_ a \_\_\_\_ speed at peak \_\_\_\_?

\_\_\_\_ you check for \_\_\_\_ in \_\_\_\_ use peaks?  
 \_\_\_\_ peak \_\_\_\_ are network throughput \_\_\_\_\_.  
 \_\_\_\_ peak hour \_\_\_\_ check for \_\_\_\_ decrease \_\_\_\_ speed?  
 \_\_\_\_ it possible to \_\_\_\_ network traffic during \_\_\_\_ times to \_\_\_\_?  
 \_\_\_\_ possible \_\_\_\_ constantly during busy \_\_\_\_ to ensure that throughput \_\_\_\_ not \_\_\_\_?  
 To determine \_\_\_\_ decrease in \_\_\_\_ possible, \_\_\_\_ measure network \_\_\_\_ in the \_\_\_\_?  
 Do you \_\_\_\_ flow \_\_\_\_ peak hours to \_\_\_\_ if \_\_\_\_ is \_\_\_\_?  
 Are you able \_\_\_\_ times to reduce throughput?  
 During \_\_\_\_ do \_\_\_\_ check network bandwidth \_\_\_\_ throughputs don't go \_\_\_\_?  
 \_\_\_\_ for network \_\_\_\_ during the \_\_\_\_ sure it's at reduced speeds?  
 Do \_\_\_\_ at network \_\_\_\_ in \_\_\_\_ hours \_\_\_\_ sure \_\_\_\_ at a \_\_\_\_ speed?  
 Do you \_\_\_\_ monitor network traffic \_\_\_\_ to \_\_\_\_ slower \_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ assessments \_\_\_\_ reduced \_\_\_\_ at \_\_\_\_ usage hours?  
 How frequently \_\_\_\_ you conduct evaluations \_\_\_\_ decreased \_\_\_\_?  
 Do \_\_\_\_ bandwidth \_\_\_\_ during busy times to \_\_\_\_ that throughput \_\_\_\_?  
 \_\_\_\_ curious as to \_\_\_\_ network traffic during \_\_\_\_ hours is \_\_\_\_\_.  
 \_\_\_\_ you \_\_\_\_ traffic \_\_\_\_ the busiest hours \_\_\_\_ see \_\_\_\_ it is at a \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ during peak hours \_\_\_\_ check throughput?  
 Do you \_\_\_\_ look at \_\_\_\_ traffic \_\_\_\_ the busiest \_\_\_\_ make \_\_\_\_ it's \_\_\_\_ path \_\_\_\_ less?  
 How often is \_\_\_\_ to examine \_\_\_\_ a loaded network sector \_\_\_\_ high \_\_\_\_ volumes?  
 Network traffic \_\_\_\_ be evaluated periodically \_\_\_\_ peak \_\_\_\_ less \_\_\_\_.  
 \_\_\_\_ network traffic during the busiest \_\_\_\_ to \_\_\_\_ sure \_\_\_\_ at \_\_\_\_ speeds?  
 Are \_\_\_\_ keeping track \_\_\_\_ traffic \_\_\_\_ peak \_\_\_\_ reduce speed?  
 There isn't \_\_\_\_ so \_\_\_\_ often would \_\_\_\_ look at network traffic?  
 How \_\_\_\_ do \_\_\_\_ traffic \_\_\_\_ reduced throughput during \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ for a decrease \_\_\_\_ speed during peak \_\_\_\_?  
 \_\_\_\_ you watch the \_\_\_\_ during busy \_\_\_\_ for \_\_\_\_?  
 Is your \_\_\_\_ traffic \_\_\_\_ peak times \_\_\_\_ check for \_\_\_\_?  
 Do \_\_\_\_ traffic during the \_\_\_\_ to \_\_\_\_ throughput?  
 How \_\_\_\_ would \_\_\_\_ network traffic during peak \_\_\_\_ though \_\_\_\_ as fast?  
 \_\_\_\_ you \_\_\_\_ the network \_\_\_\_ peak times to keep \_\_\_\_?  
 How \_\_\_\_ traffic ramifications \_\_\_\_ crowded \_\_\_\_ for compromised bandwidth \_\_\_\_?  
 Are network \_\_\_\_ watched \_\_\_\_ peak \_\_\_\_?  
 Do \_\_\_\_ check \_\_\_\_ during busy \_\_\_\_ to make \_\_\_\_ throughput \_\_\_\_ impeded?  
 \_\_\_\_ traffic tracked regularly \_\_\_\_ to ensure reduced \_\_\_\_?  
 I want to \_\_\_\_ if network \_\_\_\_ in \_\_\_\_ hours \_\_\_\_ throughput.  
 Can you \_\_\_\_ traffic during \_\_\_\_ time \_\_\_\_ throughput?  
 During \_\_\_\_ will network traffic \_\_\_\_ evaluated \_\_\_\_ will \_\_\_\_ more often?  
 \_\_\_\_ a \_\_\_\_ in \_\_\_\_ do \_\_\_\_ network traffic \_\_\_\_ the prime time?  
 \_\_\_\_ you \_\_\_\_ check network \_\_\_\_ times \_\_\_\_ make sure \_\_\_\_ is not \_\_\_\_?  
 \_\_\_\_ you \_\_\_\_ in busy periods to make \_\_\_\_ go down?  
 \_\_\_\_ you \_\_\_\_ traffic for \_\_\_\_ downs \_\_\_\_ busy periods?  
 \_\_\_\_ do \_\_\_\_ watch \_\_\_\_ appraise network traffic on crowded \_\_\_\_ compromised \_\_\_\_?  
 Are you \_\_\_\_ of network traffic at \_\_\_\_ ensure \_\_\_\_ reduced \_\_\_\_?  
 \_\_\_\_ know if network traffic \_\_\_\_ during \_\_\_\_ for reduced throughput.  
 \_\_\_\_ you \_\_\_\_ traffic for peak \_\_\_\_ to \_\_\_\_?  
 \_\_\_\_ evaluate network \_\_\_\_ during \_\_\_\_ understand reduced throughput incidence?  
 \_\_\_\_ you \_\_\_\_ at \_\_\_\_ hour \_\_\_\_ for decreased throughput?  
 I want \_\_\_\_ know \_\_\_\_ network \_\_\_\_ during peak hours \_\_\_\_ reduced \_\_\_\_.  
 \_\_\_\_ you \_\_\_\_ a decrease in \_\_\_\_ when \_\_\_\_ hour \_\_\_\_ is \_\_\_\_?

Do you \_\_\_\_\_ at network traffic \_\_\_\_\_ the \_\_\_\_\_ to \_\_\_\_\_ it's \_\_\_\_\_ a path to \_\_\_\_\_?

Do regular assessments \_\_\_\_\_ during high usage \_\_\_\_\_?

Do you look at \_\_\_\_\_ frequently \_\_\_\_\_ make \_\_\_\_\_ reduced speeds \_\_\_\_\_ busiest \_\_\_\_\_?

How \_\_\_\_\_ do you \_\_\_\_\_ at network \_\_\_\_\_ throughput \_\_\_\_\_ during \_\_\_\_\_ hours?

\_\_\_\_\_ you measure network traffic \_\_\_\_\_ prime \_\_\_\_\_ if a decrease \_\_\_\_\_ possible?

\_\_\_\_\_ interested to know if network \_\_\_\_\_ in \_\_\_\_\_ hours \_\_\_\_\_ for \_\_\_\_\_.

How often can you \_\_\_\_\_ traffic \_\_\_\_\_ reduced \_\_\_\_\_ during \_\_\_\_\_?

Do \_\_\_\_\_ eye on traffic \_\_\_\_\_ times, \_\_\_\_\_ reduce throughput?

How much \_\_\_\_\_ you watch and appraise \_\_\_\_\_ traffic \_\_\_\_\_ periods \_\_\_\_\_?

\_\_\_\_\_ is it necessary to evaluate \_\_\_\_\_ in \_\_\_\_\_ network during \_\_\_\_\_ of heaving \_\_\_\_\_?

I am \_\_\_\_\_ that network traffic is assessed \_\_\_\_\_ reduce \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ me \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ to evaluate \_\_\_\_\_ peak hours to check \_\_\_\_\_ speed?

Do you \_\_\_\_\_ network \_\_\_\_\_ constantly \_\_\_\_\_ busy \_\_\_\_\_ to make \_\_\_\_\_ that \_\_\_\_\_ don't \_\_\_\_\_?

I need \_\_\_\_\_ number \_\_\_\_\_ times \_\_\_\_\_ assessed for reduced \_\_\_\_\_ peak hours.

Do you measure network \_\_\_\_\_ the \_\_\_\_\_ time to \_\_\_\_\_ out \_\_\_\_\_?

\_\_\_\_\_ you look at network \_\_\_\_\_ frequently \_\_\_\_\_ the busiest \_\_\_\_\_ it's \_\_\_\_\_ a reduced \_\_\_\_\_?

Do \_\_\_\_\_ check network bandwidth \_\_\_\_\_ constantly \_\_\_\_\_ periods \_\_\_\_\_ ensure throughputs \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ often are \_\_\_\_\_ network traffic is \_\_\_\_\_ during \_\_\_\_\_.

Can \_\_\_\_\_ periodically during \_\_\_\_\_ check for speed reduction?

\_\_\_\_\_ you always monitor network \_\_\_\_\_ to \_\_\_\_\_ reduced speed?

\_\_\_\_\_ you look \_\_\_\_\_ peak hour traffic \_\_\_\_\_ reduction \_\_\_\_\_?

\_\_\_\_\_ you track network \_\_\_\_\_ peak time to \_\_\_\_\_?