

## [Demo] NLP Dataset for Customer Service Automation

<b>Company Type</b>	Mobile Network Operators
<b>Inquiry Category</b>	Technical support for mobile applications
<b>Inquiry Sub-Category</b>	Data management and backup
<b>Description</b>	Users may require guidance on managing app data, such as backing up or transferring data between devices, restoring previous data, or recovering lost or deleted information.
<b>Data Size</b>	8,769 paraphrases
<b>Want to buy data?</b>	Please contact <a href="mailto:nlp-data@gross.me">nlp-data@gross.me</a> via your business email address.

**Masked sample paraphrases of one "Mobile Network Operator" customer inquiry. (Purchased data will not be masked.)**

\_\_\_\_\_ expect delays during \_\_\_\_\_ processes \_\_\_\_\_ volumes traffic over \_\_\_\_\_ peak times?

\_\_\_\_\_ delayed recovery \_\_\_\_\_ to network \_\_\_\_\_.

\_\_\_\_\_ to prepare \_\_\_\_\_ potential slow downs in recovery \_\_\_\_\_ heavy netw \_\_\_\_\_ and busy times?

Is it \_\_\_\_\_ levels of network utilization \_\_\_\_\_ slow \_\_\_\_\_ the \_\_\_\_\_ users?

It \_\_\_\_\_ that \_\_\_\_\_ of network \_\_\_\_\_ peak \_\_\_\_\_ slow \_\_\_\_\_ the recovery process for users.

Users \_\_\_\_\_ experience slower \_\_\_\_\_ to \_\_\_\_\_ network traffic.

\_\_\_\_\_ activity at popular hours may cause \_\_\_\_\_ the \_\_\_\_\_.

Should one \_\_\_\_\_ during the recovery \_\_\_\_\_ networks?

\_\_\_\_\_ need to \_\_\_\_\_ prepared \_\_\_\_\_ slower recovery caused by heavy \_\_\_\_\_ ork \_\_\_\_\_ c \_\_\_\_\_ busy \_\_\_\_\_?

\_\_\_\_\_ there expected holdups because \_\_\_\_\_ at peak \_\_\_\_\_?

\_\_\_\_\_ there's \_\_\_\_\_ traffic \_\_\_\_\_ will the recovery \_\_\_\_\_ cause delays?

\_\_\_\_\_ network \_\_\_\_\_ cause users to experience slower recovery.

Is there a \_\_\_\_\_ holdups \_\_\_\_\_ to excessive \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ will slow down \_\_\_\_\_?

\_\_\_\_\_ we expect data restoration processes to be slow \_\_\_\_\_ utilization \_\_\_\_\_?

\_\_\_\_\_ delays in the \_\_\_\_\_ of the \_\_\_\_\_ internet activity.

Is \_\_\_\_\_ expectation \_\_\_\_\_ setbacks during the \_\_\_\_\_ because of \_\_\_\_\_?

The \_\_\_\_\_ phase \_\_\_\_\_ include \_\_\_\_\_ because of \_\_\_\_\_.

There \_\_\_\_\_ be \_\_\_\_\_ due \_\_\_\_\_ much traffic \_\_\_\_\_ other users.

Is it not \_\_\_\_\_ that \_\_\_\_\_ slow \_\_\_\_\_ during \_\_\_\_\_ time?

\_\_\_\_\_ traffic delay recovery \_\_\_\_\_?

\_\_\_\_\_ could be delays in \_\_\_\_\_ network traffic.

Delays in the \_\_\_\_\_ may \_\_\_\_\_ to \_\_\_\_\_ congestion.

Will high \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ that users \_\_\_\_\_ experience \_\_\_\_\_ recovering services \_\_\_\_\_ to network traffic \_\_\_\_\_?

High \_\_\_\_\_ can \_\_\_\_\_ the \_\_\_\_\_ process.

\_\_\_\_\_ network traffic likely to \_\_\_\_\_ users \_\_\_\_\_ experience \_\_\_\_\_?

\_\_\_\_\_ presence of \_\_\_\_\_ network traffic cause \_\_\_\_\_ user \_\_\_\_\_?

Can users \_\_\_\_\_ delays \_\_\_\_\_ if network \_\_\_\_\_ is \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ processes due to excessive \_\_\_\_\_ usage.

During \_\_\_\_\_ might \_\_\_\_\_ congestion cause \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ in the recovery \_\_\_\_\_ to network \_\_\_\_\_.

\_\_\_\_\_ it expected that high \_\_\_\_\_ peak \_\_\_\_\_ will slow down the \_\_\_\_\_ users?

\_\_\_\_\_ asked if \_\_\_\_\_ recovering from heavy network traffic.

Does \_\_\_\_\_ usage impact recovery \_\_\_\_\_.

Can \_\_\_\_\_ cause delays \_\_\_\_\_ users?

Does the \_\_\_\_\_ of \_\_\_\_\_ network \_\_\_\_\_ affect \_\_\_\_\_ process?

\_\_\_\_\_ can be stalls \_\_\_\_\_ user recovery procedures \_\_\_\_\_ high \_\_\_\_\_ network \_\_\_\_\_.

Is it possible \_\_\_\_\_ slower \_\_\_\_\_ when network traffic \_\_\_\_\_?

Will the volume \_\_\_\_\_ traffic \_\_\_\_\_ times affect \_\_\_\_\_?

\_\_\_\_\_ hours, \_\_\_\_\_ excessive network \_\_\_\_\_ impact recovery \_\_\_\_\_?

\_\_\_\_\_ heavy \_\_\_\_\_ cause users to \_\_\_\_\_ delays in \_\_\_\_\_?

\_\_\_\_\_ be prepared for \_\_\_\_\_ process \_\_\_\_\_ during \_\_\_\_\_ hours?

\_\_\_\_\_ it \_\_\_\_\_ that high volumes \_\_\_\_\_ network \_\_\_\_\_ at \_\_\_\_\_ down the \_\_\_\_\_?

\_\_\_\_\_ processes \_\_\_\_\_ delays if \_\_\_\_\_ high traffic on the \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ into account \_\_\_\_\_ lags \_\_\_\_\_ service recovery \_\_\_\_\_ intense network activity.

There \_\_\_\_\_ peak times \_\_\_\_\_ should \_\_\_\_\_ be setbacks during \_\_\_\_\_ phase?

Is there \_\_\_\_\_ holdups in the \_\_\_\_\_ traffic?

Should \_\_\_\_\_ expect \_\_\_\_\_ during recovery \_\_\_\_\_ high?

\_\_\_\_\_ peak \_\_\_\_\_ are network restoration \_\_\_\_\_ due \_\_\_\_\_ much traffic \_\_\_\_\_ other \_\_\_\_\_?

\_\_\_\_\_ expect setbacks \_\_\_\_\_ recovery phase because \_\_\_\_\_ networks at peak \_\_\_\_\_?

\_\_\_\_\_ excessive \_\_\_\_\_ affect user's \_\_\_\_\_?

There can \_\_\_\_\_ delays \_\_\_\_\_ network restoration due \_\_\_\_\_ too \_\_\_\_\_ traffic \_\_\_\_\_.

\_\_\_\_\_ could \_\_\_\_\_ delays \_\_\_\_\_ excessive network usage during rush hours.

\_\_\_\_\_ could \_\_\_\_\_ service \_\_\_\_\_ or \_\_\_\_\_ due \_\_\_\_\_ high \_\_\_\_\_ volumes.

\_\_\_\_\_ to prepare \_\_\_\_\_ the possibility of \_\_\_\_\_ recovery \_\_\_\_\_ of heavy \_\_\_\_\_ traffi \_\_\_\_\_?

When \_\_\_\_\_ during \_\_\_\_\_ periods, can we \_\_\_\_\_ a slowdown?

Users can anticipate delays \_\_\_\_\_ recovering \_\_\_\_\_ at \_\_\_\_\_.

Is user \_\_\_\_\_ likely \_\_\_\_\_ slow down \_\_\_\_\_ increased \_\_\_\_\_?

\_\_\_\_\_ in user recovery processes \_\_\_\_\_ be \_\_\_\_\_ by \_\_\_\_\_

Network restoration \_\_\_\_\_ affected \_\_\_\_\_ much \_\_\_\_\_ other \_\_\_\_\_ during peak hours.

If \_\_\_\_\_ networks \_\_\_\_\_ of \_\_\_\_\_ during busy periods, \_\_\_\_\_ we \_\_\_\_\_ slow down?

\_\_\_\_\_ spikes during high-demand \_\_\_\_\_ users \_\_\_\_\_ experience delays.

\_\_\_\_\_ to \_\_\_\_\_ time \_\_\_\_\_ will high volumes \_\_\_\_\_ recovery process \_\_\_\_\_?

\_\_\_\_\_ by peak network traffic?

\_\_\_\_\_ high volumes of traffic \_\_\_\_\_ the recovery \_\_\_\_\_?

Do users need \_\_\_\_\_ prepared for \_\_\_\_\_ in recovery because \_\_\_\_\_ heavy \_\_\_\_\_ times?

\_\_\_\_\_ need to \_\_\_\_\_ for possible \_\_\_\_\_ recovery caused by \_\_\_\_\_ netw \_\_\_\_\_?

Are stalls \_\_\_\_\_ recovery procedures \_\_\_\_\_ by \_\_\_\_\_ levels of \_\_\_\_\_?

\_\_\_\_\_ need \_\_\_\_\_ prepared for recovery delays \_\_\_\_\_ to \_\_\_\_\_ congestion?

\_\_\_\_\_ heavy \_\_\_\_\_ traffic \_\_\_\_\_ times, \_\_\_\_\_ users \_\_\_\_\_ delayed recovery?

\_\_\_\_\_ networks experience heavy \_\_\_\_\_ during \_\_\_\_\_ we expect a \_\_\_\_\_?

\_\_\_\_\_ processes \_\_\_\_\_ if there's \_\_\_\_\_ on the network.

There \_\_\_\_\_ be delays \_\_\_\_\_ processes \_\_\_\_\_ to \_\_\_\_\_ congestion.

\_\_\_\_\_ are \_\_\_\_\_ recovery \_\_\_\_\_ caused by high levels \_\_\_\_\_ usage during peak \_\_\_\_\_.

Slow recovery for \_\_\_\_\_ may be caused \_\_\_\_\_ during \_\_\_\_\_.

O expected, will \_\_\_\_\_ network \_\_\_\_\_.

excessive network \_\_\_\_\_ during rush hours \_\_\_\_\_ lengthy \_\_\_\_\_ recovery \_\_\_\_\_.

\_\_\_\_ overload \_\_\_\_ network load \_\_\_\_ user's \_\_\_\_ ?  
 \_\_\_\_ network \_\_\_\_ rates \_\_\_\_ days can lead \_\_\_\_ sluggish data \_\_\_\_ .  
 Is \_\_\_\_ that \_\_\_\_ is delayed \_\_\_\_ of too \_\_\_\_ traffic \_\_\_\_ other \_\_\_\_ ?  
 \_\_\_\_ slowed \_\_\_\_ high volumes \_\_\_\_ network traffic?  
 \_\_\_\_ at popular hours will delay \_\_\_\_ procedures.  
 \_\_\_\_ peak time flows, \_\_\_\_ likely?  
 \_\_\_\_ in user recovery will be \_\_\_\_ .  
 \_\_\_\_ users \_\_\_\_ for time \_\_\_\_ recovery during \_\_\_\_ of intense network activity?  
 \_\_\_\_ expect \_\_\_\_ slow \_\_\_\_ process \_\_\_\_ to soaring \_\_\_\_ utilization rates?  
 \_\_\_\_ excessive network load \_\_\_\_ user's recovery \_\_\_\_ peak \_\_\_\_ ?  
 Network \_\_\_\_ could \_\_\_\_ delays in \_\_\_\_ user \_\_\_\_ .  
 \_\_\_\_ excessive \_\_\_\_ usage \_\_\_\_ recovering \_\_\_\_ expected.  
 \_\_\_\_ high levels \_\_\_\_ traffic affect \_\_\_\_ ?  
 There are high traffic \_\_\_\_ recovery \_\_\_\_ which \_\_\_\_ disruptions.  
 \_\_\_\_ disruptions or \_\_\_\_ are possible \_\_\_\_ of \_\_\_\_ traffic \_\_\_\_ .  
 \_\_\_\_ users expect \_\_\_\_ during \_\_\_\_ due \_\_\_\_ over the network?  
 Are the expected holdups \_\_\_\_ the \_\_\_\_ to \_\_\_\_ traffic?  
 The \_\_\_\_ process will \_\_\_\_ impacted \_\_\_\_ network \_\_\_\_ during peak \_\_\_\_ .  
 \_\_\_\_ at \_\_\_\_ times \_\_\_\_ for users during recovery.  
 Can we \_\_\_\_ data \_\_\_\_ high network utilization \_\_\_\_ on busy days?  
 \_\_\_\_ will slow down despite increased network use?  
 \_\_\_\_ sluggish data restoration processes due to high \_\_\_\_ ?  
 There could be \_\_\_\_ recovery processes \_\_\_\_ network \_\_\_\_ .  
 Do users need to think \_\_\_\_ potential time \_\_\_\_ of high \_\_\_\_ ?  
 \_\_\_\_ high traffic on the \_\_\_\_ during peak \_\_\_\_ so \_\_\_\_ cause \_\_\_\_ ?  
 \_\_\_\_ will \_\_\_\_ network \_\_\_\_ during times \_\_\_\_ demand.  
 \_\_\_\_ usage during \_\_\_\_ hours \_\_\_\_ cause \_\_\_\_ waits for \_\_\_\_ processes.  
 \_\_\_\_ expect \_\_\_\_ slower recovery \_\_\_\_ the networks \_\_\_\_ a lot \_\_\_\_ ?  
 If \_\_\_\_ activity on the \_\_\_\_ can I \_\_\_\_ delay in data \_\_\_\_ ?  
 Users \_\_\_\_ to \_\_\_\_ of potential slowdowns \_\_\_\_ caused \_\_\_\_ netw ork traffi c and \_\_\_\_ .  
 The amount of \_\_\_\_ affect the recovery.  
 Will \_\_\_\_ usage \_\_\_\_ recovery \_\_\_\_ ?  
 \_\_\_\_ may be delays \_\_\_\_ process \_\_\_\_ lot of network traffic.  
 Do \_\_\_\_ need \_\_\_\_ be \_\_\_\_ for possible slowdowns caused \_\_\_\_ ork traffi c \_\_\_\_ ?  
 Recovery processes \_\_\_\_ cause \_\_\_\_ when \_\_\_\_ high \_\_\_\_ on \_\_\_\_ .  
 \_\_\_\_ it \_\_\_\_ user \_\_\_\_ may \_\_\_\_ down due to \_\_\_\_ usage?  
 Should users \_\_\_\_ in \_\_\_\_ to heavy network \_\_\_\_ ?  
 \_\_\_\_ users need \_\_\_\_ take into account \_\_\_\_ lags for \_\_\_\_ recovery \_\_\_\_ ?  
 Is it \_\_\_\_ network \_\_\_\_ in slower recoveries?  
 \_\_\_\_ network traffic at busy hours \_\_\_\_ .  
 Does network traffic \_\_\_\_ peak \_\_\_\_ ?  
 Is \_\_\_\_ traffic overload \_\_\_\_ peak \_\_\_\_ bad \_\_\_\_ ?  
 \_\_\_\_ there delays in network restoration \_\_\_\_ to \_\_\_\_ from other users?  
 \_\_\_\_ could \_\_\_\_ delays \_\_\_\_ network traffic \_\_\_\_ during \_\_\_\_ periods.  
 Do we expect sluggish \_\_\_\_ processes \_\_\_\_ to \_\_\_\_ utilization \_\_\_\_ ?  
 Network \_\_\_\_ during \_\_\_\_ might \_\_\_\_ delays in the recovery \_\_\_\_ .  
 Will excessive network \_\_\_\_ recovery \_\_\_\_ during \_\_\_\_ hours?  
 Long \_\_\_\_ could \_\_\_\_ a result of excessive network \_\_\_\_ hours.  
 \_\_\_\_ network \_\_\_\_ lead to delays \_\_\_\_ recovery.  
 \_\_\_\_ it \_\_\_\_ that sluggish \_\_\_\_ can \_\_\_\_ from soaring network \_\_\_\_ rates?

\_\_\_\_\_ high \_\_\_\_\_ network \_\_\_\_\_ to slow the \_\_\_\_\_ process for \_\_\_\_\_?

Network traffic \_\_\_\_\_ peak \_\_\_\_\_ slow down \_\_\_\_\_.

\_\_\_\_\_ to be prepared \_\_\_\_\_ delays in recovery \_\_\_\_\_ to heavy \_\_\_\_\_ ork \_\_\_\_\_?

\_\_\_\_\_ should be \_\_\_\_\_ holdups in \_\_\_\_\_ to \_\_\_\_\_ network traffic.

What \_\_\_\_\_ a lot \_\_\_\_\_ people \_\_\_\_\_ up the \_\_\_\_\_ while \_\_\_\_\_ stuff?

\_\_\_\_\_ a long wait for recovery because of \_\_\_\_\_?

Does a \_\_\_\_\_ interfere \_\_\_\_\_ a user's recovery \_\_\_\_\_?

Shouldn't I expect a \_\_\_\_\_ recovery \_\_\_\_\_ periods?

\_\_\_\_\_ possible for \_\_\_\_\_ traffic \_\_\_\_\_ while recovering \_\_\_\_\_ at peak times?

\_\_\_\_\_ during \_\_\_\_\_ could cause delays \_\_\_\_\_ users.

People will face \_\_\_\_\_ to high network \_\_\_\_\_.

\_\_\_\_\_ network \_\_\_\_\_ affect users' \_\_\_\_\_ times?

\_\_\_\_\_ we expect sluggish \_\_\_\_\_ restoration \_\_\_\_\_ because of \_\_\_\_\_ network utilization \_\_\_\_\_?

Should \_\_\_\_\_ affect user's \_\_\_\_\_ times?

\_\_\_\_\_ that network \_\_\_\_\_ rates \_\_\_\_\_ busy \_\_\_\_\_ result \_\_\_\_\_ sluggish data restoration?

\_\_\_\_\_ network \_\_\_\_\_ recovery timings?

If \_\_\_\_\_ of activity on \_\_\_\_\_ can I \_\_\_\_\_ a \_\_\_\_\_ down data \_\_\_\_\_?

\_\_\_\_\_ expect a wait \_\_\_\_\_ recovery \_\_\_\_\_ the \_\_\_\_\_ periods?

Is \_\_\_\_\_ a \_\_\_\_\_ time for \_\_\_\_\_ network overloads?

\_\_\_\_\_ times can cause any \_\_\_\_\_ users during recovery \_\_\_\_\_.

Do we have \_\_\_\_\_ wait longer \_\_\_\_\_ the \_\_\_\_\_ fixed \_\_\_\_\_ people \_\_\_\_\_ it?

\_\_\_\_\_ there \_\_\_\_\_ recovery processes \_\_\_\_\_ high volumes of \_\_\_\_\_?

\_\_\_\_\_ potential delays \_\_\_\_\_ to increased \_\_\_\_\_ during peak times?

Will Network \_\_\_\_\_ peak \_\_\_\_\_ affect \_\_\_\_\_?

Will excessive \_\_\_\_\_ the recovery \_\_\_\_\_?

Is \_\_\_\_\_ a \_\_\_\_\_ idea \_\_\_\_\_ a waiting time \_\_\_\_\_ of high \_\_\_\_\_ loads?

\_\_\_\_\_ times, \_\_\_\_\_ network users experience \_\_\_\_\_?

\_\_\_\_\_ there \_\_\_\_\_ lot \_\_\_\_\_ traffic, can \_\_\_\_\_ delays in recovery?

Do network \_\_\_\_\_ overload \_\_\_\_\_ recovery?

Should users \_\_\_\_\_ aware of possible delays due \_\_\_\_\_ network \_\_\_\_\_?

High \_\_\_\_\_ network \_\_\_\_\_ cause delays during \_\_\_\_\_ processes.

\_\_\_\_\_ should be aware \_\_\_\_\_ in \_\_\_\_\_ netw ork traffi c and \_\_\_\_\_ times.

\_\_\_\_\_ the presence of \_\_\_\_\_ traffic \_\_\_\_\_ on user \_\_\_\_\_?

Will \_\_\_\_\_ usage \_\_\_\_\_ work.

\_\_\_\_\_ network traffic mean \_\_\_\_\_ experience \_\_\_\_\_ in the \_\_\_\_\_?

\_\_\_\_\_ necessary \_\_\_\_\_ users to \_\_\_\_\_ into account \_\_\_\_\_ potential time lags \_\_\_\_\_ recovery \_\_\_\_\_ intense network activity?

There will \_\_\_\_\_ delays \_\_\_\_\_ user \_\_\_\_\_ result \_\_\_\_\_ network congestion.

\_\_\_\_\_ to be prepared \_\_\_\_\_ slow downs \_\_\_\_\_ recovery caused by \_\_\_\_\_ netw \_\_\_\_\_ traffi \_\_\_\_\_?

\_\_\_\_\_ watch out \_\_\_\_\_ hold-ups during peak \_\_\_\_\_?

\_\_\_\_\_ conclusion that user recovery \_\_\_\_\_ due \_\_\_\_\_ increased network use?

\_\_\_\_\_ can \_\_\_\_\_ affected \_\_\_\_\_ high \_\_\_\_\_ congestion \_\_\_\_\_ peak times.

\_\_\_\_\_ you \_\_\_\_\_ during the \_\_\_\_\_ phase because of \_\_\_\_\_ networks?

Will excessive network load \_\_\_\_\_?

\_\_\_\_\_ traffic \_\_\_\_\_ busy hours may \_\_\_\_\_ users \_\_\_\_\_ slower recoveries.

\_\_\_\_\_ network traffic at \_\_\_\_\_ hours \_\_\_\_\_ to \_\_\_\_\_ slower \_\_\_\_\_ users.

There \_\_\_\_\_ be long waits for \_\_\_\_\_ processes \_\_\_\_\_ there \_\_\_\_\_ excessive \_\_\_\_\_ rush \_\_\_\_\_.

Should \_\_\_\_\_ in recovering from \_\_\_\_\_ traffic?

Is it \_\_\_\_\_ high \_\_\_\_\_ during peak \_\_\_\_\_ might \_\_\_\_\_ the \_\_\_\_\_ process for \_\_\_\_\_?

Is \_\_\_\_\_ thought that high \_\_\_\_\_ periods might affect recovery?

\_\_\_\_\_ the high \_\_\_\_\_ network traffic slowing \_\_\_\_\_ the \_\_\_\_\_?

Is \_\_\_\_\_ disruptions \_\_\_\_\_ recovering \_\_\_\_\_ crowded resources?  
 \_\_\_\_\_ the \_\_\_\_\_ use during \_\_\_\_\_ periods can \_\_\_\_\_ expect a \_\_\_\_\_ down?  
 \_\_\_\_\_ congestion \_\_\_\_\_ the recovery \_\_\_\_\_ users.  
 \_\_\_\_\_ traffic at peak \_\_\_\_\_ recovery.

Should high volumes \_\_\_\_\_ make \_\_\_\_\_ for \_\_\_\_\_ recover?  
 During \_\_\_\_\_ periods, \_\_\_\_\_ I expect waiting \_\_\_\_\_?  
 Delays \_\_\_\_\_ possible due \_\_\_\_\_ heavy network \_\_\_\_\_ periods.  
 We can \_\_\_\_\_ data restoration \_\_\_\_\_ of soaring \_\_\_\_\_ rates.  
 Network traffic at \_\_\_\_\_ can cause \_\_\_\_\_ during recovery \_\_\_\_\_.  
 Users will \_\_\_\_\_ slower recoveries \_\_\_\_\_ traffic \_\_\_\_\_ busy hours.  
 Users should \_\_\_\_\_ for \_\_\_\_\_ process \_\_\_\_\_ peak hours.  
 It is assumed \_\_\_\_\_ high \_\_\_\_\_ network \_\_\_\_\_ during peak \_\_\_\_\_ down the \_\_\_\_\_ process \_\_\_\_\_ users.  
 Is \_\_\_\_\_ an expected \_\_\_\_\_ the \_\_\_\_\_ because of excessive \_\_\_\_\_?  
 Is \_\_\_\_\_ going \_\_\_\_\_ a wait for \_\_\_\_\_ to high \_\_\_\_\_?  
 \_\_\_\_\_ affected by \_\_\_\_\_ network congestion.  
 Users \_\_\_\_\_ experience \_\_\_\_\_ the recovery due to \_\_\_\_\_.  
 During times of \_\_\_\_\_ network activity \_\_\_\_\_ users take into \_\_\_\_\_ recovery?  
 \_\_\_\_\_ delays \_\_\_\_\_ recovery processes \_\_\_\_\_ of \_\_\_\_\_ traffic?  
 Users \_\_\_\_\_ face delays \_\_\_\_\_ processes because of \_\_\_\_\_.  
 Is it \_\_\_\_\_ there \_\_\_\_\_ waits for \_\_\_\_\_ processes \_\_\_\_\_ to \_\_\_\_\_ usage during \_\_\_\_\_ hours?  
 Recovery \_\_\_\_\_ impacted by \_\_\_\_\_ congestion \_\_\_\_\_ delayed.  
 \_\_\_\_\_ could \_\_\_\_\_ delays in restoring \_\_\_\_\_ internet usage at peak \_\_\_\_\_.  
 If the networks \_\_\_\_\_ during \_\_\_\_\_ can \_\_\_\_\_ expect \_\_\_\_\_ slowdown.  
 \_\_\_\_\_ excessive network usage \_\_\_\_\_ tasks?  
 \_\_\_\_\_ excessive \_\_\_\_\_ affect users \_\_\_\_\_ times?  
 \_\_\_\_\_ wait for recovery \_\_\_\_\_ to \_\_\_\_\_ loads?  
 Is it possible \_\_\_\_\_ to slow \_\_\_\_\_ if \_\_\_\_\_ lot of \_\_\_\_\_ network?  
 \_\_\_\_\_ is thought that high \_\_\_\_\_ of \_\_\_\_\_ utilization \_\_\_\_\_ slow \_\_\_\_\_ the \_\_\_\_\_ process for users.  
 \_\_\_\_\_ need to be \_\_\_\_\_ possible slowdowns in \_\_\_\_\_ caused \_\_\_\_\_ network \_\_\_\_\_ c and \_\_\_\_\_.  
 \_\_\_\_\_ facing disruption \_\_\_\_\_ when \_\_\_\_\_ from crowded resources?  
 Will this cause \_\_\_\_\_ the recovery \_\_\_\_\_ high network congestion?  
 Is \_\_\_\_\_ high \_\_\_\_\_ of \_\_\_\_\_ utilization \_\_\_\_\_ periods \_\_\_\_\_ slow the \_\_\_\_\_ process for users?  
 \_\_\_\_\_ the networks experience heavy \_\_\_\_\_ during \_\_\_\_\_ times, \_\_\_\_\_ we \_\_\_\_\_?  
 \_\_\_\_\_ network \_\_\_\_\_ affect user's recovery \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ high levels of \_\_\_\_\_ during peak periods might \_\_\_\_\_ the \_\_\_\_\_ for \_\_\_\_\_?  
 Is \_\_\_\_\_ not \_\_\_\_\_ recovery will slow down \_\_\_\_\_ increased \_\_\_\_\_?  
 Will the \_\_\_\_\_ network \_\_\_\_\_ tasks.  
 \_\_\_\_\_ experience delays in recovery \_\_\_\_\_ heavy network \_\_\_\_\_?  
 High \_\_\_\_\_ can \_\_\_\_\_ recovery \_\_\_\_\_.  
 Do \_\_\_\_\_ to be \_\_\_\_\_ in recovery \_\_\_\_\_ by \_\_\_\_\_ traffic and busy times?  
 Does the \_\_\_\_\_ of \_\_\_\_\_ affect \_\_\_\_\_ user's recovery?  
 \_\_\_\_\_ excessive network \_\_\_\_\_ users recovery \_\_\_\_\_?  
 \_\_\_\_\_ user \_\_\_\_\_ disruptions likely when \_\_\_\_\_ crowded \_\_\_\_\_?  
 There might be \_\_\_\_\_ waits for \_\_\_\_\_ due \_\_\_\_\_ usage during \_\_\_\_\_.  
 \_\_\_\_\_ expected \_\_\_\_\_ due to high \_\_\_\_\_ during recovery \_\_\_\_\_.  
 \_\_\_\_\_ users anticipate \_\_\_\_\_ in \_\_\_\_\_ from \_\_\_\_\_ traffic?  
 Is \_\_\_\_\_ going to slow down \_\_\_\_\_ increased \_\_\_\_\_ use?  
 Shouldn't \_\_\_\_\_ in the \_\_\_\_\_ phase because \_\_\_\_\_ congestion?  
 High traffic \_\_\_\_\_ the \_\_\_\_\_ delays \_\_\_\_\_ recovery processes.  
 \_\_\_\_\_ there be delays in \_\_\_\_\_ heavy \_\_\_\_\_ at peak \_\_\_\_\_?

\_\_\_\_ overloading of \_\_\_\_ traffic cause \_\_\_\_ in \_\_\_\_ for \_\_\_\_?  
 \_\_\_\_ network load \_\_\_\_ recovery times during \_\_\_\_ hours?  
 \_\_\_\_ network \_\_\_\_ delays in recovery for \_\_\_\_?  
 Is \_\_\_\_ user \_\_\_\_ disruptions likely \_\_\_\_ recovering \_\_\_\_ resources?  
 \_\_\_\_ might cause \_\_\_\_ recovery \_\_\_\_ users.  
 \_\_\_\_ be \_\_\_\_ with network \_\_\_\_ too much traffic \_\_\_\_ other users.  
 \_\_\_\_ we expect slow \_\_\_\_ processes \_\_\_\_ to \_\_\_\_ utilization on busy \_\_\_\_?  
 Will there \_\_\_\_ in the recovery \_\_\_\_ due to \_\_\_\_ activity \_\_\_\_ popular \_\_\_\_?  
 \_\_\_\_ expect setbacks \_\_\_\_ recovery phase \_\_\_\_ networks \_\_\_\_ congested?  
 \_\_\_\_ a risk \_\_\_\_ setbacks \_\_\_\_ the \_\_\_\_ phase \_\_\_\_ of \_\_\_\_ networks?  
 Does \_\_\_\_ cause delays in recovery for \_\_\_\_?  
 There \_\_\_\_ to excessive \_\_\_\_ traffic at \_\_\_\_ moments.  
 \_\_\_\_ users \_\_\_\_ delays \_\_\_\_ recovery \_\_\_\_ to \_\_\_\_ network traffic?  
 \_\_\_\_ network \_\_\_\_ at peak moments \_\_\_\_ cause \_\_\_\_ in \_\_\_\_ process.  
 During \_\_\_\_ could \_\_\_\_ be \_\_\_\_ waits for recovery \_\_\_\_?  
 \_\_\_\_ users \_\_\_\_ to consider time lags \_\_\_\_ service \_\_\_\_ times \_\_\_\_ network \_\_\_\_?  
 If \_\_\_\_ a lot \_\_\_\_ network \_\_\_\_ delays in the \_\_\_\_ process?  
 \_\_\_\_ excessive network \_\_\_\_ effect user's \_\_\_\_?  
 There may \_\_\_\_ holdups \_\_\_\_ network traffic \_\_\_\_ peak hours.  
 Is \_\_\_\_ user recovery will \_\_\_\_ down \_\_\_\_ increased network \_\_\_\_?  
 If there's \_\_\_\_ can \_\_\_\_ expect delays \_\_\_\_ the recovery process?  
 Is it likely that \_\_\_\_ during \_\_\_\_ time?  
 \_\_\_\_ process \_\_\_\_ by high network congestion \_\_\_\_.  
 \_\_\_\_ congested, will recovery \_\_\_\_ cause delays?  
 Is it \_\_\_\_ that \_\_\_\_ of network \_\_\_\_ slow down \_\_\_\_?  
 \_\_\_\_ may be \_\_\_\_ network congestion during \_\_\_\_.  
 \_\_\_\_ congestion \_\_\_\_ user recovery \_\_\_\_?  
 \_\_\_\_ peak \_\_\_\_ Will users experience \_\_\_\_?  
 If there's \_\_\_\_ of activity on \_\_\_\_ recovery be slowed \_\_\_\_?  
 With heavy network traffic at \_\_\_\_ expect \_\_\_\_?  
 Network congestion \_\_\_\_ delays \_\_\_\_ processes.  
 Should \_\_\_\_ person \_\_\_\_ during the recovery \_\_\_\_ of \_\_\_\_ networks?  
 \_\_\_\_ congestion \_\_\_\_ cause delays \_\_\_\_ for users \_\_\_\_ peak \_\_\_\_.  
 Will \_\_\_\_ recovery \_\_\_\_ delays when \_\_\_\_ is \_\_\_\_?  
 Waits in recovery \_\_\_\_ can \_\_\_\_ caused \_\_\_\_ traffic.  
 At \_\_\_\_ high volumes \_\_\_\_ network traffic slow \_\_\_\_?  
 \_\_\_\_ expect sluggish \_\_\_\_ due to high network utilization rates \_\_\_\_?  
 Is \_\_\_\_ that user \_\_\_\_ slow down after \_\_\_\_ use?  
 Is \_\_\_\_ faced \_\_\_\_ probable when \_\_\_\_ from \_\_\_\_?  
 Is \_\_\_\_ traffic \_\_\_\_ cause \_\_\_\_ in \_\_\_\_ users?  
 Heavy \_\_\_\_ cause \_\_\_\_ in recovery.  
 \_\_\_\_ it expected that \_\_\_\_ utilization during peak \_\_\_\_ affect \_\_\_\_ process \_\_\_\_ users?  
 If \_\_\_\_ experience \_\_\_\_ use during \_\_\_\_ periods \_\_\_\_ expect \_\_\_\_ slower recovery?  
 During peak \_\_\_\_ high \_\_\_\_ affect \_\_\_\_ process speed?  
 \_\_\_\_ it \_\_\_\_ good idea \_\_\_\_ be \_\_\_\_ for hold-ups \_\_\_\_ time \_\_\_\_?  
 \_\_\_\_ high network traffic \_\_\_\_?  
 \_\_\_\_ users feel network congestion \_\_\_\_?  
 Is it possible \_\_\_\_ increased \_\_\_\_ cause slower recoveries?  
 Increased internet \_\_\_\_ will delay recovery \_\_\_\_.  
 Is \_\_\_\_ users will \_\_\_\_ slower \_\_\_\_ due to \_\_\_\_ network traffic during \_\_\_\_?

\_\_\_\_\_ hours, do \_\_\_\_\_ restoration \_\_\_\_\_ happen because \_\_\_\_\_ too \_\_\_\_\_ traffic from \_\_\_\_\_ ?

Is \_\_\_\_\_ that users \_\_\_\_\_ face delays \_\_\_\_\_ recovery \_\_\_\_\_ due \_\_\_\_\_ traffic?

\_\_\_\_\_ for \_\_\_\_\_ in recovery \_\_\_\_\_ by \_\_\_\_\_ network \_\_\_\_\_ c \_\_\_\_\_ busy times.

Will the \_\_\_\_\_ recovery times?

Is there \_\_\_\_\_ delays \_\_\_\_\_ to heavy network traffic \_\_\_\_\_ ?

\_\_\_\_\_ it likely \_\_\_\_\_ users \_\_\_\_\_ recoveries as a result \_\_\_\_\_ network \_\_\_\_\_ ?

\_\_\_\_\_ network traffic \_\_\_\_\_ cause \_\_\_\_\_ slower recoveries.

\_\_\_\_\_ impacted \_\_\_\_\_ high \_\_\_\_\_ congestion will cause \_\_\_\_\_.

\_\_\_\_\_ it \_\_\_\_\_ user recovery may slow \_\_\_\_\_ to \_\_\_\_\_ use?

Does \_\_\_\_\_ contribute to \_\_\_\_\_ user recovery procedures?

Do we \_\_\_\_\_ excessive network usage \_\_\_\_\_ ?

\_\_\_\_\_ surge \_\_\_\_\_ network usage \_\_\_\_\_ the \_\_\_\_\_ for recovery?

\_\_\_\_\_ be \_\_\_\_\_ high network congestion.

Is user \_\_\_\_\_ possible when recovering \_\_\_\_\_ ?

Users may \_\_\_\_\_ recovering \_\_\_\_\_ services \_\_\_\_\_ to network traffic \_\_\_\_\_.

\_\_\_\_\_ users \_\_\_\_\_ delays \_\_\_\_\_ recovery due \_\_\_\_\_ heavy \_\_\_\_\_ ?

Recovery process \_\_\_\_\_ by \_\_\_\_\_ network \_\_\_\_\_ during \_\_\_\_\_

Do users need to \_\_\_\_\_ for \_\_\_\_\_ lags \_\_\_\_\_ recovery \_\_\_\_\_ times \_\_\_\_\_ high \_\_\_\_\_ ?

Does \_\_\_\_\_ traffic \_\_\_\_\_ delays during \_\_\_\_\_ hours for \_\_\_\_\_ ?

Is \_\_\_\_\_ time \_\_\_\_\_ during peak time recovery?

\_\_\_\_\_ network traffic can \_\_\_\_\_ in \_\_\_\_\_ recovery \_\_\_\_\_.

\_\_\_\_\_ worry about hold-ups \_\_\_\_\_ time \_\_\_\_\_ ?

There are delays \_\_\_\_\_ recovery \_\_\_\_\_ high.

Recovery \_\_\_\_\_ by \_\_\_\_\_ network congestion.

Won't excessive \_\_\_\_\_ recovering \_\_\_\_\_ ?

Is there \_\_\_\_\_ in \_\_\_\_\_ recovery \_\_\_\_\_ to excessive network \_\_\_\_\_ ?

\_\_\_\_\_ expected \_\_\_\_\_ time for \_\_\_\_\_ due to high network \_\_\_\_\_ ?

\_\_\_\_\_ traffic and throughput \_\_\_\_\_ at busy \_\_\_\_\_ recovery.

Is it possible for the \_\_\_\_\_ process \_\_\_\_\_ if there \_\_\_\_\_ traffic?

Increased internet activity \_\_\_\_\_ popular hours \_\_\_\_\_ result \_\_\_\_\_ recovery \_\_\_\_\_.

\_\_\_\_\_ the network during peak \_\_\_\_\_ ?

\_\_\_\_\_ stalls \_\_\_\_\_ user recovery \_\_\_\_\_ may \_\_\_\_\_ due \_\_\_\_\_ peak time \_\_\_\_\_.

Do \_\_\_\_\_ to prepare \_\_\_\_\_ for \_\_\_\_\_ slowdowns \_\_\_\_\_ due \_\_\_\_\_ network \_\_\_\_\_ traffic?

Users can \_\_\_\_\_ due to heavy network \_\_\_\_\_.

There \_\_\_\_\_ be lengthy \_\_\_\_\_ recovery processes \_\_\_\_\_ excessive \_\_\_\_\_ use.

Will there be holdups when \_\_\_\_\_ data \_\_\_\_\_ shared \_\_\_\_\_ peak \_\_\_\_\_ ?

Is it \_\_\_\_\_ that \_\_\_\_\_ a slower \_\_\_\_\_ due to increased \_\_\_\_\_ ?

Users should be \_\_\_\_\_ of \_\_\_\_\_ traffic \_\_\_\_\_ peak \_\_\_\_\_.

\_\_\_\_\_ times will \_\_\_\_\_ network \_\_\_\_\_ ?

It is expected that \_\_\_\_\_ levels of network \_\_\_\_\_ will slow down \_\_\_\_\_ process \_\_\_\_\_.

\_\_\_\_\_ delays due to high traffic \_\_\_\_\_ network?

Users \_\_\_\_\_ congestion at peak \_\_\_\_\_

Does network \_\_\_\_\_ recovery \_\_\_\_\_ ?

Users \_\_\_\_\_ recovery processes due to network \_\_\_\_\_.

\_\_\_\_\_ peak \_\_\_\_\_ network traffic affect \_\_\_\_\_ ?

\_\_\_\_\_ process be affected \_\_\_\_\_ the \_\_\_\_\_ time network \_\_\_\_\_ ?

Is \_\_\_\_\_ user recovery \_\_\_\_\_ down when \_\_\_\_\_ network \_\_\_\_\_ increases?

Increased \_\_\_\_\_ activity \_\_\_\_\_ hours may result \_\_\_\_\_ recovery procedures.

High \_\_\_\_\_ of \_\_\_\_\_ cause \_\_\_\_\_ in \_\_\_\_\_ processes.

Do users need to \_\_\_\_\_ peak \_\_\_\_\_ congestion?

\_\_\_\_\_ face delays in recovery processes due \_\_\_\_\_.

Should \_\_\_\_\_ be \_\_\_\_\_ for \_\_\_\_\_ to increased network traffic \_\_\_\_\_?

\_\_\_\_\_ traffic at \_\_\_\_\_ likely \_\_\_\_\_ cause users \_\_\_\_\_ experience slower recoveries.

\_\_\_\_\_ will be delays \_\_\_\_\_ recovery \_\_\_\_\_ of \_\_\_\_\_ network \_\_\_\_\_.

Recovery \_\_\_\_\_ be \_\_\_\_\_ network congestion.

Will \_\_\_\_\_ be \_\_\_\_\_ retrieving data caused by \_\_\_\_\_ system peaks?

\_\_\_\_\_ levels of \_\_\_\_\_ usage \_\_\_\_\_ in user recovery \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ increased network traffic may \_\_\_\_\_ recoveries?

Is \_\_\_\_\_ possible \_\_\_\_\_ users \_\_\_\_\_ delays \_\_\_\_\_ recovering from heavy \_\_\_\_\_?

Is \_\_\_\_\_ users to have \_\_\_\_\_ during peak \_\_\_\_\_ activity?

If \_\_\_\_\_ lot \_\_\_\_\_ activity on \_\_\_\_\_ can \_\_\_\_\_ expect delays in \_\_\_\_\_ recovery?

\_\_\_\_\_ time conditions may \_\_\_\_\_ stalls \_\_\_\_\_ recovery \_\_\_\_\_.

Will too much network \_\_\_\_\_ during \_\_\_\_\_ hours?

network \_\_\_\_\_ can \_\_\_\_\_ in \_\_\_\_\_ recovery \_\_\_\_\_.

\_\_\_\_\_ recovery times \_\_\_\_\_ affected \_\_\_\_\_ network load?

Recovery process \_\_\_\_\_ by network \_\_\_\_\_.

\_\_\_\_\_ network \_\_\_\_\_ disrupt recovering \_\_\_\_\_ expected.

\_\_\_\_\_ network traffic able \_\_\_\_\_ while recovering services \_\_\_\_\_ times?

Peak time \_\_\_\_\_ to stalls \_\_\_\_\_ user \_\_\_\_\_ procedures.

I wonder if network \_\_\_\_\_ at \_\_\_\_\_ will \_\_\_\_\_.

excessive \_\_\_\_\_ rush \_\_\_\_\_ could \_\_\_\_\_ blame for longer \_\_\_\_\_ waits.

\_\_\_\_\_ at \_\_\_\_\_ can cause delays for users \_\_\_\_\_ recovery \_\_\_\_\_.

Can there \_\_\_\_\_ in \_\_\_\_\_ recovery process \_\_\_\_\_ is a \_\_\_\_\_ on the \_\_\_\_\_?

\_\_\_\_\_ expected \_\_\_\_\_ of network utilization during peak times \_\_\_\_\_ affect the \_\_\_\_\_ process \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ could experience delays when \_\_\_\_\_ their services due to \_\_\_\_\_?

Network traffic \_\_\_\_\_ can \_\_\_\_\_ down \_\_\_\_\_ processes.

\_\_\_\_\_ an expected holdup \_\_\_\_\_ recovery process \_\_\_\_\_ to excessive \_\_\_\_\_.

\_\_\_\_\_ be delays \_\_\_\_\_ recovery \_\_\_\_\_ to internet activity \_\_\_\_\_ popular hours?

Do users need to \_\_\_\_\_ possible slow \_\_\_\_\_ netw \_\_\_\_\_ traffi c?

If \_\_\_\_\_ heavy \_\_\_\_\_ busy \_\_\_\_\_ can \_\_\_\_\_ expect a slow down.

\_\_\_\_\_ an \_\_\_\_\_ of \_\_\_\_\_ traffic \_\_\_\_\_ in recovery?

\_\_\_\_\_ we expect \_\_\_\_\_ during \_\_\_\_\_ recovery?

\_\_\_\_\_ trying to \_\_\_\_\_ my \_\_\_\_\_ network \_\_\_\_\_ will I experience \_\_\_\_\_?

Do \_\_\_\_\_ levels \_\_\_\_\_ usage \_\_\_\_\_ stalls in user recovery procedures \_\_\_\_\_?

Users \_\_\_\_\_ delays \_\_\_\_\_ network traffic.

Is it possible that \_\_\_\_\_ cause slower \_\_\_\_\_?

\_\_\_\_\_ possible \_\_\_\_\_ experience delays \_\_\_\_\_ traffic surge during high-demand periods?

\_\_\_\_\_ there be delays \_\_\_\_\_ recovery processes \_\_\_\_\_ network \_\_\_\_\_?

\_\_\_\_\_ may be anticipated service \_\_\_\_\_ high traffic \_\_\_\_\_.

Network \_\_\_\_\_ can \_\_\_\_\_ delayed because \_\_\_\_\_ too much \_\_\_\_\_ from \_\_\_\_\_.

\_\_\_\_\_ much network usage affect \_\_\_\_\_?

Is it \_\_\_\_\_ for users to \_\_\_\_\_ potential slowdowns in \_\_\_\_\_ caused \_\_\_\_\_ netw ork \_\_\_\_\_ times?

\_\_\_\_\_ expect data restoration \_\_\_\_\_ a \_\_\_\_\_ time due to \_\_\_\_\_ rates?

\_\_\_\_\_ it \_\_\_\_\_ network traffic \_\_\_\_\_ cause slower recoveries \_\_\_\_\_ hours?

Is \_\_\_\_\_ that users \_\_\_\_\_ recovery due to heavy network \_\_\_\_\_?

\_\_\_\_\_ the \_\_\_\_\_ process going \_\_\_\_\_ affected by \_\_\_\_\_ at peak moments?

There \_\_\_\_\_ likely to \_\_\_\_\_ holdups \_\_\_\_\_ to \_\_\_\_\_ traffic.

Will users \_\_\_\_\_ delays in their \_\_\_\_\_ to high \_\_\_\_\_?

Do \_\_\_\_\_ need to prepare for \_\_\_\_\_ in recovery \_\_\_\_\_ heavy \_\_\_\_\_ traffi c and \_\_\_\_\_?

\_\_\_\_\_ that \_\_\_\_\_ recovery may slow down due \_\_\_\_\_ network \_\_\_\_\_?



During \_\_\_\_ recovery \_\_\_\_ should \_\_\_\_ because of congested \_\_\_\_?

\_\_\_\_ are \_\_\_\_ in \_\_\_\_ caused by high levels of \_\_\_\_ in peak \_\_\_\_.

\_\_\_\_ network traffic \_\_\_\_ down recovery?

\_\_\_\_ may delay recovery \_\_\_\_.

There \_\_\_\_ recovery process due to high \_\_\_\_.

\_\_\_\_ could be \_\_\_\_ for recovery \_\_\_\_ of network \_\_\_\_ rush hours.

If \_\_\_\_ networks \_\_\_\_ heavy usage during \_\_\_\_ periods \_\_\_\_ expect \_\_\_\_ down?

Can we \_\_\_\_ a slow \_\_\_\_ during busy periods?

Does the surge in \_\_\_\_?

Will high \_\_\_\_ tasks?

Users should \_\_\_\_ for \_\_\_\_ caused by heavy netw \_\_\_\_ traffi \_\_\_\_.

Users \_\_\_\_ repairs with \_\_\_\_ traffic \_\_\_\_.

\_\_\_\_ network \_\_\_\_ during rush hours could \_\_\_\_ waits \_\_\_\_ recovery \_\_\_\_.

Do \_\_\_\_ anticipate delays when they \_\_\_\_ from \_\_\_\_?

Is \_\_\_\_ possible that increased network \_\_\_\_ at busy \_\_\_\_ users?

If there's \_\_\_\_ the network \_\_\_\_ expect \_\_\_\_ slower data recovery?

Is \_\_\_\_ utilization expected to slow \_\_\_\_ recovery \_\_\_\_?

Should \_\_\_\_ volumes of traffic \_\_\_\_ recovery for \_\_\_\_?

\_\_\_\_ recovery process can \_\_\_\_ due to network \_\_\_\_ hours.

\_\_\_\_ traffic affect \_\_\_\_ process speed?

If there's \_\_\_\_ lot \_\_\_\_ the \_\_\_\_ during \_\_\_\_ I expect a decrease in data \_\_\_\_?

\_\_\_\_ a \_\_\_\_ in network usage \_\_\_\_ a user's \_\_\_\_?

Will \_\_\_\_ in the recovery process \_\_\_\_ there is \_\_\_\_ of \_\_\_\_ traffic at \_\_\_\_?

Will the \_\_\_\_ load \_\_\_\_ recovery \_\_\_\_?

Does \_\_\_\_ during \_\_\_\_ hours cause delays \_\_\_\_ recovery?

\_\_\_\_ people expect \_\_\_\_ the recovery phase \_\_\_\_ of congested \_\_\_\_ times?

\_\_\_\_ cause \_\_\_\_ in \_\_\_\_ for users.

\_\_\_\_ user-facing \_\_\_\_ probable \_\_\_\_ recovering \_\_\_\_ resources?

During times \_\_\_\_ activity do \_\_\_\_ need \_\_\_\_ account of \_\_\_\_ time \_\_\_\_ for service \_\_\_\_?

Are \_\_\_\_ lengthy \_\_\_\_ recovery \_\_\_\_ to excessive network \_\_\_\_?

\_\_\_\_ it expected \_\_\_\_ will \_\_\_\_ down despite \_\_\_\_ network use?

During times of \_\_\_\_ activity, \_\_\_\_ need \_\_\_\_ into \_\_\_\_ any potential time \_\_\_\_ for service \_\_\_\_?

Heavy \_\_\_\_ at peak \_\_\_\_ might cause \_\_\_\_ experience slow \_\_\_\_ during \_\_\_\_.

\_\_\_\_ there's a \_\_\_\_ of network traffic \_\_\_\_ hours, can \_\_\_\_ anticipate delays \_\_\_\_.

Does \_\_\_\_ presence of \_\_\_\_ cause delays \_\_\_\_ user \_\_\_\_?

During \_\_\_\_ periods, \_\_\_\_ expect a \_\_\_\_ recovery?

\_\_\_\_ a \_\_\_\_ on the network during \_\_\_\_ time can I expect a slowdown \_\_\_\_?

\_\_\_\_ network \_\_\_\_ may cause \_\_\_\_ in the recovery \_\_\_\_.

\_\_\_\_ network congestion \_\_\_\_ problems in \_\_\_\_?

Should \_\_\_\_ volume \_\_\_\_ cause problems \_\_\_\_?

\_\_\_\_ processes \_\_\_\_ be affected \_\_\_\_ network \_\_\_\_.

\_\_\_\_ one \_\_\_\_ during the \_\_\_\_ phase \_\_\_\_ the congested networks?

\_\_\_\_ network load \_\_\_\_ user's recovery \_\_\_\_?

\_\_\_\_ need to prepare \_\_\_\_ possible slowdowns \_\_\_\_ recovery \_\_\_\_ ork and busy times?

If networks \_\_\_\_ heavy \_\_\_\_ during \_\_\_\_ can we \_\_\_\_ slowdown?

Can \_\_\_\_ be \_\_\_\_ if there's a lot \_\_\_\_ traffic?

Do users need to prepare for \_\_\_\_ recovery \_\_\_\_ c?

There \_\_\_\_ predicted \_\_\_\_ disruptions \_\_\_\_ traffic.

Will the user's recovery \_\_\_\_ affected by \_\_\_\_?

\_\_\_\_ high \_\_\_\_ traffic at peak times \_\_\_\_ recovery?

Should \_\_\_\_\_ brace \_\_\_\_\_ for hold-ups \_\_\_\_\_ recovery?

Network traffic \_\_\_\_\_ during \_\_\_\_\_ periods could cause \_\_\_\_\_.

Do \_\_\_\_\_ need to \_\_\_\_\_ slower \_\_\_\_\_ by \_\_\_\_\_ ork traffi \_\_\_\_\_ busy times?

Shouldn't \_\_\_\_\_ expect \_\_\_\_\_ during the \_\_\_\_\_ phase due to \_\_\_\_\_ at \_\_\_\_\_?

When recovering \_\_\_\_\_ disruptions likely?

\_\_\_\_\_ need to \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ heavy netw ork traffi c?

\_\_\_\_\_ it expected \_\_\_\_\_ will \_\_\_\_\_ down at peak \_\_\_\_\_?

Peak \_\_\_\_\_ contribute \_\_\_\_\_ stalls in user \_\_\_\_\_.

Is it \_\_\_\_\_ peak network traffic \_\_\_\_\_ recovery?

\_\_\_\_\_ high traffic volumes \_\_\_\_\_ problems \_\_\_\_\_ for \_\_\_\_\_?

Is \_\_\_\_\_ possible that \_\_\_\_\_ cause delays in recovery \_\_\_\_\_?

Network \_\_\_\_\_ may \_\_\_\_\_ delays \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_.

\_\_\_\_\_ network \_\_\_\_\_ cause stalls in \_\_\_\_\_ recovery \_\_\_\_\_.

\_\_\_\_\_ traffic at peak \_\_\_\_\_ affect \_\_\_\_\_.

\_\_\_\_\_ excessive \_\_\_\_\_ recovery times?

Recovery \_\_\_\_\_ by \_\_\_\_\_ during peak times.

Is \_\_\_\_\_ that \_\_\_\_\_ down due \_\_\_\_\_ increased network usage?

\_\_\_\_\_ will excessive network load \_\_\_\_\_?

\_\_\_\_\_ it possible \_\_\_\_\_ users \_\_\_\_\_ suffer \_\_\_\_\_ to network \_\_\_\_\_ surge \_\_\_\_\_ periods?

Does \_\_\_\_\_ traffic cause \_\_\_\_\_ processes?

Could \_\_\_\_\_ waits for \_\_\_\_\_ because \_\_\_\_\_ network usage during rush \_\_\_\_\_?

\_\_\_\_\_ be impacted \_\_\_\_\_ network congestion

Heavy online traffic \_\_\_\_\_ times may cause \_\_\_\_\_ speeds during \_\_\_\_\_.

\_\_\_\_\_ peak \_\_\_\_\_ traffic slow down \_\_\_\_\_?

\_\_\_\_\_ a lot \_\_\_\_\_ activity \_\_\_\_\_ the network \_\_\_\_\_ expect \_\_\_\_\_ down \_\_\_\_\_ data recovery?

Can \_\_\_\_\_ processes \_\_\_\_\_ soaring \_\_\_\_\_ utilization rates on busy days?

Are \_\_\_\_\_ able to anticipate delays \_\_\_\_\_ to heavy \_\_\_\_\_?

\_\_\_\_\_ in \_\_\_\_\_ affect recovery \_\_\_\_\_ speed.

\_\_\_\_\_ delays in \_\_\_\_\_ processes because \_\_\_\_\_ high network \_\_\_\_\_?

Is \_\_\_\_\_ disrupting \_\_\_\_\_ tasks?

\_\_\_\_\_ will \_\_\_\_\_ delays in \_\_\_\_\_ processes due \_\_\_\_\_ network traffic.

Will there be \_\_\_\_\_ unexpected holdups \_\_\_\_\_ data \_\_\_\_\_ to \_\_\_\_\_ at \_\_\_\_\_ peaks?

Do users \_\_\_\_\_ possible slowdowns in \_\_\_\_\_ heavy \_\_\_\_\_ ork traffi c?

\_\_\_\_\_ there be holdups \_\_\_\_\_ to \_\_\_\_\_ traffic at \_\_\_\_\_?

Shouldn't there be \_\_\_\_\_ during \_\_\_\_\_ recovery phase if \_\_\_\_\_ are \_\_\_\_\_?

Recovery processes \_\_\_\_\_ if \_\_\_\_\_ traffic \_\_\_\_\_ the network.

Are \_\_\_\_\_ holdups \_\_\_\_\_ the \_\_\_\_\_ process due to \_\_\_\_\_ network \_\_\_\_\_?

There \_\_\_\_\_ be \_\_\_\_\_ for recovery \_\_\_\_\_ if \_\_\_\_\_ usage is \_\_\_\_\_.

Do users \_\_\_\_\_ worry about \_\_\_\_\_ heavy netw ork traffi c and \_\_\_\_\_ times?

\_\_\_\_\_ network \_\_\_\_\_ delays \_\_\_\_\_ the recovery process.

Does \_\_\_\_\_ surge \_\_\_\_\_ affect recovery process \_\_\_\_\_?

During peak hours \_\_\_\_\_ network \_\_\_\_\_ delays \_\_\_\_\_.

\_\_\_\_\_ usage during \_\_\_\_\_ hours could cause \_\_\_\_\_ recovery processes

High \_\_\_\_\_ network resources at \_\_\_\_\_ can cause \_\_\_\_\_ recovery processes.

\_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ traffic \_\_\_\_\_ down recovery?

Will excess network \_\_\_\_\_ impact \_\_\_\_\_?

\_\_\_\_\_ in network use affect \_\_\_\_\_?

\_\_\_\_\_ users \_\_\_\_\_ the potential time \_\_\_\_\_ recovery \_\_\_\_\_ times of intense network activity?

Will \_\_\_\_\_ recovery \_\_\_\_\_ be delayed \_\_\_\_\_ to increased \_\_\_\_\_ popular \_\_\_\_\_?

Will the recovery \_\_\_\_\_ be \_\_\_\_\_ of \_\_\_\_\_ activity?

\_\_\_\_\_ of network usage affect \_\_\_\_\_ procedures?

Does overload \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ network traffic \_\_\_\_\_ cause delays?

Can network \_\_\_\_\_ delayed due \_\_\_\_\_ much \_\_\_\_\_ from other \_\_\_\_\_?

\_\_\_\_\_ load \_\_\_\_\_ recovery times?

Do users \_\_\_\_\_ potential slowdowns \_\_\_\_\_ recovery caused \_\_\_\_\_ ork traffi c \_\_\_\_\_ busy times?

\_\_\_\_\_ impacted by high \_\_\_\_\_

\_\_\_\_\_ I experience delays \_\_\_\_\_ trying \_\_\_\_\_ recover \_\_\_\_\_ during \_\_\_\_\_ network \_\_\_\_\_?

\_\_\_\_\_ recovery process \_\_\_\_\_ peak times \_\_\_\_\_ traffic?

Is \_\_\_\_\_ expected that high \_\_\_\_\_ utilization during peak \_\_\_\_\_ recovery \_\_\_\_\_ users?

Users can \_\_\_\_\_ delays in \_\_\_\_\_ traffic \_\_\_\_\_ heavy.

Does overloading network \_\_\_\_\_?

Peak times \_\_\_\_\_ stalls in \_\_\_\_\_.

\_\_\_\_\_ traffic peaks on these \_\_\_\_\_ is \_\_\_\_\_ deal with \_\_\_\_\_ during \_\_\_\_\_?

Should \_\_\_\_\_ cause \_\_\_\_\_ in recovery?

\_\_\_\_\_ users experience \_\_\_\_\_ overload during \_\_\_\_\_?

Does a surge in \_\_\_\_\_ recovery \_\_\_\_\_?

There \_\_\_\_\_ expected holdups \_\_\_\_\_ to \_\_\_\_\_ network traffic \_\_\_\_\_ times.

\_\_\_\_\_ is possible \_\_\_\_\_ network \_\_\_\_\_ cause delays in \_\_\_\_\_ process.

\_\_\_\_\_ high-demand \_\_\_\_\_ could users \_\_\_\_\_ delays \_\_\_\_\_ their services?

Shouldn't \_\_\_\_\_ expect setbacks during \_\_\_\_\_ due \_\_\_\_\_ busy \_\_\_\_\_ at peak \_\_\_\_\_?

\_\_\_\_\_ peak time \_\_\_\_\_ should \_\_\_\_\_ be prepared \_\_\_\_\_ ups?

Recovery process will \_\_\_\_\_ impacted \_\_\_\_\_ network \_\_\_\_\_.

\_\_\_\_\_ users \_\_\_\_\_ delays in recovering \_\_\_\_\_ traffic \_\_\_\_\_ peak times?

Network \_\_\_\_\_ may cause delays \_\_\_\_\_.

The \_\_\_\_\_ will \_\_\_\_\_ impacted \_\_\_\_\_ network congestion.

\_\_\_\_\_ network traffic \_\_\_\_\_ peak \_\_\_\_\_ down \_\_\_\_\_?

The \_\_\_\_\_ of \_\_\_\_\_ will \_\_\_\_\_ by network \_\_\_\_\_.

\_\_\_\_\_ I have \_\_\_\_\_ should I \_\_\_\_\_ waiting \_\_\_\_\_ for recovery?

Is heavy \_\_\_\_\_ traffic likely \_\_\_\_\_ lead \_\_\_\_\_ delays \_\_\_\_\_?

There are \_\_\_\_\_ users \_\_\_\_\_ recovery processes \_\_\_\_\_ network \_\_\_\_\_.

\_\_\_\_\_ can users anticipate \_\_\_\_\_ in \_\_\_\_\_ from \_\_\_\_\_ traffic?

\_\_\_\_\_ delays in recovery due \_\_\_\_\_ traffic.

\_\_\_\_\_ times of intense network \_\_\_\_\_ users \_\_\_\_\_ lags for \_\_\_\_\_ recovery?

\_\_\_\_\_ can anticipate \_\_\_\_\_ in recovering \_\_\_\_\_ heavy network \_\_\_\_\_ certain \_\_\_\_\_.

\_\_\_\_\_ we expect a \_\_\_\_\_ when \_\_\_\_\_ experience \_\_\_\_\_ usage?

Delays in recovery \_\_\_\_\_ due \_\_\_\_\_ volumes of \_\_\_\_\_.

\_\_\_\_\_ traffic \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ recovery?

Can you \_\_\_\_\_ us if there \_\_\_\_\_ delays on \_\_\_\_\_ processes?

Will users \_\_\_\_\_ slower recoveries \_\_\_\_\_ network traffic \_\_\_\_\_ hours?

Network traffic at \_\_\_\_\_ times \_\_\_\_\_ users in recovery \_\_\_\_\_.

\_\_\_\_\_ excessive network \_\_\_\_\_ user's \_\_\_\_\_ times?

\_\_\_\_\_ people \_\_\_\_\_ the \_\_\_\_\_ at \_\_\_\_\_ times, \_\_\_\_\_ do we have \_\_\_\_\_ wait longer?

\_\_\_\_\_ delays \_\_\_\_\_ recovery when \_\_\_\_\_ peaks on these \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ setbacks during \_\_\_\_\_ recovery phase \_\_\_\_\_ of \_\_\_\_\_ congested \_\_\_\_\_?

Network traffic surge \_\_\_\_\_ high-demand \_\_\_\_\_ could \_\_\_\_\_ users to \_\_\_\_\_ in \_\_\_\_\_.

Will users \_\_\_\_\_ delayed in \_\_\_\_\_ to \_\_\_\_\_?

\_\_\_\_\_ there be \_\_\_\_\_ is high traffic on \_\_\_\_\_ network \_\_\_\_\_ peak \_\_\_\_\_?

Users \_\_\_\_\_ face delays \_\_\_\_\_ the recovery \_\_\_\_\_ heavy \_\_\_\_\_.

Are there delays \_\_\_\_\_ the recovery procedures \_\_\_\_\_ of \_\_\_\_\_?

\_\_\_\_\_ hours \_\_\_\_\_ cause delays in \_\_\_\_\_.

The internet \_\_\_\_\_ popular hours \_\_\_\_\_ in the recovery \_\_\_\_\_.

\_\_\_\_\_ be \_\_\_\_\_ in user \_\_\_\_\_ to network congestion.

During peak hours \_\_\_\_\_ congestion \_\_\_\_\_ recovery \_\_\_\_\_ users.

Is \_\_\_\_\_ possible to \_\_\_\_\_ in the recovery \_\_\_\_\_ lot \_\_\_\_\_ network traffic?

\_\_\_\_\_ users \_\_\_\_\_ recovering their services due to \_\_\_\_\_ spikes?

Increased \_\_\_\_\_ traffic \_\_\_\_\_ busy hours may \_\_\_\_\_ users to \_\_\_\_\_.

\_\_\_\_\_ to delay the recovery?

Shouldn't \_\_\_\_\_ setbacks during the \_\_\_\_\_ phase if \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ network traffic is heavy, can \_\_\_\_\_ anticipate \_\_\_\_\_?

Will heavy \_\_\_\_\_ affect \_\_\_\_\_ recovery \_\_\_\_\_?

Will the high \_\_\_\_\_ traffic \_\_\_\_\_ down the \_\_\_\_\_?

Network \_\_\_\_\_ peak times can \_\_\_\_\_ recovery \_\_\_\_\_.

Is \_\_\_\_\_ that \_\_\_\_\_ network \_\_\_\_\_ during \_\_\_\_\_ periods might slow \_\_\_\_\_ process for \_\_\_\_\_?

\_\_\_\_\_ be \_\_\_\_\_ delays \_\_\_\_\_ recovery \_\_\_\_\_ during peak hours.

Are \_\_\_\_\_ prepared for \_\_\_\_\_ during \_\_\_\_\_?

excessive network \_\_\_\_\_ rush hours \_\_\_\_\_ waits \_\_\_\_\_ recovery processes.

users \_\_\_\_\_ congestion during \_\_\_\_\_ times

\_\_\_\_\_ network usage during \_\_\_\_\_ hours \_\_\_\_\_ waits for recovery \_\_\_\_\_?

It is \_\_\_\_\_ that \_\_\_\_\_ usage \_\_\_\_\_ recovering tasks.

Will the \_\_\_\_\_ delayed \_\_\_\_\_ of \_\_\_\_\_ during peaks?

With \_\_\_\_\_ traffic \_\_\_\_\_ can \_\_\_\_\_ anticipate \_\_\_\_\_ in recovering?

\_\_\_\_\_ there \_\_\_\_\_ slowdowns due to high \_\_\_\_\_ volumes?

\_\_\_\_\_ it \_\_\_\_\_ that user recovery will slow \_\_\_\_\_ increased \_\_\_\_\_?

If \_\_\_\_\_ a lot of activity \_\_\_\_\_ during prime \_\_\_\_\_ can \_\_\_\_\_ expect \_\_\_\_\_ recovery to \_\_\_\_\_?

We \_\_\_\_\_ know if we \_\_\_\_\_ expect sluggish \_\_\_\_\_ soaring network utilization \_\_\_\_\_.

Is \_\_\_\_\_ of \_\_\_\_\_ causing \_\_\_\_\_ in recovery \_\_\_\_\_ users?

Can \_\_\_\_\_ recovering from \_\_\_\_\_ network traffic?

\_\_\_\_\_ it \_\_\_\_\_ setbacks during \_\_\_\_\_ phase because of crowded \_\_\_\_\_?

\_\_\_\_\_ it anticipated that \_\_\_\_\_ levels \_\_\_\_\_ network \_\_\_\_\_ slow \_\_\_\_\_ the \_\_\_\_\_ process for \_\_\_\_\_?

Will \_\_\_\_\_ traffic at \_\_\_\_\_ down recovery?

Because \_\_\_\_\_ congested networks at \_\_\_\_\_ should \_\_\_\_\_ expect \_\_\_\_\_ the \_\_\_\_\_ phase?

\_\_\_\_\_ usage \_\_\_\_\_ rush hours could \_\_\_\_\_ lengthy \_\_\_\_\_ processes.

\_\_\_\_\_ users expect delays \_\_\_\_\_ processes because \_\_\_\_\_ over network \_\_\_\_\_?

\_\_\_\_\_ time network \_\_\_\_\_ will \_\_\_\_\_ process \_\_\_\_\_.

\_\_\_\_\_ network \_\_\_\_\_ have an impact \_\_\_\_\_ recovery?

With \_\_\_\_\_ users need to \_\_\_\_\_ for \_\_\_\_\_ process delays?

\_\_\_\_\_ will \_\_\_\_\_ experience slower recoveries due \_\_\_\_\_ network \_\_\_\_\_.

Do \_\_\_\_\_ need to \_\_\_\_\_ prepared \_\_\_\_\_ downs \_\_\_\_\_ caused by heavy network traffic \_\_\_\_\_ busy \_\_\_\_\_?

\_\_\_\_\_ consider the potential time \_\_\_\_\_ for \_\_\_\_\_ during times of intense \_\_\_\_\_?

\_\_\_\_\_ network activity, is \_\_\_\_\_ plausible \_\_\_\_\_ to experience slow \_\_\_\_\_?

Is it expected \_\_\_\_\_ high \_\_\_\_\_ would slow down the \_\_\_\_\_ users?

Will \_\_\_\_\_ recovery \_\_\_\_\_ cause delays \_\_\_\_\_ are high \_\_\_\_\_ network?

Does traffic overload during \_\_\_\_\_?

High \_\_\_\_\_ on the network \_\_\_\_\_ delays when \_\_\_\_\_ used.

Users will face \_\_\_\_\_ if \_\_\_\_\_ high network traffic.

There \_\_\_\_\_ delays in \_\_\_\_\_ of heavy network \_\_\_\_\_.

\_\_\_\_\_ increased network use, is \_\_\_\_\_ expected \_\_\_\_\_ will slow \_\_\_\_\_?

Increased \_\_\_\_\_ activity at popular \_\_\_\_\_ in delays \_\_\_\_\_ recovery \_\_\_\_\_.

Is \_\_\_\_\_ possible \_\_\_\_\_ traffic \_\_\_\_\_ cause slower recoveries?

Is \_\_\_\_\_ possible \_\_\_\_\_ to \_\_\_\_\_ delays in recovering \_\_\_\_\_ heavy \_\_\_\_\_.

During peak \_\_\_\_\_ there \_\_\_\_\_ due to heavy \_\_\_\_\_?

Is \_\_\_\_\_ anticipated that high levels of \_\_\_\_\_ periods \_\_\_\_\_ slow \_\_\_\_\_ recovery process \_\_\_\_\_ users?

There will be holdups \_\_\_\_\_ the \_\_\_\_\_ due \_\_\_\_\_ excessive \_\_\_\_\_.

\_\_\_\_\_ may users experience \_\_\_\_\_ congestion?

\_\_\_\_\_ can experience \_\_\_\_\_ recovery \_\_\_\_\_ to heavy network \_\_\_\_\_.

There may \_\_\_\_\_ service \_\_\_\_\_ due \_\_\_\_\_ high \_\_\_\_\_.

If there \_\_\_\_\_ a \_\_\_\_\_ traffic, \_\_\_\_\_ delays in the \_\_\_\_\_ process?

\_\_\_\_\_ can lead to \_\_\_\_\_ recovery.

\_\_\_\_\_ traffic at peak \_\_\_\_\_ affect \_\_\_\_\_?

\_\_\_\_\_ services at \_\_\_\_\_ can network traffic \_\_\_\_\_ delays?

\_\_\_\_\_ recovery processes can be caused by \_\_\_\_\_.

\_\_\_\_\_ delays \_\_\_\_\_ recovery if traffic is \_\_\_\_\_.

Can we \_\_\_\_\_ restoration processes when network \_\_\_\_\_?

Is \_\_\_\_\_ normal for user \_\_\_\_\_ slow \_\_\_\_\_ amid \_\_\_\_\_ network \_\_\_\_\_?

\_\_\_\_\_ their services at \_\_\_\_\_ times \_\_\_\_\_ expect \_\_\_\_\_ traffic to \_\_\_\_\_ delays?

Is it \_\_\_\_\_ to \_\_\_\_\_ recovering due to heavy \_\_\_\_\_?

\_\_\_\_\_ should anticipate \_\_\_\_\_ delays \_\_\_\_\_ to increased \_\_\_\_\_ traffic during \_\_\_\_\_.

\_\_\_\_\_ network traffic \_\_\_\_\_ delays in \_\_\_\_\_.

Will \_\_\_\_\_ delays when \_\_\_\_\_ to \_\_\_\_\_ my services \_\_\_\_\_ networks?

Surge in \_\_\_\_\_ affect recovery \_\_\_\_\_.

\_\_\_\_\_ is \_\_\_\_\_ lot \_\_\_\_\_ on the network during prime \_\_\_\_\_ can \_\_\_\_\_ expect \_\_\_\_\_ slower data \_\_\_\_\_?

Users \_\_\_\_\_ in \_\_\_\_\_ if there \_\_\_\_\_ heavy network \_\_\_\_\_.

\_\_\_\_\_ time network traffic \_\_\_\_\_ speed

\_\_\_\_\_ for \_\_\_\_\_ recoveries might be \_\_\_\_\_ massive network traffic.

There are \_\_\_\_\_ the recovery \_\_\_\_\_ because of excessive \_\_\_\_\_ traffic \_\_\_\_\_.

Is \_\_\_\_\_ idea \_\_\_\_\_ setbacks during the recovery phase \_\_\_\_\_ at peak times?

Users \_\_\_\_\_ expect \_\_\_\_\_ during \_\_\_\_\_ processes due \_\_\_\_\_ high volumes \_\_\_\_\_.

Do I \_\_\_\_\_ to \_\_\_\_\_ recovery due to \_\_\_\_\_ loads \_\_\_\_\_ busy \_\_\_\_\_?

\_\_\_\_\_ because of \_\_\_\_\_ traffic at peak times.

\_\_\_\_\_ be delays in \_\_\_\_\_ because of high \_\_\_\_\_?

Is expected \_\_\_\_\_ the recovery \_\_\_\_\_ due \_\_\_\_\_ traffic?

I wonder \_\_\_\_\_ will \_\_\_\_\_ increased network traffic \_\_\_\_\_ busy hours.

Network traffic \_\_\_\_\_ peak \_\_\_\_\_ can \_\_\_\_\_ delays \_\_\_\_\_ users during \_\_\_\_\_.

\_\_\_\_\_ there's a lot \_\_\_\_\_ traffic at \_\_\_\_\_ delays in the recovery?

Increased \_\_\_\_\_ use may cause the \_\_\_\_\_ recovery \_\_\_\_\_.

\_\_\_\_\_ high \_\_\_\_\_ impact user's recovery \_\_\_\_\_?

\_\_\_\_\_ of activity on \_\_\_\_\_ can there \_\_\_\_\_ slowdowns in \_\_\_\_\_ recovery?

If \_\_\_\_\_ lot of network \_\_\_\_\_ hours, \_\_\_\_\_ there be delays in \_\_\_\_\_ recovery \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ delays when recovering \_\_\_\_\_ network traffic?

If \_\_\_\_\_ a \_\_\_\_\_ network \_\_\_\_\_ busy \_\_\_\_\_ there be \_\_\_\_\_ in \_\_\_\_\_ recovery process?

\_\_\_\_\_ users need \_\_\_\_\_ take into account \_\_\_\_\_ for \_\_\_\_\_ recovery \_\_\_\_\_ times of \_\_\_\_\_ activity?

\_\_\_\_\_ there's \_\_\_\_\_ lot \_\_\_\_\_ the network during prime times \_\_\_\_\_ a slowdown \_\_\_\_\_ data recovery?

\_\_\_\_\_ high \_\_\_\_\_ traffic \_\_\_\_\_ peak \_\_\_\_\_ slow down \_\_\_\_\_ recovery?

Should \_\_\_\_\_ expect delays \_\_\_\_\_ the \_\_\_\_\_ due \_\_\_\_\_ heavy \_\_\_\_\_?

\_\_\_\_\_ are \_\_\_\_\_ in the recovery process \_\_\_\_\_ traffic at peak \_\_\_\_\_.

\_\_\_\_\_ volumes of \_\_\_\_\_ cause \_\_\_\_\_ in the \_\_\_\_\_ process.

Do we \_\_\_\_\_ to wait longer when \_\_\_\_\_ network is being \_\_\_\_\_ the \_\_\_\_\_ using \_\_\_\_\_?

Peak \_\_\_\_\_ network congestion could cause \_\_\_\_\_ process.

\_\_\_\_\_ is possible to cause delays in \_\_\_\_\_.

\_\_\_\_\_ users \_\_\_\_\_ prepare \_\_\_\_\_ slow \_\_\_\_\_ due \_\_\_\_\_ heavy netw \_\_\_\_\_ c and busy times?  
 \_\_\_\_\_ users need to \_\_\_\_\_ themselves \_\_\_\_\_ recovery \_\_\_\_\_ to heavy netw \_\_\_\_\_ busy times?  
 Delays \_\_\_\_\_ for users may \_\_\_\_\_ congestion \_\_\_\_\_ peak hours.  
 Shouldn't \_\_\_\_\_ be \_\_\_\_\_ during \_\_\_\_\_ hours?  
 \_\_\_\_\_ there's \_\_\_\_\_ lot \_\_\_\_\_ on \_\_\_\_\_ can \_\_\_\_\_ be a \_\_\_\_\_ in data recovery.  
 \_\_\_\_\_ excessive \_\_\_\_\_ the user's recovery?  
 Shouldn't one expect \_\_\_\_\_ recovery phase \_\_\_\_\_ the \_\_\_\_\_ congested?  
 \_\_\_\_\_ user recovery will \_\_\_\_\_ down due to \_\_\_\_\_ network \_\_\_\_\_?  
 If networks experience \_\_\_\_\_ can \_\_\_\_\_ a slower recovery?  
 Will \_\_\_\_\_ recovering tasks?  
 Should users \_\_\_\_\_ delays \_\_\_\_\_ processes due \_\_\_\_\_ traffic?  
 \_\_\_\_\_ internet \_\_\_\_\_ could delay the recovery procedures.  
 Can I \_\_\_\_\_ in \_\_\_\_\_ recovery \_\_\_\_\_ if \_\_\_\_\_ a lot of \_\_\_\_\_ during \_\_\_\_\_ hours?  
 \_\_\_\_\_ expected that user \_\_\_\_\_ slow down \_\_\_\_\_ network \_\_\_\_\_ increases?  
 peak time conditions \_\_\_\_\_ cause \_\_\_\_\_ in \_\_\_\_\_.  
 Do users \_\_\_\_\_ recovery because of heavy \_\_\_\_\_ ork \_\_\_\_\_ c and \_\_\_\_\_ times?  
 Will \_\_\_\_\_ traffic \_\_\_\_\_ times slow \_\_\_\_\_ the recovery?  
 Does \_\_\_\_\_ traffic \_\_\_\_\_ peak \_\_\_\_\_ affect \_\_\_\_\_ time \_\_\_\_\_ users?  
 Users \_\_\_\_\_ probably face delays \_\_\_\_\_ recovery processes \_\_\_\_\_ to \_\_\_\_\_.  
 \_\_\_\_\_ hours \_\_\_\_\_ network restoration \_\_\_\_\_ to too much \_\_\_\_\_?  
 \_\_\_\_\_ affect the user's recovery \_\_\_\_\_ during peak \_\_\_\_\_?  
 \_\_\_\_\_ heavy \_\_\_\_\_ traffic \_\_\_\_\_ times, \_\_\_\_\_ users anticipate delays \_\_\_\_\_?  
 Should we \_\_\_\_\_ annoying \_\_\_\_\_ during the \_\_\_\_\_ recovery?  
 \_\_\_\_\_ high \_\_\_\_\_ of \_\_\_\_\_ usage affect stalls \_\_\_\_\_ user \_\_\_\_\_.  
 \_\_\_\_\_ there's a \_\_\_\_\_ traffic at \_\_\_\_\_ hours can \_\_\_\_\_ in \_\_\_\_\_ recovery process?  
 When the network \_\_\_\_\_ busy, \_\_\_\_\_ processes cause \_\_\_\_\_?  
 High \_\_\_\_\_ volumes during recovery \_\_\_\_\_ lead \_\_\_\_\_ service \_\_\_\_\_.  
 \_\_\_\_\_ expect \_\_\_\_\_ recovery with \_\_\_\_\_ loads.  
 \_\_\_\_\_ may \_\_\_\_\_ recovery process due to \_\_\_\_\_ network traffic.  
 Is \_\_\_\_\_ possible that user \_\_\_\_\_ could \_\_\_\_\_ increased network \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ network congestion \_\_\_\_\_ times?  
 \_\_\_\_\_ be delays in the \_\_\_\_\_ because \_\_\_\_\_ activity during \_\_\_\_\_ hours?  
 \_\_\_\_\_ I expect \_\_\_\_\_ recovery \_\_\_\_\_ if \_\_\_\_\_ a lot of \_\_\_\_\_ traffic at \_\_\_\_\_ hours?  
 If \_\_\_\_\_ is a \_\_\_\_\_ activity \_\_\_\_\_ the network \_\_\_\_\_ prime periods \_\_\_\_\_ slower \_\_\_\_\_ of data?  
 Heavy \_\_\_\_\_ traffic can cause \_\_\_\_\_ in \_\_\_\_\_ for \_\_\_\_\_.  
 Users \_\_\_\_\_ to experience \_\_\_\_\_ in \_\_\_\_\_ to heavy network \_\_\_\_\_.  
 If there is \_\_\_\_\_ activity \_\_\_\_\_ network, can I \_\_\_\_\_ down in \_\_\_\_\_?  
 \_\_\_\_\_ delays in \_\_\_\_\_ process if \_\_\_\_\_ are \_\_\_\_\_ lot of \_\_\_\_\_ traffic?  
 Does \_\_\_\_\_ network cause delays \_\_\_\_\_ users?  
 Is \_\_\_\_\_ delays in recovery \_\_\_\_\_ users \_\_\_\_\_ peak \_\_\_\_\_?  
 \_\_\_\_\_ userfacing disruptions \_\_\_\_\_ crowded resources?  
 \_\_\_\_\_ at \_\_\_\_\_ times may \_\_\_\_\_ delays for users \_\_\_\_\_ processes.  
 \_\_\_\_\_ we need \_\_\_\_\_ brace \_\_\_\_\_ hold-ups during peak \_\_\_\_\_?  
 Does a surge \_\_\_\_\_ network \_\_\_\_\_ affect \_\_\_\_\_?  
 Do \_\_\_\_\_ take into \_\_\_\_\_ time \_\_\_\_\_ service \_\_\_\_\_ times of high \_\_\_\_\_ activity?  
 During \_\_\_\_\_ network \_\_\_\_\_ delays caused \_\_\_\_\_ too much \_\_\_\_\_ from other \_\_\_\_\_?  
 Do \_\_\_\_\_ to wait longer \_\_\_\_\_ the \_\_\_\_\_ fixed because a lot of \_\_\_\_\_ it?  
 Do users need to \_\_\_\_\_ potential \_\_\_\_\_ lags \_\_\_\_\_ during times of \_\_\_\_\_ activity?  
 \_\_\_\_\_ we \_\_\_\_\_ annoying \_\_\_\_\_ during peak time recoveries?  
 \_\_\_\_\_ be disruptions due to \_\_\_\_\_.

Network congestion may \_\_\_\_\_ delays \_\_\_\_\_.

Increased internet \_\_\_\_\_ popular \_\_\_\_\_ may \_\_\_\_\_ the recovery \_\_\_\_\_.

\_\_\_\_\_ will experience \_\_\_\_\_ recovery processes \_\_\_\_\_ network traffic.

Heavy \_\_\_\_\_ traffic may lead to \_\_\_\_\_.

Is \_\_\_\_\_ that users will experience slower \_\_\_\_\_ because \_\_\_\_\_ increased \_\_\_\_\_?

\_\_\_\_\_ should \_\_\_\_\_ aware of \_\_\_\_\_ to network traffic.

\_\_\_\_\_ likely \_\_\_\_\_ recovery \_\_\_\_\_ down \_\_\_\_\_ increased use of the network?

Is \_\_\_\_\_ user \_\_\_\_\_ down when network use \_\_\_\_\_ up?

\_\_\_\_\_ volumes of network \_\_\_\_\_ recovery process \_\_\_\_\_.

On busy \_\_\_\_\_ and \_\_\_\_\_ evenings can \_\_\_\_\_ processes due \_\_\_\_\_ soaring \_\_\_\_\_ utilization rates?

Is it \_\_\_\_\_ that \_\_\_\_\_ of \_\_\_\_\_ utilization \_\_\_\_\_ slow down \_\_\_\_\_ recovery \_\_\_\_\_?

\_\_\_\_\_ users need \_\_\_\_\_ prepare for \_\_\_\_\_ delays in \_\_\_\_\_ ork traffi c or busy \_\_\_\_\_?

Do users \_\_\_\_\_ slowdowns \_\_\_\_\_ recovery due \_\_\_\_\_ netw \_\_\_\_\_ traffi c or busy times?

\_\_\_\_\_ be \_\_\_\_\_ in \_\_\_\_\_ normal functions because of \_\_\_\_\_ use during \_\_\_\_\_.

During \_\_\_\_\_ intense network activity, \_\_\_\_\_ to \_\_\_\_\_ into \_\_\_\_\_ time lags?

\_\_\_\_\_ traffic cause delays \_\_\_\_\_ recovery?

\_\_\_\_\_ be longer \_\_\_\_\_ processes because of \_\_\_\_\_ network usage.

\_\_\_\_\_ be impacted by \_\_\_\_\_ congestion

Is \_\_\_\_\_ that user recovery will \_\_\_\_\_ because \_\_\_\_\_ increased \_\_\_\_\_?

Is it expected that \_\_\_\_\_ recovery \_\_\_\_\_ because \_\_\_\_\_ increased \_\_\_\_\_?

\_\_\_\_\_ to take \_\_\_\_\_ account the \_\_\_\_\_ lags \_\_\_\_\_ recovery during \_\_\_\_\_ times?

Do \_\_\_\_\_ have to \_\_\_\_\_ for \_\_\_\_\_ caused by heavy netw \_\_\_\_\_ and busy times?

\_\_\_\_\_ network congestion \_\_\_\_\_ problem \_\_\_\_\_ recovery?

Is \_\_\_\_\_ to expect setbacks during the \_\_\_\_\_ phase \_\_\_\_\_?

Does the presence \_\_\_\_\_ massive \_\_\_\_\_ interfere \_\_\_\_\_ recoveries?

Will high \_\_\_\_\_ user's \_\_\_\_\_ time?

\_\_\_\_\_ could be \_\_\_\_\_ for recovery processes \_\_\_\_\_ of \_\_\_\_\_ network \_\_\_\_\_.

\_\_\_\_\_ surge in network usage affect \_\_\_\_\_ recovery?

Is \_\_\_\_\_ believed \_\_\_\_\_ high \_\_\_\_\_ network utilization \_\_\_\_\_ periods \_\_\_\_\_ down the recovery \_\_\_\_\_ for users?

High \_\_\_\_\_ usage \_\_\_\_\_ user recovery procedures during \_\_\_\_\_ time.

Will \_\_\_\_\_ down the \_\_\_\_\_?

During peak hours \_\_\_\_\_ excessive \_\_\_\_\_ user's \_\_\_\_\_?

\_\_\_\_\_ we be \_\_\_\_\_ for \_\_\_\_\_ hold-ups during the \_\_\_\_\_?

There \_\_\_\_\_ be \_\_\_\_\_ recovery due \_\_\_\_\_ network traffic.

Users \_\_\_\_\_ experience delays \_\_\_\_\_ services \_\_\_\_\_ to network traffic \_\_\_\_\_.

\_\_\_\_\_ a \_\_\_\_\_ usage affecting recovery \_\_\_\_\_?

\_\_\_\_\_ userfacing \_\_\_\_\_ likely \_\_\_\_\_ recovering \_\_\_\_\_ crowded \_\_\_\_\_?

\_\_\_\_\_ high volumes \_\_\_\_\_ traffic slow \_\_\_\_\_ recovery \_\_\_\_\_ users?

\_\_\_\_\_ the \_\_\_\_\_ experience heavy \_\_\_\_\_ during busy \_\_\_\_\_ can \_\_\_\_\_ a \_\_\_\_\_ down?

\_\_\_\_\_ activity at \_\_\_\_\_ hours cause delays \_\_\_\_\_ recovery \_\_\_\_\_?

\_\_\_\_\_ could cause delays \_\_\_\_\_ recovery \_\_\_\_\_.

Is it \_\_\_\_\_ of network utilization may \_\_\_\_\_ down \_\_\_\_\_ process \_\_\_\_\_ users?

\_\_\_\_\_ traffic \_\_\_\_\_ during \_\_\_\_\_ hours cause \_\_\_\_\_?

Is \_\_\_\_\_ because of \_\_\_\_\_ from other users?

Do we need \_\_\_\_\_ prepare ourselves \_\_\_\_\_ recoveries?

Is \_\_\_\_\_ expected holdups due \_\_\_\_\_ traffic in the \_\_\_\_\_?

Does \_\_\_\_\_ in \_\_\_\_\_ usage affect \_\_\_\_\_ process?

Do \_\_\_\_\_ to \_\_\_\_\_ data \_\_\_\_\_ if there's a lot of \_\_\_\_\_ on \_\_\_\_\_?

Is it likely \_\_\_\_\_ network traffic \_\_\_\_\_ hours will \_\_\_\_\_?

Do users need to \_\_\_\_\_ potential \_\_\_\_\_ in \_\_\_\_\_ heavy netw ork?

\_\_\_\_ it \_\_\_\_ user recovery will slow down with \_\_\_\_ \_\_\_\_ \_\_\_\_?  
 \_\_\_\_ disruptions and \_\_\_\_ could be \_\_\_\_ to \_\_\_\_ traffic \_\_\_\_.  
 Does \_\_\_\_ surge \_\_\_\_ \_\_\_\_ impair \_\_\_\_ recovery process?  
 Will \_\_\_\_ experience \_\_\_\_ congestion \_\_\_\_ peak \_\_\_\_?  
 \_\_\_\_ a \_\_\_\_ that user recovery \_\_\_\_ down \_\_\_\_ increased network use?  
 Is there a \_\_\_\_ recovery \_\_\_\_ of \_\_\_\_ high network \_\_\_\_?  
 Recovery \_\_\_\_ high \_\_\_\_ congestion \_\_\_\_ peaks  
 Will the \_\_\_\_ recovery \_\_\_\_ excessive network \_\_\_\_?  
 Can users \_\_\_\_ in \_\_\_\_ if \_\_\_\_ is \_\_\_\_ traffic?  
 Are \_\_\_\_ expected \_\_\_\_ due \_\_\_\_ network \_\_\_\_?  
 \_\_\_\_ it anticipated that high \_\_\_\_ of \_\_\_\_ during \_\_\_\_ \_\_\_\_ \_\_\_\_ down the \_\_\_\_ process for users?  
 \_\_\_\_ network \_\_\_\_ cause \_\_\_\_ in recovery \_\_\_\_.  
 Is \_\_\_\_ chance of \_\_\_\_ slowdown in data \_\_\_\_ if \_\_\_\_ of activity on the \_\_\_\_?  
 Do \_\_\_\_ be prepared for potential \_\_\_\_ in recovery caused \_\_\_\_ busy \_\_\_\_ netw \_\_\_\_?  
 \_\_\_\_ need \_\_\_\_ be \_\_\_\_ the \_\_\_\_ of \_\_\_\_ recovery due \_\_\_\_ heavy \_\_\_\_ ork traffi c?  
 \_\_\_\_ high \_\_\_\_ volumes that may cause \_\_\_\_ \_\_\_\_.  
 While recovering services at peak times \_\_\_\_ traffic \_\_\_\_ \_\_\_\_?  
 \_\_\_\_ users \_\_\_\_ delays \_\_\_\_ recovery \_\_\_\_ to heavy network \_\_\_\_?  
 \_\_\_\_ excessive \_\_\_\_ going to \_\_\_\_ times?  
 Users \_\_\_\_ anticipate \_\_\_\_ recovery \_\_\_\_ heavy network traffic.  
 Network \_\_\_\_ may be delayed \_\_\_\_ to \_\_\_\_ much \_\_\_\_ other \_\_\_\_ during \_\_\_\_ \_\_\_\_.  
 \_\_\_\_ surge \_\_\_\_ use affect recovery \_\_\_\_.  
 \_\_\_\_ there \_\_\_\_ lot \_\_\_\_ network during prime periods \_\_\_\_ I expect slower data \_\_\_\_?  
 \_\_\_\_ may face \_\_\_\_ the \_\_\_\_ to high network traffic.  
 \_\_\_\_ network traffic to \_\_\_\_ delays while \_\_\_\_ services at \_\_\_\_ times.  
 Is \_\_\_\_ delay \_\_\_\_ due \_\_\_\_ too much traffic?  
 \_\_\_\_ if excessive network usage during \_\_\_\_ hours \_\_\_\_ recovery processes.  
 Is there \_\_\_\_ delays in the \_\_\_\_ due to \_\_\_\_?  
 There are \_\_\_\_ recovery procedures if there \_\_\_\_ high \_\_\_\_ network \_\_\_\_.  
 \_\_\_\_ users \_\_\_\_ delays due \_\_\_\_ increased \_\_\_\_ recovery periods?  
 \_\_\_\_ activity at popular hours could \_\_\_\_ the recovery \_\_\_\_.  
 There \_\_\_\_ delays in \_\_\_\_ process due to \_\_\_\_.  
 Is there any \_\_\_\_ time \_\_\_\_ because of \_\_\_\_ network \_\_\_\_ during \_\_\_\_?  
 Network \_\_\_\_ while recovering \_\_\_\_ at peak times.  
 \_\_\_\_ we \_\_\_\_ hold-ups \_\_\_\_ peak time recoveries?  
 \_\_\_\_ there \_\_\_\_ delays in \_\_\_\_ recovery \_\_\_\_ there's a lot \_\_\_\_ on \_\_\_\_?  
 \_\_\_\_ there be delays in \_\_\_\_ recovery process \_\_\_\_ traffic?  
 \_\_\_\_ the peak time recoveries?  
 Delays in the recovery process may \_\_\_\_ peak \_\_\_\_.  
 \_\_\_\_ heavy \_\_\_\_ traffic at peak \_\_\_\_ anticipate \_\_\_\_ in recovering?  
 \_\_\_\_ a \_\_\_\_ in \_\_\_\_ user's recovery timelines?  
 Does \_\_\_\_ in network \_\_\_\_ recovery schedule?  
 Does it make \_\_\_\_ consider potential \_\_\_\_ service recovery during \_\_\_\_ of intense \_\_\_\_ activity?  
 The recovery \_\_\_\_ be \_\_\_\_ due \_\_\_\_ network \_\_\_\_.  
 There are \_\_\_\_ in \_\_\_\_ to \_\_\_\_ excessive network traffic.  
 \_\_\_\_ network \_\_\_\_ rush hours could \_\_\_\_ longer waits for \_\_\_\_.  
 \_\_\_\_ delays \_\_\_\_ due to heavy network traffic.  
 Should users \_\_\_\_ during \_\_\_\_ due to high \_\_\_\_ their network?  
 Does huge \_\_\_\_ traffic \_\_\_\_ user \_\_\_\_?  
 \_\_\_\_ it expected that \_\_\_\_ will be slowed down \_\_\_\_ network utilization?



\_\_\_\_ traffic \_\_\_\_ peak times will \_\_\_\_\_.  
 \_\_\_\_ there a long \_\_\_\_ for recovery processes due \_\_\_\_\_?  
 \_\_\_\_ times \_\_\_\_\_ activity, \_\_\_\_\_ to \_\_\_\_ into account potential lags \_\_\_\_ service recovery?  
 Slow \_\_\_\_\_ caused by network \_\_\_\_\_.  
 \_\_\_\_ there \_\_\_\_ chance \_\_\_\_ delays when \_\_\_\_\_ due to network \_\_\_\_\_?  
 Do \_\_\_\_ need \_\_\_\_ consider potential \_\_\_\_\_ for \_\_\_\_\_ during busy \_\_\_\_\_?  
 \_\_\_\_ there \_\_\_\_ a \_\_\_\_\_ the network \_\_\_\_ prime \_\_\_\_ can I expect slower \_\_\_\_ recovery?  
 \_\_\_\_ traffic \_\_\_\_\_ delays in recovery.  
 \_\_\_\_ expect slow \_\_\_\_\_ to soaring network utilization rates on \_\_\_\_\_?  
 \_\_\_\_ will be delays \_\_\_\_\_ because of increased \_\_\_\_ activity \_\_\_\_\_ hours.  
 Increased \_\_\_\_ activity \_\_\_\_\_ might lead to \_\_\_\_\_ recovery procedures.  
 When \_\_\_\_ a \_\_\_\_\_ traffic on the network, \_\_\_\_ the \_\_\_\_\_ delays?  
 \_\_\_\_\_ restoration can be caused \_\_\_\_\_ much \_\_\_\_ from \_\_\_\_ users.  
 There \_\_\_\_\_ delays in recovery \_\_\_\_\_ network traffic.  
 Will users experience delays \_\_\_\_\_ from heavy network \_\_\_\_\_?  
 \_\_\_\_\_ that \_\_\_\_\_ network utilization during peak times might \_\_\_\_ down \_\_\_\_ recovery process \_\_\_\_ users?  
 High \_\_\_\_\_ traffic could affect \_\_\_\_\_.  
 Should we \_\_\_\_\_ for hold-ups \_\_\_\_ peak \_\_\_\_ recovery?  
 What \_\_\_\_\_ people hogging \_\_\_\_ the internet while you \_\_\_\_\_?  
 Is \_\_\_\_\_ disruptions probable when recovering with \_\_\_\_\_?  
 \_\_\_\_\_ process be delayed by \_\_\_\_ network \_\_\_\_?  
 \_\_\_\_\_ traffic causing \_\_\_\_ in recovery \_\_\_\_?  
 Users could experience delays in recovering \_\_\_\_\_ traffic spikes \_\_\_\_\_.  
 \_\_\_\_\_ expect \_\_\_\_\_ for recovery due to \_\_\_\_\_ loads?  
 Will excessive \_\_\_\_\_ recovering \_\_\_\_?  
 \_\_\_\_ traffic peaks \_\_\_\_ the network, \_\_\_\_ happens to \_\_\_\_\_?  
 \_\_\_\_ high \_\_\_\_ utilization \_\_\_\_ peak \_\_\_\_ expected \_\_\_\_ slow \_\_\_\_ recovery for \_\_\_\_?  
 If \_\_\_\_\_ usage during busy \_\_\_\_ should we expect \_\_\_\_\_?  
 Should there be \_\_\_\_\_ to \_\_\_\_\_ the recovery \_\_\_\_?  
 \_\_\_\_ there's \_\_\_\_ lot \_\_\_\_\_ on \_\_\_\_\_ during prime time, can I \_\_\_\_\_ in data \_\_\_\_?  
 \_\_\_\_ there's \_\_\_\_ lot \_\_\_\_ activity \_\_\_\_ the \_\_\_\_ during prime periods, can I \_\_\_\_\_?  
 \_\_\_\_ there be delays \_\_\_\_ the \_\_\_\_\_ if \_\_\_\_ activity \_\_\_\_\_ popular hours?  
 \_\_\_\_\_ recovering from traffic at peak times.  
 Is \_\_\_\_\_ affected \_\_\_\_\_ much traffic during \_\_\_\_ hours?  
 \_\_\_\_ to network traffic, \_\_\_\_\_ affect recovery process \_\_\_\_?  
 Network \_\_\_\_\_ peak times \_\_\_\_ cause \_\_\_\_\_ users \_\_\_\_ recovery procedures.  
 \_\_\_\_\_ may \_\_\_\_ impacted by \_\_\_\_ network \_\_\_\_  
 \_\_\_\_\_ ourselves \_\_\_\_ hold ups during the peak \_\_\_\_\_?  
 If there's a \_\_\_\_\_ on \_\_\_\_\_ can \_\_\_\_\_ to see slower data \_\_\_\_?  
 \_\_\_\_\_ anticipate delays in recovering \_\_\_\_\_ during \_\_\_\_ times.  
 Is \_\_\_\_\_ to slow \_\_\_\_ during peak network use?  
 Do \_\_\_\_ need \_\_\_\_\_ into account \_\_\_\_ delays in service \_\_\_\_ during \_\_\_\_\_ high \_\_\_\_\_?  
 network \_\_\_\_\_ be \_\_\_\_ due \_\_\_\_\_ much traffic \_\_\_\_ other users.  
 \_\_\_\_ there \_\_\_\_\_ a \_\_\_\_ time for recovery \_\_\_\_\_ high network loads?  
 \_\_\_\_ it expected that user recovery \_\_\_\_ slow \_\_\_\_\_?  
 Can we expect \_\_\_\_\_ the networks \_\_\_\_ heavy \_\_\_\_\_ busy periods?  
 Is \_\_\_\_ thought that high \_\_\_\_ of \_\_\_\_\_ during peak periods will \_\_\_\_ down \_\_\_\_\_ process \_\_\_\_\_?  
 \_\_\_\_\_ in peak \_\_\_\_ can \_\_\_\_ delays \_\_\_\_ recovery.  
 Network traffic \_\_\_\_ peak \_\_\_\_ can cause \_\_\_\_\_.  
 Is \_\_\_\_\_ that there \_\_\_\_\_ for recovery processes because of \_\_\_\_\_ rush hours?

\_\_\_\_\_ of \_\_\_\_\_ at peak \_\_\_\_\_ affect recovery?

Due to \_\_\_\_\_ network traffic, \_\_\_\_\_ expect delays \_\_\_\_\_?

Do \_\_\_\_\_ need to \_\_\_\_\_ lags \_\_\_\_\_ service \_\_\_\_\_ during times of high \_\_\_\_\_?

Is excessive network usage \_\_\_\_\_ rush \_\_\_\_\_ waits \_\_\_\_\_ processes?

\_\_\_\_\_ at peak times \_\_\_\_\_ cause delays \_\_\_\_\_ recovery \_\_\_\_\_.

Do users need to consider the \_\_\_\_\_ lags \_\_\_\_\_ during times \_\_\_\_\_ intense \_\_\_\_\_?

\_\_\_\_\_ users \_\_\_\_\_ to prepare \_\_\_\_\_ potential delays \_\_\_\_\_ recovery due \_\_\_\_\_ heavy \_\_\_\_\_ ork \_\_\_\_\_ busy times?

\_\_\_\_\_ possible \_\_\_\_\_ increased \_\_\_\_\_ traffic \_\_\_\_\_ lead to slower \_\_\_\_\_?

\_\_\_\_\_ users \_\_\_\_\_ be prepared for possible slowdowns in recovery \_\_\_\_\_ netw \_\_\_\_\_ busy times?

\_\_\_\_\_ people \_\_\_\_\_ congestion at \_\_\_\_\_ times?

Is \_\_\_\_\_ network usage \_\_\_\_\_ waits for \_\_\_\_\_ processes?

\_\_\_\_\_ be \_\_\_\_\_ if there \_\_\_\_\_ traffic from other users.

\_\_\_\_\_ can expect \_\_\_\_\_ delays \_\_\_\_\_ times.

\_\_\_\_\_ a surge in network \_\_\_\_\_ recovery \_\_\_\_\_?

\_\_\_\_\_ peaks \_\_\_\_\_ the network, \_\_\_\_\_ deal with delays in \_\_\_\_\_?

peak \_\_\_\_\_ cause \_\_\_\_\_ in user recovery \_\_\_\_\_

\_\_\_\_\_ traffic volumes at peak \_\_\_\_\_?

\_\_\_\_\_ network \_\_\_\_\_ hours may \_\_\_\_\_ delays in recovery \_\_\_\_\_.

\_\_\_\_\_ excessive network usage \_\_\_\_\_ of lengthy \_\_\_\_\_ for \_\_\_\_\_?

\_\_\_\_\_ will experience slower \_\_\_\_\_ due to increased \_\_\_\_\_ traffic?

Will \_\_\_\_\_ network congestion \_\_\_\_\_ busy \_\_\_\_\_?

excessive network usage \_\_\_\_\_.

Is \_\_\_\_\_ expected \_\_\_\_\_ the excessive network \_\_\_\_\_?

Network \_\_\_\_\_ at \_\_\_\_\_ cause delays for \_\_\_\_\_ recovery.

There \_\_\_\_\_ be \_\_\_\_\_ network traffic.

There \_\_\_\_\_ be delays \_\_\_\_\_ for \_\_\_\_\_ during peak hours.

\_\_\_\_\_ in the recovery \_\_\_\_\_ by network congestion.

Can we expect \_\_\_\_\_ data \_\_\_\_\_ network utilization \_\_\_\_\_ are \_\_\_\_\_?

\_\_\_\_\_ it \_\_\_\_\_ for users \_\_\_\_\_ delays in recovering \_\_\_\_\_ services due to \_\_\_\_\_?

\_\_\_\_\_ for \_\_\_\_\_ may be slowed down by \_\_\_\_\_ network utilization \_\_\_\_\_.

\_\_\_\_\_ expect \_\_\_\_\_ data restoration processes because \_\_\_\_\_ the high network \_\_\_\_\_ on \_\_\_\_\_?

Does \_\_\_\_\_ of \_\_\_\_\_ traffic \_\_\_\_\_ recovery times?

\_\_\_\_\_ we be \_\_\_\_\_ during peak time recoveries?

Is \_\_\_\_\_ restoration delayed due \_\_\_\_\_ too much \_\_\_\_\_?

Is \_\_\_\_\_ likely for user facing \_\_\_\_\_ crowded \_\_\_\_\_?

\_\_\_\_\_ user \_\_\_\_\_ probable \_\_\_\_\_ from busy times?

Should \_\_\_\_\_ waiting \_\_\_\_\_ for \_\_\_\_\_ to high \_\_\_\_\_ loads?

When \_\_\_\_\_ on \_\_\_\_\_ what's \_\_\_\_\_ deal with delays \_\_\_\_\_ recovery?

\_\_\_\_\_ users expect \_\_\_\_\_ in \_\_\_\_\_ from \_\_\_\_\_ traffic?

\_\_\_\_\_ expect \_\_\_\_\_ in \_\_\_\_\_ due to \_\_\_\_\_ the network.

\_\_\_\_\_ can \_\_\_\_\_ delays in \_\_\_\_\_ processes \_\_\_\_\_ high \_\_\_\_\_ traffic.

There could be delays in \_\_\_\_\_ high \_\_\_\_\_.

Is there \_\_\_\_\_ to \_\_\_\_\_ any \_\_\_\_\_ time for \_\_\_\_\_ network loads?

\_\_\_\_\_ process affected by \_\_\_\_\_ during \_\_\_\_\_.

Shouldn't we \_\_\_\_\_ ourselves \_\_\_\_\_ peak time recovery?

Shouldn't \_\_\_\_\_ expect \_\_\_\_\_ wait \_\_\_\_\_ recovery \_\_\_\_\_ of \_\_\_\_\_ loads?

\_\_\_\_\_ be delays \_\_\_\_\_ restoring \_\_\_\_\_ function because \_\_\_\_\_ internet usage \_\_\_\_\_ hours.

\_\_\_\_\_ traffic lead \_\_\_\_\_ in recovery?

\_\_\_\_\_ expect delays \_\_\_\_\_ recovery processes \_\_\_\_\_ high volumes \_\_\_\_\_ over \_\_\_\_\_ network?

If \_\_\_\_\_ a lot \_\_\_\_\_ on \_\_\_\_\_ can I \_\_\_\_\_ slow down in \_\_\_\_\_.

\_\_\_\_\_ recovery \_\_\_\_\_ be delayed due to \_\_\_\_\_ peaks?  
 \_\_\_\_\_ we be \_\_\_\_\_ for annoying hold-ups \_\_\_\_\_ time \_\_\_\_\_?  
 \_\_\_\_\_ delays \_\_\_\_\_ recovery processes \_\_\_\_\_ of network traffic.  
 Can \_\_\_\_\_ recovery due to \_\_\_\_\_ network traffic?  
 There \_\_\_\_\_ in the \_\_\_\_\_ procedures \_\_\_\_\_ increased \_\_\_\_\_ activity \_\_\_\_\_ popular hours.  
 \_\_\_\_\_ a waiting time for \_\_\_\_\_ there is \_\_\_\_\_ network \_\_\_\_\_?  
 Is it possible \_\_\_\_\_ users could \_\_\_\_\_ due \_\_\_\_\_ during high demand \_\_\_\_\_?  
 Is excessive \_\_\_\_\_ usage \_\_\_\_\_ rush hours a \_\_\_\_\_ longer \_\_\_\_\_?  
 \_\_\_\_\_ need to be \_\_\_\_\_ for potential slowdowns in \_\_\_\_\_ caused by \_\_\_\_\_ ork \_\_\_\_\_ times.  
 Is there \_\_\_\_\_ expectation that \_\_\_\_\_ to excessive \_\_\_\_\_ traffic?  
 Does high levels \_\_\_\_\_ affect \_\_\_\_\_ user recovery \_\_\_\_\_?  
 \_\_\_\_\_ networks \_\_\_\_\_ a lot \_\_\_\_\_ use \_\_\_\_\_ periods, can \_\_\_\_\_ expect a \_\_\_\_\_?  
 \_\_\_\_\_ if \_\_\_\_\_ time for recovery due to \_\_\_\_\_ network loads.  
 \_\_\_\_\_ might experience delays due to \_\_\_\_\_ surge \_\_\_\_\_.  
 Users \_\_\_\_\_ recovery due \_\_\_\_\_ heavy network traffic.  
 \_\_\_\_\_ users face \_\_\_\_\_ in their recovery processes \_\_\_\_\_ high \_\_\_\_\_?  
 \_\_\_\_\_ restoration \_\_\_\_\_ too much traffic \_\_\_\_\_ peak hours?  
 \_\_\_\_\_ a lot of activity \_\_\_\_\_ the network, \_\_\_\_\_ I \_\_\_\_\_ slow \_\_\_\_\_?  
 Is \_\_\_\_\_ possible \_\_\_\_\_ users \_\_\_\_\_ experience delays due \_\_\_\_\_ network \_\_\_\_\_ during \_\_\_\_\_?  
 Recovery \_\_\_\_\_ might be delayed due \_\_\_\_\_.  
 \_\_\_\_\_ recovery process \_\_\_\_\_ users \_\_\_\_\_ be slowed \_\_\_\_\_ by high levels \_\_\_\_\_.  
 Is \_\_\_\_\_ users could experience \_\_\_\_\_ to network traffic \_\_\_\_\_ during high \_\_\_\_\_?  
 If there is a lot of \_\_\_\_\_ can I expect \_\_\_\_\_ be \_\_\_\_\_?  
 \_\_\_\_\_ activity at \_\_\_\_\_ hours \_\_\_\_\_ cause \_\_\_\_\_ the recovery procedures.  
 During \_\_\_\_\_ periods \_\_\_\_\_ experience delays due to \_\_\_\_\_?  
 \_\_\_\_\_ for users to \_\_\_\_\_ due \_\_\_\_\_ surge during high demand periods?  
 Is it \_\_\_\_\_ levels \_\_\_\_\_ network \_\_\_\_\_ during peak \_\_\_\_\_ might \_\_\_\_\_ the \_\_\_\_\_ process \_\_\_\_\_ users?  
 Is \_\_\_\_\_ high levels \_\_\_\_\_ network \_\_\_\_\_ may slow \_\_\_\_\_ recovery \_\_\_\_\_ users?  
 \_\_\_\_\_ possible \_\_\_\_\_ user \_\_\_\_\_ disruptions when \_\_\_\_\_ crowded resources?  
 Can \_\_\_\_\_ recovery \_\_\_\_\_ if there's a lot \_\_\_\_\_ network \_\_\_\_\_?  
 Peak \_\_\_\_\_ may \_\_\_\_\_ in \_\_\_\_\_ recovery procedures.  
 Should high \_\_\_\_\_ traffic \_\_\_\_\_ recovery hard \_\_\_\_\_?  
 \_\_\_\_\_ excessive \_\_\_\_\_ load affect \_\_\_\_\_ recovery \_\_\_\_\_?  
 Will there be delays in the \_\_\_\_\_ there \_\_\_\_\_ lot \_\_\_\_\_ during busy \_\_\_\_\_?  
 Can we \_\_\_\_\_ restoration processes due to \_\_\_\_\_ rates?  
 Recovery \_\_\_\_\_ will be \_\_\_\_\_ by \_\_\_\_\_ network congestion \_\_\_\_\_.  
 Increased internet \_\_\_\_\_ at popular \_\_\_\_\_ could cause \_\_\_\_\_.  
 \_\_\_\_\_ high traffic \_\_\_\_\_ recovery processes that may \_\_\_\_\_ disruptions.  
 Is \_\_\_\_\_ a waiting \_\_\_\_\_ for recovery \_\_\_\_\_ loads?  
 \_\_\_\_\_ experience delays \_\_\_\_\_ recovering their services \_\_\_\_\_ network traffic \_\_\_\_\_.  
 \_\_\_\_\_ we \_\_\_\_\_ a slow \_\_\_\_\_ restoration process because \_\_\_\_\_ utilization rates?  
 \_\_\_\_\_ the recovery phase be affected \_\_\_\_\_ at \_\_\_\_\_?  
 \_\_\_\_\_ usage \_\_\_\_\_ cause lengthy \_\_\_\_\_ for recovery \_\_\_\_\_.  
 \_\_\_\_\_ users \_\_\_\_\_ during \_\_\_\_\_ processes because \_\_\_\_\_ high traffic on \_\_\_\_\_?  
 \_\_\_\_\_ delay \_\_\_\_\_ recovery \_\_\_\_\_ for users.  
 \_\_\_\_\_ stalls \_\_\_\_\_ recovery \_\_\_\_\_ due to \_\_\_\_\_ network usage.  
 There \_\_\_\_\_ be \_\_\_\_\_ in the \_\_\_\_\_ process \_\_\_\_\_ to \_\_\_\_\_ traffic.  
 Is there a delay \_\_\_\_\_ due to too \_\_\_\_\_ traffic \_\_\_\_\_?  
 Will \_\_\_\_\_ much \_\_\_\_\_ disrupt \_\_\_\_\_ tasks?  
 Users \_\_\_\_\_ of possible \_\_\_\_\_ due to increased \_\_\_\_\_ during peak \_\_\_\_\_.

\_\_\_\_\_ users \_\_\_\_\_ to consider the time lags \_\_\_\_\_ times \_\_\_\_\_ intense network \_\_\_\_\_?  
 \_\_\_\_\_ during \_\_\_\_\_ periods \_\_\_\_\_ cause delays.  
 Do \_\_\_\_\_ levels of network \_\_\_\_\_ stalls in \_\_\_\_\_?  
 High \_\_\_\_\_ delays in recovery processes.  
 Do users need \_\_\_\_\_ for \_\_\_\_\_ in recovery \_\_\_\_\_ to heavy \_\_\_\_\_ traffic at \_\_\_\_\_?  
 Should we prepare \_\_\_\_\_ during \_\_\_\_\_ time \_\_\_\_\_?  
 Will \_\_\_\_\_ when \_\_\_\_\_ data because of excessive shared bandwidth \_\_\_\_\_?  
 \_\_\_\_\_ have to wait longer \_\_\_\_\_ network is being \_\_\_\_\_ people \_\_\_\_\_ so much?  
 Shouldn't user \_\_\_\_\_ slow \_\_\_\_\_ due \_\_\_\_\_ increased \_\_\_\_\_?  
 Does \_\_\_\_\_ of traffic \_\_\_\_\_ hours \_\_\_\_\_ for users?  
 \_\_\_\_\_ the \_\_\_\_\_ of \_\_\_\_\_ network traffic \_\_\_\_\_ delays \_\_\_\_\_ recoveries?  
 \_\_\_\_\_ recovery \_\_\_\_\_ delayed due \_\_\_\_\_ the increased internet \_\_\_\_\_?  
 \_\_\_\_\_ the \_\_\_\_\_ times will users \_\_\_\_\_?  
 Can users \_\_\_\_\_ delays \_\_\_\_\_ recovery as a \_\_\_\_\_ of \_\_\_\_\_?  
 \_\_\_\_\_ recovery times be \_\_\_\_\_ by excessive \_\_\_\_\_ load \_\_\_\_\_ hours?  
 \_\_\_\_\_ the \_\_\_\_\_ in network usage \_\_\_\_\_ user's \_\_\_\_\_?  
 Can I \_\_\_\_\_ the \_\_\_\_\_ process if there \_\_\_\_\_ a lot of \_\_\_\_\_?  
 \_\_\_\_\_ we \_\_\_\_\_ prepared \_\_\_\_\_ the hold-ups \_\_\_\_\_ peak \_\_\_\_\_ recoveries?  
 \_\_\_\_\_ network load \_\_\_\_\_ times?  
 Should a \_\_\_\_\_ of traffic \_\_\_\_\_ recovery \_\_\_\_\_?  
 Do \_\_\_\_\_ network \_\_\_\_\_ cause stalls \_\_\_\_\_ recovery procedures?  
 The \_\_\_\_\_ massive network traffic \_\_\_\_\_ cause \_\_\_\_\_ in \_\_\_\_\_.  
 It's possible \_\_\_\_\_ can cause \_\_\_\_\_ the recovery \_\_\_\_\_.  
 excessive network \_\_\_\_\_ during \_\_\_\_\_ hours \_\_\_\_\_ result in long \_\_\_\_\_  
 Recovery process impacted \_\_\_\_\_ during peak \_\_\_\_\_.  
 \_\_\_\_\_ users need to \_\_\_\_\_ for network \_\_\_\_\_ recovery process \_\_\_\_\_?  
 During peak \_\_\_\_\_ will high \_\_\_\_\_ speed?  
 If \_\_\_\_\_ a \_\_\_\_\_ of \_\_\_\_\_ on the network, can \_\_\_\_\_ a slowdown \_\_\_\_\_?  
 Should \_\_\_\_\_ into account \_\_\_\_\_ lags for \_\_\_\_\_ recovery \_\_\_\_\_ high network activity?  
 \_\_\_\_\_ there \_\_\_\_\_ a lot \_\_\_\_\_ activity \_\_\_\_\_ network \_\_\_\_\_ slower data recovery?  
 excessive network \_\_\_\_\_ rush \_\_\_\_\_ could \_\_\_\_\_ waits for \_\_\_\_\_ processes.  
 Will excessive \_\_\_\_\_ usage \_\_\_\_\_?  
 \_\_\_\_\_ people experience \_\_\_\_\_ peak times?  
 \_\_\_\_\_ face \_\_\_\_\_ in recovery \_\_\_\_\_ to high \_\_\_\_\_ traffic.  
 Do \_\_\_\_\_ need to \_\_\_\_\_ into account \_\_\_\_\_ lags \_\_\_\_\_ during \_\_\_\_\_ of \_\_\_\_\_ network \_\_\_\_\_?  
 \_\_\_\_\_ during \_\_\_\_\_ may \_\_\_\_\_ delays \_\_\_\_\_ recovery for users.  
 There \_\_\_\_\_ disruptions \_\_\_\_\_ to \_\_\_\_\_ traffic \_\_\_\_\_.  
 Users should be \_\_\_\_\_ of \_\_\_\_\_ during \_\_\_\_\_.  
 \_\_\_\_\_ periods, \_\_\_\_\_ users \_\_\_\_\_ delays because \_\_\_\_\_ network \_\_\_\_\_ surge?  
 During \_\_\_\_\_ hours are \_\_\_\_\_ network restoration due to \_\_\_\_\_ traffic \_\_\_\_\_ users?  
 Peak \_\_\_\_\_ conditions might \_\_\_\_\_ in \_\_\_\_\_ recovery \_\_\_\_\_.  
 \_\_\_\_\_ be \_\_\_\_\_ due to too much traffic \_\_\_\_\_ users.  
 Is it possible that network traffic at \_\_\_\_\_?  
 \_\_\_\_\_ it \_\_\_\_\_ network traffic \_\_\_\_\_ peak \_\_\_\_\_ will \_\_\_\_\_ recovery?  
 High \_\_\_\_\_ over \_\_\_\_\_ cause delays during recovery \_\_\_\_\_.  
 Will \_\_\_\_\_ network \_\_\_\_\_ user's recovery \_\_\_\_\_ at \_\_\_\_\_ hours?  
 \_\_\_\_\_ have \_\_\_\_\_ in recovery \_\_\_\_\_ due \_\_\_\_\_ high network \_\_\_\_\_.  
 \_\_\_\_\_ it possible that \_\_\_\_\_ traffic could cause \_\_\_\_\_ the \_\_\_\_\_?  
 The recovery \_\_\_\_\_ might be \_\_\_\_\_ down \_\_\_\_\_ high network \_\_\_\_\_.  
 \_\_\_\_\_ expected holdups \_\_\_\_\_ excessive network \_\_\_\_\_?

\_\_\_\_\_ network \_\_\_\_\_ cause delays to \_\_\_\_\_?

Can I \_\_\_\_\_ for \_\_\_\_\_ in \_\_\_\_\_ recovery process \_\_\_\_\_ lot of \_\_\_\_\_ traffic?

Are there \_\_\_\_\_ holdups \_\_\_\_\_ the \_\_\_\_\_ because \_\_\_\_\_ network \_\_\_\_\_?

\_\_\_\_\_ to \_\_\_\_\_ delays in \_\_\_\_\_ from network traffic at peak \_\_\_\_\_?

Does \_\_\_\_\_ network \_\_\_\_\_ recovery time?

Do \_\_\_\_\_ potential slowdowns \_\_\_\_\_ recovery caused by heavy netw \_\_\_\_\_ throughput \_\_\_\_\_?

\_\_\_\_\_ predict delays in \_\_\_\_\_ process \_\_\_\_\_ a lot \_\_\_\_\_ network traffic?

Users \_\_\_\_\_ anticipate delays in \_\_\_\_\_ network traffic \_\_\_\_\_.

Users \_\_\_\_\_ recovering from heavy network \_\_\_\_\_.

High \_\_\_\_\_ traffic \_\_\_\_\_ at \_\_\_\_\_ times may \_\_\_\_\_ during recovery processes.

There \_\_\_\_\_ expected \_\_\_\_\_ the recovery process \_\_\_\_\_ to excessive \_\_\_\_\_.

\_\_\_\_\_ recovering \_\_\_\_\_ at peak \_\_\_\_\_ can users \_\_\_\_\_ traffic \_\_\_\_\_ cause \_\_\_\_\_?

Should users be prepared \_\_\_\_\_ delays \_\_\_\_\_ increased \_\_\_\_\_ traffic \_\_\_\_\_ times?

Is \_\_\_\_\_ time \_\_\_\_\_ for \_\_\_\_\_ hold-ups during \_\_\_\_\_ recoveries?

\_\_\_\_\_ network congestion \_\_\_\_\_ in the recovery process.

\_\_\_\_\_ a \_\_\_\_\_ usage affect \_\_\_\_\_ recovery time?

\_\_\_\_\_ be \_\_\_\_\_ users during \_\_\_\_\_ to network traffic at \_\_\_\_\_ times.

Is \_\_\_\_\_ that users will take longer to \_\_\_\_\_?

Increased internet \_\_\_\_\_ during \_\_\_\_\_ hours might lead \_\_\_\_\_ in \_\_\_\_\_.

\_\_\_\_\_ there \_\_\_\_\_ expected holdup \_\_\_\_\_ to \_\_\_\_\_ traffic?

During times \_\_\_\_\_ network activity, should \_\_\_\_\_ into \_\_\_\_\_ time lags \_\_\_\_\_ service \_\_\_\_\_?

\_\_\_\_\_ could be lengthy waits \_\_\_\_\_ recovery due \_\_\_\_\_.