```
1: // $Id: division.cpp, v 1.13 2016-06-13 13:44:52-07 - - $
 3: #include <cstdlib>
 4: #include <iostream>
 5: #include <locale>
 6: #include <stdexcept>
7:
8: using namespace std;
10: using ulong = unsigned long;
11: using uupair = pair<ulong,ulong>;
13: uupair divide (const ulong& dividend, const ulong& divisor) {
       if (divisor == 0) throw domain_error ("divide(_,0)");
14:
15:
       ulong powerof2 = 1;
16:
       ulong divisor_ = divisor;
17:
       while (divisor_ < dividend) {</pre>
          divisor_ *= 2;
18:
19:
          powerof2 *= 2;
20:
       }
21:
       ulong quotient = 0;
       ulong remainder = dividend;
22:
23:
       while (powerof2 > 0) {
24:
          if (divisor_ <= remainder) {</pre>
25:
             remainder -= divisor_;
26:
             quotient += powerof2;
27:
28:
          divisor_ /= 2;
29:
          powerof2 /= 2;
30:
31:
       return uupair (quotient, remainder);
32: }
33:
```

```
34:
35: ostream& operator<< (ostream& out, const uupair& pair) {
       out << pair.first << " Rem " << pair.second;</pre>
37:
       return out;
38: }
39:
40: uupair tests[] = {
41:
                           OL, 1'024L},
42:
                                   7L},
                           5L,
43:
                         100L,
                                   OL},
44:
                         100L,
                                  50L},
45:
                         320L,
                                  20L},
       {
46:
                         963L,
                                 71L},
47:
       {12'345'678'912'345L, 9'876L},
48: };
49:
50: int main (int, char**) {
51:
       cout.imbue (locale (""));
52:
       uupair* testend = tests + sizeof tests / sizeof *tests;
53:
       for (uupair* itor = tests; itor < testend; ++itor) {</pre>
54:
          ulong dividend = itor->first;
55:
          ulong divisor = itor->second;
56:
          cout << dividend << " / " << divisor << " = ";</pre>
57:
          try {
58:
              uupair result = divide (dividend, divisor);
59:
              cout << result;</pre>
60:
              uupair tested = uupair (dividend / divisor,
61:
                                        dividend % divisor);
62:
              if (tested != result) {
63:
                 cout << ": wrong " << tested;</pre>
64:
              }
65:
           }catch (domain_error& error) {
              cout << "domain_error: " << error.what();</pre>
66:
67:
           }
68:
          cout << endl;</pre>
69:
70:
       return EXIT_SUCCESS;
71: }
72:
73: //TEST// ./division 2>&1 >division.output
74: //TEST// mkpspdf division.ps division.cpp* division.output
75:
```

06/20/18 13:05:52

\$cmps109-wm/Assignments/asg1-dc-bigint/misc/division.cpp.log

1/1

06/20/18 13:05:52

\$cmps109-wm/Assignments/asg1-dc-bigint/misc/division.output

1/1

```
1: 0 / 1,024 = 0 Rem 0
2: 5 / 7 = 0 Rem 5
3: 100 / 0 = domain_error: divide(_,0)
4: 100 / 50 = 2 Rem 0
5: 320 / 20 = 16 Rem 0
```

7: 12,345,678,912,345 / 9,876 = 1,250,068,743 Rem 6,477

6: 963 / 71 = 13 Rem 40