

Semiparametric SDF Estimators for Pooled, Non-Traded Cash Flows

Christian Tausch
AssetMetrix GmbH
Theresienhöhe 13, D-80339 Munich
christian.tausch@quant-unit.com

Alexander Bohnert
Munich University of Applied Sciences
Am Stadtpark 20, D-81243 Munich
alexander.bohnert@hm.edu

January 18, 2026

Keywords

Stochastic Discount Factor, Semiparametric Estimation, Spatial Dependence, Generalized Method of Moments (GMM), Private Equity, Illiquid Assets

Acknowledgements

We thank Nicolas Dütsch, Philipp Abel, and Kai Urban for valuable feedback and helpful comments that greatly improved the paper.

Declaration of interest

The authors report no conflict of interest. The authors alone are responsible for the content and writing of the paper.

Semiparametric SDF Estimators for Pooled, Non-Traded Cash Flows

Abstract

This paper analyzes stochastic discount factor estimation methodologies suited for pooled, non-traded cash flow streams such as the fund-level cash flows of private equity funds. The asymptotic inference framework for our semiparametric nonlinear least squares estimator draws on a spatial notion, i.e., the idea that the economic distance between distinct private equity funds can be measured. The empirical and Monte Carlo simulation results indicate (i) that our method can improve the popular Generalized Method of Moments approach of Driessen et al. (2012), but (ii) that estimator variance for typical data sizes is still high. Thus, we conjecture that traditional semiparametric extremum estimators like the one described by us shall be exclusively used for single-factor models until considerably more vintage year information for private equity funds is available.

1 Introduction

Private equity has outgrown its niche, sitting today on more than \$9 trillion in assets under management, yet rigorous asset-pricing tools have not kept pace with this ascent. The empirical analysis and risk assessment of private equity and other non-traded cash flows remain fundamentally challenging due to the absence of market-based valuations and the inherent frictions of private markets (i.e., under incomplete information). Unlike public assets with trusted and tradeable valuations (in liquid secondary markets), private equity investments generate irregular, infrequently observed cash flows for which standard return-based asset pricing techniques are unsuitable.

We address this gap by proposing a semiparametric stochastic discount factor (SDF) estimator tailored to fund-level cash flows that refines the SDF estimators of Driessen et al. (2012) and Korteweg and Nagel (2016). Our nonlinear least squares estimator stems from the class of Least-Mean-Distance (LMD) estimators, which are easier to handle than traditional Generalized Method of Moments (GMM) approaches (Pötscher and Prucha, 1997). Our LMD estimator arguably both simplifies and generalizes the GMM methodology of Driessen et al. (2012), where we provide the asymptotic inference framework that was missing in the original paper. The asymptotic inference formulations rely on the concept of spatial (near-epoch) dependence between funds as proposed by Korteweg and Nagel (2016). In this context, it is paramount to quantify the economic distance between funds by a measure like absolute vintage year difference or cash flow overlap¹.

For fund-level cash flow data of private equity funds, we document an asymptotic bias term for cash-flow-based SDF estimators like Driessen et al. (2012) and Korteweg and Nagel (2016) that persists also in large samples. The bias term arises due to the pooled nature of fund-level cash flows and more specifically because of

¹However, this economic inter-fund *distance* refers **not** to the term Least-Mean-*Distance* estimator.

the different starting dates of the underlying deals (in the fund investment period). Our estimator offers simple averaging over multiple discounting dates as one option to control (but not eliminate) the bias term.

In the empirical application of our new estimator, we test simple linear and exponentially affine SDF models that can draw on the five return factors associated with the q^5 investment factor model recently proposed by Hou et al. (2020). Based on a Spatial Heteroskedasticity and Autocorrelation Consistent (SHAC) covariance matrix estimator, we calculate asymptotic standard errors for the model coefficients. Moreover, we assess the small-sample variance of coefficient estimates and the out-of-sample performance of the different SDF models by $h\nu$ -block cross-validation, which accounts for the inter-vintage-year dependence of private equity funds (Racine, 2000). We test one- and two-factor models for the most prominent private capital fund types Private Equity (PE) and Venture Capital (VC). The empirical two-factor model results are rather disappointing; not more than the single-market-factor model results seem reasonable given the high estimator variance.

The paper is structured as follows. Section 2 introduces our semiparametric LMD estimator and its corresponding asymptotic inference framework. Section 3 applies the method to estimate q^5 -investment-factor SDFs for various private equity fund types using simulated and real-world cash flows. Section 4 concludes.

2 Methodology

Our general SDF estimation framework is similar to that of Driessen et al. (2012) and Korteweg and Nagel (2016); the subtle but important differences are discussed in Section 2.7.

In a nutshell, the Driessen et al. (2012) estimator determines the optimal alpha and beta parameters of a linear factor model by minimizing the net present value (NPV) of all N fund cash flows.

$$\min_{\alpha, \beta} = \sum_{i=1}^N [NPV_i(\alpha, \beta)]^2 \quad (1)$$

with NPV for the i th fund

$$NPV_i(\alpha, \beta) = \sum_{t \in \{t_{0,i}, t_{0,i}+1, \dots\}} \frac{\text{CashFlow}_{t,i}}{\prod_{s=t_{0,i}}^t (1 + r_{\text{free},s} + \alpha + \beta r_{\text{market},s})}$$

In this Methodology section, we will show:

1. Why this estimator is usually asymptotically biased for pooled cash flows (Section 2.1).
2. How to modify the estimator to be able to control the bias term (Sections 2.2 and 2.3).
3. How we can estimate asymptotic standard errors for the parameters alpha and beta (Sections 2.5 and 2.6).

2.1 Asset Pricing for Pooled Cash Flows

Let fund $i = 1, 2, \dots, n$ be characterized by its net cash flows $CF_{t,i}$ (i.e., distributions minus contributions) and its net asset values $NAV_{t,i}$ with discrete time index $t = 0, 1, 2, \dots, T$. To increase the mathematical tractability of the problem, we assume a deal-by-deal data generating processes (DGP) for CF where each fund deal consists exactly of one investment and one divestment cash flow in combination with a simple return model for the multi-period deal returns. This means the fund-level cash flow process $(CF_{i,t})_{t=0,1,\dots,T}$ is an aggregation of deal-level cash flow pairs consisting of one negative at deal inception and at least one positive cash flow later $CF_{t,i} = \sum_j^J cf_{j,i,t}$.

Assumption 1. *Deal-level data generation process:*

1. Each fund i consists of J underlying deals.
2. Each deal is characterized by exactly one, negative investment cash flow, denoted by $\text{Inv}_{i,j}$, which occurs at time $t_{i,j}^{\text{Inv}} \in \{0, 1, \dots, T-1\}$. It holds $\text{Inv}_{i,j} < 0$.
3. Each deal is characterized by a positive divestment cash flow stream, denoted by $(\text{Div}_{i,j,k})_{k=1,\dots,K}$, which occur at after the investment cash flow $t_{i,j,k}^{\text{Div}} > t_{i,j}^{\text{Inv}}$ for all k . It holds $\text{Div}_{i,j,k} > 0$.
4. The cumulative fund cash flows are generated by summarizing over all deal-level cash flows, i.e., $\sum_{t=0}^T CF_{i,t} = \sum_{j=1}^J \left(\text{Inv}_{i,j} + \sum_k^K \text{Div}_{i,j,k} \right)$ for all i .

From asset pricing theory, we know that we can use a stochastic discount factor Ψ_t to price each underlying deal

$$\mathbb{E} \left[\delta_{i,j} \middle| \mathcal{F}_{t_{i,j}^{\text{Inv}}} \right] = 0 \quad \forall i, j \quad (2)$$

where we denote the deal-level pricing error by

$$\delta_{i,j} := \text{Inv}_{i,j} + \sum_k^K \frac{\Psi_{t_{i,j,k}^{\text{Div}}}}{\Psi_{t_{i,j}^{\text{Inv}}}} \text{Div}_{i,j,k} \quad (3)$$

For the pooled, fund-level cash flow stream, we assume that the true fund valuation $V_{i,\tau}$ is not observable for us

$$V_{i,\tau} := \mathbb{E} \left[\sum_{t=\tau}^T \frac{\Psi_t}{\Psi_\tau} CF_{i,t} \middle| \mathcal{F}_\tau \right] \quad \forall \tau \geq \min_j \text{Inv}_{i,j} \quad (4)$$

to acknowledge the stale-pricing problem inherent to private capital fund net asset values (NAVs). In other words, we only trust fund cash flows but not fund NAVs in private markets².

In this realistic setting, the absence of observable market valuations considerably contributes to the difficulty of our pricing problem. However, also the existence of only pooled cash flows, instead of granular deal-by-deal cash flows, introduces issues for pricing approaches like Driessen et al. (2012) that discount to the fund inception

²In the empirical section, we empirically treat the most recent NAV as the final distribution cash flow for non-liquidated funds.

date (see Equation ??). In the following, we will demonstrate why we cannot easily price pooled fund-level cash flow streams without introducing **inevitable bias terms** (even for fund inception date $\tau = \min_j t_{i,j}^{\text{Inv}}$). Generally, all deal-level cash flows will produce the following “bias term”

$$\mathbb{E} \left[\frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau} \delta_{i,j} \mid \mathcal{F}_\tau \right] = \text{Cov} \left[\frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau}, \delta_{i,j} \right] \quad \forall \tau < t_{i,j}^{\text{Inv}} \quad (5)$$

Only for the trivial case of Equation 2, where the investment date coincides with the discounting date $\tau = t_{i,j}^{\text{Inv}}$, the covariance term necessarily equals zero.

For the fund-level cash flows, we therefore introduce the following proposition.

Proposition 1. *Price of a pooled cash flow stream at fund inception:*

$$\mathbb{E} \left[\sum_{t=\tau}^T \frac{\Psi_t}{\Psi_\tau} CF_{i,t} \mid \mathcal{F}_\tau \right] = \sum_{j=1}^J \text{Cov} \left[\frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau}, \delta_{i,j} \right] \quad \forall i \quad (6)$$

with fund inception date $\tau = \min_j \text{Inv}_{i,j}$.

We can simply proof the proposition as follows.

Proof. We start with using Point 4 of Assumption 1 which states that fund-level cash flows are the sum of deal-level cash flows. Further, we stipulate in the proposition that no deal-level cash flow occurs before τ . Thus, the expected value of discounted fund-level cash flows needs to equal the expected value of discounted deal-level cash flows.

$$\mathbb{E} \left[\sum_{t=\tau}^T \frac{\Psi_t}{\Psi_\tau} CF_{i,t} \mid \mathcal{F}_\tau \right] = \mathbb{E} \left[\sum_{j=1}^J \frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau} \delta_{i,j} \mid \mathcal{F}_\tau \right] \quad (7)$$

Using Equation 5, we can rewrite

$$\mathbb{E} \left[\sum_{j=1}^J \frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau} \delta_{i,j} \mid \mathcal{F}_\tau \right] = \mathbb{E} \left[\sum_{j=1}^J \text{Cov} \left[\frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau}, \delta_{i,j} \right] \mid \mathcal{F}_\tau \right] \quad (8)$$

Linearity of expectations then yields the result we want to proof.

$$\mathbb{E} \left[\sum_{j=1}^J \text{Cov} \left[\frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau}, \delta_{i,j} \right] \mid \mathcal{F}_\tau \right] = \sum_{j=1}^J \text{Cov} \left[\frac{\Psi_{t_{i,j}^{\text{Inv}}}}{\Psi_\tau}, \delta_{i,j} \right] \quad (9)$$

□

Corollary 1. *If and only if all deal investment dates coincide with the fund inception date, i.e., $\text{Inv}_{i,j} = \min_j \text{Inv}_{i,j} \forall j$, we have*

$$\mathbb{E} \left[\sum_{t=\tau}^T \frac{\Psi_t}{\Psi_\tau} CF_{i,t} \mid \mathcal{F}_\tau \right] = 0 \quad (10)$$

for the standard case where we do not assume independence between Ψ and $\delta_{i,j}$.

The asset pricing problem for realistic private equity fund cash flows is aggravated by bridge financing, management fees and carry cash flows that further distort the deal-level cash flows.

2.2 Least-Mean-Distance estimator

In this subsection, we introduce a new SDF estimator designed to analyze the effect of different discounting dates τ on the bias and variance of the estimated SDF parameters. In the previous subsection, we demonstrated that for a pooled cash flow stream, consisting of at least two deals with different investment start dates, **no correct discounting date exists**. Thus our general idea is to rather average over multiple suitable discounting date candidates τ than to try to select only one candidate for the “best” discounting date (which is empirically unknown).

Henceforth, we assume that the underlying transactions within a private equity fund cannot be distinguished individually, and that only the funds total (pooled) cash flows are observable. The stochastic discount factor $\Psi_{\tau,t}$ is used to calculate the time- τ “price” $P_{\tau,t,i}$ of a **single** time- t cash flow of any given PE fund i

$$P_{\tau,t,i} := \Psi_{\tau,t} \cdot CF_{t,i} = \frac{\Psi_t}{\Psi_\tau} \cdot CF_{t,i} \quad \forall \quad \tau, t, i \quad (11)$$

with multi-period SDF $\Psi_t = \prod_{k=0}^t M_k$. As SDFs are commonly parameterized by a vector $\theta \in \mathbb{R}^p$, i.e., $\Psi_{t,\tau} \equiv \Psi_{t,\tau}(\theta)$, our goal is to find an estimation method for the optimal θ . We denote this optimal/best/true parameter vector as θ_0 . We call the numerator Ψ_t the discount part of the multi-period SDF $\Psi_{\tau,t}$ (used for present value calculations) and the denominator Ψ_τ the compound part (used for future value calculations). For each fund i and all points τ within a common fund lifetime, the empirical “pricing error” $\epsilon_{\tau,i}$ of **all** fund cash flows is calculated as time- τ “present value”

$$\epsilon_{\tau,i} := \sum_{t=1}^T P_{\tau,t,i} \quad \forall \quad \tau, i \quad (12)$$

We use the terms “price”, “pricing error” and “net present value” in quotation marks to acknowledge the theoretical asset pricing problem which can arise for pooled cash flows and has been described in the previous subsection.

To better analyze the impact of different discount date τ on the estimator’s bias and variance, we define the (w_i -weighted) average pricing error $\bar{\epsilon}_i$ that averages over the set \mathcal{T}_i

$$\bar{\epsilon}_i = w_i \cdot \frac{1}{\text{card}(\mathcal{T}_i)} \sum_{\tau \in \mathcal{T}_i} \epsilon_{\tau,i} \quad \forall \quad i \quad (13)$$

where \mathcal{T}_i gives the set of discounting dates τ for fund i which is more thoroughly described in the next Subsection 2.3. Additionally, each fund i is characterized by its vintage year which can be expressed by $v_i = \min(\mathcal{T}_i) \in \{1, 2, \dots, V\}$, where V denotes the maximum vintage year used in a given data set. Finally, the scalar weighting factor w_i can be (i) one divided by the fund’s invested capital for equal weighting of funds, (ii) one divided by the vintage year sum of invested capital for vintage year weighting, (iii) the scalar one for fund-size weighting, or (iv) some macroeconomic deflator.

To find the optimal value for θ , we select an estimator from the broad class of extremum estimators.

Definition 1. *Extremum estimator (Newey and McFadden, 1994, Equation 1.1): An estimator $\hat{\theta}$ is an extremum estimator if there is an objective function $Q_n(\theta)$ such that*

$$\hat{\theta} = \max_{\theta} Q_n(\theta)$$

for $\theta \in \Theta$ where Θ is the set of all possible parameter values.

Concretely, our Least Mean Distance (LMD) estimator (Pötscher and Prucha, 1997, Equation 7.1) minimizes the average loss of $\bar{\epsilon}$

$$\hat{\theta} = \arg \min_{\theta \in \Theta} Q_n(\theta) \quad \text{with} \quad Q_n(\theta) = \frac{1}{n} \sum_{i=1}^n L(\bar{\epsilon}_i) \quad (14)$$

where $L : \mathbb{R}^1 \rightarrow \mathbb{R}^1$ denotes a loss function, e.g., $L(x) = (x - 0)^2$ in the case of nonlinear least squares. Throughout the paper, the weighted average fund pricing error $\bar{\epsilon}_i \equiv \bar{\epsilon}_i(\theta)$ is regarded as nonlinear random function of the SDF parameter θ .

2.3 Future and present value dates: the set \mathcal{T}

This subsection helps to explain the importance of the set \mathcal{T} from Equation 13. Initially, we introduced averaging over \mathcal{T} to counter the “exploding alpha” issue, first described by Driessen et al. (2012), for cash flow streams with a very small initial cash flow. The exploding alpha problem depicts the mathematical fact that in a net present value formula, a discount factor with a very large alpha term discounts all cash flows (after the first one) close to zero. Thus, in this degenerate situation, the beta factors become irrelevant – an infinite alpha almost perfectly prices the cash flow stream. Even more importantly, our simulation study in Section 3.3 indicates that averaging over \mathcal{T} seems to decrease the asymptotic bias of the estimator empirically.

A discounting date $\tau \in \mathcal{T}_i$ is a discretionary point in time where all fund cash flows are discounted to. The cardinality $\text{card}(\mathcal{T}_i) = |\mathcal{T}_i|$ gives the number of discounting dates used for the i th fund. The smallest possible set \mathcal{T}_i contains just the fund’s starting date; in this case, $\text{card}(\mathcal{T}_i)$ consequently is one. This corresponds to a typical NPV calculation in finance and is also used by Driessen et al. (2012) and Korteweg and Nagel (2016). In contrast, the largest candidate set for \mathcal{T} contains all time periods bigger than the fund’s starting date until now. In Subsection 3.3, we study the optimal set size of \mathcal{T} by Monte Carlo simulations. There we show in our example that controlling for the optimal size of \mathcal{T} can control the asymptotic bias and variance of the original Driessen et al. (2012) estimator that just discounts all cash flows to the fund inception date. As we average over \mathcal{T}_i in Equation 13 we call $\bar{\epsilon}_i$ the \mathcal{T}_i -averaged pricing error, as visualized in Figure 1.

2.4 Cross-sectional unit: individual fund vs. portfolio of funds

According to the classical value-additivity assumption in Hansen and Richard (1987), SDF models invariably shall hold for all pooled or unpooled assets. As discussed




Figure 1: How to calculate and interpret the average pricing error? The time index t is relevant for the net cash flows (black dots). The time index τ is used for the pricing error, i.e., the sum of discounted net cash flows (blue boxes). The weighted average of these "pricing errors" gives the average pricing error $\bar{\epsilon}$ as defined in Equation 13 (solid blue line). In this example, $\text{card}(\mathcal{T}_i) = 7$, i.e., the number of blue boxes.

in Subsection 2.1, it is best to use the underlying deals as test assets for SDF estimation to avoid the bias terms caused by pooled fund cash flows. For the second best alternative, it is theoretically not important if the test assets for our SDF are portfolio or individual fund cash flows when the investment dates are the same (see Corollary 1). Empirically it makes a difference, and there are arguments both for and against portfolio formation.

In the risk premium literature, portfolio formation mainly helps to attenuate the errors-in-variables bias connected to two-pass asset pricing methods (Jegadeesh et al., 2019; Pukthuanthong et al., 2019). As this is no issue in our case, we could use individual funds. Cochrane (2011) argues that portfolio sorting (seen as an auxiliary nonparametric regression that imposes linearity on the relationship between returns and characteristics) shall be replaced by multivariate panel models due to the curse of dimensionality. Following the same nonparametric regression viewpoint, Cattaneo et al. (2019) derive a nonparametric framework where the optimal number of portfolio sorts acts as a data-dependent tuning parameter that grows with sample size. Generally, the larger the portfolios, the easier any given SDF can price their cash flows since fewer test assets remain.

In the case of private equity funds, the pooling of fund cash flows helps to counter GP financial engineering³, which might both change and mask the true risk profile

³GPs may use bridge credit facilities below the hurdle rate to boost the fund's internal rate of return. This increases the probability of observing funds with only positive or only negative cash flows. However,

of observed LP cash flows. Especially for private equity funds, portfolio formation based on vintage years is compelling due to its time-series-like indexing as done by Driessen et al. (2012). This procedure also offers substantial computational benefits as it drastically decreases the number of cross-sectional units. Further, as stated in Ang et al. (2020), portfolio formation allows more precise factor loading estimates due to decreasing idiosyncratic risk, but at the expense of sacrificing cross-sectional information. Finally, small (or fixed) T and large N set-ups may face finite sample problems (Raponi et al., 2020).

Assumption 2. *For each vintage year, we pool fund cash flows to form n_v portfolios that serve as cross-sectional units. Thus, $n = \sum_{v=1}^V n_v$. The two boundary cases are (i) single fund portfolios and (ii) just one portfolio per vintage year.*

Without loss of generality, we refer to our cross-sectional units as funds, although this corresponds to a special case of our portfolio concept. In the simulation study in Subsection 3.3, we compare both boundary cases (i) individual funds and (ii) vintage year portfolios.

Thinking more broadly, we could even imagine more extreme boundary cases: (iii) on the one hand, we could pool *all* fund cash flows to form only *one* global moment condition for private equity similar to Korteweg and Nagel (2016) and accept potential under-identification; (iv) on the other hand, we could operate on underlying deal level like Buchner (2014, 2016a,b) and use gross-of-fee cash flows.

2.5 Asymptotic framework

To allow for multiple funds from the same vintage year in Assumption 2, we employ an auxiliary “spatial” notion as originally proposed by Korteweg and Nagel (2016). The spatial viewpoint is only a technical means to switch from time-series-like to more panel-data-like indexing. Unlike typical panel data, we do not follow multiple subjects over time, but for each point in time, we exclusively observe multiple new cross-sectional units (i.e., funds from that vintage year). This unusual two-dimensional indexing causes problems in the PE literature as it neatly fits neither in the (i) time-series, (ii) cross-sectional, nor (iii) panel data literature. Thus, we generally consider $\bar{\epsilon}$ from Equation 13 as random field (cf. Figure 2). In our case, it is convenient to interpret the fund vintage year v_i as second dimension in our pricing error random field, i.e., $\bar{\epsilon}_i \equiv \bar{\epsilon}_{i,v_i}$.⁴ Yet, in this section, we mainly follow the time-series asymptotic framework of Pötscher and Prucha (1997) since our “spatial” distance measure (between vintage years) is time, and adaption to our case is thus straightforward. If we observe only one fund per vintage year (or, equivalently, form vintage year portfolios), we will easily see that the framework of Pötscher and Prucha (1997) with time-series indexing can be applied without any major modification.

we want to avoid (the possibility of) cross-sectional units that exhibit just cash flows with the same algebraic sign. Realistic SDFs never can price these cash flow streams.

2.5.1 Vintage year asymptotics

We assume that the “spatial” (i.e., economic) distance between cross-sectional units, i.e., private equity funds/portfolios, can be measured quantitatively⁴. Our “cross-sectional” asymptotic theory lets the number of funds go to infinity $n \rightarrow \infty$. To expose our SDF to many distinct covariate realizations (economic conditions), we also want the number of vintages to increase asymptotically.

Assumption 3. *Vintage year asymptotics:*

1. *The number of vintage years $V \rightarrow \infty$ as $n \rightarrow \infty$.*
2. *The number of funds per vintage year is bounded by some positive constant.*
3. *The maximal fund lifetime is also bounded by a positive constant.*
4. *The economic distance between fund i and j is measured by the vintage year difference $d_{i,j} = |v_i - v_j| + \rho_0 1_{i \neq j}$ with minimum distance $\rho_0 > 0$.*

In terms of the spatial estimation literature, this assumption postulates increasing domain asymptotics and rules out so-called infill asymptotics (cf. Figure 2). The minimum distance term ρ_0 is a means to ensure these increasing domain asymptotics (Jenish and Prucha, 2012, Assumption 1). Infill asymptotics corresponds to the assumption of Driessen et al. (2012) that the number of funds per vintage tends to infinity.

GMM estimators typically have a fixed number of moment conditions. Thus, GMM estimators, where the number of moment conditions is allowed to grow with sample size, require special attention (Han and Phillips, 2006; Newey and Windmeijer, 2009). In many cases, it is probably most convenient to limit the maximum to a finite number of moment conditions (i.e., not each vintage year should form a moment condition). In this paper, we employ nonlinear least squares estimators since they do not suffer from this “number of moment condition” issue.

2.5.2 Law of large numbers

The global moment condition underlying our estimation approach is that the expected value of $\bar{\epsilon}$ shall be as close as possible to zero if we use the optimal SDF parameter θ_0 (it is nonzero due to Proposition 1). To approach this expected value, we rely on a spatial (cross-sectional) law of large numbers instead of applying a time-series law of large numbers. Here, we want to explicitly acknowledge the statistical dependence of pricing errors from adjacent vintage years.

Assumption 4. *Uniform Law of Large Numbers (ULLN) for random fields (Jenish and Prucha, 2009, Equation 6):*

The (i) time-trend and (ii) dependence structure of $\bar{\epsilon}$ shall allow

$$\sup_{\theta \in \Theta} |Q_n(\theta) - \mathbb{E}[Q_n(\theta)]| \xrightarrow{p} 0 \quad \text{as } n \rightarrow \infty$$

where $Q_n(\theta)$ is given by Equation 14.

⁴Generally, the economic distance measure could include multiple dimensions, e.g., temporal, geographic, and industry sector proximity. This could be an interesting topic for future research.




Figure 2: Visualization of generic random field types. Each black dot marks a different observation i of the cash flow data. Importantly, the time axis does **not** correspond to the index t in $CF_{t,i}$ (rather to vintage years v_i). Comparing the four choices, we want to avoid an infill random field but prefer our data to constitute an increasing domain random field. The infill random field is even asymptotically “too clustered” or better “too unrepresentative” to allow for meaningful estimation and inference. The time-series and cross-sectional random fields correspond to the standard cases in the literature but could turn out too restrictive for a general approach. By smart design (like portfolio formation), we often can map an increasing domain random field to simpler time-series or cross-sectional versions.

Specifically, we could assume (as a so-called primitive condition) the random field $\bar{\epsilon}$ to be spatial near-epoch dependent with respect to fund vintage years (Jenish and Prucha, 2009, 2012), i.e., two funds with distance $d_{i,j} > D$ are assumed to be independent.

To satisfy the time trend part (i) of this law of large number assumption, the weighting factor w , introduced in Equation 13, can be used to make $\bar{\epsilon}$ stationary. Spatial near-epoch dependence with respect to fund vintage years formalizes the simple idea that two fund pricing errors $\bar{\epsilon}$ with a small absolute vintage year difference are supposed to be dependent since they are exposed to the same macroeconomic conditions. In contrast, two funds with a large absolute vintage year difference can be assumed independent.

2.5.3 Consistency

The estimator $\hat{\theta}$ shall converge in probability to the true parameter value θ_0 as the number of distinct vintage years in our data set goes to infinity. Multiple funds for a specific vintage year are not necessarily required but provide additional information that we want to exploit if available.

Lemma 1. *A modified version of (Newey and McFadden, 1994, Theorem 2.1) holds, i.e., if there is a function $Q_0(\theta)$ such that*

1. *Identification: $Q_0(\theta)$ is uniquely minimized at θ_0 ,*
2. *Boundedness: Θ is compact,*
3. *Continuity: $Q_0(\theta)$ is continuous,*
4. *Uniform convergence: $\hat{Q}_n(\theta)$ converges uniformly in probability to $Q_0(\theta)$,*

then $\hat{\theta} \xrightarrow{p} \theta_0$ as $n \rightarrow \infty$.

Proof. The general proof is given in (Newey and McFadden, 1994, Chapter 2) for a max instead of min extremum estimator. Thus, we only recapitulate the four conditions required by the lemma in our specific context.

1. Obviously, we have to replace “maximized at θ_0 ” by “minimized at θ_0 ” compared to the exposition of (Newey and McFadden, 1994, Chapter 2). Then, we need to first show that $\mathbb{E}[\bar{\epsilon}(\theta_0)] = x$, where x is the minimum bias achievable, see Proposition 1. Secondly, we know $Q_0(\theta_0) = \mathbb{E}[L(\bar{\epsilon}(\theta_0))] \geq 0$, e.g., for $L(x) = x^2$ we have $Q_0(\theta) = \mathbb{E}[(\bar{\epsilon}(\theta))^2] = \text{Var}[\bar{\epsilon}(\theta)] + (\mathbb{E}[\bar{\epsilon}(\theta)])^2$ where the second summand can be perceived as bias term that is zero for θ_0 . The variance term $\text{Var}[\bar{\epsilon}(\theta)]$ for a simplified DGP is analyzed by Corollary ??.
2. Compactness of Θ can be assured by lower and upper bounds for all parameters that can be justified by economic reasoning. In our case, e.g., a market beta factor of ten seems implausible for PE funds because of the implied risk and return expectations.
3. Continuity of the limit is a quiet weak and thus a standard regularity condition.
4. The second standard regularity condition is given by Assumption 4 which satisfies the definition of uniform convergence in probability (Newey and McFadden, 1994, Section 2.1). To make this obvious, we can write $\hat{Q}_n(\theta) = Q_n(\theta) = n^{-1} \sum_{i=1}^n L(\bar{\epsilon}_i)$ and $Q_0(\theta) = \mathbb{E}[Q_n(\theta)]$ and compare it to Assumption 4.

□

□

2.5.4 Central limit theorem

To assess the large-sample significance of our parameter estimates (as done in the following Subsection 2.6), we want to describe the asymptotic distribution of the parameter vector as a normal distribution.

Proposition 2. *With estimator consistency established in Lemma 1, and the five (technical) conditions from (Newey and McFadden, 1994, Theorem 3.1) satisfied, it holds*

1. $\sqrt{n}(\hat{\theta} - \theta_0) \xrightarrow{d} \mathcal{N}(0, \Sigma)$ as $V, n \rightarrow \infty$ with covariance matrix Σ , and
2. The covariance matrix Σ can be characterized by Pötscher and Prucha (1997, Theorem 11.2.b, Theorem H.1) (as outlined in the next Section 2.6).

Proof. The extended proof of Proposition 2 may be derived in analogy to the GMM case in (Jenish and Prucha, 2012, Theorem 4) that shows that the general structure of the Pötscher and Prucha (1997) framework also applies to the spatial near-epoch dependent case. Alternatively (and easier), the estimator from Equation 14 can be clearly formulated as extremum estimator in alignment with our Definition 1. In consequence, (Newey and McFadden, 1994, Theorem 3.1), which generally describes the asymptotic normality of extremum estimators, is directly applicable to obtain the stated result. Thus, all details of the proof can be found in the original reference (Newey and McFadden, 1994, Chapter 3). \square

2.6 Large sample inference

In this subsection, we demonstrate how to empirically apply Proposition 2 to obtain the asymptotic standard errors for our estimator from Equation 14. In the time-series, near-epoch-dependent LMD literature, the covariance matrix Σ can be characterized according to Pötscher and Prucha (1997, Theorem 11.2.b, Theorem H.1):

$$\Sigma = H^{-1} \Lambda (H^{-1})^\top$$

with expected Hessian matrix converging to H as $n \rightarrow \infty$

$$\mathbb{E} [\nabla_{\theta\theta} Q_n] \xrightarrow{p} H$$

and the expected covariance matrix of gradients converging to Λ as $n \rightarrow \infty$

$$n \cdot \mathbb{E} \left[\nabla_{\theta} Q_n (\nabla_{\theta} Q_n)^\top \right] \xrightarrow{p} \Lambda$$

Here, the gradient vector $\nabla_{\theta} Q_n$ is denoted as column vector. We define the corresponding finite sample estimators analogously to Pötscher and Prucha (1997, Chapters 12, 13.1), and numerically approximate the first and second partial derivatives by finite differences⁵. Specifically, we use the following central difference approximations (with "small" δ) (Eu, 2017, Algorithm 2):

$$\begin{aligned} f_x(x, y) &\approx \frac{f(x + \delta, y) - f(x - \delta, y)}{2\delta} \\ f_{xx}(x, y) &\approx \frac{f(x + \delta, y) + f(x - \delta, y) - 2f(x, y)}{\delta^2} \\ f_{xy}(x, y) &\approx \frac{f(x + \delta, y + \delta) + f(x - \delta, y - \delta) - f(x + \delta, y - \delta) - f(x - \delta, y + \delta)}{4\delta^2} \end{aligned}$$

⁵As an alternative to finite differences the widespread Broyden-Fletcher-Goldfarb-Shanno (BFGS) algorithm can be applied to approximate the Hessian (Nocedal and Wright, 2006, Section 6.1).

The Hessian term \hat{H} is relatively straightforward

$$\hat{H} = \frac{1}{n} \sum_{i=1}^n \nabla_{\theta\theta} L(\epsilon_i)$$

Due to the spatial near-epoch dependence, the involved and computationally expensive part is to consistently estimate $\hat{\Lambda}$ by a Spatial Heteroskedasticity and Autocorrelation Consistent (SHAC) covariance matrix estimator (Kim and Sun, 2011, Equation 2)

$$\hat{\Lambda} = \frac{1}{n} \sum_{i=1}^n \sum_{j=1}^n k_{i,j} \left[\nabla_{\theta} L(\epsilon_i) (\nabla_{\theta} L(\epsilon_j))^{\top} \right] \quad (15)$$

We define the kernel weight k as

$$k_{i,j} \equiv K\left(\frac{d_{i,j}}{b_n}\right)$$

with kernel function $K : \mathbb{R} \rightarrow [0, 1]$ satisfies $K(0) = 1$, $K(x) = K(-x)$, $\int_{-\infty}^{\infty} K^2(x) dx < \infty$, and $K(\cdot)$ continuous at zero and at all but a finite number of other points. A common choice is the Bartlett kernel $K_{BT}(x) = \max(0, 1 - |x|)$; see equation 2.7 in Andrews (1991) for other popular kernel choices. This means absolute vintage year differences larger than the bandwidth (or truncation) parameter $b_n = D$ are considered independent and are thus excluded from the $\hat{\Lambda}$ estimation formula.

In large samples, the vector of parameter standard errors can thus be estimated by

$$\text{SE}(\hat{\theta}) = \sqrt{\text{diag} \left[n^{-\frac{1}{2}} \hat{H}^{-1} \hat{\Lambda} (\hat{H}^{-1})^{\top} (n^{-\frac{1}{2}})^{\top} \right]} = \sqrt{\text{diag} \left[\hat{H}^{-1} \hat{\Lambda} (\hat{H}^{-1})^{\top} \right] \cdot \frac{1}{n}} \quad (16)$$

The Wald test statistic for linear hypotheses $H_0 : R\theta = r$ and $H_1 : R\theta \neq r$ is constructed as (where, H_0 and H_1 are hypotheses and not Hessian terms H)

$$W = (R\hat{\theta} - r)^{\top} \left[R \frac{\hat{H}^{-1} \hat{\Lambda} (\hat{H}^{-1})^{\top}}{n} R^{\top} \right]^{-1} (R\hat{\theta} - r) \stackrel{H_0}{\sim} \chi_q^2$$

where $\hat{\theta}$ is the $p \times 1$ parameter vector, R is a $q \times p$ matrix, and r is a $q \times 1$ vector. Usually, we select R as $p \times p$ identity matrix, and r as $p \times 1$ vector (e.g., of zeros). Under the null hypothesis, W is chi-squared distributed with q degrees of freedom. As large values of W indicate the rejection of H_0 , the corresponding p-value is calculated as $1 - F_{\chi_q^2}(W)$ where $F_{\chi_q^2}$ is the cumulative distribution function of a chi-squared random variable with q degrees of freedom.

However, given the limited amount of available private equity data (typically the oldest vintages start in the 1980s), asymptotic characterizations of Σ and $\text{SE}(\hat{\theta})$ are of limited importance. In empirical applications, the small sample behavior of an estimation method for private equity data is more relevant than its asymptotic theory. Moreover, the standard asymptotic distribution associated with an estimator is generally not valid for post-model-selection inference, i.e., if a model selection procedure is applied to find the best model from a collection of competitors (Leeb and Pötscher, 2005).

2.7 Comparison to similar estimators

Our Least-Mean-Distance (LMD) estimator introduced in Section 2.2 belongs to the class of semiparametric nonlinear M-estimators as defined in Pötscher and Prucha (1997) which are extremum estimators. To gain more flexibility and avoid unneeded complexity, we intentionally opt against the most prominent semiparametric nonlinear M-estimator framework, i.e., classical time-series Generalized Method of Moments (GMM) (Hansen, 1982, 2012). A classical GMM approach requires the construction of stationary, ergodic time-series of moment conditions that are used to empirically estimate the expected value of pricing errors in Equation 12. The stationarity requirement of classical time-series GMM limits (i) more elaborate weighting schemes for w , like fund-size weighting, and (ii) the usage of fund cash flows from non-realized vintages.

2.7.1 Comparison to Driessen et al. (2012)

The Driessen et al. (2012) approach is most closely related to our methodology.

One important difference is that we select a simpler and more flexible LMD estimator instead of a cross-sectional GMM approach. In our view, the choice of the more complex cross-sectional GMM just causes some conceptional issues, whereas the underlying formulas are basically the same as for our LMD estimator⁶. As a first limitation, they have to regard vintage-year portfolios as their cross-sectional units; we can also use individual funds. In this context, we also question their statement that “to identify β , it is essential that the different FoFs are exposed to different market returns” since it is perfectly fine to perceive their estimator as cross-sectional approach⁷. Second, the Driessen et al. (2012) asymptotic theory assumes the number of funds (or deals) per vintage year portfolio to go to infinity. To comply with standard GMM assumptions, the number of vintage years, which corresponds to the number of moment conditions in their approach, *must be considered fixed* and thus cannot grow asymptotically (Han and Phillips, 2006; Newey and Windmeijer, 2009). For a typical LMD estimator (e.g., nonlinear least squares), this constraint does not exist. Our asymptotic theory lets both (i) the number of vintage years and (ii) the number of funds go to infinity but bounds the number of funds per vintage year.

Further, Driessen et al. (2012) discount all fund cash flows just to the first cash flow date (like in a classical net present value calculation). In contrast, we additionally average over all dates within \mathcal{T}_i to tackle the problem arising from pricing pooled cash flows, which we thoroughly analyzed in subsection 2.1. Although Driessen et al. (2012) describe their estimator as a one-step GMM approach, we consider it a special case of our LMD estimator. Specifically, Equation 14 from our methodology is a generalization of equation 3 from their paper. Consequently, if someone accepts the assumptions from Subsection 2.5, our large sample inference framework from Subsection 2.6 applies to their case without any significant modification. Finally, Driessen et al. (2012) apply simple cross-sectional bootstrapping to obtain standard

⁶The formulas are this similar because Driessen et al. (2012) use the identity matrix as GMM weighting matrix and skip the second GMM step.

⁷In a classic cross-sectional regression, we only have one market return realization.

errors; in contrast, in Subsection 3.2, we use a cross-validation technique that is adapted to the near-epoch dependence of the PE fund data.

2.7.2 Comparison to Korteweg and Nagel (2016)

Korteweg and Nagel (2016), first of all, realized the usefulness of employing an auxiliary spatial framework to establish asymptotic inference results for a fund-level panel dataset of private equity funds. To account for the cross-sectional dependence between funds, they measure the economic distance between two private equity funds (by the degree of cash flow overlap). Concretely, their asymptotic inference framework draws on the spatial HAC estimator of Conley (1999); our spatial HAC framework uses Pötscher and Prucha (1997); Kim and Sun (2011); Jenish and Prucha (2012). However, they ultimately utilize a classical GMM estimator, thus a time-series law of large numbers. Specifically, we obtain the estimator of (Korteweg and Nagel, 2016, Equation 18) in our framework if we replace $Q_n(\theta)$ in Equation 14 by Equation 17.

$$Q_n(\theta) = L \left(\frac{1}{n} \sum_{i=1}^n \bar{\epsilon}_i \right) \quad \text{with} \quad L(x) = x^\top W x = x^\top I x \quad (17)$$

with identity matrix I as weighting matrix W . In accordance with classical GMM, the function $\frac{1}{n} \sum_{i=1}^n \bar{\epsilon}_i : \mathbb{R}^{n \times T} \times \Theta \rightarrow \mathbb{R}^m$ should be perceived as multidimensional where the dimensionality of the function output corresponds to the number of moment conditions.

Time-series GMM estimators inherently bear the risk of under-identification if the corresponding time-series is constructed by pooling all fund cash flows from a given fund type. Exactly this happens in Equation 17 with $m = 1$ where we consequently obtain a GMM estimator with just one moment condition⁸. To counter under-identification, additional characteristic-based fund portfolios could be formed to increase the number of moment conditions per fund type; also, random portfolios combined with bootstrapping could make sense. Yet, Korteweg and Nagel (2016) take another approach and introduce the concept of Generalized Public Market Equivalent (GPME), which elegantly avoids the under-identification issue. Firstly, a public market SDF model is estimated by pricing public trading strategies that shall replicate PE funds instead of directly pricing the observed PE fund cash flows. Only in a second step these public market SDF models are applied to evaluate private equity fund cash flows.

Given these differences, our approach may not be perceived as a straightforward generalization of the Korteweg and Nagel (2016) framework. In contrast, our LMD estimator generalizes the Driessen et al. (2012) method. Table 1 summarizes the most prominent distinctions between the three approaches.

⁸In contrast, our estimator corresponds to the opposite edge case with asymptotically an infinite number of LMD "moment conditions" (units to price) as we let $n \rightarrow \infty$.

	Driessen et al. (2012)	Korteweg and Nagel (2016)	Our approach
M-estimator	Cross-sectional Generalized Method of Moments	Time-series Generalized Method of Moments	Least-Mean-Distance
Pricing error averaging	No	No	Yes
Cash flows priced	PE cash flows	public cash flows	PE cash flows
Asymptotics	cross-sectional $\# \text{funds} \rightarrow \infty$	time-series $\# \text{vintages} \rightarrow \infty$	spatial $\# \text{of both} \rightarrow \infty$
Inference	bootstrap	spatial HAC	cross-validation & spatial HAC
Cross-sectional unit	vintage year portfolio	single fund	testing both
SDF	simple linear	exponentially affine	testing both

Table 1: Comparison to similar estimation frameworks.

3 Empirical application

3.1 Data

We use the Preqin cash flow data set as of 26th February 2020 that is well known in the academic private equity literature (Harris et al., 2014; Korteweg and Nagel, 2016; Ang et al., 2018). For an overview of the available asset classes and strategies in the unprepared raw Preqin dataset, see Table 2. After data preparation, we pool all regions and group the remaining funds according to the Preqin asset class classification: PE ("Private Equity"; 2248 distinct funds in data set; 36 vintage years) and VC ("Venture Capital"; 871; 36). For these fund types, we extract all (i) equal-weighted and (ii) fund-size-weighted cash flow series. For non-liquidated funds, we treat the latest net asset value as final cash flow. We explicitly refrain from excluding the most recent vintage years. Thus, the minimum vintage year is 1983 (just for PE), and the maximum is 2019.

The public market factors that enter our SDF draw on the US data set of the recently popularized q^5 investment factor model sourced from <http://global-q.org/factors.html> (Hou et al., 2015, 2020). Their five-factor model includes the market excess return (MKT), a size factor (ME), an investment factor (IA), a return on equity factor (ROE), and an expected growth factor (EG).

Type	Asset Class	Strategy	Fund Count
PE	Private Equity	Balanced	63
PE	Private Equity	Buyout	1251
PE	Private Equity	Co-Investment	75
PE	Private Equity	Co-Investment Multi-Manager	58
PE	Private Equity	Direct Secondaries	24
PE	Private Equity	Fund of Funds	589
PE	Private Equity	Growth	265
PE	Private Equity	Secondaries	131
PE	Private Equity	Turnaround	18
VC	Venture Capital	Early Stage	262
VC	Venture Capital	Early Stage: Seed	42
VC	Venture Capital	Early Stage: Start-up	37
VC	Venture Capital	Expansion / Late Stage	110
VC	Venture Capital	Venture (General)	513
VC	Venture Capital	Venture Debt	21

Table 2: Summary of asset classes and strategies in the unprepared raw Preqin dataset.

3.2 Model and estimator specifications

We test a simple linear SDF model similar to Driessen et al. (2012)

$$\Psi_{\tau,t}^{SL}(\theta) = \frac{\prod_{h=0}^{\tau} (1 + \alpha + r_h + \sum_j \beta_j F_{j,h})}{\prod_{h=0}^t (1 + \alpha + r_h + \sum_j \beta_j F_{j,h})} \quad (18)$$

and an exponential affine SDF model adapted from Korteweg and Nagel (2016)

$$\Psi_{\tau,t}^{EA}(\theta) = \exp \left[\sum_{h=0}^{\tau} X_h \sum_{h=0}^t -X_h \right] \quad (19)$$

with

$$X_h = \alpha + \log(1 + r_h) + \sum_{j \in J} \beta_j \cdot \log(1 + F_{j,h})$$

with (arithmetic) risk-free return $r = R_{rf} - 1$, (arithmetic) zero-net-investment portfolio returns F_j , and parameter vector $\theta = (\alpha, \beta)$. To avoid overfitting, we just test six simple SDF models that contain {MKT} alone or {MKT} plus {ME or IA or ROE or EG or Alpha}. In Equation 14, we use the quadratic loss function $L(x) = x^2$.

To assess the parameter significance, we compute the asymptotic standard errors as outlined in Subsection 2.6. For the Bartlett kernel’s bandwidth $b_n = D$ we select 12 years, i.e., funds with absolute vintage year differences larger than 12 years are assumed to be independent.

Additionally, we want to test the finite - or, more honestly, small - sample parameter significance and the out-of-sample performance of our SDF models. To account for the dependency between funds from adjacent vintage years caused by overlapping fund cash flows, we draw on *hv*-block cross-validation (Racine, 2000). Therefore, we form three partitions for several vintage year groups. As larger validation sets are preferred for model selection, the validation set (*v*-block) always contains funds of three neighboring vintage years (e.g., 2000, 2001, 2002). To reduce the dependency between training and validation set, we remove all funds from three-year-adjacent vintage years, i.e., the *h*-block (e.g., 1997, 1998, 1999, 2003, 2004, 2005). Funds from the remaining vintage years enter the training set and are thus used for model estimation (e.g., 1985-1996, 2006-2019). We apply ten-fold cross validation using the ten validation sets described in Table 3. This means we replace the bootstrap standard error calculation of Driessen et al. (2012) by *hv*-block cross-validation since the new method (i) accounts for near-epoch-dependence, (ii) focuses directly on the out-of-sample performance of the SDF models, and (iii) is computationally cheaper.

training.before estimation	<i>h</i> -block.before remove	<i>v</i> -block validation	<i>h</i> -block.after remove	training.after estimation
start-1984	1985,1986,1987	1988,1989,1990	1991,1992,1993	1994-end
start-1987	1988,1989,1990	1991,1992,1993	1994,1995,1996	1997-end
start-1990	1991,1992,1993	1994,1995,1996	1997,1998,1999	2000-end
start-1993	1994,1995,1996	1997,1998,1999	2000,2001,2002	2003-end
start-1996	1997,1998,1999	2000,2001,2002	2003,2004,2005	2006-end
start-1999	2000,2001,2002	2003,2004,2005	2006,2007,2008	2009-end
start-2002	2003,2004,2005	2006,2007,2008	2009,2010,2011	2012-end
start-2005	2006,2007,2008	2009,2010,2011	2012,2013,2014	2015-end
start-2008	2009,2010,2011	2012,2013,2014	2015,2016,2017	2018-end
start-2011	2012,2013,2014	2015,2016,2017	2018,2019,2020	2021-end

Table 3: Partitions used for *hv*-block cross-validation.

3.3 Simulation study

Our Monte Carlo experiments examine the following questions related to the bias and variance of our estimation methodology in finite samples.⁹ Is it beneficial to use vintage-year portfolios instead of individual funds? Which SDF model performs better when we also use the corresponding data generating process (i.e., assume correct model specification)? How is estimator precision affected by varying numbers of vintage years and cross-sectional units? Which is the optimal set of discounting dates \mathcal{T} ?

We use historical *q*-investment factors from 1986 to 2005 and simulate 20 funds for each of these 20 vintage years. Each fund contains 15 deals with equal investment

⁹As each simulation study it more investigates the ability to identify the assumed data generating process than the corresponding SDF model.

amounts and exactly one divestment cash flow. Deals are entered within the first five years of the fund lifetime following a discrete uniform distribution and afterward held between one to ten years again uniformly distributed. The deal returns are generated by the simple linear or exponential affine SDF models described in Equations 18 and 19. In the base case, we just use the MKT factor with $\beta_{\text{MKT}} = 1$ and in each month, add a normal i.i.d. error term with standard deviation $\sigma = 0.2$ and zero mean. Additionally, we test an intercept term α of -0.25% per month and a high β_{MKT} of 2.5. In the exponential affine case, we adjust the lognormally distributed error mean to zero by subtracting $0.5\sigma^2$. If a negative return exceeds -100%, the company defaults with a zero exit cash flow. In contrast, the error term in the simulations of Driessen et al. (2012) is more well-behaved as it follows a shifted lognormal distribution that, even with arbitrarily high error term variance, just allows for returns below say -99%, if the market return is close to its lower bound (see equation 9 in their online appendix). In our base case, the set of discounting dates \mathcal{T} contains all months from the first cash flow to the maximum month 180. To assess our estimator’s bias and variance, we simulate 1000 test scenarios for vintage year portfolios and only 200 test cases when using individual funds due to the higher computational costs of simulating the individual fund cash flows.

Cross-sectional unit i : As presumed in Subsection 2.4, vintage year portfolio results appear to have lower bias and variance when compared to individual funds. For the simple linear SDF and maximum month 180, the mean and standard deviation of the coefficient estimate $\hat{\beta}_{\text{MKT}}$ is 1.016 (0.2) for the vintage year portfolio and 1.096 (0.376) for individual funds. More results are depicted in Figure 3. However, for individual funds, we only simulate 200 iterations due to the high computational cost.

This finding has two important implications: On the one hand, vintage year portfolio formation can substantially decrease our estimator’s bias and variance. On the other hand, it also dramatically reduces the number of cross-sectional units and consequentially impairs the importance of asymptotic results. These considerations may explain the choice of Korteweg and Nagel (2016) to use individual funds as cross-sectional units in their asymptotic SHAC framework to obtain smaller standard error estimates.

SDF model Ψ : In our base case with vintage year portfolios, the exponential affine SDF shows a mean and standard deviation of 1.011 (0.175) compared to the 1.016 (0.2) achieved by the simple linear SDF. Generally, the exponential affine SDF model and the simple linear SDF model exhibit similar bias and variance, cf. panels A and B in Table 5. Figure 4 visualizes the true $\beta = 1$ case, which shows that the estimation results are not overly sensitive to the choice of the SDF model.

Moreover, the perceived superiority of exponential affine SDFs is probably rather theoretical than practical as other proponents also emphasize their universality mainly from a mathematical perspective without providing supportive empirical or simulation results (Gourieroux and Monfort, 2007; Bertholon et al., 2008).




Figure 3: Simulation results comparing individual funds vs. vintage year portfolios (VYPs) with true $\beta = 1$ and simple linear SDF (200 simulation iterations).




Figure 4: Simulation results comparing exponentially affine and simple linear SDF with true $\beta = 1$ and vintage year portfolios (1000 simulation iterations).

Varying vintages V and portfolio sizes n/V : To test the effect of varying data sizes available for MKT factor estimation, we in/decrease the (i) number of vintage years and (ii) the number of funds per vintage year (cf. Table 4). Here we use vintage year portfolios and the simple linear SDF. For our simple data generating process, increasing the number of deals/funds per vintage year portfolio appears to decrease the estimator’s variance more effectively than adding more vintage years. However, the bias is almost the same for all tested specifications. Generally, we seem to need many new data points to ensure a reasonable variance of our estimator.

	Base	Big n/V	Big V	Big V	Small V	Small V
Start vintage	1986	1986	1967	1967	1986	1996
End vintage	2005	2005	2005	2005	1995	2005
#Funds per vintage	20	40	10	20	20	20
Mean β_{MKT}	1.011	1.020	0.993	1.015	1.027	0.934
Stdv β_{MKT}	0.187	0.133	0.263	0.227	0.232	0.418

Table 4: Simulation study for varying number of vintages and number of funds per vintage. We use vintage year portfolios, the simple linear SDF with true $\beta_{\text{MKT}} = 1$, maximum month 180, and 500 simulation iterations.

Size of set \mathcal{T} : The results in Table 5 indicate that we can control the asymptotic bias by an appropriate choice of the set \mathcal{T} . For the one-factor model, the bias almost vanishes when we average over all discounting dates in the maximal fund lifetime of 180 months. For smaller or larger sets for \mathcal{T} , we find increasing bias terms. Recall that using the minimal set for \mathcal{T} , i.e., discounting all cash flows just to the fund inception date, corresponds exactly to the Driessen et al. (2012) approach. Thus, the original Driessen et al. (2012) methodology might achieve a suboptimal asymptotic bias since it does not average pricing errors over multiple discounting dates.

The same finding also holds when we limit the maximal fund lifetime to ten years by reducing the maximum deal holding period from ten to five years. Here, under correct model specification with $\beta_{\text{MKT}} = 1$, the smallest bias is obtained for maximum month 120, for max. month 60 we get 1.028 (0.116), for max. month 120, we get 1.005 (0.116), and for max. month 180 we get 0.969 (0.13). However, this simulation results only hold for the one-factor model (MKT) reported here. For multi-factor models, smaller max. month values can yield the lowest bias term. Thus, our simulation study could not reveal a formula how to determine the optimal set of \mathcal{T} ; it seems to be data and SDF model dependent.

In Table 5 for both true and false model specifications, the α standard deviation is very high compared to its mean value. This may indicate it is rather delicate to empirically determine private equity’s historical outperformance by our semiparametric estimator.

To conclude, our simulations study rationalizes two key practices from the Driessen et al. (2012) paper: (i) vintage year portfolio formation helps to improve

estimator precision, and (ii) increasing the number of funds per vintage seems to be more effective in controlling estimator variance than increasing the number of vintages¹⁰. However, our examples with correct specification cannot support the assumption of Korteweg and Nagel (2016) that (iii) the exponential affine SDF is (clearly) superior to the simple linear SDF in a multi-period framework; actually, their bias and variances are quite equal. Moreover, our simulation study suggests that (iv) averaging pricing errors over multiple dates strikingly reduces the bias inherent to the original procedure of Driessen et al. (2012) that just discounts all cash flows to the fund inception date. Actually, choosing the set \mathcal{T} according to the fund lifetime seems to decrease the bias (and to a lesser extent also the variance) more effectively than all other measures combined.

¹⁰Finding (ii) may explain the choice of Driessen et al. (2012) to employ an asymptotic law that lets the number of deals/funds per vintage tend to infinity.

Panel A: simple linear SDF

Model=DGP	True	False	False	True		
MaxMonth	$\beta = 1$	$\alpha = 0$	$\beta = 1$	$\beta = 2.5$	$\alpha = -0.25$	$\beta = 2.5$
1 - mean	1.168	1625%	0.003	2.023	5879%	-16.711
1 - stdv	0.269	2792%	9.968	0.342	866%	13.347
60 - mean	1.129	0.138%	0.933	2.103	-0.086%	2.285
60 - stdv	0.242	0.245%	0.363	0.302	0.253%	0.406
120 - mean	1.058	0.112%	0.906	2.063	-0.085%	2.239
120 - stdv	0.200	0.214%	0.313	0.253	0.239%	0.385
180 - mean	1.016	0.041%	0.965	2.052	-0.161%	2.370
180 - stdv	0.200	0.172%	0.334	0.277	0.173%	0.403
240 - mean	0.987	-0.053%	1.077	2.072	-0.277%	2.589
240 - stdv	0.223	0.162%	0.361	0.326	0.118%	0.375
300 - mean	0.946	-0.149%	1.175	2.080	-0.357%	2.714
300 - stdv	0.235	0.174%	0.377	0.398	0.114%	0.366
360 - mean	0.895	-0.245%	1.269	2.048	-0.461%	2.859
360 - stdv	0.268	0.201%	0.399	0.551	0.140%	0.386

Panel B: exponential affine SDF

Model=DGP	True	False	False	True		
MaxMonth	$\beta = 1$	$\alpha = 0$	$\beta = 1$	$\beta = 2.5$	$\alpha = -0.25$	$\beta = 2.5$
1 - mean	1.207	203%	1.276	2.256	692%	1.704
1 - stdv	0.344	314%	0.710	0.290	13%	1.666
60 - mean	1.146	0.126%	0.941	2.264	-0.018%	2.277
60 - stdv	0.275	0.264%	0.386	0.256	0.370%	0.473
120 - mean	1.062	0.107%	0.908	2.221	0.009%	2.205
120 - stdv	0.200	0.237%	0.333	0.187	0.357%	0.448
180 - mean	1.011	0.027%	0.971	2.182	-0.136%	2.358
180 - stdv	0.175	0.211%	0.366	0.168	0.344%	0.505
240 - mean	0.972	-0.088%	1.095	2.144	-0.441%	2.723
240 - stdv	0.174	0.224%	0.406	0.178	0.317%	0.503
300 - mean	0.928	-0.202%	1.203	2.083	-0.717%	2.985
300 - stdv	0.181	0.253%	0.426	0.254	0.340%	0.513
360 - mean	0.874	-0.319%	1.304	1.685	-1.095%	3.272
360 - stdv	0.208	0.291%	0.447	0.772	0.374%	0.586

Table 5: Simulation study to compare the simple linear with the exponential affine SDF and to determine the optimal size of the set \mathcal{T} . Here, we always use vintage year-portfolios and 1000 simulation iterations. For better readability, $\beta_{\text{MKT}} = \beta$. For the unity and high beta model, we test true and false model specifications (with and without the monthly α term).

3.4 Empirical results

Following the conclusions from the previous subsection, we use vintage-year portfolios to estimate simple linear SDF models with maximum month 180. Asymptotic inference results for the full dataset are exhibited in Table 7 for fund-size weighting and in Table 9 for equal weighting. The results for $h\nu$ -block cross-validation are displayed in Table 8 for fund-size weighting and in Table 10 for equal weighting. We generally analyze the results in a two-step procedure: For a given model specification, we use the cross-validation error (i.e., the average out-of-sample error) to select the best model for each fund type but analyze the corresponding coefficient estimates from the asymptotic inference tables (estimated on the entire data set). Therefore, for each fund type the SDF models in the asymptotic inference Tables 7 and 9 are sorted by the corresponding cross-validation error. Throughout this subsection, we define the statistical significance of coefficient estimates in terms of a t -ratio $\hat{\theta}[SE(\hat{\theta})]^{-1}$ greater than 1.96.

Weighting	Inference	MKT Factor			Second Factor		
		Coef	SE	SE.indep	Coef	SE	SE.indep
fund-size	asymptotic	0.75	27.06	19.73	0.80	28.95	20.94
fund-size	cross-validation	0.85	0.38	-	0.59	0.51	-
equal	asymptotic	0.76	26.75	16.16	0.76	11.25	6.69
equal	cross-validation	0.84	0.34	-	0.62	0.50	-

Table 6: Top-level overview over Table 7 to 10: Averages of absolute values of coefficient estimates and standard errors (SEs). We see that asymptotic SEs are much higher than the SEs obtained by cross-validation.

Table 6 helps to get a rough overview of Table 7 to 10 as it summarizes their absolute column means. Conspicuously, asymptotic standard errors (SEs) seem enormously high and, moreover, contain colossal outliers. The standard errors implied by $h\nu$ -block cross-validation are considerably smaller than the asymptotic SEs and seem to lie within a plausible range. When just looking at asymptotic standard errors of the second factors, fund-size weighting exhibits substantially larger SEs than fund equal-weighting. Assuming independence between funds from different vintages decreases asymptotic SEs by approximately 30-40% compared to a realistic kernel bandwidth of $D = 12$. But even these independent SEs rarely imply statistical significance coefficient estimates with t -ratios bigger than 1.96. In Table 7 with fund-size weighting, just one out of 36 models exhibit asymptotically significant MKT and second-factor estimates. In the case of equal-weighting, Table 9 also shows just one asymptotically significant model out of 36.

In summary, the results reveal weak two-factor models with MKT plus a second q -investment factor. Likewise, the simulation results from the previous subsection indicate a rather high variance associated with our semiparametric estimator (given the amount of data typically available). Thus, we recommend focusing on single MKT factor models even when their asymptotic t -ratios are below 1.96. At least the $h\nu$ -block cross-validation standard deviations imply significant one-factor MKT

models for fund types PE, VC, PD, INF. In contrast, RE is just significant for equal weighting, and NR is insignificant for both weighting schemes.

Focus on PE and VC estimates Here, we briefly summarize the one-factor MKT and the two-factor Alpha model estimates for fund types PE (i.e., mainly Buyout and Growth) and VC. For PE, all one-factor MKT model β_{MKT} estimates fall in the range from 1.13 to 1.28. If we add an α term, all β_{MKT} estimates decrease to the range 0.61 to 0.77 with annualized α coefficients of approximately positive 4-5% per year. For VC, the one-factor MKT model β_{MKT} estimates are in the range from 0.80 to 1.14. If we add an α term, all β_{MKT} estimates strongly increase to the range 1.81 to 2.06 with annualized α coefficients of approximately negative 6-7% per year. These results at least weakly indicate - given their insignificant asymptotic standard errors - that PE funds outperform public markets with a market beta coefficient of less than one, which suggests low market risk. On the other hand, VC underperforms public markets with market beta coefficients of roughly two, which implies high market risk. So, even Driessen et al. (2012) use the problematic Thomson Venture Economics (TVE) dataset for their empirical analysis¹¹, we obtain similar quantitative and qualitative results using Preqin data: (i) the market beta of VC seems to be higher than that of PE, and (ii) VC, in contrast to PE, appears to exhibit a negative abnormal performance α ¹².

As a robustness check, we reestimate all SDF models on a dataset that just contains funds from vintages older or equal than 2011. Interestingly, the PE and VC results regarding β_{MKT} and α can be qualitatively and also quantitatively confirmed on this 'mostly-liquidated' dataset¹³.

¹¹Harris et al. (2014) discuss the potential downward bias of the TVE dataset.

¹²Similarly, (Metrick and Yasuda, 2010, Exhibit 4.6) find high beta coefficients (1.63 and 2.04) and small to negative alphas (-2.11% and 0.13%) for VC funds in their lag-return regression.

¹³All R code and data is available in an online repository. https://github.com/quant-unit/Fundwise_SDF/tree/master/r_project

Type	MKT Factor			Second Factor			
	Estim.	SE	SE.indep	Factor	Estim.	SE	SE.indep
PE	0.709	2.470	1.153	EG	0.807	4.693	1.960
PE	0.770	7.976	3.348	ROE	1.540	5.140	3.499
PE	1.126	1.003	0.868	MKT	1.126	1.003	0.868
PE	0.644	1.234	0.585	Alpha	0.003	0.036	0.013
PE	1.121	1.023	0.897	ME	0.074	2.021	0.915
PE	1.158	1.125	1.068	IA	-0.338	2.499	1.259
VC	1.053	4.150	2.733	IA	-1.959	2.100	1.767
VC	1.114	3.861	2.894	ME	-1.383	5.102	2.211
VC	1.806	11.391	4.279	Alpha	-0.006	0.124	0.046
VC	0.801	704.455	561.598	MKT	0.801	704.455	561.598
VC	1.429	8.073	3.219	ROE	-1.306	18.055	6.919
VC	1.507	17.322	6.966	EG	-0.904	15.344	5.737

Table 7: Asymptotic inference using vintage-year portfolios with fund-size weighting, max month 180, and kernel bandwidth $D = 12$. Standard Errors (SE) are calculated by Equation 16.

Type	MKT Factor		Second Factor			CV error
	Mean	SD	Factor	Mean	SD	
PE	0.867	0.276	EG	0.720	0.137	112808
PE	0.927	0.305	ROE	1.375	0.420	126801
PE	1.276	0.296	MKT	1.276	0.296	151964
PE	0.772	0.238	Alpha	0.004	0.002	154805
PE	1.317	0.396	ME	0.236	0.664	209319
PE	1.311	0.370	IA	0.014	0.703	210650
VC	1.045	0.126	IA	-1.890	0.238	11858
VC	1.172	0.126	ME	-1.448	0.263	13301
VC	1.930	0.356	Alpha	-0.005	0.001	17723
VC	0.804	0.363	MKT	0.804	0.363	21852
VC	1.527	0.517	ROE	-0.972	0.679	26680
VC	1.646	0.678	EG	-0.644	0.556	32730

Table 8: $h\nu$ -block cross-validation using vintage-year portfolios with fund-size weighting and max month 180.

Type	MKT Factor			Second Factor			
	Estim.	SE	SE.indep	Factor	Estim.	SE	SE.indep
PE	0.775	0.638	0.550	EG	0.667	5.558	2.125
PE	0.610	1.064	0.387	Alpha	0.004	0.006	0.002
PE	0.826	20.352	8.308	ROE	1.087	33.514	12.143
PE	1.134	1.050	0.694	MKT	1.134	1.050	0.694
PE	1.146	1.001	0.638	IA	-0.386	1.909	0.813
PE	1.134	1.048	0.702	ME	-0.014	1.797	0.736
VC	1.181	24.418	16.693	ME	-1.277	4.928	4.352
VC	1.137	7.259	6.057	IA	-1.553	3.716	2.139
VC	1.956	4.189	1.520	Alpha	-0.006	0.335	0.117
VC	1.034	2.205	1.758	MKT	1.034	2.205	1.758
VC	1.488	1.801	0.941	ROE	-1.148	4.060	1.424
VC	1.535	2.821	1.336	EG	-0.754	3.626	1.260

Table 9: Asymptotic inference using vintage-year portfolios with fund-equal weighting, max month 180, and kernel bandwidth $D = 12$. Standard Errors (SE) are calculated by Equation 16.

Type	MKT Factor		Second Factor			CV error
	Mean	SD	Factor	Mean	SD	
PE	0.886	0.262	EG	0.614	0.217	101444
PE	0.719	0.205	Alpha	0.004	0.001	105842
PE	0.948	0.267	ROE	0.975	0.407	110926
PE	1.250	0.262	MKT	1.250	0.262	127589
PE	1.247	0.274	IA	-0.183	0.598	157037
PE	1.281	0.323	ME	0.048	0.644	169552
VC	1.250	0.153	ME	-1.292	0.234	16305
VC	1.183	0.169	IA	-1.507	0.327	16449
VC	2.052	0.257	Alpha	-0.006	0.001	18666
VC	1.138	0.341	MKT	1.138	0.341	25321
VC	1.610	0.431	ROE	-0.946	0.426	26618
VC	1.688	0.505	EG	-0.616	0.331	30392

Table 10: $h\nu$ -block cross-validation using vintage-year portfolios with fund-equal weighting and max month 180.

MCM	Market Loading	Market SE	Market SE Ind.	Second Name	Second Loading	Second SE	Second SE Ind.
1	-614.990			Alpha	729.827		
30	-0.611	0.341	0.151	Alpha	0.012	0.001	0.001
60	-0.600	0.524	0.233	Alpha	0.011	0.002	0.001
120	-0.385	24.117	10.796	Alpha	0.009	0.257	0.114
150	-0.500	0.825	0.347	Alpha	0.009	0.002	0.001
180	-0.580	0.161	0.070	Alpha	0.009	0.001	0.000
1	0.830	0.561	0.441	EG	0.838	0.217	0.272
30	0.792	2.196	1.929	EG	0.467	1.766	1.397
60	0.733	2.437	2.147	EG	0.303	1.880	1.696
120	0.768	3.844	2.520	EG	0.020	3.340	2.021
150	0.724	1.223	0.965	EG	-0.041	1.946	1.167
180	0.662	1.288	0.977	EG	-0.051	1.860	1.152
1	1.006	1.024	0.639	IA	0.896	2.517	1.394
30	0.873	0.824	0.662	IA	0.830	2.082	1.483
60	0.735	0.719	0.518	IA	0.766	1.289	1.142
120	0.626	5.941	3.726	IA	0.438	13.434	8.649
150	0.546	1.377	0.983	IA	0.339	3.978	2.412
180	0.441	1.044	0.714	IA	0.376	3.564	2.191
1	0.844	5.634	3.964	ME	1.474	13.001	7.847
30	0.813	5.257	3.036	ME	1.963	8.272	4.874
60	0.797	5.284	3.084	ME	1.970	8.595	4.867
120	0.706	7.273	6.745	ME	1.549	7.795	7.254
150	0.661	6.150	5.743	ME	1.527	6.086	5.275
180	0.603	25.162	19.779	ME	1.469	12.997	10.250
1	1.142	1.290	0.653	MKT	1.142	1.290	0.653
30	1.031	1.284	0.655	MKT	1.031	1.284	0.655
60	0.941	1.275	0.669	MKT	0.941	1.275	0.669
120	0.786	0.870	0.886	MKT	0.786	0.870	0.886
150	0.683	1.076	0.947	MKT	0.683	1.076	0.947
180	0.606	1.151	0.914	MKT	0.606	1.151	0.914
1	1.014	1.409	0.673	ROE	0.834	1.316	0.619
30	0.893	4.627	3.660	ROE	0.521	4.368	3.262
60	0.846	150.962	94.526	ROE	0.212	138.311	86.688
120	0.858	2.350	1.383	ROE	-0.105	2.060	1.427
150	0.819	2.074	1.218	ROE	-0.172	1.760	1.257
180	0.750	1.070	0.908	ROE	-0.167	1.324	0.927

Table 11: Asymptotic results for PE Funds. This table reports asymptotic parameter estimates for linear two-factor models using Fund-Size Weighted Vintage-Year Portfolios. Standard errors are estimated by a SHAC estimator (Equation 16) with a Bartlett kernel bandwidth of $D = 12$ vintage years to correct for dependence between overlapping funds. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.

MCM	Market Loading	Market SE	Market SE Ind.	Second Name	Second Loading	Second SE	Second SE Ind.
1	-284.624			Alpha	867.416		
30	1.552	3.125	1.626	Alpha	0.001	0.012	0.006
60	1.328	4.393	2.270	Alpha	0.001	0.017	0.009
120	1.725	3.781	1.945	Alpha	-0.005	0.003	0.001
150	1.854	2.104	0.974	Alpha	-0.007	0.005	0.003
180	1.935	4.546	2.134	Alpha	-0.008	0.024	0.009
1	-0.232	4.530	1.971	EG	3.358	3.694	1.604
30	0.527	1.312	0.671	EG	1.275	0.751	0.383
60	0.658	1.394	0.738	EG	0.868	0.775	0.456
120	1.346	10.662	5.545	EG	-0.282	5.117	2.669
150	1.460	7.275	3.757	EG	-0.619	2.928	1.464
180	1.563	6.146	3.054	EG	-0.847	2.226	1.024
1	1.428	1.996	1.074	IA	1.348	2.376	1.300
30	1.478	3.120	1.706	IA	1.032	3.378	1.859
60	1.347	5.397	2.934	IA	0.776	5.762	3.138
120	1.205	5.981	3.509	IA	-0.637	3.074	1.868
150	1.131	3.070	1.776	IA	-1.108	1.221	0.768
180	1.115	2.821	1.704	IA	-1.414	0.943	0.588
1	1.582	1.260	0.842	ME	-0.291	3.889	2.021
30	1.659	1.623	0.802	ME	0.261	3.287	1.569
60	1.484	1.799	0.862	ME	0.603	2.637	1.336
120	1.110	116.640	71.687	ME	-0.191	167.436	102.992
150	0.825	1.501	1.097	ME	-0.691	1.078	1.036
180	0.619	0.998	0.784	ME	-0.984	1.221	0.558
1	1.564	2.920	1.516	MKT	1.564	2.920	1.516
30	1.630	3.084	1.608	MKT	1.630	3.084	1.608
60	1.444	3.026	1.621	MKT	1.444	3.026	1.621
120	1.142	2.709	1.580	MKT	1.142	2.709	1.580
150	0.954	2.001	1.299	MKT	0.954	2.001	1.299
180	0.790	1.810	1.230	MKT	0.790	1.810	1.230
1	0.767	1.214	0.554	ROE	2.187	0.820	0.368
30	1.227	0.689	0.396	ROE	0.900	0.595	0.333
60	1.269	1.282	0.728	ROE	0.392	1.160	0.663
120	1.416	42.936	22.707	ROE	-0.575	23.976	12.677
150	1.471	5.252	2.764	ROE	-0.913	2.464	1.283
180	1.536	3.022	1.643	ROE	-1.160	1.810	0.811

Table 12: Asymptotic results for VC Funds. This table reports asymptotic parameter estimates for linear two-factor models using Fund-Size Weighted Vintage-Year Portfolios. Standard errors are estimated by a SHAC estimator (Equation 16) with a Bartlett kernel bandwidth of $D = 12$ vintage years to correct for dependence between overlapping funds. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.

MCM	Market Loading	Market SE	Second Name	Second Loading	Second SE	CV-Error
1	-596.776	318.194	Alpha	776.775	117.212	64.218
30	-0.569	0.323	Alpha	0.011	0.003	236.030
60	-0.552	0.319	Alpha	0.010	0.003	272.415
120	-0.324	0.261	Alpha	0.008	0.002	328.850
180	-0.537	0.274	Alpha	0.009	0.002	407.834
1	0.967	0.650	EG	1.885	3.573	300.605
30	0.771	0.318	EG	0.391	0.352	324.290
60	0.691	0.336	EG	0.288	0.327	372.405
120	0.689	0.394	EG	0.102	0.358	480.862
180	0.547	0.390	EG	0.095	0.367	631.662
1	1.046	0.257	IA	0.634	0.732	323.421
30	0.853	0.295	IA	0.655	0.586	331.299
60	0.706	0.290	IA	0.695	0.548	356.930
120	0.603	0.307	IA	0.471	0.609	468.613
180	0.428	0.313	IA	0.499	0.610	608.212
1	0.861	0.123	ME	1.273	0.591	223.750
30	0.801	0.147	ME	1.845	0.413	217.574
60	0.795	0.159	ME	1.961	0.444	247.280
120	0.719	0.154	ME	1.699	0.488	328.871
180	0.638	0.160	ME	1.634	0.502	421.730
1	1.094	0.193	MKT	1.094	0.193	251.425
30	0.973	0.224	MKT	0.973	0.224	282.578
60	0.896	0.222	MKT	0.896	0.222	315.234
120	0.758	0.189	MKT	0.758	0.189	370.841
180	0.606	0.177	MKT	0.606	0.177	438.971
1	1.027	0.240	ROE	0.724	0.772	291.246
30	0.853	0.283	ROE	0.504	0.600	328.490
60	0.795	0.277	ROE	0.282	0.506	389.102
120	0.797	0.273	ROE	0.037	0.492	528.952
180	0.666	0.264	ROE	0.034	0.502	779.476

Table 13: Cross-validation results for PE Funds. The table reports the validation error and average parameter estimates from $h\nu$ -block cross-validation. The estimation uses Fund-Size Weighted Vintage-Year Portfolios. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.

MCM	Market Loading	Market SE	Second Name	Second Loading	Second SE	CV-Error
1	-278.982	357.170	Alpha	629.602	80.428	15.104
30	1.372	0.510	Alpha	0.002	0.002	117.640
60	1.211	0.489	Alpha	0.001	0.002	136.916
120	1.582	0.545	Alpha	-0.004	0.001	145.726
180	1.716	0.634	Alpha	-0.007	0.003	164.149
1	0.864	1.719	EG	5.828	4.552	92.644
30	0.784	0.392	EG	0.821	0.710	116.907
60	0.847	0.292	EG	0.490	0.617	139.453
120	1.363	0.395	EG	-0.398	0.201	155.939
180	1.527	0.400	EG	-0.864	0.026	155.084
1	1.444	0.425	IA	1.043	1.445	102.274
30	1.415	0.617	IA	0.777	0.647	115.934
60	1.282	0.616	IA	0.588	0.460	133.666
120	1.137	0.487	IA	-0.631	0.132	151.530
180	1.042	0.402	IA	-1.303	0.272	153.414
1	1.464	0.514	ME	-0.127	0.344	89.655
30	1.510	0.731	ME	0.572	0.404	119.826
60	1.386	0.698	ME	0.834	0.371	141.266
120	1.034	0.478	ME	0.265	0.741	172.534
180	0.492	0.218	ME	-0.592	0.742	178.116
1	1.448	0.516	MKT	1.448	0.516	92.578
30	1.474	0.638	MKT	1.474	0.638	112.325
60	1.322	0.623	MKT	1.322	0.623	131.007
120	1.031	0.494	MKT	1.031	0.494	150.115
180	0.662	0.327	MKT	0.662	0.327	150.746
1	0.924	0.349	ROE	1.568	1.286	93.557
30	1.236	0.476	ROE	0.628	0.686	119.426
60	1.272	0.469	ROE	0.180	0.456	136.226
120	1.371	0.461	ROE	-0.614	0.123	152.949
180	1.455	0.461	ROE	-1.095	0.148	157.302

Table 14: Cross-validation results for VC Funds. The table reports the validation error and average parameter estimates from $h\nu$ -block cross-validation. The estimation uses Fund-Size Weighted Vintage-Year Portfolios. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.

MCM	Market Loading	Market SE	Market SE Ind.	Second Name	Second Loading	Second SE	Second SE Ind.
1	-614.990			Alpha	729.827		
30	0.318	2.942	1.539	Alpha	0.006	0.007	0.004
60	0.295	51.580	59.765	Alpha	0.006	0.383	0.437
120	0.404	3.319	1.867	Alpha	0.004	0.041	0.021
150	0.363	0.340	0.260	Alpha	0.004	0.001	0.001
180	0.415	0.100	0.048	Alpha	0.002	0.001	0.001
1	0.778	1.701	1.091	EG	0.575	1.094	0.771
30	0.698	22.425	20.415	EG	0.482	18.136	16.237
60	0.638	6.802	7.256	EG	0.449	5.909	5.922
120	0.654	239.171	150.459	EG	0.289	1042.575	655.380
150	0.605	0.682	0.655	EG	0.205	7.811	4.932
180	0.636	0.291	0.360	EG	0.084	2.494	1.643
1	0.971	1.665	1.231	IA	0.944	3.247	2.684
30	0.868	2.602	1.958	IA	0.825	5.258	4.284
60	0.787	1.909	1.515	IA	0.817	6.755	4.846
120	0.739	1.361	1.012	IA	0.536	4.935	3.214
150	0.679	417.945	288.224	IA	0.358	2444.167	1686.191
180	0.643	3.221	2.119	IA	0.206	10.668	7.392
1	1.235	1.171	0.881	ME	0.715	6.695	3.430
30	1.167	10.277	8.536	ME	0.838	49.601	41.512
60	1.106	16.222	13.883	ME	0.947	38.195	33.249
120	0.959	631.382	568.753	ME	0.980	930.630	838.749
150	0.875	5.048	4.449	ME	0.927	9.605	8.000
180	0.783	15.824	7.845	ME	0.704	97.862	48.137
1	1.259	0.986	0.712	MKT	1.259	0.986	0.712
30	1.146	0.864	0.871	MKT	1.146	0.864	0.871
60	1.103	0.769	0.847	MKT	1.103	0.769	0.847
120	0.963	0.793	0.852	MKT	0.963	0.793	0.852
150	0.823	0.821	0.851	MKT	0.823	0.821	0.851
180	0.731	1.129	1.014	MKT	0.731	1.129	1.014
1	0.939	17.202	13.513	ROE	0.612	14.835	11.623
30	0.806	1.540	1.249	ROE	0.566	1.445	1.189
60	0.821	1.173	0.958	ROE	0.401	1.150	0.891
120	0.886	0.767	0.753	ROE	0.095	2.178	1.766
150	0.852	0.849	0.852	ROE	-0.033	3.189	1.784
180	0.846	2.380	1.848	ROE	-0.127	9.310	5.517

Table 15: Asymptotic results for PE Funds. This table reports asymptotic parameter estimates for linear two-factor models using Equal-Weighted Vintage-Year Portfolios. Standard errors are estimated by a SHAC estimator (Equation 16) with a Bartlett kernel bandwidth of $D = 12$ vintage years to correct for dependence between overlapping funds. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.

MCM	Market Loading	Market SE	Market SE Ind.	Second Name	Second Loading	Second SE	Second SE Ind.
1	-284.624			Alpha	867.416		
30	1.425	1.271	0.667	Alpha	0.007	0.005	0.003
60	1.426	2.001	1.331	Alpha	0.006	0.009	0.006
120	1.806	25.222	14.760	Alpha	-0.002	0.085	0.050
150	2.016	2.873	1.734	Alpha	-0.005	0.005	0.003
180	2.166	13.260	6.351	Alpha	-0.007	0.051	0.025
1	-0.166	4.562	1.851	EG	2.812	3.571	1.442
30	0.591	1.365	0.719	EG	1.484	0.823	0.418
60	0.833	1.014	0.472	EG	1.156	0.578	0.269
120	1.496	9.899	6.643	EG	0.109	5.135	3.427
150	1.695	37.876	23.132	EG	-0.273	16.201	9.844
180	1.853	9.982	6.028	EG	-0.545	3.688	2.108
1	1.566	1.318	0.676	IA	2.304	1.587	0.877
30	1.771	1.258	0.782	IA	1.611	1.390	0.907
60	1.807	1.482	0.947	IA	1.263	1.597	1.057
120	1.617	3.995	2.636	IA	-0.132	2.478	1.645
150	1.581	3.342	2.198	IA	-0.671	1.630	1.078
180	1.572	3.024	1.984	IA	-1.028	1.180	0.745
1	1.865	1.667	0.777	ME	0.405	2.201	1.366
30	2.079	1.531	0.692	ME	0.672	1.745	1.147
60	2.003	1.675	0.747	ME	0.795	1.763	1.144
120	1.610	2.983	1.603	ME	0.162	4.301	2.606
150	1.354	4.418	3.046	ME	-0.424	5.301	3.756
180	1.067	1.432	1.036	ME	-0.828	1.206	0.716
1	1.861	3.224	2.107	MKT	1.861	3.224	2.107
30	1.957	3.725	2.455	MKT	1.957	3.725	2.455
60	1.927	3.541	2.326	MKT	1.927	3.541	2.326
120	1.593	2.097	1.390	MKT	1.593	2.097	1.390
150	1.433	1.968	1.298	MKT	1.433	1.968	1.298
180	1.256	1.901	1.248	MKT	1.256	1.901	1.248
1	0.950	1.007	0.434	ROE	2.175	0.663	0.281
30	1.446	0.511	0.261	ROE	1.248	0.387	0.217
60	1.590	0.658	0.428	ROE	0.890	0.533	0.343
120	1.654	44.030	27.979	ROE	-0.105	26.334	16.752
150	1.765	10.675	6.582	ROE	-0.490	5.531	3.344
180	1.872	5.647	3.495	ROE	-0.787	2.529	1.441

Table 16: Asymptotic results for VC Funds. This table reports asymptotic parameter estimates for linear two-factor models using Equal-Weighted Vintage-Year Portfolios. Standard errors are estimated by a SHAC estimator (Equation 16) with a Bartlett kernel bandwidth of $D = 12$ vintage years to correct for dependence between overlapping funds. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.

4 Conclusion

Theoretically, our Least-Mean-Distance estimator can be easily generalized to estimate SDF models for all kinds of non-traded cash flows. Practically, semiparametric estimators commonly exhibit problematic small sample behavior. Given the amount of currently available private equity fund data, our estimator’s variance seems quite large, even for simple SDF model specifications. Specifically, our Monte Carlo simulation results prompt us to conclude that the closely related Driessen et al. (2012) estimator may exhibit more bias and variance than originally assumed in their paper. Especially, the variance of α estimates seems to be too high to allow reliable abnormal performance conclusions. Fortunately, we show that at least the bias can be easily reduced by averaging pricing errors over all dates within the fund lifetime.

In the data-sparse private equity domain with only 20-40 cross-sectional units (i.e., vintage year portfolios) currently available for estimation, asymptotic inference seems not to be overly useful. Thus, we strongly advise always challenging asymptotic inference results by resampling or cross-validation techniques adapted to the dependence structure of overlapping fund cash flows. However, even these conclusions should be double-checked to avoid unreasonable instances, e.g., when $h\nu$ -block cross-validation chooses dubious models with negative MKT factor estimates. Unfortunately, using individual funds instead of vintage year portfolios, which yields smaller asymptotic standard errors, constitutes no viable resolution as individual funds show considerably larger small-sample bias and variance in our Monte Carlo example. Since, in our empirical analyses, basically all two-factor models’ asymptotic standard errors appear statistically insignificant, we conjecture that naive versions of our SDF estimator shall be exclusively used for a single-MKT-factor model until considerably more vintage year information for private equity funds is available.

If someone wants to estimate more complex SDF models that incorporate additional factors, more structure is needed. These can be parametric assumptions for the data generating process (Ang et al., 2018) or to extract additional information from intermediate net asset values (Gredil et al., 2020; Brown et al., 2021). A first ”modern” approach to the same problem is applying machine learning techniques that regularize/shrink all coefficients other than the MKT factor. Secondly, given the high estimator variance revealed in the simulation study, statistical learning methods that create a strong learner by combining multiple weak learners seem also worth considering (boosting, bagging, or model averaging).

Finally, we point to the potentially most interesting topic for future research. Our simulation study indicates that the estimator’s bias and variance can be controlled by an appropriate choice for the set \mathcal{T} . This set averages the pricing error over multiple discounting dates. In simpler terms, an identification method that utilizes a future value concept instead of net present values obtains more favorable results in our case. The bias in our simulation study is minimal when the set of discounting dates corresponds to the fund lifetime. A parsimonious but general model that allows for misspecification and can explain this \mathcal{T} -averaging effect from a mathematical perspective would be highly appreciated.

Incorporate
fees and
carry model
to DGP
for SDF
estimation
for PE
gross-fee
performance

References

- Andrews, D. W. (1991). Heteroskedasticity and autocorrelation consistent covariance matrix estimation. *Econometrica: Journal of the Econometric Society*, pages 817–858.
- Ang, A., Chen, B., Goetzmann, W. N., and Phalippou, L. (2018). Estimating private equity returns from limited partner cash flows. *Journal of Finance*, 73(4):1751–1783.
- Ang, A., Liu, J., and Schwarz, K. (2020). Using stocks or portfolios in tests of factor models. *Journal of Financial and Quantitative Analysis*, 55(3):709–750.
- Baker, K. R. and Trietsch, D. (2013). *Principles of sequencing and scheduling*. John Wiley & Sons.
- Bansal, R. and Yaron, A. (2004). Risks for the long run: A potential resolution of asset pricing puzzles. *The journal of Finance*, 59(4):1481–1509.
- Bertholon, H., Monfort, A., and Pegoraro, F. (2008). Econometric asset pricing modelling. *Journal of Financial Econometrics*, 6(4):407–458.
- Brown, G. W., Ghysels, E., and Gredil, O. (2021). Nowcasting net asset values: The case of private equity. working paper (as of 2021-03-19).
- Buchner, A. (2014). The alpha and beta of private equity investments. working paper (as of 2014-10-24).
- Buchner, A. (2016a). Dealing with non-normality when estimating abnormal returns and systematic risk of private equity: A closed-form solution. *Journal of International Financial Markets, Institutions and Money*, 45:60–78.
- Buchner, A. (2016b). Risk-adjusting the returns of private equity using the capm and multi-factor extensions. *Finance Research Letters*, 16:154–161.
- Campbell, J. Y. and Cochrane, J. H. (1999). By force of habit: A consumption-based explanation of aggregate stock market behavior. *Journal of political Economy*, 107(2):205–251.
- Cattaneo, M. D., Crump, R. K., and Farrell, M. H. (2019). Characteristic-sorted portfolios: Estimation and inference. *Review of Economics and Statistics*.
- Cochrane, J. H. (2011). Presidential address: Discount rates. *The Journal of finance*, 66(4):1047–1108.
- Conley, T. G. (1999). Gmm estimation with cross-sectional dependence. *Journal of Econometrics*, 92(1):1–45.
- Driessen, J., Lin, T.-C., and Phalippou, L. (2012). A new method to estimate risk and return of nontraded assets from cash flows: the case of private equity. *Journal of Financial and Quantitative Analysis*, 47(3):511–535.

- Eu, C. N. L. (2017). *Numerical Analysis in Nonlinear Least Squares Methods and Applications*. PhD thesis, Curtin University.
- Fama, E. F. and French, K. R. (2015). A five-factor asset pricing model. *Journal of Financial Economics*, 116(1):1–22.
- Farnsworth, H., Ferson, W., Jackson, D., and Todd, S. (2002). Performance evaluation with stochastic discount factors. *Journal of Business*, 75(3):473–503.
- Franzoni, F., Nowak, E., and Phalippou, L. (2012). Private equity performance and liquidity risk. *The Journal of Finance*, 67(6):2341–2373.
- Giommetti, N. and Jørgensen, R. (2021). Risk adjustment of private equity cash flows. <http://dx.doi.org/10.2139/ssrn.3980121>.
- Gourieroux, C. and Monfort, A. (2007). Econometric specification of stochastic discount factor models. *Journal of Econometrics*, 136(2):509–530.
- Gredil, O., Sorensen, M., and Waller, W. (2020). Evaluating private equity performance using stochastic discount factors. working paper (as of 2020-02-03).
- Han, C. and Phillips, P. C. (2006). Gmm with many moment conditions. *Econometrica*, 74(1):147–192.
- Hansen, L. P. (1982). Large sample properties of generalized method of moments estimators. *Econometrica*, 50(4):1029–1054.
- Hansen, L. P. (2012). Proofs for large sample properties of generalized method of moments estimators. *Journal of Econometrics*, 170:325–330.
- Hansen, L. P. and Richard, S. F. (1987). The role of conditioning information in deducing testable restrictions implied by dynamic asset pricing models. *Econometrica*, pages 587–613.
- Harris, R. S., Jenkinson, T., and Kaplan, S. N. (2014). Private equity performance: What do we know? *The Journal of Finance*, 69(5):1851–1882.
- Hou, K., Xue, C., and Zhang, L. (2015). Digesting anomalies: An investment approach. *Review of Financial Studies*, 28(3):650–705.
- Hou, K., Xue, C., and Zhang, L. (2020). Replicating anomalies. *The Review of Financial Studies*, 33(5):2019–2133.
- Hüther, N., Schmid, L., and Steri, R. (2022). Credit market equivalents and the valuation of private firms. Unpublished working paper.
- Jegadeesh, N., Noh, J., Pukthuanthong, K., Roll, R., and Wang, J. (2019). Empirical tests of asset pricing models with individual assets: Resolving the errors-in-variables bias in risk premium estimation. *Journal of Financial Economics*, 133(2):273–298.

- Jenish, N. and Prucha, I. R. (2009). Central limit theorems and uniform laws of large numbers for arrays of random fields. *Journal of Econometrics*, 150(1):86–98.
- Jenish, N. and Prucha, I. R. (2012). On spatial processes and asymptotic inference under near-epoch dependence. *Journal of Econometrics*, 170(1):178–190.
- Kim, M. S. and Sun, Y. (2011). Spatial heteroskedasticity and autocorrelation consistent estimation of covariance matrix. *Journal of Econometrics*, 160(2):349–371.
- Korteweg, A. and Nagel, S. (2016). Risk-adjusting the returns to venture capital. *Journal of Finance*, 71(3):1437–1470.
- Korteweg, A. and Nagel, S. (2024). Risk-adjusted returns of private equity funds: a new approach.
- Leeb, H. and Pötscher, B. M. (2005). Model selection and inference: Facts and fiction. *Econometric Theory*, 21:21–59.
- Li, H., Xu, Y., and Zhang, X. (2016). Hedge funds performance evaluation under the stochastic discount factor framework. *Journal of Financial and Quantitative Analysis*, 51(1):231–257.
- Metrick, A. and Yasuda, A. (2010). *Venture capital and the finance of innovation*. John Wiley and Sons.
- Newey, W. K. and McFadden, D. (1994). Large sample estimation and hypothesis testing. *Handbook of econometrics*, 4:2111–2245.
- Newey, W. K. and Windmeijer, F. (2009). Generalized method of moments with many weak moment conditions. *Econometrica*, 77(3):687–719.
- Nocedal, J. and Wright, S. (2006). *Numerical optimization*. Springer Science & Business Media.
- Pötscher, B. M. and Prucha, I. R. (1997). *Dynamic nonlinear econometric models: Asymptotic theory*. Springer Science & Business Media.
- Pukthuanthong, K., Roll, R., and Subrahmanyam, A. (2019). A protocol for factor identification. *The Review of Financial Studies*, 32(4):1573–1607.
- Racine, J. (2000). Consistent cross-validatory model-selection for dependent data: hv-block cross-validation. *Journal of Econometrics*, 99:39–61.
- Raponi, V., Robotti, C., and Zaffaroni, P. (2020). Testing beta-pricing models using large cross-sections. *The Review of Financial Studies*, 33(6):2796–2842.
- Taleb, N. N. (2020). Statistical consequences of fat tails: Real world preasymptotics, epistemology, and applications. *arXiv preprint arXiv:2001.10488*.

- Tausch, C. (2019). Quadratic hedging strategies for private equity fund payment streams. *Journal of Finance and Data Science*, 5(3):127–139.
- Tausch, C. and Pietz, M. (2024). Machine learning private equity returns. *The Journal of Finance and Data Science*, 10:100141.

MCM	Market Loading	Market SE	Second Name	Second Loading	Second SE	CV-Error
1	-503.155	371.495	Alpha	799.503	186.112	0.070
30	0.278	0.352	Alpha	0.006	0.002	0.193
60	0.268	0.364	Alpha	0.006	0.002	0.230
120	0.431	0.276	Alpha	0.004	0.002	0.309
180	0.366	0.392	Alpha	0.003	0.003	0.423
1	0.738	0.236	EG	0.626	0.148	0.180
30	0.677	0.213	EG	0.501	0.154	0.206
60	0.624	0.194	EG	0.461	0.156	0.241
120	0.659	0.153	EG	0.291	0.188	0.341
180	0.636	0.113	EG	0.113	0.223	0.498
1	0.981	0.142	IA	0.910	0.183	0.173
30	0.865	0.143	IA	0.838	0.275	0.205
60	0.787	0.147	IA	0.834	0.317	0.238
120	0.750	0.102	IA	0.542	0.340	0.337
180	0.627	0.148	IA	0.326	0.463	0.509
1	1.262	0.100	ME	0.523	0.349	0.197
30	1.177	0.116	ME	0.707	0.216	0.196
60	1.106	0.133	ME	0.850	0.173	0.216
120	0.953	0.088	ME	0.946	0.195	0.260
180	0.742	0.080	ME	0.672	0.446	0.360
1	1.257	0.081	MKT	1.257	0.081	0.194
30	1.141	0.087	MKT	1.141	0.087	0.224
60	1.098	0.117	MKT	1.098	0.117	0.259
120	0.955	0.095	MKT	0.955	0.095	0.315
180	0.722	0.105	MKT	0.722	0.105	0.379
1	0.939	0.164	ROE	0.641	0.350	0.188
30	0.791	0.169	ROE	0.607	0.320	0.222
60	0.810	0.159	ROE	0.451	0.346	0.278
120	0.883	0.145	ROE	0.177	0.458	0.441
180	0.791	0.194	ROE	0.080	0.747	0.963

Table 17: Cross-validation results for PE Funds. The table reports the validation error and average parameter estimates from $h\nu$ -block cross-validation. The estimation uses Equal-Weighted Vintage-Year Portfolios. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.

MCM	Market Loading	Market SE	Second Name	Second Loading	Second SE	CV-Error
1	-166.864	383.240	Alpha	652.596	83.516	0.063
30	1.317	0.529	Alpha	0.006	0.005	0.496
60	1.336	0.503	Alpha	0.005	0.004	0.605
120	1.671	0.441	Alpha	-0.002	0.001	0.631
180	1.971	0.553	Alpha	-0.006	0.001	0.658
1	-0.101	0.356	EG	2.636	1.055	0.263
30	0.716	0.351	EG	1.150	0.546	0.393
60	0.907	0.331	EG	0.851	0.495	0.529
120	1.406	0.406	EG	0.012	0.241	0.689
180	1.727	0.476	EG	-0.567	0.056	0.714
1	1.503	0.427	IA	1.887	1.165	0.342
30	1.600	0.613	IA	1.353	0.670	0.428
60	1.622	0.691	IA	1.052	0.532	0.548
120	1.455	0.532	IA	-0.175	0.199	0.671
180	1.422	0.501	IA	-0.975	0.175	0.719
1	1.712	0.504	ME	0.335	0.556	0.356
30	1.794	0.723	ME	0.788	0.281	0.471
60	1.732	0.726	ME	0.870	0.094	0.552
120	1.425	0.564	ME	0.419	0.416	0.713
180	0.917	0.349	ME	-0.534	0.553	0.743
1	1.697	0.503	MKT	1.697	0.503	0.347
30	1.717	0.606	MKT	1.717	0.606	0.430
60	1.674	0.652	MKT	1.674	0.652	0.534
120	1.396	0.550	MKT	1.396	0.550	0.664
180	1.083	0.458	MKT	1.083	0.458	0.716
1	0.989	0.316	ROE	1.701	0.882	0.323
30	1.332	0.480	ROE	1.032	0.607	0.441
60	1.472	0.536	ROE	0.673	0.527	0.573
120	1.522	0.470	ROE	-0.173	0.212	0.674
180	1.709	0.526	ROE	-0.771	0.108	0.724

Table 18: Cross-validation results for VC Funds. The table reports the validation error and average parameter estimates from $h\nu$ -block cross-validation. The estimation uses Equal-Weighted Vintage-Year Portfolios. MCM (Maximum Compounding Month) denotes the maximum cash flow compounding horizon.