

X857/77/11

Physics Relationships sheet

WEDNESDAY, 17 MAY 9:00 AM – 12:00 NOON





Relationships required for Physics Advanced Higher

$v = \frac{ds}{dt}$	$E_{k(rotational)} = \frac{1}{2}I\omega^2$
$a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$	$E_P = E_{k(translational)} + E_{k(rotational)}$
$dt = dt^2$ $v = u + at$	$F = \frac{GMm}{r^2}$
$s = ut + \frac{1}{2}at^2$	$F = \frac{GMm}{r^2} = \frac{mv^2}{r} = mr\omega^2 = mr\left(\frac{2\pi}{T}\right)^2$
$v^2 = u^2 + 2as$	$V = -\frac{GM}{r}$
$\omega = \frac{d\theta}{dt}$	
$\alpha = \frac{d\omega}{dt} = \frac{d^2\theta}{dt^2}$	$E_P = Vm = -\frac{GMm}{r}$
$dt dt^2$ $\omega = \omega_o + \alpha t$	$v_{esc} = \sqrt{\frac{2GM}{r}}$
$\omega^2 = \omega_o^2 + 2\alpha\theta$	$r_{Schwarzschild} = \frac{2GM}{c^2}$
$\theta = \omega_o t + \frac{1}{2} \alpha t^2$	$b = \frac{L}{4\pi d^2}$
$s = r\theta$	$U - \frac{1}{4\pi d^2}$
$v = r\omega$	$\frac{P}{A} = \sigma T^4$
$a_t = r\alpha$	$L = 4\pi r^2 \sigma T^4$
$\omega = \frac{2\pi}{T}$	E = hf
$\omega = 2\pi f$	•
$a_r = \frac{v^2}{r} = r\omega^2$	$mvr = \frac{nh}{2\pi}$
$F = \frac{mv^2}{r} = mr\omega^2$	$\lambda = \frac{h}{p}$
$I = \sum mr^2$	$\Delta x \Delta p_x \ge \frac{h}{4\pi}$
$\tau = Fr$	$\Delta E \ \Delta t \ge \frac{h}{4\pi}$
$ au = I\alpha$	F = qvB
$L = mvr = mr^2\omega$	-
$L = I\omega$	$F = \frac{mv^2}{r}$

$$F = -ky$$

$$\omega = 2\pi f = \frac{2\pi}{T}$$

$$V = Ed$$

$$a = \frac{d^2y}{dt^2} = -\omega^2 y$$

$$V = A\cos \omega t \quad \text{or} \quad y = A\sin \omega t$$

$$V = \pm \omega \sqrt{(A^2 - y^2)}$$

$$E_k = \frac{1}{2}m\omega^2 (A^2 - y^2)$$

$$E_k = \frac{1}{2}m\omega^2 y^2$$

$$E = kA^2$$

$$V = A\sin 2\pi \left(ft - \frac{x}{\lambda}\right)$$

$$\phi = \frac{2\pi x}{\lambda}$$

$$\cot \left(m + \frac{1}{2}\right)\lambda \text{ where } m = 0,1,2...$$

$$\Delta x = \frac{\lambda l}{2d}$$

$$d = \frac{\lambda}{4n}$$

$$\Delta x = \frac{\lambda D}{d}$$

$$F = QE$$

$$V = Ed$$

$$V = Ed$$

$$E = QV$$

$$E = RC$$

$$V = RC$$

$$V = RC$$

$$V = RC$$

$$X_C = \frac{V}{I}$$

$$X_C = \frac{1}{2\pi fC}$$

$$E = -L\frac{dI}{dt}$$

$$E = \frac{1}{2}LI^2$$

$$c = \frac{1}{\sqrt{\varepsilon_o \mu_o}}$$

$$n = \tan i_P$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$V = \frac{Q}{4\pi\varepsilon_{o}r}$$

$$E = \frac{Q}{4\pi\varepsilon_{o}r^{2}}$$

$$\left(\frac{\Delta W}{X}\right)^{2} + \left(\frac{\Delta Y}{Y}\right)^{2} + \left(\frac{\Delta Z}{Z}\right)^{2}$$

$$\left(\frac{\Delta W^{n}}{W^{n}}\right) = n\left(\frac{\Delta W}{W}\right)$$

$$d = \overline{v}t$$

$$s = \overline{v}t$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^{2}$$

$$v^{2} = u^{2} + 2as$$

$$s = \frac{1}{2}(u + v)t$$

$$W = mg$$

$$F = ma$$

$$E_{W} = Fd$$

$$E_{P} = mgh$$

$$E_{K} = \frac{1}{2}mv^{2}$$

$$P = \frac{E}{t}$$

$$p = mv$$

$$Ft = mv - mu$$

$$F = G\frac{Mm}{r^{2}}$$

$$t' = \frac{t}{\sqrt{1 - (\frac{v}{c})^{2}}}$$

$$t' = t\sqrt{1 - (\frac{v}{c})^{2}}$$

$$t' = t\sqrt{1 - (\frac{v}{c})^{2}}$$

$$z = \frac{\lambda_{observed} - \lambda_{rest}}{\lambda_{rest}}$$

$$z = \frac{v}{c}$$

$$v = H_{0}d$$

$$\begin{split} W &= QV & V_{peak} = \sqrt{2}V_{rms} \\ E &= mc^2 & I_{peak} = \sqrt{2}I_{rms} \\ E &= hf & Q &= It \\ E_K &= hf - hf_0 & V &= IR \\ E_2 - E_1 &= hf & P &= IV = I^2R = \frac{V^2}{R} \\ T &= \frac{1}{f} & R_T = R_1 + R_2 + \dots \\ v &= f\lambda & \frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \dots \\ n &= \frac{\sin\theta_1}{\sin\theta_2} & E &= V + Ir \\ \sin\theta_2 & \frac{\sin\theta_1}{\sin\theta_2} & \frac{\lambda_1}{\lambda_2} &= \frac{v_1}{v_2} \\ \sin\theta_c &= \frac{1}{n} & C &= \frac{Q}{V} \\ I &= \frac{P}{A} & E &= \frac{1}{2}QV = \frac{1}{2}CV^2 = \frac{1}{2}\frac{Q^2}{C} \\ \text{path difference} &= m\lambda & \text{or} & \left(m + \frac{1}{2}\right)\lambda & \text{where } m = 0,1,2... \\ \text{random uncertainty} &= \frac{\max. \text{value} - \min. \text{value}}{\text{number of values}} \end{split}$$

Additional relationships

Circle

circumference = $2\pi r$

$$area = \pi r^2$$

Sphere

area =
$$4\pi r^2$$

volume =
$$\frac{4}{3}\pi r^3$$

Trigonometry

$$\sin \theta = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos\theta = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan \theta = \frac{\text{opposite}}{\text{adjacent}}$$

$$\sin^2 \theta + \cos^2 \theta = 1$$

Moment of inertia

point mass

$$I = mr^2$$

rod about centre

$$I = \frac{1}{12} m l^2$$

rod about end

$$I = \frac{1}{3}ml^2$$

disc about centre

$$I = \frac{1}{2}mr^2$$

sphere about centre

$$I = \frac{2}{5}mr^2$$

Table of standard derivatives

f(x)	f'(x)
sin ax	$a\cos ax$
cos ax	−a sin ax

Table of standard integrals

f(x)	$\int f(x)dx$
sin ax	$-\frac{1}{a}\cos ax + C$
cos ax	$\frac{1}{a}\sin ax + C$

	Ī		ľ	
	2	7	5	
	ì		Ś	
	i		Ì	
	7		3	
	:		,	
	•		J	
	ç	١	J	
	2		3	
	ē	•	3	
	•		ζ	
ı	i		Ś	
١	,	ì	í	•
	ì		Ś	
	Ę		5	
	(I)	
			3	
	Ē		1	
	•	_	•	
	9		?	
			1	
	(Ī)	
	7	7	5	
	ì		Ś	
			j	
	(Ī	2	
			į	
	٢		1	
	٠	•	•	

		87 Fr 2,8,18,32, 18,8,1 Francium	55 Cs 2,8,18,18, 8,1 Caesium	Rb 2,8,18,8,1 Rubidium	Potassium 37	2,8,8,1	Sodium 19	2,8,1	Na =	Lithium	2,1	Ξ.	ω	1 Hydrogen	I -	(3)	Group 1
	Lan	88 Ra 2,8,18,32, 18,8,2 Radium	56 Ba 2,8,18,18, 8,2 Barium	Sr 2,8,18,8,2 Strontium	Calcium 38	Ca 2,8,8,2	Magnesium 20	2,8,2	%g √∠	Beryllium	2,2	Be	4	(2)		_	Group 2
Actinides	Lanthanides	89 Ac 2,8,18,32, 18,9,2 Actinium	57 La 2,8,18,18, 9,2 Lanthanum	Y 2,8,18,9,2 Yttrium	Scandium 39	Sc 2,8,9,2	71)									
89 Ac 2,8,18,32, 18,9,2 Actinium	57 La 2,8,18, 18,9,2 Lanthanum	104 Rf 2,8,18,32, 32,10,2 Rutherfordium	72 Hf 2,8,18,32, 10,2 Hafnium	Zr 2,8,18, 10,2 Zirconium	Titanium 40	Ti 2,8,10,2	7)	}							Key	;	
90 Th 2,8,18,32, 18,10,2 Thorium	58 Ce 2,8,18, 20,8,2 Cerium	105 Db 2,8,18,32, 32,11,2 Dubnium	73 Ta 2,8,18, 32,11,2 Tantalum	Nb 2,8,18, 12,1 Niobium	Vanadium 41	2,8,11,2	23 (5)	9					Electro	!	Atc		
91 Pa 2,8,18,32, 20,9,2 Protactinium	59 Pr 2,8,18,21, 8,2 Praseodymium	106 Sg 2,8,18,32, 32,12,2 Seaborgium	74 W 2,8,18,32, 12,2 Tungsten	Mo 2,8,18,13, 1 Molybdenum	Chromium 42	Cr 2,8,13,1	74	3				Name	Electron arrangement	Symbol	Atomic number		
92 U 2,8,18,32, 21,9,2 Uranium	60 Nd 2,8,18,22, 8,2 Neodymium	107 Bh 2,8,18,32, 32,13,2 Bohrium	75 Re 2,8,18,32, 13,2 Rhenium	2,8, Tech	Manganese 43	Mn 2,8,13,2	25	Ĵ	Transitior				ement		ber		Ú
93 Np 2,8,18,32, 22,9,2 Neptunium	61 Pm 2,8,18,23, 8,2 Promethium	108 Hs 2,8,18,32, 32,14,2 Hassium	76 Os 2,8,18,32, 14,2 Osmium	Ru 2,8,18,15, 1 Ruthenium	lron 44	Fe 2,8,14,2	76 (8)	9	Transition elements								
94 Pu 2,8,18,32, 24,8,2 Plutonium	62 Sm 2,8,18,24, 8,2 Samarium	109 Mt 2,8,18,32, 32,15,2 Meitnerium	77 Ir 2,8,18,32, 15,2 Iridium	Rh 2,8,18,16, 1 Rhodium	Cobalt 45	Co 2,8,15,2	77)	o,								
95 Am 2,8,18,32, 25,8,2 Americium	63 Eu 2,8,18,25, 8,2 Europium	110 Ds 2,8,18,32, 32,17,1 Darmstadtium	78 Pt 2,8,18,32, 17,1 Platinum	Pd 2,8,18, 18,0 Palladium	Nickel 46	Ni 2,8,16,2	78										,
96 Cm 2,8,18,32, 25,9,2 Curium	64 Gd 2,8,18,25, 9,2 Gadolinium	110 111 112 Ds Rg Cn 2,8,18,32, 2,8,18,32, 2,8,18,32, 32,18,1 32,18,2 Darmstadtium Roentgenium Copernicium	79 Au 2,8,18, 32,18,1 Gold	Ag 2,8,18, 18,1 Silver	Copper 47	Cu 2,8,18,1	79										
97 Bk 2,8,18,32, 27,8,2 Berkelium	65 Tb 2,8,18,27, 8,2 Terbium	112 Cn 2,8,18,32, 32,18,2 Copernicium	80 Hg 2,8,18, 32,18,2 Mercury	Cd 2,8,18, 18,2 Cadmium	Zinc 48	Zn 2,8,18,2	30	3									
98 Cf 2,8,18,32, 28,8,2 Catifornium	66 Dy 2,8,18,28, 8,2 Dysprosium		81 T (2,8,18, 32,18,3 Thallium	2,8,18, 18,3 Indium	Gallium 49	Ga 2,8,18,3	Aluminium 31	2,8,3	≥ ::	Boron	2,3	В	ъ	(13)			Group 3
99 Es 2,8,18,32, 29,8,2 Einsteinium	67 Ho 2,8,18,29, 8,2 Holmium		82 Pb 2,8,18, 32,18,4	2,	Germanium 50	2,8	m Silicon	2,8,4	iS	Carbon	2,4	C	6	(14)			3 Group 4
100 Fm 2,8,18,32, 30,8,2 Fermium	68 Er 2,8,18,30, 8,2 Erbium		83 Bi 2,8,18, 32,18,5 Bismuth	2, Ant	m Arsenic	2,8	Phosphorus 33	2,8,5	7	Nitrogen	2,5	z	7	(15)			4 Group 5
101 Md 2,8,18,32, 31,8,2 Mendelevium	69 Tm 2,8,18,31, 8,2 Thulium		84 Po 2,8,18, 32,18,6 Polonium		Selenium 57	2,8	us Sulfur 34	2,8,6	S e	ô	2,6	0	∞	(16)			5 Group 6
102 No 2,8,18,32, 32,8,2 Nobelium	70 Yb 2,8,18,32, 8,2 Ytterbium		85 At 2,8,18, 32,18,7 n Astatine	- 2,	n Bromine	2,8	Chlorine 35	2,8,7	Ω =	- Fu	2,7	ъ	9	(17)			6 Group 7
103 Lr 2,8,18,32, 32,9,2 Lawrencium	71 Lu 2,8,18,32, 9,2 Lutetium		86 Rn 2,8,18, 32,18,8	Xe 2,8,18, 18,8 Xenon	Krypton 54	2,8	Argon 36	2,8,8	≯ ≅	7	2,8	N _e	10	2 Helium	He	(18)	7 Group 0
														-			

[BLANK PAGE] DO NOT WRITE ON THIS PAGE

[BLANK PAGE] DO NOT WRITE ON THIS PAGE