

X857/77/11

Physics Relationships sheet

THURSDAY, 25 APRIL 9:00 AM – 12:00 NOON





# Relationships required for Physics Advanced Higher

$v = \frac{ds}{dt}$	$E_{k(rotational)} = \frac{1}{2}I\omega^2$
$a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$	$E_P = E_{k(translational)} + E_{k(rotational)}$
v = u + at	$F = \frac{GMm}{r^2}$
$s = ut + \frac{1}{2}at^2$	$F = \frac{GMm}{r^2} = \frac{mv^2}{r} = mr\omega^2 = mr\left(\frac{2\pi}{T}\right)^2$
$v^2 = u^2 + 2as$	$V = -\frac{GM}{r}$
$\omega = \frac{d\theta}{dt}$	$F_{P} = Vm = -\frac{GMm}{r}$
$\alpha = \frac{d\omega}{dt} = \frac{d^2\theta}{dt^2}$	·
$\omega = \omega_o + \alpha t$	$v_{esc} = \sqrt{\frac{2GM}{r}}$
$\omega^2 = \omega_o^2 + 2\alpha\theta$	$r_{Schwarzschild} = \frac{2GM}{c^2}$
$\theta = \omega_o t + \frac{1}{2}\alpha t^2$	$b = \frac{L}{4\pi d^2}$
$s = r\theta$	
$v = r\omega$	$\frac{P}{A} = \sigma T^4$
$a_t = r\alpha$	$L = 4\pi r^2 \sigma T^4$
$\omega = \frac{2\pi}{T}$	E = hf
$\omega = 2\pi f$	
$a_r = \frac{v^2}{r} = r\omega^2$	$mvr = \frac{nh}{2\pi}$
$F = \frac{mv^2}{r} = mr\omega^2$	$\lambda = \frac{h}{p}$
$r$ $I = \sum mr^2$	$\Delta x  \Delta p_x \ge \frac{h}{4\pi}$
$\tau = Fr$	$\Delta E \ \Delta t \ge \frac{h}{4\pi}$
$ au = I\alpha$	F = qvB
$L = mvr = mr^2\omega$	
$L = I\omega$	$F = \frac{mv^2}{r}$

$$F = -ky$$

$$\omega = 2\pi f = \frac{2\pi}{T}$$

$$V = Ed$$

$$a = \frac{d^2y}{dt^2} = -\omega^2 y$$

$$y = A\cos\omega t \text{ or } y = A\sin\omega t$$

$$v = \pm\omega\sqrt{(A^2 - y^2)}$$

$$E_k = \frac{1}{2}m\omega^2(A^2 - y^2)$$

$$E_k = \frac{1}{2}m\omega^2y^2$$

$$E = kA^2$$

$$y = A\sin 2\pi \left(fl - \frac{x}{\lambda}\right)$$

$$\phi = \frac{2\pi x}{\lambda}$$

$$copd = m \times spd$$

$$copd = m\lambda \text{ or } \left(m + \frac{1}{2}\right)\lambda \text{ where } m = 0,1,2...$$

$$\Delta x = \frac{\lambda l}{2d}$$

$$d = \frac{\lambda}{4n}$$

$$\Delta x = \frac{\lambda D}{d}$$

$$m = \tan i_p$$

$$F = \frac{Q\cdot Q_2}{4\pi\varepsilon_0 r^2}$$

$$V = \frac{Q}{4\pi\varepsilon_0 r}$$

$$V = Ed$$

$$V = Ed$$

$$V = Ed$$

$$E_k = \frac{1}{2}mv^2$$

$$F = IlB \sin\theta$$

$$T = RC$$

$$X_C = \frac{V}{I}$$

$$X_C = \frac{1}{2\pi fC}$$

$$\varepsilon = -L\frac{dI}{dt}$$

$$E = \frac{1}{2}LI^2$$

$$X_L = \frac{V}{I}$$

$$X_L = 2\pi fL$$

$$C = \frac{1}{\sqrt{\varepsilon_0 \mu_0}}$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$\frac{\Delta W}{W} = \sqrt{\left(\frac{\Delta X}{X}\right)^2 + \left(\frac{\Delta Y}{Y}\right)^2 + \left(\frac{\Delta Z}{Z}\right)^2}$$

 $E = \frac{Q}{4\pi\varepsilon_{\circ}r^{2}}$ 

 $\left(\frac{\Delta W^n}{W^n}\right) = n\left(\frac{\Delta W}{W}\right)$ 

$$d = \overline{v}t$$

$$s = \overline{v}t$$

$$v = u + at$$

$$s = ut + \frac{1}{2}at^{2}$$

$$v^{2} = u^{2} + 2as$$

$$s = \frac{1}{2}(u + v)t$$

$$W = mg$$

$$F = ma$$

$$E_{W} = Fd$$

$$E_{P} = mgh$$

$$E_{K} = \frac{1}{2}mv^{2}$$

$$P = \frac{E}{t}$$

$$p = mv$$

$$Ft = mv - mu$$

$$F = G\frac{Mm}{r^{2}}$$

$$t' = \frac{t}{\sqrt{1 - (\frac{v}{c})^{2}}}$$

$$t' = t\sqrt{1 - (\frac{v}{c})^{2}}$$

 $v = H_0 d$ 

$$W = QV$$

$$E = mc^{2}$$

$$E = mc^{2}$$

$$I_{peak} = \sqrt{2}V_{rms}$$

$$E = hf$$

$$Q = It$$

$$E_{K} = hf - hf_{0}$$

$$V = IR$$

$$E_{2} - E_{1} = hf$$

$$T = \frac{1}{f}$$

$$R_{T} = R_{1} + R_{2} + ...$$

$$V = f\lambda$$

$$d \sin \theta = m\lambda$$

$$R = \frac{\sin \theta_{1}}{\sin \theta_{2}}$$

$$\frac{\sin \theta_{1}}{\sin \theta_{2}} = \frac{\lambda_{1}}{\lambda_{2}} = \frac{v_{1}}{v_{2}}$$

$$\sin \theta_{c} = \frac{1}{n}$$

$$I = \frac{k}{d^{2}}$$

$$I = \frac{P}{A}$$

$$I = \frac{max}{\sin \theta_{1}} \times v_{2}$$

$$I = \frac{P}{A}$$

$$I = \frac{max}{\sin \theta_{2}} \times v_{1}$$

$$I = \frac{max}{\cos \theta_{1}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{2}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{1}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{2}} \times v_{1}$$

$$I = \frac{max}{\cos \theta_{1}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{2}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{1}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{2}} \times v_{1}$$

$$I = \frac{max}{\cos \theta_{1}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{2}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{1}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{2}} \times v_{1}$$

$$I = \frac{max}{\cos \theta_{2}} \times v_{2}$$

$$I = \frac{max}{\cos \theta_{2}$$

## Additional relationships

### Circle

circumference =  $2\pi r$ 

area =  $\pi r^2$ 

### **Sphere**

area =  $4\pi r^2$ 

volume =  $\frac{4}{3}\pi r^3$ 

### Trigonometry

$$\sin \theta = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos\theta = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan \theta = \frac{\text{opposite}}{\text{adjacent}}$$

$$\sin^2 \theta + \cos^2 \theta = 1$$

## Moment of inertia

point mass

$$I = mr^2$$

rod about centre

$$I = \frac{1}{12} m l^2$$

rod about end

$$I = \frac{1}{3}ml^2$$

disc about centre

$$I = \frac{1}{2}mr^2$$

sphere about centre

$$I = \frac{2}{5}mr^2$$

### Table of standard derivatives

f(x)	f'(x)
sin ax	$a\cos ax$
cos ax	$-a\sin ax$

# Table of standard integrals

f(x)	$\int f(x)dx$
sin ax	$-\frac{1}{a}\cos ax + C$
cos ax	$\frac{1}{a}\sin ax + C$

# Electron arrangements of elements

		87 <b>Fr</b> 2,8,18,32, 18,8,1 Francium	55 <b>Cs</b> 2,8,18,18, 8,1 Caesium	37 <b>Rb</b> 2,8,18,8,1 Rubidium	19 <b>K</b> 2,8,8,1 Potassium	Lithium 11 Na 2,8,1 Sodium	3 <b>Li</b> 2,1	1 1 1 Hydrogen	Group 1 (1)
	Lan	88 <b>Ra</b> 2,8,18,32, 18,8,2 Radium	56 <b>Ba</b> 2,8,18,18, 8,2 Barium	38 <b>Sr</b> 2,8,18,8,2 Strontium	20 <b>Ca</b> 2,8,8,2 Calcium	Heryllium 12 Mg 2,8,2 Magnesium	4 <b>Be</b> 2,2	(2)	Group 2
Actinides	Lanthanides	89 <b>Ac</b> 2,8,18,32, 18,9,2 Actinium	57 <b>La</b> 2,8,18,18, 9,2 Lanthanum	39 <b>Y</b> 2,8,18,9,2 Yttrium	21 <b>Sc</b> 2,8,9,2 Scandium	(3)			
89 <b>Ac</b> 2,8,18,32, 18,9,2 Actinium	57 <b>La</b> 2,8,18, 18,9,2 Lanthanum	104 <b>Rf</b> 2,8,18,32, 32,10,2 Rutherfordium	72 <b>Hf</b> 2,8,18,32, 10,2 Hafnium	40 <b>Zr</b> 2,8,18, 10,2 Zirconium	22 <b>Ti</b> 2,8,10,2 Titanium	(4)		Key	
90 <b>Th</b> 2,8,18,32, 18,10,2 Thorium	58 <b>Ce</b> 2,8,18, 20,8,2 Cerium	105 <b>Db</b> 2,8,18,32, 32,11,2 Dubnium	73 <b>Ta</b> 2,8,18, 32,11,2 Tantalum	41 <b>Nb</b> 2,8,18, 12,1 Niobium	23 <b>V</b> 2,8,11,2 Vanadium	(5)	1	Ato	ı
91 <b>Pa</b> 2,8,18,32, 20,9,2 Protactinium	59 <b>Pr</b> 2,8,18,21, 8,2 Praseodymium	106 <b>Sg</b> 2,8,18,32, 32,12,2 Seaborgium	74 <b>W</b> 2,8,18,32, 12,2 Tungsten	42 <b>Mo</b> 2,8,18,13, 1 Molybdenum	24 <b>Cr</b> 2,8,13,1 Chromium	66	Name	Atomic number Symbol	
92 <b>U</b> 2,8,18,32, 21,9,2 Uranium	59 60 Pm 2,8,18,21, 2,8,18,22, 2,8,18,23, 8,2 Raseodymium Reodymium Promethium	107 <b>Bh</b> 2,8,18,32, 32,13,2 Bohrium	75 <b>Re</b> 2,8,18,32, 13,2 Rhenium	43 <b>Tc</b> 2,8,18,13, 2 Technetium	25 <b>Mn</b> 2,8,13,2 Manganese	Transition elements		Der	Ú
93 <b>Np</b> 2,8,18,32, 22,9,2 Neptunium	61 <b>Pm</b> 2,8,18,23, 8,2 Promethium	108 <b>Hs</b> 2,8,18,32, 32,14,2 Hassium	76 <b>Os</b> 2,8,18,32, 14,2 Osmium	44 <b>Ru</b> 2,8,18,15, 1 Ruthenium	26 <b>Fe</b> 2,8,14,2 Iron	element:			
94 <b>Pu</b> 2,8,18,32, 24,8,2 Plutonium	62 <b>Sm</b> 2,8,18,24, 8,2 Samarium	109 <b>Mt</b> 2,8,18,32, 32,15,2 Meitnerium	77 <b>Ir</b> 2,8,18,32, 15,2 Iridium	45 <b>Rh</b> 2,8,18,16, 1 Rhodium	27 <b>Co</b> 2,8,15,2 Cobalt	(9)			
95 <b>Am</b> 2,8,18,32, 25,8,2 Americium	63 <b>Eu</b> 2,8,18,25, 8,2 Europium	110 <b>Ds</b> 2,8,18,32, 32,17,1 Darmstadtium	78 <b>Pt</b> 2,8,18,32, 17,1 Platinum	46 <b>Pd</b> 2,8,18, 18,0 Palladium	28 <b>Ni</b> 2,8,16,2 Nickel	(10)			•
96 <b>Cm</b> 2,8,18,32, 25,9,2 Curium	64 <b>Gd</b> 2,8,18,25, 9,2 Gadolinium	<b>Rg</b> 2,8,18,32, 32,18,1 Roentgenium	79 <b>Au</b> 2,8,18, 32,18,1 Gold	47 <b>Ag</b> 2,8,18, 18,1 Silver	29 <b>Cu</b> 2,8,18,1 Copper	(11)			
97 <b>Bk</b> 2,8,18,32, 27,8,2 Berkelium	65 <b>Tb</b> 2,8,18,27, 8,2 Terbium	109   110   111   112	80 <b>Hg</b> 2,8,18, 32,18,2 Mercury	48 <b>Cd</b> 2,8,18, 18,2 Cadmium	30 <b>Zn</b> 2,8,18,2 Zinc	(12)			
98 <b>Cf</b> 2,8,18,32, 28,8,2 Californium	66 <b>Dy</b> 2,8,18,28, 8,2 Dysprosium		81 <b>T</b> ( 2,8,18, 32,18,3 Thallium	49 <b>In</b> 2,8,18, 18,3 Indium	31 <b>Ga</b> 2,8,18,3 Gallium	Boron 13 Al 2,8,3 Aluminium	5 <b>B</b> 2,3	(13)	Group 3
99 <b>Es</b> 2,8,18,32, 29,8,2 Einsteinium	67 <b>Ho</b> 2,8,18,29, 8,2 Holmium		82 <b>Pb</b> 2,8,18, 32,18,4 Lead	50 <b>Sn</b> 2,8,18, 18,4 Tin	32 <b>Ge</b> 3 2,8,18,4 Germanium	Carbon 14 Si 2,8,4 m Silicon	6 C 2,4	(14)	3 Group 4
100 Fm 2,8,18,32, 30,8,2 Fermium	68 <b>Er</b> 2,8,18,30, 8,2 Erbium		83 <b>Bi</b> 2,8,18, 4 32,18,5 Bismuth	51 <b>Sb</b> 2,8,18, 18,5 Antimony	33 <b>AS</b> 4 2,8,18,5 4 2,8,18,5	Nitrogen 15 P 2,8,5 Phosphorus	2,5	(15)	4 Group 5
101 <b>Md</b> 2,8,18,32, 31,8,2 Mendelevium	69 <b>Tm</b> 2,8,18,31, 8,2 Thulium		84 <b>Po</b> 2,8,18, 32,18,6 Polonium	52 <b>Te</b> 2,8,18, 18,6 y Tellurium	34 <b>Se</b> 5 2,8,18,6 Selenium	16 S 2,8,6 us Sulfur	8 O 2,6	(16)	5 Group 6
102 <b>No</b> 2,8,18,32, 32,8,2 Nobelium	70 <b>Yb</b> 2,8,18,32, 8,2 Ytterbium		85 <b>At</b> 2,8,18, 32,18,7 n Astatine	53     2,8,18,   18,7   n lodine	35 <b>Br</b> 6 2,8,18,7 n Bromine	17 Chlorine	9 <b>F</b> 2,7	(17)	6 Group 7
103 <b>Lr</b> 2,8,18,32, 32,9,2 Lawrencium	71 <b>Lu</b> 2,8,18,32, 9,2 Lutetium		86 <b>Rn</b> 2,8,18, 32,18,8 Radon	54 <b>Xe</b> 2,8,18, 18,8 Xenon	36 <b>Kr</b> 7 2,8,18,8 e Krypton	18 <b>Ar</b> 2,8,8	10 <b>Ne</b> 2,8	2 He 2 Helium	7 Group 0
				<u> </u>					

[BLANK PAGE] DO NOT WRITE ON THIS PAGE

[BLANK PAGE] DO NOT WRITE ON THIS PAGE