



National
Qualifications
2024

X857/77/11

**Physics
Relationships sheet**

THURSDAY, 25 APRIL

9:00 AM – 12:00 NOON



* X 8 5 7 7 7 1 1 *

Relationships required for Physics Advanced Higher

$$v = \frac{ds}{dt}$$

$$E_{k(rotational)} = \frac{1}{2} I \omega^2$$

$$a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$$

$$E_P = E_{k(translational)} + E_{k(rotational)}$$

$$v = u + at$$

$$F = \frac{GMm}{r^2}$$

$$s = ut + \frac{1}{2}at^2$$

$$F = \frac{GMm}{r^2} = \frac{mv^2}{r} = mr\omega^2 = mr\left(\frac{2\pi}{T}\right)^2$$

$$v^2 = u^2 + 2as$$

$$V = -\frac{GM}{r}$$

$$\omega = \frac{d\theta}{dt}$$

$$E_P = Vm = -\frac{GMm}{r}$$

$$\alpha = \frac{d\omega}{dt} = \frac{d^2\theta}{dt^2}$$

$$v_{esc} = \sqrt{\frac{2GM}{r}}$$

$$\omega = \omega_o + at$$

$$\omega^2 = \omega_o^2 + 2\alpha\theta$$

$$r_{Schwarzschild} = \frac{2GM}{c^2}$$

$$\theta = \omega_o t + \frac{1}{2}at^2$$

$$b = \frac{L}{4\pi d^2}$$

$$s = r\theta$$

$$\frac{P}{A} = \sigma T^4$$

$$a_t = r\alpha$$

$$L = 4\pi r^2 \sigma T^4$$

$$\omega = \frac{2\pi}{T}$$

$$E = hf$$

$$\omega = 2\pi f$$

$$mv r = \frac{nh}{2\pi}$$

$$a_r = \frac{v^2}{r} = r\omega^2$$

$$\lambda = \frac{h}{p}$$

$$F = \frac{mv^2}{r} = mr\omega^2$$

$$\Delta x \Delta p_x \geq \frac{h}{4\pi}$$

$$I = \sum mr^2$$

$$\tau = Fr$$

$$\Delta E \Delta t \geq \frac{h}{4\pi}$$

$$\tau = I\alpha$$

$$F = qvB$$

$$L = mvr = mr^2\omega$$

$$F = \frac{mv^2}{r}$$

$$L = I\omega$$

$$F = -ky$$

$$\omega = 2\pi f = \frac{2\pi}{T}$$

$$a = \frac{d^2y}{dt^2} = -\omega^2 y$$

$$y = A \cos \omega t \quad \text{or} \quad y = A \sin \omega t$$

$$F = QE$$

$$V = Ed$$

$$W = QV$$

$$E_k = \frac{1}{2}mv^2$$

$$v = \pm \omega \sqrt{(A^2 - y^2)}$$

$$E_k = \frac{1}{2}m\omega^2(A^2 - y^2)$$

$$B = \frac{\mu_o I}{2\pi r}$$

$$E_P = \frac{1}{2}m\omega^2 y^2$$

$$F = IlB \sin \theta$$

$$E = kA^2$$

$$F = qvB$$

$$y = A \sin 2\pi \left(ft - \frac{x}{\lambda} \right)$$

$$X_C = \frac{V}{I}$$

$$\phi = \frac{2\pi x}{\lambda}$$

$$X_C = \frac{1}{2\pi f C}$$

$$opd = n \times gpd$$

$$opd = m\lambda \text{ or } \left(m + \frac{1}{2}\right)\lambda \text{ where } m = 0, 1, 2, \dots$$

$$\Delta x = \frac{\lambda l}{2d}$$

$$d = \frac{\lambda}{4n}$$

$$\Delta x = \frac{\lambda D}{d}$$

$$n = \tan i_P$$

$$\varepsilon = -L \frac{dI}{dt}$$

$$E = \frac{1}{2}LI^2$$

$$X_L = \frac{V}{I}$$

$$X_L = 2\pi f L$$

$$c = \frac{1}{\sqrt{\varepsilon_o \mu_o}}$$

$$F = \frac{Q_1 Q_2}{4\pi \varepsilon_o r^2}$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$V = \frac{Q}{4\pi \varepsilon_o r}$$

$$\frac{\Delta W}{W} = \sqrt{\left(\frac{\Delta X}{X}\right)^2 + \left(\frac{\Delta Y}{Y}\right)^2 + \left(\frac{\Delta Z}{Z}\right)^2}$$

$$E = \frac{Q}{4\pi \varepsilon_o r^2}$$

$$\left(\frac{\Delta W^n}{W^n} \right) = n \left(\frac{\Delta W}{W} \right)$$

$d = \bar{v}t$	$W = QV$	$V_{peak} = \sqrt{2}V_{rms}$
$s = \bar{v}t$	$E = mc^2$	$I_{peak} = \sqrt{2}I_{rms}$
$v = u + at$	$E = hf$	$Q = It$
$s = ut + \frac{1}{2}at^2$	$E_K = hf - hf_0$	$V = IR$
$v^2 = u^2 + 2as$	$E_2 - E_1 = hf$	$P = IV = I^2R = \frac{V^2}{R}$
$s = \frac{1}{2}(u+v)t$	$T = \frac{1}{f}$	$R_T = R_1 + R_2 + \dots$
$W = mg$	$v = f\lambda$	$\frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$
$F = ma$	$d \sin \theta = m\lambda$	$E = V + Ir$
$E_W = Fd$	$n = \frac{\sin \theta_1}{\sin \theta_2}$	$V_1 = \left(\frac{R_1}{R_1 + R_2} \right) V_S$
$E_P = mgh$	$\frac{\sin \theta_1}{\sin \theta_2} = \frac{\lambda_1}{\lambda_2} = \frac{v_1}{v_2}$	$\frac{V_1}{V_2} = \frac{R_1}{R_2}$
$E_K = \frac{1}{2}mv^2$	$\sin \theta_c = \frac{1}{n}$	$C = \frac{Q}{V}$
$P = \frac{E}{t}$	$I = \frac{k}{d^2}$	$E = \frac{1}{2}QV = \frac{1}{2}CV^2 = \frac{1}{2}\frac{Q^2}{C}$
$p = mv$	$I = \frac{P}{A}$	path difference = $m\lambda$ or $\left(m + \frac{1}{2}\right)\lambda$ where $m = 0, 1, 2, \dots$
$Ft = mv - mu$	random uncertainty = $\frac{\text{max. value} - \text{min. value}}{\text{number of values}}$	
$F = G \frac{Mm}{r^2}$		
$t' = \frac{t}{\sqrt{1 - \left(\frac{v}{c}\right)^2}}$		
$l' = l \sqrt{1 - \left(\frac{v}{c}\right)^2}$		
$f_o = f_s \left(\frac{v}{v \pm v_s} \right)$		
$z = \frac{\lambda_{observed} - \lambda_{rest}}{\lambda_{rest}}$		
$z = \frac{v}{c}$		
$v = H_0 d$		

Additional relationships

Circle

$$\text{circumference} = 2\pi r$$

$$\text{area} = \pi r^2$$

Sphere

$$\text{area} = 4\pi r^2$$

$$\text{volume} = \frac{4}{3}\pi r^3$$

Table of standard derivatives

$f(x)$	$f'(x)$
$\sin ax$	$a \cos ax$
$\cos ax$	$-a \sin ax$

Trigonometry

$$\sin \theta = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos \theta = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan \theta = \frac{\text{opposite}}{\text{adjacent}}$$

$$\sin^2 \theta + \cos^2 \theta = 1$$

Table of standard integrals

$f(x)$	$\int f(x)dx$
$\sin ax$	$-\frac{1}{a} \cos ax + C$
$\cos ax$	$\frac{1}{a} \sin ax + C$

Moment of inertia

point mass

$$I = mr^2$$

rod about centre

$$I = \frac{1}{12}ml^2$$

rod about end

$$I = \frac{1}{3}ml^2$$

disc about centre

$$I = \frac{1}{2}mr^2$$

sphere about centre

$$I = \frac{2}{5}mr^2$$

Electron arrangements of elements

Group 1	Group 2	Group 3	Group 4	Group 5	Group 6	Group 7	Group 0
1 H 1 Hydrogen	2 (2)	3 Li 2,1	4 Be 2,2	5 B 2,3	6 C 2,4	7 N 2,5	8 O 2,6
Lithium	Beryllium	Boron	Nitrogen	Oxygen	Fluorine	Neon	He 2 Helium
11 Na 2,8,1	12 Mg 2,8,2	13 Al 2,8,3	14 Si 2,8,4	15 P 2,8,5	16 S 2,8,6	17 Cl 2,8,7	18 Ar 2,8,8
Sodium	Magnesium	Aluminium	Silicon	Phosphorus	Sulfur	Chlorine	Argon
19 K 2,8,8,1	20 Ca 2,8,8,2	21 Sc 2,8,9,2	22 Ti 2,8,10,2	23 V 2,8,11,2	24 Cr 2,8,13,1	25 Mn 2,8,13,2	26 Fe 2,8,14,2
Potassium	Calcium	Scandium	Titanium	Vanadium	Chromium	Manganese	Iron
37 Rb 2,8,18,8,1	38 Sr 2,8,18,8,2	39 Y 2,8,18,9,2	40 Zr 2,8,18,10,2	41 Nb 2,8,18,12,1	42 Mo 2,8,18,13,1	43 Tc 2,8,18,13,2	44 Ru 2,8,18,15,1
Rubidium	Strontrium	Yttrium	Zirconium	Niobium	Molybdenum	Technetium	Ruthenium
55 Cs 2,8,18,18,8,1	56 Ba 2,8,18,18,8,2	57 La 2,8,18,18,9,2	72 Hf 2,8,18,32,10,2	73 Ta 2,8,18,32,32,11,2	74 W 2,8,18,32,12,2	75 Re 2,8,18,32,13,2	76 Os 2,8,18,32,14,2
Cæsium	Barium	Lanthanum	Hafnium	Tantalum	Rhenium	Iridium	Palladium
87 Fr 2,8,18,32,18,8,1	88 Ra 2,8,18,32,18,8,2	89 Ac 2,8,18,32,18,9,2	104 Rf 2,8,18,32,32,10,2	105 Db 2,8,18,32,32,11,2	106 Sg 2,8,18,32,32,12,2	107 Bh 2,8,18,32,32,13,2	108 Hs 2,8,18,32,32,14,2
Francium	Radium	Actinium	Rutherfordium	Dubnium	Seaborgium	Bohrium	Hassium
Lanthanides	57 La 2,8,18,18,9,2	58 Ce 2,8,18,20,8,2	59 Pr 2,8,18,21,8,2	60 Nd 2,8,18,22,8,2	61 Pm 2,8,18,23,8,2	62 Sm 2,8,18,24,8,2	63 Eu 2,8,18,25,8,2
	Lanthanum	Cerium	Praseodymium	Neodymium	Promethium	Samarium	Europtium
Actinides	89 Ac 2,8,18,32,18,9,2	90 Th 2,8,18,32,18,10,2	91 Pa 2,8,18,32,20,9,2	92 U 2,8,19,9,2	93 Np 2,8,18,32,22,9,2	94 Pu 2,8,18,32,24,8,2	95 Am 2,8,18,32,25,8,2
	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium
	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Noberium	Lawrencium

Key

Atomic number
Symbol
Electron arrangement
Name

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE