



National
Qualifications
2021 ASSESSMENT RESOURCE


X835/77/11

Graphic Communication Supplementary sheets




Duration — 2 hours

Supplementary sheets 1 to 3 for use with question 1, and supplementary sheet 4 for use with question 4 (a).






WALL THICKNESS 2mm



NOTE: Some centre lines have been omitted for clarity



SECTIONAL ISOMETRIC VIEW


| | | | | |
|----------------------|------------------------|-----------------|----------------|-------------------------|
| ALL DIMENSIONS IN MM | Pepper Grinder Project | DRAWING NO 1 | SCALE 1:1 | MODEL TOLERANCE +0.5MM |
| ORTHOGRAPHIC PART | BOTTLE | MATERIAL: GLASS | DATE: 10/10/19 | UNLESS OTHERWISE STATED |





PLAN




ELEVATION




NOTE: Some centre lines have been omitted for clarity




| | | | | |
|----------------------|------------------------|---------------|----------------------------|-------------------------|
| ALL DIMENSIONS IN MM | Pepper Grinder Project | DRAWING NO 2 | SCALE 2:1 | MODEL TOLERANCE +0.5MM |
| ORTHOGRAPHIC PART | CAP | MATERIAL: ABS | WALL THICKNESS AS SHOWN | UNLESS OTHERWISE STATED |




PLAN



ELEVATION



END ELEVATION C-C



NOTE: Some centre lines have been omitted for clarity

**PART
FEATURES**

Hatch lines have been removed
from pictorial view for clarity

OPENINGS

HOLE

BODY

CAP

GRINDING
TEETH

RIDGE

BODY



**ROTATING
CUTTER**

COLLAR

THREAD

BODY

BOTTLE



EXPLODED VIEW

SECTIONAL ASSEMBLED VIEW

| | | | |
|----------------------|------------------------|-------------------|----------------|
| ALL DIMENSIONS IN MM | Pepper Grinder Project | DRAWING NO 3 | SCALE NTS |
| ORTHOGRAPHIC ASSMY | ASSEMBLY/EXPLODED | MATERIAL: VARIOUS | DATE: 10/10/19 |

RIBER STANDARD iSUP
SUP CONSTRUCTION

Deluxe Inflation Valve creates an airtight seal from dust and water, the lockable deflation valve makes stowing away quick and easy

Heat pressed laminated PVC rail creates the ultimate airtight and waterproof seal

Erasing the 500 denier drop stitch and adding a 0.5mm 1000 denier polyester plain laminate, which makes the hull extra strong and adds to stiffness

Twin layer rails with 0.5mm 500 Denier polyester plain weave laminate secures 100% air tightness, these are covered by robust bi-axial 0.7mm 1000 denier polyester mesh for additional stiffness

Heat embossed 3mm thick EVA deck provides maximum traction and durability

Drop stitch technology creates a fortified inner body allowing for high pressure inflation

2 Layers of Glued High density PVC stiffens and strengthens the skin with UV protected print

- Glued Layers of PVC
- Drop Stitch Core
- EVA Deck Pad

Our standard SUP construction offers premium features at affordable prices. There is no better way to get into paddleboarding.

Unsere Standard SUP Konstruktion bietet erstklassige Eigenschaften zu erschwinglichen Preisen. Es gibt keine bessere Möglichkeit mit dem Paddleboarding zu beginnen.

Notre construction standard SUP offre des fonctionnalités hauts de gamme à un prix abordable. La meilleure solution pour vous initier au paddleboard.

P20

Acknowledgement of copyright

Question 4 Images and logos are taken from Riberproducts.com. Reproduced by kind permission of Riber Products Ltd.