



National  
Qualifications  
2022

X857/77/11

**Physics  
Relationships sheet**

FRIDAY, 13 MAY

9:00 AM – 12:00 NOON

---



\* X 8 5 7 7 7 1 1 \*

## Relationships required for Physics Advanced Higher

$$v = \frac{ds}{dt}$$

$$E_{k(rotational)} = \frac{1}{2} I \omega^2$$

$$a = \frac{dv}{dt} = \frac{d^2s}{dt^2}$$

$$E_P = E_{k(translational)} + E_{k(rotational)}$$

$$v = u + at$$

$$F = \frac{GMm}{r^2}$$

$$s = ut + \frac{1}{2}at^2$$

$$F = \frac{GMm}{r^2} = \frac{mv^2}{r} = mr\omega^2 = mr\left(\frac{2\pi}{T}\right)^2$$

$$v^2 = u^2 + 2as$$

$$V = -\frac{GM}{r}$$

$$\omega = \frac{d\theta}{dt}$$

$$E_P = Vm = -\frac{GMm}{r}$$

$$\alpha = \frac{d\omega}{dt} = \frac{d^2\theta}{dt^2}$$

$$v_{esc} = \sqrt{\frac{2GM}{r}}$$

$$\omega = \omega_o + at$$

$$\omega^2 = \omega_o^2 + 2\alpha\theta$$

$$r_{Schwarzschild} = \frac{2GM}{c^2}$$

$$\theta = \omega_o t + \frac{1}{2}at^2$$

$$b = \frac{L}{4\pi d^2}$$

$$s = r\theta$$

$$\frac{P}{A} = \sigma T^4$$

$$a_t = r\alpha$$

$$L = 4\pi r^2 \sigma T^4$$

$$\omega = \frac{2\pi}{T}$$

$$E = hf$$

$$\omega = 2\pi f$$

$$mv_r = \frac{nh}{2\pi}$$

$$a_r = \frac{v^2}{r} = r\omega^2$$

$$\lambda = \frac{h}{p}$$

$$F = \frac{mv^2}{r} = mr\omega^2$$

$$\Delta x \Delta p_x \geq \frac{h}{4\pi}$$

$$I = \sum mr^2$$

$$\tau = Fr$$

$$\Delta E \Delta t \geq \frac{h}{4\pi}$$

$$\tau = I\alpha$$

$$F = qvB$$

$$L = mv_r = mr^2\omega$$

$$F = \frac{mv^2}{r}$$

$$L = I\omega$$

$$F = -ky$$

$$\omega = 2\pi f = \frac{2\pi}{T}$$

$$a = \frac{d^2y}{dt^2} = -\omega^2 y$$

$$y = A \cos \omega t \quad \text{or} \quad y = A \sin \omega t$$

$$F = QE$$

$$V = Ed$$

$$W = QV$$

$$E_k = \frac{1}{2}mv^2$$

$$v = \pm \omega \sqrt{(A^2 - y^2)}$$

$$B = \frac{\mu_o I}{2\pi r}$$

$$E_k = \frac{1}{2}m\omega^2(A^2 - y^2)$$

$$F = IlB \sin \theta$$

$$E_P = \frac{1}{2}m\omega^2 y^2$$

$$F = qvB$$

$$E = kA^2$$

$$\tau = RC$$

$$y = A \sin 2\pi \left( ft - \frac{x}{\lambda} \right)$$

$$X_C = \frac{V}{I}$$

$$\phi = \frac{2\pi x}{\lambda}$$

$$X_C = \frac{1}{2\pi f C}$$

$$opd = n \times gpd$$

$$\varepsilon = -L \frac{dI}{dt}$$

$$opd = m\lambda \text{ or } \left(m + \frac{1}{2}\right)\lambda \text{ where } m = 0, 1, 2, \dots$$

$$\Delta x = \frac{\lambda l}{2d}$$

$$E = \frac{1}{2}LI^2$$

$$d = \frac{\lambda}{4n}$$

$$X_L = \frac{V}{I}$$

$$\Delta x = \frac{\lambda D}{d}$$

$$X_L = 2\pi f L$$

$$c = \frac{1}{\sqrt{\varepsilon_o \mu_o}}$$

$$n = \tan i_P$$

$$\Delta W = \sqrt{\Delta X^2 + \Delta Y^2 + \Delta Z^2}$$

$$F = \frac{Q_1 Q_2}{4\pi \varepsilon_o r^2}$$

$$V = \frac{Q}{4\pi \varepsilon_o r}$$

$$E = \frac{Q}{4\pi \varepsilon_o r^2}$$

$$\frac{\Delta W}{W} = \sqrt{\left(\frac{\Delta X}{X}\right)^2 + \left(\frac{\Delta Y}{Y}\right)^2 + \left(\frac{\Delta Z}{Z}\right)^2}$$

$$\left(\frac{\Delta W^n}{W^n}\right) = n \left(\frac{\Delta W}{W}\right)$$

$d = \bar{v}t$	$W = QV$	$V_{peak} = \sqrt{2}V_{rms}$
$s = \bar{v}t$	$E = mc^2$	$I_{peak} = \sqrt{2}I_{rms}$
$v = u + at$	$E = hf$	$Q = It$
$s = ut + \frac{1}{2}at^2$	$E_K = hf - hf_0$	$V = IR$
$v^2 = u^2 + 2as$	$E_2 - E_1 = hf$	$P = IV = I^2R = \frac{V^2}{R}$
$s = \frac{1}{2}(u+v)t$	$T = \frac{1}{f}$	$R_T = R_1 + R_2 + \dots$
$W = mg$	$v = f\lambda$	$\frac{1}{R_T} = \frac{1}{R_1} + \frac{1}{R_2} + \dots$
$F = ma$	$d \sin \theta = m\lambda$	$E = V + Ir$
$E_W = Fd$	$n = \frac{\sin \theta_1}{\sin \theta_2}$	$V_1 = \left( \frac{R_1}{R_1 + R_2} \right) V_S$
$E_P = mgh$	$\frac{\sin \theta_1}{\sin \theta_2} = \frac{\lambda_1}{\lambda_2} = \frac{v_1}{v_2}$	$\frac{V_1}{V_2} = \frac{R_1}{R_2}$
$E_K = \frac{1}{2}mv^2$	$\sin \theta_c = \frac{1}{n}$	$C = \frac{Q}{V}$
$P = \frac{E}{t}$	$I = \frac{k}{d^2}$	$E = \frac{1}{2}QV = \frac{1}{2}CV^2 = \frac{1}{2}\frac{Q^2}{C}$
$p = mv$	$I = \frac{P}{A}$	path difference = $m\lambda$ or $\left(m + \frac{1}{2}\right)\lambda$ where $m = 0, 1, 2, \dots$
$Ft = mv - mu$	random uncertainty = $\frac{\text{max. value} - \text{min. value}}{\text{number of values}}$	
$F = G \frac{Mm}{r^2}$		
$t' = \frac{t}{\sqrt{1 - \left(\frac{v}{c}\right)^2}}$		
$l' = l\sqrt{1 - \left(\frac{v}{c}\right)^2}$		
$f_o = f_s \left( \frac{v}{v \pm v_s} \right)$		
$z = \frac{\lambda_{observed} - \lambda_{rest}}{\lambda_{rest}}$		
$z = \frac{v}{c}$		
$v = H_0 d$		

## Additional relationships

### Circle

$$\text{circumference} = 2\pi r$$

$$\text{area} = \pi r^2$$

### Sphere

$$\text{area} = 4\pi r^2$$

$$\text{volume} = \frac{4}{3}\pi r^3$$

### Table of standard derivatives

$f(x)$	$f'(x)$
$\sin ax$	$a \cos ax$
$\cos ax$	$-a \sin ax$

### Trigonometry

$$\sin \theta = \frac{\text{opposite}}{\text{hypotenuse}}$$

$$\cos \theta = \frac{\text{adjacent}}{\text{hypotenuse}}$$

$$\tan \theta = \frac{\text{opposite}}{\text{adjacent}}$$

$$\sin^2 \theta + \cos^2 \theta = 1$$

### Table of standard integrals

$f(x)$	$\int f(x)dx$
$\sin ax$	$-\frac{1}{a} \cos ax + C$
$\cos ax$	$\frac{1}{a} \sin ax + C$

### Moment of inertia

point mass

$$I = mr^2$$

rod about centre

$$I = \frac{1}{12}ml^2$$

rod about end

$$I = \frac{1}{3}ml^2$$

disc about centre

$$I = \frac{1}{2}mr^2$$

sphere about centre

$$I = \frac{2}{5}mr^2$$

## Electron arrangements of elements

		Group 1		Group 2		Group 3		Group 4		Group 5		Group 6		Group 7		Group 0	
		(1)		(2)													
1	H	1	Hydrogen	3	Li	4	Be	2,1	2,2	2,1	Lithium	11	Na	12	Mg	2,8,1	Beryllium
2				2				2,8,1	2,8,2	2	Sodium	19	K	20	Mg	2,8,1	Magnesium
3				3				2,8,8,1	2,8,8,2	3	Potassium	21	Sc	22	Ti	2,8,9,2	Calcium
4				4				2,8,8,1	2,8,8,2	4	Scandium	23	V	24	Cr	2,8,9,2	Titanium
5				5				2,8,8,1	2,8,8,2	5	Chromium	25	Mn	26	Fe	2,8,9,2	Vanadium
6				6				2,8,8,1	2,8,8,2	6	Manganese	27	Ni	28	Cu	2,8,9,2	Chromium
7				7				2,8,8,1	2,8,8,2	7	Iron	29	Zn	30	Zn	2,8,9,2	Manganese
8				8				2,8,8,1	2,8,8,2	8	Cobalt	31	Al	32	Si	2,8,9,2	Boron
9				9				2,8,8,1	2,8,8,2	9	Nickel	33	Ge	34	P	2,8,9,2	Silicon
10				10				2,8,8,1	2,8,8,2	10	Copper	35	Se	36	S	2,8,9,2	Phosphorus
11				11				2,8,8,1	2,8,8,2	11	Zinc	37	Rb	38	Sc	2,8,9,2	Carbon
12				12				2,8,8,1	2,8,8,2	12	Gallium	39	Y	40	Zr	2,8,9,2	Scandium
13				13				2,8,8,1	2,8,8,2	13	Germanium	41	Nb	42	Mo	2,8,9,2	Titanium
14				14				2,8,8,1	2,8,8,2	14	Manganese	43	Tc	44	Ru	2,8,9,2	Chromium
15				15				2,8,8,1	2,8,8,2	15	Iron	45	Rh	46	Pd	2,8,9,2	Manganese
16				16				2,8,8,1	2,8,8,2	16	Cobalt	47	Ag	48	Cd	2,8,9,2	Iron
17				17				2,8,8,1	2,8,8,2	17	Nickel	49	In	50	Sn	2,8,9,2	Cobalt
18				18				2,8,8,1	2,8,8,2	18	Cadmium	51	Sc	52	Te	2,8,9,2	Nickel
19				19				2,8,8,1	2,8,8,2	19	Gallium	53	I	54	Xe	2,8,9,2	Cadmium
20				20				2,8,8,1	2,8,8,2	20	Arsenic	55	Cs	56	Ba	2,8,9,2	Germanium
21				21				2,8,8,1	2,8,8,2	21	Antimony	57	La	58	Hf	2,8,9,2	Strontium
22				22				2,8,8,1	2,8,8,2	22	Tin	59	Ta	60	W	2,8,9,2	Zirconium
23				23				2,8,8,1	2,8,8,2	23	Indium	61	Re	62	Pt	2,8,9,2	Hafnium
24				24				2,8,8,1	2,8,8,2	24	Tantalum	63	Os	64	Ir	2,8,9,2	Tungsten
25				25				2,8,8,1	2,8,8,2	25	Rhenium	65	Hs	66	Pt	2,8,9,2	Rhenium
26				26				2,8,8,1	2,8,8,2	26	Osmium	67	Mt	68	Ag	2,8,9,2	Rhenium
27				27				2,8,8,1	2,8,8,2	27	Platinum	69	Ds	70	Rg	2,8,9,2	Rhenium
28				28				2,8,8,1	2,8,8,2	28	Hafnium	71	Cn	72	Cn	2,8,9,2	Rhenium
29				29				2,8,8,1	2,8,8,2	29	Thorium	73	Ac	74	Rf	2,8,9,2	Rhenium
30				30				2,8,8,1	2,8,8,2	30	Dubnium	75	Db	76	Db	2,8,9,2	Rhenium
31				31				2,8,8,1	2,8,8,2	31	Seaborgium	77	Bh	78	Bh	2,8,9,2	Rhenium
32				32				2,8,8,1	2,8,8,2	32	Bohrium	79	Hs	80	Hg	2,8,9,2	Rhenium
33				33				2,8,8,1	2,8,8,2	33	Methmerium	81	Tl	82	Pb	2,8,9,2	Rhenium
34				34				2,8,8,1	2,8,8,2	34	Damstadtium	83	Bi	84	Po	2,8,9,2	Rhenium
35				35				2,8,8,1	2,8,8,2	35	Roentgenium	85	At	86	Rn	2,8,9,2	Rhenium
36				36				2,8,8,1	2,8,8,2	36	Copernicium	87	Lu	88	Ra	2,8,9,2	Rhenium
37				37				2,8,8,1	2,8,8,2	37	Actinium	89	La	90	Ce	2,8,9,2	Rhenium
38				38				2,8,8,1	2,8,8,2	38	Praseodymium	91	Pr	92	Nd	2,8,9,2	Rhenium
39				39				2,8,8,1	2,8,8,2	39	Neodymium	93	Pm	94	Sm	2,8,9,2	Rhenium
40				40				2,8,8,1	2,8,8,2	40	Europium	95	Eu	96	Gd	2,8,9,2	Rhenium
41				41				2,8,8,1	2,8,8,2	41	Gadolinium	97	Tb	98	Dy	2,8,9,2	Rhenium
42				42				2,8,8,1	2,8,8,2	42	Terbium	99	Ho	100	Er	2,8,9,2	Rhenium
43				43				2,8,8,1	2,8,8,2	43	Dysprosium	101	Erbium	102	Tm	2,8,9,2	Rhenium
44				44				2,8,8,1	2,8,8,2	44	Holmium	103	Thulium	104	Yb	2,8,9,2	Rhenium
45				45				2,8,8,1	2,8,8,2	45	Ytterbium	105	Ytterbium	106	Lu	2,8,9,2	Rhenium
46				46				2,8,8,1	2,8,8,2	46	Lutetium	107	Lawrencium	108	Ne	2,8,9,2	Rhenium
47				47				2,8,8,1	2,8,8,2	47	Actinium	109	Actinium	110	Fr	2,8,9,2	Rhenium
48				48				2,8,8,1	2,8,8,2	48	Thorium	111	Thorium	112	Ra	2,8,9,2	Rhenium
49				49				2,8,8,1	2,8,8,2	49	Protactinium	113	Uranium	114	Fr	2,8,9,2	Rhenium
50				50				2,8,8,1	2,8,8,2	50	Neptunium	115	Curium	116	Ra	2,8,9,2	Rhenium
51				51				2,8,8,1	2,8,8,2	51	Plutonium	117	Berkelium	118	Ra	2,8,9,2	Rhenium
52				52				2,8,8,1	2,8,8,2	52	Californium	119	Einsteinium	120	Ra	2,8,9,2	Rhenium
53				53				2,8,8,1	2,8,8,2	53	Fermium	121	Mendelevium	122	Ra	2,8,9,2	Rhenium
54				54				2,8,8,1	2,8,8,2	54	Nobelium	123	Lawrencium	124	Ra	2,8,9,2	Rhenium

[BLANK PAGE]

**DO NOT WRITE ON THIS PAGE**

**[BLANK PAGE]**

**DO NOT WRITE ON THIS PAGE**