



Lesson 6

13.07.2026


```
public class Task1 {  
    public static void main(String[] args) {  
        int a = 3;  
        int b = a++ + ++a;  
        System.out.println("a: " + a);  
        System.out.println("b: " + b);  
    }  
}
```

```
public class Task2 {  
    public static void main(String[] args) {  
        int a = 5;  
        int b = 10;  
        int c = a++ + --b + ++a - b--;  
        System.out.println("a: " + a);  
        System.out.println("b: " + b);  
        System.out.println("c: " + c);  
    }  
}
```


```
public class Task3 {  
    public static void main(String[] args) {  
        int num = -5;  
        int absValue = (num < 0) ? -num : num;  
        System.out.println("Absolute value: " + absValue);  
    }  
}
```

```
public class Task4 {  
    public static void main(String[] args) {  
        int x = 10, y = 15;  
        String result = (x > y) ? "x больше y" : ((x < y) ? "x меньше y" : "x равен y");  
        System.out.println(result);  
    }  
}
```

Java control statements




if-else statements




```
1 public class Compare {  
2     int a=10,  
3     int b=5;  
4  
5     if(a>b)  
6     { // if condition  
7         System.out.println(" A is greater than B");  
8     }  
9     else  
10    { // else condition  
11        System.out.println(" B is greater");  
12    }  
13 }
```

Switch case




```
1 public class SwitchExample {  
2     int week=7;  
3     String weeknumber;  
4  
5     switch(week){    // switch case  
6     case 1:  
7         weeknumber="Monday";  
8         break;  
9  
10    case2:  
11        weeknumber="tuesday";  
12        break;  
13  
14    case3:  
15        weeknumber="wednesday";  
16        break;  
17  
18    default:    // default case  
19        weeknumber="invalid week";  
20        break;  
21    }  
22    System.out.println(weeknumber);  
23 }  
24 }
```


While statement




```
1 public class WhileExample {  
2     public static void main(String args[]) {  
3         int a=5;  
4         while(a<10) //while condition  
5             {  
6                 System.out.println("value of a" +a);  
7                 a++;  
8                 System.out.println("  
9             ");  
10            }  
11        }  
12    }
```

Do-while statement:



```
1 public class DoWhileExample {  
2     public static void main(string args[]){  
3         int count=1;  
4         do { // do statement  
5             System.out.println("count is:"+count);  
6             count++;  
7         }  
8         while (count<10) // while condition  
9     }  
10 }
```

For statement



```
1 public class ForExample {  
2     public static void main(String args[]) {  
3         for(int i=0; i<=10; i++) // for condition  
4         {  
5             System.out.println(i);  
6         }  
7     }  
8 }
```


Foreach

- это разновидность цикла for
- используется для перебора элементов массива или коллекции

```
1 class Test {  
2  
3     public static void main(String[] args) {  
4         int[] array = {51, 136, 387};  
5  
6         for (int i = 0; i < array.length; i++)  
7             System.out.println(array[i]);  
8     }  
9 }  
10 }
```

```
1 class Test {  
2  
3     public static void main(String[] args) {  
4         int[] array = {51, 136, 387};  
5  
6         for (int i:array) {  
7             System.out.println(i);  
8         }  
9     }  
10 }
```

Break statement



Continue statement

