



Output Nr. 1: BCRABL [prct]  
Observation vs. Population and Individual Predictions  
Linear Axes




Output Nr. 1: BCRABL [prct]  
Observation vs. Population and Individual Predictions  
Log Axes (zero values plotted on axis)




# Output Nr. 1: BCRABL [prct]

## Weighted Individual and Population Residuals and NPDE vs. Time


EWRES



IWRES



NPDE



0




50

100

150

Time [ MONTHS ]


Log TIME axis (values for time = 0 plotted on axis)




# Output Nr. 1: BCRABL [prct]

## Weighted Individual and Population Residuals and NPDE vs. TAD


EWRES



IWRES




NPDE




# Output Nr. 1: BCRABL [prct]

## Weighted Individual and Population Residuals and NPDE vs. Population Prediction


EWRES



IWRES



NPDE




# Output Nr. 1: BCRABL [prct]


## Weighted Individual and Population Residuals and NPDE vs. Population Prediction

Log Prediction axis (values for prediction = 0 plotted on axis)


EWRES



IWRES



NPDE



0.1

1.0

10.0

100.0


Population prediction (EPRED) [prct]

Output Nr. 1: BCRABL [prct]  
Histograms of Residuals compared to Standard Normal

EWRES



IWRES




NPDE






Output Nr. 1: BCRABL [prct]  
QQ-Plots of Residuals

EWRES



IWRES



NPDE

